SECTION

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	2/7/1990 0:00	N	7439-95-4	Magnesium	6910	ug/L	[NULL]	[NULL]	[NULL]	R	H000FL13	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	Y	7439-95-4	Magnesium	6930	ug/L	[NULL]	[NULL]	[NULL]	R	H000FL13F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H000FL13F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H000FL13	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H000FL13	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
699-81-58	2/7/1990 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H000FL13	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
699-81-58	2/7/1990 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H000FL13	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
699-81-58	2/7/1990 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H000FL13	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
699-81-58	2/7/1990 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H000FL13F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H000FL13	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H000FL13	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H000FL13F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	N	14797-55-8	Nitrate	2900	ug/L	[NULL]	[NULL]	[NULL]	R	H000FL13	C72	USTEST	300.0_ANIONS_IC	100-NR-2
699-81-58	2/7/1990 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H000FL13	14797-65-0	USTEST	ANIONS_IC	100-NR-2
699-81-58	2/7/1990 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H000FL13	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/7/1990 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H000FL13	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
699-81-58	2/7/1990 0:00	Y	7440-09-7	Potassium	2380	ug/L	[NULL]	[NULL]	[NULL]	R	H000FL13F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	N	7440-09-7	Potassium	2450	ug/L	[NULL]	[NULL]	[NULL]	R	H000FL13	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	N	7440-14-4	Radium	0.102	pCi/L	U	[NULL]	[NULL]	R	H000FL13	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-81-58	2/7/1990 0:00	N	13967-48-1	Ruthenium-106	21.5	pCi/L	U	[NULL]	[NULL]	R	H000FL13	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-81-58	2/7/1990 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H000FL13	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
699-81-58	2/7/1990 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H000FL13	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
699-81-58	2/7/1990 0:00	N	7440-21-3	Silicon	8120	ug/L	[NULL]	[NULL]	[NULL]	R	H000FL13	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	Y	7440-21-3	Silicon	8220	ug/L	[NULL]	[NULL]	[NULL]	R	H000FL13F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H000FL13	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H000FL13F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	Y	7440-23-5	Sodium	4050	ug/L	[NULL]	[NULL]	[NULL]	R	H000FL13F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	N	7440-23-5	Sodium	4130	ug/L	[NULL]	[NULL]	[NULL]	R	H000FL13	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	N	CONDUCT	Specific Conductance	214	uS/cm	[NULL]	[NULL]	[NULL]	R	H000FL14	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
699-81-58	2/7/1990 0:00	N	CONDUCT	Specific Conductance	213	uS/cm	[NULL]	[NULL]	[NULL]	R	H000FL15	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
699-81-58	2/7/1990 0:00	N	CONDUCT	Specific Conductance	200	uS/cm	[NULL]	[NULL]	[NULL]	R	H000FL13	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
699-81-58	2/7/1990 0:00	N	CONDUCT	Specific Conductance	217	uS/cm	[NULL]	[NULL]	[NULL]	R	H000FL13	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
699-81-58	2/7/1990 0:00	N	CONDUCT	Specific Conductance	204	uS/cm	[NULL]	[NULL]	[NULL]	R	H000FL14	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
699-81-58	2/7/1990 0:00	N	CONDUCT	Specific Conductance	215	uS/cm	[NULL]	[NULL]	[NULL]	R	H000FL16	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
699-81-58	2/7/1990 0:00	N	CONDUCT	Specific Conductance	204	uS/cm	[NULL]	[NULL]	[NULL]	R	H000FL15	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
699-81-58	2/7/1990 0:00	N	CONDUCT	Specific Conductance	203	uS/cm	[NULL]	[NULL]	[NULL]	R	H000FL16	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
699-81-58	2/7/1990 0:00	N	7440-24-6	Strontium	159	ug/L	[NULL]	[NULL]	[NULL]	R	H000FL13	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	Y	7440-24-6	Strontium	161	ug/L	[NULL]	[NULL]	[NULL]	R	H000FL13F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	N	10098-97-2	Strontium-90	-0.31	pCi/L	U	[NULL]	[NULL]	R	H000FL13	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-81-58	2/7/1990 0:00	N	14808-79-8	Sulfate	16400	ug/L	[NULL]	[NULL]	[NULL]	R	H000FL13	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
699-81-58	2/7/1990 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H000FL13	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
699-81-58	2/7/1990 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H000FL13	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
699-81-58	2/7/1990 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H000FL13F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H000FL13	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H000FL13F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H000FL13	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H000FL13	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
699-81-58	2/7/1990 0:00	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	H000FL15	TOC	USTEST	9060_TOC	100-NR-2
699-81-58	2/7/1990 0:00	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	H000FL16	TOC	USTEST	9060_TOC	100-NR-2
699-81-58	2/7/1990 0:00	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	H000FL14	TOC	USTEST	9060_TOC	100-NR-2
699-81-58	2/7/1990 0:00	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	H000FL13	TOC	USTEST	9060_TOC	100-NR-2
699-81-58	2/7/1990 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H000FL16	59473-04-0	USTEST	9020_TOX	100-NR-2
699-81-58	2/7/1990 0:00	N	59473-04-0	Total organic halides	6	ug/L	U	[NULL]	[NULL]	R	H000FL15	59473-04-0	USTEST	9020_TOX	100-NR-2
699-81-58	2/7/1990 0:00	N	59473-04-0	Total organic halides	4	ug/L	U	[NULL]	[NULL]	R	H000FL14	59473-04-0	USTEST	9020_TOX	100-NR-2
699-81-58	2/7/1990 0:00	N	59473-04-0	Total organic halides	1	ug/L	U	[NULL]	[NULL]	R	H000FL13	59473-04-0	USTEST	9020_TOX	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	2/7/1990 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H000FL13	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
699-81-58	2/7/1990 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H000FL13	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
699-81-58	2/7/1990 0:00	N	10028-17-8	Tritium	353	pCi/L	[NULL]	[NULL]	[NULL]	R	H000FL13	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-81-58	2/7/1990 0:00	N	TURBIDITY	Turbidity	1.4	NTU	[NULL]	[NULL]	[NULL]	R	H000FL13	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
699-81-58	2/7/1990 0:00	N	7440-61-1	Uranium	9.64	ug/L	[NULL]	[NULL]	[NULL]	R	H000FL13	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-81-58	2/7/1990 0:00	N	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H000FL13	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	Y	7440-62-2	Vanadium	7	ug/L	[NULL]	[NULL]	[NULL]	R	H000FL13F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H000FL13	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
699-81-58	2/7/1990 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H000FL13	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
699-81-58	2/7/1990 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H000FL13F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	N	7440-66-6	Zinc	8	ug/L	[NULL]	[NULL]	[NULL]	R	H000FL13	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H000FL13	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H000FL13F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
699-81-58	2/7/1990 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H000FL13	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
699-81-58	2/7/1990 0:00	N	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	R	H000FL13	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
699-81-58	2/7/1990 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H000FL13	PH	USTEST	9040_PH	100-NR-2
699-81-58	2/7/1990 0:00	N	PH	pH Measurement	8.16	unitless	[NULL]	[NULL]	[NULL]	R	H000FL14	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
699-81-58	2/7/1990 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H000FL14	PH	USTEST	9040_PH	100-NR-2
699-81-58	2/7/1990 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H000FL15	PH	USTEST	9040_PH	100-NR-2
699-81-58	2/7/1990 0:00	N	PH	pH Measurement	8.16	unitless	[NULL]	[NULL]	[NULL]	R	H000FL15	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
699-81-58	2/7/1990 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H000FL16	PH	USTEST	9040_PH	100-NR-2
699-81-58	2/7/1990 0:00	N	PH	pH Measurement	8.16	unitless	[NULL]	[NULL]	[NULL]	R	H000FL16	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
699-81-58	2/7/1990 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H000FL13	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
699-81-58	2/7/1990 9:04	N	TEMPERATURE	Temperature	15.9	Deg C	[NULL]	[NULL]	[NULL]	R	H000GQ41	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	9/4/1991 9:10	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	H00072Y0	14798-03-9	ITASSJ	D1426D_AMMONIUM	100-NR-2
699-81-58	9/4/1991 9:10	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B00LB1	14798-03-9	ITASSJ	D1426D_AMMONIUM	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	H00072Y0F	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B00LB1F	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B00LB1	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	H00072Y0	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	14234-35-6	Antimony-125	3.24	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LB1	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	14234-35-6	Antimony-125	-8.81	pCi/L	U	[NULL]	[NULL]	R	H00072Y0	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H00072Y0	7440-38-2	ITASSJ	7060_AS_GFAA	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B00LB1F	7440-38-2	ITASSJ	7060_AS_GFAA	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B00LB1	7440-38-2	ITASSJ	7060_AS_GFAA	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H00072Y0F	7440-38-2	ITASSJ	7060_AS_GFAA	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-39-3	Barium	23	ug/L	[NULL]	[NULL]	[NULL]	R	H00072Y0	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	H00072Y0F	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B00LB1	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B00LB1F	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B00LB1	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	H00072Y0F	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	H00072Y0	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B00LB1F	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	13966-02-4	Beryllium-7	42.9	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LB1	13966-02-4	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	13966-02-4	Beryllium-7	-0.471	pCi/L	U	[NULL]	[NULL]	R	H00072Y0	13966-02-4	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	H00072Y0	24959-67-9	ITASSJ	D4327_ANIONS_IC	100-NR-2
699-81-58	9/4/1991 9:10	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B00LB1	24959-67-9	ITASSJ	D4327_ANIONS_IC	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	H00072Y0F	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B00LB1F	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	H00072Y0	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B00LB1	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	9/4/1991 9:10	N	7440-70-2	Calcium	31000	ug/L	[NULL]	[NULL]	[NULL]	R	H00072Y0	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-70-2	Calcium	31000	ug/L	[NULL]	[NULL]	[NULL]	R	B00LB1F	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-70-2	Calcium	30000	ug/L	[NULL]	[NULL]	[NULL]	R	B00LB1	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-70-2	Calcium	31000	ug/L	[NULL]	[NULL]	[NULL]	R	H00072Y0F	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	CE/PR-144	Cerium/Praseodymium-144	-7.74	pCi/L	U	[NULL]	[NULL]	R	H00072Y0	CE/PR-144	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	CE/PR-144	Cerium/Praseodymium-144	-6.2	pCi/L	U	[NULL]	[NULL]	R	B00LB1	CE/PR-144	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	13967-70-9	Cesium-134	0.849	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LB1	13967-70-9	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	13967-70-9	Cesium-134	0.296	pCi/L	[NULL]	[NULL]	[NULL]	R	H00072Y0	13967-70-9	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	10045-97-3	Cesium-137	0.427	pCi/L	[NULL]	[NULL]	[NULL]	R	H00072Y0	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	10045-97-3	Cesium-137	0.435	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LB1	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	16887-00-6	Chloride	3200	ug/L	[NULL]	[NULL]	[NULL]	R	H00072Y0	16887-00-6	ITASSJ	D4327_ANIONS_IC	100-NR-2
699-81-58	9/4/1991 9:10	N	16887-00-6	Chloride	3200	ug/L	[NULL]	[NULL]	[NULL]	R	B00LB1	16887-00-6	ITASSJ	D4327_ANIONS_IC	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-47-3	Chromium	22	ug/L	[NULL]	[NULL]	[NULL]	R	B00LB1F	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-47-3	Chromium	28	ug/L	[NULL]	[NULL]	[NULL]	R	B00LB1	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-47-3	Chromium	28	ug/L	[NULL]	[NULL]	[NULL]	R	H00072Y0F	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-47-3	Chromium	28	ug/L	[NULL]	[NULL]	[NULL]	R	H00072Y0	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H00072Y0F	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B00LB1F	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H00072Y0	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B00LB1	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	10198-40-0	Cobalt-60	-1.83	pCi/L	U	[NULL]	[NULL]	R	H00072Y0	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	10198-40-0	Cobalt-60	2.22	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LB1	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-50-8	Copper	20	ug/L	U	Q	[NULL]	R	B00LB1	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-50-8	Copper	23	ug/L	[NULL]	Q	[NULL]	R	H00072Y0F	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-50-8	Copper	20	ug/L	U	Q	[NULL]	R	B00LB1F	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-50-8	Copper	20	ug/L	U	Q	[NULL]	R	H00072Y0	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	15585-10-1	Europium-154	2.46	pCi/L	[NULL]	[NULL]	[NULL]	R	H00072Y0	15585-10-1	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	15585-10-1	Europium-154	5.97	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LB1	15585-10-1	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	14391-16-3	Europium-155	1.89	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LB1	14391-16-3	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	14391-16-3	Europium-155	0.497	pCi/L	[NULL]	[NULL]	[NULL]	R	H00072Y0	14391-16-3	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	16984-48-8	Fluoride	320	ug/L	[NULL]	[NULL]	[NULL]	R	H00072Y0	16984-48-8	ITASSJ	D4327_ANIONS_IC	100-NR-2
699-81-58	9/4/1991 9:10	N	16984-48-8	Fluoride	330	ug/L	[NULL]	[NULL]	[NULL]	R	B00LB1	16984-48-8	ITASSJ	D4327_ANIONS_IC	100-NR-2
699-81-58	9/4/1991 9:10	N	12587-46-1	Gross alpha	0.948	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LB1	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
699-81-58	9/4/1991 9:10	N	12587-46-1	Gross alpha	0.964	pCi/L	[NULL]	[NULL]	[NULL]	R	H00072Y0	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
699-81-58	9/4/1991 9:10	N	12587-47-2	Gross beta	3.76	pCi/L	[NULL]	[NULL]	[NULL]	R	H00072Y0	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
699-81-58	9/4/1991 9:10	N	12587-47-2	Gross beta	1.14	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LB1	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
699-81-58	9/4/1991 9:10	N	302-01-2	Hydrazine	30	ug/L	[NULL]	[NULL]	[NULL]	R	B00LB1	302-01-2	ITASSJ	D1385_HYDRAZINE	100-NR-2
699-81-58	9/4/1991 9:10	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H00072Y0	302-01-2	ITASSJ	D1385_HYDRAZINE	100-NR-2
699-81-58	9/4/1991 9:10	Y	7439-89-6	Iron	30	ug/L	[NULL]	Q	[NULL]	R	B00LB1F	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7439-89-6	Iron	470	ug/L	[NULL]	Q	[NULL]	R	H00072Y0	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7439-89-6	Iron	460	ug/L	[NULL]	Q	[NULL]	R	B00LB1	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7439-89-6	Iron	27	ug/L	[NULL]	Q	[NULL]	R	H00072Y0F	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H00072Y0	7439-92-1	ITASSJ	7421_PB_GFAA	100-NR-2
699-81-58	9/4/1991 9:10	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B00LB1F	7439-92-1	ITASSJ	7421_PB_GFAA	100-NR-2
699-81-58	9/4/1991 9:10	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H00072Y0F	7439-92-1	ITASSJ	7421_PB_GFAA	100-NR-2
699-81-58	9/4/1991 9:10	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B00LB1	7439-92-1	ITASSJ	7421_PB_GFAA	100-NR-2
699-81-58	9/4/1991 9:10	N	7439-95-4	Magnesium	8600	ug/L	[NULL]	[NULL]	[NULL]	R	H00072Y0	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7439-95-4	Magnesium	8300	ug/L	[NULL]	[NULL]	[NULL]	R	B00LB1F	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7439-95-4	Magnesium	8300	ug/L	[NULL]	[NULL]	[NULL]	R	H00072Y0F	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7439-95-4	Magnesium	8300	ug/L	[NULL]	[NULL]	[NULL]	R	B00LB1	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	H00072Y0	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7439-96-5	Manganese	13	ug/L	[NULL]	[NULL]	[NULL]	R	B00LB1	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	H00072Y0F	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	9/4/1991 9:10	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B00LB1F	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B00LB1	7439-97-6	ITASSJ	7470_HG_CVAA	100-NR-2
699-81-58	9/4/1991 9:10	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	H00072Y0F	7439-97-6	ITASSJ	7470_HG_CVAA	100-NR-2
699-81-58	9/4/1991 9:10	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B00LB1F	7439-97-6	ITASSJ	7470_HG_CVAA	100-NR-2
699-81-58	9/4/1991 9:10	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	H00072Y0	7439-97-6	ITASSJ	7470_HG_CVAA	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B00LB1	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	H00072Y0F	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B00LB1F	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	H00072Y0	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	14797-55-8	Nitrate	5300	ug/L	[NULL]	[NULL]	[NULL]	R	B00LB1	14797-55-8	PNL2	300.0_ANIONS_IC	100-NR-2
699-81-58	9/4/1991 9:10	N	108-95-2	Phenol	20	ug/L	U	[NULL]	[NULL]	R	B00LB1	108-95-2	ITASSJ	8040_PHENOLIC_GC	100-NR-2
699-81-58	9/4/1991 9:10	N	108-95-2	Phenol	20	ug/L	U	[NULL]	[NULL]	R	H00072Y0	108-95-2	ITASSJ	8040_PHENOLIC_GC	100-NR-2
699-81-58	9/4/1991 9:10	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	H00072Y0	14265-44-2	ITASSJ	D4327_ANIONS_IC	100-NR-2
699-81-58	9/4/1991 9:10	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B00LB1	14265-44-2	ITASSJ	D4327_ANIONS_IC	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-09-7	Potassium	2300	ug/L	[NULL]	[NULL]	[NULL]	R	H00072Y0	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-09-7	Potassium	2400	ug/L	[NULL]	[NULL]	[NULL]	R	B00LB1	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-09-7	Potassium	3000	ug/L	[NULL]	[NULL]	[NULL]	R	H00072Y0F	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-09-7	Potassium	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B00LB1F	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	13966-00-2	Potassium-40	126	pCi/L	[NULL]	R	[NULL]	R	B00LB1	13966-00-2	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	13966-00-2	Potassium-40	161	pCi/L	[NULL]	R	[NULL]	R	H00072Y0	13966-00-2	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-14-4	Radium	-0.0101	pCi/L	U	[NULL]	[NULL]	R	B00LB1	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-14-4	Radium	-0.00768	pCi/L	U	[NULL]	[NULL]	R	H00072Y0	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
699-81-58	9/4/1991 9:10	N	13967-48-1	Ruthenium-106	16.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LB1	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	13967-48-1	Ruthenium-106	26	pCi/L	[NULL]	[NULL]	[NULL]	R	H00072Y0	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	H00072Y0F	7782-49-2	ITASSJ	7740_SE_GFAA	100-NR-2
699-81-58	9/4/1991 9:10	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B00LB1F	7782-49-2	ITASSJ	7740_SE_GFAA	100-NR-2
699-81-58	9/4/1991 9:10	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B00LB1	7782-49-2	ITASSJ	7740_SE_GFAA	100-NR-2
699-81-58	9/4/1991 9:10	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	H00072Y0	7782-49-2	ITASSJ	7740_SE_GFAA	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	H00072Y0F	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	H00072Y0	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B00LB1	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B00LB1F	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-23-5	Sodium	5000	ug/L	[NULL]	[NULL]	[NULL]	R	B00LB1F	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-23-5	Sodium	5500	ug/L	[NULL]	[NULL]	[NULL]	R	H00072Y0	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-23-5	Sodium	5000	ug/L	[NULL]	[NULL]	[NULL]	R	B00LB1	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-23-5	Sodium	5100	ug/L	[NULL]	[NULL]	[NULL]	R	H00072Y0F	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	CONDUCT	Specific Conductance	236	uS/cm	[NULL]	[NULL]	[NULL]	R	B00LB1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	9/4/1991 9:10	N	10098-97-2	Strontium-90	0.79	pCi/L	[NULL]	[NULL]	[NULL]	R	H00072Y0	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
699-81-58	9/4/1991 9:10	N	10098-97-2	Strontium-90	-0.182	pCi/L	U	[NULL]	[NULL]	R	B00LB1	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
699-81-58	9/4/1991 9:10	N	14808-79-8	Sulfate	17000	ug/L	[NULL]	[NULL]	[NULL]	R	H00072Y0	14808-79-8	ITASSJ	D4327_ANIONS_IC	100-NR-2
699-81-58	9/4/1991 9:10	N	14808-79-8	Sulfate	17000	ug/L	[NULL]	[NULL]	[NULL]	R	B00LB1	14808-79-8	ITASSJ	D4327_ANIONS_IC	100-NR-2
699-81-58	9/4/1991 9:10	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B00LB1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B00LB1	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B00LB1F	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	H00072Y0F	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	H00072Y0	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B00LB1	TOC	ITASSJ	9060_TOC	100-NR-2
699-81-58	9/4/1991 9:10	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	H00072Y0	TOC	ITASSJ	9060_TOC	100-NR-2
699-81-58	9/4/1991 9:10	N	59473-04-0	Total organic halides	10	ug/L	U	[NULL]	[NULL]	R	B00LB1	59473-04-0	ITASSJ	9020_TOX	100-NR-2
699-81-58	9/4/1991 9:10	N	59473-04-0	Total organic halides	10	ug/L	U	[NULL]	[NULL]	R	H00072Y0	59473-04-0	ITASSJ	9020_TOX	100-NR-2
699-81-58	9/4/1991 9:10	N	10028-17-8	Tritium	950	pCi/L	[NULL]	[NULL]	[NULL]	R	H00072Y0	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
699-81-58	9/4/1991 9:10	N	10028-17-8	Tritium	1400	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LB1	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
699-81-58	9/4/1991 9:10	N	TURBIDITY	Turbidity	0.8	NTU	[NULL]	[NULL]	[NULL]	R	H00072Y0	TURBIDITY	ITASSJ	214A_TURBIDITY	100-NR-2
699-81-58	9/4/1991 9:10	N	TURBIDITY	Turbidity	0.8	NTU	[NULL]	[NULL]	[NULL]	R	B00LB1	TURBIDITY	ITASSJ	214A_TURBIDITY	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	H00072Y0F	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	9/4/1991 9:10	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B00LB1F	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B00LB1	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	H00072Y0	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	H00072Y0	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	7440-66-6	Zinc	13	ug/L	[NULL]	[NULL]	[NULL]	R	B00LB1	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B00LB1F	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	Y	7440-66-6	Zinc	15	ug/L	[NULL]	[NULL]	[NULL]	R	H00072Y0F	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	9/4/1991 9:10	N	13982-39-3	Zinc-65	-2.54	pCi/L	U	[NULL]	[NULL]	R	B00LB1	13982-39-3	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	13982-39-3	Zinc-65	-15.8	pCi/L	U	[NULL]	[NULL]	R	H00072Y0	13982-39-3	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	ZR/NB-95	Zirconium/Niobium-95	-8.11	pCi/L	U	[NULL]	[NULL]	R	B00LB1	ZR/NB-95	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	ZR/NB-95	Zirconium/Niobium-95	12.1	pCi/L	[NULL]	[NULL]	[NULL]	R	H00072Y0	ZR/NB-95	ITASRL	GAMMA_GS	100-NR-2
699-81-58	9/4/1991 9:10	N	PH	pH Measurement	7.97	unitless	[NULL]	[NULL]	[NULL]	R	B00LB1	PH	FIELD	9040_PH	100-NR-2
699-81-58	9/25/1991 11:40	N	CONDUCT	Specific Conductance	226	uS/cm	[NULL]	[NULL]	[NULL]	R	B00K59	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	9/25/1991 11:40	N	14133-76-7	Technetium-99	0.886	pCi/L	[NULL]	[NULL]	[NULL]	R	B00K59	14133-76-7	ITASRL	TC99_SEP_LSC	100-NR-2
699-81-58	9/25/1991 11:40	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B00K59	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	9/25/1991 11:40	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B00K59	PH	FIELD	9040_PH	100-NR-2
699-81-58	1/23/1992 10:36	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01BC6	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	1/23/1992 10:36	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01BC6	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	1/23/1992 10:36	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B01BC6	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	1/23/1992 10:36	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B01BC6	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	1/23/1992 10:36	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01BC6	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	1/23/1992 10:36	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01BC6	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	1/23/1992 10:36	N	88-75-5	2-Nitrophenol	5	ug/L	U	Q	[NULL]	R	B01BC6	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	1/23/1992 10:36	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B01BC6	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	1/23/1992 10:36	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B01BC6	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	1/23/1992 10:36	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B01BC6	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	1/23/1992 10:36	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B01BC6	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
699-81-58	1/23/1992 10:36	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B01BC6	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B01BC6F	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	14234-35-6	Antimony-125	-12.6	pCi/L	U	[NULL]	[NULL]	R	B01BC6	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
699-81-58	1/23/1992 10:36	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B01BC6F	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
699-81-58	1/23/1992 10:36	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B01BC6	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
699-81-58	1/23/1992 10:36	Y	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B01BC6F	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B01BC6	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B01BC6	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B01BC6F	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B01BC6	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	1/23/1992 10:36	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B01BC6	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B01BC6F	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	Y	7440-70-2	Calcium	30000	ug/L	[NULL]	[NULL]	[NULL]	R	B01BC6F	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	7440-70-2	Calcium	31000	ug/L	[NULL]	[NULL]	[NULL]	R	B01BC6	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	10045-97-3	Cesium-137	-5.75	pCi/L	U	[NULL]	[NULL]	R	B01BC6	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
699-81-58	1/23/1992 10:36	N	16887-00-6	Chloride	3300	ug/L	[NULL]	[NULL]	[NULL]	R	B01BC6	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	1/23/1992 10:36	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B01BC6F	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	7440-47-3	Chromium	21	ug/L	[NULL]	[NULL]	[NULL]	R	B01BC6	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B01BC6	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B01BC6F	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	10198-40-0	Cobalt-60	-3.4	pCi/L	U	[NULL]	[NULL]	R	B01BC6	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
699-81-58	1/23/1992 10:36	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B01BC6	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
699-81-58	1/23/1992 10:36	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B01BC6F	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B01BC6	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B01BC6	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	1/23/1992 10:36	N	16984-48-8	Fluoride	100	ug/L	U	[NULL]	[NULL]	R	B01BC6	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	1/23/1992 10:36	N	12587-46-1	Gross alpha	1.46	pCi/L	[NULL]	[NULL]	[NULL]	R	B01BC6	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
699-81-58	1/23/1992 10:36	N	12587-47-2	Gross beta	5.11	pCi/L	[NULL]	[NULL]	[NULL]	R	B01BC6	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
699-81-58	1/23/1992 10:36	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B01BC6	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
699-81-58	1/23/1992 10:36	N	7439-89-6	Iron	300	ug/L	[NULL]	[NULL]	[NULL]	R	B01BC6	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	Y	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B01BC6F	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B01BC6	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
699-81-58	1/23/1992 10:36	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B01BC6F	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
699-81-58	1/23/1992 10:36	N	7439-95-4	Magnesium	8900	ug/L	[NULL]	[NULL]	[NULL]	R	B01BC6	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	Y	7439-95-4	Magnesium	8700	ug/L	[NULL]	[NULL]	[NULL]	R	B01BC6F	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B01BC6	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B01BC6F	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B01BC6	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
699-81-58	1/23/1992 10:36	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B01BC6F	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
699-81-58	1/23/1992 10:36	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B01BC6F	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B01BC6	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	14797-55-8	Nitrate	4870	ug/L	[NULL]	[NULL]	[NULL]	R	B01BC6	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	1/23/1992 10:36	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B01BC6	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	1/23/1992 10:36	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B01BC6	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	1/23/1992 10:36	N	108-95-2	Phenol	1	ug/L	U	Q	[NULL]	R	B01BC6	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	1/23/1992 10:36	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B01BC6	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	1/23/1992 10:36	N	7440-09-7	Potassium	1800	ug/L	[NULL]	[NULL]	[NULL]	R	B01BC6	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	Y	7440-09-7	Potassium	1700	ug/L	[NULL]	[NULL]	[NULL]	R	B01BC6F	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	7440-14-4	Radium	-0.0142	pCi/L	U	[NULL]	[NULL]	R	B01BC6	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
699-81-58	1/23/1992 10:36	N	13967-48-1	Ruthenium-106	23.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B01BC6	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
699-81-58	1/23/1992 10:36	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B01BC6F	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
699-81-58	1/23/1992 10:36	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B01BC6	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
699-81-58	1/23/1992 10:36	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B01BC6	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B01BC6F	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	Y	7440-23-5	Sodium	4800	ug/L	[NULL]	[NULL]	[NULL]	R	B01BC6F	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	7440-23-5	Sodium	5000	ug/L	[NULL]	[NULL]	[NULL]	R	B01BC6	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	CONDUCT	Specific Conductance	249	uS/cm	[NULL]	[NULL]	[NULL]	R	B01BC6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	1/23/1992 10:36	N	10098-97-2	Strontium-90	-0.0433	pCi/L	U	[NULL]	[NULL]	R	B01BC6	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
699-81-58	1/23/1992 10:36	N	14808-79-8	Sulfate	19000	ug/L	[NULL]	[NULL]	[NULL]	R	B01BC6	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	1/23/1992 10:36	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	R	B01BC6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	1/23/1992 10:36	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B01BC6	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	1/23/1992 10:36	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B01BC6F	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B01BC6	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B01BC6	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	1/23/1992 10:36	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B01BC6	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	1/23/1992 10:36	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B01BC6	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	1/23/1992 10:36	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01BC6	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	1/23/1992 10:36	N	10028-17-8	Tritium	373	pCi/L	[NULL]	[NULL]	[NULL]	R	B01BC6	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
699-81-58	1/23/1992 10:36	N	TURBIDITY	Turbidity	0.8	NTU	[NULL]	[NULL]	[NULL]	R	B01BC6	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
699-81-58	1/23/1992 10:36	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B01BC6	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B01BC6F	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	7440-66-6	Zinc	13	ug/L	[NULL]	[NULL]	[NULL]	R	B01BC6	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B01BC6F	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	1/23/1992 10:36	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B01BC6	PH	FIELD	9040_PH	100-NR-2
699-81-58	2/14/1992 9:51	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W49	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/14/1992 9:51	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W49	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/14/1992 9:51	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B01W49	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/14/1992 9:51	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B01W49	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/14/1992 9:51	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W49	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/14/1992 9:51	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W49	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	2/14/1992 9:51	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W49	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/14/1992 9:51	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B01W49	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/14/1992 9:51	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B01W49	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/14/1992 9:51	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B01W49	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/14/1992 9:51	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B01W49	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B01W53	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B01W49	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
699-81-58	2/14/1992 9:51	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B01W53	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
699-81-58	2/14/1992 9:51	Y	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B01W53	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	N	7440-39-3	Barium	33	ug/L	[NULL]	[NULL]	[NULL]	R	B01W49	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B01W49	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B01W53	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B01W49	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	2/14/1992 9:51	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B01W53	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B01W49	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	N	7440-70-2	Calcium	33000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W49	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	Y	7440-70-2	Calcium	29000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W53	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	N	16887-00-6	Chloride	3600	ug/L	[NULL]	[NULL]	[NULL]	R	B01W49	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	2/14/1992 9:51	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B01W53	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	N	7440-47-3	Chromium	31	ug/L	[NULL]	[NULL]	[NULL]	R	B01W49	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B01W49	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B01W53	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B01W49	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
699-81-58	2/14/1992 9:51	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B01W53	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B01W49	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B01W49	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/14/1992 9:51	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B01W49	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	2/14/1992 9:51	N	7439-89-6	Iron	1800	ug/L	[NULL]	[NULL]	[NULL]	R	B01W49	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	Y	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B01W53	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	Y	7439-92-1	Lead	7.2	ug/L	[NULL]	[NULL]	[NULL]	R	B01W53	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
699-81-58	2/14/1992 9:51	N	7439-92-1	Lead	9.2	ug/L	[NULL]	[NULL]	[NULL]	R	B01W49	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
699-81-58	2/14/1992 9:51	N	7439-95-4	Magnesium	9000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W49	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	Y	7439-95-4	Magnesium	8100	ug/L	[NULL]	[NULL]	[NULL]	R	B01W53	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	N	7439-96-5	Manganese	55	ug/L	[NULL]	[NULL]	[NULL]	R	B01W49	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B01W53	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B01W49	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
699-81-58	2/14/1992 9:51	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B01W53	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
699-81-58	2/14/1992 9:51	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B01W53	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B01W49	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	N	14797-55-8	Nitrate	6100	ug/L	[NULL]	[NULL]	[NULL]	R	B01W49	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	2/14/1992 9:51	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B01W49	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	2/14/1992 9:51	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B01W49	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/14/1992 9:51	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B01W49	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/14/1992 9:51	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B01W49	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	2/14/1992 9:51	N	7440-09-7	Potassium	2600	ug/L	[NULL]	Q	[NULL]	R	B01W49	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	Y	7440-09-7	Potassium	2300	ug/L	[NULL]	Q	[NULL]	R	B01W53	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B01W53	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
699-81-58	2/14/1992 9:51	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B01W49	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
699-81-58	2/14/1992 9:51	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B01W53	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B01W49	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	N	7440-23-5	Sodium	4900	ug/L	[NULL]	[NULL]	[NULL]	R	B01W49	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	Y	7440-23-5	Sodium	4400	ug/L	[NULL]	[NULL]	[NULL]	R	B01W53	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	2/14/1992 9:51	N	CONDUCT	Specific Conductance	237	uS/cm	[NULL]	[NULL]	[NULL]	R	B01W52	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	2/14/1992 9:51	N	CONDUCT	Specific Conductance	237	uS/cm	[NULL]	[NULL]	[NULL]	R	B01W51	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	2/14/1992 9:51	N	CONDUCT	Specific Conductance	237	uS/cm	[NULL]	[NULL]	[NULL]	R	B01W49	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	2/14/1992 9:51	N	CONDUCT	Specific Conductance	236	uS/cm	[NULL]	[NULL]	[NULL]	R	B01W50	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	2/14/1992 9:51	N	14808-79-8	Sulfate	21000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W49	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	2/14/1992 9:51	N	TEMPERATURE	Temperature	16	Deg C	[NULL]	[NULL]	[NULL]	R	B01W49	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	2/14/1992 9:51	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B01W49	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/14/1992 9:51	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B01W49	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B01W53	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B01W49	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/14/1992 9:51	N	TOC	Total organic carbon	1000	ug/L	U	R	[NULL]	R	B01W50	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	2/14/1992 9:51	N	TOC	Total organic carbon	1000	ug/L	U	R	[NULL]	R	B01W49	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	2/14/1992 9:51	N	TOC	Total organic carbon	1000	ug/L	U	R	[NULL]	R	B01W51	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	2/14/1992 9:51	N	TOC	Total organic carbon	1000	ug/L	U	R	[NULL]	R	B01W52	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	2/14/1992 9:51	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B01W49	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	2/14/1992 9:51	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B01W50	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	2/14/1992 9:51	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B01W52	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	2/14/1992 9:51	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B01W51	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	2/14/1992 9:51	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W49	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/14/1992 9:51	N	10028-17-8	Tritium	392	pCi/L	[NULL]	[NULL]	[NULL]	R	B01VG9	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
699-81-58	2/14/1992 9:51	N	TURBIDITY	Turbidity	2.1	NTU	[NULL]	[NULL]	[NULL]	R	B01W49	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
699-81-58	2/14/1992 9:51	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B01W49	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B01W53	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B01W53	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B01W49	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/14/1992 9:51	N	PH	pH Measurement	7.67	unitless	[NULL]	[NULL]	[NULL]	R	B01W49	PH	FIELD	9040_PH	100-NR-2
699-81-58	2/14/1992 9:51	N	PH	pH Measurement	7.66	unitless	[NULL]	[NULL]	[NULL]	R	B01W50	PH	FIELD	9040_PH	100-NR-2
699-81-58	2/14/1992 9:51	N	PH	pH Measurement	7.66	unitless	[NULL]	[NULL]	[NULL]	R	B01W51	PH	FIELD	9040_PH	100-NR-2
699-81-58	2/14/1992 9:51	N	PH	pH Measurement	7.66	unitless	[NULL]	[NULL]	[NULL]	R	B01W52	PH	FIELD	9040_PH	100-NR-2
699-81-58	5/14/1992 9:00	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	P	[NULL]	R	B06MT3	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/14/1992 9:00	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	P	[NULL]	R	B06MT3	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/14/1992 9:00	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	P	[NULL]	R	B06MT3	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/14/1992 9:00	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	P	[NULL]	R	B06MT3	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/14/1992 9:00	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	P	[NULL]	R	B06MT3	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/14/1992 9:00	N	95-57-8	2-Chlorophenol	5	ug/L	U	P	[NULL]	R	B06MT3	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/14/1992 9:00	N	88-75-5	2-Nitrophenol	5	ug/L	U	P	[NULL]	R	B06MT3	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/14/1992 9:00	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	P	[NULL]	R	B06MT3	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/14/1992 9:00	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	P	[NULL]	R	B06MT3	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/14/1992 9:00	N	100-02-7	4-Nitrophenol	30	ug/L	U	P	[NULL]	R	B06MT3	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/14/1992 9:00	N	7440-36-0	Antimony	200	ug/L	U	P	[NULL]	R	B06MT3	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B06MT8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	7440-38-2	Arsenic	5	ug/L	U	P	[NULL]	R	B06MT3	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
699-81-58	5/14/1992 9:00	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B06MT8	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
699-81-58	5/14/1992 9:00	Y	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B06MT8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	7440-39-3	Barium	20	ug/L	U	P	[NULL]	R	B06MT3	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B06MT8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	7440-41-7	Beryllium	3	ug/L	U	P	[NULL]	R	B06MT3	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	24959-67-9	Bromide	500	ug/L	U	P	[NULL]	R	B06MT3	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/14/1992 9:00	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B06MT8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	7440-43-9	Cadmium	10	ug/L	U	P	[NULL]	R	B06MT3	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	Y	7440-70-2	Calcium	29000	ug/L	[NULL]	[NULL]	[NULL]	R	B06MT8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	7440-70-2	Calcium	30000	ug/L	[NULL]	P	[NULL]	R	B06MT3	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	16887-00-6	Chloride	3500	ug/L	[NULL]	P	[NULL]	R	B06MT3	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/14/1992 9:00	Y	7440-47-3	Chromium	21	ug/L	[NULL]	[NULL]	[NULL]	R	B06MT8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	5/14/1992 9:00	N	7440-47-3	Chromium	20	ug/L	U	P	[NULL]	R	B06MT3	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	7440-48-4	Cobalt	20	ug/L	U	P	[NULL]	R	B06MT3	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B06MT8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	P	[NULL]	R	B06MT3	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
699-81-58	5/14/1992 9:00	N	7440-50-8	Copper	20	ug/L	U	P	[NULL]	R	B06MT3	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B06MT8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	P	[NULL]	R	B06MT3	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/14/1992 9:00	N	16984-48-8	Fluoride	300	ug/L	[NULL]	P	[NULL]	R	B06MT3	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/14/1992 9:00	N	7439-89-6	Iron	100	ug/L	[NULL]	P	[NULL]	R	B06MT3	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	Y	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B06MT8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	7439-92-1	Lead	5	ug/L	U	P	[NULL]	R	B06MT3	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
699-81-58	5/14/1992 9:00	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B06MT8	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
699-81-58	5/14/1992 9:00	Y	7439-95-4	Magnesium	8200	ug/L	[NULL]	[NULL]	[NULL]	R	B06MT8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	7439-95-4	Magnesium	8200	ug/L	[NULL]	P	[NULL]	R	B06MT3	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	7439-96-5	Manganese	10	ug/L	U	P	[NULL]	R	B06MT3	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B06MT8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	7439-97-6	Mercury	0.2	ug/L	U	P	[NULL]	R	B06MT3	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
699-81-58	5/14/1992 9:00	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B06MT8	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
699-81-58	5/14/1992 9:00	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B06MT8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	7440-02-0	Nickel	30	ug/L	U	P	[NULL]	R	B06MT3	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	14797-55-8	Nitrate	6000	ug/L	[NULL]	P	[NULL]	R	B06MT3	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/14/1992 9:00	N	14797-65-0	Nitrite	200	ug/L	U	P	[NULL]	R	B06MT3	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/14/1992 9:00	N	87-86-5	Pentachlorophenol	100	ug/L	U	P	[NULL]	R	B06MT3	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/14/1992 9:00	N	108-95-2	Phenol	1	ug/L	U	P	[NULL]	R	B06MT3	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/14/1992 9:00	N	14265-44-2	Phosphate	400	ug/L	U	P	[NULL]	R	B06MT3	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/14/1992 9:00	Y	7440-09-7	Potassium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B06MT8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	7440-09-7	Potassium	3000	ug/L	[NULL]	P	[NULL]	R	B06MT3	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	7782-49-2	Selenium	10	ug/L	U	P	[NULL]	R	B06MT3	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
699-81-58	5/14/1992 9:00	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B06MT8	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
699-81-58	5/14/1992 9:00	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B06MT8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	7440-22-4	Silver	20	ug/L	U	P	[NULL]	R	B06MT3	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	Y	7440-23-5	Sodium	5200	ug/L	[NULL]	[NULL]	[NULL]	R	B06MT8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	7440-23-5	Sodium	5200	ug/L	[NULL]	P	[NULL]	R	B06MT3	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	CONDUCT	Specific Conductance	226	uS/cm	[NULL]	P	[NULL]	R	B06MT5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	5/14/1992 9:00	N	CONDUCT	Specific Conductance	227	uS/cm	[NULL]	P	[NULL]	R	B06MT3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	5/14/1992 9:00	N	CONDUCT	Specific Conductance	225	uS/cm	[NULL]	P	[NULL]	R	B06MT6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	5/14/1992 9:00	N	CONDUCT	Specific Conductance	225	uS/cm	[NULL]	P	[NULL]	R	B06MT7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	5/14/1992 9:00	N	14808-79-8	Sulfate	22000	ug/L	[NULL]	P	[NULL]	R	B06MT3	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/14/1992 9:00	N	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	P	[NULL]	R	B06MT3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	5/14/1992 9:00	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	P	[NULL]	R	B06MT3	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/14/1992 9:00	N	7440-31-5	Tin	100	ug/L	U	P	[NULL]	R	B06MT3	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B06MT8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	1319-77-3	Total cresols	10	ug/L	U	P	[NULL]	R	B06MT3	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/14/1992 9:00	N	TOC	Total organic carbon	1000	ug/L	U	P	[NULL]	R	B06MT6	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	5/14/1992 9:00	N	TOC	Total organic carbon	1000	ug/L	U	P	[NULL]	R	B06MT3	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	5/14/1992 9:00	N	TOC	Total organic carbon	1000	ug/L	U	P	[NULL]	R	B06MT5	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	5/14/1992 9:00	N	TOC	Total organic carbon	1000	ug/L	U	P	[NULL]	R	B06MT7	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	5/14/1992 9:00	N	59473-04-0	Total organic halides	10	ug/L	U	PY	[NULL]	R	B06MT5	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	5/14/1992 9:00	N	59473-04-0	Total organic halides	10	ug/L	U	PY	[NULL]	R	B06MT7	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	5/14/1992 9:00	N	59473-04-0	Total organic halides	20	ug/L	[NULL]	PY	[NULL]	R	B06MT6	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	5/14/1992 9:00	N	59473-04-0	Total organic halides	10	ug/L	U	PY	[NULL]	R	B06MT3	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	5/14/1992 9:00	N	25167-82-2	Trichlorophenol	5	ug/L	U	P	[NULL]	R	B06MT3	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/14/1992 9:00	N	TURBIDITY	Turbidity	1.2	NTU	[NULL]	P	[NULL]	R	B06MT3	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	5/14/1992 9:00	N	7440-62-2	Vanadium	30	ug/L	U	P	[NULL]	R	B06MT3	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B06MT8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	7440-66-6	Zinc	10	ug/L	U	P	[NULL]	R	B06MT3	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B06MT8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/14/1992 9:00	N	PH	pH Measurement	8.06	unitless	[NULL]	P	[NULL]	R	B06MT3	PH	FIELD	9040_PH	100-NR-2
699-81-58	5/14/1992 9:00	N	PH	pH Measurement	8.06	unitless	[NULL]	P	[NULL]	R	B06MT6	PH	FIELD	9040_PH	100-NR-2
699-81-58	5/14/1992 9:00	N	PH	pH Measurement	8.06	unitless	[NULL]	P	[NULL]	R	B06MT5	PH	FIELD	9040_PH	100-NR-2
699-81-58	5/14/1992 9:00	N	PH	pH Measurement	8.05	unitless	[NULL]	P	[NULL]	R	B06MT7	PH	FIELD	9040_PH	100-NR-2
699-81-58	7/31/1992 8:30	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	Y	[NULL]	R	B073Z7	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	7/31/1992 8:30	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	Y	[NULL]	R	B073Z7	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	7/31/1992 8:30	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	Y	[NULL]	R	B073Z7	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	7/31/1992 8:30	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	Y	[NULL]	R	B073Z7	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	7/31/1992 8:30	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	Y	[NULL]	R	B073Z7	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	7/31/1992 8:30	N	95-57-8	2-Chlorophenol	5	ug/L	U	Y	[NULL]	R	B073Z7	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	7/31/1992 8:30	N	88-75-5	2-Nitrophenol	5	ug/L	U	Y	[NULL]	R	B073Z7	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	7/31/1992 8:30	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	Y	[NULL]	R	B073Z7	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	7/31/1992 8:30	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	Y	[NULL]	R	B073Z7	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	7/31/1992 8:30	N	100-02-7	4-Nitrophenol	30	ug/L	U	Y	[NULL]	R	B073Z7	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	7/31/1992 8:30	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07401	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B073Z7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B073Z7	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
699-81-58	7/31/1992 8:30	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B07401	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
699-81-58	7/31/1992 8:30	Y	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B07401	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B073Z7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07401	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B073Z7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B073Z7	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	7/31/1992 8:30	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07401	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B073Z7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	Y	7440-70-2	Calcium.	30000	ug/L	[NULL]	[NULL]	[NULL]	R	B07401	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	7440-70-2	Calcium	30000	ug/L	[NULL]	[NULL]	[NULL]	R	B073Z7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	16887-00-6	Chloride	3500	ug/L	[NULL]	[NULL]	[NULL]	R	B073Z7	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	7/31/1992 8:30	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B07401	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B073Z7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B073Z7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07401	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B073Z7	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
699-81-58	7/31/1992 8:30	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B073Z7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07401	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	Y	[NULL]	R	B073Z7	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	7/31/1992 8:30	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B073Z7	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	7/31/1992 8:30	Y	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B07401	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	7439-89-6	Iron	300	ug/L	[NULL]	[NULL]	[NULL]	R	B073Z7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B073Z7	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
699-81-58	7/31/1992 8:30	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07401	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
699-81-58	7/31/1992 8:30	N	7439-95-4	Magnesium	8300	ug/L	[NULL]	[NULL]	[NULL]	R	B073Z7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	Y	7439-95-4	Magnesium	8200	ug/L	[NULL]	[NULL]	[NULL]	R	B07401	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B07401	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	7439-96-5	Manganese	14	ug/L	[NULL]	[NULL]	[NULL]	R	B073Z7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B073Z7	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
699-81-58	7/31/1992 8:30	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07401	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
699-81-58	7/31/1992 8:30	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B073Z7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	7/31/1992 8:30	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07401	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	14797-55-8	Nitrate	5800	ug/L	[NULL]	[NULL]	[NULL]	R	B073Z7	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	7/31/1992 8:30	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B073Z7	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	7/31/1992 8:30	N	87-86-5	Pentachlorophenol	100	ug/L	U	Y	[NULL]	R	B073Z7	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	7/31/1992 8:30	N	108-95-2	Phenol	1	ug/L	U	Y	[NULL]	R	B073Z7	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	7/31/1992 8:30	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B073Z7	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	7/31/1992 8:30	Y	7440-09-7	Potassium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B07401	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	7440-09-7	Potassium	2800	ug/L	[NULL]	[NULL]	[NULL]	R	B073Z7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B073Z7	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
699-81-58	7/31/1992 8:30	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07401	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
699-81-58	7/31/1992 8:30	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07401	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B073Z7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	Y	7440-23-5	Sodium	4700	ug/L	[NULL]	[NULL]	[NULL]	R	B07401	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	7440-23-5	Sodium	4700	ug/L	[NULL]	[NULL]	[NULL]	R	B073Z7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	CONDUCT	Specific Conductance	237	uS/cm	[NULL]	[NULL]	[NULL]	R	B07400	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	7/31/1992 8:30	N	CONDUCT	Specific Conductance	237	uS/cm	[NULL]	[NULL]	[NULL]	R	B073Z9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	7/31/1992 8:30	N	CONDUCT	Specific Conductance	236	uS/cm	[NULL]	[NULL]	[NULL]	R	B073Z8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	7/31/1992 8:30	N	CONDUCT	Specific Conductance	236	uS/cm	[NULL]	[NULL]	[NULL]	R	B073Z7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	7/31/1992 8:30	N	14808-79-8	Sulfate	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B073Z7	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	7/31/1992 8:30	N	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	R	B073Z7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	7/31/1992 8:30	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	Y	[NULL]	R	B073Z7	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	7/31/1992 8:30	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07401	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B073Z7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	1319-77-3	Total cresols	10	ug/L	U	Y	[NULL]	R	B073Z7	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	7/31/1992 8:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B073Z8	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	7/31/1992 8:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B073Z9	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	7/31/1992 8:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07400	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	7/31/1992 8:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B073Z7	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	7/31/1992 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B073Z9	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	7/31/1992 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07400	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	7/31/1992 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	RY	[NULL]	R	B073Z7	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	7/31/1992 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B073Z8	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	7/31/1992 8:30	N	25167-82-2	Trichlorophenol	5	ug/L	U	Y	[NULL]	R	B073Z7	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	7/31/1992 8:30	N	10028-17-8	Tritium	193	pCi/L	[NULL]	[NULL]	[NULL]	R	B073M1	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
699-81-58	7/31/1992 8:30	N	TURBIDITY	Turbidity	1.9	NTU	[NULL]	[NULL]	[NULL]	R	B073Z7	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
699-81-58	7/31/1992 8:30	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07401	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B073Z7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07401	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B073Z7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	7/31/1992 8:30	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B073Z8	PH	FIELD	9040_PH	100-NR-2
699-81-58	7/31/1992 8:30	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B073Z9	PH	FIELD	9040_PH	100-NR-2
699-81-58	7/31/1992 8:30	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B07400	PH	FIELD	9040_PH	100-NR-2
699-81-58	7/31/1992 8:30	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B073Z7	PH	FIELD	9040_PH	100-NR-2
699-81-58	11/23/1992 9:15	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P45	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	11/23/1992 9:15	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P45	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	11/23/1992 9:15	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07P45	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	11/23/1992 9:15	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B07P45	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	11/23/1992 9:15	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P45	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	11/23/1992 9:15	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P45	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	11/23/1992 9:15	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P45	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	11/23/1992 9:15	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B07P45	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	11/23/1992 9:15	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07P45	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	11/23/1992 9:15	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B07P45	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	11/23/1992 9:15	N	14798-03-9	Ammonium ion	100	ug/L	[NULL]	[NULL]	[NULL]	R	B07P45	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	11/23/1992 9:15	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07P45	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07P49	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	14234-35-6	Antimony-125	0.367	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P45	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
699-81-58	11/23/1992 9:15	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B07P49	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
699-81-58	11/23/1992 9:15	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B07P45	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
699-81-58	11/23/1992 9:15	Y	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B07P49	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B07P45	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07P45	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07P49	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B07P45	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	11/23/1992 9:15	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07P49	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07P45	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	7440-70-2	Calcium	30000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P45	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	Y	7440-70-2	Calcium	28000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P49	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	10045-97-3	Cesium-137	2.56	pCi/L	U	[NULL]	[NULL]	R	B07P45	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
699-81-58	11/23/1992 9:15	N	16887-00-6	Chloride	3500	ug/L	[NULL]	[NULL]	[NULL]	R	B07P45	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	11/23/1992 9:15	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B07P49	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B07P45	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07P45	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07P49	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	10198-40-0	Cobalt-60	-2.77	pCi/L	U	[NULL]	[NULL]	R	B07P45	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
699-81-58	11/23/1992 9:15	N	COLIFORM	Coliform Bacteria	15	Col/100mL	[NULL]	F	[NULL]	R	B07P45	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
699-81-58	11/23/1992 9:15	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07P45	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07P49	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B07P45	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	11/23/1992 9:15	N	16984-48-8	Fluoride	100	ug/L	[NULL]	[NULL]	[NULL]	R	B07P45	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	11/23/1992 9:15	N	12587-46-1	Gross alpha	0.896	pCi/L	U	[NULL]	[NULL]	R	B07P45	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
699-81-58	11/23/1992 9:15	N	12587-47-2	Gross beta	3.21	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P45	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
699-81-58	11/23/1992 9:15	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B07P45	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
699-81-58	11/23/1992 9:15	Y	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B07P49	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	7439-89-6	Iron	920	ug/L	[NULL]	[NULL]	[NULL]	R	B07P45	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07P49	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
699-81-58	11/23/1992 9:15	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07P45	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
699-81-58	11/23/1992 9:15	Y	7439-95-4	Magnesium	8000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P49	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	7439-95-4	Magnesium	8300	ug/L	[NULL]	[NULL]	[NULL]	R	B07P45	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	7439-96-5	Manganese	30	ug/L	[NULL]	[NULL]	[NULL]	R	B07P45	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B07P49	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07P49	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
699-81-58	11/23/1992 9:15	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07P45	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
699-81-58	11/23/1992 9:15	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07P49	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07P45	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	14797-55-8	Nitrate	5500	ug/L	[NULL]	[NULL]	[NULL]	R	B07P45	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	11/23/1992 9:15	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B07P45	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	11/23/1992 9:15	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B07P45	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	11/23/1992 9:15	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B07P45	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	11/23/1992 9:15	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B07P45	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	11/23/1992 9:15	N	7440-09-7	Potassium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B07P45	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	Y	7440-09-7	Potassium	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B07P49	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	7440-14-4	Radium	0.069	pCi/L	U	[NULL]	[NULL]	R	B07P45	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
699-81-58	11/23/1992 9:15	N	13967-48-1	Ruthenium-106	17.4	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P45	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
699-81-58	11/23/1992 9:15	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07P45	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
699-81-58	11/23/1992 9:15	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07P49	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
699-81-58	11/23/1992 9:15	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07P45	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	11/23/1992 9:15	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07P49	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	7440-23-5	Sodium	4600	ug/L	[NULL]	[NULL]	[NULL]	R	B07P45	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	Y	7440-23-5	Sodium	4500	ug/L	[NULL]	[NULL]	[NULL]	R	B07P49	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	CONDUCT	Specific Conductance	241	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P48	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	11/23/1992 9:15	N	CONDUCT	Specific Conductance	240	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P47	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	11/23/1992 9:15	N	CONDUCT	Specific Conductance	240	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P01	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
699-81-58	11/23/1992 9:15	N	CONDUCT	Specific Conductance	240	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P46	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	11/23/1992 9:15	N	CONDUCT	Specific Conductance	242	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P45	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	11/23/1992 9:15	N	10098-97-2	Strontium-90	-0.226	pCi/L	U	[NULL]	[NULL]	R	B07P45	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
699-81-58	11/23/1992 9:15	N	14808-79-8	Sulfate	19000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P45	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	11/23/1992 9:15	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B07P45	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	11/23/1992 9:15	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B07P45	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	11/23/1992 9:15	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B07P45	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
699-81-58	11/23/1992 9:15	Y	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B07P49	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
699-81-58	11/23/1992 9:15	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07P45	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07P49	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B07P45	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	11/23/1992 9:15	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07P48	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	11/23/1992 9:15	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07P45	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	11/23/1992 9:15	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07P46	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	11/23/1992 9:15	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07P47	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	11/23/1992 9:15	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07P45	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	11/23/1992 9:15	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07P48	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	11/23/1992 9:15	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07P47	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	11/23/1992 9:15	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07P46	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	11/23/1992 9:15	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P45	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	11/23/1992 9:15	N	10028-17-8	Tritium	111	pCi/L	U	[NULL]	[NULL]	R	B07P45	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
699-81-58	11/23/1992 9:15	N	TURBIDITY	Turbidity	0.5	NTU	[NULL]	[NULL]	[NULL]	R	B07P45	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
699-81-58	11/23/1992 9:15	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07P49	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07P45	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07P45	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07P49	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	11/23/1992 9:15	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B07P46	PH	FIELD	9040_PH	100-NR-2
699-81-58	11/23/1992 9:15	N	PH	pH Measurement	8.12	unitless	[NULL]	[NULL]	[NULL]	R	B07P45	PH	FIELD	9040_PH	100-NR-2
699-81-58	11/23/1992 9:15	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B07P01	PH	DATACH	D1293_PH	100-NR-2
699-81-58	11/23/1992 9:15	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B07P47	PH	FIELD	9040_PH	100-NR-2
699-81-58	11/23/1992 9:15	N	PH	pH Measurement	8.12	unitless	[NULL]	[NULL]	[NULL]	R	B07P48	PH	FIELD	9040_PH	100-NR-2
699-81-58	2/18/1993 11:00	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085P8	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/18/1993 11:00	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085P8	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/18/1993 11:00	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B085P8	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/18/1993 11:00	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B085P8	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/18/1993 11:00	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085P8	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/18/1993 11:00	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085P8	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/18/1993 11:00	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B085P8	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/18/1993 11:00	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B085P8	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/18/1993 11:00	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B085P8	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/18/1993 11:00	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B085P8	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/18/1993 11:00	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B085P8	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
699-81-58	2/18/1993 11:00	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B085Q2	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B085P8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	14234-35-6	Antimony-125	-3.15	pCi/L	U	[NULL]	[NULL]	R	B085P8	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
699-81-58	2/18/1993 11:00	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B085Q2	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
699-81-58	2/18/1993 11:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B085P8	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
699-81-58	2/18/1993 11:00	N	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B085P8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	2/18/1993 11:00	Y	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B085Q2	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B085Q2	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B085P8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B085P8	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	2/18/1993 11:00	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B085Q2	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B085P8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	7440-70-2	Calcium	31000	ug/L	[NULL]	[NULL]	[NULL]	R	B085P8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	Y	7440-70-2	Calcium	30000	ug/L	[NULL]	[NULL]	[NULL]	R	B085Q2	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	10045-97-3	Cesium-137	1.04	pCi/L	U	[NULL]	[NULL]	R	B085P8	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
699-81-58	2/18/1993 11:00	N	16887-00-6	Chloride	4100	ug/L	[NULL]	[NULL]	[NULL]	R	B085P8	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	2/18/1993 11:00	Y	7440-47-3	Chromium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B085Q2	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	7440-47-3	Chromium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B085P8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B085Q2	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B085P8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	10198-40-0	Cobalt-60	-1.31	pCi/L	U	[NULL]	[NULL]	R	B085P8	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
699-81-58	2/18/1993 11:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B085P8	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
699-81-58	2/18/1993 11:00	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B085Q2	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B085P8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B085P8	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/18/1993 11:00	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B085P8	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	2/18/1993 11:00	N	12587-46-1	Gross alpha	2.24	pCi/L	[NULL]	[NULL]	[NULL]	R	B085P8	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
699-81-58	2/18/1993 11:00	N	12587-47-2	Gross beta	2.02	pCi/L	U	[NULL]	[NULL]	R	B085P8	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
699-81-58	2/18/1993 11:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B085P8	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
699-81-58	2/18/1993 11:00	N	7439-89-6	Iron	500	ug/L	[NULL]	[NULL]	[NULL]	R	B085P8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	Y	7439-89-6	Iron	30	ug/L	[NULL]	[NULL]	[NULL]	R	B085Q2	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B085Q2	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
699-81-58	2/18/1993 11:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B085P8	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
699-81-58	2/18/1993 11:00	Y	7439-95-4	Magnesium	8500	ug/L	[NULL]	[NULL]	[NULL]	R	B085Q2	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	7439-95-4	Magnesium	8700	ug/L	[NULL]	[NULL]	[NULL]	R	B085P8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	7439-96-5	Manganese	20	ug/L	[NULL]	[NULL]	[NULL]	R	B085P8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B085Q2	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B085Q2	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
699-81-58	2/18/1993 11:00	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B085P8	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
699-81-58	2/18/1993 11:00	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B085Q2	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B085P8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	14797-55-8	Nitrate	6700	ug/L	[NULL]	[NULL]	[NULL]	R	B085P8	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	2/18/1993 11:00	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B085P8	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	2/18/1993 11:00	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B085P8	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/18/1993 11:00	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B085P8	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/18/1993 11:00	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B085P8	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	2/18/1993 11:00	N	7440-09-7	Potassium	3900	ug/L	[NULL]	[NULL]	[NULL]	R	B085P8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	Y	7440-09-7	Potassium	3400	ug/L	[NULL]	[NULL]	[NULL]	R	B085Q2	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	7440-14-4	Radium	0.072	pCi/L	U	[NULL]	[NULL]	R	B085P8	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
699-81-58	2/18/1993 11:00	N	13967-48-1	Ruthenium-106	29.8	pCi/L	[NULL]	[NULL]	[NULL]	R	B085P8	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
699-81-58	2/18/1993 11:00	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B085Q2	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
699-81-58	2/18/1993 11:00	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B085P8	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
699-81-58	2/18/1993 11:00	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B085P8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B085Q2	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	7440-23-5	Sodium	5300	ug/L	[NULL]	[NULL]	[NULL]	R	B085P8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	Y	7440-23-5	Sodium	4800	ug/L	[NULL]	[NULL]	[NULL]	R	B085Q2	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	CONDUCT	Specific Conductance	250	uS/cm	[NULL]	[NULL]	[NULL]	R	B085X7	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
699-81-58	2/18/1993 11:00	N	CONDUCT	Specific Conductance	298	uS/cm	[NULL]	[NULL]	[NULL]	R	B085P9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	2/18/1993 11:00	N	CONDUCT	Specific Conductance	298	uS/cm	[NULL]	[NULL]	[NULL]	R	B085Q0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	2/18/1993 11:00	N	CONDUCT	Specific Conductance	299	uS/cm	[NULL]	[NULL]	[NULL]	R	B085Q1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	2/18/1993 11:00	N	CONDUCT	Specific Conductance	299	uS/cm	[NULL]	[NULL]	[NULL]	R	B085P8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	2/18/1993 11:00	N	10098-97-2	Strontium-90	-0.622	pCi/L	U	[NULL]	[NULL]	R	B085P8	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
699-81-58	2/18/1993 11:00	N	14808-79-8	Sulfate	22000	ug/L	[NULL]	[NULL]	[NULL]	R	B085P8	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	2/18/1993 11:00	N	TEMPERATURE	Temperature	15.8	Deg C	[NULL]	[NULL]	[NULL]	R	B085P8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	2/18/1993 11:00	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B085P8	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/18/1993 11:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B085P8	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
699-81-58	2/18/1993 11:00	Y	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B085Q2	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
699-81-58	2/18/1993 11:00	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B085Q2	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B085P8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B085P8	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/18/1993 11:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085P9	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	2/18/1993 11:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085Q0	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	2/18/1993 11:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085Q1	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	2/18/1993 11:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085P8	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	2/18/1993 11:00	N	59473-04-0	Total organic halides	10	ug/L	U	HY	[NULL]	R	B085P8	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	2/18/1993 11:00	N	59473-04-0	Total organic halides	10	ug/L	U	HY	[NULL]	R	B085Q1	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	2/18/1993 11:00	N	59473-04-0	Total organic halides	10	ug/L	U	HY	[NULL]	R	B085Q0	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	2/18/1993 11:00	N	59473-04-0	Total organic halides	10	ug/L	U	HY	[NULL]	R	B085P9	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	2/18/1993 11:00	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085P8	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	2/18/1993 11:00	N	10028-17-8	Tritium	92.5	pCi/L	U	[NULL]	[NULL]	R	B085P8	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
699-81-58	2/18/1993 11:00	N	TURBIDITY	Turbidity	8.1	NTU	[NULL]	[NULL]	[NULL]	R	B085P8	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
699-81-58	2/18/1993 11:00	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B085Q2	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B085P8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B085Q2	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B085P8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	2/18/1993 11:00	N	PH	pH Measurement	8.08	unitless	[NULL]	[NULL]	[NULL]	R	B085P8	PH	FIELD	9040_PH	100-NR-2
699-81-58	2/18/1993 11:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B085X7	PH	DATACH	D1293_PH	100-NR-2
699-81-58	2/18/1993 11:00	N	PH	pH Measurement	8.12	unitless	[NULL]	[NULL]	[NULL]	R	B085Q1	PH	FIELD	9040_PH	100-NR-2
699-81-58	2/18/1993 11:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B085Q0	PH	FIELD	9040_PH	100-NR-2
699-81-58	2/18/1993 11:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B085P9	PH	FIELD	9040_PH	100-NR-2
699-81-58	5/10/1993 9:00	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J80	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/10/1993 9:00	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J80	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/10/1993 9:00	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B08J80	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/10/1993 9:00	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B08J80	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/10/1993 9:00	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J80	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/10/1993 9:00	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J80	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/10/1993 9:00	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J80	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/10/1993 9:00	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B08J80	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/10/1993 9:00	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B08J80	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/10/1993 9:00	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B08J80	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/10/1993 9:00	Y	7429-90-5	Aluminum	43	ug/L	L	[NULL]	[NULL]	R	B08J84	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	7429-90-5	Aluminum	140	ug/L	L	[NULL]	[NULL]	R	B08J80	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B08J80	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
699-81-58	5/10/1993 9:00	Y	7440-36-0	Antimony	200	ug/L	U	Q	[NULL]	R	B08J84	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	7440-36-0	Antimony	200	ug/L	U	Q	[NULL]	R	B08J80	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	14234-35-6	Antimony-125	10.5	pCi/L	U	[NULL]	[NULL]	R	B08J80	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
699-81-58	5/10/1993 9:00	N	7440-38-2	Arsenic	4	ug/L	L	[NULL]	[NULL]	R	B08J80	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
699-81-58	5/10/1993 9:00	Y	7440-38-2	Arsenic	5	ug/L	L	[NULL]	[NULL]	R	B08J84	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
699-81-58	5/10/1993 9:00	Y	7440-39-3	Barium	18	ug/L	L	[NULL]	[NULL]	R	B08J84	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B08J80	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	7440-41-7	Beryllium	3	ug/L	U	Q	[NULL]	R	B08J80	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	Y	7440-41-7	Beryllium	3	ug/L	U	Q	[NULL]	R	B08J84	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B08J80	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	5/10/1993 9:00	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08J80	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08J84	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	7440-70-2	Calcium	31000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J80	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	Y	7440-70-2	Calcium	31000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J84	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	10045-97-3	Cesium-137	-0.387	pCi/L	U	[NULL]	[NULL]	R	B08J80	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
699-81-58	5/10/1993 9:00	N	16887-00-6	Chloride	4100	ug/L	[NULL]	[NULL]	[NULL]	R	B08J80	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/10/1993 9:00	N	7440-47-3	Chromium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B08J80	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	Y	7440-47-3	Chromium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B08J84	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08J84	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08J80	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	10198-40-0	Cobalt-60	-4.25	pCi/L	U	[NULL]	[NULL]	R	B08J80	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
699-81-58	5/10/1993 9:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B08J80	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
699-81-58	5/10/1993 9:00	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B08J80	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B08J84	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B08J80	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/10/1993 9:00	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B08J80	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/10/1993 9:00	N	12587-46-1	Gross alpha	1.41	pCi/L	[NULL]	[NULL]	[NULL]	R	B08J80	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
699-81-58	5/10/1993 9:00	N	12587-47-2	Gross beta	1.4	pCi/L	U	[NULL]	[NULL]	R	B08J80	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
699-81-58	5/10/1993 9:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B08J80	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
699-81-58	5/10/1993 9:00	Y	7439-89-6	Iron	30	ug/L	[NULL]	[NULL]	[NULL]	R	B08J84	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	7439-89-6	Iron	250	ug/L	[NULL]	[NULL]	[NULL]	R	B08J80	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B08J84	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
699-81-58	5/10/1993 9:00	N	7439-92-1	Lead	5	ug/L	L	[NULL]	[NULL]	R	B08J80	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
699-81-58	5/10/1993 9:00	N	7439-95-4	Magnesium	8800	ug/L	[NULL]	[NULL]	[NULL]	R	B08J80	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	Y	7439-95-4	Magnesium	8600	ug/L	[NULL]	[NULL]	[NULL]	R	B08J84	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	7439-96-5	Manganese	9.7	ug/L	L	[NULL]	[NULL]	R	B08J80	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B08J84	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B08J84	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
699-81-58	5/10/1993 9:00	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B08J80	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
699-81-58	5/10/1993 9:00	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B08J84	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B08J80	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	14797-55-8	Nitrate	7000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J80	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/10/1993 9:00	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B08J80	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/10/1993 9:00	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B08J80	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/10/1993 9:00	N	108-95-2	Phenol	4	ug/L	[NULL]	[NULL]	[NULL]	R	B08J80	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/10/1993 9:00	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B08J80	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/10/1993 9:00	Y	7440-09-7	Potassium	3000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J84	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	7440-09-7	Potassium	3000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J80	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	7440-14-4	Radium	0.042	pCi/L	U	[NULL]	[NULL]	R	B08J80	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
699-81-58	5/10/1993 9:00	N	13967-48-1	Ruthenium-106	-53.7	pCi/L	U	[NULL]	[NULL]	R	B08J80	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
699-81-58	5/10/1993 9:00	N	7782-49-2	Selenium	2	ug/L	L	[NULL]	[NULL]	R	B08J80	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
699-81-58	5/10/1993 9:00	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B08J84	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
699-81-58	5/10/1993 9:00	N	7440-22-4	Silver	2.9	ug/L	L	[NULL]	[NULL]	R	B08J80	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	Y	7440-22-4	Silver	3.6	ug/L	L	[NULL]	[NULL]	R	B08J84	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	Y	7440-23-5	Sodium	4700	ug/L	[NULL]	Q	[NULL]	R	B08J84	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	7440-23-5	Sodium	4800	ug/L	[NULL]	Q	[NULL]	R	B08J80	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	CONDUCT	Specific Conductance	244	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J82	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	5/10/1993 9:00	N	CONDUCT	Specific Conductance	250	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J45	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
699-81-58	5/10/1993 9:00	N	CONDUCT	Specific Conductance	242	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J83	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	5/10/1993 9:00	N	CONDUCT	Specific Conductance	242	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J80	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	5/10/1993 9:00	N	CONDUCT	Specific Conductance	243	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J81	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	5/10/1993 9:00	N	10098-97-2	Strontium-90	-0.184	pCi/L	U	[NULL]	[NULL]	R	B08J80	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
699-81-58	5/10/1993 9:00	N	14808-79-8	Sulfate	22000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J80	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	5/10/1993 9:00	N	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	R	B08J80	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	5/10/1993 9:00	N	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	R	B08J81	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	5/10/1993 9:00	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B08J83	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	5/10/1993 9:00	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B08J82	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	5/10/1993 9:00	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B08J80	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/10/1993 9:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B08J80	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
699-81-58	5/10/1993 9:00	Y	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B08J84	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
699-81-58	5/10/1993 9:00	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08J84	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08J80	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B08J80	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/10/1993 9:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B08J83	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	5/10/1993 9:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B08J82	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	5/10/1993 9:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B08J80	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	5/10/1993 9:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B08J81	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	5/10/1993 9:00	N	59473-04-0	Total organic halides	20	ug/L	[NULL]	Y	[NULL]	R	B08J80	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	5/10/1993 9:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B08J81	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	5/10/1993 9:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B08J83	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	5/10/1993 9:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B08J82	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	5/10/1993 9:00	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J80	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	5/10/1993 9:00	N	10028-17-8	Tritium	133	pCi/L	U	[NULL]	[NULL]	R	B08J80	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
699-81-58	5/10/1993 9:00	N	TURBIDITY	Turbidity	4.4	NTU	[NULL]	[NULL]	[NULL]	R	B08J80	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
699-81-58	5/10/1993 9:00	Y	7440-62-2	Vanadium	11	ug/L	L	[NULL]	[NULL]	R	B08J84	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	7440-62-2	Vanadium	14	ug/L	L	[NULL]	[NULL]	R	B08J80	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	Y	7440-66-6	Zinc	20	ug/L	[NULL]	[NULL]	[NULL]	R	B08J84	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	7440-66-6	Zinc	30	ug/L	[NULL]	[NULL]	[NULL]	R	B08J80	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	5/10/1993 9:00	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B08J80	PH	FIELD	9040_PH	100-NR-2
699-81-58	5/10/1993 9:00	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B08J83	PH	FIELD	9040_PH	100-NR-2
699-81-58	5/10/1993 9:00	N	PH	pH Measurement	8.08	unitless	[NULL]	[NULL]	[NULL]	R	B08J82	PH	FIELD	9040_PH	100-NR-2
699-81-58	5/10/1993 9:00	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B08J81	PH	FIELD	9040_PH	100-NR-2
699-81-58	5/10/1993 9:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B08J45	PH	DATACH	D1293_PH	100-NR-2
699-81-58	8/9/1993 9:00	N	88-06-2	2,4,6-Trichlorophenol	1.45	ug/L	U	[NULL]	[NULL]	R	B090S8	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	8/9/1993 9:00	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B090S8	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	8/9/1993 9:00	N	105-67-9	2,4-Dimethylphenol	1.01	ug/L	U	[NULL]	[NULL]	R	B090S8	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	8/9/1993 9:00	N	51-28-5	2,4-Dinitrophenol	0.96	ug/L	U	[NULL]	[NULL]	R	B090S8	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	8/9/1993 9:00	N	87-65-0	2,6-Dichlorophenol	1.59	ug/L	U	[NULL]	[NULL]	R	B090S8	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	8/9/1993 9:00	N	95-57-8	2-Chlorophenol	1.42	ug/L	U	[NULL]	[NULL]	R	B090S8	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	8/9/1993 9:00	N	88-75-5	2-Nitrophenol	1.56	ug/L	U	[NULL]	[NULL]	R	B090S8	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	8/9/1993 9:00	N	534-52-1	4,6-Dinitro-2-methylphenol	1.18	ug/L	U	[NULL]	[NULL]	R	B090S8	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	8/9/1993 9:00	N	59-50-7	4-Chloro-3-methylphenol	1.12	ug/L	U	[NULL]	[NULL]	R	B090S8	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	8/9/1993 9:00	N	100-02-7	4-Nitrophenol	0.65	ug/L	U	[NULL]	[NULL]	R	B090S8	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	8/9/1993 9:00	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B090T2	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	7429-90-5	Aluminum	41	ug/L	L	[NULL]	[NULL]	R	B090S8	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	14798-03-9	Ammonium ion	50	ug/L	L	Q	[NULL]	R	B090S8	14798-03-9	DATACH	D1426C_AMMONIUM	100-NR-2
699-81-58	8/9/1993 9:00	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B090S8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B090T2	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	14234-35-6	Antimony-125	-2.39	pCi/L	U	[NULL]	[NULL]	R	B090S8	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
699-81-58	8/9/1993 9:00	Y	7440-38-2	Arsenic	2	ug/L	L	[NULL]	[NULL]	R	B090T2	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
699-81-58	8/9/1993 9:00	N	7440-38-2	Arsenic	2	ug/L	L	[NULL]	[NULL]	R	B090S8	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
699-81-58	8/9/1993 9:00	Y	7440-39-3	Barium	19	ug/L	L	[NULL]	[NULL]	R	B090T2	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	7440-39-3	Barium	19	ug/L	L	[NULL]	[NULL]	R	B090S8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	Y	7440-41-7	Beryllium	0.93	ug/L	L	[NULL]	[NULL]	R	B090T2	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	7440-41-7	Beryllium	0.92	ug/L	L	[NULL]	[NULL]	R	B090S8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B090S8	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	8/9/1993 9:00	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B090T2	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	8/9/1993 9:00	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B090S8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	Y	7440-70-2	Calcium	34000	ug/L	[NULL]	[NULL]	[NULL]	R	B090T2	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	7440-70-2	Calcium	33000	ug/L	[NULL]	[NULL]	[NULL]	R	B090S8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	10045-97-3	Cesium-137	-5.57	pCi/L	U	[NULL]	[NULL]	R	B090S8	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
699-81-58	8/9/1993 9:00	N	16887-00-6	Chloride	4500	ug/L	[NULL]	[NULL]	[NULL]	R	B090S8	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	8/9/1993 9:00	N	7440-47-3	Chromium	9.5	ug/L	L	[NULL]	[NULL]	R	B090S8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	Y	7440-47-3	Chromium	10	ug/L	L	[NULL]	[NULL]	R	B090T2	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	7440-48-4	Cobalt	7.8	ug/L	L	[NULL]	[NULL]	R	B090S8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	Y	7440-48-4	Cobalt	9.5	ug/L	L	[NULL]	[NULL]	R	B090T2	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	10198-40-0	Cobalt-60	6.47	pCi/L	U	[NULL]	[NULL]	R	B090S8	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
699-81-58	8/9/1993 9:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B090S8	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
699-81-58	8/9/1993 9:00	N	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B090S8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	Y	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B090T2	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.35	ug/L	U	[NULL]	[NULL]	R	B090S8	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	8/9/1993 9:00	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B090S8	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	8/9/1993 9:00	N	12587-46-1	Gross alpha	1.74	pCi/L	[NULL]	[NULL]	[NULL]	R	B090S8	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
699-81-58	8/9/1993 9:00	N	12587-47-2	Gross beta	3.84	pCi/L	[NULL]	[NULL]	[NULL]	R	B090S8	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
699-81-58	8/9/1993 9:00	N	302-01-2	Hydrazine	1.89	ug/L	U	[NULL]	[NULL]	R	B090S8	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
699-81-58	8/9/1993 9:00	N	7439-89-6	Iron	380	ug/L	[NULL]	[NULL]	[NULL]	R	B090S8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	Y	7439-89-6	Iron	24	ug/L	[NULL]	[NULL]	[NULL]	R	B090T2	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	Y	7439-92-1	Lead	0.508	ug/L	U	[NULL]	[NULL]	R	B090T2	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
699-81-58	8/9/1993 9:00	N	7439-92-1	Lead	1.2	ug/L	L	[NULL]	[NULL]	R	B090S8	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
699-81-58	8/9/1993 9:00	Y	7439-95-4	Magnesium	9000	ug/L	[NULL]	[NULL]	[NULL]	R	B090T2	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	7439-95-4	Magnesium	8900	ug/L	[NULL]	[NULL]	[NULL]	R	B090S8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	Y	7439-96-5	Manganese	22	ug/L	[NULL]	Q	[NULL]	R	B090T2	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	7439-96-5	Manganese	27	ug/L	[NULL]	Q	[NULL]	R	B090S8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	Y	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B090T2	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
699-81-58	8/9/1993 9:00	N	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B090S8	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
699-81-58	8/9/1993 9:00	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B090T2	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B090S8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	14797-55-8	Nitrate	6500	ug/L	[NULL]	Q	[NULL]	R	B090S8	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	8/9/1993 9:00	N	14797-65-0	Nitrite	500	ug/L	[NULL]	[NULL]	[NULL]	R	B090S8	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	8/9/1993 9:00	N	87-86-5	Pentachlorophenol	0.87	ug/L	U	[NULL]	[NULL]	R	B090S8	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	8/9/1993 9:00	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B090S8	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	8/9/1993 9:00	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B090S8	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	8/9/1993 9:00	Y	7440-09-7	Potassium	3800	ug/L	[NULL]	[NULL]	[NULL]	R	B090T2	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	7440-09-7	Potassium	3800	ug/L	[NULL]	[NULL]	[NULL]	R	B090S8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	7440-14-4	Radium	-0.021	pCi/L	U	[NULL]	[NULL]	R	B090S8	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
699-81-58	8/9/1993 9:00	N	13967-48-1	Ruthenium-106	-14.4	pCi/L	U	[NULL]	[NULL]	R	B090S8	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
699-81-58	8/9/1993 9:00	Y	7782-49-2	Selenium	2	ug/L	L	[NULL]	[NULL]	R	B090T2	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
699-81-58	8/9/1993 9:00	N	7782-49-2	Selenium	2	ug/L	L	[NULL]	[NULL]	R	B090S8	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
699-81-58	8/9/1993 9:00	N	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B090S8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	Y	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B090T2	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	Y	7440-23-5	Sodium	5000	ug/L	[NULL]	[NULL]	[NULL]	R	B090T2	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	7440-23-5	Sodium	4900	ug/L	[NULL]	[NULL]	[NULL]	R	B090S8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	CONDUCT	Specific Conductance	254	uS/cm	[NULL]	[NULL]	[NULL]	R	B090T1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	8/9/1993 9:00	N	CONDUCT	Specific Conductance	255	uS/cm	[NULL]	[NULL]	[NULL]	R	B090T0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	8/9/1993 9:00	N	CONDUCT	Specific Conductance	256	uS/cm	[NULL]	[NULL]	[NULL]	R	B090S9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	8/9/1993 9:00	N	CONDUCT	Specific Conductance	256	uS/cm	[NULL]	[NULL]	[NULL]	R	B090S8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	8/9/1993 9:00	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	B090G6	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
699-81-58	8/9/1993 9:00	N	10098-97-2	Strontium-90	0.006	pCi/L	U	[NULL]	[NULL]	R	B090S8	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
699-81-58	8/9/1993 9:00	N	14808-79-8	Sulfate	25000	ug/L	[NULL]	[NULL]	[NULL]	R	B090S8	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	8/9/1993 9:00	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B090T1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	8/9/1993 9:00	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	R	B090T0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	8/9/1993 9:00	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	R	B090S9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	8/9/1993 9:00	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B090S8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	8/9/1993 9:00	N	25167-83-3	Tetrachlorophenol	1.05	ug/L	U	[NULL]	[NULL]	R	B090S8	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	8/9/1993 9:00	Y	7440-28-0	Thallium	1.02	ug/L	U	[NULL]	[NULL]	R	B090T2	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
699-81-58	8/9/1993 9:00	N	7440-28-0	Thallium	1.02	ug/L	U	[NULL]	[NULL]	R	B090S8	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
699-81-58	8/9/1993 9:00	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B090T2	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B090S8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	1319-77-3	Total cresols	4.66	ug/L	U	[NULL]	[NULL]	R	B090S8	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	8/9/1993 9:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B090T1	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	8/9/1993 9:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B090T0	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	8/9/1993 9:00	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B090S9	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	8/9/1993 9:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B090S8	TOC	DATACH	9060_TOC	100-NR-2
699-81-58	8/9/1993 9:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090T1	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	8/9/1993 9:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090S8	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	8/9/1993 9:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090S9	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	8/9/1993 9:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090T0	59473-04-0	DATACH	9020_TOX	100-NR-2
699-81-58	8/9/1993 9:00	N	25167-82-2	Trichlorophenol	1.11	ug/L	U	[NULL]	[NULL]	R	B090S8	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
699-81-58	8/9/1993 9:00	N	10028-17-8	Tritium	96.4	pCi/L	U	[NULL]	[NULL]	R	B090S8	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
699-81-58	8/9/1993 9:00	N	TURBIDITY	Turbidity	4.7	NTU	[NULL]	[NULL]	[NULL]	R	B090S8	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
699-81-58	8/9/1993 9:00	Y	7440-62-2	Vanadium	4	ug/L	L	[NULL]	[NULL]	R	B090T2	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	7440-62-2	Vanadium	5.5	ug/L	L	[NULL]	[NULL]	R	B090S8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	7440-66-6	Zinc	3.44	ug/L	U	[NULL]	[NULL]	R	B090S8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	Y	7440-66-6	Zinc	3.44	ug/L	U	[NULL]	[NULL]	R	B090T2	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-81-58	8/9/1993 9:00	N	PH	pH Measurement	8.15	unitless	[NULL]	[NULL]	[NULL]	R	B090S9	PH	FIELD	9040_PH	100-NR-2
699-81-58	8/9/1993 9:00	N	PH	pH Measurement	8.14	unitless	[NULL]	[NULL]	[NULL]	R	B090T0	PH	FIELD	9040_PH	100-NR-2
699-81-58	8/9/1993 9:00	N	PH	pH Measurement	8.14	unitless	[NULL]	[NULL]	[NULL]	R	B090T1	PH	FIELD	9040_PH	100-NR-2
699-81-58	8/9/1993 9:00	N	PH	pH Measurement	8.14	unitless	[NULL]	[NULL]	[NULL]	R	B090S8	PH	FIELD	9040_PH	100-NR-2
699-81-58	8/9/1993 9:00	N	PH	pH Measurement	7.2	unitless	[NULL]	[NULL]	[NULL]	R	B090G6	PH	DATACH	D1293_PH	100-NR-2
699-81-58	9/20/1994 10:30	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0CCF6	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	9/20/1994 10:30	N	16887-00-6	Chloride	5500	ug/L	[NULL]	[NULL]	[NULL]	R	B0CCF6	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	9/20/1994 10:30	N	16984-48-8	Fluoride	500	ug/L	[NULL]	[NULL]	[NULL]	R	B0CCF6	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	9/20/1994 10:30	N	14797-55-8	Nitrate	11000	ug/L	D	[NULL]	[NULL]	R	B0CCF6	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	9/20/1994 10:30	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0CCF6	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	9/20/1994 10:30	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0CCF6	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	9/20/1994 10:30	N	CONDUCT	Specific Conductance	248	uS/cm	[NULL]	[NULL]	[NULL]	R	B0CCF6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	9/20/1994 10:30	N	14808-79-8	Sulfate	27000	ug/L	D	[NULL]	[NULL]	R	B0CCF6	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	9/20/1994 10:30	N	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0CCF6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	9/20/1994 10:30	N	10028-17-8	Tritium	337	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCF6	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
699-81-58	9/20/1994 10:30	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B0CCF6	PH	FIELD	9040_PH	100-NR-2
699-81-58	5/10/1995 12:01	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJT0	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/10/1995 12:01	N	16887-00-6	Chloride	5100	ug/L	[NULL]	[NULL]	[NULL]	R	B0FJT0	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/10/1995 12:01	N	16984-48-8	Fluoride	300	ug/L	[NULL]	[NULL]	[NULL]	R	B0FJT0	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/10/1995 12:01	N	14797-55-8	Nitrate	11000	ug/L	D	[NULL]	[NULL]	R	B0FJT0	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/10/1995 12:01	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJT0	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/10/1995 12:01	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJT0	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/10/1995 12:01	N	CONDUCT	Specific Conductance	264	uS/cm	[NULL]	[NULL]	[NULL]	R	B0FJT0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	5/10/1995 12:01	N	14808-79-8	Sulfate	26000	ug/L	D	[NULL]	[NULL]	R	B0FJT0	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/10/1995 12:01	N	TEMPERATURE	Temperature	15.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0FJT0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	5/10/1995 12:01	N	10028-17-8	Tritium	-5.12	pCi/L	U	[NULL]	[NULL]	R	B0FJT0	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
699-81-58	5/10/1995 12:01	N	PH	pH Measurement	7.96	unitless	[NULL]	[NULL]	[NULL]	R	B0FJT0	PH	FIELD	9040_PH	100-NR-2
699-81-58	5/23/1996 9:01	N	24959-67-9	Bromide	52	ug/L	L	[NULL]	[NULL]	R	B0HTP2	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/23/1996 9:01	N	16887-00-6	Chloride	4400	ug/L	[NULL]	[NULL]	[NULL]	R	B0HTP2	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/23/1996 9:01	N	16984-48-8	Fluoride	350	ug/L	[NULL]	[NULL]	[NULL]	R	B0HTP2	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/23/1996 9:01	N	14797-55-8	Nitrate	11000	ug/L	D	[NULL]	[NULL]	R	B0HTP2	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	5/23/1996 9:01	N	14797-65-0	Nitrite	11	ug/L	U	[NULL]	[NULL]	R	B0HTP2	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/23/1996 9:01	N	14265-44-2	Phosphate	83	ug/L	U	[NULL]	[NULL]	R	B0HTP2	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/23/1996 9:01	N	CONDUCT	Specific Conductance	268	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HTP2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	5/23/1996 9:01	N	14808-79-8	Sulfate	24000	ug/L	D	[NULL]	[NULL]	R	B0HTP2	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-81-58	5/23/1996 9:01	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0HTP2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	5/23/1996 9:01	N	10028-17-8	Tritium	17.91	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HTP2	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
699-81-58	5/23/1996 9:01	N	TURBIDITY	Turbidity	14.4	NTU	[NULL]	[NULL]	[NULL]	R	B0HTP2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
699-81-58	5/23/1996 9:01	N	PH	pH Measurement	8.41	unitless	[NULL]	[NULL]	[NULL]	R	B0HTP2	PH	FIELD	9040_PH	100-NR-2
699-81-58	12/17/1996 9:11	N	ALKALINITY	Alkalinity	98000	ug/L	[NULL]	[NULL]	[NULL]	R	B0JSC0	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
699-81-58	12/17/1996 9:11	Y	7429-90-5	Aluminum	33.6	ug/L	UC	[NULL]	[NULL]	R	B0JSC1	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/17/1996 9:11	Y	7440-36-0	Antimony	46.1	ug/L	U	[NULL]	[NULL]	R	B0JSC1	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/17/1996 9:11	Y	7440-39-3	Barium	18.2	ug/L	[NULL]	Q	[NULL]	R	B0JSC1	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/17/1996 9:11	Y	7440-41-7	Beryllium	0.3	ug/L	U	[NULL]	[NULL]	R	B0JSC1	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/17/1996 9:11	N	24959-67-9	Bromide	23	ug/L	U	[NULL]	[NULL]	R	B0JSC0	24959-67-9	QTESSL	300.0_ANIONS_IC	100-NR-2
699-81-58	12/17/1996 9:11	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0JSC1	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/17/1996 9:11	Y	7440-70-2	Calcium	29600	ug/L	C	Q	[NULL]	R	B0JSC1	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/17/1996 9:11	N	16887-00-6	Chloride	4120	ug/L	[NULL]	[NULL]	[NULL]	R	B0JSC0	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
699-81-58	12/17/1996 9:11	Y	7440-47-3	Chromium	3.5	ug/L	B	[NULL]	[NULL]	R	B0JSC1	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/17/1996 9:11	Y	7440-48-4	Cobalt	3.8	ug/L	U	[NULL]	[NULL]	R	B0JSC1	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/17/1996 9:11	Y	7440-50-8	Copper	6.8	ug/L	B	[NULL]	[NULL]	R	B0JSC1	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/17/1996 9:11	N	16984-48-8	Fluoride	170	ug/L	[NULL]	[NULL]	[NULL]	R	B0JSC0	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
699-81-58	12/17/1996 9:11	Y	7439-89-6	Iron	52.4	ug/L	C	[NULL]	[NULL]	R	B0JSC1	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/17/1996 9:11	Y	7439-95-4	Magnesium	9420	ug/L	C	[NULL]	[NULL]	R	B0JSC1	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/17/1996 9:11	Y	7439-96-5	Manganese	2.9	ug/L	B	[NULL]	[NULL]	R	B0JSC1	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/17/1996 9:11	Y	7440-02-0	Nickel	9.2	ug/L	U	[NULL]	[NULL]	R	B0JSC1	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/17/1996 9:11	N	14797-55-8	Nitrate	9470	ug/L	D	[NULL]	[NULL]	R	B0JSC0	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
699-81-58	12/17/1996 9:11	N	14797-65-0	Nitrite	6.57	ug/L	U	[NULL]	[NULL]	R	B0JSC0	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
699-81-58	12/17/1996 9:11	N	14265-44-2	Phosphate	36	ug/L	U	[NULL]	[NULL]	R	B0JSC0	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
699-81-58	12/17/1996 9:11	Y	7440-09-7	Potassium	2590	ug/L	[NULL]	[NULL]	[NULL]	R	B0JSC1	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/17/1996 9:11	Y	7440-22-4	Silver	4.9	ug/L	U	[NULL]	[NULL]	R	B0JSC1	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/17/1996 9:11	Y	7440-23-5	Sodium	5700	ug/L	[NULL]	Q	[NULL]	R	B0JSC1	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/17/1996 9:11	N	CONDUCT	Specific Conductance	249	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JSC0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	12/17/1996 9:11	Y	7440-24-6	Strontium	197	ug/L	[NULL]	[NULL]	[NULL]	R	B0JSC1	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/17/1996 9:11	N	14808-79-8	Sulfate	22400	ug/L	D	[NULL]	[NULL]	R	B0JSC0	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
699-81-58	12/17/1996 9:11	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0JSC0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	12/17/1996 9:11	N	10028-17-8	Tritium	-7.19	pCi/L	U	[NULL]	[NULL]	R	B0JSC0	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
699-81-58	12/17/1996 9:11	N	TURBIDITY	Turbidity	2.33	NTU	[NULL]	[NULL]	[NULL]	R	B0JSC0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
699-81-58	12/17/1996 9:11	Y	7440-62-2	Vanadium	11.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0JSC1	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/17/1996 9:11	Y	7440-66-6	Zinc	20.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0JSC1	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/17/1996 9:11	N	PH	pH Measurement	8.16	unitless	[NULL]	[NULL]	[NULL]	R	B0JSC0	PH	FIELD	9040_PH	100-NR-2
699-81-58	12/22/1997 9:54	N	ALKALINITY	Alkalinity	91000	ug/L	[NULL]	[NULL]	[NULL]	R	B0MJ32	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
699-81-58	12/22/1997 9:54	Y	7429-90-5	Aluminum	31.3	ug/L	U	[NULL]	[NULL]	R	B0MJ31	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/22/1997 9:54	Y	7440-36-0	Antimony	42.5	ug/L	U	[NULL]	[NULL]	R	B0MJ31	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/22/1997 9:54	Y	7440-39-3	Barium	18.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0MJ31	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/22/1997 9:54	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B0MJ31	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/22/1997 9:54	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B0MJ31	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/22/1997 9:54	Y	7440-70-2	Calcium	32500	ug/L	[NULL]	Q	[NULL]	R	B0MJ31	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/22/1997 9:54	N	16887-00-6	Chloride	4020	ug/L	[NULL]	[NULL]	[NULL]	R	B0MJ32	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
699-81-58	12/22/1997 9:54	Y	7440-47-3	Chromium	4	ug/L	B	[NULL]	[NULL]	R	B0MJ31	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/22/1997 9:54	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0MJ31	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/22/1997 9:54	Y	7440-50-8	Copper	75.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0MJ31	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/22/1997 9:54	N	16984-48-8	Fluoride	118	ug/L	[NULL]	[NULL]	[NULL]	R	B0MJ32	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
699-81-58	12/22/1997 9:54	Y	7439-89-6	Iron	28.5	ug/L	BC	[NULL]	[NULL]	R	B0MJ31	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/22/1997 9:54	Y	7439-95-4	Magnesium	9790	ug/L	[NULL]	[NULL]	[NULL]	R	B0MJ31	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/22/1997 9:54	Y	7439-96-5	Manganese	1.9	ug/L	B	[NULL]	[NULL]	R	B0MJ31	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	12/22/1997 9:54	Y	7440-02-0	Nickel	19.3	ug/L	B	[NULL]	[NULL]	R	B0MJ31	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/22/1997 9:54	N	14797-55-8	Nitrate	10300	ug/L	CD	[NULL]	[NULL]	R	B0MJ32	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
699-81-58	12/22/1997 9:54	N	14797-65-0	Nitrite	3.28	ug/L	U	[NULL]	[NULL]	R	B0MJ32	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
699-81-58	12/22/1997 9:54	Y	7440-09-7	Potassium	3100	ug/L	[NULL]	[NULL]	[NULL]	R	B0MJ31	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/22/1997 9:54	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B0MJ31	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/22/1997 9:54	Y	7440-23-5	Sodium	5770	ug/L	[NULL]	Q	[NULL]	R	B0MJ31	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/22/1997 9:54	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	B0MJ32	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	12/22/1997 9:54	Y	7440-24-6	Strontium	206	ug/L	[NULL]	[NULL]	[NULL]	R	B0MJ31	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/22/1997 9:54	N	14808-79-8	Sulfate	21800	ug/L	D	[NULL]	[NULL]	R	B0MJ32	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
699-81-58	12/22/1997 9:54	N	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0MJ32	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	12/22/1997 9:54	N	10028-17-8	Tritium	130	pCi/L	U	[NULL]	[NULL]	R	B0MJ32	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
699-81-58	12/22/1997 9:54	N	TURBIDITY	Turbidity	1.47	NTU	[NULL]	[NULL]	[NULL]	R	B0MJ32	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
699-81-58	12/22/1997 9:54	Y	7440-62-2	Vanadium	13.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0MJ31	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/22/1997 9:54	Y	7440-66-6	Zinc	10	ug/L	B	[NULL]	[NULL]	R	B0MJ31	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	12/22/1997 9:54	N	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	R	B0MJ32	PH	FIELD	9040_PH	100-NR-2
699-81-58	1/6/1999 11:58	N	ALKALINITY	Alkalinity	92500	ug/L	[NULL]	[NULL]	[NULL]	R	B0T872	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
699-81-58	1/6/1999 11:58	Y	7429-90-5	Aluminum	22	ug/L	B	[NULL]	[NULL]	R	B0T871	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	1/6/1999 11:58	Y	7440-36-0	Antimony	45.9	ug/L	U	[NULL]	[NULL]	R	B0T871	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	1/6/1999 11:58	Y	7440-39-3	Barium	17.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0T871	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	1/6/1999 11:58	Y	7440-41-7	Beryllium	1.4	ug/L	B	[NULL]	[NULL]	R	B0T871	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	1/6/1999 11:58	Y	7440-43-9	Cadmium	4.2	ug/L	U	[NULL]	[NULL]	R	B0T871	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	1/6/1999 11:58	Y	7440-70-2	Calcium	31800	ug/L	[NULL]	Q	[NULL]	R	B0T871	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	1/6/1999 11:58	N	16887-00-6	Chloride	4580	ug/L	C	[NULL]	[NULL]	R	B0T872	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
699-81-58	1/6/1999 11:58	Y	7440-47-3	Chromium	2.8	ug/L	U	[NULL]	[NULL]	R	B0T871	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	1/6/1999 11:58	Y	7440-48-4	Cobalt	3.4	ug/L	U	[NULL]	[NULL]	R	B0T871	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	1/6/1999 11:58	Y	7440-50-8	Copper	5.1	ug/L	B	[NULL]	[NULL]	R	B0T871	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	1/6/1999 11:58	N	16984-48-8	Fluoride	144	ug/L	[NULL]	[NULL]	[NULL]	R	B0T872	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
699-81-58	1/6/1999 11:58	Y	7439-89-6	Iron	59.2	ug/L	N	Q	[NULL]	R	B0T871	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	1/6/1999 11:58	Y	7439-95-4	Magnesium	11000	ug/L	[NULL]	Q	[NULL]	R	B0T871	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	1/6/1999 11:58	Y	7439-96-5	Manganese	8.7	ug/L	[NULL]	Q	[NULL]	R	B0T871	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	1/6/1999 11:58	Y	7440-02-0	Nickel	15.8	ug/L	U	[NULL]	[NULL]	R	B0T871	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	1/6/1999 11:58	N	14797-55-8	Nitrate	11500	ug/L	D	[NULL]	[NULL]	R	B0T872	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
699-81-58	1/6/1999 11:58	N	14797-65-0	Nitrite	23	ug/L	U	[NULL]	[NULL]	R	B0T872	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
699-81-58	1/6/1999 11:58	Y	7440-09-7	Potassium	3770	ug/L	[NULL]	[NULL]	[NULL]	R	B0T871	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	1/6/1999 11:58	Y	7440-22-4	Silver	5.5	ug/L	U	[NULL]	[NULL]	R	B0T871	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	1/6/1999 11:58	Y	7440-23-5	Sodium	6120	ug/L	[NULL]	Q	[NULL]	R	B0T871	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	1/6/1999 11:58	N	CONDUCT	Specific Conductance	268	uS/cm	[NULL]	[NULL]	[NULL]	R	B0T872	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	1/6/1999 11:58	N	CONDUCT	Specific Conductance	262	uS/cm	C	Q	[NULL]	R	B0T872	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
699-81-58	1/6/1999 11:58	Y	7440-24-6	Strontium	198	ug/L	[NULL]	Q	[NULL]	R	B0T871	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	1/6/1999 11:58	N	14808-79-8	Sulfate	25500	ug/L	D	[NULL]	[NULL]	R	B0T872	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
699-81-58	1/6/1999 11:58	N	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0T872	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	1/6/1999 11:58	N	10028-17-8	Tritium	-70.4	pCi/L	U	Q	[NULL]	R	B0T873	10028-17-8	QTESRL	906.0_H3_LSC	100-NR-2
699-81-58	1/6/1999 11:58	N	TURBIDITY	Turbidity	0.83	NTU	[NULL]	[NULL]	[NULL]	R	B0T872	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
699-81-58	1/6/1999 11:58	Y	7440-62-2	Vanadium	17.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0T871	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	1/6/1999 11:58	Y	7440-66-6	Zinc	7	ug/L	B	[NULL]	[NULL]	R	B0T871	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
699-81-58	1/6/1999 11:58	N	PH	pH Measurement	8.21	unitless	[NULL]	[NULL]	[NULL]	R	B0T872	PH	FIELD	9040_PH	100-NR-2
699-81-58	11/13/2001 12:02	N	CONDUCT	Specific Conductance	349	uS/cm	[NULL]	[NULL]	[NULL]	R	B13693	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	11/13/2001 12:02	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B13693	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	11/13/2001 12:02	N	TURBIDITY	Turbidity	7.57	NTU	[NULL]	[NULL]	[NULL]	R	B13693	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
699-81-58	11/13/2001 12:02	N	PH	pH Measurement	7.97	unitless	[NULL]	[NULL]	[NULL]	R	B13693	PH	FIELD	9040_PH	100-NR-2
699-81-58	1/16/2002 11:31	N	ALKALINITY	Alkalinity	90000	ug/L	[NULL]	[NULL]	[NULL]	R	B13R99	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
699-81-58	1/16/2002 11:31	Y	7429-90-5	Aluminum	34.3	ug/L	U	[NULL]	[NULL]	R	B13R98	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/16/2002 11:31	Y	7440-36-0	Antimony	3.3	ug/L	U	[NULL]	[NULL]	R	B13R98	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/16/2002 11:31	Y	7440-39-3	Barium	23.7	ug/L	B	[NULL]	[NULL]	R	B13R98	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/16/2002 11:31	Y	7440-41-7	Beryllium	0.22	ug/L	U	[NULL]	[NULL]	R	B13R98	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	1/16/2002 11:31	Y	7440-43-9	Cadmium	0.31	ug/L	U	[NULL]	[NULL]	R	B13R98	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/16/2002 11:31	Y	7440-70-2	Calcium	42200	ug/L	[NULL]	[NULL]	[NULL]	R	B13R98	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/16/2002 11:31	N	16887-00-6	Chloride	16800	ug/L	D	[NULL]	[NULL]	R	B13R99	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
699-81-58	1/16/2002 11:31	Y	7440-47-3	Chromium	3.2	ug/L	B	[NULL]	[NULL]	R	B13R98	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/16/2002 11:31	Y	7440-48-4	Cobalt	1.6	ug/L	U	[NULL]	[NULL]	R	B13R98	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/16/2002 11:31	Y	7440-50-8	Copper	5.4	ug/L	U	[NULL]	[NULL]	R	B13R98	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/16/2002 11:31	N	DO	Dissolved oxygen	5970	ug/L	[NULL]	[NULL]	[NULL]	R	B13R99	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
699-81-58	1/16/2002 11:31	N	16984-48-8	Fluoride	210	ug/L	[NULL]	[NULL]	[NULL]	R	B13R99	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
699-81-58	1/16/2002 11:31	Y	7439-89-6	Iron	19.6	ug/L	U	[NULL]	[NULL]	R	B13R98	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/16/2002 11:31	Y	7439-95-4	Magnesium	13700	ug/L	[NULL]	[NULL]	[NULL]	R	B13R98	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/16/2002 11:31	Y	7439-96-5	Manganese	0.91	ug/L	B	[NULL]	[NULL]	R	B13R98	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/16/2002 11:31	Y	7440-02-0	Nickel	1.3	ug/L	U	[NULL]	[NULL]	R	B13R98	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/16/2002 11:31	N	14797-55-8	Nitrate	17700	ug/L	D	[NULL]	[NULL]	R	B13R99	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
699-81-58	1/16/2002 11:31	N	14797-65-0	Nitrite	6.57	ug/L	U	[NULL]	[NULL]	R	B13R99	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
699-81-58	1/16/2002 11:31	N	EH	Oxidation Reduction Potential	67	mV	[NULL]	[NULL]	[NULL]	R	B13R99	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
699-81-58	1/16/2002 11:31	Y	7440-09-7	Potassium	3060	ug/L	B	[NULL]	[NULL]	R	B13R98	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/16/2002 11:31	Y	7440-22-4	Silver	7	ug/L	U	[NULL]	[NULL]	R	B13R98	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/16/2002 11:31	Y	7440-23-5	Sodium	5820	ug/L	[NULL]	[NULL]	[NULL]	R	B13R98	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/16/2002 11:31	N	CONDUCT	Specific Conductance	370	uS/cm	[NULL]	[NULL]	[NULL]	R	B13R99	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	1/16/2002 11:31	Y	7440-24-6	Strontium	263	ug/L	[NULL]	[NULL]	[NULL]	R	B13R98	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/16/2002 11:31	N	14808-79-8	Sulfate	46100	ug/L	D	[NULL]	[NULL]	R	B13R99	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
699-81-58	1/16/2002 11:31	N	TEMPERATURE	Temperature	15.9	Deg C	[NULL]	[NULL]	[NULL]	R	B13R99	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	1/16/2002 11:31	N	10028-17-8	Tritium	230	pCi/L	U	[NULL]	[NULL]	R	B13RB0	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
699-81-58	1/16/2002 11:31	N	TURBIDITY	Turbidity	4.37	NTU	[NULL]	[NULL]	[NULL]	R	B13R99	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
699-81-58	1/16/2002 11:31	Y	7440-62-2	Vanadium	7.2	ug/L	B	[NULL]	[NULL]	R	B13R98	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/16/2002 11:31	Y	7440-66-6	Zinc	8.2	ug/L	B	[NULL]	[NULL]	R	B13R98	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/16/2002 11:31	N	PH	pH Measurement	8.04	unitless	[NULL]	[NULL]	[NULL]	R	B13R99	PH	FIELD	9040_PH	100-NR-2
699-81-58	1/24/2005 12:43	N	ALKALINITY	Alkalinity	95000	ug/L	[NULL]	[NULL]	[NULL]	R	B1BYN8	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
699-81-58	1/24/2005 12:43	Y	7429-90-5	Aluminum	45.5	ug/L	U	[NULL]	[NULL]	R	B1BYN7	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/24/2005 12:43	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1BYN7	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/24/2005 12:43	Y	7440-39-3	Barium	20.8	ug/L	B	[NULL]	[NULL]	R	B1BYN7	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/24/2005 12:43	Y	7440-41-7	Beryllium	0.29	ug/L	U	[NULL]	[NULL]	R	B1BYN7	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/24/2005 12:43	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1BYN7	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/24/2005 12:43	Y	7440-70-2	Calcium	35200	ug/L	[NULL]	[NULL]	[NULL]	R	B1BYN7	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/24/2005 12:43	N	16887-00-6	Chloride	11200	ug/L	CD	[NULL]	[NULL]	R	B1BYN8	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
699-81-58	1/24/2005 12:43	Y	7440-47-3	Chromium	3.3	ug/L	U	[NULL]	[NULL]	R	B1BYN7	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/24/2005 12:43	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1BYN7	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/24/2005 12:43	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1BYN7	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/24/2005 12:43	N	16984-48-8	Fluoride	10	ug/L	U	[NULL]	[NULL]	R	B1BYN8	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
699-81-58	1/24/2005 12:43	Y	7439-89-6	Iron	12.4	ug/L	BC	[NULL]	J	R	B1BYN7	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/24/2005 12:43	Y	7439-95-4	Magnesium	10500	ug/L	[NULL]	[NULL]	[NULL]	R	B1BYN7	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/24/2005 12:43	Y	7439-96-5	Manganese	1.5	ug/L	B	[NULL]	[NULL]	R	B1BYN7	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/24/2005 12:43	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1BYN7	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/24/2005 12:43	N	14797-55-8	Nitrate	7530	ug/L	D	[NULL]	[NULL]	R	B1BYN8	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
699-81-58	1/24/2005 12:43	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1BYN8	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
699-81-58	1/24/2005 12:43	Y	7440-09-7	Potassium	3750	ug/L	B	[NULL]	[NULL]	R	B1BYN7	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/24/2005 12:43	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1BYN7	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/24/2005 12:43	Y	7440-23-5	Sodium	5780	ug/L	[NULL]	[NULL]	[NULL]	R	B1BYN7	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/24/2005 12:43	N	CONDUCT	Specific Conductance	299	uS/cm	[NULL]	[NULL]	[NULL]	R	B1BYN8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-81-58	1/24/2005 12:43	Y	7440-24-6	Strontium	240	ug/L	[NULL]	[NULL]	[NULL]	R	B1BYN7	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/24/2005 12:43	N	14808-79-8	Sulfate	25900	ug/L	D	[NULL]	[NULL]	R	B1BYN8	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
699-81-58	1/24/2005 12:43	N	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1BYN8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-81-58	1/24/2005 12:43	N	10028-17-8	Tritium	106	pCi/L	U	[NULL]	[NULL]	R	B1BYN9	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
699-81-58	1/24/2005 12:43	N	TURBIDITY	Turbidity	4.58	NTU	[NULL]	[NULL]	[NULL]	R	B1BYN8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-81-58	1/24/2005 12:43	Y	7440-62-2	Vanadium	10.9	ug/L	B	[NULL]	[NULL]	R	B1BYN7	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/24/2005 12:43	Y	7440-66-6	Zinc	8.5	ug/L	BC	[NULL]	J	R	B1BYN7	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
699-81-58	1/24/2005 12:43	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B1BYN8	PH	FIELD	9040_PH	100-NR-2
699-81-58	4/5/2010 10:33	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B24941	18540-29-9	WSCF	7196_CR6	100-NR-2
699-81-58	4/5/2010 10:33	Y	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B24940	18540-29-9	WSCF	7196_CR6	100-NR-2
699-84-62A	10/31/2001 9:40	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	600	ug/L	[NULL]	[NULL]	[NULL]	R	B130B7	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
699-84-62A	10/31/2001 9:40	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	50	ug/L	U	[NULL]	[NULL]	R	B130B7	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
699-84-62A	10/31/2001 9:40	N	10028-17-8	Tritium	309	pCi/L	U	[NULL]	[NULL]	R	B130B8	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
699-84-63D	5/24/2005 11:11	N	10045-97-3	Cesium-137	-4.25	pCi/L	U	[NULL]	[NULL]	C	B1D7B4	10045-97-3	WSCF	GAMMA_GS	100-NR-2
699-84-63D	5/24/2005 11:11	N	10198-40-0	Cobalt-60	-1.21	pCi/L	U	[NULL]	[NULL]	C	B1D7B4	10198-40-0	WSCF	GAMMA_GS	100-NR-2
699-84-63D	5/24/2005 11:11	N	14683-23-9	Europium-152	0.594	pCi/L	U	[NULL]	[NULL]	C	B1D7B4	14683-23-9	WSCF	GAMMA_GS	100-NR-2
699-84-63D	5/24/2005 11:11	N	15585-10-1	Europium-154	-3.37	pCi/L	U	[NULL]	[NULL]	C	B1D7B4	15585-10-1	WSCF	GAMMA_GS	100-NR-2
699-84-63D	5/24/2005 11:11	N	14391-16-3	Europium-155	-9.15	pCi/L	U	[NULL]	[NULL]	C	B1D7B4	14391-16-3	WSCF	GAMMA_GS	100-NR-2
699-84-63D	5/24/2005 11:11	N	18540-29-9	Hexavalent Chromium	3	ug/L	U	[NULL]	[NULL]	C	B1D7B4	18540-29-9	WSCF	7196_CR6	100-NR-2
699-84-63D	5/24/2005 11:11	N	14133-76-7	Technetium-99	-0.5	pCi/L	U	[NULL]	[NULL]	C	B1D7B4	14133-76-7	WSCF	TC99_3MDSK_LSC	100-NR-2
699-84-63D	5/24/2005 11:11	N	10028-17-8	Tritium	-21	pCi/L	U	[NULL]	[NULL]	C	B1D7B4	10028-17-8	WSCF	TRITIUM_DIST_LSC	100-NR-2
699-87-55	3/29/1988 0:00	N	12587-46-1	Gross alpha	1.16	pCi/L	[NULL]	[NULL]	[NULL]	R	H000FLX6	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-87-55	3/29/1988 0:00	N	12587-47-2	Gross beta	14.8	pCi/L	[NULL]	[NULL]	[NULL]	R	H000FLX6	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-87-55	3/29/1988 0:00	N	14797-55-8	Nitrate	19900	ug/L	[NULL]	[NULL]	[NULL]	R	H000FLX6	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
699-87-55	3/29/1988 0:00	N	10028-17-8	Tritium	52700	pCi/L	[NULL]	[NULL]	[NULL]	R	H000FLX6	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-87-55	4/15/1988 0:00	N	12587-46-1	Gross alpha	1.02	pCi/L	[NULL]	[NULL]	[NULL]	R	H000FLX7	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-87-55	4/15/1988 0:00	N	12587-47-2	Gross beta	21.2	pCi/L	[NULL]	[NULL]	[NULL]	R	H000FLX7	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-87-55	4/15/1988 0:00	N	14797-55-8	Nitrate	19900	ug/L	[NULL]	[NULL]	[NULL]	R	H000FLX7	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
699-87-55	4/15/1988 0:00	N	10028-17-8	Tritium	51300	pCi/L	[NULL]	[NULL]	[NULL]	R	H000FLX7	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-87-55	7/20/1988 0:00	N	12587-46-1	Gross alpha	1.31	pCi/L	[NULL]	[NULL]	[NULL]	R	H000FLX8	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-87-55	7/20/1988 0:00	N	12587-47-2	Gross beta	14.6	pCi/L	[NULL]	[NULL]	[NULL]	R	H000FLX8	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-87-55	7/20/1988 0:00	N	14797-55-8	Nitrate	18800	ug/L	[NULL]	[NULL]	[NULL]	R	H000FLX8	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
699-87-55	7/20/1988 0:00	N	10028-17-8	Tritium	59900	pCi/L	[NULL]	[NULL]	[NULL]	R	H000FLX8	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-87-55	11/16/1988 0:00	N	12587-46-1	Gross alpha	1.8	pCi/L	[NULL]	[NULL]	[NULL]	R	H000FLX9	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-87-55	11/16/1988 0:00	N	12587-47-2	Gross beta	11	pCi/L	[NULL]	[NULL]	[NULL]	R	H000FLX9	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-87-55	11/16/1988 0:00	N	14797-55-8	Nitrate	19000	ug/L	[NULL]	[NULL]	[NULL]	R	H000FLX9	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
699-87-55	11/16/1988 0:00	N	10028-17-8	Tritium	62200	pCi/L	[NULL]	[NULL]	[NULL]	R	H000FLX9	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-87-55	4/11/1989 0:00	N	ALPHAHI	Alpha	0.927	pCi/L	U	[NULL]	[NULL]	R	H000FLY0	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-87-55	4/11/1989 0:00	N	12587-47-2	Gross beta	5.58	pCi/L	[NULL]	[NULL]	[NULL]	R	H000FLY0	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-87-55	4/11/1989 0:00	N	14797-55-8	Nitrate	17100	ug/L	[NULL]	[NULL]	[NULL]	R	H000FLY0	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
699-87-55	4/11/1989 0:00	N	10028-17-8	Tritium	74100	pCi/L	[NULL]	[NULL]	[NULL]	R	H000FLY0	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-87-55	11/9/1989 0:00	N	ALPHAHI	Alpha	1.06	pCi/L	[NULL]	[NULL]	[NULL]	R	H000FLY1	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-87-55	11/9/1989 0:00	N	12587-47-2	Gross beta	4.25	pCi/L	[NULL]	[NULL]	[NULL]	R	H000FLY1	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-87-55	11/9/1989 0:00	N	14797-55-8	Nitrate	15100	ug/L	[NULL]	[NULL]	[NULL]	R	H000FLY1	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
699-87-55	11/9/1989 0:00	N	10028-17-8	Tritium	80800	pCi/L	[NULL]	[NULL]	[NULL]	R	H000FLY1	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
699-87-55	12/12/1990 0:00	N	CONDUCT	Specific Conductance	311	uS/cm	[NULL]	[NULL]	[NULL]	R	H000FLY2	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
699-87-55	12/12/1990 0:00	N	PH	pH Measurement	7.76	unitless	[NULL]	[NULL]	[NULL]	R	H000FLY2	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
699-87-55	12/12/1990 9:15	N	71-55-6	1,1,1-Trichloroethane	0.2	ug/L	J	[NULL]	[NULL]	R	H00070F9	71-55-6	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	12/12/1990 9:15	N	75-34-3	1,1-Dichloroethane	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H00070F9	75-34-3	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	12/12/1990 9:15	N	107-06-2	1,2-Dichloroethane	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H00070F9	107-06-2	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	12/12/1990 9:15	N	7440-39-3	Barium	22	ug/L	[NULL]	[NULL]	[NULL]	R	H00070F9	7440-39-3	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	12/12/1990 9:15	N	71-43-2	Benzene	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H00070F9	71-43-2	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	12/12/1990 9:15	N	7440-42-8	Boron	20	ug/L	[NULL]	[NULL]	[NULL]	R	H00070F9	7440-42-8	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	12/12/1990 9:15	N	7440-43-9	Cadmium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H00070F9	7440-43-9	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	12/12/1990 9:15	N	7440-70-2	Calcium	30600	ug/L	[NULL]	[NULL]	[NULL]	R	H00070F9	7440-70-2	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	12/12/1990 9:15	N	56-23-5	Carbon tetrachloride	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H00070F9	56-23-5	PNL1	502.2_VOA_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-87-55	12/12/1990 9:15	N	67-66-3	Chloroform	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H00070F9	67-66-3	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	12/12/1990 9:15	N	7440-47-3	Chromium	40	ug/L	[NULL]	[NULL]	[NULL]	R	H00070F9	7440-47-3	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	12/12/1990 9:15	N	7440-48-4	Cobalt	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H00070F9	7440-48-4	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	12/12/1990 9:15	N	7440-50-8	Copper	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H00070F9	7440-50-8	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	12/12/1990 9:15	N	100-41-4	Ethylbenzene	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H00070F9	100-41-4	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	12/12/1990 9:15	N	15046-84-1	Iodine-129	0.0367	pCi/L	[NULL]	[NULL]	[NULL]	R	H00070F9	15046-84-1	ITASRL	I129_SEP_LEPS_GS	100-NR-2
699-87-55	12/12/1990 9:15	N	7439-89-6	Iron	20	ug/L	[NULL]	[NULL]	[NULL]	R	H00070F9	7439-89-6	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	12/12/1990 9:15	N	7439-92-1	Lead	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H00070F9	7439-92-1	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	12/12/1990 9:15	N	7439-95-4	Magnesium	10400	ug/L	[NULL]	[NULL]	[NULL]	R	H00070F9	7439-95-4	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	12/12/1990 9:15	N	7439-96-5	Manganese	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H00070F9	7439-96-5	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	12/12/1990 9:15	N	75-09-2	Methylene chloride	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H00070F9	75-09-2	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	12/12/1990 9:15	N	7439-98-7	Molybdenum	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H00070F9	7439-98-7	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	12/12/1990 9:15	N	7440-02-0	Nickel	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H00070F9	7440-02-0	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	12/12/1990 9:15	N	7440-09-7	Potassium	9700	ug/L	[NULL]	[NULL]	[NULL]	R	H00070F9	7440-09-7	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	12/12/1990 9:15	N	7440-22-4	Silver	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H00070F9	7440-22-4	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	12/12/1990 9:15	N	7440-23-5	Sodium	15600	ug/L	[NULL]	[NULL]	[NULL]	R	H00070F9	7440-23-5	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	12/12/1990 9:15	N	14133-76-7	Technetium-99	3.35	pCi/L	[NULL]	[NULL]	[NULL]	R	H00070F9	14133-76-7	ITASRL	TC99_SEP_LSC	100-NR-2
699-87-55	12/12/1990 9:15	N	TEMPERATURE	Temperature	15.7	Deg C	[NULL]	[NULL]	[NULL]	R	H000GS81	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-87-55	12/12/1990 9:15	N	127-18-4	Tetrachloroethene	5.2	ug/L	[NULL]	[NULL]	[NULL]	R	H00070F9	127-18-4	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	12/12/1990 9:15	N	108-88-3	Toluene	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H00070F9	108-88-3	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	12/12/1990 9:15	N	79-01-6	Trichloroethene	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H00070F9	79-01-6	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	12/12/1990 9:15	N	10028-17-8	Tritium	52800	pCi/L	[NULL]	[NULL]	[NULL]	R	H00070F9	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
699-87-55	12/12/1990 9:15	N	7440-61-1	Uranium	2.27	ug/L	[NULL]	[NULL]	[NULL]	R	H00070F9	7440-61-1	ITASRL	UTOT_IE_FLUOR	100-NR-2
699-87-55	12/12/1990 9:15	N	1330-20-7	Xylenes (total)	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H00070F9	1330-20-7	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	12/12/1990 9:15	N	7440-66-6	Zinc	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H00070F9	7440-66-6	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	12/12/1990 9:15	N	156-59-2	cis-1,2-Dichloroethylene	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H00070F9	156-59-2	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	12/12/1990 9:15	N	156-60-5	trans-1,2-Dichloroethylene	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H00070F9	156-60-5	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	9/12/1991 8:25	N	71-55-6	1,1,1-Trichloroethane	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00LP5	71-55-6	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	9/12/1991 8:25	N	75-34-3	1,1-Dichloroethane	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00LP5	75-34-3	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	9/12/1991 8:25	N	107-06-2	1,2-Dichloroethane	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00LP5	107-06-2	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	9/12/1991 8:25	N	14234-35-6	Antimony-125	-2.85	pCi/L	U	[NULL]	[NULL]	R	B00LP5	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
699-87-55	9/12/1991 8:25	N	7440-39-3	Barium	23	ug/L	[NULL]	[NULL]	[NULL]	R	B00LP5	7440-39-3	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	9/12/1991 8:25	N	71-43-2	Benzene	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00LP5	71-43-2	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	9/12/1991 8:25	N	13966-02-4	Beryllium-7	-19.2	pCi/L	U	[NULL]	[NULL]	R	B00LP5	13966-02-4	ITASRL	GAMMA_GS	100-NR-2
699-87-55	9/12/1991 8:25	N	7440-42-8	Boron	670	ug/L	[NULL]	[NULL]	[NULL]	R	B00LP5	7440-42-8	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	9/12/1991 8:25	N	7440-43-9	Cadmium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00LP5	7440-43-9	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	9/12/1991 8:25	N	7440-70-2	Calcium	29500	ug/L	[NULL]	[NULL]	[NULL]	R	B00LP5	7440-70-2	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	9/12/1991 8:25	N	56-23-5	Carbon tetrachloride	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00LP5	56-23-5	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	9/12/1991 8:25	N	CE/PR-144	Cerium/Praseodymium-144	2.93	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LP5	CE/PR-144	ITASRL	GAMMA_GS	100-NR-2
699-87-55	9/12/1991 8:25	N	13967-70-9	Cesium-134	3.38	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LP5	13967-70-9	ITASRL	GAMMA_GS	100-NR-2
699-87-55	9/12/1991 8:25	N	10045-97-3	Cesium-137	0.183	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LP5	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
699-87-55	9/12/1991 8:25	N	67-66-3	Chloroform	2.1	ug/L	[NULL]	[NULL]	[NULL]	R	B00LP5	67-66-3	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	9/12/1991 8:25	N	7440-47-3	Chromium	40	ug/L	[NULL]	[NULL]	[NULL]	R	B00LP5	7440-47-3	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	9/12/1991 8:25	N	7440-48-4	Cobalt	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00LP5	7440-48-4	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	9/12/1991 8:25	N	10198-40-0	Cobalt-60	1.88	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LP5	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
699-87-55	9/12/1991 8:25	N	7440-50-8	Copper	4	ug/L	[NULL]	[NULL]	[NULL]	R	B00LP5	7440-50-8	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	9/12/1991 8:25	N	100-41-4	Ethylbenzene	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00LP5	100-41-4	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	9/12/1991 8:25	N	15585-10-1	Europium-154	-6.33	pCi/L	U	[NULL]	[NULL]	R	B00LP5	15585-10-1	ITASRL	GAMMA_GS	100-NR-2
699-87-55	9/12/1991 8:25	N	14391-16-3	Europium-155	-1.61	pCi/L	U	[NULL]	[NULL]	R	B00LP5	14391-16-3	ITASRL	GAMMA_GS	100-NR-2
699-87-55	9/12/1991 8:25	N	7439-89-6	Iron	70	ug/L	[NULL]	[NULL]	[NULL]	R	B00LP5	7439-89-6	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	9/12/1991 8:25	N	7439-92-1	Lead	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00LP5	7439-92-1	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	9/12/1991 8:25	N	7439-95-4	Magnesium	10800	ug/L	[NULL]	[NULL]	[NULL]	R	B00LP5	7439-95-4	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	9/12/1991 8:25	N	7439-96-5	Manganese	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00LP5	7439-96-5	PNL2	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-87-55	9/12/1991 8:25	N	75-09-2	Methylene chloride	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00LP5	75-09-2	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	9/12/1991 8:25	N	7439-98-7	Molybdenum	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00LP5	7439-98-7	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	9/12/1991 8:25	N	7440-02-0	Nickel	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00LP5	7440-02-0	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	9/12/1991 8:25	N	7440-09-7	Potassium	9000	ug/L	[NULL]	[NULL]	[NULL]	R	B00LP5	7440-09-7	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	9/12/1991 8:25	N	13966-00-2	Potassium-40	82.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LP5	13966-00-2	ITASRL	GAMMA_GS	100-NR-2
699-87-55	9/12/1991 8:25	N	13967-48-1	Ruthenium-106	1.67	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LP5	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
699-87-55	9/12/1991 8:25	N	7440-22-4	Silver	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00LP5	7440-22-4	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	9/12/1991 8:25	N	7440-23-5	Sodium	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B00LP5	7440-23-5	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	9/12/1991 8:25	N	CONDUCT	Specific Conductance	313	uS/cm	[NULL]	[NULL]	[NULL]	R	B00LP5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-87-55	9/12/1991 8:25	N	CONDUCT	Specific Conductance	300	uS/cm	[NULL]	[NULL]	[NULL]	R	B00LP5	CONDUCT	ITASSJ	D1125A_CONDUCT	100-NR-2
699-87-55	9/12/1991 8:25	N	14133-76-7	Technetium-99	2.05	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LP5	14133-76-7	ITASRL	TC99_SEP_LSC	100-NR-2
699-87-55	9/12/1991 8:25	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B00LP5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-87-55	9/12/1991 8:25	N	127-18-4	Tetrachloroethene	4.3	ug/L	[NULL]	[NULL]	[NULL]	R	B00LP5	127-18-4	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	9/12/1991 8:25	N	108-88-3	Toluene	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00LP5	108-88-3	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	9/12/1991 8:25	N	10028-17-8	Tritium	47600	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LP5	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
699-87-55	9/12/1991 8:25	N	1330-20-7	Xylenes (total)	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00LP5	1330-20-7	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	9/12/1991 8:25	N	7440-66-6	Zinc	40	ug/L	[NULL]	[NULL]	[NULL]	R	B00LP5	7440-66-6	PNL2	6010_METALS_ICP	100-NR-2
699-87-55	9/12/1991 8:25	N	13982-39-3	Zinc-65	-8.6	pCi/L	U	[NULL]	[NULL]	R	B00LP5	13982-39-3	ITASRL	GAMMA_GS	100-NR-2
699-87-55	9/12/1991 8:25	N	ZR/NB-95	Zirconium/Niobium-95	-7.88	pCi/L	U	[NULL]	[NULL]	R	B00LP5	ZR/NB-95	ITASRL	GAMMA_GS	100-NR-2
699-87-55	9/12/1991 8:25	N	156-59-2	cis-1,2-Dichloroethylene	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00LP5	156-59-2	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	9/12/1991 8:25	N	PH	pH Measurement	6.78	unitless	[NULL]	[NULL]	[NULL]	R	B00LP5	PH	FIELD	9040_PH	100-NR-2
699-87-55	9/12/1991 8:25	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B00LP5	PH	ITASSJ	D1293_PH	100-NR-2
699-87-55	9/12/1991 8:25	N	156-60-5	trans-1,2-Dichloroethylene	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00LP5	156-60-5	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	71-55-6	1,1,1-Trichloroethane	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S30	71-55-6	DATACH	8010_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	71-55-6	1,1,1-Trichloroethane	2	ug/L	U	[NULL]	[NULL]	R	B07S30	71-55-6	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	79-00-5	1,1,2-Trichloroethane	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S30	79-00-5	DATACH	8010_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	75-34-3	1,1-Dichloroethane	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S30	75-34-3	DATACH	8010_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	75-34-3	1,1-Dichloroethane	2	ug/L	U	[NULL]	[NULL]	R	B07S30	75-34-3	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	107-06-2	1,2-Dichloroethane	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S30	107-06-2	DATACH	8010_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	107-06-2	1,2-Dichloroethane	2	ug/L	U	[NULL]	[NULL]	R	B07S30	107-06-2	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	106-46-7	1,4-Dichlorobenzene	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S30	106-46-7	DATACH	8010_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	Y	7440-36-0	Antimony	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S31	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	2/11/1993 8:20	Y	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B07S31	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	2/11/1993 8:20	N	71-43-2	Benzene	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S30	71-43-2	DATACH	8010_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	71-43-2	Benzene	0.5	ug/L	U	[NULL]	[NULL]	R	B07S30	71-43-2	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	Y	7440-41-7	Beryllium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S31	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	2/11/1993 8:20	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S30	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	2/11/1993 8:20	Y	7440-43-9	Cadmium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S31	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	2/11/1993 8:20	Y	7440-70-2	Calcium	34000	ug/L	[NULL]	[NULL]	[NULL]	R	B07S31	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	2/11/1993 8:20	N	56-23-5	Carbon tetrachloride	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S30	56-23-5	DATACH	8010_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	56-23-5	Carbon tetrachloride	2	ug/L	U	[NULL]	[NULL]	R	B07S30	56-23-5	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	16887-00-6	Chloride	6100	ug/L	[NULL]	[NULL]	[NULL]	R	B07S30	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	2/11/1993 8:20	N	16887-00-6	Chloride	6020	ug/L	[NULL]	[NULL]	[NULL]	R	B07S30	16887-00-6	PNL1	ANIONS_IC	100-NR-2
699-87-55	2/11/1993 8:20	N	67-66-3	Chloroform	3.4	ug/L	[NULL]	[NULL]	[NULL]	R	B07S30	67-66-3	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	67-66-3	Chloroform	2.3	ug/L	[NULL]	[NULL]	[NULL]	R	B07S30	67-66-3	DATACH	8010_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	Y	7440-47-3	Chromium	60	ug/L	[NULL]	[NULL]	[NULL]	R	B07S31	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	2/11/1993 8:20	Y	7440-48-4	Cobalt	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S31	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	2/11/1993 8:20	Y	7440-50-8	Copper	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S31	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	2/11/1993 8:20	N	100-41-4	Ethylbenzene	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S30	100-41-4	DATACH	8010_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	100-41-4	Ethylbenzene	0.5	ug/L	U	[NULL]	[NULL]	R	B07S30	100-41-4	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	16984-48-8	Fluoride	500	ug/L	[NULL]	[NULL]	[NULL]	R	B07S30	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	2/11/1993 8:20	N	16984-48-8	Fluoride	626	ug/L	[NULL]	[NULL]	[NULL]	R	B07S30	16984-48-8	PNL1	ANIONS_IC	100-NR-2
699-87-55	2/11/1993 8:20	Y	7439-89-6	Iron	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S31	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	2/11/1993 8:20	Y	7439-95-4	Magnesium	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B07S31	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-87-55	2/11/1993 8:20	Y	7439-96-5	Manganese	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S31	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	2/11/1993 8:20	N	75-09-2	Methylene chloride	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S30	75-09-2	DATACH	8010_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	B07S30	75-09-2	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	Y	7440-02-0	Nickel	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S31	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	2/11/1993 8:20	N	14797-55-8	Nitrate	18000	ug/L	[NULL]	[NULL]	[NULL]	R	B07S30	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	2/11/1993 8:20	N	14797-55-8	Nitrate	26400	ug/L	[NULL]	[NULL]	[NULL]	R	B07S30	14797-55-8	PNL1	ANIONS_IC	100-NR-2
699-87-55	2/11/1993 8:20	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S30	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	2/11/1993 8:20	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S30	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	2/11/1993 8:20	N	14265-44-2	Phosphate	200	ug/L	U	[NULL]	[NULL]	R	B07S30	14265-44-2	PNL1	ANIONS_IC	100-NR-2
699-87-55	2/11/1993 8:20	Y	7440-09-7	Potassium	4100	ug/L	[NULL]	[NULL]	[NULL]	R	B07S31	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	2/11/1993 8:20	Y	7440-22-4	Silver	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S31	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	2/11/1993 8:20	Y	7440-23-5	Sodium	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B07S31	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	2/11/1993 8:20	N	CONDUCT	Specific Conductance	341	uS/cm	[NULL]	[NULL]	[NULL]	R	B07S30	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-87-55	2/11/1993 8:20	N	14808-79-8	Sulfate	58300	ug/L	[NULL]	[NULL]	[NULL]	R	B07S30	14808-79-8	PNL1	ANIONS_IC	100-NR-2
699-87-55	2/11/1993 8:20	N	14808-79-8	Sulfate	56000	ug/L	[NULL]	[NULL]	[NULL]	R	B07S30	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	2/11/1993 8:20	N	14133-76-7	Technetium-99	2.76	pCi/L	[NULL]	[NULL]	[NULL]	R	B07S30	14133-76-7	ITASRL	TC99_SEP_LSC	100-NR-2
699-87-55	2/11/1993 8:20	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B07S30	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-87-55	2/11/1993 8:20	N	127-18-4	Tetrachloroethene	4.6	ug/L	[NULL]	[NULL]	[NULL]	R	B07S30	127-18-4	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	127-18-4	Tetrachloroethene	3.5	ug/L	[NULL]	[NULL]	[NULL]	R	B07S30	127-18-4	DATACH	8010_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	Y	7440-31-5	Tin	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S31	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	2/11/1993 8:20	N	108-88-3	Toluene	0.5	ug/L	U	[NULL]	[NULL]	R	B07S30	108-88-3	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	108-88-3	Toluene	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S30	108-88-3	DATACH	8010_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	79-01-6	Trichloroethene	0.5	ug/L	U	[NULL]	[NULL]	R	B07S30	79-01-6	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	79-01-6	Trichloroethene	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S30	79-01-6	DATACH	8010_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	10028-17-8	Tritium	50900	pCi/L	[NULL]	[NULL]	[NULL]	R	B07S30	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
699-87-55	2/11/1993 8:20	Y	7440-62-2	Vanadium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S31	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	2/11/1993 8:20	N	75-01-4	Vinyl chloride	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S30	75-01-4	DATACH	8010_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	1330-20-7	Xylenes (total)	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S30	1330-20-7	DATACH	8010_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	1330-20-7	Xylenes (total)	0.5	ug/L	U	[NULL]	[NULL]	R	B07S30	1330-20-7	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	Y	7440-66-6	Zinc	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S31	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	2/11/1993 8:20	N	156-59-2	cis-1,2-Dichloroethylene	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S30	156-59-2	DATACH	8010_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	156-59-2	cis-1,2-Dichloroethylene	0.5	ug/L	U	[NULL]	[NULL]	R	B07S30	156-59-2	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B07S30	PH	FIELD	9040_PH	100-NR-2
699-87-55	2/11/1993 8:20	N	156-60-5	trans-1,2-Dichloroethylene	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07S30	156-60-5	DATACH	8010_VOA_GC	100-NR-2
699-87-55	2/11/1993 8:20	N	156-60-5	trans-1,2-Dichloroethylene	0.5	ug/L	U	[NULL]	[NULL]	R	B07S30	156-60-5	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	8/12/1993 10:46	N	CONDUCT	Specific Conductance	341	uS/cm	[NULL]	[NULL]	[NULL]	R	B08YZ7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-87-55	8/12/1993 10:46	N	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	R	B08YZ7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-87-55	8/12/1993 10:46	N	10028-17-8	Tritium	48900	pCi/L	[NULL]	[NULL]	[NULL]	R	B08YZ7	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
699-87-55	8/12/1993 10:46	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	R	B08YZ7	PH	FIELD	9040_PH	100-NR-2
699-87-55	3/8/1994 8:45	N	71-55-6	1,1,1-Trichloroethane	2	ug/L	U	[NULL]	[NULL]	R	B0BGW7	71-55-6	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	3/8/1994 8:45	N	75-34-3	1,1-Dichloroethane	2	ug/L	U	[NULL]	[NULL]	R	B0BGW7	75-34-3	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	3/8/1994 8:45	N	107-06-2	1,2-Dichloroethane	2	ug/L	U	[NULL]	[NULL]	R	B0BGW7	107-06-2	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	3/8/1994 8:45	Y	7429-90-5	Aluminum	22	ug/L	LB	[NULL]	[NULL]	R	B0BGW8	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	7429-90-5	Aluminum	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0BGW7	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	Y	7440-36-0	Antimony	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0BGW8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	7440-36-0	Antimony	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0BGW7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	7440-39-3	Barium	27	ug/L	[NULL]	[NULL]	[NULL]	R	B0BGW7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	Y	7440-39-3	Barium	26	ug/L	[NULL]	[NULL]	[NULL]	R	B0BGW8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	71-43-2	Benzene	0.5	ug/L	U	[NULL]	[NULL]	R	B0BGW7	71-43-2	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	3/8/1994 8:45	N	7440-41-7	Beryllium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0BGW7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	Y	7440-41-7	Beryllium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0BGW8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0BGW7	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	3/8/1994 8:45	Y	7440-43-9	Cadmium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0BGW8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-87-55	3/8/1994 8:45	N	7440-43-9	Cadmium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0BGW7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	7440-70-2	Calcium	34000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BGW7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	Y	7440-70-2	Calcium	34000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BGW8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	56-23-5	Carbon tetrachloride	2	ug/L	U	[NULL]	[NULL]	R	B0BGW7	56-23-5	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	3/8/1994 8:45	N	16887-00-6	Chloride	6500	ug/L	[NULL]	[NULL]	[NULL]	R	B0BGW7	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	3/8/1994 8:45	N	67-66-3	Chloroform	2.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0BGW7	67-66-3	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	3/8/1994 8:45	Y	7440-47-3	Chromium	60	ug/L	[NULL]	[NULL]	[NULL]	R	B0BGW8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	7440-47-3	Chromium	62	ug/L	[NULL]	[NULL]	[NULL]	R	B0BGW7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	7440-48-4	Cobalt	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0BGW7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	Y	7440-48-4	Cobalt	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0BGW8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	Y	7440-50-8	Copper	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0BGW8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	7440-50-8	Copper	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0BGW7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	100-41-4	Ethylbenzene	0.5	ug/L	U	[NULL]	[NULL]	R	B0BGW7	100-41-4	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	3/8/1994 8:45	N	16984-48-8	Fluoride	600	ug/L	[NULL]	[NULL]	[NULL]	R	B0BGW7	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	3/8/1994 8:45	Y	7439-89-6	Iron	41	ug/L	B	[NULL]	[NULL]	R	B0BGW8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	7439-89-6	Iron	1400	ug/L	B	[NULL]	[NULL]	R	B0BGW7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	Y	7439-95-4	Magnesium	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BGW8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	7439-95-4	Magnesium	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BGW7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	7439-96-5	Manganese	7.7	ug/L	L	[NULL]	[NULL]	R	B0BGW7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	Y	7439-96-5	Manganese	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0BGW8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	B0BGW7	75-09-2	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	3/8/1994 8:45	N	7440-02-0	Nickel	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0BGW7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	Y	7440-02-0	Nickel	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0BGW8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	14797-55-8	Nitrate	18000	ug/L	D	[NULL]	[NULL]	R	B0BGW7	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	3/8/1994 8:45	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0BGW7	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	3/8/1994 8:45	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0BGW7	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	3/8/1994 8:45	N	7440-09-7	Potassium	3900	ug/L	[NULL]	[NULL]	[NULL]	R	B0BGW7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	Y	7440-09-7	Potassium	3300	ug/L	[NULL]	[NULL]	[NULL]	R	B0BGW8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	7440-22-4	Silver	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0BGW7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	Y	7440-22-4	Silver	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0BGW8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	7440-23-5	Sodium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BGW7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	Y	7440-23-5	Sodium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BGW8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	CONDUCT	Specific Conductance	354	uS/cm	[NULL]	[NULL]	[NULL]	R	B0BGW7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-87-55	3/8/1994 8:45	N	14808-79-8	Sulfate	55000	ug/L	D	[NULL]	[NULL]	R	B0BGW7	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	3/8/1994 8:45	N	14133-76-7	Technetium-99	3.05	pCi/L	[NULL]	[NULL]	[NULL]	R	B0BGW7	14133-76-7	ITASRL	TC99_SEP_LSC	100-NR-2
699-87-55	3/8/1994 8:45	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0BGW7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-87-55	3/8/1994 8:45	N	127-18-4	Tetrachloroethene	4.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0BGW7	127-18-4	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	3/8/1994 8:45	N	7440-31-5	Tin	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0BGW7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	Y	7440-31-5	Tin	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0BGW8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	108-88-3	Toluene	0.5	ug/L	U	[NULL]	[NULL]	R	B0BGW7	108-88-3	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	3/8/1994 8:45	N	79-01-6	Trichloroethene	0.5	ug/L	U	[NULL]	[NULL]	R	B0BGW7	79-01-6	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	3/8/1994 8:45	N	10028-17-8	Tritium	47300	pCi/L	[NULL]	[NULL]	[NULL]	R	B0BGW7	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
699-87-55	3/8/1994 8:45	N	7440-62-2	Vanadium	24	ug/L	L	[NULL]	[NULL]	R	B0BGW7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	Y	7440-62-2	Vanadium	21	ug/L	L	[NULL]	[NULL]	R	B0BGW8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	1330-20-7	Xylenes (total)	0.5	ug/L	U	[NULL]	[NULL]	R	B0BGW7	1330-20-7	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	3/8/1994 8:45	Y	7440-66-6	Zinc	15	ug/L	B	[NULL]	[NULL]	R	B0BGW8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	7440-66-6	Zinc	19	ug/L	B	[NULL]	[NULL]	R	B0BGW7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	3/8/1994 8:45	N	156-59-2	cis-1,2-Dichloroethylene	0.5	ug/L	U	[NULL]	[NULL]	R	B0BGW7	156-59-2	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	3/8/1994 8:45	N	PH	pH Measurement	7.97	unitless	[NULL]	[NULL]	[NULL]	R	B0BGW7	PH	FIELD	9040_PH	100-NR-2
699-87-55	3/8/1994 8:45	N	156-60-5	trans-1,2-Dichloroethylene	0.5	ug/L	U	[NULL]	[NULL]	R	B0BGW7	156-60-5	PNL1	502.2_VOA_GC	100-NR-2
699-87-55	9/29/1994 10:15	N	CONDUCT	Specific Conductance	280	uS/cm	[NULL]	[NULL]	[NULL]	R	B0D093	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-87-55	9/29/1994 10:15	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0D093	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-87-55	9/29/1994 10:15	N	10028-17-8	Tritium	42800	pCi/L	[NULL]	[NULL]	[NULL]	R	B0D093	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
699-87-55	9/29/1994 10:15	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	R	B0D093	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-87-55	8/30/1995 9:31	Y	7429-90-5	Aluminum	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJP1	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	7429-90-5	Aluminum	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJP0	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	7440-36-0	Antimony	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJP0	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	Y	7440-36-0	Antimony	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJP1	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	Y	7440-39-3	Barium	25	ug/L	[NULL]	[NULL]	[NULL]	R	B0FJP1	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	7440-39-3	Barium	26	ug/L	[NULL]	[NULL]	[NULL]	R	B0FJP0	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	Y	7440-41-7	Beryllium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJP1	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	7440-41-7	Beryllium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJP0	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJP0	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	8/30/1995 9:31	N	7440-43-9	Cadmium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJP0	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	Y	7440-43-9	Cadmium	1.5	ug/L	L	[NULL]	[NULL]	R	B0FJP1	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	7440-70-2	Calcium	33000	ug/L	[NULL]	[NULL]	[NULL]	R	B0FJP0	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	Y	7440-70-2	Calcium	33000	ug/L	[NULL]	[NULL]	[NULL]	R	B0FJP1	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	16887-00-6	Chloride	6300	ug/L	[NULL]	[NULL]	[NULL]	R	B0FJP0	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	8/30/1995 9:31	N	7440-47-3	Chromium	53	ug/L	[NULL]	[NULL]	[NULL]	R	B0FJP0	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	Y	7440-47-3	Chromium	51	ug/L	[NULL]	[NULL]	[NULL]	R	B0FJP1	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	Y	7440-48-4	Cobalt	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJP1	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	7440-48-4	Cobalt	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJP0	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	Y	7440-50-8	Copper	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJP1	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	7440-50-8	Copper	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJP0	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	16984-48-8	Fluoride	700	ug/L	[NULL]	[NULL]	[NULL]	R	B0FJP0	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	8/30/1995 9:31	N	7439-89-6	Iron	900	ug/L	B	[NULL]	[NULL]	R	B0FJP0	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	Y	7439-89-6	Iron	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJP1	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	7439-95-4	Magnesium	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B0FJP0	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	Y	7439-95-4	Magnesium	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B0FJP1	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	Y	7439-96-5	Manganese	1	ug/L	BL	[NULL]	[NULL]	R	B0FJP1	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	7439-96-5	Manganese	15	ug/L	B	[NULL]	[NULL]	R	B0FJP0	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	Y	7440-02-0	Nickel	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJP1	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	7440-02-0	Nickel	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJP0	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	14797-55-8	Nitrate	18000	ug/L	D	[NULL]	[NULL]	R	B0FJP0	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	8/30/1995 9:31	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJP0	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	8/30/1995 9:31	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJP0	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	8/30/1995 9:31	N	7440-09-7	Potassium	4100	ug/L	[NULL]	[NULL]	[NULL]	R	B0FJP0	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	Y	7440-09-7	Potassium	3800	ug/L	[NULL]	[NULL]	[NULL]	R	B0FJP1	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	7440-22-4	Silver	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJP0	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	Y	7440-22-4	Silver	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJP1	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	7440-23-5	Sodium	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B0FJP0	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	Y	7440-23-5	Sodium	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B0FJP1	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	CONDUCT	Specific Conductance	354	uS/cm	[NULL]	[NULL]	[NULL]	R	B0FJP0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-87-55	8/30/1995 9:31	N	7440-24-6	Strontium	260	ug/L	[NULL]	[NULL]	[NULL]	R	B0FJP0	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	Y	7440-24-6	Strontium	270	ug/L	[NULL]	[NULL]	[NULL]	R	B0FJP1	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	14808-79-8	Sulfate	54000	ug/L	D	[NULL]	[NULL]	R	B0FJP0	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	8/30/1995 9:31	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0FJP0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-87-55	8/30/1995 9:31	Y	7440-31-5	Tin	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJP1	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	7440-31-5	Tin	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJP0	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	10028-17-8	Tritium	35400	pCi/L	[NULL]	[NULL]	[NULL]	R	B0FJP0	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
699-87-55	8/30/1995 9:31	Y	7440-62-2	Vanadium	22	ug/L	[NULL]	[NULL]	[NULL]	R	B0FJP1	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	7440-62-2	Vanadium	24	ug/L	[NULL]	[NULL]	[NULL]	R	B0FJP0	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	Y	7440-66-6	Zinc	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FJP1	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	7440-66-6	Zinc	15	ug/L	[NULL]	[NULL]	[NULL]	R	B0FJP0	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	8/30/1995 9:31	N	PH	pH Measurement	7.32	unitless	[NULL]	[NULL]	[NULL]	R	B0FJP0	PH	FIELD	9040_PH	100-NR-2
699-87-55	6/11/1996 9:40	N	7429-90-5	Aluminum	15	ug/L	U	[NULL]	[NULL]	R	B0HTN8	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	Y	7429-90-5	Aluminum	15	ug/L	U	[NULL]	[NULL]	R	B0HTN9	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	7440-36-0	Antimony	43	ug/L	U	[NULL]	[NULL]	R	B0HTN8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	Y	7440-36-0	Antimony	43	ug/L	U	[NULL]	[NULL]	R	B0HTN9	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-87-55	6/11/1996 9:40	N	7440-39-3	Barium	21	ug/L	[NULL]	[NULL]	[NULL]	R	B0HTN8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	Y	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B0HTN9	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	Y	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	R	B0HTN9	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	R	B0HTN8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	24959-67-9	Bromide	37	ug/L	L	[NULL]	[NULL]	R	B0HTN8	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	6/11/1996 9:40	N	7440-43-9	Cadmium	3.2	ug/L	U	[NULL]	[NULL]	R	B0HTN8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	Y	7440-43-9	Cadmium	3.2	ug/L	U	[NULL]	[NULL]	R	B0HTN9	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	Y	7440-70-2	Calcium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HTN9	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	7440-70-2	Calcium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HTN8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	16887-00-6	Chloride	4800	ug/L	[NULL]	[NULL]	[NULL]	R	B0HTN8	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	6/11/1996 9:40	Y	7440-47-3	Chromium	35	ug/L	[NULL]	[NULL]	[NULL]	R	B0HTN9	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	7440-47-3	Chromium	37	ug/L	[NULL]	[NULL]	[NULL]	R	B0HTN8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B0HTN9	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B0HTN8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	Y	7440-50-8	Copper	8.7	ug/L	U	[NULL]	[NULL]	R	B0HTN9	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	7440-50-8	Copper	8.7	ug/L	U	[NULL]	[NULL]	R	B0HTN8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	16984-48-8	Fluoride	650	ug/L	[NULL]	[NULL]	[NULL]	R	B0HTN8	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	6/11/1996 9:40	Y	7439-89-6	Iron	30	ug/L	L	[NULL]	[NULL]	R	B0HTN9	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	7439-89-6	Iron	720	ug/L	[NULL]	[NULL]	[NULL]	R	B0HTN8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	Y	7439-95-4	Magnesium	9400	ug/L	[NULL]	[NULL]	[NULL]	R	B0HTN9	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	7439-95-4	Magnesium	9600	ug/L	[NULL]	[NULL]	[NULL]	R	B0HTN8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	7439-96-5	Manganese	18	ug/L	B	[NULL]	[NULL]	R	B0HTN8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	Y	7439-96-5	Manganese	7.4	ug/L	B	[NULL]	[NULL]	R	B0HTN9	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	7440-02-0	Nickel	7.4	ug/L	U	[NULL]	[NULL]	R	B0HTN8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	Y	7440-02-0	Nickel	7.4	ug/L	U	[NULL]	[NULL]	R	B0HTN9	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	14797-55-8	Nitrate	11000	ug/L	D	[NULL]	[NULL]	R	B0HTN8	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	6/11/1996 9:40	N	14797-65-0	Nitrite	11	ug/L	U	[NULL]	[NULL]	R	B0HTN8	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	6/11/1996 9:40	N	14265-44-2	Phosphate	83	ug/L	U	[NULL]	[NULL]	R	B0HTN8	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	6/11/1996 9:40	Y	7440-09-7	Potassium	3300	ug/L	[NULL]	[NULL]	[NULL]	R	B0HTN9	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	7440-09-7	Potassium	3200	ug/L	[NULL]	[NULL]	[NULL]	R	B0HTN8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	7440-22-4	Silver	4.5	ug/L	U	[NULL]	[NULL]	R	B0HTN8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	Y	7440-22-4	Silver	4.5	ug/L	U	[NULL]	[NULL]	R	B0HTN9	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	Y	7440-23-5	Sodium	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HTN9	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	7440-23-5	Sodium	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HTN8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	CONDUCT	Specific Conductance	314	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HTN8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-87-55	6/11/1996 9:40	N	7440-24-6	Strontium	210	ug/L	[NULL]	[NULL]	[NULL]	R	B0HTN8	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	Y	7440-24-6	Strontium	200	ug/L	[NULL]	[NULL]	[NULL]	R	B0HTN9	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	14808-79-8	Sulfate	39000	ug/L	D	[NULL]	[NULL]	R	B0HTN8	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
699-87-55	6/11/1996 9:40	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0HTN8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-87-55	6/11/1996 9:40	Y	7440-31-5	Tin	17	ug/L	U	[NULL]	[NULL]	R	B0HTN9	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	7440-31-5	Tin	17	ug/L	U	[NULL]	[NULL]	R	B0HTN8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	10028-17-8	Tritium	23116	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HTN8	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
699-87-55	6/11/1996 9:40	N	TURBIDITY	Turbidity	18	NTU	[NULL]	[NULL]	[NULL]	R	B0HTN8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
699-87-55	6/11/1996 9:40	Y	7440-62-2	Vanadium	17	ug/L	[NULL]	[NULL]	[NULL]	R	B0HTN9	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	7440-62-2	Vanadium	21	ug/L	[NULL]	[NULL]	[NULL]	R	B0HTN8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	Y	7440-66-6	Zinc	7.7	ug/L	U	[NULL]	[NULL]	R	B0HTN9	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	7440-66-6	Zinc	7.7	ug/L	U	[NULL]	[NULL]	R	B0HTN8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
699-87-55	6/11/1996 9:40	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B0HTN8	PH	FIELD	9040_PH	100-NR-2
699-87-55	7/24/1997 10:57	N	ALKALINITY	Alkalinity	94000	ug/L	[NULL]	[NULL]	[NULL]	R	B0LBJ7	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
699-87-55	7/24/1997 10:57	Y	7429-90-5	Aluminum	29.4	ug/L	BC	[NULL]	[NULL]	R	B0LBJ8	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	7/24/1997 10:57	Y	7440-36-0	Antimony	42.5	ug/L	U	[NULL]	[NULL]	R	B0LBJ8	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	7/24/1997 10:57	Y	7440-39-3	Barium	42.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0LBJ8	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	7/24/1997 10:57	Y	7440-41-7	Beryllium	0.59	ug/L	B	[NULL]	[NULL]	R	B0LBJ8	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	7/24/1997 10:57	N	24959-67-9	Bromide	72	ug/L	B	[NULL]	[NULL]	R	B0LBJ7	24959-67-9	QTESSL	300.0_ANIONS_IC	100-NR-2
699-87-55	7/24/1997 10:57	Y	7440-43-9	Cadmium	3.4	ug/L	B	[NULL]	[NULL]	R	B0LBJ8	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-87-55	7/24/1997 10:57	Y	7440-70-2	Calcium	30400	ug/L	C	[NULL]	[NULL]	R	B0LBJ8	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	7/24/1997 10:57	N	16887-00-6	Chloride	4540	ug/L	D	[NULL]	[NULL]	R	B0LBJ7	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
699-87-55	7/24/1997 10:57	Y	7440-47-3	Chromium	39.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0LBJ8	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	7/24/1997 10:57	Y	7440-48-4	Cobalt	5.4	ug/L	B	[NULL]	[NULL]	R	B0LBJ8	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	7/24/1997 10:57	Y	7440-50-8	Copper	4.4	ug/L	U	[NULL]	[NULL]	R	B0LBJ8	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	7/24/1997 10:57	N	16984-48-8	Fluoride	383	ug/L	[NULL]	[NULL]	[NULL]	R	B0LBJ7	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
699-87-55	7/24/1997 10:57	Y	7439-89-6	Iron	57.4	ug/L	C	[NULL]	[NULL]	R	B0LBJ8	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	7/24/1997 10:57	Y	7439-95-4	Magnesium	11300	ug/L	C	[NULL]	[NULL]	R	B0LBJ8	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	7/24/1997 10:57	Y	7439-96-5	Manganese	7.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0LBJ8	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	7/24/1997 10:57	Y	7440-02-0	Nickel	14.8	ug/L	U	[NULL]	[NULL]	R	B0LBJ8	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	7/24/1997 10:57	N	14797-55-8	Nitrate	11300	ug/L	D	[NULL]	[NULL]	R	B0LBJ7	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
699-87-55	7/24/1997 10:57	N	14797-65-0	Nitrite	6.57	ug/L	U	[NULL]	[NULL]	R	B0LBJ7	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
699-87-55	7/24/1997 10:57	N	14265-44-2	Phosphate	86	ug/L	U	[NULL]	[NULL]	R	B0LBJ7	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
699-87-55	7/24/1997 10:57	Y	7440-09-7	Potassium	4610	ug/L	[NULL]	[NULL]	[NULL]	R	B0LBJ8	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	7/24/1997 10:57	Y	7440-22-4	Silver	6.7	ug/L	U	[NULL]	[NULL]	R	B0LBJ8	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	7/24/1997 10:57	Y	7440-23-5	Sodium	15400	ug/L	[NULL]	[NULL]	[NULL]	R	B0LBJ8	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	7/24/1997 10:57	N	CONDUCT	Specific Conductance	302	uS/cm	[NULL]	[NULL]	[NULL]	R	B0LBJ7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-87-55	7/24/1997 10:57	Y	7440-24-6	Strontium	238	ug/L	[NULL]	[NULL]	[NULL]	R	B0LBJ8	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	7/24/1997 10:57	N	14808-79-8	Sulfate	38000	ug/L	D	[NULL]	[NULL]	R	B0LBJ7	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
699-87-55	7/24/1997 10:57	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B0LBJ7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-87-55	7/24/1997 10:57	N	10028-17-8	Tritium	20800	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LBJ7	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
699-87-55	7/24/1997 10:57	N	TURBIDITY	Turbidity	7.01	NTU	[NULL]	[NULL]	[NULL]	R	B0LBJ7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
699-87-55	7/24/1997 10:57	Y	7440-62-2	Vanadium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B0LBJ8	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	7/24/1997 10:57	Y	7440-66-6	Zinc	39.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0LBJ8	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	7/24/1997 10:57	N	PH	pH Measurement	7.95	unitless	[NULL]	[NULL]	[NULL]	R	B0LBJ7	PH	FIELD	9040_PH	100-NR-2
699-87-55	4/30/1998 9:46	N	ALKALINITY	Alkalinity	97800	ug/L	[NULL]	[NULL]	[NULL]	R	B0NMM2	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
699-87-55	4/30/1998 9:46	Y	7429-90-5	Aluminum	20.6	ug/L	U	[NULL]	[NULL]	R	B0NMM1	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	4/30/1998 9:46	Y	7440-36-0	Antimony	45.7	ug/L	U	[NULL]	[NULL]	R	B0NMM1	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	4/30/1998 9:46	Y	7440-39-3	Barium	23.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0NMM1	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	4/30/1998 9:46	Y	7440-41-7	Beryllium	0.6	ug/L	U	[NULL]	[NULL]	R	B0NMM1	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	4/30/1998 9:46	Y	7440-43-9	Cadmium	4.6	ug/L	U	[NULL]	[NULL]	R	B0NMM1	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	4/30/1998 9:46	Y	7440-70-2	Calcium	31800	ug/L	[NULL]	[NULL]	[NULL]	R	B0NMM1	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	4/30/1998 9:46	N	16887-00-6	Chloride	4630	ug/L	[NULL]	[NULL]	[NULL]	R	B0NMM2	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
699-87-55	4/30/1998 9:46	Y	7440-47-3	Chromium	33	ug/L	[NULL]	[NULL]	[NULL]	R	B0NMM1	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	4/30/1998 9:46	Y	7440-48-4	Cobalt	3.8	ug/L	U	[NULL]	[NULL]	R	B0NMM1	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	4/30/1998 9:46	Y	7440-50-8	Copper	3.6	ug/L	U	[NULL]	[NULL]	R	B0NMM1	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	4/30/1998 9:46	N	16984-48-8	Fluoride	357	ug/L	[NULL]	[NULL]	[NULL]	R	B0NMM2	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
699-87-55	4/30/1998 9:46	N	12587-47-2	Gross beta	3.48	pCi/L	J	[NULL]	[NULL]	R	B0NMM2	12587-47-2	QTESRL	BETA_GPC	100-NR-2
699-87-55	4/30/1998 9:46	Y	7439-89-6	Iron	6.8	ug/L	U	[NULL]	[NULL]	R	B0NMM1	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	4/30/1998 9:46	Y	7439-95-4	Magnesium	11300	ug/L	[NULL]	[NULL]	[NULL]	R	B0NMM1	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	4/30/1998 9:46	Y	7439-96-5	Manganese	1.7	ug/L	B	[NULL]	[NULL]	R	B0NMM1	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	4/30/1998 9:46	Y	7440-02-0	Nickel	14.2	ug/L	U	[NULL]	[NULL]	R	B0NMM1	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	4/30/1998 9:46	N	14797-55-8	Nitrate	12400	ug/L	D	[NULL]	[NULL]	R	B0NMM2	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
699-87-55	4/30/1998 9:46	N	14797-65-0	Nitrite	3.28	ug/L	U	[NULL]	[NULL]	R	B0NMM2	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
699-87-55	4/30/1998 9:46	Y	7440-09-7	Potassium	2660	ug/L	[NULL]	[NULL]	[NULL]	R	B0NMM1	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	4/30/1998 9:46	Y	7440-22-4	Silver	5.1	ug/L	UN	[NULL]	[NULL]	R	B0NMM1	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	4/30/1998 9:46	Y	7440-23-5	Sodium	15700	ug/L	[NULL]	[NULL]	[NULL]	R	B0NMM1	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	4/30/1998 9:46	N	CONDUCT	Specific Conductance	241	uS/cm	[NULL]	Y	[NULL]	R	B0NMM2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-87-55	4/30/1998 9:46	Y	7440-24-6	Strontium	247	ug/L	[NULL]	[NULL]	[NULL]	R	B0NMM1	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	4/30/1998 9:46	N	10098-97-2	Strontium-90	0.0728	pCi/L	U	[NULL]	[NULL]	R	B0NMM2	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
699-87-55	4/30/1998 9:46	N	14808-79-8	Sulfate	39700	ug/L	D	[NULL]	[NULL]	R	B0NMM2	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
699-87-55	4/30/1998 9:46	N	TEMPERATURE	Temperature	17.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0NMM2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-87-55	4/30/1998 9:46	N	10028-17-8	Tritium	14600	pCi/L	[NULL]	[NULL]	[NULL]	R	B0NMM2	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
699-87-55	4/30/1998 9:46	N	TURBIDITY	Turbidity	4.64	NTU	[NULL]	[NULL]	[NULL]	R	B0NMM2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
699-87-55	4/30/1998 9:46	Y	7440-62-2	Vanadium	27.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0NMM1	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-87-55	4/30/1998 9:46	Y	7440-66-6	Zinc	4.8	ug/L	B	[NULL]	[NULL]	R	B0NMM1	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	4/30/1998 9:46	N	PH	pH Measurement	7.44	unitless	[NULL]	[NULL]	[NULL]	R	B0NMM2	PH	FIELD	9040_PH	100-NR-2
699-87-55	5/20/1999 8:18	N	ALKALINITY	Alkalinity	94000	ug/L	[NULL]	[NULL]	[NULL]	R	B0VBX9	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
699-87-55	5/20/1999 8:18	Y	7429-90-5	Aluminum	33.5	ug/L	UC	[NULL]	[NULL]	R	B0VBX8	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	5/20/1999 8:18	Y	7440-36-0	Antimony	36.4	ug/L	U	[NULL]	[NULL]	R	B0VBX8	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	5/20/1999 8:18	Y	7440-39-3	Barium	29.1	ug/L	[NULL]	[NULL]	[NULL]	R	B0VBX8	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	5/20/1999 8:18	Y	7440-41-7	Beryllium	1	ug/L	B	[NULL]	[NULL]	R	B0VBX8	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	5/20/1999 8:18	Y	7440-43-9	Cadmium	3.9	ug/L	U	[NULL]	[NULL]	R	B0VBX8	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	5/20/1999 8:18	Y	7440-70-2	Calcium	39400	ug/L	C	[NULL]	[NULL]	R	B0VBX8	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	5/20/1999 8:18	N	16887-00-6	Chloride	10300	ug/L	D	[NULL]	[NULL]	R	B0VBX9	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
699-87-55	5/20/1999 8:18	Y	7440-47-3	Chromium	37.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0VBX8	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	5/20/1999 8:18	Y	7440-48-4	Cobalt	5.1	ug/L	U	[NULL]	[NULL]	R	B0VBX8	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	5/20/1999 8:18	Y	7440-50-8	Copper	8.7	ug/L	B	[NULL]	[NULL]	R	B0VBX8	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	5/20/1999 8:18	N	16984-48-8	Fluoride	324	ug/L	[NULL]	[NULL]	[NULL]	R	B0VBX9	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
699-87-55	5/20/1999 8:18	Y	7439-89-6	Iron	55	ug/L	C	[NULL]	[NULL]	R	B0VBX8	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	5/20/1999 8:18	Y	7439-95-4	Magnesium	14300	ug/L	[NULL]	[NULL]	[NULL]	R	B0VBX8	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	5/20/1999 8:18	Y	7439-96-5	Manganese	5.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0VBX8	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	5/20/1999 8:18	Y	7440-02-0	Nickel	11.3	ug/L	B	[NULL]	[NULL]	R	B0VBX8	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	5/20/1999 8:18	N	14797-55-8	Nitrate	15600	ug/L	D	[NULL]	[NULL]	R	B0VBX9	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
699-87-55	5/20/1999 8:18	N	14797-65-0	Nitrite	23	ug/L	U	[NULL]	[NULL]	R	B0VBX9	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
699-87-55	5/20/1999 8:18	Y	7440-09-7	Potassium	4920	ug/L	[NULL]	[NULL]	[NULL]	R	B0VBX8	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	5/20/1999 8:18	Y	7440-22-4	Silver	5.9	ug/L	U	[NULL]	[NULL]	R	B0VBX8	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	5/20/1999 8:18	Y	7440-23-5	Sodium	17300	ug/L	E	[NULL]	[NULL]	R	B0VBX8	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	5/20/1999 8:18	N	CONDUCT	Specific Conductance	367	uS/cm	C	[NULL]	[NULL]	R	B0VBX9	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
699-87-55	5/20/1999 8:18	N	CONDUCT	Specific Conductance	373	uS/cm	[NULL]	[NULL]	[NULL]	R	B0VBX9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-87-55	5/20/1999 8:18	Y	7440-24-6	Strontium	302	ug/L	E	[NULL]	[NULL]	R	B0VBX8	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	5/20/1999 8:18	N	14808-79-8	Sulfate	60000	ug/L	D	[NULL]	[NULL]	R	B0VBX9	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
699-87-55	5/20/1999 8:18	N	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0VBX9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-87-55	5/20/1999 8:18	N	10028-17-8	Tritium	12900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0VBY0	10028-17-8	QTESRL	906.0_H3_LSC	100-NR-2
699-87-55	5/20/1999 8:18	N	TURBIDITY	Turbidity	2.19	NTU	[NULL]	[NULL]	[NULL]	R	B0VBX9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
699-87-55	5/20/1999 8:18	Y	TURBIDITY	Turbidity	0.43	NTU	[NULL]	[NULL]	[NULL]	R	B0VBX8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
699-87-55	5/20/1999 8:18	Y	7440-62-2	Vanadium	39.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0VBX8	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	5/20/1999 8:18	Y	7440-66-6	Zinc	15.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0VBX8	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
699-87-55	5/20/1999 8:18	N	PH	pH Measurement	7.89	unitless	[NULL]	[NULL]	[NULL]	R	B0VBX9	PH	FIELD	9040_PH	100-NR-2
699-87-55	8/5/2002 8:40	N	ALKALINITY	Alkalinity	108000	ug/L	[NULL]	[NULL]	[NULL]	R	B14V33	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
699-87-55	8/5/2002 8:40	Y	7429-90-5	Aluminum	17	ug/L	U	[NULL]	[NULL]	R	B14V32	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	8/5/2002 8:40	Y	7440-36-0	Antimony	29.5	ug/L	U	[NULL]	[NULL]	R	B14V32	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	8/5/2002 8:40	Y	7440-39-3	Barium	29.9	ug/L	B	[NULL]	[NULL]	R	B14V32	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	8/5/2002 8:40	Y	7440-41-7	Beryllium	0.68	ug/L	U	[NULL]	[NULL]	R	B14V32	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	8/5/2002 8:40	Y	7440-43-9	Cadmium	2.5	ug/L	U	[NULL]	[NULL]	R	B14V32	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	8/5/2002 8:40	Y	7440-70-2	Calcium	41800	ug/L	[NULL]	[NULL]	[NULL]	R	B14V32	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	8/5/2002 8:40	N	16887-00-6	Chloride	15700	ug/L	CD	[NULL]	[NULL]	R	B14V33	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
699-87-55	8/5/2002 8:40	Y	7440-47-3	Chromium	26	ug/L	[NULL]	[NULL]	[NULL]	R	B14V32	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	8/5/2002 8:40	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B14V32	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	8/5/2002 8:40	Y	7440-50-8	Copper	0.86	ug/L	U	[NULL]	[NULL]	R	B14V32	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	8/5/2002 8:40	N	16984-48-8	Fluoride	360	ug/L	[NULL]	[NULL]	[NULL]	R	B14V33	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
699-87-55	8/5/2002 8:40	Y	7439-89-6	Iron	15.9	ug/L	U	[NULL]	[NULL]	R	B14V32	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	8/5/2002 8:40	Y	7439-95-4	Magnesium	15200	ug/L	[NULL]	[NULL]	[NULL]	R	B14V32	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	8/5/2002 8:40	Y	7439-96-5	Manganese	3.6	ug/L	B	[NULL]	[NULL]	R	B14V32	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	8/5/2002 8:40	Y	7440-02-0	Nickel	15.8	ug/L	U	[NULL]	[NULL]	R	B14V32	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	8/5/2002 8:40	N	14797-55-8	Nitrate	24800	ug/L	D	[NULL]	[NULL]	R	B14V33	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
699-87-55	8/5/2002 8:40	N	14797-65-0	Nitrite	78.8	ug/L	[NULL]	[NULL]	[NULL]	R	B14V33	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
699-87-55	8/5/2002 8:40	Y	7440-09-7	Potassium	3760	ug/L	B	[NULL]	[NULL]	R	B14V32	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	8/5/2002 8:40	Y	7440-22-4	Silver	1.7	ug/L	U	[NULL]	[NULL]	R	B14V32	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	8/5/2002 8:40	Y	7440-23-5	Sodium	16700	ug/L	[NULL]	[NULL]	[NULL]	R	B14V32	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-87-55	8/5/2002 8:40	N	CONDUCT	Specific Conductance	423	uS/cm	[NULL]	[NULL]	[NULL]	R	B14V33	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-87-55	8/5/2002 8:40	Y	7440-24-6	Strontium	327	ug/L	[NULL]	[NULL]	[NULL]	R	B14V32	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	8/5/2002 8:40	N	14808-79-8	Sulfate	64200	ug/L	D	[NULL]	[NULL]	R	B14V33	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
699-87-55	8/5/2002 8:40	N	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	R	B14V33	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-87-55	8/5/2002 8:40	N	10028-17-8	Tritium	11800	pCi/L	[NULL]	[NULL]	[NULL]	R	B14V34	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
699-87-55	8/5/2002 8:40	N	TURBIDITY	Turbidity	3.69	NTU	[NULL]	[NULL]	[NULL]	R	B14V33	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
699-87-55	8/5/2002 8:40	Y	7440-62-2	Vanadium	27.9	ug/L	B	[NULL]	[NULL]	R	B14V32	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	8/5/2002 8:40	Y	7440-66-6	Zinc	3.2	ug/L	B	[NULL]	[NULL]	R	B14V32	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	8/5/2002 8:40	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B14V33	PH	FIELD	9040_PH	100-NR-2
699-87-55	11/15/2004 8:37	N	ALKALINITY	Alkalinity	99000	ug/L	[NULL]	[NULL]	[NULL]	R	B1BN33	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
699-87-55	11/15/2004 8:37	Y	7429-90-5	Aluminum	45.5	ug/L	U	[NULL]	[NULL]	R	B1BN32	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	11/15/2004 8:37	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1BN32	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	11/15/2004 8:37	Y	7440-39-3	Barium	31.9	ug/L	B	[NULL]	[NULL]	R	B1BN32	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	11/15/2004 8:37	Y	7440-41-7	Beryllium	0.29	ug/L	U	[NULL]	[NULL]	R	B1BN32	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	11/15/2004 8:37	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1BN32	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	11/15/2004 8:37	Y	7440-70-2	Calcium	39700	ug/L	[NULL]	[NULL]	[NULL]	R	B1BN32	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	11/15/2004 8:37	N	16887-00-6	Chloride	12600	ug/L	CD	[NULL]	[NULL]	R	B1BN33	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
699-87-55	11/15/2004 8:37	Y	7440-47-3	Chromium	25.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1BN32	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	11/15/2004 8:37	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1BN32	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	11/15/2004 8:37	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1BN32	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	11/15/2004 8:37	N	16984-48-8	Fluoride	300	ug/L	[NULL]	[NULL]	[NULL]	R	B1BN33	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
699-87-55	11/15/2004 8:37	Y	7439-89-6	Iron	6.9	ug/L	U	[NULL]	[NULL]	R	B1BN32	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	11/15/2004 8:37	Y	7439-95-4	Magnesium	13900	ug/L	[NULL]	[NULL]	[NULL]	R	B1BN32	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	11/15/2004 8:37	Y	7439-96-5	Manganese	1.7	ug/L	B	[NULL]	[NULL]	R	B1BN32	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	11/15/2004 8:37	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1BN32	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	11/15/2004 8:37	N	14797-55-8	Nitrate	21700	ug/L	D	[NULL]	[NULL]	R	B1BN33	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
699-87-55	11/15/2004 8:37	N	14797-65-0	Nitrite	13.1	ug/L	UN	[NULL]	[NULL]	R	B1BN33	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
699-87-55	11/15/2004 8:37	Y	7440-09-7	Potassium	3450	ug/L	B	[NULL]	[NULL]	R	B1BN32	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	11/15/2004 8:37	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1BN32	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	11/15/2004 8:37	Y	7440-23-5	Sodium	20400	ug/L	[NULL]	[NULL]	[NULL]	R	B1BN32	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	11/15/2004 8:37	N	CONDUCT	Specific Conductance	409	uS/cm	[NULL]	[NULL]	[NULL]	R	B1BN33	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
699-87-55	11/15/2004 8:37	Y	7440-24-6	Strontium	347	ug/L	[NULL]	[NULL]	[NULL]	R	B1BN32	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	11/15/2004 8:37	N	14808-79-8	Sulfate	57700	ug/L	D	[NULL]	[NULL]	R	B1BN33	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
699-87-55	11/15/2004 8:37	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1BN33	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-87-55	11/15/2004 8:37	N	10028-17-8	Tritium	6670	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BN34	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
699-87-55	11/15/2004 8:37	N	TURBIDITY	Turbidity	3.23	NTU	[NULL]	[NULL]	[NULL]	R	B1BN33	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
699-87-55	11/15/2004 8:37	Y	7440-62-2	Vanadium	21.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1BN32	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	11/15/2004 8:37	Y	7440-66-6	Zinc	1.5	ug/L	U	Q	[NULL]	R	B1BN32	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	11/15/2004 8:37	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B1BN33	PH	FIELD	9040_PH	100-NR-2
699-87-55	12/5/2006 10:48	N	ALKALINITY	Alkalinity	100000	ug/L	[NULL]	[NULL]	[NULL]	R	B1L430	ALKALINITY	WSCF	310.1_ALKALINITY	100-NR-2
699-87-55	12/5/2006 10:48	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1L426	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	12/5/2006 10:48	Y	7440-39-3	Barium	34.2	ug/L	B	[NULL]	[NULL]	R	B1L426	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	12/5/2006 10:48	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1L426	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	12/5/2006 10:48	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1L426	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	12/5/2006 10:48	Y	7440-70-2	Calcium	42800	ug/L	[NULL]	[NULL]	[NULL]	R	B1L426	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	12/5/2006 10:48	N	16887-00-6	Chloride	13100	ug/L	CDN	[NULL]	[NULL]	R	B1L427	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
699-87-55	12/5/2006 10:48	Y	7440-47-3	Chromium	22.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1L426	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	12/5/2006 10:48	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1L426	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	12/5/2006 10:48	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1L426	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	12/5/2006 10:48	N	16984-48-8	Fluoride	360	ug/L	[NULL]	[NULL]	[NULL]	R	B1L427	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
699-87-55	12/5/2006 10:48	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1L426	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	12/5/2006 10:48	Y	7439-95-4	Magnesium	15600	ug/L	[NULL]	[NULL]	[NULL]	R	B1L426	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	12/5/2006 10:48	Y	7439-96-5	Manganese	2.5	ug/L	U	[NULL]	[NULL]	R	B1L426	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	12/5/2006 10:48	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1L426	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	12/5/2006 10:48	N	14797-55-8	Nitrate	20400	ug/L	D	[NULL]	[NULL]	R	B1L427	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-87-55	12/5/2006 10:48	N	14797-65-0	Nitrite	1180	ug/L	N	R	[NULL]	R	B1L427	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
699-87-55	12/5/2006 10:48	Y	7440-09-7	Potassium	3440	ug/L	B	[NULL]	[NULL]	R	B1L426	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	12/5/2006 10:48	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1L426	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	12/5/2006 10:48	Y	7440-23-5	Sodium	18400	ug/L	[NULL]	[NULL]	[NULL]	R	B1L426	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	12/5/2006 10:48	N	CONDUCT	Specific Conductance	411	uS/cm	[NULL]	[NULL]	[NULL]	R	B1L428	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
699-87-55	12/5/2006 10:48	Y	7440-24-6	Strontium	351	ug/L	[NULL]	[NULL]	[NULL]	R	B1L426	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	12/5/2006 10:48	N	14808-79-8	Sulfate	57100	ug/L	DN	[NULL]	[NULL]	R	B1L427	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
699-87-55	12/5/2006 10:48	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1L428	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
699-87-55	12/5/2006 10:48	N	10028-17-8	Tritium	5650	pCi/L	[NULL]	[NULL]	[NULL]	R	B1L429	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
699-87-55	12/5/2006 10:48	N	TURBIDITY	Turbidity	2.93	NTU	[NULL]	[NULL]	[NULL]	R	B1L428	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
699-87-55	12/5/2006 10:48	Y	7440-62-2	Vanadium	22.4	ug/L	B	[NULL]	[NULL]	R	B1L426	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	12/5/2006 10:48	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1L426	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
699-87-55	12/5/2006 10:48	N	PH	pH Measurement	7.96	unitless	[NULL]	[NULL]	[NULL]	R	B1L428	PH	FIELD	PH_ELECT_FLD	100-NR-2
699-87-55	10/9/2009 7:51	N	71-55-6	1,1,1-Trichloroethane	1	ug/L	U	[NULL]	[NULL]	R	B225N1	71-55-6	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	79-34-5	1,1,2,2-Tetrachloroethane	1	ug/L	U	[NULL]	[NULL]	R	B225N1	79-34-5	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	79-00-5	1,1,2-Trichloroethane	1	ug/L	U	[NULL]	[NULL]	R	B225N1	79-00-5	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	75-34-3	1,1-Dichloroethane	1	ug/L	U	[NULL]	[NULL]	R	B225N1	75-34-3	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	75-35-4	1,1-Dichloroethene	1	ug/L	U	[NULL]	[NULL]	R	B225N1	75-35-4	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	107-06-2	1,2-Dichloroethane	1	ug/L	U	[NULL]	[NULL]	R	B225N1	107-06-2	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	540-59-0	1,2-Dichloroethene (Total)	1	ug/L	U	[NULL]	[NULL]	R	B225N1	540-59-0	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	78-87-5	1,2-Dichloropropane	1	ug/L	U	[NULL]	[NULL]	R	B225N1	78-87-5	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	106-46-7	1,4-Dichlorobenzene	1	ug/L	U	[NULL]	[NULL]	R	B225N1	106-46-7	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	71-36-3	1-Butanol	100	ug/L	U	[NULL]	[NULL]	R	B225N1	71-36-3	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	78-93-3	2-Butanone	1	ug/L	U	[NULL]	[NULL]	R	B225N1	78-93-3	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	591-78-6	2-Hexanone	1	ug/L	U	[NULL]	[NULL]	R	B225N1	591-78-6	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	108-10-1	2-Pentanone, 4-Methyl	1	ug/L	U	[NULL]	[NULL]	R	B225N1	108-10-1	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	67-64-1	Acetone	1	ug/L	U	[NULL]	[NULL]	R	B225N1	67-64-1	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	ALKALINITY	Alkalinity	100000	ug/L	[NULL]	[NULL]	[NULL]	R	B225N1	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
699-87-55	10/9/2009 7:51	N	7429-90-5	Aluminum	10	ug/L	UD	[NULL]	[NULL]	R	B225N1	7429-90-5	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	Y	7429-90-5	Aluminum	10	ug/L	UD	[NULL]	[NULL]	R	B225N0	7429-90-5	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-36-0	Antimony	0.6	ug/L	UD	[NULL]	[NULL]	R	B225N1	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B225N0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-36-0	Antimony	0.6	ug/L	UD	[NULL]	[NULL]	R	B225N0	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B225N1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	14234-35-6	Antimony-125	-1.76	pCi/L	U	[NULL]	[NULL]	R	B225N3	14234-35-6	TARL	GAMMALL_GS	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-38-2	Arsenic	5.38	ug/L	BD	[NULL]	[NULL]	R	B225N1	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-38-2	Arsenic	65	ug/L	U	[NULL]	[NULL]	R	B225N1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-38-2	Arsenic	65	ug/L	U	[NULL]	[NULL]	R	B225N0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-38-2	Arsenic	5.38	ug/L	BD	[NULL]	[NULL]	R	B225N0	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-39-3	Barium	34.7	ug/L	[NULL]	[NULL]	[NULL]	R	B225N1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-39-3	Barium	37.5	ug/L	D	[NULL]	[NULL]	R	B225N0	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-39-3	Barium	39.8	ug/L	D	[NULL]	[NULL]	R	B225N1	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-39-3	Barium	34.3	ug/L	[NULL]	[NULL]	[NULL]	R	B225N0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	71-43-2	Benzene	1	ug/L	U	[NULL]	[NULL]	R	B225N1	71-43-2	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-41-7	Beryllium	0.1	ug/L	UD	[NULL]	[NULL]	R	B225N1	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-41-7	Beryllium	0.1	ug/L	UD	[NULL]	[NULL]	R	B225N0	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B225N0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B225N1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	13966-02-4	Beryllium-7	7.29	pCi/L	U	[NULL]	[NULL]	R	B225N3	13966-02-4	TARL	GAMMALL_GS	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-69-9	Bismuth	23	ug/L	U	[NULL]	[NULL]	R	B225N0	7440-69-9	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-69-9	Bismuth	23	ug/L	U	[NULL]	[NULL]	R	B225N1	7440-69-9	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-42-8	Boron	19	ug/L	U	[NULL]	[NULL]	R	B225N0	7440-42-8	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-42-8	Boron	19	ug/L	U	[NULL]	[NULL]	R	B225N1	7440-42-8	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	24959-67-9	Bromide	176	ug/L	BD	[NULL]	[NULL]	R	B225N1	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
699-87-55	10/9/2009 7:51	N	75-27-4	Bromodichloromethane	1	ug/L	U	[NULL]	[NULL]	R	B225N1	75-27-4	WSCF	8260_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-87-55	10/9/2009 7:51	N	75-25-2	Bromoform	1	ug/L	U	[NULL]	[NULL]	R	B225N1	75-25-2	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	74-83-9	Bromomethane	1	ug/L	U	[NULL]	[NULL]	R	B225N1	74-83-9	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-43-9	Cadmium	0.2	ug/L	UD	[NULL]	[NULL]	R	B225N1	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-43-9	Cadmium	0.2	ug/L	UD	[NULL]	[NULL]	R	B225N0	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B225N0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B225N1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-70-2	Calcium	45100	ug/L	[NULL]	[NULL]	[NULL]	R	B225N0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-70-2	Calcium	45800	ug/L	[NULL]	[NULL]	[NULL]	R	B225N1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	75-15-0	Carbon disulfide	1	ug/L	U	[NULL]	[NULL]	R	B225N1	75-15-0	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	56-23-5	Carbon tetrachloride	1	ug/L	U	[NULL]	[NULL]	R	B225N1	56-23-5	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	13967-70-9	Cesium-134	-1.22	pCi/L	U	[NULL]	[NULL]	R	B225N3	13967-70-9	TARL	GAMMALL_GS	100-NR-2
699-87-55	10/9/2009 7:51	N	10045-97-3	Cesium-137	0.369	pCi/L	U	[NULL]	[NULL]	R	B225N3	10045-97-3	TARL	GAMMALL_GS	100-NR-2
699-87-55	10/9/2009 7:51	N	16887-00-6	Chloride	17900	ug/L	D	[NULL]	[NULL]	R	B225N1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
699-87-55	10/9/2009 7:51	N	108-90-7	Chlorobenzene	1	ug/L	U	[NULL]	[NULL]	R	B225N1	108-90-7	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	75-00-3	Chloroethane	1	ug/L	U	[NULL]	[NULL]	R	B225N1	75-00-3	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	67-66-3	Chloroform	1	ug/L	U	[NULL]	[NULL]	R	B225N1	67-66-3	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	74-87-3	Chloromethane	1	ug/L	U	[NULL]	[NULL]	R	B225N1	74-87-3	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-47-3	Chromium	17.8	ug/L	D	[NULL]	[NULL]	R	B225N1	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-47-3	Chromium	17.6	ug/L	B	[NULL]	[NULL]	R	B225N0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-47-3	Chromium	17.5	ug/L	B	[NULL]	[NULL]	R	B225N1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-47-3	Chromium	17.4	ug/L	D	[NULL]	[NULL]	R	B225N0	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B225N1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B225N0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-48-4	Cobalt	0.1	ug/L	UD	[NULL]	[NULL]	R	B225N0	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-48-4	Cobalt	0.1	ug/L	UD	[NULL]	[NULL]	R	B225N1	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	N	10198-40-0	Cobalt-60	0.26	pCi/L	U	[NULL]	[NULL]	R	B225N3	10198-40-0	TARL	GAMMALL_GS	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B225N0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-50-8	Copper	0.2	ug/L	UD	[NULL]	[NULL]	R	B225N1	7440-50-8	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-50-8	Copper	0.2	ug/L	UD	[NULL]	[NULL]	R	B225N0	7440-50-8	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B225N1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	124-48-1	Dibromochloromethane	1	ug/L	U	[NULL]	[NULL]	R	B225N1	124-48-1	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	DO	Dissolved oxygen	9620	ug/L	[NULL]	[NULL]	[NULL]	R	B225N2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
699-87-55	10/9/2009 7:51	N	107-12-0	Ethyl cyanide	2	ug/L	U	[NULL]	[NULL]	R	B225N1	107-12-0	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	100-41-4	Ethylbenzene	1	ug/L	U	[NULL]	[NULL]	R	B225N1	100-41-4	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	14683-23-9	Europium-152	-1.36	pCi/L	U	[NULL]	[NULL]	R	B225N3	14683-23-9	TARL	GAMMALL_GS	100-NR-2
699-87-55	10/9/2009 7:51	N	15585-10-1	Europium-154	0.959	pCi/L	U	[NULL]	[NULL]	R	B225N3	15585-10-1	TARL	GAMMALL_GS	100-NR-2
699-87-55	10/9/2009 7:51	N	14391-16-3	Europium-155	0.177	pCi/L	U	[NULL]	[NULL]	R	B225N3	14391-16-3	TARL	GAMMALL_GS	100-NR-2
699-87-55	10/9/2009 7:51	N	16984-48-8	Fluoride	185	ug/L	BD	[NULL]	[NULL]	R	B225N1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
699-87-55	10/9/2009 7:51	N	12587-46-1	Gross alpha	-2.3	pCi/L	U	[NULL]	[NULL]	R	B225N1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
699-87-55	10/9/2009 7:51	N	12587-47-2	Gross beta	4.3	pCi/L	U	[NULL]	[NULL]	R	B225N1	12587-47-2	WSCF	BETA_GPC	100-NR-2
699-87-55	10/9/2009 7:51	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B221K8	18540-29-9	WSCF	7196_CR6	100-NR-2
699-87-55	10/9/2009 7:51	Y	18540-29-9	Hexavalent Chromium	6	ug/L	[NULL]	[NULL]	[NULL]	R	B221K7	18540-29-9	WSCF	7196_CR6	100-NR-2
699-87-55	10/9/2009 7:51	Y	7439-89-6	Iron	20.8	ug/L	B	[NULL]	[NULL]	R	B225N0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	7439-89-6	Iron	121	ug/L	[NULL]	[NULL]	[NULL]	R	B225N1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	7439-92-1	Lead	0.2	ug/L	UD	[NULL]	[NULL]	R	B225N1	7439-92-1	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	Y	7439-92-1	Lead	23	ug/L	U	[NULL]	[NULL]	R	B225N0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	Y	7439-92-1	Lead	0.2	ug/L	UD	[NULL]	[NULL]	R	B225N0	7439-92-1	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	N	7439-92-1	Lead	23	ug/L	U	[NULL]	[NULL]	R	B225N1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	7439-93-2	Lithium	15	ug/L	B	[NULL]	[NULL]	R	B225N1	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	Y	7439-93-2	Lithium	14.9	ug/L	B	[NULL]	[NULL]	R	B225N0	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	Y	7439-95-4	Magnesium	16300	ug/L	[NULL]	[NULL]	[NULL]	R	B225N0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	7439-95-4	Magnesium	16500	ug/L	[NULL]	[NULL]	[NULL]	R	B225N1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B225N1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B225N0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	Y	7439-97-6	Mercury	0.1	ug/L	UD	[NULL]	[NULL]	R	B225N0	7439-97-6	WSCF	200.8_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-87-55	10/9/2009 7:51	N	7439-97-6	Mercury	0.1	ug/L	UD	[NULL]	[NULL]	R	B225N1	7439-97-6	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	N	75-09-2	Methylene chloride	1	ug/L	U	[NULL]	[NULL]	R	B225N1	75-09-2	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	Y	7439-98-7	Molybdenum	10.1	ug/L	B	[NULL]	[NULL]	R	B225N0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	7439-98-7	Molybdenum	8.2	ug/L	B	[NULL]	[NULL]	R	B225N1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B225N0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B225N1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	14797-55-8	Nitrate	24400	ug/L	D	[NULL]	[NULL]	R	B225N1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
699-87-55	10/9/2009 7:51	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B225N1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
699-87-55	10/9/2009 7:51	N	EH	Oxidation Reduction Potential	289	mV	[NULL]	[NULL]	[NULL]	R	B225N2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
699-87-55	10/9/2009 7:51	N	14265-44-2	Phosphate	429	ug/L	UD	[NULL]	[NULL]	R	B225N1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-09-7	Potassium	4480	ug/L	[NULL]	[NULL]	[NULL]	R	B225N1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-09-7	Potassium	4500	ug/L	[NULL]	[NULL]	[NULL]	R	B225N0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	13966-00-2	Potassium-40	-1.1	pCi/L	U	[NULL]	[NULL]	R	B225N3	13966-00-2	TARL	GAMMALL_GS	100-NR-2
699-87-55	10/9/2009 7:51	N	13967-48-1	Ruthenium-106	-0.0469	pCi/L	U	[NULL]	[NULL]	R	B225N3	13967-48-1	TARL	GAMMALL_GS	100-NR-2
699-87-55	10/9/2009 7:51	N	7782-49-2	Selenium	3.35	ug/L	BD	[NULL]	[NULL]	R	B225N1	7782-49-2	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	Y	7782-49-2	Selenium	45	ug/L	U	[NULL]	[NULL]	R	B225N0	7782-49-2	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	7782-49-2	Selenium	45	ug/L	U	[NULL]	[NULL]	R	B225N1	7782-49-2	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	Y	7782-49-2	Selenium	3.59	ug/L	BD	[NULL]	[NULL]	R	B225N0	7782-49-2	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-21-3	Silicon	18200	ug/L	[NULL]	[NULL]	[NULL]	R	B225N0	7440-21-3	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-21-3	Silicon	18200	ug/L	[NULL]	[NULL]	[NULL]	R	B225N1	7440-21-3	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B225N0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B225N1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-22-4	Silver	0.2	ug/L	UD	[NULL]	[NULL]	R	B225N0	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-22-4	Silver	0.2	ug/L	UD	[NULL]	[NULL]	R	B225N1	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-23-5	Sodium	17800	ug/L	[NULL]	Q	[NULL]	R	B225N0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-23-5	Sodium	17800	ug/L	[NULL]	Q	[NULL]	R	B225N1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	CONDUCT	Specific Conductance	451	uS/cm	[NULL]	[NULL]	[NULL]	R	B225N2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-24-6	Strontium	381	ug/L	[NULL]	[NULL]	[NULL]	R	B225N1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-24-6	Strontium	376	ug/L	[NULL]	[NULL]	[NULL]	R	B225N0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	10098-97-2	Strontium-90	-9.7	pCi/L	U	[NULL]	[NULL]	R	B225N1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
699-87-55	10/9/2009 7:51	N	100-42-5	Styrene	1	ug/L	U	[NULL]	[NULL]	R	B225N1	100-42-5	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	14808-79-8	Sulfate	73600	ug/L	D	[NULL]	[NULL]	R	B225N1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
699-87-55	10/9/2009 7:51	N	14133-76-7	Technetium-99	-15	pCi/L	U	[NULL]	[NULL]	R	B225N1	14133-76-7	WSCF	TC99_3MDSK_LSC	100-NR-2
699-87-55	10/9/2009 7:51	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B225N2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
699-87-55	10/9/2009 7:51	N	127-18-4	Tetrachloroethene	1	ug/L	U	[NULL]	[NULL]	R	B225N1	127-18-4	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	109-99-9	Tetrahydrofuran	2	ug/L	U	[NULL]	[NULL]	R	B225N1	109-99-9	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-28-0	Thallium	35	ug/L	U	[NULL]	[NULL]	R	B225N0	7440-28-0	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-28-0	Thallium	0.1	ug/L	UD	[NULL]	[NULL]	R	B225N1	7440-28-0	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-28-0	Thallium	35	ug/L	U	[NULL]	[NULL]	R	B225N1	7440-28-0	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-28-0	Thallium	0.1	ug/L	UD	[NULL]	[NULL]	R	B225N0	7440-28-0	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-31-5	Tin	39	ug/L	U	[NULL]	[NULL]	R	B225N1	7440-31-5	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-31-5	Tin	39	ug/L	U	[NULL]	[NULL]	R	B225N0	7440-31-5	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	108-88-3	Toluene	1	ug/L	U	[NULL]	[NULL]	R	B225N1	108-88-3	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	79-01-6	Trichloroethene	1	ug/L	U	[NULL]	[NULL]	R	B225N1	79-01-6	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	10028-17-8	Tritium	3800	pCi/L	[NULL]	[NULL]	[NULL]	R	B225N1	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
699-87-55	10/9/2009 7:51	N	TURBIDITY	Turbidity	3.59	NTU	[NULL]	[NULL]	[NULL]	R	B225N2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-61-1	Uranium	3.67	ug/L	D	[NULL]	[NULL]	R	B225N1	7440-61-1	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-61-1	Uranium	3.52	ug/L	D	[NULL]	[NULL]	R	B225N0	7440-61-1	WSCF	200.8_METALS_ICPMS	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-62-2	Vanadium	19.2	ug/L	B	[NULL]	[NULL]	R	B225N0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-62-2	Vanadium	24.8	ug/L	B	[NULL]	[NULL]	R	B225N1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	75-01-4	Vinyl chloride	1	ug/L	U	[NULL]	[NULL]	R	B225N1	75-01-4	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	1330-20-7	Xylenes (total)	1	ug/L	U	[NULL]	[NULL]	R	B225N1	1330-20-7	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B225N0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
699-87-55	10/9/2009 7:51	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B225N1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
699-87-55	10/9/2009 7:51	N	156-59-2	cis-1,2-Dichloroethylene	1	ug/L	U	[NULL]	[NULL]	R	B225N1	156-59-2	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	10061-01-5	cis-1,3-Dichloropropene	1	ug/L	U	[NULL]	[NULL]	R	B225N1	10061-01-5	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	PH	pH Measurement	7.94	unitless	[NULL]	[NULL]	[NULL]	R	B225N2	PH	FIELD	PH_ELECT_FLD	100-NR-2
699-87-55	10/9/2009 7:51	N	156-60-5	trans-1,2-Dichloroethylene	1	ug/L	U	[NULL]	[NULL]	R	B225N1	156-60-5	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	10/9/2009 7:51	N	10061-02-6	trans-1,3-Dichloropropene	1	ug/L	U	[NULL]	[NULL]	R	B225N1	10061-02-6	WSCF	8260_VOA_GCMS	100-NR-2
699-87-55	3/21/2010 8:36	N	18540-29-9	Hexavalent Chromium	13.8	ug/L	[NULL]	[NULL]	[NULL]	R	B240B8	18540-29-9	WSCF	7196_CR6	100-NR-2
699-87-55	3/21/2010 8:36	Y	18540-29-9	Hexavalent Chromium	13.1	ug/L	[NULL]	[NULL]	[NULL]	R	B240B9	18540-29-9	WSCF	7196_CR6	100-NR-2
APT1	4/13/2006 9:40	N	ALKALINITY	Alkalinity	64000	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2J0	ALKALINITY	RJ LEE	2320_ALKALINITY	100-NR-2
APT1	4/13/2006 9:40	Y	7440-38-2	Arsenic	1.79	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2H9	7440-38-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT1	4/13/2006 9:40	Y	7440-39-3	Barium	15.46	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2H9	7440-39-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT1	4/13/2006 9:40	N	24959-67-9	Bromide	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J2H8	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
APT1	4/13/2006 9:40	Y	7440-70-2	Calcium	20848.6	ug/L	D	[NULL]	[NULL]	S	B1J2H9	7440-70-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT1	4/13/2006 9:40	N	3812-32-6	Carbonate ion	46000	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2H8	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
APT1	4/13/2006 9:40	N	16887-00-6	Chloride	1200	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2H8	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
APT1	4/13/2006 9:40	Y	7440-47-3	Chromium	0	ug/L	U	[NULL]	[NULL]	S	B1J2H9	7440-47-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT1	4/13/2006 9:40	N	DO	Dissolved oxygen	10000	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2H6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT1	4/13/2006 9:40	N	16984-48-8	Fluoride	90	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2H8	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
APT1	4/13/2006 9:40	N	12587-47-2	Gross beta	1090	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J2H6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
APT1	4/13/2006 9:40	Y	7439-92-1	Lead	0	ug/L	U	[NULL]	[NULL]	S	B1J2H9	7439-92-1	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT1	4/13/2006 9:40	Y	7440-02-0	Nickel	1.21	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2H9	7440-02-0	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT1	4/13/2006 9:40	N	14797-55-8	Nitrate	1860	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2H8	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
APT1	4/13/2006 9:40	N	EH	Oxidation Reduction Potential	141	mV	[NULL]	[NULL]	[NULL]	S	B1J2H6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT1	4/13/2006 9:40	N	14265-44-2	Phosphate	110	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2H8	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
APT1	4/13/2006 9:40	Y	7440-09-7	Potassium	1237.85	ug/L	D	[NULL]	[NULL]	S	B1J2H9	7440-09-7	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT1	4/13/2006 9:40	Y	7440-23-5	Sodium	2041.16	ug/L	D	[NULL]	[NULL]	S	B1J2H9	7440-23-5	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT1	4/13/2006 9:40	N	127-09-3	Sodium acetate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J2H8	127-09-3	PNL1	300.0_ANIONS_IC	100-NR-2
APT1	4/13/2006 9:40	N	68-04-2	Sodium citrate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J2H8	68-04-2	PNL1	300.0_ANIONS_IC	100-NR-2
APT1	4/13/2006 9:40	N	141-53-7	Sodium formate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J2H8	141-53-7	PNL1	300.0_ANIONS_IC	100-NR-2
APT1	4/13/2006 9:40	N	CONDUCT	Specific Conductance	149.3	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J2H6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT1	4/13/2006 9:40	N	14808-79-8	Sulfate	10600	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2H8	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
APT1	4/13/2006 9:40	N	TEMPERATURE	Temperature	9.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1J2H6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT1	4/13/2006 9:40	N	10028-17-8	Tritium	39	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J2H7	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
APT1	4/13/2006 9:40	Y	7440-66-6	Zinc	0	ug/L	U	[NULL]	[NULL]	S	B1J2H9	7440-66-6	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT1	4/13/2006 9:40	N	PH	pH Measurement	7.07	unitless	[NULL]	[NULL]	[NULL]	S	B1J2H6	PH	FIELD	PH_ELECT_FLD	100-NR-2
APT1	5/10/2006 10:45	N	ALKALINITY	Alkalinity	90000	ug/L	[NULL]	[NULL]	[NULL]	S	B1J758	ALKALINITY	RJ LEE	2320_ALKALINITY	100-NR-2
APT1	5/10/2006 10:45	Y	7440-38-2	Arsenic	0.68	ug/L	B	[NULL]	[NULL]	S	B1J757	7440-38-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT1	5/10/2006 10:45	Y	7440-39-3	Barium	24.62	ug/L	[NULL]	[NULL]	[NULL]	S	B1J757	7440-39-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT1	5/10/2006 10:45	N	24959-67-9	Bromide	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J756	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
APT1	5/10/2006 10:45	Y	7440-70-2	Calcium	29226	ug/L	D	[NULL]	[NULL]	S	B1J757	7440-70-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT1	5/10/2006 10:45	N	3812-32-6	Carbonate ion	78600	ug/L	[NULL]	[NULL]	[NULL]	S	B1J756	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
APT1	5/10/2006 10:45	N	16887-00-6	Chloride	920	ug/L	[NULL]	[NULL]	[NULL]	S	B1J756	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
APT1	5/10/2006 10:45	Y	7440-47-3	Chromium	0.42	ug/L	B	[NULL]	[NULL]	S	B1J757	7440-47-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT1	5/10/2006 10:45	N	16984-48-8	Fluoride	80	ug/L	[NULL]	[NULL]	[NULL]	S	B1J756	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
APT1	5/10/2006 10:45	N	12587-47-2	Gross beta	2010	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J754	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
APT1	5/10/2006 10:45	Y	7439-92-1	Lead	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J757	7439-92-1	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT1	5/10/2006 10:45	Y	7440-02-0	Nickel	0.97	ug/L	[NULL]	[NULL]	[NULL]	S	B1J757	7440-02-0	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT1	5/10/2006 10:45	N	14797-55-8	Nitrate	990	ug/L	[NULL]	[NULL]	[NULL]	S	B1J756	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
APT1	5/10/2006 10:45	N	EH	Oxidation Reduction Potential	-90	mV	[NULL]	[NULL]	[NULL]	S	B1J754	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT1	5/10/2006 10:45	N	14265-44-2	Phosphate	90	ug/L	[NULL]	[NULL]	[NULL]	S	B1J756	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
APT1	5/10/2006 10:45	Y	7440-09-7	Potassium	1557.35	ug/L	[NULL]	[NULL]	[NULL]	S	B1J757	7440-09-7	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT1	5/10/2006 10:45	Y	7440-23-5	Sodium	2434.34	ug/L	[NULL]	[NULL]	[NULL]	S	B1J757	7440-23-5	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT1	5/10/2006 10:45	N	127-09-3	Sodium acetate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J756	127-09-3	PNL1	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT1	5/10/2006 10:45	N	68-04-2	Sodium citrate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J756	68-04-2	PNL1	300.0_ANIONS_IC	100-NR-2
APT1	5/10/2006 10:45	N	141-53-7	Sodium formate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J756	141-53-7	PNL1	300.0_ANIONS_IC	100-NR-2
APT1	5/10/2006 10:45	N	CONDUCT	Specific Conductance	188.7	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J754	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT1	5/10/2006 10:45	N	14808-79-8	Sulfate	9880	ug/L	[NULL]	[NULL]	[NULL]	S	B1J756	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
APT1	5/10/2006 10:45	N	TEMPERATURE	Temperature	14.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1J754	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT1	5/10/2006 10:45	N	TDS	Total dissolved solids	129000	ug/L	[NULL]	[NULL]	[NULL]	S	B1J754	TDS	FIELD	TDS_FLD	100-NR-2
APT1	5/10/2006 10:45	N	10028-17-8	Tritium	-58	pCi/L	U	[NULL]	[NULL]	S	B1J755	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
APT1	5/10/2006 10:45	Y	7440-66-6	Zinc	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J757	7440-66-6	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT1	5/10/2006 10:45	N	PH	pH Measurement	7.17	unitless	[NULL]	[NULL]	[NULL]	S	B1J754	PH	FIELD	PH_ELECT_FLD	100-NR-2
APT1	6/6/2006 12:50	N	12587-47-2	Gross beta	1600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JHB0	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
APT1	6/6/2006 12:50	N	EH	Oxidation Reduction Potential	132	mV	[NULL]	[NULL]	[NULL]	S	B1JHB0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT1	6/6/2006 12:50	N	CONDUCT	Specific Conductance	214.8	uS/cm	[NULL]	[NULL]	[NULL]	S	B1JHB0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT1	6/6/2006 12:50	N	TEMPERATURE	Temperature	14.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1JHB0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT1	6/6/2006 12:50	N	PH	pH Measurement	7.21	unitless	[NULL]	[NULL]	[NULL]	S	B1JHB0	PH	FIELD	PH_ELECT_FLD	100-NR-2
APT1	6/21/2006 12:07	N	12587-46-1	Gross alpha	6.8	pCi/L	U	[NULL]	[NULL]	S	B1JMC9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT1	6/21/2006 12:07	N	12587-47-2	Gross beta	1300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JMC9	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT1	6/21/2006 12:07	N	10098-97-2	Strontium-90	1010	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JMC9	SR-RAD	STLRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	6/28/2006 10:23	N	10098-97-2	Strontium-90	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JWB7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	7/7/2006 10:15	N	10098-97-2	Strontium-90	1200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K020	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	7/17/2006 16:22	Y	7429-90-5	Aluminum	370	ug/L	U	[NULL]	[NULL]	S	B1K4X5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/17/2006 16:22	Y	7440-36-0	Antimony	720	ug/L	U	[NULL]	[NULL]	S	B1K4X5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/17/2006 16:22	Y	7440-38-2	Arsenic	790	ug/L	U	[NULL]	[NULL]	S	B1K4X5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/17/2006 16:22	Y	7440-39-3	Barium	46.6	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/17/2006 16:22	Y	7440-43-9	Cadmium	30	ug/L	U	[NULL]	[NULL]	S	B1K4X5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/17/2006 16:22	Y	7440-70-2	Calcium	42300	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/17/2006 16:22	Y	16887-00-6	Chloride	12000	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/17/2006 16:22	Y	7440-47-3	Chromium	70	ug/L	U	[NULL]	[NULL]	S	B1K4X5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/17/2006 16:22	Y	7440-48-4	Cobalt	70	ug/L	U	[NULL]	[NULL]	S	B1K4X5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/17/2006 16:22	Y	7440-50-8	Copper	70	ug/L	U	[NULL]	[NULL]	S	B1K4X5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/17/2006 16:22	Y	16984-48-8	Fluoride	45	ug/L	U	[NULL]	[NULL]	S	B1K4X5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/17/2006 16:22	Y	7439-89-6	Iron	330	ug/L	U	[NULL]	[NULL]	S	B1K4X5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/17/2006 16:22	Y	7439-92-1	Lead	470	ug/L	U	[NULL]	[NULL]	S	B1K4X5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/17/2006 16:22	Y	7439-95-4	Magnesium	8060	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/17/2006 16:22	Y	7439-96-5	Manganese	30	ug/L	U	[NULL]	[NULL]	S	B1K4X5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/17/2006 16:22	Y	7439-98-7	Molybdenum	110	ug/L	U	[NULL]	[NULL]	S	B1K4X5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/17/2006 16:22	Y	7440-02-0	Nickel	50	ug/L	U	[NULL]	[NULL]	S	B1K4X5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/17/2006 16:22	Y	14797-55-8	Nitrate	1540	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/17/2006 16:22	Y	14797-65-0	Nitrite	115	ug/L	U	[NULL]	[NULL]	S	B1K4X5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/17/2006 16:22	Y	14265-44-2	Phosphate	337	ug/L	U	[NULL]	[NULL]	S	B1K4X5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/17/2006 16:22	Y	7440-09-7	Potassium	2200	ug/L	U	[NULL]	[NULL]	S	B1K4X5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/17/2006 16:22	Y	7440-22-4	Silver	110	ug/L	U	[NULL]	[NULL]	S	B1K4X5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/17/2006 16:22	Y	7440-23-5	Sodium	3440	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/17/2006 16:22	Y	7440-24-6	Strontium	181	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/17/2006 16:22	Y	10098-97-2	Strontium-90	1200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K4W5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	7/17/2006 16:22	Y	14808-79-8	Sulfate	8250	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/17/2006 16:22	Y	7440-62-2	Vanadium	140	ug/L	U	[NULL]	[NULL]	S	B1K4X5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/17/2006 16:22	Y	7440-66-6	Zinc	62.3	ug/L	C	[NULL]	[NULL]	S	B1K4X5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/20/2006 10:45	N	ALKALINITY	Alkalinity	152000	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK86	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
APT1	7/20/2006 10:45	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1JK85	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
APT1	7/20/2006 10:45	N	14234-35-6	Antimony-125	-0.252	pCi/L	U	[NULL]	[NULL]	R	B1JK84	14234-35-6	STLRL	GAMMA_GS	100-NR-2
APT1	7/20/2006 10:45	Y	7440-39-3	Barium	38.4	ug/L	B	[NULL]	[NULL]	R	B1JK85	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
APT1	7/20/2006 10:45	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1JK85	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
APT1	7/20/2006 10:45	N	13966-02-4	Beryllium-7	10	pCi/L	U	[NULL]	[NULL]	R	B1JK84	13966-02-4	STLRL	GAMMA_GS	100-NR-2
APT1	7/20/2006 10:45	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1JK85	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT1	7/20/2006 10:45	Y	7440-70-2	Calcium	45800	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK85	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
APT1	7/20/2006 10:45	N	13967-70-9	Cesium-134	0.318	pCi/L	U	[NULL]	[NULL]	R	B1JK84	13967-70-9	STLRL	GAMMA_GS	100-NR-2
APT1	7/20/2006 10:45	N	10045-97-3	Cesium-137	0.536	pCi/L	U	[NULL]	[NULL]	R	B1JK84	10045-97-3	STLRL	GAMMA_GS	100-NR-2
APT1	7/20/2006 10:45	N	16887-00-6	Chloride	19800	ug/L	CN	[NULL]	[NULL]	R	B1JK86	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
APT1	7/20/2006 10:45	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1JK85	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
APT1	7/20/2006 10:45	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1JK85	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
APT1	7/20/2006 10:45	N	10198-40-0	Cobalt-60	-0.714	pCi/L	U	[NULL]	[NULL]	R	B1JK84	10198-40-0	STLRL	GAMMA_GS	100-NR-2
APT1	7/20/2006 10:45	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1JK85	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
APT1	7/20/2006 10:45	N	DO	Dissolved oxygen	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK83	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT1	7/20/2006 10:45	N	14683-23-9	Europium-152	3.27	pCi/L	U	[NULL]	[NULL]	R	B1JK84	14683-23-9	STLRL	GAMMA_GS	100-NR-2
APT1	7/20/2006 10:45	N	15585-10-1	Europium-154	3.29	pCi/L	U	[NULL]	[NULL]	R	B1JK84	15585-10-1	STLRL	GAMMA_GS	100-NR-2
APT1	7/20/2006 10:45	N	14391-16-3	Europium-155	-0.768	pCi/L	U	[NULL]	[NULL]	R	B1JK84	14391-16-3	STLRL	GAMMA_GS	100-NR-2
APT1	7/20/2006 10:45	N	16984-48-8	Fluoride	59	ug/L	BN	[NULL]	[NULL]	R	B1JK86	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
APT1	7/20/2006 10:45	N	12587-46-1	Gross alpha	1.11	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JK84	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
APT1	7/20/2006 10:45	N	12587-47-2	Gross beta	3110	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JK84	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
APT1	7/20/2006 10:45	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1JK85	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
APT1	7/20/2006 10:45	Y	7439-95-4	Magnesium	8450	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK85	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
APT1	7/20/2006 10:45	Y	7439-96-5	Manganese	4.5	ug/L	BN	[NULL]	[NULL]	R	B1JK85	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
APT1	7/20/2006 10:45	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1JK85	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
APT1	7/20/2006 10:45	N	14797-55-8	Nitrate	797	ug/L	N	[NULL]	[NULL]	R	B1JK86	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
APT1	7/20/2006 10:45	N	14797-65-0	Nitrite	82.1	ug/L	N	[NULL]	[NULL]	R	B1JK86	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
APT1	7/20/2006 10:45	N	EH	Oxidation Reduction Potential	52	mV	[NULL]	[NULL]	[NULL]	R	B1JK83	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT1	7/20/2006 10:45	N	14265-44-2	Phosphate	250	ug/L	BN	[NULL]	[NULL]	R	B1JK86	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
APT1	7/20/2006 10:45	Y	7440-09-7	Potassium	2130	ug/L	B	[NULL]	[NULL]	R	B1JK85	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
APT1	7/20/2006 10:45	N	13966-00-2	Potassium-40	1.18	pCi/L	U	[NULL]	[NULL]	R	B1JK84	13966-00-2	STLRL	GAMMA_GS	100-NR-2
APT1	7/20/2006 10:45	N	13967-48-1	Ruthenium-106	1.01	pCi/L	U	[NULL]	[NULL]	R	B1JK84	13967-48-1	STLRL	GAMMA_GS	100-NR-2
APT1	7/20/2006 10:45	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1JK85	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
APT1	7/20/2006 10:45	Y	7440-23-5	Sodium	3170	ug/L	BN	[NULL]	[NULL]	R	B1JK85	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
APT1	7/20/2006 10:45	N	CONDUCT	Specific Conductance	363.2	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JK83	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
APT1	7/20/2006 10:45	Y	7440-24-6	Strontium	163	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK85	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
APT1	7/20/2006 10:45	N	10098-97-2	Strontium-90	1330	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JK84	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
APT1	7/20/2006 10:45	N	14808-79-8	Sulfate	8300	ug/L	N	[NULL]	[NULL]	R	B1JK86	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
APT1	7/20/2006 10:45	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1JK83	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
APT1	7/20/2006 10:45	N	10028-17-8	Tritium	69.9	pCi/L	U	[NULL]	[NULL]	R	B1JK84	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
APT1	7/20/2006 10:45	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1JK85	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
APT1	7/20/2006 10:45	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1JK85	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
APT1	7/20/2006 10:45	N	PH	pH Measurement	7.58	unitless	[NULL]	[NULL]	[NULL]	R	B1JK83	PH	FIELD	PH_ELECT_FLD	100-NR-2
APT1	8/7/2006 10:20	Y	10098-97-2	Strontium-90	2100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K8V9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	8/16/2006 9:10	N	12587-47-2	Gross beta	2940	pCi/L	[NULL]	[NULL]	[NULL]	R	B1K4H0	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
APT1	8/28/2006 12:25	Y	DO	Dissolved oxygen	300	ug/L	[NULL]	[NULL]	[NULL]	S	B1KJ07	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT1	8/28/2006 12:25	Y	EH	Oxidation Reduction Potential	-119	mV	[NULL]	[NULL]	[NULL]	S	B1KJ07	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT1	8/28/2006 12:25	Y	CONDUCT	Specific Conductance	232	uS/cm	[NULL]	[NULL]	[NULL]	S	B1KJ07	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT1	8/28/2006 12:25	Y	10098-97-2	Strontium-90	470	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KJ07	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	8/28/2006 12:25	Y	TEMPERATURE	Temperature	23.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1KJ07	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT1	8/28/2006 12:25	Y	PH	pH Measurement	7.87	unitless	[NULL]	[NULL]	[NULL]	S	B1KJ07	PH	FIELD	PH_ELECT_FLD	100-NR-2
APT1	9/12/2006 14:32	Y	10098-97-2	Strontium-90	950	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KKF9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	9/25/2006 10:50	N	DO	Dissolved oxygen	2800	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBJ5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT1	9/25/2006 10:50	N	12587-47-2	Gross beta	5300	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBJ6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
APT1	9/25/2006 10:50	N	CONDUCT	Specific Conductance	631	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KBJ5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
APT1	9/25/2006 10:50	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1KBJ5	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
APT1	9/25/2006 10:50	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B1KBJ5	PH	FIELD	PH_ELECT_FLD	100-NR-2
APT1	9/25/2006 14:46	Y	10098-97-2	Strontium-90	3200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KKH9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	10/9/2006 15:02	Y	10098-97-2	Strontium-90	3400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KWH3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT1	10/23/2006 2:50	Y	7429-90-5	Aluminum	476	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX77	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/23/2006 2:50	Y	7440-36-0	Antimony	72	ug/L	U	[NULL]	[NULL]	S	B1KX77	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/23/2006 2:50	Y	7440-38-2	Arsenic	79	ug/L	U	[NULL]	[NULL]	S	B1KX77	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/23/2006 2:50	Y	7440-39-3	Barium	53.7	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX77	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/23/2006 2:50	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	S	B1KX77	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/23/2006 2:50	Y	7440-70-2	Calcium	60800	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX77	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/23/2006 2:50	Y	16887-00-6	Chloride	44900	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX77	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	10/23/2006 2:50	Y	7440-47-3	Chromium	7	ug/L	U	[NULL]	[NULL]	S	B1KX77	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/23/2006 2:50	Y	7440-48-4	Cobalt	7	ug/L	U	[NULL]	[NULL]	S	B1KX77	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/23/2006 2:50	Y	7440-50-8	Copper	7	ug/L	U	[NULL]	[NULL]	S	B1KX77	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/23/2006 2:50	Y	16984-48-8	Fluoride	32	ug/L	U	[NULL]	[NULL]	S	B1KX77	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	10/23/2006 2:50	Y	7439-89-6	Iron	33	ug/L	U	[NULL]	[NULL]	S	B1KX77	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/23/2006 2:50	Y	7439-92-1	Lead	47	ug/L	U	[NULL]	[NULL]	S	B1KX77	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/23/2006 2:50	Y	7439-95-4	Magnesium	11600	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX77	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/23/2006 2:50	Y	7439-96-5	Manganese	488	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX77	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/23/2006 2:50	Y	7439-98-7	Molybdenum	11	ug/L	U	[NULL]	[NULL]	S	B1KX77	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/23/2006 2:50	Y	7440-02-0	Nickel	5	ug/L	U	[NULL]	[NULL]	S	B1KX77	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/23/2006 2:50	Y	14797-55-8	Nitrate	212	ug/L	U	[NULL]	[NULL]	S	B1KX77	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	10/23/2006 2:50	Y	14797-65-0	Nitrite	378	ug/L	U	[NULL]	[NULL]	S	B1KX77	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	10/23/2006 2:50	Y	14265-44-2	Phosphate	675	ug/L	U	[NULL]	[NULL]	S	B1KX77	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	10/23/2006 2:50	Y	7440-09-7	Potassium	2660	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX77	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/23/2006 2:50	Y	7440-22-4	Silver	11	ug/L	UX	[NULL]	[NULL]	S	B1KX77	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/23/2006 2:50	Y	7440-23-5	Sodium	13400	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX77	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/23/2006 2:50	Y	7440-24-6	Strontium	202	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX77	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/23/2006 2:50	Y	10098-97-2	Strontium-90	1900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KX77	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	10/23/2006 2:50	Y	14808-79-8	Sulfate	32100	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX77	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	10/23/2006 2:50	Y	7440-62-2	Vanadium	14	ug/L	U	[NULL]	[NULL]	S	B1KX77	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/23/2006 2:50	Y	7440-66-6	Zinc	50	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX77	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	11/8/2006 14:53	Y	10098-97-2	Strontium-90	520	pCi/L	[NULL]	[NULL]	[NULL]	S	B1L9Y4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	2/15/2007 15:55	Y	10098-97-2	Strontium-90	570	pCi/L	[NULL]	[NULL]	[NULL]	S	B1LBP0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	5/11/2007 9:30	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NHJ1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	5/11/2007 9:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NHJ1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	5/11/2007 9:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NHJ1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	5/11/2007 9:30	Y	7440-39-3	Barium	25	ug/L	D	[NULL]	[NULL]	S	B1NHJ1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	5/11/2007 9:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHJ1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	5/11/2007 9:30	Y	7440-70-2	Calcium	28300	ug/L	D	[NULL]	[NULL]	S	B1NHJ1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	5/11/2007 9:30	Y	16887-00-6	Chloride	4340	ug/L	D	[NULL]	[NULL]	S	B1NHJ1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	5/11/2007 9:30	Y	7440-47-3	Chromium	24.7	ug/L	D	[NULL]	[NULL]	S	B1NHJ1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	5/11/2007 9:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NHJ1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	5/11/2007 9:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NHJ1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	5/11/2007 9:30	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NHJ1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	5/11/2007 9:30	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NHJ1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	5/11/2007 9:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NHJ1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	5/11/2007 9:30	Y	7439-95-4	Magnesium	5040	ug/L	D	[NULL]	[NULL]	S	B1NHJ1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	5/11/2007 9:30	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1NHJ1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	5/11/2007 9:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NHJ1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	5/11/2007 9:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NHJ1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	5/11/2007 9:30	Y	14797-55-8	Nitrate	1580	ug/L	BD	[NULL]	[NULL]	S	B1NHJ1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	5/11/2007 9:30	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NHJ1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	5/11/2007 9:30	Y	14265-44-2	Phosphate	537	ug/L	DU	[NULL]	[NULL]	S	B1NHJ1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	5/11/2007 9:30	Y	7440-09-7	Potassium	1600	ug/L	D	[NULL]	[NULL]	S	B1NHJ1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	5/11/2007 9:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NHJ1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	5/11/2007 9:30	Y	7440-23-5	Sodium	4230	ug/L	D	[NULL]	[NULL]	S	B1NHJ1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	5/11/2007 9:30	Y	7440-24-6	Strontium	100	ug/L	D	[NULL]	[NULL]	S	B1NHJ1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	5/11/2007 9:30	Y	10098-97-2	Strontium-90	750	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NHJ1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT1	5/11/2007 9:30	Y	14808-79-8	Sulfate	8510	ug/L	D	[NULL]	[NULL]	S	B1NHJ1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	5/11/2007 9:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NHJ1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	5/11/2007 9:30	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NHJ1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2007 21:02	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVH1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2007 21:02	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVH1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2007 21:02	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVH1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2007 21:02	Y	7440-39-3	Barium	27	ug/L	D	[NULL]	[NULL]	S	B1NVH1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2007 21:02	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2007 21:02	Y	7440-70-2	Calcium	30800	ug/L	D	[NULL]	[NULL]	S	B1NVH1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2007 21:02	Y	16887-00-6	Chloride	5700	ug/L	D	[NULL]	[NULL]	S	B1NVH1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/11/2007 21:02	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2007 21:02	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2007 21:02	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2007 21:02	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVH1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/11/2007 21:02	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVH1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2007 21:02	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVH1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2007 21:02	Y	7439-95-4	Magnesium	5600	ug/L	D	[NULL]	[NULL]	S	B1NVH1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2007 21:02	Y	7439-96-5	Manganese	30	ug/L	D	[NULL]	[NULL]	S	B1NVH1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2007 21:02	Y	7439-98-7	Molybdenum	22.8	ug/L	CD	[NULL]	[NULL]	S	B1NVH1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2007 21:02	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2007 21:02	Y	14797-55-8	Nitrate	2410	ug/L	D	[NULL]	[NULL]	S	B1NVH1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/11/2007 21:02	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVH1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/11/2007 21:02	Y	14265-44-2	Phosphate	567	ug/L	DU	[NULL]	[NULL]	S	B1NVH1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/11/2007 21:02	Y	7440-09-7	Potassium	1450	ug/L	D	[NULL]	[NULL]	S	B1NVH1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2007 21:02	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVH1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2007 21:02	Y	7440-23-5	Sodium	4330	ug/L	D	[NULL]	[NULL]	S	B1NVH1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2007 21:02	Y	7440-24-6	Strontium	113	ug/L	D	[NULL]	[NULL]	S	B1NVH1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2007 21:02	Y	10098-97-2	Strontium-90	820	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVH1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	6/11/2007 21:02	Y	14808-79-8	Sulfate	8680	ug/L	D	[NULL]	[NULL]	S	B1NVH1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/11/2007 21:02	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVH1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2007 21:02	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/12/2007 20:55	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVJ2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/12/2007 20:55	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVJ2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/12/2007 20:55	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVJ2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/12/2007 20:55	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/12/2007 20:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/12/2007 20:55	Y	7440-70-2	Calcium	29000	ug/L	D	[NULL]	[NULL]	S	B1NVJ2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/12/2007 20:55	Y	16887-00-6	Chloride	5730	ug/L	D	[NULL]	[NULL]	S	B1NVJ2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/12/2007 20:55	Y	7440-47-3	Chromium	25.4	ug/L	D	[NULL]	[NULL]	S	B1NVJ2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/12/2007 20:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/12/2007 20:55	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/12/2007 20:55	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVJ2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/12/2007 20:55	Y	7439-89-6	Iron	91.2	ug/L	CD	[NULL]	[NULL]	S	B1NVJ2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/12/2007 20:55	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVJ2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/12/2007 20:55	Y	7439-95-4	Magnesium	5440	ug/L	D	[NULL]	[NULL]	S	B1NVJ2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/12/2007 20:55	Y	7439-96-5	Manganese	100	ug/L	D	[NULL]	[NULL]	S	B1NVJ2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/12/2007 20:55	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/12/2007 20:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/12/2007 20:55	Y	14797-55-8	Nitrate	2390	ug/L	D	[NULL]	[NULL]	S	B1NVJ2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/12/2007 20:55	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVJ2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/12/2007 20:55	Y	14265-44-2	Phosphate	1670	ug/L	BD	[NULL]	[NULL]	S	B1NVJ2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/12/2007 20:55	Y	7440-09-7	Potassium	1920	ug/L	D	[NULL]	[NULL]	S	B1NVJ2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/12/2007 20:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVJ2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/12/2007 20:55	Y	7440-23-5	Sodium	17700	ug/L	D	[NULL]	[NULL]	S	B1NVJ2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/12/2007 20:55	Y	7440-24-6	Strontium	101	ug/L	D	[NULL]	[NULL]	S	B1NVJ2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT1	6/12/2007 20:55	Y	10098-97-2	Strontium-90	790	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVJ2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	6/12/2007 20:55	Y	14808-79-8	Sulfate	8540	ug/L	D	[NULL]	[NULL]	S	B1NVJ2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/12/2007 20:55	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVJ2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/12/2007 20:55	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/13/2007 15:20	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVK3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/13/2007 15:20	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVK3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/13/2007 15:20	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVK3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/13/2007 15:20	Y	7440-39-3	Barium	21	ug/L	D	[NULL]	[NULL]	S	B1NVK3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/13/2007 15:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/13/2007 15:20	Y	7440-70-2	Calcium	31300	ug/L	D	[NULL]	[NULL]	S	B1NVK3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/13/2007 15:20	Y	16887-00-6	Chloride	5500	ug/L	D	[NULL]	[NULL]	S	B1NVK3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/13/2007 15:20	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/13/2007 15:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/13/2007 15:20	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/13/2007 15:20	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVK3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/13/2007 15:20	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVK3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/13/2007 15:20	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVK3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/13/2007 15:20	Y	7439-95-4	Magnesium	5640	ug/L	D	[NULL]	[NULL]	S	B1NVK3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/13/2007 15:20	Y	7439-96-5	Manganese	37	ug/L	D	[NULL]	[NULL]	S	B1NVK3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/13/2007 15:20	Y	7439-98-7	Molybdenum	24.5	ug/L	CD	[NULL]	[NULL]	S	B1NVK3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/13/2007 15:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/13/2007 15:20	Y	14797-55-8	Nitrate	2280	ug/L	D	[NULL]	[NULL]	S	B1NVK3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/13/2007 15:20	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVK3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/13/2007 15:20	Y	14265-44-2	Phosphate	537	ug/L	DU	[NULL]	[NULL]	S	B1NVK3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/13/2007 15:20	Y	7440-09-7	Potassium	1810	ug/L	D	[NULL]	[NULL]	S	B1NVK3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/13/2007 15:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVK3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/13/2007 15:20	Y	7440-23-5	Sodium	4380	ug/L	D	[NULL]	[NULL]	S	B1NVK3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/13/2007 15:20	Y	7440-24-6	Strontium	110	ug/L	D	[NULL]	[NULL]	S	B1NVK3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/13/2007 15:20	Y	10098-97-2	Strontium-90	740	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVK3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	6/13/2007 15:20	Y	14808-79-8	Sulfate	8510	ug/L	D	[NULL]	[NULL]	S	B1NVK3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/13/2007 15:20	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVK3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/13/2007 15:20	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/14/2007 20:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVL4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/14/2007 20:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVL4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/14/2007 20:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVL4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/14/2007 20:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/14/2007 20:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/14/2007 20:00	Y	7440-70-2	Calcium	34300	ug/L	D	[NULL]	[NULL]	S	B1NVL4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/14/2007 20:00	Y	16887-00-6	Chloride	5530	ug/L	D	[NULL]	[NULL]	S	B1NVL4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/14/2007 20:00	Y	7440-47-3	Chromium	25.7	ug/L	D	[NULL]	[NULL]	S	B1NVL4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/14/2007 20:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/14/2007 20:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/14/2007 20:00	Y	16984-48-8	Fluoride	33	ug/L	DNU	[NULL]	[NULL]	S	B1NVL4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/14/2007 20:00	Y	7439-89-6	Iron	70.6	ug/L	CD	[NULL]	[NULL]	S	B1NVL4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/14/2007 20:00	Y	7439-92-1	Lead	165	ug/L	D	[NULL]	[NULL]	S	B1NVL4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/14/2007 20:00	Y	7439-95-4	Magnesium	5650	ug/L	D	[NULL]	[NULL]	S	B1NVL4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/14/2007 20:00	Y	7439-96-5	Manganese	25	ug/L	D	[NULL]	[NULL]	S	B1NVL4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/14/2007 20:00	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/14/2007 20:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/14/2007 20:00	Y	14797-55-8	Nitrate	2280	ug/L	D	[NULL]	[NULL]	S	B1NVL4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/14/2007 20:00	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVL4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/14/2007 20:00	Y	14265-44-2	Phosphate	537	ug/L	DU	[NULL]	[NULL]	S	B1NVL4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/14/2007 20:00	Y	7440-09-7	Potassium	1720	ug/L	D	[NULL]	[NULL]	S	B1NVL4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/14/2007 20:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVL4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/14/2007 20:00	Y	7440-23-5	Sodium	4040	ug/L	D	[NULL]	[NULL]	S	B1NVL4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT1	6/14/2007 20:00	Y	7440-24-6	Strontium	105	ug/L	D	[NULL]	[NULL]	S	B1NVL4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/14/2007 20:00	Y	10098-97-2	Strontium-90	810	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVL4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	6/14/2007 20:00	Y	14808-79-8	Sulfate	8780	ug/L	D	[NULL]	[NULL]	S	B1NVL4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/14/2007 20:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVL4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/14/2007 20:00	Y	7440-66-6	Zinc	85.3	ug/L	D	[NULL]	[NULL]	S	B1NVL4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/15/2007 9:36	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVP1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/15/2007 9:36	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVP1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/15/2007 9:36	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVP1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/15/2007 9:36	Y	7440-39-3	Barium	21	ug/L	D	[NULL]	[NULL]	S	B1NVP1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/15/2007 9:36	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/15/2007 9:36	Y	7440-70-2	Calcium	29200	ug/L	D	[NULL]	[NULL]	S	B1NVP1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/15/2007 9:36	Y	16887-00-6	Chloride	5770	ug/L	D	[NULL]	[NULL]	S	B1NVP1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/15/2007 9:36	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/15/2007 9:36	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/15/2007 9:36	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/15/2007 9:36	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVP1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/15/2007 9:36	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVP1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/15/2007 9:36	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVP1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/15/2007 9:36	Y	7439-95-4	Magnesium	5090	ug/L	D	[NULL]	[NULL]	S	B1NVP1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/15/2007 9:36	Y	7439-96-5	Manganese	31	ug/L	D	[NULL]	[NULL]	S	B1NVP1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/15/2007 9:36	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/15/2007 9:36	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/15/2007 9:36	Y	14797-55-8	Nitrate	2510	ug/L	D	[NULL]	[NULL]	S	B1NVP1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/15/2007 9:36	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVP1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/15/2007 9:36	Y	14265-44-2	Phosphate	537	ug/L	DU	[NULL]	[NULL]	S	B1NVP1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/15/2007 9:36	Y	7440-09-7	Potassium	1510	ug/L	D	[NULL]	[NULL]	S	B1NVP1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/15/2007 9:36	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVP1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/15/2007 9:36	Y	7440-23-5	Sodium	4050	ug/L	D	[NULL]	[NULL]	S	B1NVP1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/15/2007 9:36	Y	7440-24-6	Strontium	101	ug/L	D	[NULL]	[NULL]	S	B1NVP1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/15/2007 9:36	Y	10098-97-2	Strontium-90	790	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVP1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	6/15/2007 9:36	Y	14808-79-8	Sulfate	9100	ug/L	D	[NULL]	[NULL]	S	B1NVP1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/15/2007 9:36	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVP1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/15/2007 9:36	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2007 7:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVR2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2007 7:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVR2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2007 7:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVR2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2007 7:00	Y	7440-39-3	Barium	25	ug/L	D	[NULL]	[NULL]	S	B1NVR2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2007 7:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2007 7:00	Y	7440-70-2	Calcium	33900	ug/L	D	[NULL]	[NULL]	S	B1NVR2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2007 7:00	Y	16887-00-6	Chloride	5520	ug/L	D	[NULL]	[NULL]	S	B1NVR2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/16/2007 7:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2007 7:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2007 7:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2007 7:00	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVR2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/16/2007 7:00	Y	7439-89-6	Iron	49.6	ug/L	D	[NULL]	[NULL]	S	B1NVR2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2007 7:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVR2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2007 7:00	Y	7439-95-4	Magnesium	5920	ug/L	D	[NULL]	[NULL]	S	B1NVR2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2007 7:00	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2007 7:00	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2007 7:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2007 7:00	Y	14797-55-8	Nitrate	2590	ug/L	D	[NULL]	[NULL]	S	B1NVR2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/16/2007 7:00	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVR2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/16/2007 7:00	Y	14265-44-2	Phosphate	537	ug/L	DU	[NULL]	[NULL]	S	B1NVR2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/16/2007 7:00	Y	7440-09-7	Potassium	1510	ug/L	D	[NULL]	[NULL]	S	B1NVR2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2007 7:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVR2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT1	6/16/2007 7:00	Y	7440-23-5	Sodium	3960	ug/L	D	[NULL]	[NULL]	S	B1NVR2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2007 7:00	Y	7440-24-6	Strontium	119	ug/L	D	[NULL]	[NULL]	S	B1NVR2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2007 7:00	Y	10098-97-2	Strontium-90	840	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVR2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	6/16/2007 7:00	Y	14808-79-8	Sulfate	8680	ug/L	D	[NULL]	[NULL]	S	B1NVR2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/16/2007 7:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVR2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2007 7:00	Y	7440-66-6	Zinc	63.9	ug/L	D	[NULL]	[NULL]	S	B1NVR2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/17/2007 8:15	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVV5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/17/2007 8:15	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVV5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/17/2007 8:15	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVV5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/17/2007 8:15	Y	7440-39-3	Barium	27	ug/L	D	[NULL]	[NULL]	S	B1NVV5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/17/2007 8:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/17/2007 8:15	Y	7440-70-2	Calcium	37100	ug/L	D	[NULL]	[NULL]	S	B1NVV5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/17/2007 8:15	Y	16887-00-6	Chloride	5420	ug/L	D	[NULL]	[NULL]	S	B1NVV5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/17/2007 8:15	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/17/2007 8:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/17/2007 8:15	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/17/2007 8:15	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVV5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/17/2007 8:15	Y	7439-89-6	Iron	81.8	ug/L	D	[NULL]	[NULL]	S	B1NVV5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/17/2007 8:15	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVV5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/17/2007 8:15	Y	7439-95-4	Magnesium	6130	ug/L	D	[NULL]	[NULL]	S	B1NVV5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/17/2007 8:15	Y	7439-96-5	Manganese	35	ug/L	D	[NULL]	[NULL]	S	B1NVV5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/17/2007 8:15	Y	7439-98-7	Molybdenum	20.4	ug/L	CD	[NULL]	[NULL]	S	B1NVV5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/17/2007 8:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/17/2007 8:15	Y	14797-55-8	Nitrate	2510	ug/L	D	[NULL]	[NULL]	S	B1NVV5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/17/2007 8:15	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVV5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/17/2007 8:15	Y	14265-44-2	Phosphate	537	ug/L	DU	[NULL]	[NULL]	S	B1NVV5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/17/2007 8:15	Y	7440-09-7	Potassium	1450	ug/L	D	[NULL]	[NULL]	S	B1NVV5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/17/2007 8:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVV5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/17/2007 8:15	Y	7440-23-5	Sodium	3970	ug/L	D	[NULL]	[NULL]	S	B1NVV5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/17/2007 8:15	Y	7440-24-6	Strontium	131	ug/L	D	[NULL]	[NULL]	S	B1NVV5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/17/2007 8:15	Y	10098-97-2	Strontium-90	730	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVV5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	6/17/2007 8:15	Y	14808-79-8	Sulfate	9080	ug/L	D	[NULL]	[NULL]	S	B1NVV5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/17/2007 8:15	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVV5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/17/2007 8:15	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2007 16:28	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVW6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2007 16:28	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVW6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2007 16:28	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVW6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2007 16:28	Y	7440-39-3	Barium	25	ug/L	D	[NULL]	[NULL]	S	B1NVW6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2007 16:28	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2007 16:28	Y	7440-70-2	Calcium	33100	ug/L	D	[NULL]	[NULL]	S	B1NVW6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2007 16:28	Y	16887-00-6	Chloride	5900	ug/L	D	[NULL]	[NULL]	S	B1NVW6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/18/2007 16:28	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2007 16:28	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2007 16:28	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2007 16:28	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NVW6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/18/2007 16:28	Y	7439-89-6	Iron	69.1	ug/L	D	[NULL]	[NULL]	S	B1NVW6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2007 16:28	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVW6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2007 16:28	Y	7439-95-4	Magnesium	5600	ug/L	D	[NULL]	[NULL]	S	B1NVW6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2007 16:28	Y	7439-96-5	Manganese	54	ug/L	D	[NULL]	[NULL]	S	B1NVW6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2007 16:28	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2007 16:28	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2007 16:28	Y	14797-55-8	Nitrate	2510	ug/L	D	[NULL]	[NULL]	S	B1NVW6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/18/2007 16:28	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NVW6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/18/2007 16:28	Y	14265-44-2	Phosphate	613	ug/L	DU	[NULL]	[NULL]	S	B1NVW6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/18/2007 16:28	Y	7440-09-7	Potassium	1850	ug/L	D	[NULL]	[NULL]	S	B1NVW6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT1	6/18/2007 16:28	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVW6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2007 16:28	Y	7440-23-5	Sodium	4500	ug/L	D	[NULL]	[NULL]	S	B1NVW6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2007 16:28	Y	7440-24-6	Strontium	116	ug/L	D	[NULL]	[NULL]	S	B1NVW6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2007 16:28	Y	10098-97-2	Strontium-90	720	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVW6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	6/18/2007 16:28	Y	14808-79-8	Sulfate	8960	ug/L	D	[NULL]	[NULL]	S	B1NVW6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/18/2007 16:28	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVW6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2007 16:28	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/20/2007 8:55	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVY9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/20/2007 8:55	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVY9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/20/2007 8:55	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVY9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/20/2007 8:55	Y	7440-39-3	Barium	25	ug/L	D	[NULL]	[NULL]	S	B1NVY9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/20/2007 8:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/20/2007 8:55	Y	7440-70-2	Calcium	28200	ug/L	D	[NULL]	[NULL]	S	B1NVY9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/20/2007 8:55	Y	16887-00-6	Chloride	6040	ug/L	D	[NULL]	[NULL]	S	B1NVY9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/20/2007 8:55	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/20/2007 8:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/20/2007 8:55	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/20/2007 8:55	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVY9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/20/2007 8:55	Y	7439-89-6	Iron	56.3	ug/L	D	[NULL]	[NULL]	S	B1NVY9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/20/2007 8:55	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVY9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/20/2007 8:55	Y	7439-95-4	Magnesium	5170	ug/L	D	[NULL]	[NULL]	S	B1NVY9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/20/2007 8:55	Y	7439-96-5	Manganese	20	ug/L	D	[NULL]	[NULL]	S	B1NVY9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/20/2007 8:55	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/20/2007 8:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/20/2007 8:55	Y	14797-55-8	Nitrate	2220	ug/L	D	[NULL]	[NULL]	S	B1NVY9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/20/2007 8:55	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVY9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/20/2007 8:55	Y	14265-44-2	Phosphate	567	ug/L	DU	[NULL]	[NULL]	S	B1NVY9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/20/2007 8:55	Y	7440-09-7	Potassium	1360	ug/L	D	[NULL]	[NULL]	S	B1NVY9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/20/2007 8:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVY9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/20/2007 8:55	Y	7440-23-5	Sodium	3470	ug/L	D	[NULL]	[NULL]	S	B1NVY9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/20/2007 8:55	Y	7440-24-6	Strontium	104	ug/L	D	[NULL]	[NULL]	S	B1NVY9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/20/2007 8:55	Y	10098-97-2	Strontium-90	700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVY9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	6/20/2007 8:55	Y	14808-79-8	Sulfate	8980	ug/L	D	[NULL]	[NULL]	S	B1NVY9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/20/2007 8:55	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVY9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/20/2007 8:55	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/22/2007 9:05	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW25	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/22/2007 9:05	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW25	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/22/2007 9:05	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW25	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/22/2007 9:05	Y	7440-39-3	Barium	24	ug/L	D	[NULL]	[NULL]	S	B1NW25	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/22/2007 9:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW25	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/22/2007 9:05	Y	7440-70-2	Calcium	31400	ug/L	D	[NULL]	[NULL]	S	B1NW25	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/22/2007 9:05	Y	16887-00-6	Chloride	5680	ug/L	D	[NULL]	[NULL]	S	B1NW25	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/22/2007 9:05	Y	7440-47-3	Chromium	36.4	ug/L	D	[NULL]	[NULL]	S	B1NW25	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/22/2007 9:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW25	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/22/2007 9:05	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW25	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/22/2007 9:05	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW25	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/22/2007 9:05	Y	7439-89-6	Iron	51.9	ug/L	D	[NULL]	[NULL]	S	B1NW25	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/22/2007 9:05	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW25	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/22/2007 9:05	Y	7439-95-4	Magnesium	5530	ug/L	D	[NULL]	[NULL]	S	B1NW25	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/22/2007 9:05	Y	7439-96-5	Manganese	56	ug/L	D	[NULL]	[NULL]	S	B1NW25	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/22/2007 9:05	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NW25	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/22/2007 9:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW25	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/22/2007 9:05	Y	14797-55-8	Nitrate	2460	ug/L	D	[NULL]	[NULL]	S	B1NW25	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/22/2007 9:05	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NW25	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/22/2007 9:05	Y	14265-44-2	Phosphate	613	ug/L	DU	[NULL]	[NULL]	S	B1NW25	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT1	6/22/2007 9:05	Y	7440-09-7	Potassium	1580	ug/L	D	[NULL]	[NULL]	S	B1NW25	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/22/2007 9:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW25	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/22/2007 9:05	Y	7440-23-5	Sodium	4780	ug/L	D	[NULL]	[NULL]	S	B1NW25	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/22/2007 9:05	Y	7440-24-6	Strontium	113	ug/L	D	[NULL]	[NULL]	S	B1NW25	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/22/2007 9:05	Y	10098-97-2	Strontium-90	830	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW25	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	6/22/2007 9:05	Y	14808-79-8	Sulfate	9080	ug/L	D	[NULL]	[NULL]	S	B1NW25	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/22/2007 9:05	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW25	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/22/2007 9:05	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW25	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/29/2007 10:32	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P376	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/29/2007 10:32	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P376	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/29/2007 10:32	Y	7440-38-2	Arsenic	360	ug/L	D	[NULL]	[NULL]	S	B1P376	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/29/2007 10:32	Y	7440-39-3	Barium	23	ug/L	D	[NULL]	[NULL]	S	B1P376	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/29/2007 10:32	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P376	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/29/2007 10:32	Y	7440-70-2	Calcium	28800	ug/L	D	[NULL]	[NULL]	S	B1P376	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/29/2007 10:32	Y	16887-00-6	Chloride	5010	ug/L	D	[NULL]	[NULL]	S	B1P376	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/29/2007 10:32	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P376	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/29/2007 10:32	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P376	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/29/2007 10:32	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P376	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/29/2007 10:32	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P376	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/29/2007 10:32	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1P376	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/29/2007 10:32	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P376	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/29/2007 10:32	Y	7439-95-4	Magnesium	5160	ug/L	D	[NULL]	[NULL]	S	B1P376	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/29/2007 10:32	Y	7439-96-5	Manganese	25	ug/L	D	[NULL]	[NULL]	S	B1P376	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/29/2007 10:32	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P376	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/29/2007 10:32	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P376	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/29/2007 10:32	Y	14797-55-8	Nitrate	3090	ug/L	D	[NULL]	[NULL]	S	B1P376	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/29/2007 10:32	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P376	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/29/2007 10:32	Y	14265-44-2	Phosphate	613	ug/L	DU	[NULL]	[NULL]	S	B1P376	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/29/2007 10:32	Y	7440-09-7	Potassium	1420	ug/L	D	[NULL]	[NULL]	S	B1P376	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/29/2007 10:32	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P376	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/29/2007 10:32	Y	7440-23-5	Sodium	3850	ug/L	D	[NULL]	[NULL]	S	B1P376	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/29/2007 10:32	Y	7440-24-6	Strontium	106	ug/L	D	[NULL]	[NULL]	S	B1P376	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/29/2007 10:32	Y	10098-97-2	Strontium-90	820	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P376	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	6/29/2007 10:32	Y	14808-79-8	Sulfate	9150	ug/L	D	[NULL]	[NULL]	S	B1P376	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/29/2007 10:32	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P376	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/29/2007 10:32	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P376	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/8/2007 10:30	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P399	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/8/2007 10:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P399	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/8/2007 10:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P399	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/8/2007 10:30	Y	7440-39-3	Barium	44	ug/L	D	[NULL]	[NULL]	S	B1P399	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/8/2007 10:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P399	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/8/2007 10:30	Y	7440-70-2	Calcium	54900	ug/L	D	[NULL]	[NULL]	S	B1P399	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/8/2007 10:30	Y	16887-00-6	Chloride	21400	ug/L	D	[NULL]	[NULL]	S	B1P399	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/8/2007 10:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P399	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/8/2007 10:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P399	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/8/2007 10:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P399	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/8/2007 10:30	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P399	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/8/2007 10:30	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1P399	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/8/2007 10:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P399	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/8/2007 10:30	Y	7439-95-4	Magnesium	9520	ug/L	D	[NULL]	[NULL]	S	B1P399	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/8/2007 10:30	Y	7439-96-5	Manganese	31	ug/L	D	[NULL]	[NULL]	S	B1P399	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/8/2007 10:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P399	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/8/2007 10:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P399	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/8/2007 10:30	Y	14797-55-8	Nitrate	2240	ug/L	D	[NULL]	[NULL]	S	B1P399	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/8/2007 10:30	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P399	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT1	7/8/2007 10:30	Y	14265-44-2	Phosphate	613	ug/L	DU	[NULL]	[NULL]	S	B1P399	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/8/2007 10:30	Y	7440-09-7	Potassium	2760	ug/L	D	[NULL]	[NULL]	S	B1P399	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/8/2007 10:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P399	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/8/2007 10:30	Y	7440-23-5	Sodium	5570	ug/L	D	[NULL]	[NULL]	S	B1P399	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/8/2007 10:30	Y	7440-24-6	Strontium	200	ug/L	D	[NULL]	[NULL]	S	B1P399	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/8/2007 10:30	Y	10098-97-2	Strontium-90	1300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P399	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	7/8/2007 10:30	Y	14808-79-8	Sulfate	7560	ug/L	D	[NULL]	[NULL]	S	B1P399	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/8/2007 10:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P399	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/8/2007 10:30	Y	7440-66-6	Zinc	20.9	ug/L	D	[NULL]	[NULL]	S	B1P399	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/13/2007 12:45	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P3D2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/13/2007 12:45	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P3D2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/13/2007 12:45	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P3D2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/13/2007 12:45	Y	7440-39-3	Barium	49	ug/L	D	[NULL]	[NULL]	S	B1P3D2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/13/2007 12:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/13/2007 12:45	Y	7440-70-2	Calcium	57100	ug/L	D	[NULL]	[NULL]	S	B1P3D2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/13/2007 12:45	Y	16887-00-6	Chloride	22500	ug/L	D	[NULL]	[NULL]	S	B1P3D2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/13/2007 12:45	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/13/2007 12:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/13/2007 12:45	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/13/2007 12:45	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P3D2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/13/2007 12:45	Y	7439-89-6	Iron	55.5	ug/L	CD	[NULL]	[NULL]	S	B1P3D2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/13/2007 12:45	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P3D2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/13/2007 12:45	Y	7439-95-4	Magnesium	10100	ug/L	D	[NULL]	[NULL]	S	B1P3D2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/13/2007 12:45	Y	7439-96-5	Manganese	29	ug/L	D	[NULL]	[NULL]	S	B1P3D2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/13/2007 12:45	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/13/2007 12:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/13/2007 12:45	Y	14797-55-8	Nitrate	2060	ug/L	BD	[NULL]	[NULL]	S	B1P3D2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/13/2007 12:45	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P3D2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/13/2007 12:45	Y	14265-44-2	Phosphate	613	ug/L	DU	[NULL]	[NULL]	S	B1P3D2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/13/2007 12:45	Y	7440-09-7	Potassium	2350	ug/L	D	[NULL]	[NULL]	S	B1P3D2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/13/2007 12:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P3D2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/13/2007 12:45	Y	7440-23-5	Sodium	5360	ug/L	D	[NULL]	[NULL]	S	B1P3D2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/13/2007 12:45	Y	7440-24-6	Strontium	210	ug/L	D	[NULL]	[NULL]	S	B1P3D2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/13/2007 12:45	Y	10098-97-2	Strontium-90	1400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P3D2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	7/13/2007 12:45	Y	14808-79-8	Sulfate	7860	ug/L	D	[NULL]	[NULL]	S	B1P3D2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/13/2007 12:45	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P3D2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/13/2007 12:45	Y	7440-66-6	Zinc	29.2	ug/L	D	[NULL]	[NULL]	S	B1P3D2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	8/23/2007 11:30	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1PCR8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	8/23/2007 11:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1PCR8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	8/23/2007 11:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1PCR8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	8/23/2007 11:30	Y	7440-39-3	Barium	46	ug/L	CD	[NULL]	[NULL]	S	B1PCR8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	8/23/2007 11:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	8/23/2007 11:30	Y	7440-70-2	Calcium	35200	ug/L	D	[NULL]	[NULL]	S	B1PCR8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	8/23/2007 11:30	Y	16887-00-6	Chloride	4200	ug/L	D	[NULL]	[NULL]	S	B1PCR8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	8/23/2007 11:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	8/23/2007 11:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	8/23/2007 11:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	8/23/2007 11:30	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1PCR8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	8/23/2007 11:30	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1PCR8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	8/23/2007 11:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1PCR8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	8/23/2007 11:30	Y	7439-95-4	Magnesium	6070	ug/L	D	[NULL]	[NULL]	S	B1PCR8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	8/23/2007 11:30	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	8/23/2007 11:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	8/23/2007 11:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	8/23/2007 11:30	Y	14797-55-8	Nitrate	3750	ug/L	D	[NULL]	[NULL]	S	B1PCR8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT1	8/23/2007 11:30	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1PCR8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	8/23/2007 11:30	Y	14265-44-2	Phosphate	613	ug/L	DU	[NULL]	[NULL]	S	B1PCR8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	8/23/2007 11:30	Y	7440-09-7	Potassium	1940	ug/L	D	[NULL]	[NULL]	S	B1PCR8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	8/23/2007 11:30	Y	7440-22-4	Silver	134	ug/L	CD	[NULL]	[NULL]	S	B1PCR8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	8/23/2007 11:30	Y	7440-23-5	Sodium	7870	ug/L	D	[NULL]	[NULL]	S	B1PCR8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	8/23/2007 11:30	Y	7440-24-6	Strontium	120	ug/L	D	[NULL]	[NULL]	S	B1PCR8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	8/23/2007 11:30	Y	10098-97-2	Strontium-90	1200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1PCR8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT1	8/23/2007 11:30	Y	14808-79-8	Sulfate	8590	ug/L	D	[NULL]	[NULL]	S	B1PCR8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	8/23/2007 11:30	Y	7440-62-2	Vanadium	51	ug/L	CD	[NULL]	[NULL]	S	B1PCR8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	8/23/2007 11:30	Y	7440-66-6	Zinc	94.9	ug/L	CD	[NULL]	[NULL]	S	B1PCR8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/3/2008 11:30	Y	7429-90-5	Aluminum	30	ug/L	U	[NULL]	[NULL]	S	B1VJM1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/3/2008 11:30	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1VJM1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/3/2008 11:30	Y	7440-38-2	Arsenic	50	ug/L	U	[NULL]	[NULL]	S	B1VJM1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/3/2008 11:30	Y	7440-39-3	Barium	27	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJM1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/3/2008 11:30	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1VJM1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/3/2008 11:30	Y	7440-70-2	Calcium	33300	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJM1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/3/2008 11:30	Y	16887-00-6	Chloride	1050	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJM1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/3/2008 11:30	Y	7440-47-3	Chromium	5.2	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJM1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/3/2008 11:30	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1VJM1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/3/2008 11:30	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B1VJM1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/3/2008 11:30	Y	16984-48-8	Fluoride	21	ug/L	U	[NULL]	[NULL]	S	B1VJM1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/3/2008 11:30	Y	12587-46-1	Gross alpha	0.34	pCi/L	U	[NULL]	[NULL]	S	B1VJM1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT1	6/3/2008 11:30	Y	12587-47-2	Gross beta	1900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VJM1	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT1	6/3/2008 11:30	Y	7439-89-6	Iron	9	ug/L	U	[NULL]	[NULL]	S	B1VJM1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/3/2008 11:30	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1VJM1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/3/2008 11:30	Y	7439-95-4	Magnesium	6050	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJM1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/3/2008 11:30	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1VJM1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/3/2008 11:30	Y	7439-98-7	Molybdenum	9.9	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJM1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/3/2008 11:30	Y	7440-02-0	Nickel	5.9	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJM1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/3/2008 11:30	Y	14797-55-8	Nitrate	159	ug/L	U	[NULL]	[NULL]	S	B1VJM1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/3/2008 11:30	Y	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	S	B1VJM1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/3/2008 11:30	Y	14265-44-2	Phosphate	98.1	ug/L	U	[NULL]	[NULL]	S	B1VJM1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/3/2008 11:30	Y	7440-09-7	Potassium	1390	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJM1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/3/2008 11:30	Y	7440-22-4	Silver	8	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJM1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/3/2008 11:30	Y	7440-23-5	Sodium	5810	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJM1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/3/2008 11:30	Y	7440-24-6	Strontium	121	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJM1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/3/2008 11:30	Y	14808-79-8	Sulfate	7290	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJM1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/3/2008 11:30	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	S	B1VJM1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/3/2008 11:30	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	S	B1VJM1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/6/2008 18:11	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1VTW2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/6/2008 18:11	Y	7440-36-0	Antimony	241	ug/L	D	[NULL]	[NULL]	S	B1VTW2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/6/2008 18:11	Y	7440-38-2	Arsenic	250	ug/L	DNU	[NULL]	[NULL]	S	B1VTW2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/6/2008 18:11	Y	7440-39-3	Barium	28	ug/L	D	[NULL]	[NULL]	S	B1VTW2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/6/2008 18:11	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTW2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/6/2008 18:11	Y	7440-70-2	Calcium	32000	ug/L	D	[NULL]	[NULL]	S	B1VTW2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/6/2008 18:11	Y	16887-00-6	Chloride	1400	ug/L	BDN	[NULL]	[NULL]	S	B1VTW2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/6/2008 18:11	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTW2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/6/2008 18:11	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VTW2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/6/2008 18:11	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VTW2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/6/2008 18:11	Y	DO	Dissolved oxygen	9400	ug/L	[NULL]	[NULL]	[NULL]	S	B1VTW2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT1	6/6/2008 18:11	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VTW2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/6/2008 18:11	Y	12587-46-1	Gross alpha	0.01	pCi/L	U	[NULL]	[NULL]	S	B1VTW2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT1	6/6/2008 18:11	Y	12587-47-2	Gross beta	1600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VTW2	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT1	6/6/2008 18:11	Y	7439-89-6	Iron	64.7	ug/L	CD	[NULL]	[NULL]	S	B1VTW2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/6/2008 18:11	Y	7439-92-1	Lead	135	ug/L	DNU	[NULL]	[NULL]	S	B1VTW2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT1	6/6/2008 18:11	Y	7439-95-4	Magnesium	5820	ug/L	D	[NULL]	[NULL]	S	B1VTW2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/6/2008 18:11	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VTW2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/6/2008 18:11	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VTW2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/6/2008 18:11	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VTW2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/6/2008 18:11	Y	14797-55-8	Nitrate	1170	ug/L	BDN	[NULL]	[NULL]	S	B1VTW2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/6/2008 18:11	Y	14797-65-0	Nitrite	164	ug/L	DNU	[NULL]	[NULL]	S	B1VTW2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/6/2008 18:11	Y	EH	Oxidation Reduction Potential	93	mV	[NULL]	[NULL]	[NULL]	S	B1VTW2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT1	6/6/2008 18:11	Y	14265-44-2	Phosphate	6010	ug/L	DN	[NULL]	[NULL]	S	B1VTW2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/6/2008 18:11	Y	7440-09-7	Potassium	1580	ug/L	CD	[NULL]	[NULL]	S	B1VTW2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/6/2008 18:11	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1VTW2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/6/2008 18:11	Y	7440-23-5	Sodium	16700	ug/L	D	[NULL]	[NULL]	S	B1VTW2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/6/2008 18:11	Y	CONDUCT	Specific Conductance	777	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VTW2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT1	6/6/2008 18:11	Y	7440-24-6	Strontium	126	ug/L	D	[NULL]	[NULL]	S	B1VTW2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/6/2008 18:11	Y	14808-79-8	Sulfate	6140	ug/L	D	[NULL]	[NULL]	S	B1VTW2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/6/2008 18:11	Y	TEMPERATURE	Temperature	16.45	Deg C	[NULL]	[NULL]	[NULL]	S	B1VTW2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT1	6/6/2008 18:11	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VTW2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/6/2008 18:11	Y	7440-66-6	Zinc	24.1	ug/L	D	[NULL]	[NULL]	S	B1VTW2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/6/2008 18:11	Y	PH	pH Measurement	7.47	unitless	[NULL]	[NULL]	[NULL]	S	B1VTW2	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT1	6/7/2008 10:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1VTY8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/7/2008 10:00	Y	7440-36-0	Antimony	188	ug/L	DN	[NULL]	[NULL]	S	B1VTY8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/7/2008 10:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VTY8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/7/2008 10:00	Y	7440-39-3	Barium	27	ug/L	D	[NULL]	[NULL]	S	B1VTY8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/7/2008 10:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/7/2008 10:00	Y	7440-70-2	Calcium	29400	ug/L	D	[NULL]	[NULL]	S	B1VTY8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/7/2008 10:00	Y	16887-00-6	Chloride	1160	ug/L	BD	[NULL]	[NULL]	S	B1VTY8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/7/2008 10:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/7/2008 10:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/7/2008 10:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/7/2008 10:00	Y	DO	Dissolved oxygen	7350	ug/L	[NULL]	[NULL]	[NULL]	S	B1VTY8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT1	6/7/2008 10:00	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VTY8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/7/2008 10:00	Y	12587-46-1	Gross alpha	2.7	pCi/L	U	[NULL]	[NULL]	S	B1VTY8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT1	6/7/2008 10:00	Y	12587-47-2	Gross beta	1800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VTY8	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT1	6/7/2008 10:00	Y	7439-89-6	Iron	55.1	ug/L	CD	[NULL]	[NULL]	S	B1VTY8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/7/2008 10:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1VTY8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/7/2008 10:00	Y	7439-95-4	Magnesium	5380	ug/L	D	[NULL]	[NULL]	S	B1VTY8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/7/2008 10:00	Y	7439-96-5	Manganese	30	ug/L	D	[NULL]	[NULL]	S	B1VTY8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/7/2008 10:00	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/7/2008 10:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/7/2008 10:00	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VTY8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/7/2008 10:00	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VTY8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/7/2008 10:00	Y	EH	Oxidation Reduction Potential	83	mV	[NULL]	[NULL]	[NULL]	S	B1VTY8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT1	6/7/2008 10:00	Y	14265-44-2	Phosphate	3620	ug/L	BD	[NULL]	[NULL]	S	B1VTY8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/7/2008 10:00	Y	7440-09-7	Potassium	1140	ug/L	D	[NULL]	[NULL]	S	B1VTY8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/7/2008 10:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VTY8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/7/2008 10:00	Y	7440-23-5	Sodium	12900	ug/L	D	[NULL]	[NULL]	S	B1VTY8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/7/2008 10:00	Y	CONDUCT	Specific Conductance	261	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VTY8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT1	6/7/2008 10:00	Y	7440-24-6	Strontium	114	ug/L	D	[NULL]	[NULL]	S	B1VTY8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/7/2008 10:00	Y	14808-79-8	Sulfate	6630	ug/L	D	[NULL]	[NULL]	S	B1VTY8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/7/2008 10:00	Y	TEMPERATURE	Temperature	16.51	Deg C	[NULL]	[NULL]	[NULL]	S	B1VTY8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT1	6/7/2008 10:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VTY8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/7/2008 10:00	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/7/2008 10:00	Y	PH	pH Measurement	7.46	unitless	[NULL]	[NULL]	[NULL]	S	B1VTY8	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT1	6/8/2008 9:06	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1VV24	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT1	6/8/2008 9:06	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1VV24	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/8/2008 9:06	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VV24	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/8/2008 9:06	Y	7440-39-3	Barium	28	ug/L	D	[NULL]	[NULL]	S	B1VV24	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/8/2008 9:06	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV24	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/8/2008 9:06	Y	7440-70-2	Calcium	29900	ug/L	DN	[NULL]	[NULL]	S	B1VV24	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/8/2008 9:06	Y	16887-00-6	Chloride	1640	ug/L	BD	[NULL]	[NULL]	S	B1VV24	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/8/2008 9:06	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV24	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/8/2008 9:06	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV24	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/8/2008 9:06	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VV24	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/8/2008 9:06	Y	DO	Dissolved oxygen	8800	ug/L	[NULL]	[NULL]	[NULL]	S	B1VV24	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT1	6/8/2008 9:06	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VV24	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/8/2008 9:06	Y	12587-46-1	Gross alpha	2.7	pCi/L	U	G	[NULL]	S	B1VV24	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT1	6/8/2008 9:06	Y	12587-47-2	Gross beta	1800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV24	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT1	6/8/2008 9:06	Y	7439-89-6	Iron	55.8	ug/L	D	[NULL]	[NULL]	S	B1VV24	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/8/2008 9:06	Y	7439-92-1	Lead	342	ug/L	CDN	[NULL]	[NULL]	S	B1VV24	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/8/2008 9:06	Y	7439-95-4	Magnesium	5560	ug/L	D	[NULL]	[NULL]	S	B1VV24	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/8/2008 9:06	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VV24	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/8/2008 9:06	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VV24	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/8/2008 9:06	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV24	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/8/2008 9:06	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VV24	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/8/2008 9:06	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VV24	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/8/2008 9:06	Y	EH	Oxidation Reduction Potential	86	mV	[NULL]	[NULL]	[NULL]	S	B1VV24	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT1	6/8/2008 9:06	Y	14265-44-2	Phosphate	6620	ug/L	D	[NULL]	[NULL]	S	B1VV24	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/8/2008 9:06	Y	7440-09-7	Potassium	1580	ug/L	D	[NULL]	[NULL]	S	B1VV24	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/8/2008 9:06	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV24	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/8/2008 9:06	Y	7440-23-5	Sodium	13000	ug/L	D	[NULL]	[NULL]	S	B1VV24	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/8/2008 9:06	Y	CONDUCT	Specific Conductance	443	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VV24	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT1	6/8/2008 9:06	Y	7440-24-6	Strontium	114	ug/L	D	[NULL]	[NULL]	S	B1VV24	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/8/2008 9:06	Y	14808-79-8	Sulfate	6710	ug/L	D	[NULL]	[NULL]	S	B1VV24	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/8/2008 9:06	Y	TEMPERATURE	Temperature	15.57	Deg C	[NULL]	[NULL]	[NULL]	S	B1VV24	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT1	6/8/2008 9:06	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VV24	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/8/2008 9:06	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1VV24	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/8/2008 9:06	Y	PH	pH Measurement	7.52	unitless	[NULL]	[NULL]	[NULL]	S	B1VV24	PH	FIELD	PH_ELECT_FLD	100-NR-2
APT1	6/9/2008 12:39	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VV50	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/9/2008 12:39	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV50	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/9/2008 12:39	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV50	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/9/2008 12:39	Y	7440-39-3	Barium	26	ug/L	D	[NULL]	[NULL]	S	B1VV50	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/9/2008 12:39	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV50	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/9/2008 12:39	Y	7440-70-2	Calcium	31800	ug/L	D	[NULL]	[NULL]	S	B1VV50	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/9/2008 12:39	Y	16887-00-6	Chloride	1010	ug/L	BD	[NULL]	[NULL]	S	B1VV50	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/9/2008 12:39	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV50	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/9/2008 12:39	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV50	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/9/2008 12:39	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV50	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/9/2008 12:39	Y	DO	Dissolved oxygen	6850	ug/L	[NULL]	[NULL]	[NULL]	S	B1VV50	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT1	6/9/2008 12:39	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VV50	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/9/2008 12:39	Y	12587-46-1	Gross alpha	2.5	pCi/L	U	G	[NULL]	S	B1VV50	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT1	6/9/2008 12:39	Y	12587-47-2	Gross beta	1700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV50	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT1	6/9/2008 12:39	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VV50	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/9/2008 12:39	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV50	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/9/2008 12:39	Y	7439-95-4	Magnesium	5720	ug/L	DN	[NULL]	[NULL]	S	B1VV50	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/9/2008 12:39	Y	7439-96-5	Manganese	21	ug/L	D	[NULL]	[NULL]	S	B1VV50	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/9/2008 12:39	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV50	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/9/2008 12:39	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV50	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/9/2008 12:39	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VV50	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT1	6/9/2008 12:39	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VV50	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/9/2008 12:39	Y	EH	Oxidation Reduction Potential	82	mV	[NULL]	[NULL]	[NULL]	S	B1VV50	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT1	6/9/2008 12:39	Y	14265-44-2	Phosphate	491	ug/L	DU	[NULL]	[NULL]	S	B1VV50	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/9/2008 12:39	Y	7440-09-7	Potassium	1680	ug/L	D	[NULL]	[NULL]	S	B1VV50	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/9/2008 12:39	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV50	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/9/2008 12:39	Y	7440-23-5	Sodium	6040	ug/L	D	[NULL]	[NULL]	S	B1VV50	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/9/2008 12:39	Y	CONDUCT	Specific Conductance	183	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VV50	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT1	6/9/2008 12:39	Y	7440-24-6	Strontium	123	ug/L	D	[NULL]	[NULL]	S	B1VV50	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/9/2008 12:39	Y	14808-79-8	Sulfate	5910	ug/L	D	[NULL]	[NULL]	S	B1VV50	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/9/2008 12:39	Y	TEMPERATURE	Temperature	17.74	Deg C	[NULL]	[NULL]	[NULL]	S	B1VV50	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT1	6/9/2008 12:39	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV50	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/9/2008 12:39	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV50	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/9/2008 12:39	Y	PH	pH Measurement	7.34	unitless	[NULL]	[NULL]	[NULL]	S	B1VV50	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT1	6/10/2008 17:05	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VV76	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/10/2008 17:05	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV76	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/10/2008 17:05	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV76	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/10/2008 17:05	Y	7440-39-3	Barium	25	ug/L	D	[NULL]	[NULL]	S	B1VV76	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/10/2008 17:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV76	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/10/2008 17:05	Y	7440-70-2	Calcium	32800	ug/L	D	[NULL]	[NULL]	S	B1VV76	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/10/2008 17:05	Y	16887-00-6	Chloride	977	ug/L	BD	[NULL]	[NULL]	S	B1VV76	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/10/2008 17:05	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV76	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/10/2008 17:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV76	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/10/2008 17:05	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV76	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/10/2008 17:05	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VV76	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/10/2008 17:05	Y	12587-46-1	Gross alpha	1.7	pCi/L	U	G	[NULL]	S	B1VV76	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT1	6/10/2008 17:05	Y	12587-47-2	Gross beta	1800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV76	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT1	6/10/2008 17:05	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VV76	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/10/2008 17:05	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV76	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/10/2008 17:05	Y	7439-95-4	Magnesium	6010	ug/L	D	[NULL]	[NULL]	S	B1VV76	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/10/2008 17:05	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VV76	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/10/2008 17:05	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV76	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/10/2008 17:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV76	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/10/2008 17:05	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VV76	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/10/2008 17:05	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VV76	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/10/2008 17:05	Y	14265-44-2	Phosphate	981	ug/L	DU	[NULL]	[NULL]	S	B1VV76	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/10/2008 17:05	Y	7440-09-7	Potassium	1590	ug/L	D	[NULL]	[NULL]	S	B1VV76	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/10/2008 17:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV76	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/10/2008 17:05	Y	7440-23-5	Sodium	5920	ug/L	D	[NULL]	[NULL]	S	B1VV76	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/10/2008 17:05	Y	7440-24-6	Strontium	121	ug/L	D	[NULL]	[NULL]	S	B1VV76	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/10/2008 17:05	Y	14808-79-8	Sulfate	5770	ug/L	D	[NULL]	[NULL]	S	B1VV76	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/10/2008 17:05	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV76	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/10/2008 17:05	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV76	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2008 12:31	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVB2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2008 12:31	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVB2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2008 12:31	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVB2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2008 12:31	Y	7440-39-3	Barium	26	ug/L	D	[NULL]	[NULL]	S	B1VVB2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2008 12:31	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVB2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2008 12:31	Y	7440-70-2	Calcium	33700	ug/L	D	[NULL]	[NULL]	S	B1VVB2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2008 12:31	Y	16887-00-6	Chloride	942	ug/L	BD	[NULL]	[NULL]	S	B1VVB2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/11/2008 12:31	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVB2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2008 12:31	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVB2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2008 12:31	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVB2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2008 12:31	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VVB2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/11/2008 12:31	Y	12587-46-1	Gross alpha	0.95	pCi/L	U	G	[NULL]	S	B1VVB2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT1	6/11/2008 12:31	Y	12587-47-2	Gross beta	1700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVB2	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT1	6/11/2008 12:31	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVB2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2008 12:31	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVB2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2008 12:31	Y	7439-95-4	Magnesium	6180	ug/L	D	[NULL]	[NULL]	S	B1VVB2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2008 12:31	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VVB2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2008 12:31	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVB2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2008 12:31	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVB2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2008 12:31	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VVB2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/11/2008 12:31	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VVB2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/11/2008 12:31	Y	14265-44-2	Phosphate	491	ug/L	DU	[NULL]	[NULL]	S	B1VVB2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/11/2008 12:31	Y	7440-09-7	Potassium	1320	ug/L	D	[NULL]	[NULL]	S	B1VVB2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2008 12:31	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVB2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2008 12:31	Y	7440-23-5	Sodium	6700	ug/L	D	[NULL]	[NULL]	S	B1VVB2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2008 12:31	Y	7440-24-6	Strontium	129	ug/L	D	[NULL]	[NULL]	S	B1VVB2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2008 12:31	Y	14808-79-8	Sulfate	6330	ug/L	D	[NULL]	[NULL]	S	B1VVB2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/11/2008 12:31	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVB2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/11/2008 12:31	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVB2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2008 11:12	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVM0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2008 11:12	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVM0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2008 11:12	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVM0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2008 11:12	Y	7440-39-3	Barium	25	ug/L	D	[NULL]	[NULL]	S	B1VVM0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2008 11:12	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVM0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2008 11:12	Y	7440-70-2	Calcium	32200	ug/L	DN	[NULL]	[NULL]	S	B1VVM0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2008 11:12	Y	16887-00-6	Chloride	1100	ug/L	DU	[NULL]	[NULL]	S	B1VVM0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/16/2008 11:12	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVM0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2008 11:12	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVM0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2008 11:12	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVM0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2008 11:12	Y	DO	Dissolved oxygen	6990	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVM0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT1	6/16/2008 11:12	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVM0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/16/2008 11:12	Y	12587-46-1	Gross alpha	2.7	pCi/L	[NULL]	G	[NULL]	S	B1VVM0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT1	6/16/2008 11:12	Y	12587-47-2	Gross beta	1600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVM0	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT1	6/16/2008 11:12	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVM0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2008 11:12	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVM0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2008 11:12	Y	7439-95-4	Magnesium	5620	ug/L	D	[NULL]	[NULL]	S	B1VVM0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2008 11:12	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VVM0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2008 11:12	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVM0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2008 11:12	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVM0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2008 11:12	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVM0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/16/2008 11:12	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVM0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/16/2008 11:12	Y	EH	Oxidation Reduction Potential	36	mV	[NULL]	[NULL]	[NULL]	S	B1VVM0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT1	6/16/2008 11:12	Y	14265-44-2	Phosphate	981	ug/L	DU	[NULL]	[NULL]	S	B1VVM0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/16/2008 11:12	Y	7440-09-7	Potassium	1440	ug/L	D	[NULL]	[NULL]	S	B1VVM0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2008 11:12	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVM0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2008 11:12	Y	7440-23-5	Sodium	6050	ug/L	CD	[NULL]	[NULL]	S	B1VVM0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2008 11:12	Y	CONDUCT	Specific Conductance	230	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVM0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT1	6/16/2008 11:12	Y	7440-24-6	Strontium	117	ug/L	D	[NULL]	[NULL]	S	B1VVM0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2008 11:12	Y	14808-79-8	Sulfate	5460	ug/L	BD	[NULL]	[NULL]	S	B1VVM0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/16/2008 11:12	Y	TEMPERATURE	Temperature	21.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVM0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT1	6/16/2008 11:12	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVM0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2008 11:12	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVM0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/16/2008 11:12	Y	PH	pH Measurement	7.77	unitless	[NULL]	[NULL]	[NULL]	S	B1VVM0	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT1	6/18/2008 7:12	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVP6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2008 7:12	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVP6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2008 7:12	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVP6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT1	6/18/2008 7:12	Y	7440-39-3	Barium	24	ug/L	D	[NULL]	[NULL]	S	B1VVP6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2008 7:12	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVP6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2008 7:12	Y	7440-70-2	Calcium	28800	ug/L	DN	[NULL]	[NULL]	S	B1VVP6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2008 7:12	Y	16887-00-6	Chloride	1100	ug/L	DU	[NULL]	[NULL]	S	B1VVP6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/18/2008 7:12	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVP6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2008 7:12	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVP6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2008 7:12	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVP6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2008 7:12	Y	DO	Dissolved oxygen	5080	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVP6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT1	6/18/2008 7:12	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVP6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/18/2008 7:12	Y	12587-46-1	Gross alpha	1.4	pCi/L	U	G	[NULL]	S	B1VVP6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT1	6/18/2008 7:12	Y	12587-47-2	Gross beta	1900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVP6	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT1	6/18/2008 7:12	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVP6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2008 7:12	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVP6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2008 7:12	Y	7439-95-4	Magnesium	5360	ug/L	DN	[NULL]	[NULL]	S	B1VVP6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2008 7:12	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VVP6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2008 7:12	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVP6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2008 7:12	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVP6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2008 7:12	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVP6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/18/2008 7:12	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVP6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/18/2008 7:12	Y	EH	Oxidation Reduction Potential	38	mV	[NULL]	[NULL]	[NULL]	S	B1VVP6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT1	6/18/2008 7:12	Y	14265-44-2	Phosphate	981	ug/L	DNU	[NULL]	[NULL]	S	B1VVP6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/18/2008 7:12	Y	7440-09-7	Potassium	1180	ug/L	D	[NULL]	[NULL]	S	B1VVP6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2008 7:12	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVP6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2008 7:12	Y	7440-23-5	Sodium	5680	ug/L	D	[NULL]	[NULL]	S	B1VVP6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2008 7:12	Y	CONDUCT	Specific Conductance	220.6	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVP6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT1	6/18/2008 7:12	Y	7440-24-6	Strontium	111	ug/L	D	[NULL]	[NULL]	S	B1VVP6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2008 7:12	Y	14808-79-8	Sulfate	6340	ug/L	BD	[NULL]	[NULL]	S	B1VVP6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/18/2008 7:12	Y	TEMPERATURE	Temperature	13	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVP6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT1	6/18/2008 7:12	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVP6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2008 7:12	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVP6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/18/2008 7:12	Y	PH	pH Measurement	7.67	unitless	[NULL]	[NULL]	[NULL]	S	B1VVP6	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT1	6/27/2008 8:57	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVV8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/27/2008 8:57	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVV8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/27/2008 8:57	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVV8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/27/2008 8:57	Y	7440-39-3	Barium	24	ug/L	D	[NULL]	[NULL]	S	B1VVV8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/27/2008 8:57	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/27/2008 8:57	Y	7440-70-2	Calcium	29900	ug/L	DN	[NULL]	[NULL]	S	B1VVV8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/27/2008 8:57	Y	16887-00-6	Chloride	1100	ug/L	DU	[NULL]	[NULL]	S	B1VVV8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/27/2008 8:57	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVV8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/27/2008 8:57	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/27/2008 8:57	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVV8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/27/2008 8:57	Y	DO	Dissolved oxygen	6500	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVV8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT1	6/27/2008 8:57	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVV8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/27/2008 8:57	Y	12587-46-1	Gross alpha	0.76	pCi/L	U	[NULL]	[NULL]	S	B1VVV8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT1	6/27/2008 8:57	Y	12587-47-2	Gross beta	710	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVV8	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT1	6/27/2008 8:57	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVV8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/27/2008 8:57	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVV8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/27/2008 8:57	Y	7439-95-4	Magnesium	5300	ug/L	D	[NULL]	[NULL]	S	B1VVV8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/27/2008 8:57	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/27/2008 8:57	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVV8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/27/2008 8:57	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/27/2008 8:57	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVV8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/27/2008 8:57	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVV8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT1	6/27/2008 8:57	Y	EH	Oxidation Reduction Potential	31	mV	[NULL]	[NULL]	[NULL]	S	B1VVV8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT1	6/27/2008 8:57	Y	14265-44-2	Phosphate	981	ug/L	DU	[NULL]	[NULL]	S	B1VVV8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/27/2008 8:57	Y	7440-09-7	Potassium	1290	ug/L	D	[NULL]	[NULL]	S	B1VVV8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/27/2008 8:57	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVV8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/27/2008 8:57	Y	7440-23-5	Sodium	5330	ug/L	D	[NULL]	[NULL]	S	B1VVV8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/27/2008 8:57	Y	CONDUCT	Specific Conductance	211.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVV8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT1	6/27/2008 8:57	Y	7440-24-6	Strontium	112	ug/L	D	[NULL]	[NULL]	S	B1VVV8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/27/2008 8:57	Y	14808-79-8	Sulfate	5710	ug/L	BD	[NULL]	[NULL]	S	B1VVV8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	6/27/2008 8:57	Y	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVV8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT1	6/27/2008 8:57	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVV8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/27/2008 8:57	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVV8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	6/27/2008 8:57	Y	PH	pH Measurement	7.51	unitless	[NULL]	[NULL]	[NULL]	S	B1VVV8	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT1	7/4/2008 11:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWV7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/4/2008 11:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWV7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/4/2008 11:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWV7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/4/2008 11:45	Y	7440-39-3	Barium	21	ug/L	D	[NULL]	[NULL]	S	B1VWV7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/4/2008 11:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWV7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/4/2008 11:45	Y	7440-70-2	Calcium	32300	ug/L	DN	[NULL]	[NULL]	S	B1VWV7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/4/2008 11:45	Y	16887-00-6	Chloride	1100	ug/L	DU	[NULL]	[NULL]	S	B1VWV7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/4/2008 11:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWV7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/4/2008 11:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWV7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/4/2008 11:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWV7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/4/2008 11:45	Y	DO	Dissolved oxygen	5260	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWV7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT1	7/4/2008 11:45	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VWV7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/4/2008 11:45	Y	12587-46-1	Gross alpha	0.19	pCi/L	U	[NULL]	[NULL]	S	B1VWV7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT1	7/4/2008 11:45	Y	12587-47-2	Gross beta	1600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWV7	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT1	7/4/2008 11:45	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VWV7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/4/2008 11:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWV7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/4/2008 11:45	Y	7439-95-4	Magnesium	5860	ug/L	DN	[NULL]	[NULL]	S	B1VWV7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/4/2008 11:45	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VWV7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/4/2008 11:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWV7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/4/2008 11:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWV7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/4/2008 11:45	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VWV7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/4/2008 11:45	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VWV7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/4/2008 11:45	Y	EH	Oxidation Reduction Potential	-23	mV	[NULL]	[NULL]	[NULL]	S	B1VWV7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT1	7/4/2008 11:45	Y	14265-44-2	Phosphate	1120	ug/L	BD	[NULL]	[NULL]	S	B1VWV7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/4/2008 11:45	Y	7440-09-7	Potassium	1670	ug/L	D	[NULL]	[NULL]	S	B1VWV7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/4/2008 11:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWV7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/4/2008 11:45	Y	7440-23-5	Sodium	9410	ug/L	D	[NULL]	[NULL]	S	B1VWV7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/4/2008 11:45	Y	CONDUCT	Specific Conductance	294.9	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWV7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT1	7/4/2008 11:45	Y	7440-24-6	Strontium	119	ug/L	D	[NULL]	[NULL]	S	B1VWV7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/4/2008 11:45	Y	14808-79-8	Sulfate	5040	ug/L	BD	[NULL]	[NULL]	S	B1VWV7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/4/2008 11:45	Y	TEMPERATURE	Temperature	21.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWV7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT1	7/4/2008 11:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWV7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/4/2008 11:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWV7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/4/2008 11:45	Y	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	S	B1VWV7	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT1	7/18/2008 10:16	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCB7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/18/2008 10:16	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCB7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/18/2008 10:16	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCB7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/18/2008 10:16	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/18/2008 10:16	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/18/2008 10:16	Y	7440-70-2	Calcium	945	ug/L	D	[NULL]	[NULL]	S	B1WCB7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/18/2008 10:16	Y	16887-00-6	Chloride	13000	ug/L	D	[NULL]	[NULL]	S	B1WCB7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT1	7/18/2008 10:16	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCB7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/18/2008 10:16	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/18/2008 10:16	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCB7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/18/2008 10:16	Y	DO	Dissolved oxygen	6070	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCB7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT1	7/18/2008 10:16	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WCB7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/18/2008 10:16	Y	12587-46-1	Gross alpha	7.4	pCi/L	[NULL]	G	[NULL]	S	B1WCB7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT1	7/18/2008 10:16	Y	12587-47-2	Gross beta	49	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCB7	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT1	7/18/2008 10:16	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WCB7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/18/2008 10:16	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCB7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/18/2008 10:16	Y	7439-95-4	Magnesium	986	ug/L	D	[NULL]	[NULL]	S	B1WCB7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/18/2008 10:16	Y	7439-96-5	Manganese	40	ug/L	D	[NULL]	[NULL]	S	B1WCB7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/18/2008 10:16	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCB7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/18/2008 10:16	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/18/2008 10:16	Y	14797-55-8	Nitrate	854	ug/L	BD	[NULL]	[NULL]	S	B1WCB7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/18/2008 10:16	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCB7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/18/2008 10:16	Y	EH	Oxidation Reduction Potential	-19	mV	[NULL]	[NULL]	[NULL]	S	B1WCB7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT1	7/18/2008 10:16	Y	14265-44-2	Phosphate	926000	ug/L	D	[NULL]	[NULL]	S	B1WCB7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/18/2008 10:16	Y	7440-09-7	Potassium	1440	ug/L	D	[NULL]	[NULL]	S	B1WCB7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/18/2008 10:16	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCB7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/18/2008 10:16	Y	7440-23-5	Sodium	389000	ug/L	DX	[NULL]	[NULL]	S	B1WCB7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/18/2008 10:16	Y	CONDUCT	Specific Conductance	2082	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCB7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT1	7/18/2008 10:16	Y	7440-24-6	Strontium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/18/2008 10:16	Y	14808-79-8	Sulfate	8840	ug/L	BD	[NULL]	[NULL]	S	B1WCB7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	7/18/2008 10:16	Y	TEMPERATURE	Temperature	20.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCB7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT1	7/18/2008 10:16	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCB7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/18/2008 10:16	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCB7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	7/18/2008 10:16	Y	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	S	B1WCB7	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT1	9/21/2008 8:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WX55	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	9/21/2008 8:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WX55	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	9/21/2008 8:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WX55	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	9/21/2008 8:15	Y	7440-39-3	Barium	108	ug/L	D	[NULL]	[NULL]	S	B1WX55	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	9/21/2008 8:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WX55	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	9/21/2008 8:15	Y	7440-70-2	Calcium	290000	ug/L	D	[NULL]	[NULL]	S	B1WX55	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	9/21/2008 8:15	Y	16887-00-6	Chloride	130000	ug/L	DN	[NULL]	[NULL]	S	B1WX10	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	9/21/2008 8:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WX55	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	9/21/2008 8:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WX55	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	9/21/2008 8:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WX55	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	9/21/2008 8:15	Y	DO	Dissolved oxygen	3580	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX10	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT1	9/21/2008 8:15	Y	DO	Dissolved oxygen	3580	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX55	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT1	9/21/2008 8:15	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1WX10	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	9/21/2008 8:15	Y	12587-46-1	Gross alpha	3.5	pCi/L	U	[NULL]	[NULL]	S	B1WX55	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT1	9/21/2008 8:15	Y	12587-47-2	Gross beta	13000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX55	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT1	9/21/2008 8:15	Y	7439-89-6	Iron	6540	ug/L	D	[NULL]	[NULL]	S	B1WX55	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	9/21/2008 8:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WX55	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	9/21/2008 8:15	Y	7439-95-4	Magnesium	64100	ug/L	D	[NULL]	[NULL]	S	B1WX55	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	9/21/2008 8:15	Y	7439-96-5	Manganese	7480	ug/L	D	[NULL]	[NULL]	S	B1WX55	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	9/21/2008 8:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WX55	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	9/21/2008 8:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WX55	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	9/21/2008 8:15	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WX10	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	9/21/2008 8:15	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WX10	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	9/21/2008 8:15	Y	EH	Oxidation Reduction Potential	-134	mV	[NULL]	[NULL]	[NULL]	S	B1WX10	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT1	9/21/2008 8:15	Y	EH	Oxidation Reduction Potential	-134	mV	[NULL]	[NULL]	[NULL]	S	B1WX55	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT1	9/21/2008 8:15	Y	14265-44-2	Phosphate	1860	ug/L	DU	[NULL]	[NULL]	S	B1WX10	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	9/21/2008 8:15	Y	7440-09-7	Potassium	6850	ug/L	D	[NULL]	[NULL]	S	B1WX55	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	9/21/2008 8:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WX55	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	9/21/2008 8:15	Y	7440-23-5	Sodium	119000	ug/L	D	[NULL]	[NULL]	S	B1WX55	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	9/21/2008 8:15	Y	CONDUCT	Specific Conductance	2008	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX10	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT1	9/21/2008 8:15	Y	CONDUCT	Specific Conductance	2008	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX55	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT1	9/21/2008 8:15	Y	7440-24-6	Strontium	1260	ug/L	D	[NULL]	[NULL]	S	B1WX55	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	9/21/2008 8:15	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WX10	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	9/21/2008 8:15	Y	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX55	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT1	9/21/2008 8:15	Y	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX10	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT1	9/21/2008 8:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WX55	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	9/21/2008 8:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WX55	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	9/21/2008 8:15	Y	PH	pH Measurement	6.72	unitless	[NULL]	[NULL]	[NULL]	S	B1WX10	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT1	9/21/2008 8:15	Y	PH	pH Measurement	6.72	unitless	[NULL]	[NULL]	[NULL]	S	B1WX55	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT1	10/29/2008 13:30	N	7429-90-5	Aluminum	166	ug/L	B	[NULL]	[NULL]	S	B1WX64	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/29/2008 13:30	N	7440-36-0	Antimony	60	ug/L	U	[NULL]	[NULL]	S	B1WX64	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/29/2008 13:30	N	7440-38-2	Arsenic	80	ug/L	U	[NULL]	[NULL]	S	B1WX64	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/29/2008 13:30	N	7440-39-3	Barium	68.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX64	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/29/2008 13:30	N	24959-67-9	Bromide	22900	ug/L	D	[NULL]	[NULL]	S	B1WX64	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	10/29/2008 13:30	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1WX64	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/29/2008 13:30	N	7440-70-2	Calcium	148000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX64	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/29/2008 13:30	N	16887-00-6	Chloride	61800	ug/L	D	[NULL]	[NULL]	S	B1WX64	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	10/29/2008 13:30	N	7440-47-3	Chromium	10.3	ug/L	B	[NULL]	[NULL]	S	B1WX64	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/29/2008 13:30	N	7440-48-4	Cobalt	6.9	ug/L	B	[NULL]	[NULL]	S	B1WX64	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/29/2008 13:30	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1WX64	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/29/2008 13:30	N	DO	Dissolved oxygen	5370	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX64	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT1	10/29/2008 13:30	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WX64	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	10/29/2008 13:30	N	12587-46-1	Gross alpha	-2.13	pCi/L	U	[NULL]	[NULL]	S	B1WX64	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT1	10/29/2008 13:30	N	12587-47-2	Gross beta	6820	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX64	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT1	10/29/2008 13:30	N	7439-89-6	Iron	3840	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX64	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/29/2008 13:30	N	7439-92-1	Lead	40	ug/L	U	[NULL]	[NULL]	S	B1WX64	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/29/2008 13:30	N	7439-95-4	Magnesium	28400	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX64	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/29/2008 13:30	N	7439-96-5	Manganese	3500	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX64	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/29/2008 13:30	N	7439-98-7	Molybdenum	26.7	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX64	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/29/2008 13:30	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1WX64	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/29/2008 13:30	N	14797-55-8	Nitrate	443	ug/L	UD	[NULL]	[NULL]	S	B1WX64	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	10/29/2008 13:30	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WX64	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	10/29/2008 13:30	N	EH	Oxidation Reduction Potential	-147	mV	[NULL]	[NULL]	[NULL]	S	B1WX64	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT1	10/29/2008 13:30	N	14265-44-2	Phosphate	2480	ug/L	BD	[NULL]	[NULL]	S	B1WX64	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	10/29/2008 13:30	N	7440-09-7	Potassium	4100	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX64	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/29/2008 13:30	N	7440-22-4	Silver	5.5	ug/L	BC	[NULL]	[NULL]	S	B1WX64	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/29/2008 13:30	N	7440-23-5	Sodium	120000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX64	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/29/2008 13:30	N	CONDUCT	Specific Conductance	1345	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX64	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT1	10/29/2008 13:30	N	7440-24-6	Strontium	742	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX64	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/29/2008 13:30	N	14808-79-8	Sulfate	2750	ug/L	BD	[NULL]	[NULL]	S	B1WX64	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	10/29/2008 13:30	N	TEMPERATURE	Temperature	13.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX64	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT1	10/29/2008 13:30	N	7440-62-2	Vanadium	10	ug/L	U	[NULL]	[NULL]	S	B1WX64	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/29/2008 13:30	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1WX64	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	10/29/2008 13:30	N	PH	pH Measurement	7.32	unitless	[NULL]	[NULL]	[NULL]	S	B1WX64	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT1	12/3/2008 10:00	N	7429-90-5	Aluminum	52	ug/L	U	[NULL]	[NULL]	C	B1XXV6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	12/3/2008 10:00	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1XXV6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	12/3/2008 10:00	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1XXV6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	12/3/2008 10:00	N	7440-39-3	Barium	8.1	ug/L	B	[NULL]	[NULL]	C	B1XXV6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	12/3/2008 10:00	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1XXV6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT1	12/3/2008 10:00	N	7440-70-2	Calcium	15400	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	12/3/2008 10:00	N	16887-00-6	Chloride	1440	ug/L	BD	[NULL]	[NULL]	C	B1XXV6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	12/3/2008 10:00	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1XXV6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	12/3/2008 10:00	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1XXV6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	12/3/2008 10:00	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	C	B1XXV6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	12/3/2008 10:00	N	DO	Dissolved oxygen	3240	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT1	12/3/2008 10:00	N	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	C	B1XXV6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	12/3/2008 10:00	N	12587-46-1	Gross alpha	0.34	pCi/L	U	[NULL]	[NULL]	C	B1XXV6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT1	12/3/2008 10:00	N	12587-47-2	Gross beta	820	pCi/L	[NULL]	[NULL]	[NULL]	C	B1XXV6	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT1	12/3/2008 10:00	N	7439-89-6	Iron	354	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	12/3/2008 10:00	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	C	B1XXV6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	12/3/2008 10:00	N	7439-95-4	Magnesium	3050	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	12/3/2008 10:00	N	7439-96-5	Manganese	318	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	12/3/2008 10:00	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	C	B1XXV6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	12/3/2008 10:00	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1XXV6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	12/3/2008 10:00	N	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	C	B1XXV6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	12/3/2008 10:00	N	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	C	B1XXV6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	12/3/2008 10:00	N	EH	Oxidation Reduction Potential	-104	mV	[NULL]	[NULL]	[NULL]	C	B1XXV6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT1	12/3/2008 10:00	N	14265-44-2	Phosphate	8800	ug/L	BD	[NULL]	[NULL]	C	B1XXV6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	12/3/2008 10:00	N	7440-09-7	Potassium	1660	ug/L	C	[NULL]	[NULL]	C	B1XXV6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	12/3/2008 10:00	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1XXV6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	12/3/2008 10:00	N	7440-23-5	Sodium	32300	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	12/3/2008 10:00	N	CONDUCT	Specific Conductance	252	uS/cm	[NULL]	[NULL]	[NULL]	C	B1XXV6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT1	12/3/2008 10:00	N	7440-24-6	Strontium	93.4	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	12/3/2008 10:00	N	14808-79-8	Sulfate	10100	ug/L	BD	[NULL]	[NULL]	C	B1XXV6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	12/3/2008 10:00	N	TEMPERATURE	Temperature	10	Deg C	[NULL]	[NULL]	[NULL]	C	B1XXV6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT1	12/3/2008 10:00	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1XXV6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	12/3/2008 10:00	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1XXV6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	12/3/2008 10:00	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	C	B1XXV6	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT1	2/3/2009 10:48	N	7429-90-5	Aluminum	52	ug/L	U	[NULL]	[NULL]	S	B1YLM4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	2/3/2009 10:48	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1YLM4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	2/3/2009 10:48	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	S	B1YLM4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	2/3/2009 10:48	N	7440-39-3	Barium	5	ug/L	B	[NULL]	[NULL]	S	B1YLM4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	2/3/2009 10:48	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1YLM4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT1	2/3/2009 10:48	N	7440-70-2	Calcium	11100	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLM4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	2/3/2009 10:48	N	16887-00-6	Chloride	1320	ug/L	BD	Z	[NULL]	S	B1YLM4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	2/3/2009 10:48	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1YLM4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT1	2/3/2009 10:48	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1YLM4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	2/3/2009 10:48	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1YLM4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT1	2/3/2009 10:48	N	DO	Dissolved oxygen	4760	ug/L	[NULL]	[NULL]	[NULL]	S	B1YMP5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT1	2/3/2009 10:48	N	DO	Dissolved oxygen	4760	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLM4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT1	2/3/2009 10:48	N	16984-48-8	Fluoride	230	ug/L	UD	Z	[NULL]	S	B1YLM4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	2/3/2009 10:48	N	12587-46-1	Gross alpha	-0.11	pCi/L	U	Z	[NULL]	S	B1YLM4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT1	2/3/2009 10:48	N	12587-47-2	Gross beta	390	pCi/L	[NULL]	Z	[NULL]	S	B1YLM4	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT1	2/3/2009 10:48	N	7439-89-6	Iron	193	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLM4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	2/3/2009 10:48	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1YLM4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT1	2/3/2009 10:48	N	7439-95-4	Magnesium	2020	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLM4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	2/3/2009 10:48	N	7439-96-5	Manganese	229	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLM4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	2/3/2009 10:48	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1YLM4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	2/3/2009 10:48	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1YLM4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT1	2/3/2009 10:48	N	14797-55-8	Nitrate	965	ug/L	BD	Z	[NULL]	S	B1YLM4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	2/3/2009 10:48	N	14797-65-0	Nitrite	427	ug/L	UD	Z	[NULL]	S	B1YLM4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	2/3/2009 10:48	N	EH	Oxidation Reduction Potential	-44	mV	[NULL]	[NULL]	[NULL]	S	B1YLM4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT1	2/3/2009 10:48	N	EH	Oxidation Reduction Potential	-44	mV	[NULL]	[NULL]	[NULL]	S	B1YMP5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT1	2/3/2009 10:48	N	14265-44-2	Phosphate	8370	ug/L	BD	Z	[NULL]	S	B1YLM4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	2/3/2009 10:48	N	7440-09-7	Potassium	874	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLM4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT1	2/3/2009 10:48	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1YLM4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT1	2/3/2009 10:48	N	7440-23-5	Sodium	23300	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLM4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT1	2/3/2009 10:48	N	CONDUCT	Specific Conductance	244	uS/cm	[NULL]	[NULL]	[NULL]	S	B1YLM4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT1	2/3/2009 10:48	N	CONDUCT	Specific Conductance	244	uS/cm	[NULL]	[NULL]	[NULL]	S	B1YMP5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT1	2/3/2009 10:48	N	7440-24-6	Strontium	36.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLM4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	2/3/2009 10:48	N	14808-79-8	Sulfate	8800	ug/L	BD	Z	[NULL]	S	B1YLM4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT1	2/3/2009 10:48	N	TEMPERATURE	Temperature	4	Deg C	[NULL]	[NULL]	[NULL]	S	B1YMP5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT1	2/3/2009 10:48	N	TEMPERATURE	Temperature	4	Deg C	[NULL]	[NULL]	[NULL]	S	B1YLM4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT1	2/3/2009 10:48	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B1YLM4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT1	2/3/2009 10:48	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1YLM4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT1	2/3/2009 10:48	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	S	B1YMP5	PH	FIELD	PH_ELECT_FLD	100-NR-2
APT1	2/3/2009 10:48	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	S	B1YLM4	PH	FIELD	PH_ELECT_FLD	100-NR-2
APT2	4/13/2006 9:52	N	ALKALINITY	Alkalinity	68000	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2J5	ALKALINITY	RJ LEE	2320_ALKALINITY	100-NR-2
APT2	4/13/2006 9:52	Y	7440-38-2	Arsenic	1.72	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2J4	7440-38-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT2	4/13/2006 9:52	Y	7440-39-3	Barium	13.54	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2J4	7440-39-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT2	4/13/2006 9:52	N	24959-67-9	Bromide	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J2J3	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
APT2	4/13/2006 9:52	Y	7440-70-2	Calcium	20696.2	ug/L	D	[NULL]	[NULL]	S	B1J2J4	7440-70-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT2	4/13/2006 9:52	N	3812-32-6	Carbonate ion	46400	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2J3	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
APT2	4/13/2006 9:52	N	16887-00-6	Chloride	1220	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2J3	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
APT2	4/13/2006 9:52	Y	7440-47-3	Chromium	0	ug/L	U	[NULL]	[NULL]	S	B1J2J4	7440-47-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT2	4/13/2006 9:52	N	DO	Dissolved oxygen	9900	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2J1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT2	4/13/2006 9:52	N	16984-48-8	Fluoride	90	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2J3	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
APT2	4/13/2006 9:52	N	12587-47-2	Gross beta	1210	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J2J1	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
APT2	4/13/2006 9:52	Y	7439-92-1	Lead	0	ug/L	U	[NULL]	[NULL]	S	B1J2J4	7439-92-1	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT2	4/13/2006 9:52	Y	7440-02-0	Nickel	0.57	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2J4	7440-02-0	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT2	4/13/2006 9:52	N	14797-55-8	Nitrate	1840	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2J3	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
APT2	4/13/2006 9:52	N	EH	Oxidation Reduction Potential	150	mV	[NULL]	[NULL]	[NULL]	S	B1J2J1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT2	4/13/2006 9:52	N	14265-44-2	Phosphate	150	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2J3	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
APT2	4/13/2006 9:52	Y	7440-09-7	Potassium	1195.37	ug/L	D	[NULL]	[NULL]	S	B1J2J4	7440-09-7	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT2	4/13/2006 9:52	Y	7440-23-5	Sodium	2101.59	ug/L	D	[NULL]	[NULL]	S	B1J2J4	7440-23-5	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT2	4/13/2006 9:52	N	127-09-3	Sodium acetate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J2J3	127-09-3	PNL1	300.0_ANIONS_IC	100-NR-2
APT2	4/13/2006 9:52	N	68-04-2	Sodium citrate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J2J3	68-04-2	PNL1	300.0_ANIONS_IC	100-NR-2
APT2	4/13/2006 9:52	N	141-53-7	Sodium formate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J2J3	141-53-7	PNL1	300.0_ANIONS_IC	100-NR-2
APT2	4/13/2006 9:52	N	CONDUCT	Specific Conductance	148.9	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J2J1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT2	4/13/2006 9:52	N	14808-79-8	Sulfate	10600	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2J3	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
APT2	4/13/2006 9:52	N	TEMPERATURE	Temperature	8.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1J2J1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT2	4/13/2006 9:52	N	10028-17-8	Tritium	27.1	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J2J2	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
APT2	4/13/2006 9:52	Y	7440-66-6	Zinc	0	ug/L	U	[NULL]	[NULL]	S	B1J2J4	7440-66-6	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT2	4/13/2006 9:52	N	PH	pH Measurement	7.38	unitless	[NULL]	[NULL]	[NULL]	S	B1J2J1	PH	FIELD	PH_ELECT_FLD	100-NR-2
APT2	5/10/2006 11:00	N	ALKALINITY	Alkalinity	82000	ug/L	[NULL]	[NULL]	[NULL]	S	B1J763	ALKALINITY	RJ LEE	2320_ALKALINITY	100-NR-2
APT2	5/10/2006 11:00	Y	7440-38-2	Arsenic	0.58	ug/L	B	[NULL]	[NULL]	S	B1J762	7440-38-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT2	5/10/2006 11:00	Y	7440-39-3	Barium	18.11	ug/L	[NULL]	[NULL]	[NULL]	S	B1J762	7440-39-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT2	5/10/2006 11:00	N	24959-67-9	Bromide	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J761	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
APT2	5/10/2006 11:00	Y	7440-70-2	Calcium	27227	ug/L	D	[NULL]	[NULL]	S	B1J762	7440-70-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT2	5/10/2006 11:00	N	3812-32-6	Carbonate ion	66000	ug/L	[NULL]	[NULL]	[NULL]	S	B1J761	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
APT2	5/10/2006 11:00	N	16887-00-6	Chloride	1070	ug/L	[NULL]	[NULL]	[NULL]	S	B1J761	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
APT2	5/10/2006 11:00	Y	7440-47-3	Chromium	0.82	ug/L	[NULL]	[NULL]	[NULL]	S	B1J762	7440-47-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT2	5/10/2006 11:00	N	16984-48-8	Fluoride	90	ug/L	[NULL]	[NULL]	[NULL]	S	B1J761	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
APT2	5/10/2006 11:00	N	12587-47-2	Gross beta	1510	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J759	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
APT2	5/10/2006 11:00	Y	7439-92-1	Lead	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J762	7439-92-1	RJ LEE	200.8_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT2	5/10/2006 11:00	Y	7440-02-0	Nickel	1.02	ug/L	[NULL]	[NULL]	[NULL]	S	B1J762	7440-02-0	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT2	5/10/2006 11:00	N	14797-55-8	Nitrate	1380	ug/L	[NULL]	[NULL]	[NULL]	S	B1J761	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
APT2	5/10/2006 11:00	N	EH	Oxidation Reduction Potential	-35	mV	[NULL]	[NULL]	[NULL]	S	B1J759	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT2	5/10/2006 11:00	N	14265-44-2	Phosphate	80	ug/L	[NULL]	[NULL]	[NULL]	S	B1J761	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
APT2	5/10/2006 11:00	Y	7440-09-7	Potassium	1512.77	ug/L	[NULL]	[NULL]	[NULL]	S	B1J762	7440-09-7	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT2	5/10/2006 11:00	Y	7440-23-5	Sodium	2225.97	ug/L	[NULL]	[NULL]	[NULL]	S	B1J762	7440-23-5	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT2	5/10/2006 11:00	N	127-09-3	Sodium acetate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J761	127-09-3	PNL1	300.0_ANIONS_IC	100-NR-2
APT2	5/10/2006 11:00	N	68-04-2	Sodium citrate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J761	68-04-2	PNL1	300.0_ANIONS_IC	100-NR-2
APT2	5/10/2006 11:00	N	141-53-7	Sodium formate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J761	141-53-7	PNL1	300.0_ANIONS_IC	100-NR-2
APT2	5/10/2006 11:00	N	CONDUCT	Specific Conductance	174.3	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J759	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT2	5/10/2006 11:00	N	14808-79-8	Sulfate	10700	ug/L	[NULL]	[NULL]	[NULL]	S	B1J761	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
APT2	5/10/2006 11:00	N	TEMPERATURE	Temperature	15.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1J759	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT2	5/10/2006 11:00	N	TDS	Total dissolved solids	119400	ug/L	[NULL]	[NULL]	[NULL]	S	B1J759	TDS	FIELD	TDS_FLD	100-NR-2
APT2	5/10/2006 11:00	N	10028-17-8	Tritium	-38.1	pCi/L	U	[NULL]	[NULL]	S	B1J760	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
APT2	5/10/2006 11:00	Y	7440-66-6	Zinc	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J762	7440-66-6	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT2	5/10/2006 11:00	N	PH	pH Measurement	7.27	unitless	[NULL]	[NULL]	[NULL]	S	B1J759	PH	FIELD	PH_ELECT_FLD	100-NR-2
APT2	6/6/2006 12:40	N	12587-47-2	Gross beta	1210	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JHB1	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
APT2	6/6/2006 12:40	N	EH	Oxidation Reduction Potential	137	mV	[NULL]	[NULL]	[NULL]	S	B1JHB1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT2	6/6/2006 12:40	N	CONDUCT	Specific Conductance	175.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1JHB1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT2	6/6/2006 12:40	N	TEMPERATURE	Temperature	14.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1JHB1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT2	6/6/2006 12:40	N	PH	pH Measurement	7.24	unitless	[NULL]	[NULL]	[NULL]	S	B1JHB1	PH	FIELD	PH_ELECT_FLD	100-NR-2
APT2	6/21/2006 12:28	N	12587-46-1	Gross alpha	3.3	pCi/L	U	[NULL]	[NULL]	S	B1JMD0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT2	6/21/2006 12:28	N	12587-47-2	Gross beta	920	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JMD0	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT2	6/21/2006 12:28	N	10098-97-2	Strontium-90	656	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JMD0	SR-RAD	STLRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT2	10/23/2006 3:05	Y	7429-90-5	Aluminum	306	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX78	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	10/23/2006 3:05	Y	7440-36-0	Antimony	72	ug/L	U	[NULL]	[NULL]	S	B1KX78	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	10/23/2006 3:05	Y	7440-38-2	Arsenic	79	ug/L	U	[NULL]	[NULL]	S	B1KX78	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	10/23/2006 3:05	Y	7440-39-3	Barium	31.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX78	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	10/23/2006 3:05	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	S	B1KX78	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT2	10/23/2006 3:05	Y	7440-70-2	Calcium	35600	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX78	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	10/23/2006 3:05	Y	16887-00-6	Chloride	2560	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX78	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	10/23/2006 3:05	Y	7440-47-3	Chromium	7	ug/L	U	[NULL]	[NULL]	S	B1KX78	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	10/23/2006 3:05	Y	7440-48-4	Cobalt	7	ug/L	U	[NULL]	[NULL]	S	B1KX78	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	10/23/2006 3:05	Y	7440-50-8	Copper	7	ug/L	U	[NULL]	[NULL]	S	B1KX78	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT2	10/23/2006 3:05	Y	16984-48-8	Fluoride	6	ug/L	U	[NULL]	[NULL]	S	B1KX78	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	10/23/2006 3:05	Y	7439-89-6	Iron	33	ug/L	U	[NULL]	[NULL]	S	B1KX78	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	10/23/2006 3:05	Y	7439-92-1	Lead	47	ug/L	U	[NULL]	[NULL]	S	B1KX78	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT2	10/23/2006 3:05	Y	7439-95-4	Magnesium	6340	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX78	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	10/23/2006 3:05	Y	7439-96-5	Manganese	14.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX78	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	10/23/2006 3:05	Y	7439-98-7	Molybdenum	11	ug/L	U	[NULL]	[NULL]	S	B1KX78	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	10/23/2006 3:05	Y	7440-02-0	Nickel	5	ug/L	U	[NULL]	[NULL]	S	B1KX78	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	10/23/2006 3:05	Y	14797-55-8	Nitrate	2930	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX78	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	10/23/2006 3:05	Y	14797-65-0	Nitrite	75.5	ug/L	U	[NULL]	[NULL]	S	B1KX78	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	10/23/2006 3:05	Y	14265-44-2	Phosphate	135	ug/L	U	[NULL]	[NULL]	S	B1KX78	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	10/23/2006 3:05	Y	7440-09-7	Potassium	1750	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX78	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	10/23/2006 3:05	Y	7440-22-4	Silver	11	ug/L	UX	[NULL]	[NULL]	S	B1KX78	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	10/23/2006 3:05	Y	7440-23-5	Sodium	5430	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX78	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	10/23/2006 3:05	Y	7440-24-6	Strontium	113	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX78	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	10/23/2006 3:05	Y	10098-97-2	Strontium-90	3400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KX78	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT2	10/23/2006 3:05	Y	14808-79-8	Sulfate	11200	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX78	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	10/23/2006 3:05	Y	7440-62-2	Vanadium	14	ug/L	U	[NULL]	[NULL]	S	B1KX78	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	10/23/2006 3:05	Y	7440-66-6	Zinc	65.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX78	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	11/8/2006 15:05	Y	10098-97-2	Strontium-90	630	pCi/L	[NULL]	[NULL]	[NULL]	S	B1L9Y5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT2	2/15/2007 16:05	Y	10098-97-2	Strontium-90	640	pCi/L	[NULL]	[NULL]	[NULL]	S	B1LBP1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT2	6/11/2007 21:12	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVH2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/11/2007 21:12	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVH2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/11/2007 21:12	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVH2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/11/2007 21:12	Y	7440-39-3	Barium	36	ug/L	D	[NULL]	[NULL]	S	B1NVH2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/11/2007 21:12	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/11/2007 21:12	Y	7440-70-2	Calcium	35300	ug/L	D	[NULL]	[NULL]	S	B1NVH2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/11/2007 21:12	Y	16887-00-6	Chloride	880	ug/L	BD	[NULL]	[NULL]	S	B1NVH2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/11/2007 21:12	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/11/2007 21:12	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/11/2007 21:12	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/11/2007 21:12	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVH2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/11/2007 21:12	Y	7439-89-6	Iron	112	ug/L	D	[NULL]	[NULL]	S	B1NVH2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/11/2007 21:12	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVH2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/11/2007 21:12	Y	7439-95-4	Magnesium	6070	ug/L	D	[NULL]	[NULL]	S	B1NVH2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/11/2007 21:12	Y	7439-96-5	Manganese	29	ug/L	D	[NULL]	[NULL]	S	B1NVH2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/11/2007 21:12	Y	7439-98-7	Molybdenum	23.5	ug/L	CD	[NULL]	[NULL]	S	B1NVH2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/11/2007 21:12	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/11/2007 21:12	Y	14797-55-8	Nitrate	270	ug/L	BD	[NULL]	[NULL]	S	B1NVH2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/11/2007 21:12	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVH2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/11/2007 21:12	Y	14265-44-2	Phosphate	567	ug/L	DU	[NULL]	[NULL]	S	B1NVH2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/11/2007 21:12	Y	7440-09-7	Potassium	1250	ug/L	D	[NULL]	[NULL]	S	B1NVH2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/11/2007 21:12	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVH2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/11/2007 21:12	Y	7440-23-5	Sodium	4200	ug/L	D	[NULL]	[NULL]	S	B1NVH2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/11/2007 21:12	Y	7440-24-6	Strontium	128	ug/L	D	[NULL]	[NULL]	S	B1NVH2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/11/2007 21:12	Y	10098-97-2	Strontium-90	660	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVH2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT2	6/11/2007 21:12	Y	14808-79-8	Sulfate	5760	ug/L	D	[NULL]	[NULL]	S	B1NVH2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/11/2007 21:12	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVH2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/11/2007 21:12	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/12/2007 21:12	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVJ3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/12/2007 21:12	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVJ3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/12/2007 21:12	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVJ3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/12/2007 21:12	Y	7440-39-3	Barium	23	ug/L	D	[NULL]	[NULL]	S	B1NVJ3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/12/2007 21:12	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/12/2007 21:12	Y	7440-70-2	Calcium	33100	ug/L	D	[NULL]	[NULL]	S	B1NVJ3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/12/2007 21:12	Y	16887-00-6	Chloride	938	ug/L	BD	[NULL]	[NULL]	S	B1NVJ3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/12/2007 21:12	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/12/2007 21:12	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/12/2007 21:12	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/12/2007 21:12	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVJ3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/12/2007 21:12	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVJ3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/12/2007 21:12	Y	7439-92-1	Lead	150	ug/L	D	[NULL]	[NULL]	S	B1NVJ3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/12/2007 21:12	Y	7439-95-4	Magnesium	5860	ug/L	D	[NULL]	[NULL]	S	B1NVJ3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/12/2007 21:12	Y	7439-96-5	Manganese	28	ug/L	D	[NULL]	[NULL]	S	B1NVJ3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/12/2007 21:12	Y	7439-98-7	Molybdenum	31.8	ug/L	CD	[NULL]	[NULL]	S	B1NVJ3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/12/2007 21:12	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/12/2007 21:12	Y	14797-55-8	Nitrate	221	ug/L	BD	[NULL]	[NULL]	S	B1NVJ3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/12/2007 21:12	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVJ3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/12/2007 21:12	Y	14265-44-2	Phosphate	537	ug/L	DU	[NULL]	[NULL]	S	B1NVJ3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/12/2007 21:12	Y	7440-09-7	Potassium	1810	ug/L	D	[NULL]	[NULL]	S	B1NVJ3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/12/2007 21:12	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVJ3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/12/2007 21:12	Y	7440-23-5	Sodium	3800	ug/L	D	[NULL]	[NULL]	S	B1NVJ3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/12/2007 21:12	Y	7440-24-6	Strontium	119	ug/L	D	[NULL]	[NULL]	S	B1NVJ3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/12/2007 21:12	Y	10098-97-2	Strontium-90	630	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVJ3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT2	6/12/2007 21:12	Y	14808-79-8	Sulfate	5670	ug/L	D	[NULL]	[NULL]	S	B1NVJ3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT2	6/12/2007 21:12	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVJ3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/12/2007 21:12	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/13/2007 15:35	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVK4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/13/2007 15:35	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVK4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/13/2007 15:35	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVK4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/13/2007 15:35	Y	7440-39-3	Barium	24	ug/L	D	[NULL]	[NULL]	S	B1NVK4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/13/2007 15:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/13/2007 15:35	Y	7440-70-2	Calcium	34200	ug/L	D	[NULL]	[NULL]	S	B1NVK4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/13/2007 15:35	Y	16887-00-6	Chloride	909	ug/L	BD	[NULL]	[NULL]	S	B1NVK4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/13/2007 15:35	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/13/2007 15:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/13/2007 15:35	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/13/2007 15:35	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVK4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/13/2007 15:35	Y	7439-89-6	Iron	47.6	ug/L	CD	[NULL]	[NULL]	S	B1NVK4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/13/2007 15:35	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVK4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/13/2007 15:35	Y	7439-95-4	Magnesium	5950	ug/L	D	[NULL]	[NULL]	S	B1NVK4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/13/2007 15:35	Y	7439-96-5	Manganese	27	ug/L	D	[NULL]	[NULL]	S	B1NVK4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/13/2007 15:35	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/13/2007 15:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/13/2007 15:35	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVK4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/13/2007 15:35	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVK4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/13/2007 15:35	Y	14265-44-2	Phosphate	537	ug/L	DU	[NULL]	[NULL]	S	B1NVK4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/13/2007 15:35	Y	7440-09-7	Potassium	1820	ug/L	D	[NULL]	[NULL]	S	B1NVK4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/13/2007 15:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVK4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/13/2007 15:35	Y	7440-23-5	Sodium	3650	ug/L	D	[NULL]	[NULL]	S	B1NVK4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/13/2007 15:35	Y	7440-24-6	Strontium	122	ug/L	D	[NULL]	[NULL]	S	B1NVK4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/13/2007 15:35	Y	10098-97-2	Strontium-90	670	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVK4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT2	6/13/2007 15:35	Y	14808-79-8	Sulfate	5610	ug/L	D	[NULL]	[NULL]	S	B1NVK4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/13/2007 15:35	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVK4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/13/2007 15:35	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/14/2007 20:10	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVL5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/14/2007 20:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVL5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/14/2007 20:10	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVL5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/14/2007 20:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/14/2007 20:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/14/2007 20:10	Y	7440-70-2	Calcium	34900	ug/L	D	[NULL]	[NULL]	S	B1NVL5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/14/2007 20:10	Y	16887-00-6	Chloride	1220	ug/L	BD	[NULL]	[NULL]	S	B1NVL5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/14/2007 20:10	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/14/2007 20:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/14/2007 20:10	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/14/2007 20:10	Y	16984-48-8	Fluoride	33	ug/L	DNU	[NULL]	[NULL]	S	B1NVL5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/14/2007 20:10	Y	7439-89-6	Iron	124	ug/L	CD	[NULL]	[NULL]	S	B1NVL5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/14/2007 20:10	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVL5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/14/2007 20:10	Y	7439-95-4	Magnesium	5880	ug/L	D	[NULL]	[NULL]	S	B1NVL5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/14/2007 20:10	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/14/2007 20:10	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/14/2007 20:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/14/2007 20:10	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVL5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/14/2007 20:10	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVL5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/14/2007 20:10	Y	14265-44-2	Phosphate	537	ug/L	DU	[NULL]	[NULL]	S	B1NVL5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/14/2007 20:10	Y	7440-09-7	Potassium	1670	ug/L	D	[NULL]	[NULL]	S	B1NVL5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/14/2007 20:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVL5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/14/2007 20:10	Y	7440-23-5	Sodium	3440	ug/L	D	[NULL]	[NULL]	S	B1NVL5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/14/2007 20:10	Y	7440-24-6	Strontium	115	ug/L	D	[NULL]	[NULL]	S	B1NVL5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/14/2007 20:10	Y	10098-97-2	Strontium-90	830	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVL5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT2	6/14/2007 20:10	Y	14808-79-8	Sulfate	5860	ug/L	D	[NULL]	[NULL]	S	B1NVL5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/14/2007 20:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVL5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/14/2007 20:10	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/15/2007 9:50	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVP2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/15/2007 9:50	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVP2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/15/2007 9:50	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVP2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/15/2007 9:50	Y	7440-39-3	Barium	27	ug/L	D	[NULL]	[NULL]	S	B1NVP2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/15/2007 9:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/15/2007 9:50	Y	7440-70-2	Calcium	34400	ug/L	D	[NULL]	[NULL]	S	B1NVP2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/15/2007 9:50	Y	16887-00-6	Chloride	1050	ug/L	BD	[NULL]	[NULL]	S	B1NVP2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/15/2007 9:50	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/15/2007 9:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/15/2007 9:50	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/15/2007 9:50	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVP2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/15/2007 9:50	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVP2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/15/2007 9:50	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVP2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/15/2007 9:50	Y	7439-95-4	Magnesium	5810	ug/L	D	[NULL]	[NULL]	S	B1NVP2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/15/2007 9:50	Y	7439-96-5	Manganese	39	ug/L	D	[NULL]	[NULL]	S	B1NVP2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/15/2007 9:50	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/15/2007 9:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/15/2007 9:50	Y	14797-55-8	Nitrate	257	ug/L	BD	[NULL]	[NULL]	S	B1NVP2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/15/2007 9:50	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVP2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/15/2007 9:50	Y	14265-44-2	Phosphate	537	ug/L	DU	[NULL]	[NULL]	S	B1NVP2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/15/2007 9:50	Y	7440-09-7	Potassium	1510	ug/L	D	[NULL]	[NULL]	S	B1NVP2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/15/2007 9:50	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVP2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/15/2007 9:50	Y	7440-23-5	Sodium	3490	ug/L	D	[NULL]	[NULL]	S	B1NVP2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/15/2007 9:50	Y	7440-24-6	Strontium	121	ug/L	D	[NULL]	[NULL]	S	B1NVP2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/15/2007 9:50	Y	10098-97-2	Strontium-90	640	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVP2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT2	6/15/2007 9:50	Y	14808-79-8	Sulfate	5980	ug/L	D	[NULL]	[NULL]	S	B1NVP2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/15/2007 9:50	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVP2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/15/2007 9:50	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/16/2007 7:10	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVR3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/16/2007 7:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVR3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/16/2007 7:10	Y	7440-38-2	Arsenic	270	ug/L	D	[NULL]	[NULL]	S	B1NVR3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/16/2007 7:10	Y	7440-39-3	Barium	28	ug/L	D	[NULL]	[NULL]	S	B1NVR3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/16/2007 7:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/16/2007 7:10	Y	7440-70-2	Calcium	35200	ug/L	D	[NULL]	[NULL]	S	B1NVR3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/16/2007 7:10	Y	16887-00-6	Chloride	1080	ug/L	BD	[NULL]	[NULL]	S	B1NVR3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/16/2007 7:10	Y	7440-47-3	Chromium	20.2	ug/L	CD	[NULL]	[NULL]	S	B1NVR3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/16/2007 7:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/16/2007 7:10	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/16/2007 7:10	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVR3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/16/2007 7:10	Y	7439-89-6	Iron	86	ug/L	D	[NULL]	[NULL]	S	B1NVR3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/16/2007 7:10	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVR3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/16/2007 7:10	Y	7439-95-4	Magnesium	5860	ug/L	D	[NULL]	[NULL]	S	B1NVR3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/16/2007 7:10	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/16/2007 7:10	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/16/2007 7:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/16/2007 7:10	Y	14797-55-8	Nitrate	452	ug/L	BD	[NULL]	[NULL]	S	B1NVR3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/16/2007 7:10	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVR3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/16/2007 7:10	Y	14265-44-2	Phosphate	537	ug/L	DU	[NULL]	[NULL]	S	B1NVR3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/16/2007 7:10	Y	7440-09-7	Potassium	1350	ug/L	D	[NULL]	[NULL]	S	B1NVR3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/16/2007 7:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVR3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/16/2007 7:10	Y	7440-23-5	Sodium	3440	ug/L	D	[NULL]	[NULL]	S	B1NVR3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/16/2007 7:10	Y	7440-24-6	Strontium	124	ug/L	D	[NULL]	[NULL]	S	B1NVR3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT2	6/16/2007 7:10	Y	10098-97-2	Strontium-90	760	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVR3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT2	6/16/2007 7:10	Y	14808-79-8	Sulfate	6110	ug/L	D	[NULL]	[NULL]	S	B1NVR3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/16/2007 7:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVR3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/16/2007 7:10	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/17/2007 8:23	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVV6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/17/2007 8:23	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVV6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/17/2007 8:23	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVV6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/17/2007 8:23	Y	7440-39-3	Barium	25	ug/L	D	[NULL]	[NULL]	S	B1NVV6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/17/2007 8:23	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/17/2007 8:23	Y	7440-70-2	Calcium	33600	ug/L	D	[NULL]	[NULL]	S	B1NVV6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/17/2007 8:23	Y	16887-00-6	Chloride	1090	ug/L	BD	[NULL]	[NULL]	S	B1NVV6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/17/2007 8:23	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/17/2007 8:23	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/17/2007 8:23	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/17/2007 8:23	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NVV6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/17/2007 8:23	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVV6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/17/2007 8:23	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVV6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/17/2007 8:23	Y	7439-95-4	Magnesium	5810	ug/L	D	[NULL]	[NULL]	S	B1NVV6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/17/2007 8:23	Y	7439-96-5	Manganese	32	ug/L	D	[NULL]	[NULL]	S	B1NVV6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/17/2007 8:23	Y	7439-98-7	Molybdenum	23.4	ug/L	CD	[NULL]	[NULL]	S	B1NVV6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/17/2007 8:23	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/17/2007 8:23	Y	14797-55-8	Nitrate	252	ug/L	BD	[NULL]	[NULL]	S	B1NVV6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/17/2007 8:23	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NVV6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/17/2007 8:23	Y	14265-44-2	Phosphate	613	ug/L	DNU	[NULL]	[NULL]	S	B1NVV6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/17/2007 8:23	Y	7440-09-7	Potassium	1390	ug/L	D	[NULL]	[NULL]	S	B1NVV6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/17/2007 8:23	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVV6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/17/2007 8:23	Y	7440-23-5	Sodium	4020	ug/L	D	[NULL]	[NULL]	S	B1NVV6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/17/2007 8:23	Y	7440-24-6	Strontium	119	ug/L	D	[NULL]	[NULL]	S	B1NVV6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/17/2007 8:23	Y	10098-97-2	Strontium-90	1300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVV6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT2	6/17/2007 8:23	Y	14808-79-8	Sulfate	6010	ug/L	D	[NULL]	[NULL]	S	B1NVV6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/17/2007 8:23	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVV6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/17/2007 8:23	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/18/2007 16:45	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVW7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/18/2007 16:45	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVW7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/18/2007 16:45	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVW7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/18/2007 16:45	Y	7440-39-3	Barium	25	ug/L	D	[NULL]	[NULL]	S	B1NVW7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/18/2007 16:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/18/2007 16:45	Y	7440-70-2	Calcium	35800	ug/L	D	[NULL]	[NULL]	S	B1NVW7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/18/2007 16:45	Y	16887-00-6	Chloride	1070	ug/L	BD	[NULL]	[NULL]	S	B1NVW7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/18/2007 16:45	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/18/2007 16:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/18/2007 16:45	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/18/2007 16:45	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NVW7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/18/2007 16:45	Y	7439-89-6	Iron	86.4	ug/L	D	[NULL]	[NULL]	S	B1NVW7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/18/2007 16:45	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVW7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/18/2007 16:45	Y	7439-95-4	Magnesium	5890	ug/L	D	[NULL]	[NULL]	S	B1NVW7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/18/2007 16:45	Y	7439-96-5	Manganese	51	ug/L	D	[NULL]	[NULL]	S	B1NVW7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/18/2007 16:45	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/18/2007 16:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/18/2007 16:45	Y	14797-55-8	Nitrate	367	ug/L	BD	[NULL]	[NULL]	S	B1NVW7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/18/2007 16:45	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NVW7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/18/2007 16:45	Y	14265-44-2	Phosphate	613	ug/L	DU	[NULL]	[NULL]	S	B1NVW7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/18/2007 16:45	Y	7440-09-7	Potassium	1790	ug/L	D	[NULL]	[NULL]	S	B1NVW7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/18/2007 16:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVW7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/18/2007 16:45	Y	7440-23-5	Sodium	3840	ug/L	D	[NULL]	[NULL]	S	B1NVW7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT2	6/18/2007 16:45	Y	7440-24-6	Strontium	126	ug/L	D	[NULL]	[NULL]	S	B1NVW7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/18/2007 16:45	Y	10098-97-2	Strontium-90	510	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVW7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT2	6/18/2007 16:45	Y	14808-79-8	Sulfate	5990	ug/L	D	[NULL]	[NULL]	S	B1NVW7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/18/2007 16:45	Y	7440-62-2	Vanadium	36	ug/L	CD	[NULL]	[NULL]	S	B1NVW7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/18/2007 16:45	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/20/2007 9:10	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW00	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/20/2007 9:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW00	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/20/2007 9:10	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW00	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/20/2007 9:10	Y	7440-39-3	Barium	28	ug/L	D	[NULL]	[NULL]	S	B1NW00	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/20/2007 9:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW00	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/20/2007 9:10	Y	7440-70-2	Calcium	33100	ug/L	D	[NULL]	[NULL]	S	B1NW00	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/20/2007 9:10	Y	16887-00-6	Chloride	954	ug/L	BD	[NULL]	[NULL]	S	B1NW00	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/20/2007 9:10	Y	7440-47-3	Chromium	21.2	ug/L	D	[NULL]	[NULL]	S	B1NW00	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/20/2007 9:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW00	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/20/2007 9:10	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW00	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/20/2007 9:10	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NW00	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/20/2007 9:10	Y	7439-89-6	Iron	156	ug/L	D	[NULL]	[NULL]	S	B1NW00	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/20/2007 9:10	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW00	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/20/2007 9:10	Y	7439-95-4	Magnesium	5820	ug/L	D	[NULL]	[NULL]	S	B1NW00	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/20/2007 9:10	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1NW00	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/20/2007 9:10	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NW00	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/20/2007 9:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW00	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/20/2007 9:10	Y	14797-55-8	Nitrate	540	ug/L	BD	[NULL]	[NULL]	S	B1NW00	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/20/2007 9:10	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NW00	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/20/2007 9:10	Y	14265-44-2	Phosphate	567	ug/L	DU	[NULL]	[NULL]	S	B1NW00	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/20/2007 9:10	Y	7440-09-7	Potassium	1380	ug/L	D	[NULL]	[NULL]	S	B1NW00	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/20/2007 9:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW00	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/20/2007 9:10	Y	7440-23-5	Sodium	3570	ug/L	D	[NULL]	[NULL]	S	B1NW00	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/20/2007 9:10	Y	7440-24-6	Strontium	121	ug/L	D	[NULL]	[NULL]	S	B1NW00	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/20/2007 9:10	Y	10098-97-2	Strontium-90	700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW00	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT2	6/20/2007 9:10	Y	14808-79-8	Sulfate	6760	ug/L	D	[NULL]	[NULL]	S	B1NW00	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/20/2007 9:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW00	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/20/2007 9:10	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW00	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/22/2007 9:15	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW26	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/22/2007 9:15	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW26	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/22/2007 9:15	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW26	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/22/2007 9:15	Y	7440-39-3	Barium	26	ug/L	D	[NULL]	[NULL]	S	B1NW26	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/22/2007 9:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW26	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/22/2007 9:15	Y	7440-70-2	Calcium	33600	ug/L	D	[NULL]	[NULL]	S	B1NW26	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/22/2007 9:15	Y	16887-00-6	Chloride	1070	ug/L	BD	[NULL]	[NULL]	S	B1NW26	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/22/2007 9:15	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW26	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/22/2007 9:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW26	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/22/2007 9:15	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW26	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/22/2007 9:15	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW26	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/22/2007 9:15	Y	7439-89-6	Iron	158	ug/L	D	[NULL]	[NULL]	S	B1NW26	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/22/2007 9:15	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW26	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/22/2007 9:15	Y	7439-95-4	Magnesium	5640	ug/L	D	[NULL]	[NULL]	S	B1NW26	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/22/2007 9:15	Y	7439-96-5	Manganese	36	ug/L	D	[NULL]	[NULL]	S	B1NW26	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/22/2007 9:15	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NW26	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/22/2007 9:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW26	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/22/2007 9:15	Y	14797-55-8	Nitrate	429	ug/L	BD	[NULL]	[NULL]	S	B1NW26	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/22/2007 9:15	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NW26	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/22/2007 9:15	Y	14265-44-2	Phosphate	613	ug/L	DU	[NULL]	[NULL]	S	B1NW26	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/22/2007 9:15	Y	7440-09-7	Potassium	1710	ug/L	D	[NULL]	[NULL]	S	B1NW26	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/22/2007 9:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW26	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT2	6/22/2007 9:15	Y	7440-23-5	Sodium	3510	ug/L	D	[NULL]	[NULL]	S	B1NW26	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/22/2007 9:15	Y	7440-24-6	Strontium	120	ug/L	D	[NULL]	[NULL]	S	B1NW26	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/22/2007 9:15	Y	10098-97-2	Strontium-90	920	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW26	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT2	6/22/2007 9:15	Y	14808-79-8	Sulfate	5990	ug/L	D	[NULL]	[NULL]	S	B1NW26	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/22/2007 9:15	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW26	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/22/2007 9:15	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW26	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/29/2007 10:42	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P377	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/29/2007 10:42	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P377	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/29/2007 10:42	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P377	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/29/2007 10:42	Y	7440-39-3	Barium	22	ug/L	D	[NULL]	[NULL]	S	B1P377	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/29/2007 10:42	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P377	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/29/2007 10:42	Y	7440-70-2	Calcium	27900	ug/L	D	[NULL]	[NULL]	S	B1P377	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/29/2007 10:42	Y	16887-00-6	Chloride	2590	ug/L	D	[NULL]	[NULL]	S	B1P377	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/29/2007 10:42	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P377	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/29/2007 10:42	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P377	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/29/2007 10:42	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P377	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/29/2007 10:42	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P377	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/29/2007 10:42	Y	7439-89-6	Iron	152	ug/L	CD	[NULL]	[NULL]	S	B1P377	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/29/2007 10:42	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P377	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/29/2007 10:42	Y	7439-95-4	Magnesium	4980	ug/L	D	[NULL]	[NULL]	S	B1P377	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/29/2007 10:42	Y	7439-96-5	Manganese	20	ug/L	D	[NULL]	[NULL]	S	B1P377	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/29/2007 10:42	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P377	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/29/2007 10:42	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P377	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/29/2007 10:42	Y	14797-55-8	Nitrate	1550	ug/L	BD	[NULL]	[NULL]	S	B1P377	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/29/2007 10:42	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P377	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/29/2007 10:42	Y	14265-44-2	Phosphate	613	ug/L	DU	[NULL]	[NULL]	S	B1P377	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/29/2007 10:42	Y	7440-09-7	Potassium	1450	ug/L	D	[NULL]	[NULL]	S	B1P377	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/29/2007 10:42	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P377	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/29/2007 10:42	Y	7440-23-5	Sodium	3280	ug/L	D	[NULL]	[NULL]	S	B1P377	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/29/2007 10:42	Y	7440-24-6	Strontium	106	ug/L	D	[NULL]	[NULL]	S	B1P377	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/29/2007 10:42	Y	10098-97-2	Strontium-90	690	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P377	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT2	6/29/2007 10:42	Y	14808-79-8	Sulfate	8440	ug/L	D	[NULL]	[NULL]	S	B1P377	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	6/29/2007 10:42	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P377	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	6/29/2007 10:42	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P377	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/8/2007 10:50	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P3B0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/8/2007 10:50	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P3B0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/8/2007 10:50	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P3B0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/8/2007 10:50	Y	7440-39-3	Barium	29	ug/L	D	[NULL]	[NULL]	S	B1P3B0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/8/2007 10:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/8/2007 10:50	Y	7440-70-2	Calcium	33000	ug/L	D	[NULL]	[NULL]	S	B1P3B0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/8/2007 10:50	Y	16887-00-6	Chloride	7890	ug/L	D	[NULL]	[NULL]	S	B1P3B0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	7/8/2007 10:50	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/8/2007 10:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/8/2007 10:50	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/8/2007 10:50	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P3B0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	7/8/2007 10:50	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1P3B0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/8/2007 10:50	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P3B0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/8/2007 10:50	Y	7439-95-4	Magnesium	5880	ug/L	D	[NULL]	[NULL]	S	B1P3B0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/8/2007 10:50	Y	7439-96-5	Manganese	83	ug/L	D	[NULL]	[NULL]	S	B1P3B0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/8/2007 10:50	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/8/2007 10:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/8/2007 10:50	Y	14797-55-8	Nitrate	2790	ug/L	D	[NULL]	[NULL]	S	B1P3B0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	7/8/2007 10:50	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P3B0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	7/8/2007 10:50	Y	14265-44-2	Phosphate	613	ug/L	DU	[NULL]	[NULL]	S	B1P3B0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	7/8/2007 10:50	Y	7440-09-7	Potassium	2120	ug/L	D	[NULL]	[NULL]	S	B1P3B0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT2	7/8/2007 10:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P3B0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/8/2007 10:50	Y	7440-23-5	Sodium	4300	ug/L	D	[NULL]	[NULL]	S	B1P3B0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/8/2007 10:50	Y	7440-24-6	Strontium	128	ug/L	D	[NULL]	[NULL]	S	B1P3B0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/8/2007 10:50	Y	10098-97-2	Strontium-90	660	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P3B0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT2	7/8/2007 10:50	Y	14808-79-8	Sulfate	8310	ug/L	D	[NULL]	[NULL]	S	B1P3B0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	7/8/2007 10:50	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P3B0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/8/2007 10:50	Y	7440-66-6	Zinc	24.4	ug/L	D	[NULL]	[NULL]	S	B1P3B0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/13/2007 13:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P3D3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/13/2007 13:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P3D3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/13/2007 13:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P3D3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/13/2007 13:00	Y	7440-39-3	Barium	29	ug/L	D	[NULL]	[NULL]	S	B1P3D3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/13/2007 13:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/13/2007 13:00	Y	7440-70-2	Calcium	34500	ug/L	D	[NULL]	[NULL]	S	B1P3D3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/13/2007 13:00	Y	16887-00-6	Chloride	8860	ug/L	D	[NULL]	[NULL]	S	B1P3D3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	7/13/2007 13:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/13/2007 13:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/13/2007 13:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/13/2007 13:00	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P3D3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	7/13/2007 13:00	Y	7439-89-6	Iron	288	ug/L	CD	[NULL]	[NULL]	S	B1P3D3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/13/2007 13:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P3D3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/13/2007 13:00	Y	7439-95-4	Magnesium	5840	ug/L	D	[NULL]	[NULL]	S	B1P3D3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/13/2007 13:00	Y	7439-96-5	Manganese	31	ug/L	D	[NULL]	[NULL]	S	B1P3D3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/13/2007 13:00	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/13/2007 13:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/13/2007 13:00	Y	14797-55-8	Nitrate	2630	ug/L	D	[NULL]	[NULL]	S	B1P3D3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	7/13/2007 13:00	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P3D3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	7/13/2007 13:00	Y	14265-44-2	Phosphate	613	ug/L	DU	[NULL]	[NULL]	S	B1P3D3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	7/13/2007 13:00	Y	7440-09-7	Potassium	1740	ug/L	D	[NULL]	[NULL]	S	B1P3D3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/13/2007 13:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P3D3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/13/2007 13:00	Y	7440-23-5	Sodium	3750	ug/L	D	[NULL]	[NULL]	S	B1P3D3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/13/2007 13:00	Y	7440-24-6	Strontium	125	ug/L	D	[NULL]	[NULL]	S	B1P3D3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/13/2007 13:00	Y	10098-97-2	Strontium-90	840	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P3D3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT2	7/13/2007 13:00	Y	14808-79-8	Sulfate	8680	ug/L	D	[NULL]	[NULL]	S	B1P3D3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	7/13/2007 13:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P3D3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	7/13/2007 13:00	Y	7440-66-6	Zinc	84.9	ug/L	D	[NULL]	[NULL]	S	B1P3D3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	8/23/2007 11:50	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1PCR9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	8/23/2007 11:50	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1PCR9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	8/23/2007 11:50	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1PCR9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	8/23/2007 11:50	Y	7440-39-3	Barium	41	ug/L	CD	[NULL]	[NULL]	S	B1PCR9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	8/23/2007 11:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT2	8/23/2007 11:50	Y	7440-70-2	Calcium	29900	ug/L	D	[NULL]	[NULL]	S	B1PCR9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	8/23/2007 11:50	Y	16887-00-6	Chloride	1590	ug/L	BD	[NULL]	[NULL]	S	B1PCR9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	8/23/2007 11:50	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT2	8/23/2007 11:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	8/23/2007 11:50	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT2	8/23/2007 11:50	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1PCR9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	8/23/2007 11:50	Y	7439-89-6	Iron	109	ug/L	CD	[NULL]	[NULL]	S	B1PCR9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	8/23/2007 11:50	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1PCR9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT2	8/23/2007 11:50	Y	7439-95-4	Magnesium	5110	ug/L	D	[NULL]	[NULL]	S	B1PCR9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	8/23/2007 11:50	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	8/23/2007 11:50	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	8/23/2007 11:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT2	8/23/2007 11:50	Y	14797-55-8	Nitrate	2650	ug/L	D	[NULL]	[NULL]	S	B1PCR9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	8/23/2007 11:50	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1PCR9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	8/23/2007 11:50	Y	14265-44-2	Phosphate	613	ug/L	DU	[NULL]	[NULL]	S	B1PCR9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT2	8/23/2007 11:50	Y	7440-09-7	Potassium	1620	ug/L	D	[NULL]	[NULL]	S	B1PCR9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT2	8/23/2007 11:50	Y	7440-22-4	Silver	153	ug/L	CD	[NULL]	[NULL]	S	B1PCR9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT2	8/23/2007 11:50	Y	7440-23-5	Sodium	3730	ug/L	D	[NULL]	[NULL]	S	B1PCR9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT2	8/23/2007 11:50	Y	7440-24-6	Strontium	104	ug/L	D	[NULL]	[NULL]	S	B1PCR9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT2	8/23/2007 11:50	Y	10098-97-2	Strontium-90	830	pCi/L	[NULL]	[NULL]	[NULL]	S	B1PCR9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT2	8/23/2007 11:50	Y	14808-79-8	Sulfate	8720	ug/L	D	[NULL]	[NULL]	S	B1PCR9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT2	8/23/2007 11:50	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1PCR9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT2	8/23/2007 11:50	Y	7440-66-6	Zinc	94.1	ug/L	CD	[NULL]	[NULL]	S	B1PCR9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT3	4/13/2006 10:12	N	ALKALINITY	Alkalinity	114000	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2K0	ALKALINITY	RJ LEE	2320_ALKALINITY	100-NR-2
APT3	4/13/2006 10:12	Y	7440-38-2	Arsenic	2.98	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2J9	7440-38-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT3	4/13/2006 10:12	Y	7440-39-3	Barium	26.05	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2J9	7440-39-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT3	4/13/2006 10:12	N	24959-67-9	Bromide	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J2J8	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
APT3	4/13/2006 10:12	Y	7440-70-2	Calcium	35906.7	ug/L	D	[NULL]	[NULL]	S	B1J2J9	7440-70-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT3	4/13/2006 10:12	N	3812-32-6	Carbonate ion	114000	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2J8	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
APT3	4/13/2006 10:12	N	16887-00-6	Chloride	1200	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2J8	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
APT3	4/13/2006 10:12	Y	7440-47-3	Chromium	0	ug/L	U	[NULL]	[NULL]	S	B1J2J9	7440-47-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT3	4/13/2006 10:12	N	DO	Dissolved oxygen	9200	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2J6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT3	4/13/2006 10:12	N	16984-48-8	Fluoride	110	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2J8	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
APT3	4/13/2006 10:12	N	12587-47-2	Gross beta	1520	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J2J6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
APT3	4/13/2006 10:12	Y	7439-92-1	Lead	0	ug/L	U	[NULL]	[NULL]	S	B1J2J9	7439-92-1	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT3	4/13/2006 10:12	Y	7440-02-0	Nickel	2.27	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2J9	7440-02-0	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT3	4/13/2006 10:12	N	14797-55-8	Nitrate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J2J8	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
APT3	4/13/2006 10:12	N	EH	Oxidation Reduction Potential	-523	mV	[NULL]	[NULL]	[NULL]	S	B1J2J6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT3	4/13/2006 10:12	N	14265-44-2	Phosphate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J2J8	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
APT3	4/13/2006 10:12	Y	7440-09-7	Potassium	1448.48	ug/L	D	[NULL]	[NULL]	S	B1J2J9	7440-09-7	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT3	4/13/2006 10:12	Y	7440-23-5	Sodium	2546.03	ug/L	D	[NULL]	[NULL]	S	B1J2J9	7440-23-5	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT3	4/13/2006 10:12	N	127-09-3	Sodium acetate	920	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2J8	127-09-3	PNL1	300.0_ANIONS_IC	100-NR-2
APT3	4/13/2006 10:12	N	68-04-2	Sodium citrate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J2J8	68-04-2	PNL1	300.0_ANIONS_IC	100-NR-2
APT3	4/13/2006 10:12	N	141-53-7	Sodium formate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J2J8	141-53-7	PNL1	300.0_ANIONS_IC	100-NR-2
APT3	4/13/2006 10:12	N	CONDUCT	Specific Conductance	230.6	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J2J6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT3	4/13/2006 10:12	N	14808-79-8	Sulfate	5340	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2J8	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
APT3	4/13/2006 10:12	N	TEMPERATURE	Temperature	7.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1J2J6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT3	4/13/2006 10:12	N	10028-17-8	Tritium	25.4	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J2J7	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
APT3	4/13/2006 10:12	Y	7440-66-6	Zinc	0	ug/L	U	[NULL]	[NULL]	S	B1J2J9	7440-66-6	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT3	4/13/2006 10:12	N	PH	pH Measurement	7.47	unitless	[NULL]	[NULL]	[NULL]	S	B1J2J6	PH	FIELD	PH_ELECT_FLD	100-NR-2
APT3	5/10/2006 11:20	N	ALKALINITY	Alkalinity	204000	ug/L	[NULL]	[NULL]	[NULL]	S	B1J768	ALKALINITY	RJ LEE	2320_ALKALINITY	100-NR-2
APT3	5/10/2006 11:20	Y	7440-38-2	Arsenic	3.65	ug/L	[NULL]	[NULL]	[NULL]	S	B1J767	7440-38-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT3	5/10/2006 11:20	Y	7440-39-3	Barium	43.31	ug/L	[NULL]	[NULL]	[NULL]	S	B1J767	7440-39-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT3	5/10/2006 11:20	N	24959-67-9	Bromide	20	ug/L	[NULL]	[NULL]	[NULL]	S	B1J766	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
APT3	5/10/2006 11:20	Y	7440-70-2	Calcium	52947	ug/L	D	[NULL]	[NULL]	S	B1J767	7440-70-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT3	5/10/2006 11:20	N	3812-32-6	Carbonate ion	199000	ug/L	[NULL]	[NULL]	[NULL]	S	B1J766	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
APT3	5/10/2006 11:20	N	16887-00-6	Chloride	1330	ug/L	[NULL]	[NULL]	[NULL]	S	B1J766	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
APT3	5/10/2006 11:20	Y	7440-47-3	Chromium	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J767	7440-47-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT3	5/10/2006 11:20	N	16984-48-8	Fluoride	120	ug/L	[NULL]	[NULL]	[NULL]	S	B1J766	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
APT3	5/10/2006 11:20	N	12587-47-2	Gross beta	1590	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J764	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
APT3	5/10/2006 11:20	Y	7439-92-1	Lead	0.24	ug/L	[NULL]	[NULL]	[NULL]	S	B1J767	7439-92-1	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT3	5/10/2006 11:20	Y	7440-02-0	Nickel	2.64	ug/L	[NULL]	[NULL]	[NULL]	S	B1J767	7440-02-0	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT3	5/10/2006 11:20	N	14797-55-8	Nitrate	20	ug/L	[NULL]	[NULL]	[NULL]	S	B1J766	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
APT3	5/10/2006 11:20	N	EH	Oxidation Reduction Potential	-110	mV	[NULL]	[NULL]	[NULL]	S	B1J764	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT3	5/10/2006 11:20	N	14265-44-2	Phosphate	10	ug/L	[NULL]	[NULL]	[NULL]	S	B1J766	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
APT3	5/10/2006 11:20	Y	7440-09-7	Potassium	2022.08	ug/L	[NULL]	[NULL]	[NULL]	S	B1J767	7440-09-7	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT3	5/10/2006 11:20	Y	7440-23-5	Sodium	2860.66	ug/L	[NULL]	[NULL]	[NULL]	S	B1J767	7440-23-5	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT3	5/10/2006 11:20	N	127-09-3	Sodium acetate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J766	127-09-3	PNL1	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT3	5/10/2006 11:20	N	68-04-2	Sodium citrate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J766	68-04-2	PNL1	300.0_ANIONS_IC	100-NR-2
APT3	5/10/2006 11:20	N	141-53-7	Sodium formate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J766	141-53-7	PNL1	300.0_ANIONS_IC	100-NR-2
APT3	5/10/2006 11:20	N	CONDUCT	Specific Conductance	307	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J764	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT3	5/10/2006 11:20	N	14808-79-8	Sulfate	1850	ug/L	[NULL]	[NULL]	[NULL]	S	B1J766	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
APT3	5/10/2006 11:20	N	TEMPERATURE	Temperature	13.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1J764	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT3	5/10/2006 11:20	N	TDS	Total dissolved solids	212500	ug/L	[NULL]	[NULL]	[NULL]	S	B1J764	TDS	FIELD	TDS_FLD	100-NR-2
APT3	5/10/2006 11:20	N	10028-17-8	Tritium	-51.8	pCi/L	U	[NULL]	[NULL]	S	B1J765	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
APT3	5/10/2006 11:20	Y	7440-66-6	Zinc	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J767	7440-66-6	RJ LEE	200.8_METALS_ICPMS	100-NR-2
APT3	5/10/2006 11:20	N	PH	pH Measurement	7.19	unitless	[NULL]	[NULL]	[NULL]	S	B1J764	PH	FIELD	PH_ELECT_FLD	100-NR-2
APT3	6/6/2006 12:57	N	12587-47-2	Gross beta	911	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JHB2	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
APT3	6/6/2006 12:57	N	EH	Oxidation Reduction Potential	-85	mV	[NULL]	[NULL]	[NULL]	S	B1JHB2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT3	6/6/2006 12:57	N	CONDUCT	Specific Conductance	243.1	uS/cm	[NULL]	[NULL]	[NULL]	S	B1JHB2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT3	6/6/2006 12:57	N	TEMPERATURE	Temperature	17.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1JHB2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT3	6/6/2006 12:57	N	PH	pH Measurement	7.18	unitless	[NULL]	[NULL]	[NULL]	S	B1JHB2	PH	FIELD	PH_ELECT_FLD	100-NR-2
APT5	10/5/2006 14:27	Y	10098-97-2	Strontium-90	2100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KWF8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT5	10/19/2006 9:39	Y	DO	Dissolved oxygen	7210	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX86	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT5	10/19/2006 9:39	Y	EH	Oxidation Reduction Potential	13	mV	+	[NULL]	[NULL]	S	B1KX86	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT5	10/19/2006 9:39	Y	CONDUCT	Specific Conductance	147	uS/cm	[NULL]	[NULL]	[NULL]	S	B1KX86	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT5	10/19/2006 9:39	Y	10098-97-2	Strontium-90	540	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KX86	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT5	10/19/2006 9:39	Y	TEMPERATURE	Temperature	15.94	Deg C	[NULL]	[NULL]	[NULL]	S	B1KX86	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT5	10/19/2006 9:39	Y	PH	pH Measurement	7.53	unitless	[NULL]	[NULL]	[NULL]	S	B1KX86	PH	FIELD	PH_ELECT_FLD	100-NR-2
APT5	11/2/2006 10:49	Y	7429-90-5	Aluminum	37	ug/L	U	[NULL]	[NULL]	S	B1KX93	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/2/2006 10:49	Y	7440-36-0	Antimony	72	ug/L	U	[NULL]	[NULL]	S	B1KX93	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/2/2006 10:49	Y	7440-38-2	Arsenic	79	ug/L	U	[NULL]	[NULL]	S	B1KX93	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/2/2006 10:49	Y	7440-39-3	Barium	23.4	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX93	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/2/2006 10:49	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	S	B1KX93	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/2/2006 10:49	Y	7440-70-2	Calcium	17000	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX93	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/2/2006 10:49	Y	16887-00-6	Chloride	1310	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX93	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	11/2/2006 10:49	Y	7440-47-3	Chromium	7	ug/L	U	[NULL]	[NULL]	S	B1KX93	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/2/2006 10:49	Y	7440-48-4	Cobalt	7	ug/L	U	[NULL]	[NULL]	S	B1KX93	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/2/2006 10:49	Y	7440-50-8	Copper	7	ug/L	U	[NULL]	[NULL]	S	B1KX93	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/2/2006 10:49	Y	16984-48-8	Fluoride	6	ug/L	U	[NULL]	[NULL]	S	B1KX93	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	11/2/2006 10:49	Y	7439-89-6	Iron	33	ug/L	U	[NULL]	[NULL]	S	B1KX93	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/2/2006 10:49	Y	7439-92-1	Lead	47	ug/L	U	[NULL]	[NULL]	S	B1KX93	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/2/2006 10:49	Y	7439-95-4	Magnesium	3840	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX93	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/2/2006 10:49	Y	7439-96-5	Manganese	13.4	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX93	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/2/2006 10:49	Y	7439-98-7	Molybdenum	11	ug/L	U	[NULL]	[NULL]	S	B1KX93	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/2/2006 10:49	Y	7440-02-0	Nickel	5	ug/L	U	[NULL]	[NULL]	S	B1KX93	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/2/2006 10:49	Y	14797-55-8	Nitrate	2120	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX93	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	11/2/2006 10:49	Y	14797-65-0	Nitrite	75.5	ug/L	U	[NULL]	[NULL]	S	B1KX93	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	11/2/2006 10:49	Y	14265-44-2	Phosphate	135	ug/L	U	[NULL]	[NULL]	S	B1KX93	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	11/2/2006 10:49	Y	7440-09-7	Potassium	1380	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX93	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/2/2006 10:49	Y	7440-22-4	Silver	11	ug/L	U	[NULL]	[NULL]	S	B1KX93	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/2/2006 10:49	Y	7440-23-5	Sodium	5000	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX93	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/2/2006 10:49	Y	7440-24-6	Strontium	77.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX93	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/2/2006 10:49	Y	10098-97-2	Strontium-90	440	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KX93	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT5	11/2/2006 10:49	Y	14808-79-8	Sulfate	9600	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX93	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	11/2/2006 10:49	Y	7440-62-2	Vanadium	14	ug/L	U	[NULL]	[NULL]	S	B1KX93	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/2/2006 10:49	Y	7440-66-6	Zinc	12.6	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX93	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	2/15/2007 13:57	Y	10098-97-2	Strontium-90	560	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MDJ9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT5	5/11/2007 9:28	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NHH4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	5/11/2007 9:28	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NHH4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	5/11/2007 9:28	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NHH4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT5	5/11/2007 9:28	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	5/11/2007 9:28	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	5/11/2007 9:28	Y	7440-70-2	Calcium	18700	ug/L	D	[NULL]	[NULL]	S	B1NHH4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	5/11/2007 9:28	Y	16887-00-6	Chloride	1810	ug/L	D	[NULL]	[NULL]	S	B1NHH4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	5/11/2007 9:28	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	5/11/2007 9:28	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	5/11/2007 9:28	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	5/11/2007 9:28	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NHH4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	5/11/2007 9:28	Y	7439-89-6	Iron	74.5	ug/L	D	[NULL]	[NULL]	S	B1NHH4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	5/11/2007 9:28	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NHH4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	5/11/2007 9:28	Y	7439-95-4	Magnesium	4110	ug/L	D	[NULL]	[NULL]	S	B1NHH4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	5/11/2007 9:28	Y	7439-96-5	Manganese	114	ug/L	D	[NULL]	[NULL]	S	B1NHH4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	5/11/2007 9:28	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	5/11/2007 9:28	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	5/11/2007 9:28	Y	14797-55-8	Nitrate	1190	ug/L	BD	[NULL]	[NULL]	S	B1NHH4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	5/11/2007 9:28	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NHH4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	5/11/2007 9:28	Y	14265-44-2	Phosphate	12900	ug/L	D	[NULL]	[NULL]	S	B1NHH4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	5/11/2007 9:28	Y	7440-09-7	Potassium	1460	ug/L	D	[NULL]	[NULL]	S	B1NHH4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	5/11/2007 9:28	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NHH4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	5/11/2007 9:28	Y	7440-23-5	Sodium	20800	ug/L	D	[NULL]	[NULL]	S	B1NHH4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	5/11/2007 9:28	Y	7440-24-6	Strontium	83.4	ug/L	D	[NULL]	[NULL]	S	B1NHH4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	5/11/2007 9:28	Y	10098-97-2	Strontium-90	340	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NHH4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT5	5/11/2007 9:28	Y	14808-79-8	Sulfate	8560	ug/L	D	[NULL]	[NULL]	S	B1NHH4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	5/11/2007 9:28	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NHH4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	5/11/2007 9:28	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	8/23/2007 9:40	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1PCT5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	8/23/2007 9:40	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1PCT5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	8/23/2007 9:40	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1PCT5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	8/23/2007 9:40	Y	7440-39-3	Barium	46	ug/L	CD	[NULL]	[NULL]	S	B1PCT5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	8/23/2007 9:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1PCT5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	8/23/2007 9:40	Y	7440-70-2	Calcium	18100	ug/L	D	[NULL]	[NULL]	S	B1PCT5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	8/23/2007 9:40	Y	16887-00-6	Chloride	9340	ug/L	D	[NULL]	[NULL]	S	B1PCT5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	8/23/2007 9:40	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1PCT5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	8/23/2007 9:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1PCT5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	8/23/2007 9:40	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1PCT5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	8/23/2007 9:40	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1PCT5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	8/23/2007 9:40	Y	7439-89-6	Iron	53.2	ug/L	CD	[NULL]	[NULL]	S	B1PCT5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	8/23/2007 9:40	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1PCT5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	8/23/2007 9:40	Y	7439-95-4	Magnesium	3760	ug/L	D	[NULL]	[NULL]	S	B1PCT5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	8/23/2007 9:40	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1PCT5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	8/23/2007 9:40	Y	7439-98-7	Molybdenum	28.7	ug/L	CD	[NULL]	[NULL]	S	B1PCT5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	8/23/2007 9:40	Y	7440-02-0	Nickel	24	ug/L	D	[NULL]	[NULL]	S	B1PCT5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	8/23/2007 9:40	Y	14797-55-8	Nitrate	2900	ug/L	D	[NULL]	[NULL]	S	B1PCT5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	8/23/2007 9:40	Y	14797-65-0	Nitrite	276	ug/L	BD	[NULL]	[NULL]	S	B1PCT5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	8/23/2007 9:40	Y	14265-44-2	Phosphate	35000	ug/L	D	[NULL]	[NULL]	S	B1PCT5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	8/23/2007 9:40	Y	7440-09-7	Potassium	1520	ug/L	D	[NULL]	[NULL]	S	B1PCT5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	8/23/2007 9:40	Y	7440-22-4	Silver	146	ug/L	CD	[NULL]	[NULL]	S	B1PCT5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	8/23/2007 9:40	Y	7440-23-5	Sodium	55800	ug/L	D	[NULL]	[NULL]	S	B1PCT5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	8/23/2007 9:40	Y	7440-24-6	Strontium	78.4	ug/L	D	[NULL]	[NULL]	S	B1PCT5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	8/23/2007 9:40	Y	10098-97-2	Strontium-90	350	pCi/L	[NULL]	[NULL]	[NULL]	S	B1PCT5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT5	8/23/2007 9:40	Y	14808-79-8	Sulfate	8750	ug/L	D	[NULL]	[NULL]	S	B1PCT5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	8/23/2007 9:40	Y	7440-62-2	Vanadium	46	ug/L	CD	[NULL]	[NULL]	S	B1PCT5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	8/23/2007 9:40	Y	7440-66-6	Zinc	103	ug/L	CD	[NULL]	[NULL]	S	B1PCT5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/19/2007 9:17	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1PMT4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/19/2007 9:17	Y	7440-36-0	Antimony	32	ug/L	U	G	[NULL]	S	B1PMT4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT5	9/19/2007 9:17	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1PMT4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/19/2007 9:17	Y	7440-39-3	Barium	35.8	ug/L	[NULL]	G	[NULL]	S	B1PMT4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/19/2007 9:17	Y	7440-43-9	Cadmium	4	ug/L	U	G	[NULL]	S	B1PMT4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/19/2007 9:17	Y	7440-70-2	Calcium	20300	ug/L	D	[NULL]	[NULL]	S	B1PMT4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/19/2007 9:17	Y	16887-00-6	Chloride	10600	ug/L	D	[NULL]	[NULL]	S	B1PMT4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	9/19/2007 9:17	Y	7440-47-3	Chromium	4	ug/L	U	G	[NULL]	S	B1PMT4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/19/2007 9:17	Y	7440-48-4	Cobalt	4	ug/L	U	G	[NULL]	S	B1PMT4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/19/2007 9:17	Y	7440-50-8	Copper	4.9	ug/L	[NULL]	G	[NULL]	S	B1PMT4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/19/2007 9:17	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1PMT4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	9/19/2007 9:17	Y	7439-89-6	Iron	9	ug/L	U	G	[NULL]	S	B1PMT4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/19/2007 9:17	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1PMT4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/19/2007 9:17	Y	7439-95-4	Magnesium	4420	ug/L	D	[NULL]	[NULL]	S	B1PMT4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/19/2007 9:17	Y	7439-96-5	Manganese	50	ug/L	CD	[NULL]	[NULL]	S	B1PMT4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/19/2007 9:17	Y	7439-98-7	Molybdenum	47.3	ug/L	CD	[NULL]	[NULL]	S	B1PMT4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/19/2007 9:17	Y	7440-02-0	Nickel	4	ug/L	U	G	[NULL]	S	B1PMT4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/19/2007 9:17	Y	14797-55-8	Nitrate	14400	ug/L	D	[NULL]	[NULL]	S	B1PMT4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	9/19/2007 9:17	Y	14797-65-0	Nitrite	259	ug/L	BD	[NULL]	[NULL]	S	B1PMT4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	9/19/2007 9:17	Y	14265-44-2	Phosphate	14700	ug/L	D	[NULL]	[NULL]	S	B1PMT4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	9/19/2007 9:17	Y	7440-09-7	Potassium	1720	ug/L	D	[NULL]	[NULL]	S	B1PMT4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/19/2007 9:17	Y	7440-22-4	Silver	5	ug/L	U	G	[NULL]	S	B1PMT4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/19/2007 9:17	Y	7440-23-5	Sodium	47300	ug/L	D	[NULL]	[NULL]	S	B1PMT4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/19/2007 9:17	Y	7440-24-6	Strontium	88.7	ug/L	D	[NULL]	[NULL]	S	B1PMT4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/19/2007 9:17	Y	10098-97-2	Strontium-90	460	pCi/L	[NULL]	[NULL]	[NULL]	S	B1PMT4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT5	9/19/2007 9:17	Y	14808-79-8	Sulfate	10700	ug/L	D	[NULL]	[NULL]	S	B1PMT4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	9/19/2007 9:17	Y	7440-62-2	Vanadium	9.6	ug/L	[NULL]	G	[NULL]	S	B1PMT4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/19/2007 9:17	Y	7440-66-6	Zinc	18.4	ug/L	[NULL]	G	[NULL]	S	B1PMT4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/19/2007 8:41	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1R4N7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/19/2007 8:41	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1R4N7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/19/2007 8:41	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1R4N7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/19/2007 8:41	Y	7440-39-3	Barium	29	ug/L	D	[NULL]	[NULL]	S	B1R4N7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/19/2007 8:41	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1R4N7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/19/2007 8:41	Y	7440-70-2	Calcium	10200	ug/L	D	[NULL]	[NULL]	S	B1R4N7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/19/2007 8:41	Y	16887-00-6	Chloride	1090	ug/L	BD	[NULL]	[NULL]	S	B1R4N7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	10/19/2007 8:41	Y	7440-47-3	Chromium	57.9	ug/L	CD	[NULL]	[NULL]	S	B1R4N7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/19/2007 8:41	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1R4N7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/19/2007 8:41	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1R4N7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/19/2007 8:41	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1R4N7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	10/19/2007 8:41	Y	7439-89-6	Iron	113	ug/L	CD	[NULL]	[NULL]	S	B1R4N7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/19/2007 8:41	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1R4N7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/19/2007 8:41	Y	7439-95-4	Magnesium	2200	ug/L	D	[NULL]	[NULL]	S	B1R4N7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/19/2007 8:41	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1R4N7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/19/2007 8:41	Y	7439-98-7	Molybdenum	23.4	ug/L	CD	[NULL]	[NULL]	S	B1R4N7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/19/2007 8:41	Y	7440-02-0	Nickel	30.7	ug/L	CD	[NULL]	[NULL]	S	B1R4N7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/19/2007 8:41	Y	14797-55-8	Nitrate	3530	ug/L	D	[NULL]	[NULL]	S	B1R4N7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	10/19/2007 8:41	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1R4N7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	10/19/2007 8:41	Y	14265-44-2	Phosphate	7670	ug/L	D	[NULL]	[NULL]	S	B1R4N7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	10/19/2007 8:41	Y	7440-09-7	Potassium	1260	ug/L	D	[NULL]	[NULL]	S	B1R4N7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/19/2007 8:41	Y	7440-22-4	Silver	93	ug/L	CD	[NULL]	[NULL]	S	B1R4N7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/19/2007 8:41	Y	7440-23-5	Sodium	17800	ug/L	D	[NULL]	[NULL]	S	B1R4N7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/19/2007 8:41	Y	7440-24-6	Strontium	44.8	ug/L	D	[NULL]	[NULL]	S	B1R4N7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/19/2007 8:41	Y	10098-97-2	Strontium-90	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1R4N7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT5	10/19/2007 8:41	Y	14808-79-8	Sulfate	9340	ug/L	D	[NULL]	[NULL]	S	B1R4N7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	10/19/2007 8:41	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1R4N7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/19/2007 8:41	Y	7440-66-6	Zinc	70	ug/L	CD	[NULL]	[NULL]	S	B1R4N7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/14/2007 12:57	Y	7429-90-5	Aluminum	30	ug/L	U	[NULL]	[NULL]	S	B1R921	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT5	11/14/2007 12:57	Y	7440-36-0	Antimony	40.5	ug/L	[NULL]	[NULL]	[NULL]	S	B1R921	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/14/2007 12:57	Y	7440-38-2	Arsenic	59	ug/L	C	[NULL]	[NULL]	S	B1R921	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/14/2007 12:57	Y	7440-39-3	Barium	21	ug/L	C	[NULL]	[NULL]	S	B1R921	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/14/2007 12:57	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1R921	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/14/2007 12:57	Y	7440-70-2	Calcium	12500	ug/L	[NULL]	[NULL]	[NULL]	S	B1R921	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/14/2007 12:57	Y	16887-00-6	Chloride	855	ug/L	BD	[NULL]	[NULL]	S	B1R921	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	11/14/2007 12:57	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1R921	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/14/2007 12:57	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1R921	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/14/2007 12:57	Y	7440-50-8	Copper	12	ug/L	C	[NULL]	[NULL]	S	B1R921	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/14/2007 12:57	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1R921	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	11/14/2007 12:57	Y	7439-89-6	Iron	9	ug/L	U	[NULL]	[NULL]	S	B1R921	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/14/2007 12:57	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1R921	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/14/2007 12:57	Y	7439-95-4	Magnesium	2680	ug/L	[NULL]	[NULL]	[NULL]	S	B1R921	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/14/2007 12:57	Y	7439-96-5	Manganese	8	ug/L	C	[NULL]	[NULL]	S	B1R921	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/14/2007 12:57	Y	7439-98-7	Molybdenum	12.9	ug/L	C	[NULL]	[NULL]	S	B1R921	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/14/2007 12:57	Y	7440-02-0	Nickel	14.8	ug/L	C	[NULL]	[NULL]	S	B1R921	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/14/2007 12:57	Y	14797-55-8	Nitrate	1820	ug/L	BD	[NULL]	[NULL]	S	B1R921	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	11/14/2007 12:57	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1R921	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	11/14/2007 12:57	Y	14265-44-2	Phosphate	5030	ug/L	BD	[NULL]	[NULL]	S	B1R921	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	11/14/2007 12:57	Y	7440-09-7	Potassium	1020	ug/L	[NULL]	[NULL]	[NULL]	S	B1R921	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/14/2007 12:57	Y	7440-22-4	Silver	26	ug/L	C	[NULL]	[NULL]	S	B1R921	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/14/2007 12:57	Y	7440-23-5	Sodium	9890	ug/L	[NULL]	[NULL]	[NULL]	S	B1R921	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/14/2007 12:57	Y	7440-24-6	Strontium	54.4	ug/L	[NULL]	[NULL]	[NULL]	S	B1R921	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/14/2007 12:57	Y	10098-97-2	Strontium-90	340	pCi/L	[NULL]	[NULL]	[NULL]	S	B1R921	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
APT5	11/14/2007 12:57	Y	14808-79-8	Sulfate	9100	ug/L	D	[NULL]	[NULL]	S	B1R921	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	11/14/2007 12:57	Y	7440-62-2	Vanadium	8	ug/L	C	[NULL]	[NULL]	S	B1R921	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	11/14/2007 12:57	Y	7440-66-6	Zinc	23	ug/L	C	[NULL]	[NULL]	S	B1R921	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/3/2008 13:52	Y	7429-90-5	Aluminum	30	ug/L	U	[NULL]	[NULL]	S	B1VJN4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/3/2008 13:52	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1VJN4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/3/2008 13:52	Y	7440-38-2	Arsenic	50	ug/L	U	[NULL]	[NULL]	S	B1VJN4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/3/2008 13:52	Y	7440-39-3	Barium	19	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/3/2008 13:52	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1VJN4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/3/2008 13:52	Y	7440-70-2	Calcium	17900	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/3/2008 13:52	Y	16887-00-6	Chloride	1280	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/3/2008 13:52	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1VJN4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/3/2008 13:52	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1VJN4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/3/2008 13:52	Y	7440-50-8	Copper	10	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/3/2008 13:52	Y	16984-48-8	Fluoride	21	ug/L	U	[NULL]	[NULL]	S	B1VJN4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/3/2008 13:52	Y	12587-46-1	Gross alpha	1.3	pCi/L	U	[NULL]	[NULL]	S	B1VJN4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT5	6/3/2008 13:52	Y	12587-47-2	Gross beta	800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VJN4	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT5	6/3/2008 13:52	Y	7439-89-6	Iron	9	ug/L	U	[NULL]	[NULL]	S	B1VJN4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/3/2008 13:52	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1VJN4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/3/2008 13:52	Y	7439-95-4	Magnesium	3890	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/3/2008 13:52	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1VJN4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/3/2008 13:52	Y	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B1VJN4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/3/2008 13:52	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1VJN4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/3/2008 13:52	Y	14797-55-8	Nitrate	890	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/3/2008 13:52	Y	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	S	B1VJN4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/3/2008 13:52	Y	14265-44-2	Phosphate	2730	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/3/2008 13:52	Y	7440-09-7	Potassium	921	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/3/2008 13:52	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1VJN4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/3/2008 13:52	Y	7440-23-5	Sodium	4140	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/3/2008 13:52	Y	7440-24-6	Strontium	84	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/3/2008 13:52	Y	14808-79-8	Sulfate	8600	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/3/2008 13:52	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	S	B1VJN4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT5	6/3/2008 13:52	Y	7440-66-6	Zinc	11.2	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/6/2008 18:01	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1VTX6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/6/2008 18:01	Y	7440-36-0	Antimony	160	ug/L	DNU	[NULL]	[NULL]	S	B1VTX6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/6/2008 18:01	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VTX6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/6/2008 18:01	Y	7440-39-3	Barium	21	ug/L	D	[NULL]	[NULL]	S	B1VTX6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/6/2008 18:01	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTX6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/6/2008 18:01	Y	7440-70-2	Calcium	17500	ug/L	D	[NULL]	[NULL]	S	B1VTX6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/6/2008 18:01	Y	16887-00-6	Chloride	1250	ug/L	BD	[NULL]	[NULL]	S	B1VTX6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/6/2008 18:01	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTX6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/6/2008 18:01	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VTX6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/6/2008 18:01	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VTX6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/6/2008 18:01	Y	DO	Dissolved oxygen	9220	ug/L	[NULL]	[NULL]	[NULL]	S	B1VTX6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT5	6/6/2008 18:01	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VTX6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/6/2008 18:01	Y	12587-46-1	Gross alpha	0.74	pCi/L	U	[NULL]	[NULL]	S	B1VTX6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT5	6/6/2008 18:01	Y	12587-47-2	Gross beta	840	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VTX6	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT5	6/6/2008 18:01	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1VTX6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/6/2008 18:01	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1VTX6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/6/2008 18:01	Y	7439-95-4	Magnesium	3740	ug/L	D	[NULL]	[NULL]	S	B1VTX6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/6/2008 18:01	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VTX6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/6/2008 18:01	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VTX6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/6/2008 18:01	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VTX6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/6/2008 18:01	Y	14797-55-8	Nitrate	996	ug/L	BD	[NULL]	[NULL]	S	B1VTX6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/6/2008 18:01	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VTX6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/6/2008 18:01	Y	EH	Oxidation Reduction Potential	126	mV	[NULL]	[NULL]	[NULL]	S	B1VTX6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT5	6/6/2008 18:01	Y	14265-44-2	Phosphate	2760	ug/L	BD	[NULL]	[NULL]	S	B1VTX6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/6/2008 18:01	Y	7440-09-7	Potassium	621	ug/L	D	[NULL]	[NULL]	S	B1VTX6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/6/2008 18:01	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VTX6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/6/2008 18:01	Y	7440-23-5	Sodium	5660	ug/L	D	[NULL]	[NULL]	S	B1VTX6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/6/2008 18:01	Y	CONDUCT	Specific Conductance	1335	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VTX6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT5	6/6/2008 18:01	Y	7440-24-6	Strontium	81.2	ug/L	D	[NULL]	[NULL]	S	B1VTX6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/6/2008 18:01	Y	14808-79-8	Sulfate	8340	ug/L	D	[NULL]	[NULL]	S	B1VTX6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/6/2008 18:01	Y	TEMPERATURE	Temperature	13.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1VTX6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT5	6/6/2008 18:01	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VTX6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/6/2008 18:01	Y	7440-66-6	Zinc	22.6	ug/L	D	[NULL]	[NULL]	S	B1VTX6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/6/2008 18:01	Y	PH	pH Measurement	7.04	unitless	[NULL]	[NULL]	[NULL]	S	B1VTX6	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT5	6/7/2008 8:41	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1VV12	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/7/2008 8:41	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1VV12	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/7/2008 8:41	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VV12	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/7/2008 8:41	Y	7440-39-3	Barium	21	ug/L	D	[NULL]	[NULL]	S	B1VV12	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/7/2008 8:41	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV12	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/7/2008 8:41	Y	7440-70-2	Calcium	16800	ug/L	DN	[NULL]	[NULL]	S	B1VV12	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/7/2008 8:41	Y	16887-00-6	Chloride	1250	ug/L	BD	[NULL]	[NULL]	S	B1VV12	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/7/2008 8:41	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV12	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/7/2008 8:41	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV12	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/7/2008 8:41	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VV12	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/7/2008 8:41	Y	DO	Dissolved oxygen	8020	ug/L	[NULL]	[NULL]	[NULL]	S	B1VV12	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT5	6/7/2008 8:41	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VV12	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/7/2008 8:41	Y	12587-46-1	Gross alpha	-0.88	pCi/L	U	G	[NULL]	S	B1VV12	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT5	6/7/2008 8:41	Y	12587-47-2	Gross beta	720	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV12	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT5	6/7/2008 8:41	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1VV12	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/7/2008 8:41	Y	7439-92-1	Lead	332	ug/L	CDN	[NULL]	[NULL]	S	B1VV12	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/7/2008 8:41	Y	7439-95-4	Magnesium	3700	ug/L	D	[NULL]	[NULL]	S	B1VV12	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/7/2008 8:41	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VV12	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/7/2008 8:41	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VV12	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT5	6/7/2008 8:41	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV12	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/7/2008 8:41	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VV12	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/7/2008 8:41	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VV12	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/7/2008 8:41	Y	EH	Oxidation Reduction Potential	122	mV	[NULL]	[NULL]	[NULL]	S	B1VV12	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT5	6/7/2008 8:41	Y	14265-44-2	Phosphate	1950	ug/L	BD	[NULL]	[NULL]	S	B1VV12	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/7/2008 8:41	Y	7440-09-7	Potassium	1080	ug/L	D	[NULL]	[NULL]	S	B1VV12	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/7/2008 8:41	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV12	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/7/2008 8:41	Y	7440-23-5	Sodium	4050	ug/L	D	[NULL]	[NULL]	S	B1VV12	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/7/2008 8:41	Y	CONDUCT	Specific Conductance	152	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VV12	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT5	6/7/2008 8:41	Y	7440-24-6	Strontium	80.2	ug/L	D	[NULL]	[NULL]	S	B1VV12	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/7/2008 8:41	Y	14808-79-8	Sulfate	8530	ug/L	BD	[NULL]	[NULL]	S	B1VV12	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/7/2008 8:41	Y	TEMPERATURE	Temperature	13.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1VV12	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT5	6/7/2008 8:41	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VV12	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/7/2008 8:41	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1VV12	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/7/2008 8:41	Y	PH	pH Measurement	7.46	unitless	[NULL]	[NULL]	[NULL]	S	B1VV12	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT5	6/8/2008 8:10	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1VV38	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/8/2008 8:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1VV38	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/8/2008 8:10	Y	7440-38-2	Arsenic	250	ug/L	DNU	[NULL]	[NULL]	S	B1VV38	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/8/2008 8:10	Y	7440-39-3	Barium	20	ug/L	D	[NULL]	[NULL]	S	B1VV38	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/8/2008 8:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV38	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/8/2008 8:10	Y	7440-70-2	Calcium	17600	ug/L	D	[NULL]	[NULL]	S	B1VV38	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/8/2008 8:10	Y	16887-00-6	Chloride	1720	ug/L	BD	[NULL]	[NULL]	S	B1VV38	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/8/2008 8:10	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV38	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/8/2008 8:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV38	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/8/2008 8:10	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VV38	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/8/2008 8:10	Y	DO	Dissolved oxygen	8520	ug/L	[NULL]	[NULL]	[NULL]	S	B1VV38	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT5	6/8/2008 8:10	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VV38	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/8/2008 8:10	Y	12587-46-1	Gross alpha	0.6	pCi/L	U	[NULL]	[NULL]	S	B1VV38	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT5	6/8/2008 8:10	Y	12587-47-2	Gross beta	840	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV38	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT5	6/8/2008 8:10	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1VV38	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/8/2008 8:10	Y	7439-92-1	Lead	135	ug/L	DNU	[NULL]	[NULL]	S	B1VV38	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/8/2008 8:10	Y	7439-95-4	Magnesium	3840	ug/L	D	[NULL]	[NULL]	S	B1VV38	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/8/2008 8:10	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VV38	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/8/2008 8:10	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VV38	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/8/2008 8:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV38	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/8/2008 8:10	Y	14797-55-8	Nitrate	1020	ug/L	BD	[NULL]	[NULL]	S	B1VV38	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/8/2008 8:10	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VV38	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/8/2008 8:10	Y	EH	Oxidation Reduction Potential	75	mV	[NULL]	[NULL]	[NULL]	S	B1VV38	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT5	6/8/2008 8:10	Y	14265-44-2	Phosphate	3070	ug/L	BD	[NULL]	[NULL]	S	B1VV38	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/8/2008 8:10	Y	7440-09-7	Potassium	877	ug/L	D	[NULL]	[NULL]	S	B1VV38	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/8/2008 8:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV38	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/8/2008 8:10	Y	7440-23-5	Sodium	5510	ug/L	D	[NULL]	[NULL]	S	B1VV38	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/8/2008 8:10	Y	CONDUCT	Specific Conductance	205.6	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VV38	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT5	6/8/2008 8:10	Y	7440-24-6	Strontium	81.6	ug/L	D	[NULL]	[NULL]	S	B1VV38	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/8/2008 8:10	Y	14808-79-8	Sulfate	8320	ug/L	D	[NULL]	[NULL]	S	B1VV38	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/8/2008 8:10	Y	TEMPERATURE	Temperature	13.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1VV38	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT5	6/8/2008 8:10	Y	7440-62-2	Vanadium	42	ug/L	D	[NULL]	[NULL]	S	B1VV38	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/8/2008 8:10	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1VV38	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/8/2008 8:10	Y	PH	pH Measurement	7.3	unitless	[NULL]	[NULL]	[NULL]	S	B1VV38	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT5	6/9/2008 10:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VV64	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/9/2008 10:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV64	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/9/2008 10:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV64	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/9/2008 10:30	Y	7440-39-3	Barium	22	ug/L	D	[NULL]	[NULL]	S	B1VV64	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT5	6/9/2008 10:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV64	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/9/2008 10:30	Y	7440-70-2	Calcium	18000	ug/L	D	[NULL]	[NULL]	S	B1VV64	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/9/2008 10:30	Y	16887-00-6	Chloride	1450	ug/L	BD	[NULL]	[NULL]	S	B1VV64	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/9/2008 10:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV64	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/9/2008 10:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV64	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/9/2008 10:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV64	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/9/2008 10:30	Y	DO	Dissolved oxygen	8160	ug/L	[NULL]	[NULL]	[NULL]	S	B1VV64	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT5	6/9/2008 10:30	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VV64	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/9/2008 10:30	Y	12587-46-1	Gross alpha	1.1	pCi/L	U	[NULL]	[NULL]	S	B1VV64	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT5	6/9/2008 10:30	Y	12587-47-2	Gross beta	830	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV64	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT5	6/9/2008 10:30	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VV64	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/9/2008 10:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV64	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/9/2008 10:30	Y	7439-95-4	Magnesium	3870	ug/L	D	[NULL]	[NULL]	S	B1VV64	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/9/2008 10:30	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VV64	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/9/2008 10:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV64	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/9/2008 10:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV64	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/9/2008 10:30	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VV64	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/9/2008 10:30	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VV64	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/9/2008 10:30	Y	EH	Oxidation Reduction Potential	116	mV	[NULL]	[NULL]	[NULL]	S	B1VV64	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT5	6/9/2008 10:30	Y	14265-44-2	Phosphate	2810	ug/L	BD	[NULL]	[NULL]	S	B1VV64	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/9/2008 10:30	Y	7440-09-7	Potassium	1130	ug/L	D	[NULL]	[NULL]	S	B1VV64	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/9/2008 10:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV64	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/9/2008 10:30	Y	7440-23-5	Sodium	4650	ug/L	D	[NULL]	[NULL]	S	B1VV64	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/9/2008 10:30	Y	CONDUCT	Specific Conductance	146.1	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VV64	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT5	6/9/2008 10:30	Y	7440-24-6	Strontium	88.6	ug/L	D	[NULL]	[NULL]	S	B1VV64	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/9/2008 10:30	Y	14808-79-8	Sulfate	7630	ug/L	D	[NULL]	[NULL]	S	B1VV64	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/9/2008 10:30	Y	TEMPERATURE	Temperature	14.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1VV64	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT5	6/9/2008 10:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV64	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/9/2008 10:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV64	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/9/2008 10:30	Y	PH	pH Measurement	7.73	unitless	[NULL]	[NULL]	[NULL]	S	B1VV64	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT5	6/10/2008 16:08	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VV90	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/10/2008 16:08	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV90	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/10/2008 16:08	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV90	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/10/2008 16:08	Y	7440-39-3	Barium	73	ug/L	D	[NULL]	[NULL]	S	B1VV90	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/10/2008 16:08	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV90	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/10/2008 16:08	Y	7440-70-2	Calcium	66200	ug/L	D	[NULL]	[NULL]	S	B1VV90	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/10/2008 16:08	Y	16887-00-6	Chloride	27700	ug/L	D	[NULL]	[NULL]	S	B1VV90	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/10/2008 16:08	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV90	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/10/2008 16:08	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV90	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/10/2008 16:08	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV90	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/10/2008 16:08	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VV90	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/10/2008 16:08	Y	12587-46-1	Gross alpha	5.1	pCi/L	[NULL]	G	[NULL]	S	B1VV90	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT5	6/10/2008 16:08	Y	12587-47-2	Gross beta	3000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV90	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT5	6/10/2008 16:08	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VV90	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/10/2008 16:08	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV90	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/10/2008 16:08	Y	7439-95-4	Magnesium	14200	ug/L	D	[NULL]	[NULL]	S	B1VV90	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/10/2008 16:08	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VV90	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/10/2008 16:08	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV90	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/10/2008 16:08	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV90	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/10/2008 16:08	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VV90	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/10/2008 16:08	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VV90	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/10/2008 16:08	Y	14265-44-2	Phosphate	3830	ug/L	BD	[NULL]	[NULL]	S	B1VV90	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/10/2008 16:08	Y	7440-09-7	Potassium	1790	ug/L	D	[NULL]	[NULL]	S	B1VV90	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/10/2008 16:08	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV90	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT5	6/10/2008 16:08	Y	7440-23-5	Sodium	13100	ug/L	D	[NULL]	[NULL]	S	B1VV90	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/10/2008 16:08	Y	7440-24-6	Strontium	315	ug/L	D	[NULL]	[NULL]	S	B1VV90	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/10/2008 16:08	Y	14808-79-8	Sulfate	7680	ug/L	D	[NULL]	[NULL]	S	B1VV90	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/10/2008 16:08	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV90	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/10/2008 16:08	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV90	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/11/2008 18:29	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVC6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/11/2008 18:29	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVC6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/11/2008 18:29	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVC6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/11/2008 18:29	Y	7440-39-3	Barium	139	ug/L	D	[NULL]	[NULL]	S	B1VVC6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/11/2008 18:29	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVC6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/11/2008 18:29	Y	7440-70-2	Calcium	116000	ug/L	DN	[NULL]	[NULL]	S	B1VVC6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/11/2008 18:29	Y	16887-00-6	Chloride	43200	ug/L	D	[NULL]	[NULL]	S	B1VVC6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/11/2008 18:29	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVC6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/11/2008 18:29	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVC6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/11/2008 18:29	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVC6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/11/2008 18:29	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVC6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/11/2008 18:29	Y	12587-46-1	Gross alpha	2.3	pCi/L	U	G	[NULL]	S	B1VVC6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT5	6/11/2008 18:29	Y	12587-47-2	Gross beta	5100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVC6	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT5	6/11/2008 18:29	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVC6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/11/2008 18:29	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVC6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/11/2008 18:29	Y	7439-95-4	Magnesium	24500	ug/L	D	[NULL]	[NULL]	S	B1VVC6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/11/2008 18:29	Y	7439-96-5	Manganese	172	ug/L	D	[NULL]	[NULL]	S	B1VVC6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/11/2008 18:29	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVC6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/11/2008 18:29	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVC6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/11/2008 18:29	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVC6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/11/2008 18:29	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVC6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/11/2008 18:29	Y	14265-44-2	Phosphate	10800	ug/L	D	[NULL]	[NULL]	S	B1VVC6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/11/2008 18:29	Y	7440-09-7	Potassium	2440	ug/L	D	[NULL]	[NULL]	S	B1VVC6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/11/2008 18:29	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1VVC6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/11/2008 18:29	Y	7440-23-5	Sodium	43400	ug/L	D	[NULL]	[NULL]	S	B1VVC6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/11/2008 18:29	Y	7440-24-6	Strontium	537	ug/L	D	[NULL]	[NULL]	S	B1VVC6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/11/2008 18:29	Y	14808-79-8	Sulfate	9540	ug/L	BD	[NULL]	[NULL]	S	B1VVC6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/11/2008 18:29	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVC6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/11/2008 18:29	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVC6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/13/2008 11:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVH2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/13/2008 11:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVH2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/13/2008 11:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVH2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/13/2008 11:45	Y	7440-39-3	Barium	122	ug/L	D	[NULL]	[NULL]	S	B1VVH2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/13/2008 11:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVH2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/13/2008 11:45	Y	7440-70-2	Calcium	93400	ug/L	DN	[NULL]	[NULL]	S	B1VVH2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/13/2008 11:45	Y	16887-00-6	Chloride	37500	ug/L	D	[NULL]	[NULL]	S	B1VVH2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/13/2008 11:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVH2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/13/2008 11:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVH2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/13/2008 11:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVH2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/13/2008 11:45	Y	DO	Dissolved oxygen	2430	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVH2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT5	6/13/2008 11:45	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVH2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/13/2008 11:45	Y	12587-46-1	Gross alpha	1.2	pCi/L	U	G	[NULL]	S	B1VVH2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT5	6/13/2008 11:45	Y	12587-47-2	Gross beta	5000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVH2	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT5	6/13/2008 11:45	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVH2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/13/2008 11:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVH2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/13/2008 11:45	Y	7439-95-4	Magnesium	21300	ug/L	D	[NULL]	[NULL]	S	B1VVH2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/13/2008 11:45	Y	7439-96-5	Manganese	490	ug/L	D	[NULL]	[NULL]	S	B1VVH2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/13/2008 11:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVH2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/13/2008 11:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVH2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/13/2008 11:45	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVH2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT5	6/13/2008 11:45	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVH2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/13/2008 11:45	Y	EH	Oxidation Reduction Potential	2	mV	[NULL]	[NULL]	[NULL]	S	B1VVH2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT5	6/13/2008 11:45	Y	14265-44-2	Phosphate	41400	ug/L	D	[NULL]	[NULL]	S	B1VVH2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/13/2008 11:45	Y	7440-09-7	Potassium	2520	ug/L	D	[NULL]	[NULL]	S	B1VVH2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/13/2008 11:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVH2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/13/2008 11:45	Y	7440-23-5	Sodium	74300	ug/L	D	[NULL]	[NULL]	S	B1VVH2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/13/2008 11:45	Y	CONDUCT	Specific Conductance	9008	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVH2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT5	6/13/2008 11:45	Y	7440-24-6	Strontium	458	ug/L	D	[NULL]	[NULL]	S	B1VVH2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/13/2008 11:45	Y	14808-79-8	Sulfate	8220	ug/L	BD	[NULL]	[NULL]	S	B1VVH2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/13/2008 11:45	Y	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVH2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT5	6/13/2008 11:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVH2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/13/2008 11:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVH2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/13/2008 11:45	Y	PH	pH Measurement	7.33	unitless	[NULL]	[NULL]	[NULL]	S	B1VVH2	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT5	6/14/2008 8:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVK8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/14/2008 8:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVK8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/14/2008 8:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVK8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/14/2008 8:00	Y	7440-39-3	Barium	92	ug/L	D	[NULL]	[NULL]	S	B1VVK8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/14/2008 8:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVK8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/14/2008 8:00	Y	7440-70-2	Calcium	77200	ug/L	D	[NULL]	[NULL]	S	B1VVK8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/14/2008 8:00	Y	16887-00-6	Chloride	33400	ug/L	D	[NULL]	[NULL]	S	B1VVK8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/14/2008 8:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVK8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/14/2008 8:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVK8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/14/2008 8:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVK8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/14/2008 8:00	Y	DO	Dissolved oxygen	1840	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVK8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT5	6/14/2008 8:00	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVK8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/14/2008 8:00	Y	12587-46-1	Gross alpha	11	pCi/L	[NULL]	G	[NULL]	S	B1VVK8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT5	6/14/2008 8:00	Y	12587-47-2	Gross beta	3700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVK8	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT5	6/14/2008 8:00	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVK8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/14/2008 8:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVK8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/14/2008 8:00	Y	7439-95-4	Magnesium	17400	ug/L	D	[NULL]	[NULL]	S	B1VVK8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/14/2008 8:00	Y	7439-96-5	Manganese	404	ug/L	D	[NULL]	[NULL]	S	B1VVK8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/14/2008 8:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVK8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/14/2008 8:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVK8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/14/2008 8:00	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVK8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/14/2008 8:00	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVK8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/14/2008 8:00	Y	EH	Oxidation Reduction Potential	26	mV	[NULL]	[NULL]	[NULL]	S	B1VVK8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT5	6/14/2008 8:00	Y	14265-44-2	Phosphate	32500	ug/L	D	[NULL]	[NULL]	S	B1VVK8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/14/2008 8:00	Y	7440-09-7	Potassium	2200	ug/L	D	[NULL]	[NULL]	S	B1VVK8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/14/2008 8:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVK8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/14/2008 8:00	Y	7440-23-5	Sodium	62400	ug/L	D	[NULL]	[NULL]	S	B1VVK8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/14/2008 8:00	Y	CONDUCT	Specific Conductance	3396	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVK8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT5	6/14/2008 8:00	Y	7440-24-6	Strontium	366	ug/L	D	[NULL]	[NULL]	S	B1VVK8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/14/2008 8:00	Y	14808-79-8	Sulfate	7830	ug/L	BD	[NULL]	[NULL]	S	B1VVK8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/14/2008 8:00	Y	TEMPERATURE	Temperature	13.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVK8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT5	6/14/2008 8:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVK8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/14/2008 8:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVK8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/14/2008 8:00	Y	PH	pH Measurement	7.34	unitless	[NULL]	[NULL]	[NULL]	S	B1VVK8	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT5	6/16/2008 10:40	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVN4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/16/2008 10:40	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVN4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/16/2008 10:40	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVN4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/16/2008 10:40	Y	7440-39-3	Barium	86	ug/L	D	[NULL]	[NULL]	S	B1VVN4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/16/2008 10:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVN4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/16/2008 10:40	Y	7440-70-2	Calcium	82300	ug/L	DN	[NULL]	[NULL]	S	B1VVN4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT5	6/16/2008 10:40	Y	16887-00-6	Chloride	37600	ug/L	D	[NULL]	[NULL]	S	B1VVN4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/16/2008 10:40	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVN4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/16/2008 10:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVN4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/16/2008 10:40	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVN4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/16/2008 10:40	Y	DO	Dissolved oxygen	1580	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVN4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT5	6/16/2008 10:40	Y	16984-48-8	Fluoride	210	ug/L	DNU	[NULL]	[NULL]	S	B1VVN4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/16/2008 10:40	Y	12587-46-1	Gross alpha	4.7	pCi/L	U	[NULL]	[NULL]	S	B1VVN4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT5	6/16/2008 10:40	Y	12587-47-2	Gross beta	4500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVN4	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT5	6/16/2008 10:40	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVN4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/16/2008 10:40	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVN4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/16/2008 10:40	Y	7439-95-4	Magnesium	17500	ug/L	DN	[NULL]	[NULL]	S	B1VVN4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/16/2008 10:40	Y	7439-96-5	Manganese	451	ug/L	D	[NULL]	[NULL]	S	B1VVN4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/16/2008 10:40	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVN4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/16/2008 10:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVN4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/16/2008 10:40	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVN4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/16/2008 10:40	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVN4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/16/2008 10:40	Y	EH	Oxidation Reduction Potential	-26	mV	[NULL]	[NULL]	[NULL]	S	B1VVN4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT5	6/16/2008 10:40	Y	14265-44-2	Phosphate	15300	ug/L	D	[NULL]	[NULL]	S	B1VVN4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/16/2008 10:40	Y	7440-09-7	Potassium	1940	ug/L	D	[NULL]	[NULL]	S	B1VVN4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/16/2008 10:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVN4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/16/2008 10:40	Y	7440-23-5	Sodium	41500	ug/L	D	[NULL]	[NULL]	S	B1VVN4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/16/2008 10:40	Y	CONDUCT	Specific Conductance	738	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVN4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT5	6/16/2008 10:40	Y	7440-24-6	Strontium	380	ug/L	D	[NULL]	[NULL]	S	B1VVN4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/16/2008 10:40	Y	14808-79-8	Sulfate	9230	ug/L	BD	[NULL]	[NULL]	S	B1VVN4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/16/2008 10:40	Y	TEMPERATURE	Temperature	15.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVN4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT5	6/16/2008 10:40	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVN4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/16/2008 10:40	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVN4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/16/2008 10:40	Y	PH	pH Measurement	7.37	unitless	[NULL]	[NULL]	[NULL]	S	B1VVN4	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT5	6/18/2008 6:40	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVT0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/18/2008 6:40	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVT0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/18/2008 6:40	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVT0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/18/2008 6:40	Y	7440-39-3	Barium	80	ug/L	D	[NULL]	[NULL]	S	B1VVT0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/18/2008 6:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVT0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/18/2008 6:40	Y	7440-70-2	Calcium	78000	ug/L	D	[NULL]	[NULL]	S	B1VVT0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/18/2008 6:40	Y	16887-00-6	Chloride	28600	ug/L	D	[NULL]	[NULL]	S	B1VVT0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/18/2008 6:40	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVT0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/18/2008 6:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVT0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/18/2008 6:40	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVT0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/18/2008 6:40	Y	DO	Dissolved oxygen	5860	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVT0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT5	6/18/2008 6:40	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVT0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/18/2008 6:40	Y	12587-46-1	Gross alpha	-0.22	pCi/L	U	[NULL]	[NULL]	S	B1VVT0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT5	6/18/2008 6:40	Y	12587-47-2	Gross beta	2100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVT0	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT5	6/18/2008 6:40	Y	7439-89-6	Iron	137	ug/L	D	[NULL]	[NULL]	S	B1VVT0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/18/2008 6:40	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVT0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/18/2008 6:40	Y	7439-95-4	Magnesium	17600	ug/L	DN	[NULL]	[NULL]	S	B1VVT0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/18/2008 6:40	Y	7439-96-5	Manganese	519	ug/L	D	[NULL]	[NULL]	S	B1VVT0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/18/2008 6:40	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVT0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/18/2008 6:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVT0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/18/2008 6:40	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVT0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/18/2008 6:40	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVT0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/18/2008 6:40	Y	EH	Oxidation Reduction Potential	10	mV	[NULL]	[NULL]	[NULL]	S	B1VVT0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT5	6/18/2008 6:40	Y	14265-44-2	Phosphate	36500	ug/L	D	[NULL]	[NULL]	S	B1VVT0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/18/2008 6:40	Y	7440-09-7	Potassium	2240	ug/L	D	[NULL]	[NULL]	S	B1VVT0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT5	6/18/2008 6:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVT0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/18/2008 6:40	Y	7440-23-5	Sodium	70000	ug/L	D	[NULL]	[NULL]	S	B1VVT0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/18/2008 6:40	Y	CONDUCT	Specific Conductance	699.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVT0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT5	6/18/2008 6:40	Y	7440-24-6	Strontium	363	ug/L	D	[NULL]	[NULL]	S	B1VVT0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/18/2008 6:40	Y	14808-79-8	Sulfate	7530	ug/L	BD	[NULL]	[NULL]	S	B1VVT0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/18/2008 6:40	Y	TEMPERATURE	Temperature	12.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVT0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT5	6/18/2008 6:40	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVT0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/18/2008 6:40	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVT0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/18/2008 6:40	Y	PH	pH Measurement	7.57	unitless	[NULL]	[NULL]	[NULL]	S	B1VVT0	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT5	6/27/2008 9:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVX3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/27/2008 9:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVX3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/27/2008 9:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVX3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/27/2008 9:30	Y	7440-39-3	Barium	46	ug/L	D	[NULL]	[NULL]	S	B1VVX3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/27/2008 9:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVX3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/27/2008 9:30	Y	7440-70-2	Calcium	50000	ug/L	D	[NULL]	[NULL]	S	B1VVX3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/27/2008 9:30	Y	16887-00-6	Chloride	20900	ug/L	D	[NULL]	[NULL]	S	B1VVX3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/27/2008 9:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVX3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/27/2008 9:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVX3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/27/2008 9:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVX3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/27/2008 9:30	Y	DO	Dissolved oxygen	1700	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVX3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT5	6/27/2008 9:30	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVX3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/27/2008 9:30	Y	12587-46-1	Gross alpha	3.4	pCi/L	[NULL]	G	[NULL]	S	B1VVX3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT5	6/27/2008 9:30	Y	12587-47-2	Gross beta	1800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVX3	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT5	6/27/2008 9:30	Y	7439-89-6	Iron	354	ug/L	CD	[NULL]	[NULL]	S	B1VVX3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/27/2008 9:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVX3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/27/2008 9:30	Y	7439-95-4	Magnesium	11400	ug/L	DN	[NULL]	[NULL]	S	B1VVX3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/27/2008 9:30	Y	7439-96-5	Manganese	430	ug/L	D	[NULL]	[NULL]	S	B1VVX3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/27/2008 9:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVX3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/27/2008 9:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVX3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/27/2008 9:30	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVX3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/27/2008 9:30	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVX3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/27/2008 9:30	Y	EH	Oxidation Reduction Potential	-125	mV	[NULL]	[NULL]	[NULL]	S	B1VVX3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT5	6/27/2008 9:30	Y	14265-44-2	Phosphate	16800	ug/L	D	[NULL]	[NULL]	S	B1VVX3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/27/2008 9:30	Y	7440-09-7	Potassium	1930	ug/L	D	[NULL]	[NULL]	S	B1VVX3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/27/2008 9:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVX3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/27/2008 9:30	Y	7440-23-5	Sodium	69600	ug/L	D	[NULL]	[NULL]	S	B1VVX3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/27/2008 9:30	Y	CONDUCT	Specific Conductance	576.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVX3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT5	6/27/2008 9:30	Y	7440-24-6	Strontium	237	ug/L	D	[NULL]	[NULL]	S	B1VVX3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/27/2008 9:30	Y	14808-79-8	Sulfate	5780	ug/L	BD	[NULL]	[NULL]	S	B1VVX3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	6/27/2008 9:30	Y	TEMPERATURE	Temperature	14.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVX3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT5	6/27/2008 9:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVX3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/27/2008 9:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVX3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	6/27/2008 9:30	Y	PH	pH Measurement	7.42	unitless	[NULL]	[NULL]	[NULL]	S	B1VVX3	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT5	7/4/2008 10:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWX2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/4/2008 10:20	Y	7440-36-0	Antimony	280	ug/L	DNU	[NULL]	[NULL]	S	B1VWX2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/4/2008 10:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWX2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/4/2008 10:20	Y	7440-39-3	Barium	56	ug/L	D	[NULL]	[NULL]	S	B1VWX2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/4/2008 10:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWX2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/4/2008 10:20	Y	7440-70-2	Calcium	62000	ug/L	DN	[NULL]	[NULL]	S	B1VWX2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/4/2008 10:20	Y	16887-00-6	Chloride	22000	ug/L	D	[NULL]	[NULL]	S	B1VWX2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	7/4/2008 10:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWX2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/4/2008 10:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWX2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/4/2008 10:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWX2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/4/2008 10:20	Y	DO	Dissolved oxygen	4300	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWX2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT5	7/4/2008 10:20	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VWX2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	7/4/2008 10:20	Y	12587-46-1	Gross alpha	5.8	pCi/L	[NULL]	G	[NULL]	S	B1VWX2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT5	7/4/2008 10:20	Y	12587-47-2	Gross beta	2600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWX2	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT5	7/4/2008 10:20	Y	7439-89-6	Iron	366	ug/L	D	[NULL]	[NULL]	S	B1VWX2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/4/2008 10:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWX2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/4/2008 10:20	Y	7439-95-4	Magnesium	13600	ug/L	D	[NULL]	[NULL]	S	B1VWX2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/4/2008 10:20	Y	7439-96-5	Manganese	536	ug/L	D	[NULL]	[NULL]	S	B1VWX2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/4/2008 10:20	Y	7439-98-7	Molybdenum	25	ug/L	DNU	[NULL]	[NULL]	S	B1VWX2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/4/2008 10:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWX2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/4/2008 10:20	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VWX2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	7/4/2008 10:20	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VWX2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	7/4/2008 10:20	Y	EH	Oxidation Reduction Potential	-45	mV	[NULL]	[NULL]	[NULL]	S	B1VWX2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT5	7/4/2008 10:20	Y	14265-44-2	Phosphate	9690	ug/L	BD	[NULL]	[NULL]	S	B1VWX2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	7/4/2008 10:20	Y	7440-09-7	Potassium	2200	ug/L	D	[NULL]	[NULL]	S	B1VWX2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/4/2008 10:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWX2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/4/2008 10:20	Y	7440-23-5	Sodium	65700	ug/L	D	[NULL]	[NULL]	S	B1VWX2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/4/2008 10:20	Y	CONDUCT	Specific Conductance	5803	uS/cm	[NULL]	Y	[NULL]	S	B1VWX2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT5	7/4/2008 10:20	Y	7440-24-6	Strontium	286	ug/L	D	[NULL]	[NULL]	S	B1VWX2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/4/2008 10:20	Y	14808-79-8	Sulfate	4230	ug/L	BD	[NULL]	[NULL]	S	B1VWX2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	7/4/2008 10:20	Y	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWX2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT5	7/4/2008 10:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWX2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/4/2008 10:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWX2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/4/2008 10:20	Y	PH	pH Measurement	7.33	unitless	[NULL]	[NULL]	[NULL]	S	B1VWX2	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT5	7/11/2008 9:00	Y	7429-90-5	Aluminum	1710	ug/L	D	[NULL]	[NULL]	S	B1W7X6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/11/2008 9:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7X6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/11/2008 9:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7X6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/11/2008 9:00	Y	7440-39-3	Barium	83	ug/L	D	[NULL]	[NULL]	S	B1W7X6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/11/2008 9:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7X6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/11/2008 9:00	Y	7440-70-2	Calcium	88700	ug/L	D	[NULL]	[NULL]	S	B1W7X6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/11/2008 9:00	Y	16887-00-6	Chloride	34100	ug/L	D	[NULL]	[NULL]	S	B1W7X6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	7/11/2008 9:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7X6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/11/2008 9:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7X6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/11/2008 9:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7X6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/11/2008 9:00	Y	DO	Dissolved oxygen	5920	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7X6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT5	7/11/2008 9:00	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7X6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	7/11/2008 9:00	Y	12587-46-1	Gross alpha	7.9	pCi/L	U	[NULL]	[NULL]	S	B1W7X6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT5	7/11/2008 9:00	Y	12587-47-2	Gross beta	3600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7X6	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT5	7/11/2008 9:00	Y	7439-89-6	Iron	2880	ug/L	D	[NULL]	[NULL]	S	B1W7X6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/11/2008 9:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7X6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/11/2008 9:00	Y	7439-95-4	Magnesium	19300	ug/L	D	[NULL]	[NULL]	S	B1W7X6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/11/2008 9:00	Y	7439-96-5	Manganese	836	ug/L	D	[NULL]	[NULL]	S	B1W7X6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/11/2008 9:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7X6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/11/2008 9:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7X6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/11/2008 9:00	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7X6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	7/11/2008 9:00	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7X6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	7/11/2008 9:00	Y	EH	Oxidation Reduction Potential	-82	mV	[NULL]	[NULL]	[NULL]	S	B1W7X6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT5	7/11/2008 9:00	Y	14265-44-2	Phosphate	7760	ug/L	BD	[NULL]	[NULL]	S	B1W7X6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	7/11/2008 9:00	Y	7440-09-7	Potassium	2110	ug/L	D	[NULL]	[NULL]	S	B1W7X6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/11/2008 9:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7X6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/11/2008 9:00	Y	7440-23-5	Sodium	24200	ug/L	DX	[NULL]	[NULL]	S	B1W7X6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/11/2008 9:00	Y	CONDUCT	Specific Conductance	645.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7X6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT5	7/11/2008 9:00	Y	7440-24-6	Strontium	385	ug/L	D	[NULL]	[NULL]	S	B1W7X6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/11/2008 9:00	Y	14808-79-8	Sulfate	3630	ug/L	BD	[NULL]	[NULL]	S	B1W7X6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT5	7/11/2008 9:00	Y	TEMPERATURE	Temperature	15.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7X6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT5	7/11/2008 9:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7X6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/11/2008 9:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7X6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/11/2008 9:00	Y	PH	pH Measurement	7.22	unitless	[NULL]	[NULL]	[NULL]	S	B1W7X6	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT5	7/18/2008 11:10	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCC3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/18/2008 11:10	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCC3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/18/2008 11:10	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCC3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/18/2008 11:10	Y	7440-39-3	Barium	104	ug/L	D	[NULL]	[NULL]	S	B1WCC3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/18/2008 11:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCC3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/18/2008 11:10	Y	7440-70-2	Calcium	140000	ug/L	D	[NULL]	[NULL]	S	B1WCC3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/18/2008 11:10	Y	16887-00-6	Chloride	36500	ug/L	DN	[NULL]	[NULL]	S	B1WCC3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	7/18/2008 11:10	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCC3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/18/2008 11:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCC3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/18/2008 11:10	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCC3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/18/2008 11:10	Y	DO	Dissolved oxygen	4330	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCC3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT5	7/18/2008 11:10	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WCC3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	7/18/2008 11:10	Y	12587-46-1	Gross alpha	4.6	pCi/L	[NULL]	G	[NULL]	S	B1WCC3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT5	7/18/2008 11:10	Y	12587-47-2	Gross beta	5200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCC3	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT5	7/18/2008 11:10	Y	7439-89-6	Iron	144	ug/L	BD	[NULL]	[NULL]	S	B1WCC3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/18/2008 11:10	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCC3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/18/2008 11:10	Y	7439-95-4	Magnesium	27700	ug/L	D	[NULL]	[NULL]	S	B1WCC3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/18/2008 11:10	Y	7439-96-5	Manganese	1630	ug/L	D	[NULL]	[NULL]	S	B1WCC3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/18/2008 11:10	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCC3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/18/2008 11:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCC3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/18/2008 11:10	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCC3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	7/18/2008 11:10	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCC3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	7/18/2008 11:10	Y	EH	Oxidation Reduction Potential	-106	mV	[NULL]	[NULL]	[NULL]	S	B1WCC3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT5	7/18/2008 11:10	Y	14265-44-2	Phosphate	2010	ug/L	BD	[NULL]	[NULL]	S	B1WCC3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	7/18/2008 11:10	Y	7440-09-7	Potassium	2370	ug/L	BD	[NULL]	[NULL]	S	B1WCC3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/18/2008 11:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCC3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/18/2008 11:10	Y	7440-23-5	Sodium	31600	ug/L	DX	[NULL]	[NULL]	S	B1WCC3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/18/2008 11:10	Y	CONDUCT	Specific Conductance	833.1	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCC3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT5	7/18/2008 11:10	Y	7440-24-6	Strontium	696	ug/L	D	[NULL]	[NULL]	S	B1WCC3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/18/2008 11:10	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WCC3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	7/18/2008 11:10	Y	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCC3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT5	7/18/2008 11:10	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCC3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/18/2008 11:10	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCC3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	7/18/2008 11:10	Y	PH	pH Measurement	7.22	unitless	[NULL]	[NULL]	[NULL]	S	B1WCC3	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT5	9/3/2008 8:14	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WWJ5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/3/2008 8:14	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WWJ5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/3/2008 8:14	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WWJ5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/3/2008 8:14	Y	7440-39-3	Barium	22	ug/L	BD	[NULL]	[NULL]	S	B1WWJ5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/3/2008 8:14	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWJ5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/3/2008 8:14	Y	7440-70-2	Calcium	18600	ug/L	D	[NULL]	[NULL]	S	B1WWJ5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/3/2008 8:14	Y	16887-00-6	Chloride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWC3	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
APT5	9/3/2008 8:14	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WWJ5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/3/2008 8:14	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WWJ5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/3/2008 8:14	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WWJ5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/3/2008 8:14	Y	DO	Dissolved oxygen	5080	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWC3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT5	9/3/2008 8:14	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWC3	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
APT5	9/3/2008 8:14	Y	12587-46-1	Gross alpha	0.98	pCi/L	U	[NULL]	[NULL]	S	B1WWJ5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT5	9/3/2008 8:14	Y	12587-47-2	Gross beta	750	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWJ5	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT5	9/3/2008 8:14	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WWJ5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/3/2008 8:14	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WWJ5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT5	9/3/2008 8:14	Y	7439-95-4	Magnesium	5000	ug/L	D	[NULL]	[NULL]	S	B1WWJ5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/3/2008 8:14	Y	7439-96-5	Manganese	97	ug/L	BD	[NULL]	[NULL]	S	B1WWJ5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/3/2008 8:14	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WWJ5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/3/2008 8:14	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WWJ5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/3/2008 8:14	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWC3	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
APT5	9/3/2008 8:14	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWC3	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
APT5	9/3/2008 8:14	Y	EH	Oxidation Reduction Potential	87	mV	[NULL]	[NULL]	[NULL]	S	B1WWC3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT5	9/3/2008 8:14	Y	14265-44-2	Phosphate	254000	ug/L	D	[NULL]	[NULL]	S	B1WWC3	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
APT5	9/3/2008 8:14	Y	7440-09-7	Potassium	1700	ug/L	BD	[NULL]	[NULL]	S	B1WWJ5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/3/2008 8:14	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WWJ5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/3/2008 8:14	Y	7440-23-5	Sodium	238000	ug/L	D	[NULL]	[NULL]	S	B1WWJ5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/3/2008 8:14	Y	CONDUCT	Specific Conductance	9463	uS/cm	[NULL]	Y	[NULL]	S	B1WWC3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT5	9/3/2008 8:14	Y	7440-24-6	Strontium	105	ug/L	D	[NULL]	[NULL]	S	B1WWJ5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/3/2008 8:14	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWC3	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
APT5	9/3/2008 8:14	Y	TEMPERATURE	Temperature	15.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWC3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT5	9/3/2008 8:14	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WWJ5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/3/2008 8:14	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WWJ5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	9/3/2008 8:14	Y	PH	pH Measurement	7.74	unitless	[NULL]	[NULL]	[NULL]	S	B1WWC3	PH	FIELD	PH_PAPER_FLD	100-NR-2
APT5	10/29/2008 14:20	N	7429-90-5	Aluminum	116	ug/L	B	[NULL]	[NULL]	S	B1XPT9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/29/2008 14:20	N	7440-36-0	Antimony	60	ug/L	U	[NULL]	[NULL]	S	B1XPT9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/29/2008 14:20	N	7440-38-2	Arsenic	80	ug/L	U	[NULL]	[NULL]	S	B1XPT9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/29/2008 14:20	N	7440-39-3	Barium	5.4	ug/L	B	[NULL]	[NULL]	S	B1XPT9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/29/2008 14:20	N	24959-67-9	Bromide	500	ug/L	UD	[NULL]	[NULL]	S	B1XPT9	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	10/29/2008 14:20	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1XPT9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/29/2008 14:20	N	7440-70-2	Calcium	4540	ug/L	[NULL]	[NULL]	[NULL]	S	B1XPT9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/29/2008 14:20	N	16887-00-6	Chloride	1390	ug/L	BD	[NULL]	[NULL]	S	B1XPT9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	10/29/2008 14:20	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	S	B1XPT9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/29/2008 14:20	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1XPT9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/29/2008 14:20	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1XPT9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/29/2008 14:20	N	DO	Dissolved oxygen	6040	ug/L	[NULL]	[NULL]	[NULL]	S	B1XPT9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT5	10/29/2008 14:20	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1XPT9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	10/29/2008 14:20	N	12587-46-1	Gross alpha	-0.378	pCi/L	U	[NULL]	[NULL]	S	B1XPT9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT5	10/29/2008 14:20	N	12587-47-2	Gross beta	169	pCi/L	[NULL]	[NULL]	[NULL]	S	B1XPT9	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT5	10/29/2008 14:20	N	7439-89-6	Iron	49.8	ug/L	B	[NULL]	[NULL]	S	B1XPT9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/29/2008 14:20	N	7439-92-1	Lead	40	ug/L	U	[NULL]	[NULL]	S	B1XPT9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/29/2008 14:20	N	7439-95-4	Magnesium	987	ug/L	[NULL]	[NULL]	[NULL]	S	B1XPT9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/29/2008 14:20	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1XPT9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/29/2008 14:20	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1XPT9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/29/2008 14:20	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1XPT9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/29/2008 14:20	N	14797-55-8	Nitrate	9380	ug/L	D	[NULL]	[NULL]	S	B1XPT9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	10/29/2008 14:20	N	14797-65-0	Nitrite	434	ug/L	BD	[NULL]	[NULL]	S	B1XPT9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	10/29/2008 14:20	N	EH	Oxidation Reduction Potential	177	mV	[NULL]	[NULL]	[NULL]	S	B1XPT9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT5	10/29/2008 14:20	N	14265-44-2	Phosphate	50300	ug/L	D	[NULL]	[NULL]	S	B1XPT9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	10/29/2008 14:20	N	7440-09-7	Potassium	836	ug/L	B	[NULL]	[NULL]	S	B1XPT9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/29/2008 14:20	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1XPT9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/29/2008 14:20	N	7440-23-5	Sodium	51900	ug/L	[NULL]	[NULL]	[NULL]	S	B1XPT9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/29/2008 14:20	N	CONDUCT	Specific Conductance	279	uS/cm	[NULL]	[NULL]	[NULL]	S	B1XPT9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT5	10/29/2008 14:20	N	7440-24-6	Strontium	28.5	ug/L	[NULL]	[NULL]	[NULL]	S	B1XPT9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/29/2008 14:20	N	14808-79-8	Sulfate	12600	ug/L	D	[NULL]	[NULL]	S	B1XPT9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	10/29/2008 14:20	N	TEMPERATURE	Temperature	14.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1XPT9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT5	10/29/2008 14:20	N	7440-62-2	Vanadium	10	ug/L	U	[NULL]	[NULL]	S	B1XPT9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/29/2008 14:20	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1XPT9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	10/29/2008 14:20	N	PH	pH Measurement	7.15	unitless	[NULL]	[NULL]	[NULL]	S	B1XPT9	PH	FIELD	PH_PAPER_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
APT5	12/3/2008 12:20	N	7429-90-5	Aluminum	52	ug/L	U	[NULL]	[NULL]	C	B1XXW1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	12/3/2008 12:20	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1XXW1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	12/3/2008 12:20	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1XXW1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	12/3/2008 12:20	N	7440-39-3	Barium	8	ug/L	B	[NULL]	[NULL]	C	B1XXW1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	12/3/2008 12:20	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1XXW1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
APT5	12/3/2008 12:20	N	7440-70-2	Calcium	7350	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXW1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	12/3/2008 12:20	N	16887-00-6	Chloride	2070	ug/L	BD	[NULL]	[NULL]	C	B1XXW1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	12/3/2008 12:20	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1XXW1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
APT5	12/3/2008 12:20	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1XXW1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	12/3/2008 12:20	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	C	B1XXW1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
APT5	12/3/2008 12:20	N	DO	Dissolved oxygen	10260	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXW1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
APT5	12/3/2008 12:20	N	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	C	B1XXW1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	12/3/2008 12:20	N	12587-46-1	Gross alpha	0.76	pCi/L	U	[NULL]	[NULL]	C	B1XXW1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
APT5	12/3/2008 12:20	N	12587-47-2	Gross beta	290	pCi/L	[NULL]	[NULL]	[NULL]	C	B1XXW1	12587-47-2	WSCF	BETA_GPC	100-NR-2
APT5	12/3/2008 12:20	N	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	C	B1XXW1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	12/3/2008 12:20	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	C	B1XXW1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
APT5	12/3/2008 12:20	N	7439-95-4	Magnesium	1780	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXW1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	12/3/2008 12:20	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	C	B1XXW1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	12/3/2008 12:20	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	C	B1XXW1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	12/3/2008 12:20	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1XXW1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
APT5	12/3/2008 12:20	N	14797-55-8	Nitrate	13900	ug/L	D	[NULL]	[NULL]	C	B1XXW1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	12/3/2008 12:20	N	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	C	B1XXW1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	12/3/2008 12:20	N	EH	Oxidation Reduction Potential	250	mV	[NULL]	[NULL]	[NULL]	C	B1XXW1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
APT5	12/3/2008 12:20	N	14265-44-2	Phosphate	45400	ug/L	D	[NULL]	[NULL]	C	B1XXW1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	12/3/2008 12:20	N	7440-09-7	Potassium	2130	ug/L	C	[NULL]	[NULL]	C	B1XXW1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
APT5	12/3/2008 12:20	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1XXW1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
APT5	12/3/2008 12:20	N	7440-23-5	Sodium	48000	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXW1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
APT5	12/3/2008 12:20	N	CONDUCT	Specific Conductance	249	uS/cm	[NULL]	[NULL]	[NULL]	C	B1XXW1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
APT5	12/3/2008 12:20	N	7440-24-6	Strontium	51.6	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXW1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	12/3/2008 12:20	N	14808-79-8	Sulfate	11000	ug/L	D	[NULL]	[NULL]	C	B1XXW1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
APT5	12/3/2008 12:20	N	TEMPERATURE	Temperature	9.7	Deg C	[NULL]	[NULL]	[NULL]	C	B1XXW1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
APT5	12/3/2008 12:20	N	7440-62-2	Vanadium	23.6	ug/L	B	[NULL]	[NULL]	C	B1XXW1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
APT5	12/3/2008 12:20	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1XXW1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
APT5	12/3/2008 12:20	N	PH	pH Measurement	7.53	unitless	[NULL]	[NULL]	[NULL]	C	B1XXW1	PH	FIELD	PH_PAPER_FLD	100-NR-2
AT-K-6-D	2/28/2006 11:35	N	DO	Dissolved oxygen	8100	ug/L	[NULL]	[NULL]	[NULL]	R	B1FTL9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
AT-K-6-D	2/28/2006 11:35	Y	18540-29-9	Hexavalent Chromium	43	ug/L	[NULL]	[NULL]	[NULL]	R	B1FTM0	18540-29-9	PNL1	CR6_HACH_M	100-NR-2
AT-K-6-D	2/28/2006 11:35	N	EH	Oxidation Reduction Potential	121	mV	[NULL]	[NULL]	[NULL]	R	B1FTL9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
AT-K-6-D	2/28/2006 11:35	N	CONDUCT	Specific Conductance	377.5	uS/cm	[NULL]	[NULL]	[NULL]	R	B1FTL9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
AT-K-6-D	2/28/2006 11:35	N	TEMPERATURE	Temperature	12.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1FTL9	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
AT-K-6-D	2/28/2006 11:35	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B1FTL9	PH	FIELD	PH_ELECT_FLD	100-NR-2
AT-K-6-D	1/11/2007 10:40	N	DO	Dissolved oxygen	7500	ug/L	[NULL]	[NULL]	[NULL]	R	B1LPW5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
AT-K-6-D	1/11/2007 10:40	N	18540-29-9	Hexavalent Chromium	43	ug/L	[NULL]	G	[NULL]	R	B1LPW5	18540-29-9	FIELD	COLOR_TK_CR6_FLD	100-NR-2
AT-K-6-D	1/11/2007 10:40	N	18540-29-9	Hexavalent Chromium	53	ug/L	[NULL]	[NULL]	[NULL]	R	B1LPW4	18540-29-9	WSCF	7196_CR6	100-NR-2
AT-K-6-D	1/11/2007 10:40	N	EH	Oxidation Reduction Potential	221	mV	[NULL]	[NULL]	[NULL]	R	B1LPW5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
AT-K-6-D	1/11/2007 10:40	N	CONDUCT	Specific Conductance	441.5	uS/cm	[NULL]	[NULL]	[NULL]	R	B1LPW5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
AT-K-6-D	1/11/2007 10:40	N	TEMPERATURE	Temperature	12.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1LPW5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
AT-K-6-D	1/11/2007 10:40	N	PH	pH Measurement	7.68	unitless	[NULL]	[NULL]	[NULL]	R	B1LPW5	PH	FIELD	PH_ELECT_FLD	100-NR-2
AT-K-6-D	11/27/2007 13:58	N	DO	Dissolved oxygen	8750	ug/L	[NULL]	[NULL]	[NULL]	R	B1PYW7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
AT-K-6-D	11/27/2007 13:58	N	18540-29-9	Hexavalent Chromium	48.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1PYW8	18540-29-9	WSCF	7196_CR6	100-NR-2
AT-K-6-D	11/27/2007 13:58	N	EH	Oxidation Reduction Potential	84	mV	[NULL]	[NULL]	[NULL]	R	B1PYW7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
AT-K-6-D	11/27/2007 13:58	N	CONDUCT	Specific Conductance	429	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PYW7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
AT-K-6-D	11/27/2007 13:58	N	14808-79-8	Sulfate	73700	ug/L	D	[NULL]	[NULL]	R	B1PYW8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
AT-K-6-D	11/27/2007 13:58	N	TEMPERATURE	Temperature	14.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1PYW7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
AT-K-6-D	11/27/2007 13:58	N	TURBIDITY	Turbidity	11.7	NTU	[NULL]	[NULL]	[NULL]	R	B1PYW7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
AT-K-6-D	11/27/2007 13:58	N	PH	pH Measurement	7.54	unitless	[NULL]	[NULL]	[NULL]	R	B1PYW7	PH	FIELD	PH_ELECT_FLD	100-NR-2
AT-K-6-M	3/2/2004 11:18	N	16887-00-6	Chloride	14300	ug/L	D	[NULL]	[NULL]	R	B18M68	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
AT-K-6-M	3/2/2004 11:18	N	DO	Dissolved oxygen	6120	ug/L	[NULL]	[NULL]	[NULL]	R	B18M68	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
AT-K-6-M	3/2/2004 11:18	N	16984-48-8	Fluoride	220	ug/L	[NULL]	[NULL]	[NULL]	R	B18M68	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
AT-K-6-M	3/2/2004 11:18	Y	18540-29-9	Hexavalent Chromium	34.2	ug/L	[NULL]	[NULL]	[NULL]	R	B18M70	18540-29-9	PNL1	CR6_HACH_M	100-NR-2
AT-K-6-M	3/2/2004 11:18	N	14797-55-8	Nitrate	19500	ug/L	D	[NULL]	[NULL]	R	B18M68	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
AT-K-6-M	3/2/2004 11:18	N	14797-65-0	Nitrite	115	ug/L	[NULL]	[NULL]	[NULL]	R	B18M68	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
AT-K-6-M	3/2/2004 11:18	N	EH	Oxidation Reduction Potential	93	mV	[NULL]	[NULL]	[NULL]	R	B18M68	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
AT-K-6-M	3/2/2004 11:18	N	CONDUCT	Specific Conductance	395.6	uS/cm	[NULL]	[NULL]	[NULL]	R	B18M68	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
AT-K-6-M	3/2/2004 11:18	N	10098-97-2	Strontium-90	-0.0629	pCi/L	U	[NULL]	[NULL]	R	B18M69	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
AT-K-6-M	3/2/2004 11:18	N	14808-79-8	Sulfate	67600	ug/L	D	[NULL]	[NULL]	R	B18M68	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
AT-K-6-M	3/2/2004 11:18	N	TEMPERATURE	Temperature	13	Deg C	[NULL]	[NULL]	[NULL]	R	B18M68	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
AT-K-6-M	3/2/2004 11:18	N	10028-17-8	Tritium	5240	pCi/L	[NULL]	[NULL]	[NULL]	R	B18M69	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
AT-K-6-M	3/2/2004 11:18	N	PH	pH Measurement	7.3	unitless	[NULL]	[NULL]	[NULL]	R	B18M68	PH	FIELD	9040_PH	100-NR-2
AT-K-6-M	2/28/2006 11:15	N	16887-00-6	Chloride	13100	ug/L	CD	[NULL]	[NULL]	R	B1FTM4	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
AT-K-6-M	2/28/2006 11:15	N	DO	Dissolved oxygen	7700	ug/L	[NULL]	[NULL]	[NULL]	R	B1FTM1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
AT-K-6-M	2/28/2006 11:15	N	16984-48-8	Fluoride	230	ug/L	[NULL]	[NULL]	[NULL]	R	B1FTM4	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
AT-K-6-M	2/28/2006 11:15	Y	18540-29-9	Hexavalent Chromium	57	ug/L	[NULL]	[NULL]	[NULL]	R	B1FTM2	18540-29-9	PNL1	CR6_HACH_M	100-NR-2
AT-K-6-M	2/28/2006 11:15	N	14797-55-8	Nitrate	15900	ug/L	D	[NULL]	[NULL]	R	B1FTM4	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
AT-K-6-M	2/28/2006 11:15	N	14797-65-0	Nitrite	20	ug/L	U	[NULL]	[NULL]	R	B1FTM4	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
AT-K-6-M	2/28/2006 11:15	N	EH	Oxidation Reduction Potential	122	mV	[NULL]	[NULL]	[NULL]	R	B1FTM1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
AT-K-6-M	2/28/2006 11:15	N	CONDUCT	Specific Conductance	373.7	uS/cm	[NULL]	[NULL]	[NULL]	R	B1FTM1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
AT-K-6-M	2/28/2006 11:15	N	10098-97-2	Strontium-90	0.0847	pCi/L	U	[NULL]	[NULL]	R	B1FTM3	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
AT-K-6-M	2/28/2006 11:15	N	14808-79-8	Sulfate	59500	ug/L	D	[NULL]	[NULL]	R	B1FTM4	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
AT-K-6-M	2/28/2006 11:15	N	TEMPERATURE	Temperature	13	Deg C	[NULL]	[NULL]	[NULL]	R	B1FTM1	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
AT-K-6-M	2/28/2006 11:15	N	10028-17-8	Tritium	5270	pCi/L	[NULL]	[NULL]	[NULL]	R	B1FTM3	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
AT-K-6-M	2/28/2006 11:15	N	PH	pH Measurement	7.68	unitless	[NULL]	[NULL]	[NULL]	R	B1FTM1	PH	FIELD	PH_ELECT_FLD	100-NR-2
AT-K-6-M	1/11/2007 11:08	N	24959-67-9	Bromide	162	ug/L	BD	[NULL]	[NULL]	R	B1LPW0	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
AT-K-6-M	1/11/2007 11:08	N	16887-00-6	Chloride	16500	ug/L	D	[NULL]	[NULL]	R	B1LPW0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
AT-K-6-M	1/11/2007 11:08	N	DO	Dissolved oxygen	9100	ug/L	[NULL]	[NULL]	[NULL]	R	B1LPW1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
AT-K-6-M	1/11/2007 11:08	N	16984-48-8	Fluoride	168	ug/L	BD	[NULL]	[NULL]	R	B1LPW0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
AT-K-6-M	1/11/2007 11:08	N	18540-29-9	Hexavalent Chromium	40	ug/L	[NULL]	[NULL]	[NULL]	R	B1LPW0	18540-29-9	WSCF	7196_CR6	100-NR-2
AT-K-6-M	1/11/2007 11:08	N	18540-29-9	Hexavalent Chromium	56	ug/L	[NULL]	G	[NULL]	R	B1LPW1	18540-29-9	FIELD	COLOR_TK_CR6_FLD	100-NR-2
AT-K-6-M	1/11/2007 11:08	N	14797-55-8	Nitrate	21800	ug/L	D	[NULL]	[NULL]	R	B1LPW0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
AT-K-6-M	1/11/2007 11:08	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1LPW0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
AT-K-6-M	1/11/2007 11:08	N	EH	Oxidation Reduction Potential	246	mV	[NULL]	[NULL]	[NULL]	R	B1LPW1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
AT-K-6-M	1/11/2007 11:08	N	14265-44-2	Phosphate	172	ug/L	DU	[NULL]	[NULL]	R	B1LPW0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
AT-K-6-M	1/11/2007 11:08	N	CONDUCT	Specific Conductance	404.1	uS/cm	[NULL]	[NULL]	[NULL]	R	B1LPW1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
AT-K-6-M	1/11/2007 11:08	N	10098-97-2	Strontium-90	-0.79	pCi/L	U	[NULL]	[NULL]	R	B1LPW0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
AT-K-6-M	1/11/2007 11:08	N	14808-79-8	Sulfate	68700	ug/L	D	[NULL]	[NULL]	R	B1LPW0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
AT-K-6-M	1/11/2007 11:08	N	14808-79-8	Sulfate	58000	ug/L	[NULL]	[NULL]	[NULL]	R	B1LPW1	14808-79-8	FIELD	COLOR_TK_SO4_FLD	100-NR-2
AT-K-6-M	1/11/2007 11:08	N	TEMPERATURE	Temperature	11.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1LPW1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
AT-K-6-M	1/11/2007 11:08	N	10028-17-8	Tritium	4200	pCi/L	[NULL]	[NULL]	[NULL]	R	B1LPW0	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
AT-K-6-M	1/11/2007 11:08	N	PH	pH Measurement	7.84	unitless	[NULL]	[NULL]	[NULL]	R	B1LPW1	PH	FIELD	PH_ELECT_FLD	100-NR-2
AT-K-6-M	11/27/2007 13:43	N	16887-00-6	Chloride	13500	ug/L	D	[NULL]	[NULL]	R	B1PYX0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
AT-K-6-M	11/27/2007 13:43	N	DO	Dissolved oxygen	9230	ug/L	[NULL]	[NULL]	[NULL]	R	B1PYW9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
AT-K-6-M	11/27/2007 13:43	N	16984-48-8	Fluoride	230	ug/L	[NULL]	[NULL]	[NULL]	R	B1PYX0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
AT-K-6-M	11/27/2007 13:43	N	18540-29-9	Hexavalent Chromium	64.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1PYX0	18540-29-9	WSCF	7196_CR6	100-NR-2
AT-K-6-M	11/27/2007 13:43	N	14797-55-8	Nitrate	18700	ug/L	D	[NULL]	[NULL]	R	B1PYX0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
AT-K-6-M	11/27/2007 13:43	N	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	R	B1PYX0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
AT-K-6-M	11/27/2007 13:43	N	EH	Oxidation Reduction Potential	150	mV	[NULL]	[NULL]	[NULL]	R	B1PYW9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
AT-K-6-M	11/27/2007 13:43	N	CONDUCT	Specific Conductance	394	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PYW9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
AT-K-6-M	11/27/2007 13:43	N	14808-79-8	Sulfate	64300	ug/L	D	[NULL]	[NULL]	R	B1PYX0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
AT-K-6-M	11/27/2007 13:43	N	TEMPERATURE	Temperature	14.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1PYW9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
AT-K-6-M	11/27/2007 13:43	N	10028-17-8	Tritium	3900	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PYX0	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
AT-K-6-M	11/27/2007 13:43	N	TURBIDITY	Turbidity	8.98	NTU	[NULL]	[NULL]	[NULL]	R	B1PYW9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
AT-K-6-M	11/27/2007 13:43	N	PH	pH Measurement	7.33	unitless	[NULL]	[NULL]	[NULL]	R	B1PYW9	PH	FIELD	PH_ELECT_FLD	100-NR-2
AT-K-6-S	2/28/2006 11:30	N	DO	Dissolved oxygen	8200	ug/L	[NULL]	[NULL]	[NULL]	R	B1FTM5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
AT-K-6-S	2/28/2006 11:30	Y	18540-29-9	Hexavalent Chromium	45	ug/L	[NULL]	[NULL]	[NULL]	R	B1FTM7	18540-29-9	PNL1	CR6_HACH_M	100-NR-2
AT-K-6-S	2/28/2006 11:30	N	EH	Oxidation Reduction Potential	134	mV	[NULL]	[NULL]	[NULL]	R	B1FTM5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
AT-K-6-S	2/28/2006 11:30	N	CONDUCT	Specific Conductance	435.2	uS/cm	[NULL]	[NULL]	[NULL]	R	B1FTM5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
AT-K-6-S	2/28/2006 11:30	N	TEMPERATURE	Temperature	11.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1FTM5	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
AT-K-6-S	2/28/2006 11:30	N	PH	pH Measurement	7.78	unitless	[NULL]	[NULL]	[NULL]	R	B1FTM5	PH	FIELD	PH_ELECT_FLD	100-NR-2
AT-K-6-S	1/11/2007 11:07	N	DO	Dissolved oxygen	9300	ug/L	[NULL]	[NULL]	[NULL]	R	B1LPW3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
AT-K-6-S	1/11/2007 11:07	N	18540-29-9	Hexavalent Chromium	43	ug/L	[NULL]	G	[NULL]	R	B1LPW3	18540-29-9	FIELD	COLOR_TK_CR6_FLD	100-NR-2
AT-K-6-S	1/11/2007 11:07	N	EH	Oxidation Reduction Potential	234	mV	[NULL]	[NULL]	[NULL]	R	B1LPW3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
AT-K-6-S	1/11/2007 11:07	N	CONDUCT	Specific Conductance	434.5	uS/cm	[NULL]	[NULL]	[NULL]	R	B1LPW3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
AT-K-6-S	1/11/2007 11:07	N	TEMPERATURE	Temperature	10.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1LPW3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
AT-K-6-S	1/11/2007 11:07	N	PH	pH Measurement	7.58	unitless	[NULL]	[NULL]	[NULL]	R	B1LPW3	PH	FIELD	PH_ELECT_FLD	100-NR-2
AT-K-6-S	1/11/2007 15:20	N	18540-29-9	Hexavalent Chromium	40	ug/L	[NULL]	[NULL]	[NULL]	R	B1LPW2	18540-29-9	WSCF	7196_CR6	100-NR-2
AT-K-6-S	1/11/2007 15:20	N	EH	Oxidation Reduction Potential	231	mV	[NULL]	[NULL]	[NULL]	R	B1LPW2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
AT-K-6-S	1/11/2007 15:20	N	CONDUCT	Specific Conductance	435.4	uS/cm	[NULL]	[NULL]	[NULL]	R	B1LPW2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
AT-K-6-S	1/11/2007 15:20	N	TEMPERATURE	Temperature	11.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1LPW2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
AT-K-6-S	1/11/2007 15:20	N	PH	pH Measurement	7.21	unitless	[NULL]	[NULL]	[NULL]	R	B1LPW2	PH	FIELD	PH_ELECT_FLD	100-NR-2
AT-K-6-S	11/27/2007 13:51	N	DO	Dissolved oxygen	11200	ug/L	[NULL]	[NULL]	[NULL]	R	B1PYX1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
AT-K-6-S	11/27/2007 13:51	N	18540-29-9	Hexavalent Chromium	54.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1PYX2	18540-29-9	WSCF	7196_CR6	100-NR-2
AT-K-6-S	11/27/2007 13:51	N	EH	Oxidation Reduction Potential	186	mV	[NULL]	[NULL]	[NULL]	R	B1PYX1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
AT-K-6-S	11/27/2007 13:51	N	CONDUCT	Specific Conductance	435	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PYX1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
AT-K-6-S	11/27/2007 13:51	N	14808-79-8	Sulfate	71200	ug/L	D	[NULL]	[NULL]	R	B1PYX2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
AT-K-6-S	11/27/2007 13:51	N	TEMPERATURE	Temperature	13.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1PYX1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
AT-K-6-S	11/27/2007 13:51	N	TURBIDITY	Turbidity	26.4	NTU	[NULL]	[NULL]	[NULL]	R	B1PYX1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
AT-K-6-S	11/27/2007 13:51	N	PH	pH Measurement	7.32	unitless	[NULL]	[NULL]	[NULL]	R	B1PYX1	PH	FIELD	PH_ELECT_FLD	100-NR-2
C3152	5/24/2005 9:15	N	10045-97-3	Cesium-137	0.534	pCi/L	U	[NULL]	[NULL]	C	B1D799	10045-97-3	WSCF	GAMMA_GS	100-NR-2
C3152	5/24/2005 9:15	N	10198-40-0	Cobalt-60	1.43	pCi/L	U	[NULL]	[NULL]	C	B1D799	10198-40-0	WSCF	GAMMA_GS	100-NR-2
C3152	5/24/2005 9:15	N	14683-23-9	Europium-152	2.13	pCi/L	U	[NULL]	[NULL]	C	B1D799	14683-23-9	WSCF	GAMMA_GS	100-NR-2
C3152	5/24/2005 9:15	N	15585-10-1	Europium-154	-3.68	pCi/L	U	[NULL]	[NULL]	C	B1D799	15585-10-1	WSCF	GAMMA_GS	100-NR-2
C3152	5/24/2005 9:15	N	14391-16-3	Europium-155	-4.74	pCi/L	U	[NULL]	[NULL]	C	B1D799	14391-16-3	WSCF	GAMMA_GS	100-NR-2
C3152	5/24/2005 9:15	N	18540-29-9	Hexavalent Chromium	3	ug/L	U	[NULL]	[NULL]	C	B1D799	18540-29-9	WSCF	7196_CR6	100-NR-2
C3152	5/24/2005 9:15	N	14133-76-7	Technetium-99	-0.6	pCi/L	U	[NULL]	[NULL]	C	B1D799	14133-76-7	WSCF	TC99_3MDSK_LSC	100-NR-2
C3152	5/24/2005 9:15	N	10028-17-8	Tritium	260	pCi/L	[NULL]	[NULL]	[NULL]	C	B1D799	10028-17-8	WSCF	TRITIUM_DIST_LSC	100-NR-2
C3158	5/24/2005 9:40	N	10045-97-3	Cesium-137	2.42	pCi/L	U	[NULL]	[NULL]	C	B1D7B0	10045-97-3	WSCF	GAMMA_GS	100-NR-2
C3158	5/24/2005 9:40	N	10198-40-0	Cobalt-60	-0.913	pCi/L	U	[NULL]	[NULL]	C	B1D7B0	10198-40-0	WSCF	GAMMA_GS	100-NR-2
C3158	5/24/2005 9:40	N	14683-23-9	Europium-152	-5.98	pCi/L	U	[NULL]	[NULL]	C	B1D7B0	14683-23-9	WSCF	GAMMA_GS	100-NR-2
C3158	5/24/2005 9:40	N	15585-10-1	Europium-154	-2.75	pCi/L	U	[NULL]	[NULL]	C	B1D7B0	15585-10-1	WSCF	GAMMA_GS	100-NR-2
C3158	5/24/2005 9:40	N	14391-16-3	Europium-155	6.97	pCi/L	U	[NULL]	[NULL]	C	B1D7B0	14391-16-3	WSCF	GAMMA_GS	100-NR-2
C3158	5/24/2005 9:40	N	18540-29-9	Hexavalent Chromium	13	ug/L	[NULL]	[NULL]	[NULL]	C	B1D7B0	18540-29-9	WSCF	7196_CR6	100-NR-2
C3158	5/24/2005 9:40	N	14133-76-7	Technetium-99	0.1	pCi/L	U	[NULL]	[NULL]	C	B1D7B0	14133-76-7	WSCF	TC99_3MDSK_LSC	100-NR-2
C3158	5/24/2005 9:40	N	10028-17-8	Tritium	94	pCi/L	U	[NULL]	[NULL]	C	B1D7B0	10028-17-8	WSCF	TRITIUM_DIST_LSC	100-NR-2
C3162	5/24/2005 10:40	N	10045-97-3	Cesium-137	-3.47	pCi/L	U	[NULL]	[NULL]	C	B1D7B3	10045-97-3	WSCF	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C3162	5/24/2005 10:40	N	10198-40-0	Cobalt-60	8.22	pCi/L	U	[NULL]	[NULL]	C	B1D7B3	10198-40-0	WSCF	GAMMA_GS	100-NR-2
C3162	5/24/2005 10:40	N	14683-23-9	Europium-152	-2.57	pCi/L	U	[NULL]	[NULL]	C	B1D7B3	14683-23-9	WSCF	GAMMA_GS	100-NR-2
C3162	5/24/2005 10:40	N	15585-10-1	Europium-154	13.5	pCi/L	U	[NULL]	[NULL]	C	B1D7B3	15585-10-1	WSCF	GAMMA_GS	100-NR-2
C3162	5/24/2005 10:40	N	14391-16-3	Europium-155	-13.2	pCi/L	U	[NULL]	[NULL]	C	B1D7B3	14391-16-3	WSCF	GAMMA_GS	100-NR-2
C3162	5/24/2005 10:40	N	18540-29-9	Hexavalent Chromium	3	ug/L	U	[NULL]	[NULL]	C	B1D7B3	18540-29-9	WSCF	7196_CR6	100-NR-2
C3162	5/24/2005 10:40	N	14133-76-7	Technetium-99	-0.8	pCi/L	U	[NULL]	[NULL]	C	B1D7B3	14133-76-7	WSCF	TC99_3MDSK_LSC	100-NR-2
C3162	5/24/2005 10:40	N	10028-17-8	Tritium	430	pCi/L	[NULL]	[NULL]	[NULL]	C	B1D7B3	10028-17-8	WSCF	TRITIUM_DIST_LSC	100-NR-2
C3163	5/24/2005 10:28	N	10045-97-3	Cesium-137	0.163	pCi/L	U	[NULL]	[NULL]	C	B1D7B2	10045-97-3	WSCF	GAMMA_GS	100-NR-2
C3163	5/24/2005 10:28	N	10198-40-0	Cobalt-60	-2.44	pCi/L	U	[NULL]	[NULL]	C	B1D7B2	10198-40-0	WSCF	GAMMA_GS	100-NR-2
C3163	5/24/2005 10:28	N	14683-23-9	Europium-152	6.72	pCi/L	U	[NULL]	[NULL]	C	B1D7B2	14683-23-9	WSCF	GAMMA_GS	100-NR-2
C3163	5/24/2005 10:28	N	15585-10-1	Europium-154	3.39	pCi/L	U	[NULL]	[NULL]	C	B1D7B2	15585-10-1	WSCF	GAMMA_GS	100-NR-2
C3163	5/24/2005 10:28	N	14391-16-3	Europium-155	-0.182	pCi/L	U	[NULL]	[NULL]	C	B1D7B2	14391-16-3	WSCF	GAMMA_GS	100-NR-2
C3163	5/24/2005 10:28	N	18540-29-9	Hexavalent Chromium	3	ug/L	U	[NULL]	[NULL]	C	B1D7B2	18540-29-9	WSCF	7196_CR6	100-NR-2
C3163	5/24/2005 10:28	N	14133-76-7	Technetium-99	-0.1	pCi/L	U	[NULL]	[NULL]	C	B1D7B2	14133-76-7	WSCF	TC99_3MDSK_LSC	100-NR-2
C3163	5/24/2005 10:28	N	10028-17-8	Tritium	-58	pCi/L	U	[NULL]	[NULL]	C	B1D7B2	10028-17-8	WSCF	TRITIUM_DIST_LSC	100-NR-2
C3164	3/20/2003 12:08	N	71-55-6	1,1,1-Trichloroethane	0.17	ug/L	U	[NULL]	[NULL]	R	B16KW2	71-55-6	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	79-00-5	1,1,2-Trichloroethane	0.05	ug/L	U	[NULL]	[NULL]	R	B16KW2	79-00-5	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	75-34-3	1,1-Dichloroethane	0.2	ug/L	U	[NULL]	[NULL]	R	B16KW2	75-34-3	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	107-06-2	1,2-Dichloroethane	0.08	ug/L	U	[NULL]	[NULL]	R	B16KW2	107-06-2	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	106-46-7	1,4-Dichlorobenzene	0.41	ug/L	U	[NULL]	[NULL]	R	B16KW2	106-46-7	STLSL	8270_SVOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	106-46-7	1,4-Dichlorobenzene	0.11	ug/L	U	[NULL]	[NULL]	R	B16KW2	106-46-7	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	123-91-1	1,4-Dioxane	11	ug/L	U	[NULL]	[NULL]	R	B16KW2	123-91-1	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	71-36-3	1-Butanol	4.6	ug/L	U	[NULL]	[NULL]	R	B16KW2	71-36-3	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	120-83-2	2,4-Dichlorophenol	0.27	ug/L	U	[NULL]	[NULL]	R	B16KW2	120-83-2	STLSL	8270_SVOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	78-93-3	2-Butanone	0.29	ug/L	U	[NULL]	[NULL]	R	B16KW2	78-93-3	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	95-48-7	2-Methylphenol (cresol, o-)	0.24	ug/L	U	[NULL]	[NULL]	R	B16KW2	95-48-7	STLSL	8270_SVOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	88-75-5	2-Nitrophenol	0.64	ug/L	U	[NULL]	[NULL]	R	B16KW2	88-75-5	STLSL	8270_SVOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	108-10-1	2-Pentanone, 4-Methyl	0.35	ug/L	U	[NULL]	[NULL]	R	B16KW2	108-10-1	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	109-06-8	2-Picoline	0.45	ug/L	U	[NULL]	[NULL]	R	B16KW2	109-06-8	STLSL	8270_SVOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	106-44-5	4-Methylphenol (cresol, p-)	7.1	ug/L	U	[NULL]	[NULL]	R	B16KW2	106-44-5	STLSL	8270_SVOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	67-64-1	Acetone	1.3	ug/L	JB	[NULL]	[NULL]	R	B16KW2	67-64-1	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	ALKALINITY	Alkalinity	124000	ug/L	[NULL]	[NULL]	[NULL]	R	B16KW2	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
C3164	3/20/2003 12:08	Y	7429-90-5	Aluminum	30.4	ug/L	U	[NULL]	[NULL]	R	B16KW3	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
C3164	3/20/2003 12:08	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B16KW3	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
C3164	3/20/2003 12:08	N	14234-35-6	Antimony-125	-2	pCi/L	U	[NULL]	[NULL]	R	B16KW4	14234-35-6	STLRL	GAMMA_GS	100-NR-2
C3164	3/20/2003 12:08	N	12674-11-2	Aroclor-1016	0.22	ug/L	UN	[NULL]	[NULL]	R	B16KW2	12674-11-2	STLSL	8082_PCB_GC	100-NR-2
C3164	3/20/2003 12:08	N	11104-28-2	Aroclor-1221	0.22	ug/L	U	[NULL]	[NULL]	R	B16KW2	11104-28-2	STLSL	8082_PCB_GC	100-NR-2
C3164	3/20/2003 12:08	N	11141-16-5	Aroclor-1232	0.49	ug/L	U	[NULL]	[NULL]	R	B16KW2	11141-16-5	STLSL	8082_PCB_GC	100-NR-2
C3164	3/20/2003 12:08	N	53469-21-9	Aroclor-1242	0.2	ug/L	U	[NULL]	[NULL]	R	B16KW2	53469-21-9	STLSL	8082_PCB_GC	100-NR-2
C3164	3/20/2003 12:08	N	12672-29-6	Aroclor-1248	0.14	ug/L	U	[NULL]	[NULL]	R	B16KW2	12672-29-6	STLSL	8082_PCB_GC	100-NR-2
C3164	3/20/2003 12:08	N	11097-69-1	Aroclor-1254	0.38	ug/L	U	[NULL]	[NULL]	R	B16KW2	11097-69-1	STLSL	8082_PCB_GC	100-NR-2
C3164	3/20/2003 12:08	N	11096-82-5	Aroclor-1260	0.19	ug/L	U	[NULL]	[NULL]	R	B16KW2	11096-82-5	STLSL	8082_PCB_GC	100-NR-2
C3164	3/20/2003 12:08	Y	7440-39-3	Barium	53.4	ug/L	B	[NULL]	[NULL]	R	B16KW3	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
C3164	3/20/2003 12:08	N	71-43-2	Benzene	0.07	ug/L	U	[NULL]	[NULL]	R	B16KW2	71-43-2	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	95-16-9	Benzothiazole	10	ug/L	U	[NULL]	[NULL]	R	B16KW2	95-16-9	STLSL	8270_SVOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	Y	7440-41-7	Beryllium	0.73	ug/L	U	[NULL]	[NULL]	R	B16KW3	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
C3164	3/20/2003 12:08	N	13966-02-4	Beryllium-7	-3.51	pCi/L	U	[NULL]	[NULL]	R	B16KW4	13966-02-4	STLRL	GAMMA_GS	100-NR-2
C3164	3/20/2003 12:08	N	117-81-7	Bis(2-ethylhexyl) phthalate	2.7	ug/L	U	[NULL]	[NULL]	R	B16KW2	117-81-7	STLSL	8270_SVOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B16KW3	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
C3164	3/20/2003 12:08	Y	7440-70-2	Calcium	44800	ug/L	[NULL]	[NULL]	[NULL]	R	B16KW3	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
C3164	3/20/2003 12:08	N	75-15-0	Carbon disulfide	0.43	ug/L	U	[NULL]	[NULL]	R	B16KW2	75-15-0	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	56-23-5	Carbon tetrachloride	0.15	ug/L	U	[NULL]	[NULL]	R	B16KW2	56-23-5	STLSL	8260_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C3164	3/20/2003 12:08	N	14762-75-5	Carbon-14	15.4	pCi/L	[NULL]	[NULL]	[NULL]	R	B16KW4	14762-75-5	STLRL	C14_CHEM_LSC	100-NR-2
C3164	3/20/2003 12:08	N	13967-70-9	Cesium-134	1.07	pCi/L	U	[NULL]	[NULL]	R	B16KW4	13967-70-9	STLRL	GAMMA_GS	100-NR-2
C3164	3/20/2003 12:08	N	10045-97-3	Cesium-137	0.704	pCi/L	U	[NULL]	[NULL]	R	B16KW4	10045-97-3	STLRL	GAMMA_GS	100-NR-2
C3164	3/20/2003 12:08	N	16887-00-6	Chloride	6900	ug/L	CD	[NULL]	[NULL]	R	B16KW2	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
C3164	3/20/2003 12:08	N	67-66-3	Chloroform	7.2	ug/L	[NULL]	[NULL]	[NULL]	R	B16KW2	67-66-3	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	Y	7440-47-3	Chromium	3.8	ug/L	U	[NULL]	[NULL]	R	B16KW3	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
C3164	3/20/2003 12:08	Y	7440-48-4	Cobalt	4.9	ug/L	U	[NULL]	[NULL]	R	B16KW3	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
C3164	3/20/2003 12:08	N	10198-40-0	Cobalt-60	1.53	pCi/L	U	[NULL]	[NULL]	R	B16KW4	10198-40-0	STLRL	GAMMA_GS	100-NR-2
C3164	3/20/2003 12:08	Y	7440-50-8	Copper	3.1	ug/L	U	[NULL]	[NULL]	R	B16KW3	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
C3164	3/20/2003 12:08	N	57-12-5	Cyanide	4.7	ug/L	U	[NULL]	[NULL]	R	B16KW2	57-12-5	STLSL	9012_CYANIDE	100-NR-2
C3164	3/20/2003 12:08	N	107-12-0	Ethyl cyanide	1.3	ug/L	U	[NULL]	[NULL]	R	B16KW2	107-12-0	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	100-41-4	Ethylbenzene	0.14	ug/L	U	[NULL]	[NULL]	R	B16KW2	100-41-4	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	14683-23-9	Europium-152	1.82	pCi/L	U	[NULL]	[NULL]	R	B16KW4	14683-23-9	STLRL	GAMMA_GS	100-NR-2
C3164	3/20/2003 12:08	N	15585-10-1	Europium-154	-4.2	pCi/L	U	[NULL]	[NULL]	R	B16KW4	15585-10-1	STLRL	GAMMA_GS	100-NR-2
C3164	3/20/2003 12:08	N	14391-16-3	Europium-155	1.52	pCi/L	U	[NULL]	[NULL]	R	B16KW4	14391-16-3	STLRL	GAMMA_GS	100-NR-2
C3164	3/20/2003 12:08	N	16984-48-8	Fluoride	330	ug/L	N	[NULL]	[NULL]	R	B16KW2	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
C3164	3/20/2003 12:08	N	12587-46-1	Gross alpha	2.54	pCi/L	[NULL]	[NULL]	[NULL]	R	B16KW4	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
C3164	3/20/2003 12:08	N	12587-47-2	Gross beta	7.23	pCi/L	[NULL]	[NULL]	[NULL]	R	B16KW4	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
C3164	3/20/2003 12:08	Y	7439-89-6	Iron	48.1	ug/L	B	[NULL]	[NULL]	R	B16KW3	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
C3164	3/20/2003 12:08	Y	7439-95-4	Magnesium	16500	ug/L	[NULL]	[NULL]	[NULL]	R	B16KW3	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
C3164	3/20/2003 12:08	Y	7439-96-5	Manganese	45.8	ug/L	[NULL]	[NULL]	[NULL]	R	B16KW3	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
C3164	3/20/2003 12:08	N	75-09-2	Methylene chloride	0.37	ug/L	JB	Q	[NULL]	R	B16KW2	75-09-2	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	91-20-3	Naphthalene	0.3	ug/L	U	[NULL]	[NULL]	R	B16KW2	91-20-3	STLSL	8270_SVOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	B16KW3	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
C3164	3/20/2003 12:08	N	14797-55-8	Nitrate	15100	ug/L	DN	[NULL]	[NULL]	R	B16KW2	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
C3164	3/20/2003 12:08	N	14797-65-0	Nitrite	36.1	ug/L	U	[NULL]	[NULL]	R	B16KW2	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
C3164	3/20/2003 12:08	N	87-86-5	Pentachlorophenol	0.58	ug/L	U	[NULL]	[NULL]	R	B16KW2	87-86-5	STLSL	8270_SVOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	108-95-2	Phenol	0.26	ug/L	U	[NULL]	[NULL]	R	B16KW2	108-95-2	STLSL	8270_SVOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	Y	7440-09-7	Potassium	6210	ug/L	[NULL]	[NULL]	[NULL]	R	B16KW3	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
C3164	3/20/2003 12:08	N	13966-00-2	Potassium-40	-27.9	pCi/L	U	[NULL]	[NULL]	R	B16KW4	13966-00-2	STLRL	GAMMA_GS	100-NR-2
C3164	3/20/2003 12:08	N	13967-48-1	Ruthenium-106	-4.79	pCi/L	U	[NULL]	[NULL]	R	B16KW4	13967-48-1	STLRL	GAMMA_GS	100-NR-2
C3164	3/20/2003 12:08	Y	7440-22-4	Silver	3	ug/L	U	[NULL]	[NULL]	R	B16KW3	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
C3164	3/20/2003 12:08	Y	7440-23-5	Sodium	77500	ug/L	[NULL]	[NULL]	[NULL]	R	B16KW3	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
C3164	3/20/2003 12:08	N	CONDUCT	Specific Conductance	731	uS/cm	[NULL]	[NULL]	[NULL]	R	B16KW2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
C3164	3/20/2003 12:08	Y	7440-24-6	Strontium	340	ug/L	[NULL]	[NULL]	[NULL]	R	B16KW3	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
C3164	3/20/2003 12:08	N	14808-79-8	Sulfate	200000	ug/L	D	[NULL]	[NULL]	R	B16KW2	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
C3164	3/20/2003 12:08	N	14133-76-7	Technetium-99	-10.7	pCi/L	U	[NULL]	[NULL]	R	B16KW4	14133-76-7	STLRL	TC99_ETVDSK_LSC	100-NR-2
C3164	3/20/2003 12:08	N	TEMPERATURE	Temperature	18.4	Deg C	[NULL]	[NULL]	[NULL]	R	B16KW2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C3164	3/20/2003 12:08	N	127-18-4	Tetrachloroethene	0.17	ug/L	U	[NULL]	[NULL]	R	B16KW2	127-18-4	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	109-99-9	Tetrahydrofuran	1.7	ug/L	U	[NULL]	[NULL]	R	B16KW2	109-99-9	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	108-88-3	Toluene	0.12	ug/L	U	[NULL]	[NULL]	R	B16KW2	108-88-3	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B16KW2	TOC	STLSL	9060_TOC	100-NR-2
C3164	3/20/2003 12:08	N	126-73-8	Tributyl phosphate	1.5	ug/L	U	[NULL]	[NULL]	R	B16KW2	126-73-8	STLSL	8270_SVOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	79-01-6	Trichloroethene	0.16	ug/L	U	[NULL]	[NULL]	R	B16KW2	79-01-6	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	115-96-8	Tris-2-chloroethyl phosphate	10	ug/L	U	[NULL]	[NULL]	R	B16KW2	115-96-8	STLSL	8270_SVOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	10028-17-8	Tritium	1320	pCi/L	[NULL]	[NULL]	[NULL]	R	B16KW4	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
C3164	3/20/2003 12:08	N	TURBIDITY	Turbidity	406	NTU	[NULL]	[NULL]	[NULL]	R	B16KW2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
C3164	3/20/2003 12:08	Y	7440-62-2	Vanadium	15	ug/L	B	[NULL]	[NULL]	R	B16KW3	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
C3164	3/20/2003 12:08	N	75-01-4	Vinyl chloride	0.25	ug/L	U	[NULL]	[NULL]	R	B16KW2	75-01-4	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	1330-20-7	Xylenes (total)	0.28	ug/L	U	[NULL]	[NULL]	R	B16KW2	1330-20-7	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	Y	7440-66-6	Zinc	1.8	ug/L	U	[NULL]	[NULL]	R	B16KW3	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
C3164	3/20/2003 12:08	N	156-59-2	cis-1,2-Dichloroethylene	0.06	ug/L	U	[NULL]	[NULL]	R	B16KW2	156-59-2	STLSL	8260_VOA_GCMS	100-NR-2
C3164	3/20/2003 12:08	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	R	B16KW2	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C3164	3/20/2003 12:08	N	156-60-5	trans-1,2-Dichloroethylene	0.17	ug/L	U	[NULL]	[NULL]	R	B16KW2	156-60-5	STLSL	8260_VOA_GCMS	100-NR-2
C3164	5/24/2005 10:11	N	10045-97-3	Cesium-137	3.11	pCi/L	U	[NULL]	[NULL]	C	B1D7B1	10045-97-3	WSCF	GAMMA_GS	100-NR-2
C3164	5/24/2005 10:11	N	10198-40-0	Cobalt-60	1.11	pCi/L	U	[NULL]	[NULL]	C	B1D7B1	10198-40-0	WSCF	GAMMA_GS	100-NR-2
C3164	5/24/2005 10:11	N	14683-23-9	Europium-152	-4.47	pCi/L	U	[NULL]	[NULL]	C	B1D7B1	14683-23-9	WSCF	GAMMA_GS	100-NR-2
C3164	5/24/2005 10:11	N	15585-10-1	Europium-154	-3.6	pCi/L	U	[NULL]	[NULL]	C	B1D7B1	15585-10-1	WSCF	GAMMA_GS	100-NR-2
C3164	5/24/2005 10:11	N	14391-16-3	Europium-155	-2.41	pCi/L	U	[NULL]	[NULL]	C	B1D7B1	14391-16-3	WSCF	GAMMA_GS	100-NR-2
C3164	5/24/2005 10:11	N	18540-29-9	Hexavalent Chromium	3	ug/L	U	[NULL]	[NULL]	C	B1D7B1	18540-29-9	WSCF	7196_CR6	100-NR-2
C3164	5/24/2005 10:11	N	14133-76-7	Technetium-99	0.012	pCi/L	U	[NULL]	[NULL]	C	B1D7B1	14133-76-7	WSCF	TC99_3MDSK_LSC	100-NR-2
C3164	5/24/2005 10:11	N	10028-17-8	Tritium	6400	pCi/L	[NULL]	[NULL]	[NULL]	C	B1D7B1	10028-17-8	WSCF	TRITIUM_DIST_LSC	100-NR-2
C6132	12/14/2007 9:06	N	DO	Dissolved oxygen	10260	ug/L	[NULL]	[NULL]	[NULL]	R	B1R8Y2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6132	12/14/2007 9:06	N	12587-47-2	Gross beta	21.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R8Y3	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
C6132	12/14/2007 9:06	N	EH	Oxidation Reduction Potential	198	mV	[NULL]	[NULL]	[NULL]	R	B1R8Y2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6132	12/14/2007 9:06	N	CONDUCT	Specific Conductance	426	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R8Y2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6132	12/14/2007 9:06	N	TEMPERATURE	Temperature	6.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1R8Y2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6132	12/14/2007 9:06	N	TOC	Total organic carbon	338	ug/L	[NULL]	[NULL]	[NULL]	R	B1R8Y4	TOC	WSCF	9060_TOC	100-NR-2
C6132	12/14/2007 9:06	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	80	ug/L	U	[NULL]	[NULL]	R	B1R8Y4	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6132	12/14/2007 9:06	N	TURBIDITY	Turbidity	3.56	NTU	[NULL]	[NULL]	[NULL]	R	B1R8Y2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6132	12/14/2007 9:06	N	PH	pH Measurement	7.46	unitless	[NULL]	[NULL]	[NULL]	R	B1R8Y2	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6132	3/20/2008 13:04	N	DO	Dissolved oxygen	7610	ug/L	[NULL]	[NULL]	[NULL]	R	B1THH0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6132	3/20/2008 13:04	N	12587-47-2	Gross beta	38.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THH1	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
C6132	3/20/2008 13:04	N	EH	Oxidation Reduction Potential	230	mV	[NULL]	[NULL]	[NULL]	R	B1THH0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6132	3/20/2008 13:04	N	CONDUCT	Specific Conductance	618	uS/cm	[NULL]	[NULL]	[NULL]	R	B1THH0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6132	3/20/2008 13:04	N	TEMPERATURE	Temperature	8.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1THH0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6132	3/20/2008 13:04	N	TOC	Total organic carbon	506	ug/L	[NULL]	[NULL]	[NULL]	R	B1THH2	TOC	WSCF	9060_TOC	100-NR-2
C6132	3/20/2008 13:04	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	79	ug/L	U	[NULL]	[NULL]	R	B1THH2	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6132	3/20/2008 13:04	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	79	ug/L	U	[NULL]	[NULL]	R	B1THH2	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
C6132	3/20/2008 13:04	N	TURBIDITY	Turbidity	17.2	NTU	[NULL]	[NULL]	[NULL]	R	B1THH0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6132	3/20/2008 13:04	N	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	R	B1THH0	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6132	5/19/2008 12:00	N	EH	Oxidation Reduction Potential	120	mV	[NULL]	[NULL]	[NULL]	S	B1TPB7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6132	5/19/2008 12:00	N	CONDUCT	Specific Conductance	214.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B1TPB7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6132	5/19/2008 12:00	N	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1TPB7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6132	5/19/2008 12:00	N	PH	pH Measurement	6.81	unitless	[NULL]	[NULL]	[NULL]	S	B1TPB7	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6132	6/24/2008 9:21	N	DO	Dissolved oxygen	4590	ug/L	[NULL]	[NULL]	[NULL]	R	B1VK19	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6132	6/24/2008 9:21	N	12587-47-2	Gross beta	1.4	pCi/L	U	[NULL]	[NULL]	R	B1VK19	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6132	6/24/2008 9:21	N	EH	Oxidation Reduction Potential	149	mV	[NULL]	[NULL]	[NULL]	R	B1VK19	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6132	6/24/2008 9:21	N	CONDUCT	Specific Conductance	150	uS/cm	[NULL]	[NULL]	[NULL]	R	B1VK19	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6132	6/24/2008 9:21	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1VK19	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6132	6/24/2008 9:21	N	TOC	Total organic carbon	650	ug/L	[NULL]	[NULL]	[NULL]	R	B1VK19	TOC	WSCF	9060_TOC	100-NR-2
C6132	6/24/2008 9:21	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	78	ug/L	U	[NULL]	[NULL]	R	B1VK19	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6132	6/24/2008 9:21	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	78	ug/L	U	[NULL]	[NULL]	R	B1VK19	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6132	6/24/2008 9:21	N	TURBIDITY	Turbidity	2.9	NTU	[NULL]	[NULL]	[NULL]	R	B1VK19	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6132	6/24/2008 9:21	N	PH	pH Measurement	8.35	unitless	[NULL]	[NULL]	[NULL]	R	B1VK19	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6132	4/8/2009 9:09	N	DO	Dissolved oxygen	7710	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPX5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6132	4/8/2009 9:09	N	12587-47-2	Gross beta	55	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPX6	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6132	4/8/2009 9:09	N	EH	Oxidation Reduction Potential	118	mV	[NULL]	[NULL]	[NULL]	R	B1YPX5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6132	4/8/2009 9:09	N	CONDUCT	Specific Conductance	753	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YPX5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6132	4/8/2009 9:09	N	TEMPERATURE	Temperature	11.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1YPX5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6132	4/8/2009 9:09	N	TOC	Total organic carbon	534	ug/L	B	[NULL]	[NULL]	R	B1YPX6	TOC	WSCF	9060_TOC	100-NR-2
C6132	4/8/2009 9:09	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	70	ug/L	U	[NULL]	[NULL]	R	B1YPX6	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6132	4/8/2009 9:09	N	TURBIDITY	Turbidity	3.12	NTU	[NULL]	[NULL]	[NULL]	R	B1YPX5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6132	4/8/2009 9:09	N	PH	pH Measurement	7.34	unitless	[NULL]	[NULL]	[NULL]	R	B1YPX5	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6132	6/22/2009 9:49	N	DO	Dissolved oxygen	5230	ug/L	[NULL]	[NULL]	[NULL]	R	B20M15	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6132	6/22/2009 9:49	N	12587-47-2	Gross beta	11	pCi/L	[NULL]	[NULL]	[NULL]	R	B20M16	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6132	6/22/2009 9:49	N	EH	Oxidation Reduction Potential	228	mV	[NULL]	[NULL]	[NULL]	R	B20M15	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6132	6/22/2009 9:49	N	CONDUCT	Specific Conductance	181	uS/cm	[NULL]	[NULL]	[NULL]	R	B20M15	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6132	6/22/2009 9:49	N	TEMPERATURE	Temperature	15.4	Deg C	[NULL]	[NULL]	[NULL]	R	B20M15	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6132	6/22/2009 9:49	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B20M16	TOC	WSCF	9060_TOC	100-NR-2
C6132	6/22/2009 9:49	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	70	ug/L	U	[NULL]	[NULL]	R	B20M16	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6132	6/22/2009 9:49	N	TURBIDITY	Turbidity	12.1	NTU	[NULL]	[NULL]	[NULL]	R	B20M15	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6132	6/22/2009 9:49	N	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	R	B20M15	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6132	9/17/2009 9:21	N	71-55-6	1,1,1-Trichloroethane	1	ug/L	U	[NULL]	[NULL]	R	B21HH0	71-55-6	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	79-00-5	1,1,2-Trichloroethane	1	ug/L	U	[NULL]	[NULL]	R	B21HH0	79-00-5	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	75-34-3	1,1-Dichloroethane	1	ug/L	U	[NULL]	[NULL]	R	B21HH0	75-34-3	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	75-35-4	1,1-Dichloroethene	1	ug/L	U	[NULL]	[NULL]	R	B21HH0	75-35-4	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	120-82-1	1,2,4-Trichlorobenzene	0.7	ug/L	U	[NULL]	[NULL]	R	B21HH0	120-82-1	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	107-06-2	1,2-Dichloroethane	1	ug/L	U	[NULL]	[NULL]	R	B21HH0	107-06-2	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	106-46-7	1,4-Dichlorobenzene	0.9	ug/L	U	[NULL]	[NULL]	R	B21HH0	106-46-7	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	106-46-7	1,4-Dichlorobenzene	1	ug/L	U	[NULL]	[NULL]	R	B21HH0	106-46-7	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	71-36-3	1-Butanol	100	ug/L	U	[NULL]	[NULL]	R	B21HH0	71-36-3	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	5076-19-7	2,3-Epoxy-2-methylbutane	3.8	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH0	5076-19-7	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	120-83-2	2,4-Dichlorophenol	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH0	120-83-2	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	121-14-2	2,4-Dinitrotoluene	0.5	ug/L	UT	[NULL]	[NULL]	R	B21HH0	121-14-2	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	78-93-3	2-Butanone	1	ug/L	U	[NULL]	[NULL]	R	B21HH0	78-93-3	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	95-57-8	2-Chlorophenol	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH0	95-57-8	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	95-48-7	2-Methylphenol (cresol, o-)	0.8	ug/L	U	[NULL]	[NULL]	R	B21HH0	95-48-7	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	88-75-5	2-Nitrophenol	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH0	88-75-5	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	108-10-1	2-Pentanone, 4-Methyl	1	ug/L	U	[NULL]	[NULL]	R	B21HH0	108-10-1	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	109-06-8	2-Picoline	1	ug/L	UT	[NULL]	[NULL]	R	B21HH0	109-06-8	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	65794-96-9	3+4 Methylphenol (cresol, m+p)	0.6	ug/L	U	[NULL]	[NULL]	R	B21HH0	65794-96-9	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	59-50-7	4-Chloro-3-methylphenol	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH0	59-50-7	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	100-02-7	4-Nitrophenol	0.6	ug/L	U	[NULL]	[NULL]	R	B21HH0	100-02-7	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	83-32-9	Acenaphthene	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH0	83-32-9	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	67-64-1	Acetone	1	ug/L	U	[NULL]	[NULL]	R	B21HH0	67-64-1	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	ALKALINITY	Alkalinity	180000	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH0	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
C6132	9/17/2009 9:21	N	75-85-4	Amylene Hydrate	7.6	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH0	75-85-4	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21HF9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6132	9/17/2009 9:21	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21HH0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	Y	7440-39-3	Barium	52.8	ug/L	[NULL]	[NULL]	[NULL]	R	B21HF9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	7440-39-3	Barium	56.7	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	71-43-2	Benzene	1	ug/L	U	[NULL]	[NULL]	R	B21HH0	71-43-2	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	95-16-9	Benzothiazole	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH0	95-16-9	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21HF9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21HH0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	117-81-7	Bis(2-ethylhexyl) phthalate	0.7	ug/L	U	[NULL]	[NULL]	R	B21HH0	117-81-7	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21HF9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21HH0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	Y	7440-70-2	Calcium	65400	ug/L	[NULL]	[NULL]	[NULL]	R	B21HF9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	7440-70-2	Calcium	68800	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	75-15-0	Carbon disulfide	1	ug/L	U	[NULL]	[NULL]	R	B21HH0	75-15-0	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	56-23-5	Carbon tetrachloride	1	ug/L	U	[NULL]	[NULL]	R	B21HH0	56-23-5	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	16887-00-6	Chloride	25700	ug/L	D	[NULL]	[NULL]	R	B21HH0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6132	9/17/2009 9:21	N	108-90-7	Chlorobenzene	1	ug/L	U	[NULL]	[NULL]	R	B21HH0	108-90-7	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	67-66-3	Chloroform	1.7	ug/L	J	[NULL]	[NULL]	R	B21HH0	67-66-3	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B21HH0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B21HF9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21HH0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21HF9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B21HH0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B21HF9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	DO	Dissolved oxygen	6260	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6132	9/17/2009 9:21	N	107-12-0	Ethyl cyanide	2	ug/L	U	[NULL]	[NULL]	R	B21HH0	107-12-0	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	100-41-4	Ethylbenzene	1	ug/L	U	[NULL]	[NULL]	R	B21HH0	100-41-4	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B21HH0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6132	9/17/2009 9:21	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B21HF9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B21HH0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	Y	7439-95-4	Magnesium	11600	ug/L	[NULL]	[NULL]	[NULL]	R	B21HF9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	7439-95-4	Magnesium	12300	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	Y	7439-96-5	Manganese	4.7	ug/L	B	[NULL]	[NULL]	R	B21HF9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B21HH0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	75-09-2	Methylene chloride	1	ug/L	U	[NULL]	[NULL]	R	B21HH0	75-09-2	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	91-20-3	Naphthalene	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH0	91-20-3	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21HF9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21HH0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	14797-55-8	Nitrate	46500	ug/L	D	[NULL]	[NULL]	R	B21HH0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6132	9/17/2009 9:21	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B21HH0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6132	9/17/2009 9:21	N	EH	Oxidation Reduction Potential	171	mV	[NULL]	[NULL]	[NULL]	R	B21HH1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6132	9/17/2009 9:21	N	87-86-5	Pentachlorophenol	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH0	87-86-5	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	108-95-2	Phenol	0.9	ug/L	U	[NULL]	[NULL]	R	B21HH0	108-95-2	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	Y	7440-09-7	Potassium	4280	ug/L	[NULL]	[NULL]	[NULL]	R	B21HF9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	7440-09-7	Potassium	4460	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	129-00-0	Pyrene	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH0	129-00-0	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21HF9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21HH0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	Y	7440-23-5	Sodium	37000	ug/L	[NULL]	[NULL]	[NULL]	R	B21HF9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	7440-23-5	Sodium	39000	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	CONDUCT	Specific Conductance	491	uS/cm	[NULL]	[NULL]	[NULL]	R	B21HH1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6132	9/17/2009 9:21	N	7440-24-6	Strontium	298	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	Y	7440-24-6	Strontium	282	ug/L	[NULL]	[NULL]	[NULL]	R	B21HF9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	10098-97-2	Strontium-90	8.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B21HH0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6132	9/17/2009 9:21	N	14808-79-8	Sulfate	66200	ug/L	D	[NULL]	[NULL]	R	B21HH0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6132	9/17/2009 9:21	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B21HH1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6132	9/17/2009 9:21	N	127-18-4	Tetrachloroethene	1	ug/L	U	[NULL]	[NULL]	R	B21HH0	127-18-4	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	109-99-9	Tetrahydrofuran	2	ug/L	U	[NULL]	[NULL]	R	B21HH0	109-99-9	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	108-88-3	Toluene	1	ug/L	U	[NULL]	[NULL]	R	B21HH0	108-88-3	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	126-73-8	Tributyl phosphate	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH0	126-73-8	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	79-01-6	Trichloroethene	1	ug/L	U	[NULL]	[NULL]	R	B21HH0	79-01-6	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	115-96-8	Tris-2-chloroethyl phosphate	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH0	115-96-8	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	TURBIDITY	Turbidity	2.16	NTU	[NULL]	[NULL]	[NULL]	R	B21HH1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6132	9/17/2009 9:21	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B21HF9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B21HH0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	75-01-4	Vinyl chloride	1	ug/L	U	[NULL]	[NULL]	R	B21HH0	75-01-4	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	1330-20-7	Xylenes (total)	1	ug/L	U	[NULL]	[NULL]	R	B21HH0	1330-20-7	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B21HH0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B21HF9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6132	9/17/2009 9:21	N	156-59-2	cis-1,2-Dichloroethylene	1	ug/L	U	[NULL]	[NULL]	R	B21HH0	156-59-2	WSCF	8260_VOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	621-64-7	n-Nitrosodi-n-dipropylamine	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH0	621-64-7	WSCF	8270_SVOA_GCMS	100-NR-2
C6132	9/17/2009 9:21	N	PH	pH Measurement	7.26	unitless	[NULL]	[NULL]	[NULL]	R	B21HH1	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6132	9/17/2009 9:21	N	156-60-5	trans-1,2-Dichloroethylene	1	ug/L	U	[NULL]	[NULL]	R	B21HH0	156-60-5	WSCF	8260_VOA_GCMS	100-NR-2
C6132	12/19/2009 10:47	N	DO	Dissolved oxygen	9570	ug/L	[NULL]	[NULL]	[NULL]	R	B236L3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6132	12/19/2009 10:47	N	12587-47-2	Gross beta	8.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B236L2	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6132	12/19/2009 10:47	N	EH	Oxidation Reduction Potential	130	mV	[NULL]	[NULL]	[NULL]	R	B236L3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6132	12/19/2009 10:47	N	CONDUCT	Specific Conductance	191	uS/cm	[NULL]	[NULL]	[NULL]	R	B236L3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6132	12/19/2009 10:47	N	TEMPERATURE	Temperature	9.1	Deg C	[NULL]	[NULL]	[NULL]	R	B236L3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6132	12/19/2009 10:47	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B236L2	TOC	WSCF	9060_TOC	100-NR-2
C6132	12/19/2009 10:47	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	70	ug/L	U	H	[NULL]	R	B236L2	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6132	12/19/2009 10:47	N	TURBIDITY	Turbidity	1.08	NTU	[NULL]	[NULL]	[NULL]	R	B236L3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6132	12/19/2009 10:47	N	PH	pH Measurement	7.57	unitless	[NULL]	[NULL]	[NULL]	R	B236L3	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6132	3/8/2010 8:34	N	12587-47-2	Gross beta	39	pCi/L	[NULL]	[NULL]	[NULL]	R	B249N0	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6132	3/8/2010 8:34	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B249N0	TOC	WSCF	9060_TOC	100-NR-2
C6132	3/8/2010 8:34	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	80	ug/L	U	[NULL]	[NULL]	R	B249N0	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6134	5/19/2008 12:45	N	EH	Oxidation Reduction Potential	-98	mV	[NULL]	[NULL]	[NULL]	S	B1TPC1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6134	5/19/2008 12:45	N	CONDUCT	Specific Conductance	172.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1TPC1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6134	5/19/2008 12:45	N	TEMPERATURE	Temperature	23.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1TPC1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6134	5/19/2008 12:45	N	PH	pH Measurement	7.04	unitless	[NULL]	[NULL]	[NULL]	S	B1TPC1	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6135	12/14/2007 8:37	N	DO	Dissolved oxygen	5750	ug/L	[NULL]	[NULL]	[NULL]	R	B1R8X9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6135	12/14/2007 8:37	N	12587-47-2	Gross beta	3.81	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R8Y0	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
C6135	12/14/2007 8:37	N	EH	Oxidation Reduction Potential	89	mV	[NULL]	[NULL]	[NULL]	R	B1R8X9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6135	12/14/2007 8:37	N	CONDUCT	Specific Conductance	129	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R8X9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6135	12/14/2007 8:37	N	TEMPERATURE	Temperature	4.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1R8X9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6135	12/14/2007 8:37	N	TOC	Total organic carbon	501	ug/L	[NULL]	[NULL]	[NULL]	R	B1R8Y1	TOC	WSCF	9060_TOC	100-NR-2
C6135	12/14/2007 8:37	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	290	ug/L	[NULL]	[NULL]	[NULL]	R	B1R8Y1	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6135	12/14/2007 8:37	N	TURBIDITY	Turbidity	1.03	NTU	[NULL]	[NULL]	[NULL]	R	B1R8X9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6135	12/14/2007 8:37	N	PH	pH Measurement	6.79	unitless	[NULL]	[NULL]	[NULL]	R	B1R8X9	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6135	3/20/2008 12:35	N	DO	Dissolved oxygen	5100	ug/L	[NULL]	[NULL]	[NULL]	R	B1THH3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6135	3/20/2008 12:35	N	12587-47-2	Gross beta	4.71	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THH4	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
C6135	3/20/2008 12:35	N	EH	Oxidation Reduction Potential	95	mV	[NULL]	[NULL]	[NULL]	R	B1THH3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6135	3/20/2008 12:35	N	CONDUCT	Specific Conductance	141	uS/cm	[NULL]	[NULL]	[NULL]	R	B1THH3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6135	3/20/2008 12:35	N	TEMPERATURE	Temperature	8.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1THH3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6135	3/20/2008 12:35	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B1THH5	TOC	WSCF	9060_TOC	100-NR-2
C6135	3/20/2008 12:35	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	320	ug/L	[NULL]	[NULL]	[NULL]	R	B1THH5	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6135	3/20/2008 12:35	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	76	ug/L	U	[NULL]	[NULL]	R	B1THH5	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
C6135	3/20/2008 12:35	N	TURBIDITY	Turbidity	1.89	NTU	[NULL]	[NULL]	[NULL]	R	B1THH3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6135	3/20/2008 12:35	N	PH	pH Measurement	6.75	unitless	[NULL]	[NULL]	[NULL]	R	B1THH3	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6135	5/19/2008 12:30	N	EH	Oxidation Reduction Potential	-7	mV	[NULL]	[NULL]	[NULL]	S	B1TPC0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6135	5/19/2008 12:30	N	CONDUCT	Specific Conductance	160	uS/cm	[NULL]	[NULL]	[NULL]	S	B1TPC0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6135	5/19/2008 12:30	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	S	B1TPC0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6135	5/19/2008 12:30	N	PH	pH Measurement	7.18	unitless	[NULL]	[NULL]	[NULL]	S	B1TPC0	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6135	6/24/2008 8:48	N	DO	Dissolved oxygen	1870	ug/L	[NULL]	[NULL]	[NULL]	R	B1VK20	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6135	6/24/2008 8:48	N	12587-47-2	Gross beta	7.6	pCi/L	[NULL]	[NULL]	[NULL]	R	B1VK21	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6135	6/24/2008 8:48	N	EH	Oxidation Reduction Potential	4	mV	[NULL]	[NULL]	[NULL]	R	B1VK20	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6135	6/24/2008 8:48	N	CONDUCT	Specific Conductance	147	uS/cm	[NULL]	[NULL]	[NULL]	R	B1VK20	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6135	6/24/2008 8:48	N	TEMPERATURE	Temperature	15.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1VK20	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6135	6/24/2008 8:48	N	TOC	Total organic carbon	1300	ug/L	[NULL]	[NULL]	[NULL]	R	B1VK21	TOC	WSCF	9060_TOC	100-NR-2
C6135	6/24/2008 8:48	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	130	ug/L	[NULL]	[NULL]	[NULL]	R	B1VK21	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6135	6/24/2008 8:48	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	77	ug/L	U	[NULL]	[NULL]	R	B1VK21	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
C6135	6/24/2008 8:48	N	TURBIDITY	Turbidity	5.88	NTU	[NULL]	[NULL]	[NULL]	R	B1VK20	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6135	6/24/2008 8:48	N	PH	pH Measurement	7.15	unitless	[NULL]	[NULL]	[NULL]	R	B1VK20	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6135	4/8/2009 8:32	N	DO	Dissolved oxygen	2380	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPX7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6135	4/8/2009 8:32	N	12587-47-2	Gross beta	3.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPX8	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6135	4/8/2009 8:32	N	EH	Oxidation Reduction Potential	-17	mV	[NULL]	[NULL]	[NULL]	R	B1YPX7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6135	4/8/2009 8:32	N	CONDUCT	Specific Conductance	183	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YPX7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6135	4/8/2009 8:32	N	TEMPERATURE	Temperature	12.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1YPX7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6135	4/8/2009 8:32	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B1YPX8	TOC	WSCF	9060_TOC	100-NR-2
C6135	4/8/2009 8:32	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	70	ug/L	U	[NULL]	[NULL]	R	B1YPX8	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6135	4/8/2009 8:32	N	TURBIDITY	Turbidity	12.2	NTU	[NULL]	[NULL]	[NULL]	R	B1YPX7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6135	4/8/2009 8:32	N	PH	pH Measurement	7.13	unitless	[NULL]	[NULL]	[NULL]	R	B1YPX7	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6135	6/22/2009 10:13	N	DO	Dissolved oxygen	4550	ug/L	[NULL]	[NULL]	[NULL]	R	B20M17	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6135	6/22/2009 10:13	N	12587-47-2	Gross beta	2.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B20M18	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6135	6/22/2009 10:13	N	EH	Oxidation Reduction Potential	-2	mV	[NULL]	[NULL]	[NULL]	R	B20M17	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6135	6/22/2009 10:13	N	CONDUCT	Specific Conductance	184	uS/cm	[NULL]	[NULL]	[NULL]	R	B20M17	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6135	6/22/2009 10:13	N	TEMPERATURE	Temperature	15.5	Deg C	[NULL]	[NULL]	[NULL]	R	B20M17	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6135	6/22/2009 10:13	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B20M18	TOC	WSCF	9060_TOC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6135	6/22/2009 10:13	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	70	ug/L	U	[NULL]	[NULL]	R	B20M18	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6135	6/22/2009 10:13	N	TURBIDITY	Turbidity	1.6	NTU	[NULL]	[NULL]	[NULL]	R	B20M17	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6135	6/22/2009 10:13	N	PH	pH Measurement	7.27	unitless	[NULL]	[NULL]	[NULL]	R	B20M17	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6135	9/17/2009 10:26	N	71-55-6	1,1,1-Trichloroethane	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	71-55-6	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	79-00-5	1,1,2-Trichloroethane	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	79-00-5	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	75-34-3	1,1-Dichloroethane	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	75-34-3	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	75-35-4	1,1-Dichloroethene	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	75-35-4	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	4912-92-9	1,1-Dimethylindane	15	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH3	4912-92-9	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	120-82-1	1,2,4-Trichlorobenzene	0.7	ug/L	U	[NULL]	[NULL]	R	B21HH3	120-82-1	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	107-06-2	1,2-Dichloroethane	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	107-06-2	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	106-46-7	1,4-Dichlorobenzene	0.9	ug/L	U	[NULL]	[NULL]	R	B21HH3	106-46-7	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	106-46-7	1,4-Dichlorobenzene	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	106-46-7	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	71-36-3	1-Butanol	100	ug/L	U	[NULL]	[NULL]	R	B21HH3	71-36-3	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	120-83-2	2,4-Dichlorophenol	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH3	120-83-2	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	121-14-2	2,4-Dinitrotoluene	0.5	ug/L	UT	[NULL]	[NULL]	R	B21HH3	121-14-2	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	78-93-3	2-Butanone	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	78-93-3	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	95-57-8	2-Chlorophenol	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH3	95-57-8	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	95-48-7	2-Methylphenol (cresol, o-)	0.8	ug/L	U	[NULL]	[NULL]	R	B21HH3	95-48-7	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	88-75-5	2-Nitrophenol	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH3	88-75-5	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	108-10-1	2-Pentanone, 4-Methyl	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	108-10-1	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	109-06-8	2-Picoline	1	ug/L	UT	[NULL]	[NULL]	R	B21HH3	109-06-8	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	65794-96-9	3+4 Methylphenol (cresol, m+p)	0.6	ug/L	U	[NULL]	[NULL]	R	B21HH3	65794-96-9	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	59-50-7	4-Chloro-3-methylphenol	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH3	59-50-7	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	100-02-7	4-Nitrophenol	0.6	ug/L	U	[NULL]	[NULL]	R	B21HH3	100-02-7	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	83-32-9	Acenaphthene	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH3	83-32-9	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	67-64-1	Acetone	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	67-64-1	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	ALKALINITY	Alkalinity	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH3	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
C6135	9/17/2009 10:26	N	75-85-4	Amylene Hydrate	68	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH3	75-85-4	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21HH2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21HH3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	Y	7440-39-3	Barium	58	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	7440-39-3	Barium	61.1	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	71-43-2	Benzene	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	71-43-2	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	95-16-9	Benzothiazole	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH3	95-16-9	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21HH2	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21HH3	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	117-81-7	Bis(2-ethylhexyl) phthalate	0.7	ug/L	U	[NULL]	[NULL]	R	B21HH3	117-81-7	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21HH3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21HH2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	Y	7440-70-2	Calcium	43100	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	7440-70-2	Calcium	43800	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	75-15-0	Carbon disulfide	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	75-15-0	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	56-23-5	Carbon tetrachloride	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	56-23-5	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	16887-00-6	Chloride	1350	ug/L	DEX	[NULL]	[NULL]	R	B21HH3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6135	9/17/2009 10:26	N	108-90-7	Chlorobenzene	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	108-90-7	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	67-66-3	Chloroform	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	67-66-3	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B21HH3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B21HH2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21HH3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21HH2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6135	9/17/2009 10:26	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B21HH2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B21HH3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	DO	Dissolved oxygen	8960	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6135	9/17/2009 10:26	N	107-12-0	Ethyl cyanide	2	ug/L	U	[NULL]	[NULL]	R	B21HH3	107-12-0	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	100-41-4	Ethylbenzene	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	100-41-4	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B21HH3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6135	9/17/2009 10:26	N	7439-89-6	Iron	1130	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	Y	7439-89-6	Iron	1070	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	Y	7439-95-4	Magnesium	6890	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	7439-95-4	Magnesium	7100	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	Y	7439-96-5	Manganese	2250	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	7439-96-5	Manganese	2310	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	19354-27-9	Methyl tetrahydrofurfuryl ether	4	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH3	19354-27-9	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	75-09-2	Methylene chloride	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	75-09-2	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	91-20-3	Naphthalene	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH3	91-20-3	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21HH3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21HH2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	14797-55-8	Nitrate	274	ug/L	UD	[NULL]	[NULL]	R	B21HH3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6135	9/17/2009 10:26	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B21HH3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6135	9/17/2009 10:26	N	EH	Oxidation Reduction Potential	-35	mV	[NULL]	[NULL]	[NULL]	R	B21HH6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6135	9/17/2009 10:26	N	87-86-5	Pentachlorophenol	0.5	ug/L	UT	[NULL]	[NULL]	R	B21HH3	87-86-5	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	108-95-2	Phenol	0.9	ug/L	U	[NULL]	[NULL]	R	B21HH3	108-95-2	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	Y	7440-09-7	Potassium	2080	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	7440-09-7	Potassium	2180	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	129-00-0	Pyrene	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH3	129-00-0	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21HH3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21HH2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	Y	7440-23-5	Sodium	3540	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	7440-23-5	Sodium	3630	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	CONDUCT	Specific Conductance	284	uS/cm	[NULL]	[NULL]	[NULL]	R	B21HH6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6135	9/17/2009 10:26	Y	7440-24-6	Strontium	194	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	7440-24-6	Strontium	199	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	10098-97-2	Strontium-90	-7	pCi/L	U	[NULL]	[NULL]	R	B21HH3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6135	9/17/2009 10:26	N	14808-79-8	Sulfate	5180	ug/L	D	[NULL]	[NULL]	R	B21HH3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6135	9/17/2009 10:26	N	TEMPERATURE	Temperature	20.2	Deg C	[NULL]	[NULL]	[NULL]	R	B21HH6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6135	9/17/2009 10:26	N	127-18-4	Tetrachloroethene	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	127-18-4	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	109-99-9	Tetrahydrofuran	2	ug/L	U	[NULL]	[NULL]	R	B21HH3	109-99-9	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	108-88-3	Toluene	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	108-88-3	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	126-73-8	Tributyl phosphate	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH3	126-73-8	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	79-01-6	Trichloroethene	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	79-01-6	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	115-96-8	Tris-2-chloroethyl phosphate	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH3	115-96-8	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	TURBIDITY	Turbidity	2.88	NTU	[NULL]	[NULL]	[NULL]	R	B21HH6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6135	9/17/2009 10:26	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B21HH3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B21HH2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	75-01-4	Vinyl chloride	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	75-01-4	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	1330-20-7	Xylenes (total)	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	1330-20-7	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B21HH2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B21HH3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6135	9/17/2009 10:26	N	156-59-2	cis-1,2-Dichloroethylene	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	156-59-2	WSCF	8260_VOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	621-64-7	n-Nitrosodi-n-dipropylamine	0.5	ug/L	U	[NULL]	[NULL]	R	B21HH3	621-64-7	WSCF	8270_SVOA_GCMS	100-NR-2
C6135	9/17/2009 10:26	N	PH	pH Measurement	6.84	unitless	[NULL]	[NULL]	[NULL]	R	B21HH6	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6135	9/17/2009 10:26	N	156-60-5	trans-1,2-Dichloroethylene	1	ug/L	U	[NULL]	[NULL]	R	B21HH3	156-60-5	WSCF	8260_VOA_GCMS	100-NR-2
C6135	12/17/2009 13:31	N	DO	Dissolved oxygen	3460	ug/L	[NULL]	[NULL]	[NULL]	R	B237C2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6135	12/17/2009 13:31	N	12587-47-2	Gross beta	4.4	pCi/L	[NULL]	[NULL]	[NULL]	R	B237C1	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6135	12/17/2009 13:31	N	EH	Oxidation Reduction Potential	267	mV	[NULL]	[NULL]	[NULL]	R	B237C2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6135	12/17/2009 13:31	N	CONDUCT	Specific Conductance	229	uS/cm	[NULL]	[NULL]	[NULL]	R	B237C2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6135	12/17/2009 13:31	N	TEMPERATURE	Temperature	9.2	Deg C	[NULL]	[NULL]	[NULL]	R	B237C2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6135	12/17/2009 13:31	N	TOC	Total organic carbon	838	ug/L	B	[NULL]	[NULL]	R	B237C1	TOC	WSCF	9060_TOC	100-NR-2
C6135	12/17/2009 13:31	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	770	ug/L	[NULL]	H	[NULL]	R	B237C1	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6135	12/17/2009 13:31	N	TURBIDITY	Turbidity	19.5	NTU	[NULL]	[NULL]	[NULL]	R	B237C2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6135	12/17/2009 13:31	N	PH	pH Measurement	6.93	unitless	[NULL]	[NULL]	[NULL]	R	B237C2	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6135	3/8/2010 9:36	N	12587-47-2	Gross beta	1.6	pCi/L	U	[NULL]	[NULL]	R	B249N2	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6135	3/8/2010 9:36	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B249N2	TOC	WSCF	9060_TOC	100-NR-2
C6135	3/8/2010 9:36	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	240	ug/L	[NULL]	[NULL]	[NULL]	R	B249N2	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6136	5/19/2008 12:15	N	EH	Oxidation Reduction Potential	106	mV	[NULL]	[NULL]	[NULL]	S	B1TPB9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6136	5/19/2008 12:15	N	CONDUCT	Specific Conductance	143	uS/cm	[NULL]	[NULL]	[NULL]	S	B1TPB9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6136	5/19/2008 12:15	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	S	B1TPB9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6136	5/19/2008 12:15	N	PH	pH Measurement	7.54	unitless	[NULL]	[NULL]	[NULL]	S	B1TPB9	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6263	11/12/2008 10:47	N	24959-67-9	Bromide	50	ug/L	U	[NULL]	[NULL]	C	B1TPW3	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
C6263	11/12/2008 10:47	N	14762-75-5	Carbon-14	-22.1	pCi/L	U	[NULL]	[NULL]	C	B1TR03	14762-75-5	EBRLNE	C14_CHEM_LSC	100-NR-2
C6263	11/12/2008 10:47	N	16887-00-6	Chloride	2470	ug/L	[NULL]	[NULL]	[NULL]	C	B1TPW3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6263	11/12/2008 10:47	N	DO	Dissolved oxygen	8590	ug/L	[NULL]	[NULL]	[NULL]	C	B1TPW3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6263	11/12/2008 10:47	N	16984-48-8	Fluoride	87	ug/L	B	[NULL]	[NULL]	C	B1TPW3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6263	11/12/2008 10:47	N	12587-46-1	Gross alpha	0.743	pCi/L	U	[NULL]	[NULL]	C	B1TPW3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
C6263	11/12/2008 10:47	N	12587-47-2	Gross beta	3.61	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TPW3	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6263	11/12/2008 10:47	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	C	B1TPW3	18540-29-9	WSCF	7196_CR6	100-NR-2
C6263	11/12/2008 10:47	N	14797-55-8	Nitrate	5140	ug/L	[NULL]	[NULL]	[NULL]	C	B1TPW3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6263	11/12/2008 10:47	N	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	C	B1TPW3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6263	11/12/2008 10:47	N	EH	Oxidation Reduction Potential	233	mV	[NULL]	[NULL]	[NULL]	C	B1TPW3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6263	11/12/2008 10:47	N	14265-44-2	Phosphate	184	ug/L	U	[NULL]	[NULL]	C	B1TPW3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
C6263	11/12/2008 10:47	N	CONDUCT	Specific Conductance	245	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TPW3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6263	11/12/2008 10:47	N	10098-97-2	Strontium-90	-1.76	pCi/L	U	[NULL]	[NULL]	C	B1TPW3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6263	11/12/2008 10:47	N	14808-79-8	Sulfate	27800	ug/L	[NULL]	[NULL]	[NULL]	C	B1TPW3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6263	11/12/2008 10:47	N	TEMPERATURE	Temperature	15.4	Deg C	[NULL]	[NULL]	[NULL]	C	B1TPW3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6263	11/12/2008 10:47	N	10028-17-8	Tritium	32.9	pCi/L	U	[NULL]	[NULL]	C	B1TPW3	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6263	11/12/2008 10:47	N	TURBIDITY	Turbidity	22.8	NTU	[NULL]	[NULL]	[NULL]	C	B1TPW3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6263	11/12/2008 10:47	N	PH	pH Measurement	8.35	unitless	[NULL]	[NULL]	[NULL]	C	B1TPW3	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6263	4/14/2009 9:00	N	DO	Dissolved oxygen	8850	ug/L	[NULL]	[NULL]	[NULL]	R	B1XPR7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6263	4/14/2009 9:00	Y	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B1XPR5F	18540-29-9	WSCF	7196_CR6	100-NR-2
C6263	4/14/2009 9:00	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B1XPR5	18540-29-9	WSCF	7196_CR6	100-NR-2
C6263	4/14/2009 9:00	N	EH	Oxidation Reduction Potential	304	mV	[NULL]	[NULL]	[NULL]	R	B1XPR7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6263	4/14/2009 9:00	N	CONDUCT	Specific Conductance	496	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XPR7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6263	4/14/2009 9:00	N	TEMPERATURE	Temperature	10.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1XPR7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6263	4/14/2009 9:00	N	TURBIDITY	Turbidity	28.6	NTU	[NULL]	[NULL]	[NULL]	R	B1XPR7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6263	4/14/2009 9:00	N	PH	pH Measurement	7.67	unitless	[NULL]	[NULL]	[NULL]	R	B1XPR7	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6263	11/21/2009 9:17	N	DO	Dissolved oxygen	10070	ug/L	[NULL]	[NULL]	[NULL]	R	B22PH6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6263	11/21/2009 9:17	Y	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B22PH4	18540-29-9	WSCF	7196_CR6	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6263	11/21/2009 9:17	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B22PH5	18540-29-9	WSCF	7196_CR6	100-NR-2
C6263	11/21/2009 9:17	N	EH	Oxidation Reduction Potential	153	mV	[NULL]	[NULL]	[NULL]	R	B22PH6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6263	11/21/2009 9:17	N	CONDUCT	Specific Conductance	173	uS/cm	[NULL]	[NULL]	[NULL]	R	B22PH6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6263	11/21/2009 9:17	N	TEMPERATURE	Temperature	13.9	Deg C	[NULL]	[NULL]	[NULL]	R	B22PH6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6263	11/21/2009 9:17	N	TURBIDITY	Turbidity	10.9	NTU	[NULL]	[NULL]	[NULL]	R	B22PH6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6263	11/21/2009 9:17	N	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	R	B22PH6	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6264	11/12/2008 10:31	N	24959-67-9	Bromide	90	ug/L	UD	[NULL]	[NULL]	C	B1TPW4	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
C6264	11/12/2008 10:31	N	14762-75-5	Carbon-14	0.92	pCi/L	U	[NULL]	[NULL]	C	B1TR04	14762-75-5	EBRLNE	C14_CHEM_LSC	100-NR-2
C6264	11/12/2008 10:31	N	16887-00-6	Chloride	11700	ug/L	D	[NULL]	[NULL]	C	B1TPW4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6264	11/12/2008 10:31	N	DO	Dissolved oxygen	7150	ug/L	[NULL]	[NULL]	[NULL]	C	B1TPW4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6264	11/12/2008 10:31	N	16984-48-8	Fluoride	526	ug/L	D	[NULL]	[NULL]	C	B1TPW4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6264	11/12/2008 10:31	N	12587-46-1	Gross alpha	-0.492	pCi/L	U	[NULL]	[NULL]	C	B1TPW4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
C6264	11/12/2008 10:31	N	12587-47-2	Gross beta	7.78	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TPW4	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6264	11/12/2008 10:31	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	C	B1TPW4	18540-29-9	WSCF	7196_CR6	100-NR-2
C6264	11/12/2008 10:31	N	14797-55-8	Nitrate	18900	ug/L	D	[NULL]	[NULL]	C	B1TPW4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6264	11/12/2008 10:31	N	14797-65-0	Nitrite	98.5	ug/L	UD	[NULL]	[NULL]	C	B1TPW4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6264	11/12/2008 10:31	N	EH	Oxidation Reduction Potential	234	mV	[NULL]	[NULL]	[NULL]	C	B1TPW4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6264	11/12/2008 10:31	N	14265-44-2	Phosphate	307	ug/L	UD	[NULL]	[NULL]	C	B1TPW4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
C6264	11/12/2008 10:31	N	CONDUCT	Specific Conductance	650	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TPW4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6264	11/12/2008 10:31	N	10098-97-2	Strontium-90	-0.946	pCi/L	U	[NULL]	[NULL]	C	B1TPW4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6264	11/12/2008 10:31	N	14808-79-8	Sulfate	122000	ug/L	D	[NULL]	[NULL]	C	B1TPW4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6264	11/12/2008 10:31	N	TEMPERATURE	Temperature	15.5	Deg C	[NULL]	[NULL]	[NULL]	C	B1TPW4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6264	11/12/2008 10:31	N	10028-17-8	Tritium	212	pCi/L	U	[NULL]	[NULL]	C	B1TPW4	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6264	11/12/2008 10:31	N	TURBIDITY	Turbidity	8.49	NTU	[NULL]	[NULL]	[NULL]	C	B1TPW4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6264	11/12/2008 10:31	N	PH	pH Measurement	8.56	unitless	[NULL]	[NULL]	[NULL]	C	B1TPW4	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6264	11/12/2008 10:40	N	DO	Dissolved oxygen	7650	ug/L	[NULL]	[NULL]	[NULL]	C	B1XFJ6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6264	11/12/2008 10:40	N	EH	Oxidation Reduction Potential	230	mV	[NULL]	[NULL]	[NULL]	C	B1XFJ6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6264	11/12/2008 10:40	N	CONDUCT	Specific Conductance	641	uS/cm	[NULL]	[NULL]	[NULL]	C	B1XFJ6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6264	11/12/2008 10:40	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	C	B1XFJ6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6264	11/12/2008 10:40	N	TURBIDITY	Turbidity	51.7	NTU	[NULL]	[NULL]	[NULL]	C	B1XFJ6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6264	11/12/2008 10:40	N	PH	pH Measurement	8.61	unitless	[NULL]	[NULL]	[NULL]	C	B1XFJ6	PH	FIELD	PH_PAPER_FLD	100-NR-2
C6264	4/14/2009 9:05	Y	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B1XNT4F	18540-29-9	WSCF	7196_CR6	100-NR-2
C6264	4/14/2009 9:05	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B1XNT4	18540-29-9	WSCF	7196_CR6	100-NR-2
C6264	4/14/2009 9:08	N	DO	Dissolved oxygen	8660	ug/L	[NULL]	[NULL]	[NULL]	R	B1XNT5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6264	4/14/2009 9:08	N	EH	Oxidation Reduction Potential	302	mV	[NULL]	[NULL]	[NULL]	R	B1XNT5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6264	4/14/2009 9:08	N	CONDUCT	Specific Conductance	624	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XNT5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6264	4/14/2009 9:08	N	TEMPERATURE	Temperature	10.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1XNT5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6264	4/14/2009 9:08	N	TURBIDITY	Turbidity	20.9	NTU	[NULL]	[NULL]	[NULL]	R	B1XNT5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6264	4/14/2009 9:08	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B1XNT5	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6264	11/21/2009 9:03	N	DO	Dissolved oxygen	8560	ug/L	[NULL]	[NULL]	[NULL]	R	B22PH9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6264	11/21/2009 9:03	Y	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B22PH7	18540-29-9	WSCF	7196_CR6	100-NR-2
C6264	11/21/2009 9:03	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B22PH8	18540-29-9	WSCF	7196_CR6	100-NR-2
C6264	11/21/2009 9:03	N	EH	Oxidation Reduction Potential	151	mV	[NULL]	[NULL]	[NULL]	R	B22PH9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6264	11/21/2009 9:03	N	CONDUCT	Specific Conductance	557	uS/cm	[NULL]	[NULL]	[NULL]	R	B22PH9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6264	11/21/2009 9:03	N	TEMPERATURE	Temperature	13.6	Deg C	[NULL]	[NULL]	[NULL]	R	B22PH9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6264	11/21/2009 9:03	N	TURBIDITY	Turbidity	1.36	NTU	[NULL]	[NULL]	[NULL]	R	B22PH9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6264	11/21/2009 9:03	N	PH	pH Measurement	8.12	unitless	[NULL]	[NULL]	[NULL]	R	B22PH9	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6265	11/12/2008 10:59	N	24959-67-9	Bromide	90	ug/L	UD	[NULL]	[NULL]	C	B1TPW5	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
C6265	11/12/2008 10:59	N	14762-75-5	Carbon-14	-10.4	pCi/L	U	[NULL]	[NULL]	C	B1TR05	14762-75-5	EBRLNE	C14_CHEM_LSC	100-NR-2
C6265	11/12/2008 10:59	N	16887-00-6	Chloride	11900	ug/L	D	[NULL]	[NULL]	C	B1TPW5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6265	11/12/2008 10:59	N	16984-48-8	Fluoride	681	ug/L	D	[NULL]	[NULL]	C	B1TPW5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6265	11/12/2008 10:59	N	12587-46-1	Gross alpha	0.324	pCi/L	U	[NULL]	[NULL]	C	B1TPW5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
C6265	11/12/2008 10:59	N	12587-47-2	Gross beta	4.31	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TPW5	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6265	11/12/2008 10:59	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	C	B1TPW5	18540-29-9	WSCF	7196_CR6	100-NR-2
C6265	11/12/2008 10:59	N	14797-55-8	Nitrate	19000	ug/L	D	[NULL]	[NULL]	C	B1TPW5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6265	11/12/2008 10:59	N	14797-65-0	Nitrite	98.5	ug/L	UD	[NULL]	[NULL]	C	B1TPW5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6265	11/12/2008 10:59	N	14265-44-2	Phosphate	307	ug/L	UD	[NULL]	[NULL]	C	B1TPW5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
C6265	11/12/2008 10:59	N	10098-97-2	Strontium-90	-0.216	pCi/L	U	[NULL]	[NULL]	C	B1TPW5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6265	11/12/2008 10:59	N	14808-79-8	Sulfate	136000	ug/L	D	[NULL]	[NULL]	C	B1TPW5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6265	11/12/2008 10:59	N	10028-17-8	Tritium	241	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TPW5	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6265	11/12/2008 11:08	N	DO	Dissolved oxygen	6910	ug/L	[NULL]	[NULL]	[NULL]	C	B1XFJ7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6265	11/12/2008 11:08	N	EH	Oxidation Reduction Potential	243	mV	[NULL]	[NULL]	[NULL]	C	B1XFJ7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6265	11/12/2008 11:08	N	CONDUCT	Specific Conductance	692	uS/cm	[NULL]	[NULL]	[NULL]	C	B1XFJ7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6265	11/12/2008 11:08	N	TEMPERATURE	Temperature	15.1	Deg C	[NULL]	[NULL]	[NULL]	C	B1XFJ7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6265	11/12/2008 11:08	N	TURBIDITY	Turbidity	14.3	NTU	[NULL]	[NULL]	[NULL]	C	B1XFJ7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6265	11/12/2008 11:08	N	PH	pH Measurement	8.83	unitless	[NULL]	[NULL]	[NULL]	C	B1XFJ7	PH	FIELD	PH_PAPER_FLD	100-NR-2
C6265	4/14/2009 9:11	N	14762-75-5	Carbon-14	15.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XPF7	14762-75-5	TARL	C14_LSC	100-NR-2
C6265	4/14/2009 9:11	N	16887-00-6	Chloride	12100	ug/L	D	[NULL]	[NULL]	R	B1XPH0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6265	4/14/2009 9:11	Y	DO	Dissolved oxygen	8600	ug/L	[NULL]	[NULL]	[NULL]	R	B1XNT3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6265	4/14/2009 9:11	N	16984-48-8	Fluoride	725	ug/L	D	[NULL]	[NULL]	R	B1XPH0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6265	4/14/2009 9:11	Y	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B1XPH4F	18540-29-9	WSCF	7196_CR6	100-NR-2
C6265	4/14/2009 9:11	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B1XPH4	18540-29-9	WSCF	7196_CR6	100-NR-2
C6265	4/14/2009 9:11	N	14797-55-8	Nitrate	19100	ug/L	D	[NULL]	[NULL]	R	B1XPH0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6265	4/14/2009 9:11	N	14797-65-0	Nitrite	85.4	ug/L	UD	[NULL]	[NULL]	R	B1XPH0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6265	4/14/2009 9:11	Y	EH	Oxidation Reduction Potential	273	mV	[NULL]	[NULL]	[NULL]	R	B1XNT3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6265	4/14/2009 9:11	Y	CONDUCT	Specific Conductance	652	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XNT3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6265	4/14/2009 9:11	N	14808-79-8	Sulfate	120000	ug/L	D	[NULL]	[NULL]	R	B1XPH0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6265	4/14/2009 9:11	Y	TEMPERATURE	Temperature	10.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1XNT3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6265	4/14/2009 9:11	N	10028-17-8	Tritium	260	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XPH0	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6265	4/14/2009 9:11	Y	TURBIDITY	Turbidity	14.7	NTU	[NULL]	[NULL]	[NULL]	R	B1XNT3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6265	4/14/2009 9:11	Y	PH	pH Measurement	7.95	unitless	[NULL]	[NULL]	[NULL]	R	B1XNT3	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6265	11/21/2009 8:35	N	14762-75-5	Carbon-14	11.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B22PJ3	14762-75-5	TARL	C14_LSC	100-NR-2
C6265	11/21/2009 8:35	N	14762-75-5	Carbon-14	7.33	pCi/L	U	[NULL]	[NULL]	R	B22PJ2	14762-75-5	TARL	C14_LSC	100-NR-2
C6265	11/21/2009 8:35	N	16887-00-6	Chloride	11000	ug/L	D	[NULL]	[NULL]	R	B22R51	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6265	11/21/2009 8:35	N	16887-00-6	Chloride	10900	ug/L	D	[NULL]	[NULL]	R	B22R50	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6265	11/21/2009 8:35	N	DO	Dissolved oxygen	7880	ug/L	[NULL]	[NULL]	[NULL]	R	B22PJ6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6265	11/21/2009 8:35	N	16984-48-8	Fluoride	894	ug/L	D	[NULL]	[NULL]	R	B22R51	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6265	11/21/2009 8:35	N	16984-48-8	Fluoride	897	ug/L	D	[NULL]	[NULL]	R	B22R50	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6265	11/21/2009 8:35	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B22PJ5	18540-29-9	WSCF	7196_CR6	100-NR-2
C6265	11/21/2009 8:35	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B22PJ1	18540-29-9	WSCF	7196_CR6	100-NR-2
C6265	11/21/2009 8:35	Y	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B22PJ4	18540-29-9	WSCF	7196_CR6	100-NR-2
C6265	11/21/2009 8:35	Y	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B22PJ0	18540-29-9	WSCF	7196_CR6	100-NR-2
C6265	11/21/2009 8:35	N	14797-55-8	Nitrate	20200	ug/L	D	[NULL]	[NULL]	R	B22R50	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6265	11/21/2009 8:35	N	14797-55-8	Nitrate	19700	ug/L	D	[NULL]	[NULL]	R	B22R51	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6265	11/21/2009 8:35	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B22R50	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6265	11/21/2009 8:35	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B22R51	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6265	11/21/2009 8:35	N	EH	Oxidation Reduction Potential	123	mV	[NULL]	[NULL]	[NULL]	R	B22PJ6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6265	11/21/2009 8:35	N	CONDUCT	Specific Conductance	601	uS/cm	[NULL]	[NULL]	[NULL]	R	B22PJ6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6265	11/21/2009 8:35	N	14808-79-8	Sulfate	98400	ug/L	D	[NULL]	[NULL]	R	B22R50	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6265	11/21/2009 8:35	N	14808-79-8	Sulfate	98400	ug/L	D	[NULL]	[NULL]	R	B22R51	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6265	11/21/2009 8:35	N	TEMPERATURE	Temperature	13.7	Deg C	[NULL]	[NULL]	[NULL]	R	B22PJ6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6265	11/21/2009 8:35	N	10028-17-8	Tritium	600	pCi/L	[NULL]	[NULL]	[NULL]	R	B22R50	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6265	11/21/2009 8:35	N	10028-17-8	Tritium	1000	pCi/L	[NULL]	[NULL]	[NULL]	R	B22R51	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6265	11/21/2009 8:35	N	TURBIDITY	Turbidity	6.79	NTU	[NULL]	[NULL]	[NULL]	R	B22PJ6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6265	11/21/2009 8:35	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B22PJ6	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6317	9/22/2008 10:55	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR41	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TVF4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	Y	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TVF4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR41	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	Y	7440-39-3	Barium	45	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	N	7440-39-3	Barium	53	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR41	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TVF4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR41	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	N	24959-67-9	Bromide	46	ug/L	U	[NULL]	[NULL]	C	B1TR41	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
C6317	9/22/2008 10:55	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TVF4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TR41	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	Y	7440-70-2	Calcium	41100	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	N	7440-70-2	Calcium	41700	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR41	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	N	16887-00-6	Chloride	9670	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR41	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6317	9/22/2008 10:55	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TVF4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TR41	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR41	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TVF4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	Y	DO	Dissolved oxygen	9620	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6317	9/22/2008 10:55	N	16984-48-8	Fluoride	81	ug/L	B	[NULL]	[NULL]	C	B1TR41	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6317	9/22/2008 10:55	N	12587-46-1	Gross alpha	2.3	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR41	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
C6317	9/22/2008 10:55	N	12587-47-2	Gross beta	14	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR41	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6317	9/22/2008 10:55	N	18540-29-9	Hexavalent Chromium	19	ug/L	[NULL]	Y	[NULL]	C	B1TR41	18540-29-9	WSCF	7196_CR6	100-NR-2
C6317	9/22/2008 10:55	N	7439-89-6	Iron	335	ug/L	C	[NULL]	[NULL]	C	B1TR41	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	C	B1TVF4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	N	7439-93-2	Lithium	4	ug/L	U	[NULL]	[NULL]	C	B1TR41	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	Y	7439-93-2	Lithium	4	ug/L	U	[NULL]	[NULL]	C	B1TVF4	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	N	7439-95-4	Magnesium	8220	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR41	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	Y	7439-95-4	Magnesium	7680	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	N	7439-96-5	Manganese	42	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR41	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	C	B1TVF4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TR41	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TVF4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	N	14797-55-8	Nitrate	16800	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR41	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6317	9/22/2008 10:55	N	14797-65-0	Nitrite	42.7	ug/L	U	[NULL]	[NULL]	C	B1TR41	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6317	9/22/2008 10:55	Y	EH	Oxidation Reduction Potential	56	mV	[NULL]	[NULL]	[NULL]	C	B1TVF4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6317	9/22/2008 10:55	N	14265-44-2	Phosphate	187	ug/L	U	[NULL]	[NULL]	C	B1TR41	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
C6317	9/22/2008 10:55	Y	7440-09-7	Potassium	2180	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	N	7440-09-7	Potassium	2500	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR41	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TR41	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TVF4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	N	7440-23-5	Sodium	29600	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR41	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	Y	7440-23-5	Sodium	27100	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	Y	CONDUCT	Specific Conductance	144.3	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TVF4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6317	9/22/2008 10:55	Y	7440-24-6	Strontium	221	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	N	7440-24-6	Strontium	227	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR41	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	N	10098-97-2	Strontium-90	2.9	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR41	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6317	9/22/2008 10:55	N	14808-79-8	Sulfate	40100	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR41	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6317	9/22/2008 10:55	Y	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	C	B1TVF4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6317	9/22/2008 10:55	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	77	ug/L	U	[NULL]	[NULL]	C	B1TR41	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6317	9/22/2008 10:55	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	50	ug/L	U	[NULL]	[NULL]	C	B1TR41	TPHGASOLINE	WSCF	WTPH_GASOLINE	100-NR-2
C6317	9/22/2008 10:55	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	100	ug/L	U	[NULL]	[NULL]	C	B1TR41	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
C6317	9/22/2008 10:55	Y	TURBIDITY	Turbidity	0.93	NTU	[NULL]	[NULL]	[NULL]	C	B1TVF4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6317	9/22/2008 10:55	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TR41	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TVF4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	N	7440-66-6	Zinc	16.9	ug/L	B	[NULL]	[NULL]	C	B1TR41	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TVF4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6317	9/22/2008 10:55	Y	PH	pH Measurement	5.95	unitless	[NULL]	[NULL]	[NULL]	C	B1TVF4	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6317	3/11/2009 11:10	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1XWN1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1XWN2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	Y	7440-39-3	Barium	40.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	N	7440-39-3	Barium	39.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWN1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWN2	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWN2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWN1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	N	7440-70-2	Calcium	39500	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	Y	7440-70-2	Calcium	40100	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	N	16887-00-6	Chloride	8020	ug/L	D	[NULL]	[NULL]	R	B1XWN2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6317	3/11/2009 11:10	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWN2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWN1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWN2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWN1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1XWN2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1XWN1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	N	DO	Dissolved oxygen	8010	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6317	3/11/2009 11:10	N	16984-48-8	Fluoride	46	ug/L	UD	[NULL]	[NULL]	R	B1XWN2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6317	3/11/2009 11:10	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B1XX19	18540-29-9	WSCF	7196_CR6	100-NR-2
C6317	3/11/2009 11:10	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B1XWN1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	N	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B1XWN2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	Y	7439-95-4	Magnesium	7790	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	N	7439-95-4	Magnesium	7840	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1XWN1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1XWN2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWN1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWN2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	N	14797-55-8	Nitrate	10100	ug/L	D	[NULL]	[NULL]	R	B1XWN2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6317	3/11/2009 11:10	N	14797-65-0	Nitrite	85.4	ug/L	UD	[NULL]	[NULL]	R	B1XWN2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6317	3/11/2009 11:10	N	EH	Oxidation Reduction Potential	356	mV	[NULL]	[NULL]	[NULL]	R	B1XWN3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6317	3/11/2009 11:10	N	7440-09-7	Potassium	1480	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	Y	7440-09-7	Potassium	1530	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWN2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	Y	7440-22-4	Silver	6.9	ug/L	B	[NULL]	[NULL]	R	B1XWN1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	N	7440-23-5	Sodium	22400	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	Y	7440-23-5	Sodium	23000	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	N	CONDUCT	Specific Conductance	360	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWN3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6317	3/11/2009 11:10	N	7440-24-6	Strontium	170	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6317	3/11/2009 11:10	Y	7440-24-6	Strontium	172	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	N	10098-97-2	Strontium-90	0.93	pCi/L	U	[NULL]	[NULL]	R	B1XWN2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6317	3/11/2009 11:10	N	14808-79-8	Sulfate	32500	ug/L	D	[NULL]	[NULL]	R	B1XWN2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6317	3/11/2009 11:10	N	TEMPERATURE	Temperature	7.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWN3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6317	3/11/2009 11:10	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	70	ug/L	U	[NULL]	[NULL]	R	B1XWN2	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6317	3/11/2009 11:10	N	TURBIDITY	Turbidity	9.68	NTU	[NULL]	[NULL]	[NULL]	R	B1XWN3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6317	3/11/2009 11:10	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWN1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWN2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1XWN1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1XWN2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6317	3/11/2009 11:10	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	B1XWN3	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6317	1/13/2010 10:26	N	DO	Dissolved oxygen	9230	ug/L	[NULL]	[NULL]	[NULL]	R	B23604	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6317	1/13/2010 10:26	N	EH	Oxidation Reduction Potential	164	mV	[NULL]	[NULL]	[NULL]	R	B23604	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6317	1/13/2010 10:26	N	CONDUCT	Specific Conductance	342	uS/cm	[NULL]	[NULL]	[NULL]	R	B23604	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6317	1/13/2010 10:26	N	TEMPERATURE	Temperature	7.8	Deg C	[NULL]	[NULL]	[NULL]	R	B23604	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6317	1/13/2010 10:26	N	TURBIDITY	Turbidity	2.47	NTU	[NULL]	[NULL]	[NULL]	R	B23604	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6317	1/13/2010 10:26	N	PH	pH Measurement	7.63	unitless	[NULL]	[NULL]	[NULL]	R	B23604	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6318	9/22/2008 10:20	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TVF5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR42	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR42	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	Y	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TVF5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	Y	7440-39-3	Barium	35	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	N	7440-39-3	Barium	38	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR42	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TVF5	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR42	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	N	24959-67-9	Bromide	91	ug/L	DU	[NULL]	[NULL]	C	B1TR42	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
C6318	9/22/2008 10:20	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TVF5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TR42	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	Y	7440-70-2	Calcium	25400	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	N	7440-70-2	Calcium	26300	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR42	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	N	16887-00-6	Chloride	26900	ug/L	D	[NULL]	[NULL]	C	B1TR42	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6318	9/22/2008 10:20	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TR42	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TVF5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR42	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	Y	7440-48-4	Cobalt	4.9	ug/L	B	[NULL]	[NULL]	C	B1TVF5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	N	16984-48-8	Fluoride	434	ug/L	D	[NULL]	[NULL]	C	B1TR42	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6318	9/22/2008 10:20	N	12587-46-1	Gross alpha	4.6	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR42	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
C6318	9/22/2008 10:20	N	12587-47-2	Gross beta	7.8	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR42	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6318	9/22/2008 10:20	N	18540-29-9	Hexavalent Chromium	24	ug/L	[NULL]	Y	[NULL]	C	B1TR42	18540-29-9	WSCF	7196_CR6	100-NR-2
C6318	9/22/2008 10:20	N	7439-89-6	Iron	176	ug/L	C	[NULL]	[NULL]	C	B1TR42	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	Y	7439-89-6	Iron	56.9	ug/L	BC	[NULL]	[NULL]	C	B1TVF5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	Y	7439-93-2	Lithium	6.1	ug/L	B	[NULL]	[NULL]	C	B1TVF5	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	N	7439-93-2	Lithium	5.7	ug/L	B	[NULL]	[NULL]	C	B1TR42	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	Y	7439-95-4	Magnesium	6660	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	N	7439-95-4	Magnesium	6540	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR42	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	Y	7439-96-5	Manganese	8	ug/L	B	[NULL]	[NULL]	C	B1TVF5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	N	7439-96-5	Manganese	20	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR42	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TR42	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TVF5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	N	14797-55-8	Nitrate	32400	ug/L	D	[NULL]	[NULL]	C	B1TR42	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6318	9/22/2008 10:20	N	14797-65-0	Nitrite	85.4	ug/L	DU	[NULL]	[NULL]	C	B1TR42	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6318	9/22/2008 10:20	N	14265-44-2	Phosphate	371	ug/L	DU	[NULL]	[NULL]	C	B1TR42	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6318	9/22/2008 10:20	N	7440-09-7	Potassium	5100	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR42	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	Y	7440-09-7	Potassium	5300	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TVF5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TR42	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	Y	7440-23-5	Sodium	117000	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	N	7440-23-5	Sodium	115000	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR42	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	N	7440-24-6	Strontium	172	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR42	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	Y	7440-24-6	Strontium	170	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	N	10098-97-2	Strontium-90	-1.3	pCi/L	U	[NULL]	[NULL]	C	B1TR42	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6318	9/22/2008 10:20	N	14808-79-8	Sulfate	112000	ug/L	D	[NULL]	[NULL]	C	B1TR42	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6318	9/22/2008 10:20	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	79	ug/L	U	[NULL]	[NULL]	C	B1TR42	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6318	9/22/2008 10:20	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	50	ug/L	U	[NULL]	[NULL]	C	B1TR42	TPHGASOLINE	WSCF	WTPH_GASOLINE	100-NR-2
C6318	9/22/2008 10:20	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	110	ug/L	U	[NULL]	[NULL]	C	B1TR42	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
C6318	9/22/2008 10:20	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TR42	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TVF5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TVF5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6318	9/22/2008 10:20	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TR42	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1XWN4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1XWN5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	N	7440-39-3	Barium	41.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	Y	7440-39-3	Barium	34.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWN4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWN5	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWN5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWN4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	Y	7440-70-2	Calcium	26400	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	N	7440-70-2	Calcium	26700	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	N	16887-00-6	Chloride	28900	ug/L	D	[NULL]	[NULL]	R	B1XWN5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6318	3/11/2009 11:30	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWN5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	Y	7440-47-3	Chromium	13	ug/L	B	[NULL]	[NULL]	R	B1XWN4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWN4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWN5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1XWN5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1XWN4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	N	DO	Dissolved oxygen	8570	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6318	3/11/2009 11:30	N	16984-48-8	Fluoride	406	ug/L	D	[NULL]	[NULL]	R	B1XWN5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6318	3/11/2009 11:30	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B1XX20	18540-29-9	WSCF	7196_CR6	100-NR-2
C6318	3/11/2009 11:30	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B1XWN4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	N	7439-89-6	Iron	231	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	Y	7439-95-4	Magnesium	6480	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	N	7439-95-4	Magnesium	6340	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	N	7439-96-5	Manganese	32.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1XWN4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWN4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWN5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	N	14797-55-8	Nitrate	36700	ug/L	D	[NULL]	[NULL]	R	B1XWN5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6318	3/11/2009 11:30	N	14797-65-0	Nitrite	85.4	ug/L	UD	[NULL]	[NULL]	R	B1XWN5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6318	3/11/2009 11:30	N	EH	Oxidation Reduction Potential	365	mV	[NULL]	[NULL]	[NULL]	R	B1XWN6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6318	3/11/2009 11:30	Y	7440-09-7	Potassium	3720	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	N	7440-09-7	Potassium	3610	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWN4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWN5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	N	7440-23-5	Sodium	94600	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	Y	7440-23-5	Sodium	97600	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	N	CONDUCT	Specific Conductance	663	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWN6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6318	3/11/2009 11:30	N	7440-24-6	Strontium	141	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	Y	7440-24-6	Strontium	146	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	N	10098-97-2	Strontium-90	-0.55	pCi/L	U	[NULL]	[NULL]	R	B1XWN5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6318	3/11/2009 11:30	N	14808-79-8	Sulfate	111000	ug/L	D	[NULL]	[NULL]	R	B1XWN5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6318	3/11/2009 11:30	N	TEMPERATURE	Temperature	7.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWN6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6318	3/11/2009 11:30	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	70	ug/L	U	[NULL]	[NULL]	R	B1XWN5	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6318	3/11/2009 11:30	N	TURBIDITY	Turbidity	27.4	NTU	[NULL]	[NULL]	[NULL]	R	B1XWN6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6318	3/11/2009 11:30	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWN4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWN5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1XWN4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1XWN5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6318	3/11/2009 11:30	N	PH	pH Measurement	8.25	unitless	[NULL]	[NULL]	[NULL]	R	B1XWN6	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6318	1/13/2010 10:51	N	DO	Dissolved oxygen	8820	ug/L	[NULL]	[NULL]	[NULL]	R	B23605	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6318	1/13/2010 10:51	N	EH	Oxidation Reduction Potential	165	mV	[NULL]	[NULL]	[NULL]	R	B23605	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6318	1/13/2010 10:51	N	CONDUCT	Specific Conductance	716	uS/cm	[NULL]	[NULL]	[NULL]	R	B23605	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6318	1/13/2010 10:51	N	TEMPERATURE	Temperature	9.6	Deg C	[NULL]	[NULL]	[NULL]	R	B23605	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6318	1/13/2010 10:51	N	TURBIDITY	Turbidity	113	NTU	[NULL]	[NULL]	[NULL]	R	B23605	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6318	1/13/2010 10:51	N	PH	pH Measurement	8.21	unitless	[NULL]	[NULL]	[NULL]	R	B23605	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6319	9/22/2008 11:20	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TVF6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR43	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR43	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	Y	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TVF6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	N	7440-39-3	Barium	34	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR43	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	Y	7440-39-3	Barium	28	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR43	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TVF6	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	N	24959-67-9	Bromide	136	ug/L	DU	[NULL]	[NULL]	C	B1TR43	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
C6319	9/22/2008 11:20	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TR43	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TVF6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	N	7440-70-2	Calcium	36300	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR43	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	Y	7440-70-2	Calcium	34700	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	N	16887-00-6	Chloride	26400	ug/L	D	[NULL]	[NULL]	C	B1TR43	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6319	9/22/2008 11:20	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TVF6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TR43	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TVF6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR43	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	N	DO	Dissolved oxygen	7740	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR43	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6319	9/22/2008 11:20	N	16984-48-8	Fluoride	139	ug/L	BD	[NULL]	[NULL]	C	B1TR43	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6319	9/22/2008 11:20	N	12587-46-1	Gross alpha	3.8	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR43	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
C6319	9/22/2008 11:20	N	12587-47-2	Gross beta	20	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR43	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6319	9/22/2008 11:20	N	18540-29-9	Hexavalent Chromium	15	ug/L	[NULL]	Y	[NULL]	C	B1TR43	18540-29-9	WSCF	7196_CR6	100-NR-2
C6319	9/22/2008 11:20	N	7439-89-6	Iron	319	ug/L	C	[NULL]	[NULL]	C	B1TR43	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	Y	7439-89-6	Iron	39.4	ug/L	BC	[NULL]	[NULL]	C	B1TVF6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	N	7439-93-2	Lithium	7.7	ug/L	B	[NULL]	[NULL]	C	B1TR43	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	Y	7439-93-2	Lithium	8	ug/L	B	[NULL]	[NULL]	C	B1TVF6	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6319	9/22/2008 11:20	N	7439-95-4	Magnesium	10400	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR43	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	Y	7439-95-4	Magnesium	10800	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	C	B1TVF6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	N	7439-96-5	Manganese	26	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR43	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TR43	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TVF6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	N	14797-55-8	Nitrate	32200	ug/L	D	[NULL]	[NULL]	C	B1TR43	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6319	9/22/2008 11:20	N	14797-65-0	Nitrite	125	ug/L	DU	[NULL]	[NULL]	C	B1TR43	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6319	9/22/2008 11:20	N	EH	Oxidation Reduction Potential	156	mV	[NULL]	[NULL]	[NULL]	C	B1TR43	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6319	9/22/2008 11:20	N	14265-44-2	Phosphate	558	ug/L	DU	[NULL]	[NULL]	C	B1TR43	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
C6319	9/22/2008 11:20	Y	7440-09-7	Potassium	5850	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	N	7440-09-7	Potassium	5350	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR43	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TVF6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	N	7440-22-4	Silver	13	ug/L	B	[NULL]	[NULL]	C	B1TR43	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	N	7440-23-5	Sodium	90800	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR43	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	Y	7440-23-5	Sodium	97300	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	N	CONDUCT	Specific Conductance	692	uS/cm	[NULL]	G	[NULL]	C	B1TR43	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6319	9/22/2008 11:20	N	7440-24-6	Strontium	283	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR43	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	Y	7440-24-6	Strontium	281	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	N	10098-97-2	Strontium-90	-1.4	pCi/L	U	[NULL]	[NULL]	C	B1TR43	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6319	9/22/2008 11:20	N	14808-79-8	Sulfate	131000	ug/L	D	[NULL]	[NULL]	C	B1TR43	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6319	9/22/2008 11:20	N	TEMPERATURE	Temperature	15.6	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR43	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6319	9/22/2008 11:20	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	85	ug/L	U	[NULL]	[NULL]	C	B1TR43	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6319	9/22/2008 11:20	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	50	ug/L	U	[NULL]	[NULL]	C	B1TR43	TPHGASOLINE	WSCF	WTPH_GASOLINE	100-NR-2
C6319	9/22/2008 11:20	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	110	ug/L	U	[NULL]	[NULL]	C	B1TR43	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
C6319	9/22/2008 11:20	N	TURBIDITY	Turbidity	37.1	NTU	[NULL]	[NULL]	[NULL]	C	B1TR43	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6319	9/22/2008 11:20	Y	7440-62-2	Vanadium	16	ug/L	B	[NULL]	[NULL]	C	B1TVF6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TR43	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TR43	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TVF6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	9/22/2008 11:20	N	PH	pH Measurement	7.85	unitless	[NULL]	[NULL]	[NULL]	C	B1TR43	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6319	3/11/2009 10:48	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1XWN8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1XWN7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	N	7440-39-3	Barium	29.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	Y	7440-39-3	Barium	27.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWN7	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWN8	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWN7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWN8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	N	7440-70-2	Calcium	34600	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	Y	7440-70-2	Calcium	38300	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	N	16887-00-6	Chloride	27200	ug/L	D	[NULL]	[NULL]	R	B1XWN8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6319	3/11/2009 10:48	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWN8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWN7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWN7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWN8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1XWN8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1XWN7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6319	3/11/2009 10:48	N	DO	Dissolved oxygen	8930	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6319	3/11/2009 10:48	N	16984-48-8	Fluoride	224	ug/L	BD	[NULL]	[NULL]	R	B1XWN8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6319	3/11/2009 10:48	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B1XX21	18540-29-9	WSCF	7196_CR6	100-NR-2
C6319	3/11/2009 10:48	N	7439-89-6	Iron	85.1	ug/L	B	[NULL]	[NULL]	R	B1XWN8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B1XWN7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	N	7439-95-4	Magnesium	9900	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	Y	7439-95-4	Magnesium	10600	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	N	7439-96-5	Manganese	14.1	ug/L	B	[NULL]	[NULL]	R	B1XWN8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1XWN7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWN7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWN8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	N	14797-55-8	Nitrate	33500	ug/L	D	[NULL]	[NULL]	R	B1XWN8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6319	3/11/2009 10:48	N	14797-65-0	Nitrite	125	ug/L	UD	[NULL]	[NULL]	R	B1XWN8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6319	3/11/2009 10:48	N	EH	Oxidation Reduction Potential	361	mV	[NULL]	[NULL]	[NULL]	R	B1XWN9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6319	3/11/2009 10:48	Y	7440-09-7	Potassium	4570	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	N	7440-09-7	Potassium	4280	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWN8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWN7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	Y	7440-23-5	Sodium	89200	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	N	7440-23-5	Sodium	82600	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	N	CONDUCT	Specific Conductance	688	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWN9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6319	3/11/2009 10:48	N	7440-24-6	Strontium	243	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	Y	7440-24-6	Strontium	263	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWN7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	N	10098-97-2	Strontium-90	-3.9	pCi/L	U	[NULL]	[NULL]	R	B1XWN8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6319	3/11/2009 10:48	N	14808-79-8	Sulfate	130000	ug/L	D	[NULL]	[NULL]	R	B1XWN8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6319	3/11/2009 10:48	N	TEMPERATURE	Temperature	9	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWN9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6319	3/11/2009 10:48	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	70	ug/L	U	[NULL]	[NULL]	R	B1XWN8	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6319	3/11/2009 10:48	N	TURBIDITY	Turbidity	2.11	NTU	[NULL]	[NULL]	[NULL]	R	B1XWN9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6319	3/11/2009 10:48	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWN7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	N	7440-62-2	Vanadium	16.2	ug/L	B	[NULL]	[NULL]	R	B1XWN8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1XWN8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1XWN7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	3/11/2009 10:48	N	PH	pH Measurement	7.71	unitless	[NULL]	[NULL]	[NULL]	R	B1XWN9	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6319	1/13/2010 10:31	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B235W2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B235D5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B235W3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B235D4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-39-3	Barium	33.7	ug/L	[NULL]	[NULL]	[NULL]	R	B235W2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-39-3	Barium	35.1	ug/L	[NULL]	[NULL]	[NULL]	R	B235D4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-39-3	Barium	31.1	ug/L	[NULL]	[NULL]	[NULL]	R	B235D5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-39-3	Barium	30.4	ug/L	[NULL]	[NULL]	[NULL]	R	B235W3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B235W2	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B235D4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B235D5	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B235W3	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B235D5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B235W3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B235D4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B235W2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-70-2	Calcium	49400	ug/L	[NULL]	[NULL]	[NULL]	R	B235D5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-70-2	Calcium	37800	ug/L	[NULL]	[NULL]	[NULL]	R	B235W3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-70-2	Calcium	38800	ug/L	[NULL]	[NULL]	[NULL]	R	B235D4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6319	1/13/2010 10:31	N	7440-70-2	Calcium	37600	ug/L	[NULL]	[NULL]	[NULL]	R	B235W2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	16887-00-6	Chloride	28800	ug/L	D	[NULL]	[NULL]	R	B235D6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6319	1/13/2010 10:31	N	16887-00-6	Chloride	28700	ug/L	D	[NULL]	[NULL]	R	B236L1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6319	1/13/2010 10:31	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B235W3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B235D4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B235D5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B235W2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B235W3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B235D5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B235W2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B235D4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B235W2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B235D5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B235W3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B235D4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	DO	Dissolved oxygen	8410	ug/L	[NULL]	[NULL]	[NULL]	R	B234L8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6319	1/13/2010 10:31	N	16984-48-8	Fluoride	285	ug/L	BD	[NULL]	[NULL]	R	B236L1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6319	1/13/2010 10:31	N	16984-48-8	Fluoride	288	ug/L	BD	[NULL]	[NULL]	R	B235D6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6319	1/13/2010 10:31	Y	18540-29-9	Hexavalent Chromium	4	ug/L	B	[NULL]	[NULL]	R	B235D2	18540-29-9	WSCF	7196_CR6	100-NR-2
C6319	1/13/2010 10:31	N	18540-29-9	Hexavalent Chromium	2.9	ug/L	B	[NULL]	[NULL]	R	B234L9	18540-29-9	WSCF	7196_CR6	100-NR-2
C6319	1/13/2010 10:31	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B235W3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7439-89-6	Iron	167	ug/L	[NULL]	[NULL]	[NULL]	R	B235D4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B235D5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7439-89-6	Iron	138	ug/L	[NULL]	[NULL]	[NULL]	R	B235W2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7439-95-4	Magnesium	11300	ug/L	[NULL]	[NULL]	[NULL]	R	B235W2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7439-95-4	Magnesium	11700	ug/L	[NULL]	[NULL]	[NULL]	R	B235D4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7439-95-4	Magnesium	11500	ug/L	[NULL]	[NULL]	[NULL]	R	B235W3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7439-95-4	Magnesium	11700	ug/L	[NULL]	[NULL]	[NULL]	R	B235D5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B235W3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7439-96-5	Manganese	15.9	ug/L	B	[NULL]	[NULL]	R	B235D4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7439-96-5	Manganese	12.9	ug/L	B	[NULL]	[NULL]	R	B235W2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B235D5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B235D5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B235W2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B235D4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B235W3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	14797-55-8	Nitrate	37500	ug/L	D	[NULL]	[NULL]	R	B235D6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6319	1/13/2010 10:31	N	14797-55-8	Nitrate	37700	ug/L	D	[NULL]	[NULL]	R	B236L1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6319	1/13/2010 10:31	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B235D6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6319	1/13/2010 10:31	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B236L1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6319	1/13/2010 10:31	N	EH	Oxidation Reduction Potential	180	mV	[NULL]	[NULL]	[NULL]	R	B234L8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6319	1/13/2010 10:31	Y	7440-09-7	Potassium	5560	ug/L	[NULL]	[NULL]	[NULL]	R	B235D5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-09-7	Potassium	5260	ug/L	[NULL]	[NULL]	[NULL]	R	B235W2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-09-7	Potassium	5430	ug/L	[NULL]	[NULL]	[NULL]	R	B235D4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-09-7	Potassium	5360	ug/L	[NULL]	[NULL]	[NULL]	R	B235W3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B235D4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B235W2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B235W3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B235D5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-23-5	Sodium	99400	ug/L	[NULL]	[NULL]	[NULL]	R	B235D4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-23-5	Sodium	99400	ug/L	[NULL]	[NULL]	[NULL]	R	B235W3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-23-5	Sodium	95800	ug/L	[NULL]	[NULL]	[NULL]	R	B235W2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-23-5	Sodium	102000	ug/L	[NULL]	[NULL]	[NULL]	R	B235D5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	CONDUCT	Specific Conductance	730	uS/cm	[NULL]	[NULL]	[NULL]	R	B234L8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6319	1/13/2010 10:31	N	7440-24-6	Strontium	275	ug/L	[NULL]	[NULL]	[NULL]	R	B235D4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-24-6	Strontium	266	ug/L	[NULL]	[NULL]	[NULL]	R	B235W2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-24-6	Strontium	273	ug/L	[NULL]	[NULL]	[NULL]	R	B235D5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-24-6	Strontium	268	ug/L	[NULL]	[NULL]	[NULL]	R	B235W3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	14808-79-8	Sulfate	143000	ug/L	D	[NULL]	[NULL]	R	B236L1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6319	1/13/2010 10:31	N	14808-79-8	Sulfate	144000	ug/L	D	[NULL]	[NULL]	R	B235D6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6319	1/13/2010 10:31	N	TEMPERATURE	Temperature	10.2	Deg C	[NULL]	[NULL]	[NULL]	R	B234L8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6319	1/13/2010 10:31	N	TURBIDITY	Turbidity	68.7	NTU	[NULL]	[NULL]	[NULL]	R	B234L8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6319	1/13/2010 10:31	N	7440-62-2	Vanadium	15.4	ug/L	B	[NULL]	[NULL]	R	B235W2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-62-2	Vanadium	15.2	ug/L	B	[NULL]	[NULL]	R	B235W3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-62-2	Vanadium	15.9	ug/L	B	[NULL]	[NULL]	R	B235D4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-62-2	Vanadium	15.9	ug/L	B	[NULL]	[NULL]	R	B235D5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B235W2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B235D4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B235W3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B235D5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6319	1/13/2010 10:31	N	PH	pH Measurement	7.74	unitless	[NULL]	[NULL]	[NULL]	R	B234L8	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6319	1/13/2010 10:32	Y	18540-29-9	Hexavalent Chromium	3.2	ug/L	B	[NULL]	[NULL]	R	B236L4	18540-29-9	WSCF	7196_CR6	100-NR-2
C6319	1/13/2010 10:32	N	18540-29-9	Hexavalent Chromium	3.4	ug/L	B	[NULL]	[NULL]	R	B236L5	18540-29-9	WSCF	7196_CR6	100-NR-2
C6320	9/22/2008 10:33	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TVF7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR44	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	Y	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TVF7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR44	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	Y	7440-39-3	Barium	82	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	7440-39-3	Barium	87	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR44	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TVF7	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR44	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	24959-67-9	Bromide	109	ug/L	BD	[NULL]	[NULL]	C	B1TR44	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
C6320	9/22/2008 10:33	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TVF7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TR44	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	Y	7440-70-2	Calcium	64500	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	7440-70-2	Calcium	63900	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR44	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	16887-00-6	Chloride	36200	ug/L	D	[NULL]	[NULL]	C	B1TR44	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6320	9/22/2008 10:33	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TR44	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TVF7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR44	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TVF7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	DO	Dissolved oxygen	8010	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR44	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6320	9/22/2008 10:33	N	16984-48-8	Fluoride	46	ug/L	DU	[NULL]	[NULL]	C	B1TR44	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6320	9/22/2008 10:33	N	12587-46-1	Gross alpha	2.1	pCi/L	U	[NULL]	[NULL]	C	B1TR44	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
C6320	9/22/2008 10:33	N	12587-47-2	Gross beta	38	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR44	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6320	9/22/2008 10:33	N	18540-29-9	Hexavalent Chromium	3	ug/L	B	[NULL]	[NULL]	C	B1TR44	18540-29-9	WSCF	7196_CR6	100-NR-2
C6320	9/22/2008 10:33	N	7439-89-6	Iron	95	ug/L	BC	[NULL]	[NULL]	C	B1TR44	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	C	B1TVF7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	Y	7439-93-2	Lithium	4	ug/L	U	[NULL]	[NULL]	C	B1TVF7	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	7439-93-2	Lithium	4	ug/L	B	[NULL]	[NULL]	C	B1TR44	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	7439-95-4	Magnesium	13100	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR44	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	Y	7439-95-4	Magnesium	12600	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	Y	7439-96-5	Manganese	5	ug/L	B	[NULL]	[NULL]	C	B1TVF7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	7439-96-5	Manganese	16	ug/L	B	[NULL]	[NULL]	C	B1TR44	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TR44	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TVF7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	14797-55-8	Nitrate	54000	ug/L	D	[NULL]	[NULL]	C	B1TR44	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6320	9/22/2008 10:33	N	14797-65-0	Nitrite	85.4	ug/L	DU	[NULL]	[NULL]	C	B1TR44	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6320	9/22/2008 10:33	N	EH	Oxidation Reduction Potential	168	mV	[NULL]	[NULL]	[NULL]	C	B1TR44	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6320	9/22/2008 10:33	N	14265-44-2	Phosphate	371	ug/L	DU	[NULL]	[NULL]	C	B1TR44	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
C6320	9/22/2008 10:33	Y	7440-09-7	Potassium	3980	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	7440-09-7	Potassium	4210	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR44	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TR44	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	Y	7440-22-4	Silver	6	ug/L	B	[NULL]	[NULL]	C	B1TVF7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	7440-23-5	Sodium	32500	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR44	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	Y	7440-23-5	Sodium	30800	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	CONDUCT	Specific Conductance	599	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR44	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6320	9/22/2008 10:33	Y	7440-24-6	Strontium	346	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	7440-24-6	Strontium	352	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR44	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	10098-97-2	Strontium-90	13	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR44	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6320	9/22/2008 10:33	N	14808-79-8	Sulfate	77200	ug/L	D	[NULL]	[NULL]	C	B1TR44	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6320	9/22/2008 10:33	N	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR44	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6320	9/22/2008 10:33	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	77	ug/L	U	[NULL]	[NULL]	C	B1TR44	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6320	9/22/2008 10:33	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	50	ug/L	U	[NULL]	[NULL]	C	B1TR44	TPHGASOLINE	WSCF	WTPH_GASOLINE	100-NR-2
C6320	9/22/2008 10:33	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	100	ug/L	U	[NULL]	[NULL]	C	B1TR44	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
C6320	9/22/2008 10:33	N	TURBIDITY	Turbidity	5.15	NTU	[NULL]	[NULL]	[NULL]	C	B1TR44	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6320	9/22/2008 10:33	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TR44	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TVF7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TR44	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TVF7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6320	9/22/2008 10:33	N	PH	pH Measurement	7	unitless	[NULL]	[NULL]	[NULL]	C	B1TR44	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6320	1/12/2009 9:40	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1XWP0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1XWP1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	N	7440-39-3	Barium	18.1	ug/L	B	[NULL]	[NULL]	R	B1XWP1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	Y	7440-39-3	Barium	15.1	ug/L	B	[NULL]	[NULL]	R	B1XWP0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWP1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWP0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWP0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWP1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	N	7440-70-2	Calcium	16300	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	Y	7440-70-2	Calcium	15400	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	N	16887-00-6	Chloride	1320	ug/L	D	[NULL]	[NULL]	R	B1XWP1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6320	1/12/2009 9:40	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWP1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWP0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWP1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWP0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	Y	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1XWP0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1XWP1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	N	DO	Dissolved oxygen	12100	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6320	1/12/2009 9:40	N	16984-48-8	Fluoride	46.4	ug/L	DU	[NULL]	[NULL]	R	B1XWP1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6320	1/12/2009 9:40	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B1XX22	18540-29-9	WSCF	7196_CR6	100-NR-2
C6320	1/12/2009 9:40	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1XWP0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	N	7439-89-6	Iron	46	ug/L	B	[NULL]	[NULL]	R	B1XWP1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	Y	7439-95-4	Magnesium	3240	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	N	7439-95-4	Magnesium	3450	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1XWP0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6320	1/12/2009 9:40	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1XWP1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWP0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWP1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	N	14797-55-8	Nitrate	1260	ug/L	D	[NULL]	[NULL]	R	B1XWP1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6320	1/12/2009 9:40	N	14797-65-0	Nitrite	84.1	ug/L	DU	[NULL]	[NULL]	R	B1XWP1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6320	1/12/2009 9:40	N	EH	Oxidation Reduction Potential	12	mV	[NULL]	[NULL]	[NULL]	R	B1XWP4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6320	1/12/2009 9:40	Y	7440-09-7	Potassium	1380	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	N	7440-09-7	Potassium	1460	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWP0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWP1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	N	7440-23-5	Sodium	5800	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	Y	7440-23-5	Sodium	5540	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	N	CONDUCT	Specific Conductance	123	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWP4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6320	1/12/2009 9:40	Y	7440-24-6	Strontium	108	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	N	7440-24-6	Strontium	111	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	N	10098-97-2	Strontium-90	1.8	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XWP1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6320	1/12/2009 9:40	N	14808-79-8	Sulfate	10300	ug/L	D	[NULL]	[NULL]	R	B1XWP1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6320	1/12/2009 9:40	N	TEMPERATURE	Temperature	8.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWP4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6320	1/12/2009 9:40	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	72	ug/L	U	[NULL]	[NULL]	R	B1XWP1	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6320	1/12/2009 9:40	N	TURBIDITY	Turbidity	60.1	NTU	[NULL]	[NULL]	[NULL]	R	B1XWP4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6320	1/12/2009 9:40	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWP1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWP0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1XWP0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1XWP1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6320	1/12/2009 9:40	N	PH	pH Measurement	7.45	unitless	[NULL]	[NULL]	[NULL]	R	B1XWP4	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6320	12/20/2009 11:38	N	DO	Dissolved oxygen	10920	ug/L	[NULL]	[NULL]	[NULL]	R	B23606	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6320	12/20/2009 11:38	N	EH	Oxidation Reduction Potential	164	mV	[NULL]	[NULL]	[NULL]	R	B23606	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6320	12/20/2009 11:38	N	CONDUCT	Specific Conductance	136	uS/cm	[NULL]	[NULL]	[NULL]	R	B23606	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6320	12/20/2009 11:38	N	TEMPERATURE	Temperature	10.1	Deg C	[NULL]	[NULL]	[NULL]	R	B23606	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6320	12/20/2009 11:38	N	TURBIDITY	Turbidity	10.9	NTU	[NULL]	[NULL]	[NULL]	R	B23606	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6320	12/20/2009 11:38	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	B23606	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6321	9/22/2008 10:07	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR45	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TVF8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	Y	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TVF8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR45	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	N	7440-39-3	Barium	65	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR45	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	Y	7440-39-3	Barium	62	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR45	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TVF8	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	N	24959-67-9	Bromide	91	ug/L	DU	[NULL]	[NULL]	C	B1TR45	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
C6321	9/22/2008 10:07	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TR45	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TVF8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	N	7440-70-2	Calcium	51700	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR45	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	Y	7440-70-2	Calcium	51800	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	N	16887-00-6	Chloride	33500	ug/L	D	[NULL]	[NULL]	C	B1TR45	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6321	9/22/2008 10:07	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TVF8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TR45	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR45	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TVF8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	N	DO	Dissolved oxygen	7840	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR45	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6321	9/22/2008 10:07	N	16984-48-8	Fluoride	46	ug/L	DU	[NULL]	[NULL]	C	B1TR45	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6321	9/22/2008 10:07	N	12587-46-1	Gross alpha	1.2	pCi/L	U	[NULL]	[NULL]	C	B1TR45	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
C6321	9/22/2008 10:07	N	12587-47-2	Gross beta	28	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR45	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6321	9/22/2008 10:07	N	18540-29-9	Hexavalent Chromium	17	ug/L	[NULL]	Y	[NULL]	C	B1TR45	18540-29-9	WSCF	7196_CR6	100-NR-2
C6321	9/22/2008 10:07	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	C	B1TVF8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	N	7439-89-6	Iron	90.4	ug/L	BC	[NULL]	[NULL]	C	B1TR45	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	Y	7439-93-2	Lithium	4.5	ug/L	B	[NULL]	[NULL]	C	B1TVF8	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	N	7439-93-2	Lithium	4	ug/L	U	[NULL]	[NULL]	C	B1TR45	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	Y	7439-95-4	Magnesium	10400	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	N	7439-95-4	Magnesium	10300	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR45	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	N	7439-96-5	Manganese	12	ug/L	B	[NULL]	[NULL]	C	B1TR45	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	C	B1TVF8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TVF8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TR45	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	N	14797-55-8	Nitrate	45200	ug/L	D	[NULL]	[NULL]	C	B1TR45	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6321	9/22/2008 10:07	N	14797-65-0	Nitrite	85.4	ug/L	DU	[NULL]	[NULL]	C	B1TR45	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6321	9/22/2008 10:07	N	EH	Oxidation Reduction Potential	124	mV	[NULL]	[NULL]	[NULL]	C	B1TR45	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6321	9/22/2008 10:07	N	14265-44-2	Phosphate	371	ug/L	DU	[NULL]	[NULL]	C	B1TR45	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
C6321	9/22/2008 10:07	N	7440-09-7	Potassium	4670	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR45	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	Y	7440-09-7	Potassium	4730	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TR45	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TVF8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	Y	7440-23-5	Sodium	46800	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	N	7440-23-5	Sodium	45900	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR45	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	N	CONDUCT	Specific Conductance	592	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR45	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6321	9/22/2008 10:07	N	7440-24-6	Strontium	286	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR45	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	Y	7440-24-6	Strontium	287	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	N	10098-97-2	Strontium-90	12	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR45	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6321	9/22/2008 10:07	N	14808-79-8	Sulfate	67200	ug/L	D	[NULL]	[NULL]	C	B1TR45	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6321	9/22/2008 10:07	N	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR45	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6321	9/22/2008 10:07	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	81	ug/L	U	[NULL]	[NULL]	C	B1TR45	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6321	9/22/2008 10:07	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	50	ug/L	U	[NULL]	[NULL]	C	B1TR45	TPHGASOLINE	WSCF	WTPH_GASOLINE	100-NR-2
C6321	9/22/2008 10:07	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	110	ug/L	U	[NULL]	[NULL]	C	B1TR45	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
C6321	9/22/2008 10:07	N	TURBIDITY	Turbidity	26.6	NTU	[NULL]	[NULL]	[NULL]	C	B1TR45	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6321	9/22/2008 10:07	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TR45	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TVF8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TR45	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TVF8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6321	9/22/2008 10:07	N	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	C	B1TR45	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6321	1/12/2009 10:11	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1XWP5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1XWP6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	Y	7440-39-3	Barium	13.9	ug/L	B	[NULL]	[NULL]	R	B1XWP5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	N	7440-39-3	Barium	22.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWP5	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWP6	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWP6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWP5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	Y	7440-70-2	Calcium	11100	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	N	7440-70-2	Calcium	11900	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6321	1/12/2009 10:11	N	16887-00-6	Chloride	2170	ug/L	D	[NULL]	[NULL]	R	B1XWP6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6321	1/12/2009 10:11	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWP6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWP5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWP6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWP5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	Y	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1XWP5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1XWP6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	N	DO	Dissolved oxygen	11370	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6321	1/12/2009 10:11	N	16984-48-8	Fluoride	46.4	ug/L	DU	[NULL]	[NULL]	R	B1XWP6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6321	1/12/2009 10:11	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B1XX24	18540-29-9	WSCF	7196_CR6	100-NR-2
C6321	1/12/2009 10:11	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1XWP5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	N	7439-89-6	Iron	296	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	N	7439-95-4	Magnesium	2470	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	Y	7439-95-4	Magnesium	2210	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	N	7439-96-5	Manganese	43.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	Y	7439-96-5	Manganese	4.3	ug/L	B	[NULL]	[NULL]	R	B1XWP5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWP5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWP6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	N	14797-55-8	Nitrate	3080	ug/L	D	[NULL]	[NULL]	R	B1XWP6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6321	1/12/2009 10:11	N	14797-65-0	Nitrite	84.1	ug/L	DU	[NULL]	[NULL]	R	B1XWP6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6321	1/12/2009 10:11	N	7440-09-7	Potassium	2250	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	Y	7440-09-7	Potassium	2010	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWP5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWP6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	N	7440-23-5	Sodium	20100	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	Y	7440-23-5	Sodium	18300	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	N	CONDUCT	Specific Conductance	155	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWP7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6321	1/12/2009 10:11	Y	7440-24-6	Strontium	81.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	N	7440-24-6	Strontium	87.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	N	10098-97-2	Strontium-90	0.79	pCi/L	U	[NULL]	[NULL]	R	B1XWP6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6321	1/12/2009 10:11	N	14808-79-8	Sulfate	12500	ug/L	D	[NULL]	[NULL]	R	B1XWP6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6321	1/12/2009 10:11	N	TEMPERATURE	Temperature	11.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWP7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6321	1/12/2009 10:11	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	72	ug/L	U	[NULL]	[NULL]	R	B1XWP6	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6321	1/12/2009 10:11	N	TURBIDITY	Turbidity	247	NTU	[NULL]	[NULL]	[NULL]	R	B1XWP7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6321	1/12/2009 10:11	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWP6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWP5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1XWP5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1XWP6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6321	1/12/2009 10:11	N	PH	pH Measurement	7.63	unitless	[NULL]	[NULL]	[NULL]	R	B1XWP7	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6321	12/20/2009 11:41	N	DO	Dissolved oxygen	10510	ug/L	[NULL]	[NULL]	[NULL]	R	B23607	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6321	12/20/2009 11:41	N	EH	Oxidation Reduction Potential	144	mV	[NULL]	[NULL]	[NULL]	R	B23607	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6321	12/20/2009 11:41	N	CONDUCT	Specific Conductance	157	uS/cm	[NULL]	[NULL]	[NULL]	R	B23607	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6321	12/20/2009 11:41	N	TEMPERATURE	Temperature	12.2	Deg C	[NULL]	[NULL]	[NULL]	R	B23607	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6321	12/20/2009 11:41	N	TURBIDITY	Turbidity	10.5	NTU	[NULL]	[NULL]	[NULL]	R	B23607	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6321	12/20/2009 11:41	N	PH	pH Measurement	7.72	unitless	[NULL]	[NULL]	[NULL]	R	B23607	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6322	9/22/2008 11:00	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TVF9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TVH0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-36-0	Antimony	4	ug/L	U	[NULL]	[NULL]	C	B1TVH1	7440-36-0	TASL	6010_METALS_ICP_TR	100-NR-2
C6322	9/22/2008 11:00	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR46	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR48	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TVH0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TVF9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6322	9/22/2008 11:00	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR46	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR48	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-38-2	Arsenic	2.9	ug/L	B	[NULL]	[NULL]	C	B1TVH1	7440-38-2	TASL	6010_METALS_ICP_TR	100-NR-2
C6322	9/22/2008 11:00	N	7440-39-3	Barium	83	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR46	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-39-3	Barium	85.3	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH1	7440-39-3	TASL	6010_METALS_ICP_TR	100-NR-2
C6322	9/22/2008 11:00	Y	7440-39-3	Barium	79	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-39-3	Barium	78	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	7440-39-3	Barium	90	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR48	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-41-7	Beryllium	1.1	ug/L	B	[NULL]	[NULL]	C	B1TVH1	7440-41-7	TASL	6010_METALS_ICP_TR	100-NR-2
C6322	9/22/2008 11:00	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR48	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TVF9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR46	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TVH0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	24959-67-9	Bromide	173	ug/L	BD	[NULL]	[NULL]	C	B1TR48	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	9/22/2008 11:00	N	24959-67-9	Bromide	148	ug/L	BD	[NULL]	[NULL]	C	B1TR46	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	9/22/2008 11:00	N	24959-67-9	Bromide	1200	ug/L	UD	[NULL]	[NULL]	C	B1TR51	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
C6322	9/22/2008 11:00	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TR46	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-43-9	Cadmium	0.84	ug/L	B	[NULL]	[NULL]	C	B1TVH1	7440-43-9	TASL	6010_METALS_ICP_TR	100-NR-2
C6322	9/22/2008 11:00	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TVH0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TVF9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TR48	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	7440-70-2	Calcium	61700	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR48	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-70-2	Calcium	59300	ug/L	CD	[NULL]	[NULL]	C	B1TVH1	7440-70-2	TASL	6010_METALS_ICP_TR	100-NR-2
C6322	9/22/2008 11:00	Y	7440-70-2	Calcium	60400	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	7440-70-2	Calcium	61000	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR46	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-70-2	Calcium	60900	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	16887-00-6	Chloride	58300	ug/L	D	[NULL]	[NULL]	C	B1TR51	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
C6322	9/22/2008 11:00	N	16887-00-6	Chloride	58900	ug/L	D	[NULL]	[NULL]	C	B1TR46	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	9/22/2008 11:00	N	16887-00-6	Chloride	59800	ug/L	D	[NULL]	[NULL]	C	B1TR48	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	9/22/2008 11:00	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TVF9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TR48	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	C	B1TVH1	7440-47-3	TASL	6010_METALS_ICP_TR	100-NR-2
C6322	9/22/2008 11:00	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TR46	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TVH0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TVH1	7440-48-4	TASL	6010_METALS_ICP_TR	100-NR-2
C6322	9/22/2008 11:00	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR48	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TVF9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR46	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TVH0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	DO	Dissolved oxygen	4330	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR46	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6322	9/22/2008 11:00	N	16984-48-8	Fluoride	114	ug/L	BD	[NULL]	[NULL]	C	B1TR46	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	9/22/2008 11:00	N	16984-48-8	Fluoride	122	ug/L	BD	[NULL]	[NULL]	C	B1TR48	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	9/22/2008 11:00	N	16984-48-8	Fluoride	250	ug/L	U	[NULL]	[NULL]	C	B1TR51	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
C6322	9/22/2008 11:00	N	12587-46-1	Gross alpha	2.5	pCi/L	U	[NULL]	[NULL]	C	B1TR46	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
C6322	9/22/2008 11:00	N	12587-46-1	Gross alpha	3.6	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR48	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
C6322	9/22/2008 11:00	N	12587-46-1	Gross alpha	1.66	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR49	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
C6322	9/22/2008 11:00	N	12587-47-2	Gross beta	21	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR46	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6322	9/22/2008 11:00	N	12587-47-2	Gross beta	20	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR48	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6322	9/22/2008 11:00	N	12587-47-2	Gross beta	16.3	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR49	12587-47-2	TARL	BETA_GPC	100-NR-2
C6322	9/22/2008 11:00	N	18540-29-9	Hexavalent Chromium	11	ug/L	[NULL]	Y	[NULL]	C	B1TR48	18540-29-9	WSCF	7196_CR6	100-NR-2
C6322	9/22/2008 11:00	N	18540-29-9	Hexavalent Chromium	15	ug/L	[NULL]	Y	[NULL]	C	B1TR46	18540-29-9	WSCF	7196_CR6	100-NR-2
C6322	9/22/2008 11:00	N	18540-29-9	Hexavalent Chromium	4	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR49	18540-29-9	TARL	7196_CR6	100-NR-2
C6322	9/22/2008 11:00	Y	7439-89-6	Iron	19.4	ug/L	B	[NULL]	[NULL]	C	B1TVH1	7439-89-6	TASL	6010_METALS_ICP_TR	100-NR-2
C6322	9/22/2008 11:00	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	C	B1TVH0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	7439-89-6	Iron	165	ug/L	C	[NULL]	[NULL]	C	B1TR46	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6322	9/22/2008 11:00	N	7439-89-6	Iron	422	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR48	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7439-89-6	Iron	41.6	ug/L	BC	[NULL]	[NULL]	C	B1TVF9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7439-93-2	Lithium	48.1	ug/L	UD	[NULL]	[NULL]	C	B1TVH1	7439-93-2	TASL	6010_METALS_ICP_TR	100-NR-2
C6322	9/22/2008 11:00	Y	7439-93-2	Lithium	7.4	ug/L	B	[NULL]	[NULL]	C	B1TVH0	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	7439-93-2	Lithium	9.6	ug/L	B	[NULL]	[NULL]	C	B1TR48	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	7439-93-2	Lithium	8.1	ug/L	B	[NULL]	[NULL]	C	B1TR46	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7439-93-2	Lithium	8	ug/L	B	[NULL]	[NULL]	C	B1TVF9	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7439-95-4	Magnesium	12900	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	7439-95-4	Magnesium	13100	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR48	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	7439-95-4	Magnesium	13400	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR46	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7439-95-4	Magnesium	13100	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7439-95-4	Magnesium	12800	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH1	7439-95-4	TASL	6010_METALS_ICP_TR	100-NR-2
C6322	9/22/2008 11:00	N	7439-96-5	Manganese	68	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR48	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7439-96-5	Manganese	9	ug/L	B	[NULL]	[NULL]	C	B1TVH0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	7439-96-5	Manganese	27	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR46	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7439-96-5	Manganese	11	ug/L	B	[NULL]	[NULL]	C	B1TVF9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7439-96-5	Manganese	12.2	ug/L	B	[NULL]	[NULL]	C	B1TVH1	7439-96-5	TASL	6010_METALS_ICP_TR	100-NR-2
C6322	9/22/2008 11:00	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TVF9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TR48	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TVH0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-02-0	Nickel	13.3	ug/L	U	[NULL]	[NULL]	C	B1TVH1	7440-02-0	TASL	6010_METALS_ICP_TR	100-NR-2
C6322	9/22/2008 11:00	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TR46	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	14797-55-8	Nitrate	46500	ug/L	D	[NULL]	[NULL]	C	B1TR48	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	9/22/2008 11:00	N	14797-55-8	Nitrate	43900	ug/L	D	[NULL]	[NULL]	C	B1TR51	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
C6322	9/22/2008 11:00	N	14797-55-8	Nitrate	47400	ug/L	D	[NULL]	[NULL]	C	B1TR46	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	9/22/2008 11:00	N	14797-65-0	Nitrite	1250	ug/L	UD	[NULL]	[NULL]	C	B1TR51	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
C6322	9/22/2008 11:00	N	14797-65-0	Nitrite	85.4	ug/L	DNU	[NULL]	[NULL]	C	B1TR48	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	9/22/2008 11:00	N	14797-65-0	Nitrite	85.4	ug/L	DNU	[NULL]	[NULL]	C	B1TR46	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	9/22/2008 11:00	N	EH	Oxidation Reduction Potential	2.06	mV	[NULL]	[NULL]	[NULL]	C	B1TR46	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6322	9/22/2008 11:00	N	14265-44-2	Phosphate	250	ug/L	U	[NULL]	[NULL]	C	B1TR51	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
C6322	9/22/2008 11:00	N	14265-44-2	Phosphate	371	ug/L	DU	[NULL]	[NULL]	C	B1TR48	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	9/22/2008 11:00	N	14265-44-2	Phosphate	371	ug/L	DU	[NULL]	[NULL]	C	B1TR46	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	9/22/2008 11:00	N	7440-09-7	Potassium	6250	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR48	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	7440-09-7	Potassium	6250	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR46	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-09-7	Potassium	6070	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-09-7	Potassium	4730	ug/L	B	[NULL]	[NULL]	C	B1TVH1	7440-09-7	TASL	6010_METALS_ICP_TR	100-NR-2
C6322	9/22/2008 11:00	Y	7440-09-7	Potassium	5940	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	C	B1TVH1	7440-22-4	TASL	6010_METALS_ICP_TR	100-NR-2
C6322	9/22/2008 11:00	N	7440-22-4	Silver	5	ug/L	B	[NULL]	[NULL]	C	B1TR48	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TVF9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TVH0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TR46	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	7440-23-5	Sodium	91400	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR46	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	7440-23-5	Sodium	91800	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR48	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-23-5	Sodium	98200	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH1	7440-23-5	TASL	6010_METALS_ICP_TR	100-NR-2
C6322	9/22/2008 11:00	Y	7440-23-5	Sodium	89400	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-23-5	Sodium	89300	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	CONDUCT	Specific Conductance	858	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR46	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6322	9/22/2008 11:00	N	7440-24-6	Strontium	428	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR46	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-24-6	Strontium	427	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-24-6	Strontium	425	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVF9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-24-6	Strontium	371	ug/L	D	[NULL]	[NULL]	C	B1TVH1	7440-24-6	TASL	6010_METALS_ICP_TR	100-NR-2
C6322	9/22/2008 11:00	N	7440-24-6	Strontium	432	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR48	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	10098-97-2	Strontium-90	3.6	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR46	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6322	9/22/2008 11:00	N	10098-97-2	Strontium-90	2.1	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR48	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6322	9/22/2008 11:00	N	10098-97-2	Strontium-90	3.79	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR49	SR-RAD	TARL	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6322	9/22/2008 11:00	N	14808-79-8	Sulfate	96500	ug/L	D	[NULL]	[NULL]	C	B1TR51	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
C6322	9/22/2008 11:00	N	14808-79-8	Sulfate	96500	ug/L	D	[NULL]	[NULL]	C	B1TR48	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	9/22/2008 11:00	N	14808-79-8	Sulfate	95400	ug/L	D	[NULL]	[NULL]	C	B1TR46	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	9/22/2008 11:00	N	TEMPERATURE	Temperature	15.6	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR46	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6322	9/22/2008 11:00	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	80	ug/L	U	[NULL]	[NULL]	C	B1TR48	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6322	9/22/2008 11:00	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	74	ug/L	U	[NULL]	[NULL]	C	B1TR46	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6322	9/22/2008 11:00	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	50	ug/L	U	[NULL]	[NULL]	C	B1TR48	TPHGASOLINE	WSCF	WTPH_GASOLINE	100-NR-2
C6322	9/22/2008 11:00	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	50	ug/L	U	[NULL]	[NULL]	C	B1TR46	TPHGASOLINE	WSCF	WTPH_GASOLINE	100-NR-2
C6322	9/22/2008 11:00	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	110	ug/L	U	[NULL]	[NULL]	C	B1TR48	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
C6322	9/22/2008 11:00	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	98	ug/L	U	[NULL]	[NULL]	C	B1TR46	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
C6322	9/22/2008 11:00	N	TURBIDITY	Turbidity	3.57	NTU	[NULL]	[NULL]	[NULL]	C	B1TR46	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6322	9/22/2008 11:00	Y	7440-62-2	Vanadium	8	ug/L	B	[NULL]	[NULL]	C	B1TVH1	7440-62-2	TASL	6010_METALS_ICP_TR	100-NR-2
C6322	9/22/2008 11:00	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TR46	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TR48	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TVF9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TVH0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TVF9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TVH0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	Y	7440-66-6	Zinc	6.9	ug/L	BC	[NULL]	[NULL]	C	B1TVH1	7440-66-6	TASL	6010_METALS_ICP_TR	100-NR-2
C6322	9/22/2008 11:00	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TR48	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TR46	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	9/22/2008 11:00	N	PH	pH Measurement	7.61	unitless	[NULL]	[NULL]	[NULL]	C	B1TR46	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6322	1/12/2009 9:18	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1XWP9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1XWP8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	Y	7440-39-3	Barium	82.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	N	7440-39-3	Barium	99.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWP8	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWP9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWP9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWP8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	Y	7440-70-2	Calcium	63400	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	N	7440-70-2	Calcium	70100	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	N	16887-00-6	Chloride	62600	ug/L	D	[NULL]	[NULL]	R	B1XWP9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	1/12/2009 9:18	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWP9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWP8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	Y	7440-48-4	Cobalt	4	ug/L	B	[NULL]	[NULL]	R	B1XWP8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWP9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1XWP9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	Y	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1XWP8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	N	DO	Dissolved oxygen	5630	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6322	1/12/2009 9:18	N	16984-48-8	Fluoride	47.4	ug/L	BD	[NULL]	[NULL]	R	B1XWP9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6322	1/12/2009 9:18	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B1XX25	18540-29-9	WSCF	7196_CR6	100-NR-2
C6322	1/12/2009 9:18	N	7439-89-6	Iron	716	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1XWP8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	N	7439-95-4	Magnesium	14300	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	Y	7439-95-4	Magnesium	13600	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	Y	7439-96-5	Manganese	4.6	ug/L	B	[NULL]	[NULL]	R	B1XWP8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	N	7439-96-5	Manganese	79	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWP9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWP8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	N	14797-55-8	Nitrate	58000	ug/L	D	[NULL]	[NULL]	R	B1XWP9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	1/12/2009 9:18	N	14797-65-0	Nitrite	84.1	ug/L	DU	[NULL]	[NULL]	R	B1XWP9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	1/12/2009 9:18	N	EH	Oxidation Reduction Potential	223	mV	[NULL]	[NULL]	[NULL]	R	B1XWR0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6322	1/12/2009 9:18	Y	7440-09-7	Potassium	5550	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	N	7440-09-7	Potassium	6400	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWP9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWP8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	Y	7440-23-5	Sodium	89500	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	N	7440-23-5	Sodium	95800	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	N	CONDUCT	Specific Conductance	870	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWR0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6322	1/12/2009 9:18	N	7440-24-6	Strontium	574	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	Y	7440-24-6	Strontium	561	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWP8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	N	10098-97-2	Strontium-90	5.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XWP9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6322	1/12/2009 9:18	N	14808-79-8	Sulfate	107000	ug/L	D	[NULL]	[NULL]	R	B1XWP9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	1/12/2009 9:18	N	TEMPERATURE	Temperature	12.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWR0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6322	1/12/2009 9:18	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	72	ug/L	U	[NULL]	[NULL]	R	B1XWP9	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
C6322	1/12/2009 9:18	N	TURBIDITY	Turbidity	12	NTU	[NULL]	[NULL]	[NULL]	R	B1XWR0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6322	1/12/2009 9:18	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWP8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWP9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1XWP9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1XWP8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	1/12/2009 9:18	N	PH	pH Measurement	7.76	unitless	[NULL]	[NULL]	[NULL]	R	B1XWR0	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6322	12/20/2009 11:28	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B235F0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B235F1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	N	7440-39-3	Barium	74.4	ug/L	[NULL]	[NULL]	[NULL]	R	B235F0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	Y	7440-39-3	Barium	18.2	ug/L	B	Y	[NULL]	R	B235F1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B235F1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B235F0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B235F0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B235F1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	Y	7440-70-2	Calcium	26700	ug/L	[NULL]	Y	[NULL]	R	B235F1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	N	7440-70-2	Calcium	72400	ug/L	[NULL]	[NULL]	[NULL]	R	B235F0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	N	16887-00-6	Chloride	62500	ug/L	D	[NULL]	[NULL]	R	B235F2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	12/20/2009 11:28	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B235F0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B235F1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B235F0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B235F1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B235F1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B235F0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	N	DO	Dissolved oxygen	5530	ug/L	[NULL]	[NULL]	[NULL]	R	B234M0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6322	12/20/2009 11:28	N	16984-48-8	Fluoride	176	ug/L	BD	[NULL]	[NULL]	R	B235F2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	12/20/2009 11:28	N	18540-29-9	Hexavalent Chromium	2.2	ug/L	B	[NULL]	[NULL]	R	B234M1	18540-29-9	WSCF	7196_CR6	100-NR-2
C6322	12/20/2009 11:28	Y	18540-29-9	Hexavalent Chromium	3	ug/L	B	[NULL]	[NULL]	R	B235D3	18540-29-9	WSCF	7196_CR6	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6322	12/20/2009 11:28	N	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B235F0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	Y	7439-89-6	Iron	193	ug/L	[NULL]	[NULL]	[NULL]	R	B235F1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	Y	7439-95-4	Magnesium	5020	ug/L	[NULL]	Y	[NULL]	R	B235F1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	N	7439-95-4	Magnesium	15100	ug/L	[NULL]	[NULL]	[NULL]	R	B235F0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	Y	7439-96-5	Manganese	16.6	ug/L	B	[NULL]	[NULL]	R	B235F1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B235F0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B235F1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B235F0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	N	14797-55-8	Nitrate	64600	ug/L	D	[NULL]	[NULL]	R	B235F2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	12/20/2009 11:28	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B235F2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	12/20/2009 11:28	N	EH	Oxidation Reduction Potential	195	mV	[NULL]	[NULL]	[NULL]	R	B234M0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6322	12/20/2009 11:28	N	7440-09-7	Potassium	6160	ug/L	[NULL]	[NULL]	[NULL]	R	B235F0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	Y	7440-09-7	Potassium	1080	ug/L	[NULL]	Y	[NULL]	R	B235F1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B235F0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B235F1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	N	7440-23-5	Sodium	95800	ug/L	[NULL]	[NULL]	[NULL]	R	B235F0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	Y	7440-23-5	Sodium	2610	ug/L	[NULL]	Y	[NULL]	R	B235F1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	N	CONDUCT	Specific Conductance	892	uS/cm	[NULL]	[NULL]	[NULL]	R	B234M0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6322	12/20/2009 11:28	Y	7440-24-6	Strontium	106	ug/L	[NULL]	Y	[NULL]	R	B235F1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	N	7440-24-6	Strontium	421	ug/L	[NULL]	[NULL]	[NULL]	R	B235F0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	N	14808-79-8	Sulfate	110000	ug/L	D	[NULL]	[NULL]	R	B235F2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6322	12/20/2009 11:28	N	TEMPERATURE	Temperature	13.5	Deg C	[NULL]	[NULL]	[NULL]	R	B234M0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6322	12/20/2009 11:28	N	TURBIDITY	Turbidity	8.41	NTU	[NULL]	[NULL]	[NULL]	R	B234M0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6322	12/20/2009 11:28	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B235F1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	N	7440-62-2	Vanadium	14.2	ug/L	B	[NULL]	[NULL]	R	B235F0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B235F0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B235F1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6322	12/20/2009 11:28	N	PH	pH Measurement	7.48	unitless	[NULL]	[NULL]	[NULL]	R	B234M0	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6323	9/8/2008 10:45	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TVH2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR52	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR52	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	Y	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TVH2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	N	7440-39-3	Barium	55	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR52	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	Y	7440-39-3	Barium	34	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TVH2	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR52	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	N	24959-67-9	Bromide	46	ug/L	U	[NULL]	[NULL]	C	B1TR52	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
C6323	9/8/2008 10:45	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TVH2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TR52	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	N	7440-70-2	Calcium	24800	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR52	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	Y	7440-70-2	Calcium	24200	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	N	16887-00-6	Chloride	2850	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR52	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6323	9/8/2008 10:45	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TR52	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TVH2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR52	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TVH2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	Y	DO	Dissolved oxygen	6790	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6323	9/8/2008 10:45	N	DO	Dissolved oxygen	6790	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR52	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6323	9/8/2008 10:45	N	16984-48-8	Fluoride	23	ug/L	U	[NULL]	[NULL]	C	B1TR52	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6323	9/8/2008 10:45	N	12587-46-1	Gross alpha	0.82	pCi/L	U	[NULL]	[NULL]	C	B1TR52	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
C6323	9/8/2008 10:45	N	12587-47-2	Gross beta	390	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR52	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6323	9/8/2008 10:45	N	18540-29-9	Hexavalent Chromium	13	ug/L	[NULL]	Y	[NULL]	C	B1TR52	18540-29-9	WSCF	7196_CR6	100-NR-2
C6323	9/8/2008 10:45	N	7439-89-6	Iron	470	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR52	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	C	B1TVH2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6323	9/8/2008 10:45	N	7439-93-2	Lithium	4	ug/L	U	[NULL]	[NULL]	C	B1TR52	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	Y	7439-93-2	Lithium	4	ug/L	U	[NULL]	[NULL]	C	B1TVH2	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	N	7439-95-4	Magnesium	5550	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR52	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	Y	7439-95-4	Magnesium	5390	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	Y	7439-96-5	Manganese	8	ug/L	B	[NULL]	[NULL]	C	B1TVH2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	N	7439-96-5	Manganese	100	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR52	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TVH2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TR52	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	N	14797-55-8	Nitrate	15600	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR52	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6323	9/8/2008 10:45	N	14797-65-0	Nitrite	42.7	ug/L	U	[NULL]	[NULL]	C	B1TR52	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6323	9/8/2008 10:45	N	EH	Oxidation Reduction Potential	115	mV	[NULL]	[NULL]	[NULL]	C	B1TR52	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6323	9/8/2008 10:45	Y	EH	Oxidation Reduction Potential	115	mV	[NULL]	[NULL]	[NULL]	C	B1TVH2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6323	9/8/2008 10:45	N	14265-44-2	Phosphate	187	ug/L	U	[NULL]	[NULL]	C	B1TR52	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
C6323	9/8/2008 10:45	N	7440-09-7	Potassium	1310	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR52	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	Y	7440-09-7	Potassium	1280	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	N	7440-22-4	Silver	5	ug/L	B	[NULL]	[NULL]	C	B1TR52	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TVH2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	Y	7440-23-5	Sodium	2670	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	N	7440-23-5	Sodium	2720	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR52	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	N	CONDUCT	Specific Conductance	147	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR52	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6323	9/8/2008 10:45	Y	CONDUCT	Specific Conductance	147	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TVH2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6323	9/8/2008 10:45	Y	7440-24-6	Strontium	132	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	N	7440-24-6	Strontium	135	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR52	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	N	10098-97-2	Strontium-90	270	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR52	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6323	9/8/2008 10:45	N	14808-79-8	Sulfate	16000	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR52	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6323	9/8/2008 10:45	N	TEMPERATURE	Temperature	15	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR52	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6323	9/8/2008 10:45	Y	TEMPERATURE	Temperature	15	Deg C	[NULL]	[NULL]	[NULL]	C	B1TVH2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6323	9/8/2008 10:45	N	10028-17-8	Tritium	1500	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR52	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6323	9/8/2008 10:45	Y	TURBIDITY	Turbidity	66.4	NTU	[NULL]	[NULL]	[NULL]	C	B1TVH2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6323	9/8/2008 10:45	N	TURBIDITY	Turbidity	66.4	NTU	[NULL]	[NULL]	[NULL]	C	B1TR52	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6323	9/8/2008 10:45	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TR52	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TVH2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TR52	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TVH2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6323	9/8/2008 10:45	N	PH	pH Measurement	7.57	unitless	[NULL]	[NULL]	[NULL]	C	B1TR52	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6323	9/8/2008 10:45	Y	PH	pH Measurement	7.57	unitless	[NULL]	[NULL]	[NULL]	C	B1TVH2	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6323	1/12/2009 11:42	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1XWR1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1XWR2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	Y	7440-39-3	Barium	21.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	N	7440-39-3	Barium	25.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWR1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWR2	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWR2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWR1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	N	7440-70-2	Calcium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	Y	7440-70-2	Calcium	17400	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	N	16887-00-6	Chloride	1010	ug/L	D	[NULL]	[NULL]	R	B1XWR2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6323	1/12/2009 11:42	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWR2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWR1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWR2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWR1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1XWR2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	Y	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1XWR1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6323	1/12/2009 11:42	N	DO	Dissolved oxygen	12810	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6323	1/12/2009 11:42	N	16984-48-8	Fluoride	46.4	ug/L	DU	[NULL]	[NULL]	R	B1XWR2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6323	1/12/2009 11:42	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B1XX26	18540-29-9	WSCF	7196_CR6	100-NR-2
C6323	1/12/2009 11:42	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1XWR1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	N	7439-89-6	Iron	43.4	ug/L	B	[NULL]	[NULL]	R	B1XWR2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	N	7439-95-4	Magnesium	4100	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	Y	7439-95-4	Magnesium	4110	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1XWR1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	N	7439-96-5	Manganese	7.2	ug/L	B	[NULL]	[NULL]	R	B1XWR2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWR2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWR1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	N	14797-55-8	Nitrate	487	ug/L	BD	[NULL]	[NULL]	R	B1XWR2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6323	1/12/2009 11:42	N	14797-65-0	Nitrite	84.1	ug/L	DU	[NULL]	[NULL]	R	B1XWR2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6323	1/12/2009 11:42	N	EH	Oxidation Reduction Potential	254	mV	[NULL]	[NULL]	[NULL]	R	B1XWR3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6323	1/12/2009 11:42	N	7440-09-7	Potassium	858	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	Y	7440-09-7	Potassium	849	ug/L	B	[NULL]	[NULL]	R	B1XWR1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWR2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWR1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	Y	7440-23-5	Sodium	2150	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	N	7440-23-5	Sodium	2410	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	N	CONDUCT	Specific Conductance	125	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWR3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6323	1/12/2009 11:42	N	7440-24-6	Strontium	123	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	Y	7440-24-6	Strontium	124	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	N	10098-97-2	Strontium-90	190	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XWR2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6323	1/12/2009 11:42	N	14808-79-8	Sulfate	9190	ug/L	D	[NULL]	[NULL]	R	B1XWR2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6323	1/12/2009 11:42	N	TEMPERATURE	Temperature	7.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWR3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6323	1/12/2009 11:42	N	10028-17-8	Tritium	-22	pCi/L	U	[NULL]	[NULL]	R	B1XWR2	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6323	1/12/2009 11:42	N	TURBIDITY	Turbidity	54.6	NTU	[NULL]	[NULL]	[NULL]	R	B1XWR3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6323	1/12/2009 11:42	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWR1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWR2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1XWR1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1XWR2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6323	1/12/2009 11:42	N	PH	pH Measurement	7.58	unitless	[NULL]	[NULL]	[NULL]	R	B1XWR3	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6323	1/14/2010 10:18	N	DO	Dissolved oxygen	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B23608	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6323	1/14/2010 10:18	N	EH	Oxidation Reduction Potential	172	mV	[NULL]	[NULL]	[NULL]	R	B23608	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6323	1/14/2010 10:18	N	CONDUCT	Specific Conductance	132	uS/cm	[NULL]	[NULL]	[NULL]	R	B23608	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6323	1/14/2010 10:18	N	TEMPERATURE	Temperature	7.7	Deg C	[NULL]	[NULL]	[NULL]	R	B23608	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6323	1/14/2010 10:18	N	TURBIDITY	Turbidity	9.07	NTU	[NULL]	[NULL]	[NULL]	R	B23608	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6323	1/14/2010 10:18	N	PH	pH Measurement	7.33	unitless	[NULL]	[NULL]	[NULL]	R	B23608	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6324	1/12/2008 11:31	N	DO	Dissolved oxygen	12230	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6324	1/12/2008 11:31	N	EH	Oxidation Reduction Potential	2.97	mV	[NULL]	[NULL]	[NULL]	R	B1XWR6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6324	1/12/2008 11:31	N	CONDUCT	Specific Conductance	134	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWR6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6324	1/12/2008 11:31	N	TEMPERATURE	Temperature	10.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWR6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6324	1/12/2008 11:31	N	TURBIDITY	Turbidity	10.4	NTU	[NULL]	[NULL]	[NULL]	R	B1XWR6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6324	1/12/2008 11:31	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B1XWR6	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6324	9/8/2008 10:50	N	DO	Dissolved oxygen	9490	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR53	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6324	9/8/2008 10:50	Y	DO	Dissolved oxygen	9490	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6324	9/8/2008 10:50	N	EH	Oxidation Reduction Potential	145	mV	[NULL]	[NULL]	[NULL]	C	B1TR53	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6324	9/8/2008 10:50	Y	EH	Oxidation Reduction Potential	145	mV	[NULL]	[NULL]	[NULL]	C	B1TVH3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6324	9/8/2008 10:50	Y	CONDUCT	Specific Conductance	177	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TVH3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6324	9/8/2008 10:50	N	CONDUCT	Specific Conductance	177	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR53	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6324	9/8/2008 10:50	Y	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	C	B1TVH3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6324	9/8/2008 10:50	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR53	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6324	9/8/2008 10:50	N	TURBIDITY	Turbidity	57.3	NTU	[NULL]	[NULL]	[NULL]	C	B1TR53	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6324	9/8/2008 10:50	Y	TURBIDITY	Turbidity	57.3	NTU	[NULL]	[NULL]	[NULL]	C	B1TVH3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6324	9/8/2008 10:50	Y	PH	pH Measurement	7.27	unitless	[NULL]	[NULL]	[NULL]	C	B1TVH3	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6324	9/8/2008 10:50	N	PH	pH Measurement	7.27	unitless	[NULL]	[NULL]	[NULL]	C	B1TR53	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6324	1/12/2009 11:31	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1XWR5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1XWR4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	Y	7440-39-3	Barium	25.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	N	7440-39-3	Barium	34.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWR5	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWR4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWR5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWR4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	Y	7440-70-2	Calcium	19300	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	N	7440-70-2	Calcium	19900	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	N	16887-00-6	Chloride	1040	ug/L	D	[NULL]	[NULL]	R	B1XWR5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6324	1/12/2009 11:31	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWR4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWR5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWR5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWR4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	Y	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1XWR4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1XWR5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	N	16984-48-8	Fluoride	46.4	ug/L	DU	[NULL]	[NULL]	R	B1XWR5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6324	1/12/2009 11:31	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B1XX27	18540-29-9	WSCF	7196_CR6	100-NR-2
C6324	1/12/2009 11:31	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1XWR4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	N	7439-89-6	Iron	87.4	ug/L	B	[NULL]	[NULL]	R	B1XWR5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	Y	7439-95-4	Magnesium	3510	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	N	7439-95-4	Magnesium	3500	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	N	7439-96-5	Manganese	16.7	ug/L	B	[NULL]	[NULL]	R	B1XWR5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1XWR4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWR5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWR4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	N	14797-55-8	Nitrate	815	ug/L	D	[NULL]	[NULL]	R	B1XWR5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6324	1/12/2009 11:31	N	14797-65-0	Nitrite	84.1	ug/L	DU	[NULL]	[NULL]	R	B1XWR5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6324	1/12/2009 11:31	Y	7440-09-7	Potassium	1330	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	N	7440-09-7	Potassium	1280	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWR5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWR4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	Y	7440-23-5	Sodium	2180	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	N	7440-23-5	Sodium	2110	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	N	7440-24-6	Strontium	144	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	Y	7440-24-6	Strontium	141	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	N	10098-97-2	Strontium-90	2.8	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XWR5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6324	1/12/2009 11:31	N	14808-79-8	Sulfate	10700	ug/L	D	[NULL]	[NULL]	R	B1XWR5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6324	1/12/2009 11:31	N	10028-17-8	Tritium	400	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XWR5	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6324	1/12/2009 11:31	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWR4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWR5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1XWR4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/12/2009 11:31	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1XWR5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6324	1/14/2010 10:23	N	DO	Dissolved oxygen	11750	ug/L	[NULL]	[NULL]	[NULL]	R	B23609	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6324	1/14/2010 10:23	N	EH	Oxidation Reduction Potential	177	mV	[NULL]	[NULL]	[NULL]	R	B23609	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6324	1/14/2010 10:23	N	CONDUCT	Specific Conductance	137	uS/cm	[NULL]	[NULL]	[NULL]	R	B23609	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6324	1/14/2010 10:23	N	TEMPERATURE	Temperature	10	Deg C	[NULL]	[NULL]	[NULL]	R	B23609	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6324	1/14/2010 10:23	N	TURBIDITY	Turbidity	6.34	NTU	[NULL]	[NULL]	[NULL]	R	B23609	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6324	1/14/2010 10:23	N	PH	pH Measurement	7.42	unitless	[NULL]	[NULL]	[NULL]	R	B23609	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6325	9/8/2008 10:25	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TVH4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR54	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR54	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	Y	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TVH4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	N	7440-39-3	Barium	25	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR54	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	Y	7440-39-3	Barium	24	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR54	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TVH4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	N	24959-67-9	Bromide	64	ug/L	B	[NULL]	[NULL]	C	B1TR54	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
C6325	9/8/2008 10:25	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TVH4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TR54	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	Y	7440-70-2	Calcium	36900	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	N	7440-70-2	Calcium	36200	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR54	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	N	16887-00-6	Chloride	7830	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR54	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6325	9/8/2008 10:25	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TR54	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TVH4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	Y	7440-48-4	Cobalt	4.3	ug/L	B	[NULL]	[NULL]	C	B1TVH4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR54	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	N	DO	Dissolved oxygen	7350	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR54	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6325	9/8/2008 10:25	Y	DO	Dissolved oxygen	7350	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6325	9/8/2008 10:25	N	16984-48-8	Fluoride	23	ug/L	U	[NULL]	[NULL]	C	B1TR54	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6325	9/8/2008 10:25	N	12587-46-1	Gross alpha	0.31	pCi/L	U	[NULL]	[NULL]	C	B1TR54	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
C6325	9/8/2008 10:25	N	12587-47-2	Gross beta	6.4	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR54	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6325	9/8/2008 10:25	N	18540-29-9	Hexavalent Chromium	5	ug/L	[NULL]	Y	[NULL]	C	B1TR54	18540-29-9	WSCF	7196_CR6	100-NR-2
C6325	9/8/2008 10:25	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	C	B1TVH4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	N	7439-89-6	Iron	299	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR54	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	Y	7439-93-2	Lithium	4	ug/L	B	[NULL]	[NULL]	C	B1TVH4	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	N	7439-93-2	Lithium	4	ug/L	U	[NULL]	[NULL]	C	B1TR54	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	N	7439-95-4	Magnesium	8850	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR54	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	Y	7439-95-4	Magnesium	8730	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	N	7439-96-5	Manganese	58	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR54	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	Y	7439-96-5	Manganese	46	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TR54	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	Y	7440-02-0	Nickel	6.6	ug/L	B	[NULL]	[NULL]	C	B1TVH4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	N	14797-55-8	Nitrate	26600	ug/L	D	[NULL]	[NULL]	C	B1TR54	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6325	9/8/2008 10:25	N	14797-65-0	Nitrite	42.7	ug/L	U	[NULL]	[NULL]	C	B1TR54	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6325	9/8/2008 10:25	Y	EH	Oxidation Reduction Potential	112	mV	[NULL]	[NULL]	[NULL]	C	B1TVH4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6325	9/8/2008 10:25	N	EH	Oxidation Reduction Potential	112	mV	[NULL]	[NULL]	[NULL]	C	B1TR54	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6325	9/8/2008 10:25	N	14265-44-2	Phosphate	187	ug/L	U	[NULL]	[NULL]	C	B1TR54	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
C6325	9/8/2008 10:25	N	7440-09-7	Potassium	2120	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR54	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	Y	7440-09-7	Potassium	2140	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	Y	7440-22-4	Silver	6	ug/L	B	[NULL]	[NULL]	C	B1TVH4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TR54	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	N	7440-23-5	Sodium	3490	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR54	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	Y	7440-23-5	Sodium	3470	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	N	CONDUCT	Specific Conductance	279	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR54	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6325	9/8/2008 10:25	Y	CONDUCT	Specific Conductance	279	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TVH4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6325	9/8/2008 10:25	Y	7440-24-6	Strontium	241	ug/L	[NULL]	[NULL]	[NULL]	C	B1TVH4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	N	7440-24-6	Strontium	236	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR54	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	N	10098-97-2	Strontium-90	0.11	pCi/L	U	[NULL]	[NULL]	C	B1TR54	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6325	9/8/2008 10:25	N	14808-79-8	Sulfate	40300	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR54	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6325	9/8/2008 10:25	N	TEMPERATURE	Temperature	15	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR54	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6325	9/8/2008 10:25	Y	TEMPERATURE	Temperature	15	Deg C	[NULL]	[NULL]	[NULL]	C	B1TVH4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6325	9/8/2008 10:25	N	10028-17-8	Tritium	12000	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR54	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6325	9/8/2008 10:25	Y	TURBIDITY	Turbidity	161	NTU	[NULL]	[NULL]	[NULL]	C	B1TVH4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6325	9/8/2008 10:25	N	TURBIDITY	Turbidity	161	NTU	[NULL]	[NULL]	[NULL]	C	B1TR54	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6325	9/8/2008 10:25	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TR54	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TVH4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TR54	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TVH4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6325	9/8/2008 10:25	Y	PH	pH Measurement	7.3	unitless	[NULL]	[NULL]	[NULL]	C	B1TVH4	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6325	9/8/2008 10:25	N	PH	pH Measurement	7.3	unitless	[NULL]	[NULL]	[NULL]	C	B1TR54	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6325	1/12/2009 11:17	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1XWR8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1XWR7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	Y	7440-39-3	Barium	25.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	N	7440-39-3	Barium	32.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWR7	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWR8	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWR7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWR8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	N	7440-70-2	Calcium	42700	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	Y	7440-70-2	Calcium	42500	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	N	16887-00-6	Chloride	9980	ug/L	D	[NULL]	[NULL]	R	B1XWR8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6325	1/12/2009 11:17	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWR8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWR7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWR7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWR8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1XWR8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	Y	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1XWR7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	N	DO	Dissolved oxygen	8440	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6325	1/12/2009 11:17	N	16984-48-8	Fluoride	46.4	ug/L	DU	[NULL]	[NULL]	R	B1XWR8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6325	1/12/2009 11:17	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B1XX28	18540-29-9	WSCF	7196_CR6	100-NR-2
C6325	1/12/2009 11:17	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1XWR7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	N	7439-89-6	Iron	582	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	N	7439-95-4	Magnesium	11100	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	Y	7439-95-4	Magnesium	10700	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	Y	7439-96-5	Manganese	5.3	ug/L	B	[NULL]	[NULL]	R	B1XWR7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	N	7439-96-5	Manganese	46.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWR8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWR7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	N	14797-55-8	Nitrate	34100	ug/L	D	[NULL]	[NULL]	R	B1XWR8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6325	1/12/2009 11:17	N	14797-65-0	Nitrite	84.1	ug/L	DU	[NULL]	[NULL]	R	B1XWR8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6325	1/12/2009 11:17	N	EH	Oxidation Reduction Potential	228	mV	[NULL]	[NULL]	[NULL]	R	B1XWR9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6325	1/12/2009 11:17	Y	7440-09-7	Potassium	2270	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	N	7440-09-7	Potassium	2380	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWR8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWR7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	Y	7440-23-5	Sodium	4260	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	N	7440-23-5	Sodium	4390	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	N	CONDUCT	Specific Conductance	317	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWR9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6325	1/12/2009 11:17	Y	7440-24-6	Strontium	358	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	N	7440-24-6	Strontium	361	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWR8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	N	10098-97-2	Strontium-90	-4.3	pCi/L	U	[NULL]	[NULL]	R	B1XWR8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6325	1/12/2009 11:17	N	14808-79-8	Sulfate	51900	ug/L	D	[NULL]	[NULL]	R	B1XWR8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6325	1/12/2009 11:17	N	TEMPERATURE	Temperature	11	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWR9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6325	1/12/2009 11:17	N	10028-17-8	Tritium	14000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XWR8	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6325	1/12/2009 11:17	N	TURBIDITY	Turbidity	76.1	NTU	[NULL]	[NULL]	[NULL]	R	B1XWR9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6325	1/12/2009 11:17	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWR7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWR8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1XWR7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	N	7440-66-6	Zinc	18.6	ug/L	B	[NULL]	[NULL]	R	B1XWR8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/12/2009 11:17	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	B1XWR9	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6325	1/13/2010 11:37	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B235F4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B234M3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	N	7440-39-3	Barium	28.6	ug/L	[NULL]	[NULL]	[NULL]	R	B234M3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	Y	7440-39-3	Barium	27.5	ug/L	[NULL]	[NULL]	[NULL]	R	B235F4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B234M3	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B235F4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B235F4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B234M3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	N	7440-70-2	Calcium	49400	ug/L	[NULL]	[NULL]	[NULL]	R	B234M3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	Y	7440-70-2	Calcium	48100	ug/L	[NULL]	[NULL]	[NULL]	R	B235F4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	N	16887-00-6	Chloride	12600	ug/L	D	[NULL]	[NULL]	R	B235F3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
C6325	1/13/2010 11:37	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B234M3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B235F4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B234M3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B235F4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B235F4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B234M3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	N	DO	Dissolved oxygen	8240	ug/L	[NULL]	[NULL]	[NULL]	R	B234M2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6325	1/13/2010 11:37	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B235F3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6325	1/13/2010 11:37	Y	18540-29-9	Hexavalent Chromium	2.9	ug/L	B	[NULL]	[NULL]	R	B235F6	18540-29-9	WSCF	7196_CR6	100-NR-2
C6325	1/13/2010 11:37	N	18540-29-9	Hexavalent Chromium	2.6	ug/L	B	[NULL]	[NULL]	R	B235F5	18540-29-9	WSCF	7196_CR6	100-NR-2
C6325	1/13/2010 11:37	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B235F4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	N	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B234M3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	Y	7439-95-4	Magnesium	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B235F4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	N	7439-95-4	Magnesium	12400	ug/L	[NULL]	[NULL]	[NULL]	R	B234M3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B234M3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B235F4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B234M3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B235F4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	N	14797-55-8	Nitrate	42300	ug/L	D	[NULL]	[NULL]	R	B235F3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6325	1/13/2010 11:37	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B235F3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
C6325	1/13/2010 11:37	N	EH	Oxidation Reduction Potential	165	mV	[NULL]	[NULL]	[NULL]	R	B234M2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6325	1/13/2010 11:37	N	7440-09-7	Potassium	2610	ug/L	[NULL]	[NULL]	[NULL]	R	B234M3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	Y	7440-09-7	Potassium	2480	ug/L	[NULL]	[NULL]	[NULL]	R	B235F4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B235F4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B234M3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	Y	7440-23-5	Sodium	4740	ug/L	[NULL]	[NULL]	[NULL]	R	B235F4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	N	7440-23-5	Sodium	5010	ug/L	[NULL]	[NULL]	[NULL]	R	B234M3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	N	CONDUCT	Specific Conductance	370	uS/cm	[NULL]	[NULL]	[NULL]	R	B234M2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6325	1/13/2010 11:37	Y	7440-24-6	Strontium	278	ug/L	[NULL]	[NULL]	[NULL]	R	B235F4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	N	7440-24-6	Strontium	284	ug/L	[NULL]	[NULL]	[NULL]	R	B234M3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	N	10098-97-2	Strontium-90	-0.18	pCi/L	U	[NULL]	[NULL]	R	B234M3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6325	1/13/2010 11:37	N	14808-79-8	Sulfate	64100	ug/L	D	[NULL]	[NULL]	R	B235F3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
C6325	1/13/2010 11:37	N	TEMPERATURE	Temperature	11.2	Deg C	[NULL]	[NULL]	[NULL]	R	B234M2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6325	1/13/2010 11:37	N	10028-17-8	Tritium	14000	pCi/L	[NULL]	[NULL]	[NULL]	R	B234M3	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6325	1/13/2010 11:37	N	TURBIDITY	Turbidity	3.34	NTU	[NULL]	[NULL]	[NULL]	R	B234M2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6325	1/13/2010 11:37	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B235F4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B234M3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B235F4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B234M3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6325	1/13/2010 11:37	N	PH	pH Measurement	8.26	unitless	[NULL]	[NULL]	[NULL]	R	B234M2	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6326	9/8/2008 11:42	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR56	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR55	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	Y	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR56	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR55	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	Y	7440-39-3	Barium	33	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR56	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	N	7440-39-3	Barium	128	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR55	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR55	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR56	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TR55	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TR56	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	N	7440-70-2	Calcium	34700	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR55	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	Y	7440-70-2	Calcium	32100	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR56	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TR56	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TR55	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR55	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR56	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	N	DO	Dissolved oxygen	7690	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR55	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6326	9/8/2008 11:42	Y	DO	Dissolved oxygen	7690	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR56	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6326	9/8/2008 11:42	N	12587-46-1	Gross alpha	2.2	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR55	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
C6326	9/8/2008 11:42	N	12587-47-2	Gross beta	8.1	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR55	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6326	9/8/2008 11:42	N	18540-29-9	Hexavalent Chromium	52	ug/L	[NULL]	Y	[NULL]	C	B1TR55	18540-29-9	WSCF	7196_CR6	100-NR-2
C6326	9/8/2008 11:42	N	7439-89-6	Iron	717	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR55	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	C	B1TR56	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	Y	7439-93-2	Lithium	4	ug/L	U	[NULL]	[NULL]	C	B1TR56	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	N	7439-93-2	Lithium	5.3	ug/L	B	[NULL]	[NULL]	C	B1TR55	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	Y	7439-95-4	Magnesium	8600	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR56	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	N	7439-95-4	Magnesium	9920	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR55	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	C	B1TR56	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	N	7439-96-5	Manganese	120	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR55	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TR55	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TR56	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	Y	EH	Oxidation Reduction Potential	121	mV	[NULL]	[NULL]	[NULL]	C	B1TR56	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6326	9/8/2008 11:42	N	EH	Oxidation Reduction Potential	121	mV	[NULL]	[NULL]	[NULL]	C	B1TR55	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6326	9/8/2008 11:42	Y	7440-09-7	Potassium	2690	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR56	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	N	7440-09-7	Potassium	3320	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR55	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TR55	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	Y	7440-22-4	Silver	5	ug/L	B	[NULL]	[NULL]	C	B1TR56	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	N	7440-23-5	Sodium	7020	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR55	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	Y	7440-23-5	Sodium	6220	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR56	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	N	CONDUCT	Specific Conductance	259	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR55	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6326	9/8/2008 11:42	Y	CONDUCT	Specific Conductance	259	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR56	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6326	9/8/2008 11:42	N	7440-24-6	Strontium	256	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR55	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	Y	7440-24-6	Strontium	223	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR56	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	N	10098-97-2	Strontium-90	-1.7	pCi/L	U	[NULL]	[NULL]	C	B1TR55	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6326	9/8/2008 11:42	Y	TEMPERATURE	Temperature	15.9	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR56	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6326	9/8/2008 11:42	N	TEMPERATURE	Temperature	15.9	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR55	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6326	9/8/2008 11:42	N	10028-17-8	Tritium	3700	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR55	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6326	9/8/2008 11:42	Y	TURBIDITY	Turbidity	43	NTU	[NULL]	[NULL]	[NULL]	C	B1TR56	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6326	9/8/2008 11:42	N	TURBIDITY	Turbidity	43	NTU	[NULL]	[NULL]	[NULL]	C	B1TR55	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6326	9/8/2008 11:42	Y	7440-62-2	Vanadium	14	ug/L	B	[NULL]	[NULL]	C	B1TR56	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	N	7440-62-2	Vanadium	18	ug/L	B	[NULL]	[NULL]	C	B1TR55	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	N	7440-66-6	Zinc	10.6	ug/L	B	[NULL]	[NULL]	C	B1TR55	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TR56	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6326	9/8/2008 11:42	N	PH	pH Measurement	7.53	unitless	[NULL]	[NULL]	[NULL]	C	B1TR55	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6326	9/8/2008 11:42	Y	PH	pH Measurement	7.53	unitless	[NULL]	[NULL]	[NULL]	C	B1TR56	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6326	1/8/2009 12:04	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1XWT1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1XWT0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	N	7440-39-3	Barium	29.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	Y	7440-39-3	Barium	19.8	ug/L	B	[NULL]	[NULL]	R	B1XWT0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWT1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWT0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWT0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWT1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	Y	7440-70-2	Calcium	21800	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	N	7440-70-2	Calcium	21300	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWT0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWT1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWT1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWT0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1XWT1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	Y	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1XWT0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	N	DO	Dissolved oxygen	11020	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6326	1/8/2009 12:04	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	R	B1XX29	18540-29-9	WSCF	7196_CR6	100-NR-2
C6326	1/8/2009 12:04	N	7439-89-6	Iron	186	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1XWT0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	N	7439-95-4	Magnesium	6220	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	Y	7439-95-4	Magnesium	6410	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	N	7439-96-5	Manganese	21.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1XWT0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWT1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWT0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	N	EH	Oxidation Reduction Potential	242	mV	[NULL]	[NULL]	[NULL]	R	B1XWT2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6326	1/8/2009 12:04	Y	7440-09-7	Potassium	1840	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	N	7440-09-7	Potassium	1830	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWT1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWT0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	Y	7440-23-5	Sodium	4360	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	N	7440-23-5	Sodium	4140	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	N	CONDUCT	Specific Conductance	174	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWT2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6326	1/8/2009 12:04	N	7440-24-6	Strontium	184	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	Y	7440-24-6	Strontium	183	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	N	10098-97-2	Strontium-90	-1.2	pCi/L	U	[NULL]	[NULL]	R	B1XWT1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6326	1/8/2009 12:04	N	TEMPERATURE	Temperature	9.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWT2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6326	1/8/2009 12:04	N	10028-17-8	Tritium	1100	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XWT1	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6326	1/8/2009 12:04	N	TURBIDITY	Turbidity	77.7	NTU	[NULL]	[NULL]	[NULL]	R	B1XWT2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6326	1/8/2009 12:04	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWT1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWT0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1XWT1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1XWT0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6326	1/8/2009 12:04	N	PH	pH Measurement	7.81	unitless	[NULL]	[NULL]	[NULL]	R	B1XWT2	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6326	12/22/2009 9:48	N	DO	Dissolved oxygen	10000	ug/L	[NULL]	[NULL]	[NULL]	R	B23610	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6326	12/22/2009 9:48	N	EH	Oxidation Reduction Potential	222	mV	[NULL]	[NULL]	[NULL]	R	B23610	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6326	12/22/2009 9:48	N	CONDUCT	Specific Conductance	235	uS/cm	[NULL]	[NULL]	[NULL]	R	B23610	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6326	12/22/2009 9:48	N	TEMPERATURE	Temperature	10.9	Deg C	[NULL]	[NULL]	[NULL]	R	B23610	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6326	12/22/2009 9:48	N	TURBIDITY	Turbidity	8.95	NTU	[NULL]	[NULL]	[NULL]	R	B23610	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6326	12/22/2009 9:48	N	PH	pH Measurement	6.68	unitless	[NULL]	[NULL]	[NULL]	R	B23610	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6327	9/8/2008 12:00	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR57	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR58	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR57	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	Y	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR58	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	Y	7440-39-3	Barium	28	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR58	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	N	7440-39-3	Barium	33	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR57	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR57	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR58	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TR57	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TR58	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	Y	7440-70-2	Calcium	26700	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR58	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	N	7440-70-2	Calcium	26700	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR57	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TR58	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TR57	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR57	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR58	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	Y	DO	Dissolved oxygen	7580	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR58	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6327	9/8/2008 12:00	N	DO	Dissolved oxygen	7580	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR57	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6327	9/8/2008 12:00	N	12587-46-1	Gross alpha	0.72	pCi/L	U	[NULL]	[NULL]	C	B1TR57	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
C6327	9/8/2008 12:00	N	12587-47-2	Gross beta	4.5	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR57	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6327	9/8/2008 12:00	N	18540-29-9	Hexavalent Chromium	5	ug/L	[NULL]	Y	[NULL]	C	B1TR57	18540-29-9	WSCF	7196_CR6	100-NR-2
C6327	9/8/2008 12:00	N	7439-89-6	Iron	154	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR57	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	C	B1TR58	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	N	7439-93-2	Lithium	4	ug/L	U	[NULL]	[NULL]	C	B1TR57	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	Y	7439-93-2	Lithium	4	ug/L	U	[NULL]	[NULL]	C	B1TR58	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	Y	7439-95-4	Magnesium	7150	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR58	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	N	7439-95-4	Magnesium	7780	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR57	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	Y	7439-96-5	Manganese	24	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR58	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	N	7439-96-5	Manganese	41	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR57	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TR57	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TR58	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	N	EH	Oxidation Reduction Potential	97	mV	[NULL]	[NULL]	[NULL]	C	B1TR57	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6327	9/8/2008 12:00	Y	EH	Oxidation Reduction Potential	97	mV	[NULL]	[NULL]	[NULL]	C	B1TR58	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6327	9/8/2008 12:00	Y	7440-09-7	Potassium	2860	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR58	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	N	7440-09-7	Potassium	3280	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR57	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	Y	7440-22-4	Silver	6	ug/L	B	[NULL]	[NULL]	C	B1TR58	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TR57	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	Y	7440-23-5	Sodium	6170	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR58	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	N	7440-23-5	Sodium	7000	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR57	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	Y	CONDUCT	Specific Conductance	223	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR58	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6327	9/8/2008 12:00	N	CONDUCT	Specific Conductance	223	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR57	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6327	9/8/2008 12:00	Y	7440-24-6	Strontium	182	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR58	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	N	7440-24-6	Strontium	192	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR57	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	N	10098-97-2	Strontium-90	-2.1	pCi/L	U	[NULL]	[NULL]	C	B1TR57	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6327	9/8/2008 12:00	Y	TEMPERATURE	Temperature	15.6	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR58	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6327	9/8/2008 12:00	N	TEMPERATURE	Temperature	15.6	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR57	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6327	9/8/2008 12:00	N	10028-17-8	Tritium	2300	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR57	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6327	9/8/2008 12:00	N	TURBIDITY	Turbidity	1.46	NTU	[NULL]	[NULL]	[NULL]	C	B1TR57	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6327	9/8/2008 12:00	Y	TURBIDITY	Turbidity	1.46	NTU	[NULL]	[NULL]	[NULL]	C	B1TR58	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6327	9/8/2008 12:00	N	7440-62-2	Vanadium	12	ug/L	B	[NULL]	[NULL]	C	B1TR57	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TR58	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TR57	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TR58	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6327	9/8/2008 12:00	Y	PH	pH Measurement	7.91	unitless	[NULL]	[NULL]	[NULL]	C	B1TR58	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6327	9/8/2008 12:00	N	PH	pH Measurement	7.91	unitless	[NULL]	[NULL]	[NULL]	C	B1TR57	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6327	1/8/2009 11:55	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1XWT3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1XWT4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	N	7440-39-3	Barium	45.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	Y	7440-39-3	Barium	40	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWT3	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWT4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWT3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWT4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	Y	7440-70-2	Calcium	35900	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	N	7440-70-2	Calcium	35300	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	Y	7440-47-3	Chromium	17.2	ug/L	B	[NULL]	[NULL]	R	B1XWT3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	N	7440-47-3	Chromium	13.6	ug/L	B	[NULL]	[NULL]	R	B1XWT4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	Y	7440-48-4	Cobalt	4.8	ug/L	B	[NULL]	[NULL]	R	B1XWT3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWT4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	Y	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1XWT3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1XWT4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	N	DO	Dissolved oxygen	8170	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6327	1/8/2009 11:55	N	18540-29-9	Hexavalent Chromium	7.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1XX30	18540-29-9	WSCF	7196_CR6	100-NR-2
C6327	1/8/2009 11:55	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1XWT3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	N	7439-89-6	Iron	127	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	N	7439-95-4	Magnesium	10800	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	Y	7439-95-4	Magnesium	10900	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	N	7439-96-5	Manganese	29.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	Y	7439-96-5	Manganese	13.9	ug/L	B	[NULL]	[NULL]	R	B1XWT3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWT4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWT3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	N	EH	Oxidation Reduction Potential	194	mV	[NULL]	[NULL]	[NULL]	R	B1XWT5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6327	1/8/2009 11:55	N	7440-09-7	Potassium	3400	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	Y	7440-09-7	Potassium	3310	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWT4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWT3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	N	7440-23-5	Sodium	8160	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	Y	7440-23-5	Sodium	8080	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	N	CONDUCT	Specific Conductance	307	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWT5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6327	1/8/2009 11:55	N	7440-24-6	Strontium	323	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	Y	7440-24-6	Strontium	318	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	N	10098-97-2	Strontium-90	-5	pCi/L	U	[NULL]	[NULL]	R	B1XWT4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6327	1/8/2009 11:55	N	TEMPERATURE	Temperature	11.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWT5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6327	1/8/2009 11:55	N	10028-17-8	Tritium	5000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XWT4	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6327	1/8/2009 11:55	N	TURBIDITY	Turbidity	45.2	NTU	[NULL]	[NULL]	[NULL]	R	B1XWT5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6327	1/8/2009 11:55	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWT4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	Y	7440-62-2	Vanadium	12	ug/L	B	[NULL]	[NULL]	R	B1XWT3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1XWT3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1XWT4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6327	1/8/2009 11:55	N	PH	pH Measurement	7.91	unitless	[NULL]	[NULL]	[NULL]	R	B1XWT5	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6327	12/22/2009 10:16	N	DO	Dissolved oxygen	8970	ug/L	[NULL]	[NULL]	[NULL]	R	B23611	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6327	12/22/2009 10:16	N	EH	Oxidation Reduction Potential	187	mV	[NULL]	[NULL]	[NULL]	R	B23611	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6327	12/22/2009 10:16	N	CONDUCT	Specific Conductance	324	uS/cm	[NULL]	[NULL]	[NULL]	R	B23611	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6327	12/22/2009 10:16	N	TEMPERATURE	Temperature	11.8	Deg C	[NULL]	[NULL]	[NULL]	R	B23611	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6327	12/22/2009 10:16	N	TURBIDITY	Turbidity	3.58	NTU	[NULL]	[NULL]	[NULL]	R	B23611	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6327	12/22/2009 10:16	N	PH	pH Measurement	7.06	unitless	[NULL]	[NULL]	[NULL]	R	B23611	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6328	9/8/2008 12:12	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR60	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR59	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR59	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	Y	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR60	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	N	7440-39-3	Barium	33	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR59	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	Y	7440-39-3	Barium	31	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR60	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR60	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR59	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TR59	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TR60	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	Y	7440-70-2	Calcium	28500	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR60	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	N	7440-70-2	Calcium	28600	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR59	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TR60	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TR59	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR60	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR59	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	N	DO	Dissolved oxygen	7460	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR59	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6328	9/8/2008 12:12	Y	DO	Dissolved oxygen	7460	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR60	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6328	9/8/2008 12:12	N	12587-46-1	Gross alpha	0.67	pCi/L	U	[NULL]	[NULL]	C	B1TR59	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
C6328	9/8/2008 12:12	N	12587-47-2	Gross beta	4.1	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR59	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6328	9/8/2008 12:12	N	18540-29-9	Hexavalent Chromium	7	ug/L	[NULL]	Y	[NULL]	C	B1TR59	18540-29-9	WSCF	7196_CR6	100-NR-2
C6328	9/8/2008 12:12	N	7439-89-6	Iron	37	ug/L	B	[NULL]	[NULL]	C	B1TR59	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	C	B1TR60	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	Y	7439-93-2	Lithium	4	ug/L	U	[NULL]	[NULL]	C	B1TR60	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	N	7439-93-2	Lithium	4	ug/L	U	[NULL]	[NULL]	C	B1TR59	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	N	7439-95-4	Magnesium	7590	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR59	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	Y	7439-95-4	Magnesium	7840	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR60	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	N	7439-96-5	Manganese	90	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR59	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	Y	7439-96-5	Manganese	72	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR60	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TR59	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TR60	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	N	EH	Oxidation Reduction Potential	140	mV	[NULL]	[NULL]	[NULL]	C	B1TR59	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6328	9/8/2008 12:12	Y	EH	Oxidation Reduction Potential	140	mV	[NULL]	[NULL]	[NULL]	C	B1TR60	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6328	9/8/2008 12:12	N	7440-09-7	Potassium	2870	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR59	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	Y	7440-09-7	Potassium	2940	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR60	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TR60	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TR59	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	N	7440-23-5	Sodium	7030	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR59	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	Y	7440-23-5	Sodium	7340	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR60	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	Y	CONDUCT	Specific Conductance	233	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR60	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6328	9/8/2008 12:12	N	CONDUCT	Specific Conductance	233	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR59	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6328	9/8/2008 12:12	N	7440-24-6	Strontium	183	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR59	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	Y	7440-24-6	Strontium	186	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR60	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	N	10098-97-2	Strontium-90	-1.4	pCi/L	U	[NULL]	[NULL]	C	B1TR59	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6328	9/8/2008 12:12	Y	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR60	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6328	9/8/2008 12:12	N	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR59	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6328	9/8/2008 12:12	N	10028-17-8	Tritium	3000	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR59	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6328	9/8/2008 12:12	N	TURBIDITY	Turbidity	2.59	NTU	[NULL]	[NULL]	[NULL]	C	B1TR59	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6328	9/8/2008 12:12	Y	TURBIDITY	Turbidity	2.59	NTU	[NULL]	[NULL]	[NULL]	C	B1TR60	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6328	9/8/2008 12:12	N	7440-62-2	Vanadium	17	ug/L	B	[NULL]	[NULL]	C	B1TR59	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	Y	7440-62-2	Vanadium	16	ug/L	B	[NULL]	[NULL]	C	B1TR60	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TR60	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TR59	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6328	9/8/2008 12:12	Y	PH	pH Measurement	7.96	unitless	[NULL]	[NULL]	[NULL]	C	B1TR60	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6328	9/8/2008 12:12	N	PH	pH Measurement	7.96	unitless	[NULL]	[NULL]	[NULL]	C	B1TR59	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6328	1/8/2009 11:44	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1XWT6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1XWT7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	N	7440-39-3	Barium	42.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	Y	7440-39-3	Barium	42.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWT7	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWT6	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWT6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWT7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	Y	7440-70-2	Calcium	35800	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	N	7440-70-2	Calcium	35200	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	N	7440-47-3	Chromium	13	ug/L	B	[NULL]	[NULL]	R	B1XWT7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	Y	7440-47-3	Chromium	13.6	ug/L	B	[NULL]	[NULL]	R	B1XWT6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWT6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWT7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1XWT7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	Y	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1XWT6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	N	DO	Dissolved oxygen	7540	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6328	1/8/2009 11:44	N	18540-29-9	Hexavalent Chromium	9.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1XX31	18540-29-9	WSCF	7196_CR6	100-NR-2
C6328	1/8/2009 11:44	N	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1XWT7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1XWT6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	N	7439-95-4	Magnesium	9870	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	Y	7439-95-4	Magnesium	10300	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	Y	7439-96-5	Manganese	72.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	N	7439-96-5	Manganese	73.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWT7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWT6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	N	EH	Oxidation Reduction Potential	207	mV	[NULL]	[NULL]	[NULL]	R	B1XWT8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6328	1/8/2009 11:44	Y	7440-09-7	Potassium	3010	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	N	7440-09-7	Potassium	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWT7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWT6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	Y	7440-23-5	Sodium	8520	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	N	7440-23-5	Sodium	8110	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	N	CONDUCT	Specific Conductance	317	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWT8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6328	1/8/2009 11:44	Y	7440-24-6	Strontium	302	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	N	7440-24-6	Strontium	294	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	N	10098-97-2	Strontium-90	-2.2	pCi/L	U	[NULL]	[NULL]	R	B1XWT7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6328	1/8/2009 11:44	N	TEMPERATURE	Temperature	12.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWT8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6328	1/8/2009 11:44	N	10028-17-8	Tritium	5400	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XWT7	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6328	1/8/2009 11:44	N	TURBIDITY	Turbidity	16.6	NTU	[NULL]	[NULL]	[NULL]	R	B1XWT8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6328	1/8/2009 11:44	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWT6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	N	7440-62-2	Vanadium	12.6	ug/L	B	[NULL]	[NULL]	R	B1XWT7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1XWT7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1XWT6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6328	1/8/2009 11:44	N	PH	pH Measurement	7.77	unitless	[NULL]	[NULL]	[NULL]	R	B1XWT8	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6328	12/22/2009 10:23	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B234M5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6328	12/22/2009 10:23	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B235F9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	Y	7440-39-3	Barium	48.1	ug/L	[NULL]	[NULL]	[NULL]	R	B235F9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	N	7440-39-3	Barium	55.5	ug/L	[NULL]	[NULL]	[NULL]	R	B234M5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B234M5	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B235F9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B235F9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B234M5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	Y	7440-70-2	Calcium	40100	ug/L	[NULL]	[NULL]	[NULL]	R	B235F9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	N	7440-70-2	Calcium	41100	ug/L	[NULL]	[NULL]	[NULL]	R	B234M5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	N	7440-47-3	Chromium	14.5	ug/L	B	[NULL]	[NULL]	R	B234M5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B235F9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B234M5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B235F9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B235F9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B234M5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	N	DO	Dissolved oxygen	8700	ug/L	[NULL]	[NULL]	[NULL]	R	B234M4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6328	12/22/2009 10:23	N	18540-29-9	Hexavalent Chromium	13	ug/L	[NULL]	[NULL]	[NULL]	R	B235F7	18540-29-9	WSCF	7196_CR6	100-NR-2
C6328	12/22/2009 10:23	Y	18540-29-9	Hexavalent Chromium	12.8	ug/L	[NULL]	[NULL]	[NULL]	R	B235F8	18540-29-9	WSCF	7196_CR6	100-NR-2
C6328	12/22/2009 10:23	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B235F9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	N	7439-89-6	Iron	71.4	ug/L	B	[NULL]	[NULL]	R	B234M5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	N	7439-95-4	Magnesium	11600	ug/L	[NULL]	[NULL]	[NULL]	R	B234M5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	Y	7439-95-4	Magnesium	11300	ug/L	[NULL]	[NULL]	[NULL]	R	B235F9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B235F9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	N	7439-96-5	Manganese	11.5	ug/L	B	[NULL]	[NULL]	R	B234M5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B235F9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B234M5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	N	EH	Oxidation Reduction Potential	186	mV	[NULL]	[NULL]	[NULL]	R	B234M4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6328	12/22/2009 10:23	Y	7440-09-7	Potassium	3420	ug/L	[NULL]	[NULL]	[NULL]	R	B235F9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	N	7440-09-7	Potassium	3530	ug/L	[NULL]	[NULL]	[NULL]	R	B234M5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B234M5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B235F9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	N	7440-23-5	Sodium	9680	ug/L	[NULL]	[NULL]	[NULL]	R	B234M5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	Y	7440-23-5	Sodium	9420	ug/L	[NULL]	[NULL]	[NULL]	R	B235F9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	N	CONDUCT	Specific Conductance	336	uS/cm	[NULL]	[NULL]	[NULL]	R	B234M4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6328	12/22/2009 10:23	N	7440-24-6	Strontium	249	ug/L	[NULL]	[NULL]	[NULL]	R	B234M5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	Y	7440-24-6	Strontium	242	ug/L	[NULL]	[NULL]	[NULL]	R	B235F9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	N	TEMPERATURE	Temperature	13	Deg C	[NULL]	[NULL]	[NULL]	R	B234M4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6328	12/22/2009 10:23	N	10028-17-8	Tritium	5000	pCi/L	[NULL]	[NULL]	[NULL]	R	B234M5	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6328	12/22/2009 10:23	N	TURBIDITY	Turbidity	1.13	NTU	[NULL]	[NULL]	[NULL]	R	B234M4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6328	12/22/2009 10:23	N	7440-62-2	Vanadium	15.7	ug/L	B	[NULL]	[NULL]	R	B234M5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	Y	7440-62-2	Vanadium	14.8	ug/L	B	[NULL]	[NULL]	R	B235F9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B234M5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B235F9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6328	12/22/2009 10:23	N	PH	pH Measurement	7.45	unitless	[NULL]	[NULL]	[NULL]	R	B234M4	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6329	9/10/2008 10:12	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR62	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR61	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR61	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	Y	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR62	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	Y	7440-39-3	Barium	47	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR62	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	N	7440-39-3	Barium	49	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR61	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR61	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR62	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TR62	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	N	7440-43-9	Cadmium	4	ug/L	B	[NULL]	[NULL]	C	B1TR61	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6329	9/10/2008 10:12	Y	7440-70-2	Calcium	30200	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR62	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	N	7440-70-2	Calcium	30400	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR61	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TR61	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TR62	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR61	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR62	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	N	DO	Dissolved oxygen	5100	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR61	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6329	9/10/2008 10:12	Y	DO	Dissolved oxygen	5100	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR62	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6329	9/10/2008 10:12	N	12587-46-1	Gross alpha	0.005	pCi/L	U	[NULL]	[NULL]	C	B1TR61	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
C6329	9/10/2008 10:12	N	12587-47-2	Gross beta	5.1	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR61	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6329	9/10/2008 10:12	Y	7439-89-6	Iron	100	ug/L	B	[NULL]	[NULL]	C	B1TR62	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	N	7439-89-6	Iron	343	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR61	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	N	7439-93-2	Lithium	4	ug/L	U	[NULL]	[NULL]	C	B1TR61	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	Y	7439-93-2	Lithium	4	ug/L	U	[NULL]	[NULL]	C	B1TR62	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	N	7439-95-4	Magnesium	5630	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR61	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	Y	7439-95-4	Magnesium	5710	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR62	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	N	7439-96-5	Manganese	146	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR61	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	Y	7439-96-5	Manganese	155	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR62	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	N	7440-02-0	Nickel	6.5	ug/L	B	[NULL]	[NULL]	C	B1TR61	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	Y	7440-02-0	Nickel	7	ug/L	B	[NULL]	[NULL]	C	B1TR62	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	Y	EH	Oxidation Reduction Potential	-37	mV	[NULL]	[NULL]	[NULL]	C	B1TR62	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6329	9/10/2008 10:12	N	EH	Oxidation Reduction Potential	-37	mV	[NULL]	[NULL]	[NULL]	C	B1TR61	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6329	9/10/2008 10:12	N	7440-09-7	Potassium	1930	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR61	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	Y	7440-09-7	Potassium	1990	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR62	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TR62	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	N	7440-22-4	Silver	6	ug/L	BC	[NULL]	[NULL]	C	B1TR61	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	Y	7440-23-5	Sodium	5200	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR62	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	N	7440-23-5	Sodium	5070	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR61	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	Y	CONDUCT	Specific Conductance	197	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR62	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6329	9/10/2008 10:12	N	CONDUCT	Specific Conductance	197	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR61	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6329	9/10/2008 10:12	N	7440-24-6	Strontium	166	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR61	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	Y	7440-24-6	Strontium	168	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR62	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	N	10098-97-2	Strontium-90	-0.84	pCi/L	U	[NULL]	[NULL]	C	B1TR61	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6329	9/10/2008 10:12	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR61	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6329	9/10/2008 10:12	Y	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR62	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6329	9/10/2008 10:12	N	10028-17-8	Tritium	2000	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR61	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6329	9/10/2008 10:12	Y	TURBIDITY	Turbidity	62.1	NTU	[NULL]	[NULL]	[NULL]	C	B1TR62	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6329	9/10/2008 10:12	N	TURBIDITY	Turbidity	62.1	NTU	[NULL]	[NULL]	[NULL]	C	B1TR61	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6329	9/10/2008 10:12	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TR62	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TR61	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TR62	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TR61	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6329	9/10/2008 10:12	N	PH	pH Measurement	7.15	unitless	[NULL]	[NULL]	[NULL]	C	B1TR61	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6329	9/10/2008 10:12	Y	PH	pH Measurement	7.15	unitless	[NULL]	[NULL]	[NULL]	C	B1TR62	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6329	3/19/2009 10:06	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1XWT9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1XWV0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	N	7440-39-3	Barium	52.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	Y	7440-39-3	Barium	45.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWT9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWV0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWT9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWV0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	Y	7440-70-2	Calcium	34700	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6329	3/19/2009 10:06	N	7440-70-2	Calcium	37200	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	Y	7440-47-3	Chromium	14.9	ug/L	B	[NULL]	[NULL]	R	B1XWT9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWV0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWT9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWV0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1XWT9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1XWV0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	N	DO	Dissolved oxygen	6360	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6329	3/19/2009 10:06	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B1XWT9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	N	7439-89-6	Iron	210	ug/L	C	[NULL]	[NULL]	R	B1XWV0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	N	7439-95-4	Magnesium	7330	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	Y	7439-95-4	Magnesium	6800	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	Y	7439-96-5	Manganese	17.3	ug/L	B	[NULL]	[NULL]	R	B1XWT9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	N	7439-96-5	Manganese	17.4	ug/L	B	[NULL]	[NULL]	R	B1XWV0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWT9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWV0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	N	EH	Oxidation Reduction Potential	-55	mV	[NULL]	[NULL]	[NULL]	R	B1XWV1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6329	3/19/2009 10:06	Y	7440-09-7	Potassium	1640	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	N	7440-09-7	Potassium	1770	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWT9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWV0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	N	7440-23-5	Sodium	5790	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	Y	7440-23-5	Sodium	5280	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	N	CONDUCT	Specific Conductance	236	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWV1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6329	3/19/2009 10:06	Y	7440-24-6	Strontium	142	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWT9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	N	7440-24-6	Strontium	169	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	N	10098-97-2	Strontium-90	-4.9	pCi/L	U	[NULL]	[NULL]	R	B1XWV0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6329	3/19/2009 10:06	N	TEMPERATURE	Temperature	8.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWV1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6329	3/19/2009 10:06	N	10028-17-8	Tritium	3800	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XWV0	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6329	3/19/2009 10:06	N	TURBIDITY	Turbidity	15.5	NTU	[NULL]	[NULL]	[NULL]	R	B1XWV1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6329	3/19/2009 10:06	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWT9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWV0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1XWV0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1XWT9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6329	3/19/2009 10:06	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	B1XWV1	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6329	12/20/2009 10:44	N	DO	Dissolved oxygen	7450	ug/L	[NULL]	[NULL]	[NULL]	R	B23612	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6329	12/20/2009 10:44	N	EH	Oxidation Reduction Potential	96	mV	[NULL]	[NULL]	[NULL]	R	B23612	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6329	12/20/2009 10:44	N	CONDUCT	Specific Conductance	205	uS/cm	[NULL]	[NULL]	[NULL]	R	B23612	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6329	12/20/2009 10:44	N	TEMPERATURE	Temperature	11.2	Deg C	[NULL]	[NULL]	[NULL]	R	B23612	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6329	12/20/2009 10:44	N	TURBIDITY	Turbidity	11.9	NTU	[NULL]	[NULL]	[NULL]	R	B23612	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6329	12/20/2009 10:44	N	PH	pH Measurement	7.45	unitless	[NULL]	[NULL]	[NULL]	R	B23612	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6330	9/10/2008 10:29	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR63	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR64	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	Y	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR64	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR63	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	Y	7440-39-3	Barium	27	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR64	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	N	7440-39-3	Barium	31	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR63	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR64	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR63	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TR63	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TR64	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	Y	7440-70-2	Calcium	36600	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR64	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	N	7440-70-2	Calcium	36700	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR63	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6330	9/10/2008 10:29	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TR64	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1TR63	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR63	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR64	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	N	DO	Dissolved oxygen	7160	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR63	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6330	9/10/2008 10:29	Y	DO	Dissolved oxygen	7160	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR64	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6330	9/10/2008 10:29	N	12587-46-1	Gross alpha	2	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR63	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
C6330	9/10/2008 10:29	N	12587-47-2	Gross beta	4.8	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR63	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6330	9/10/2008 10:29	N	7439-89-6	Iron	302	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR63	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	C	B1TR64	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	N	7439-93-2	Lithium	4	ug/L	U	[NULL]	[NULL]	C	B1TR63	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	Y	7439-93-2	Lithium	4	ug/L	U	[NULL]	[NULL]	C	B1TR64	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	N	7439-95-4	Magnesium	6590	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR63	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	Y	7439-95-4	Magnesium	6800	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR64	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	Y	7439-96-5	Manganese	25	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR64	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	N	7439-96-5	Manganese	43	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR63	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TR63	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TR64	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	N	EH	Oxidation Reduction Potential	36	mV	[NULL]	[NULL]	[NULL]	C	B1TR63	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6330	9/10/2008 10:29	Y	EH	Oxidation Reduction Potential	36	mV	[NULL]	[NULL]	[NULL]	C	B1TR64	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6330	9/10/2008 10:29	Y	7440-09-7	Potassium	2250	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR64	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	N	7440-09-7	Potassium	2140	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR63	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TR63	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TR64	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	N	7440-23-5	Sodium	6680	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR63	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	Y	7440-23-5	Sodium	7100	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR64	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	Y	CONDUCT	Specific Conductance	237	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR64	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6330	9/10/2008 10:29	N	CONDUCT	Specific Conductance	237	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR63	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6330	9/10/2008 10:29	Y	7440-24-6	Strontium	198	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR64	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	N	7440-24-6	Strontium	194	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR63	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	N	10098-97-2	Strontium-90	-3.6	pCi/L	U	[NULL]	[NULL]	C	B1TR63	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6330	9/10/2008 10:29	Y	TEMPERATURE	Temperature	13.6	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR64	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6330	9/10/2008 10:29	N	TEMPERATURE	Temperature	13.6	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR63	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6330	9/10/2008 10:29	N	10028-17-8	Tritium	3000	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR63	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6330	9/10/2008 10:29	N	TURBIDITY	Turbidity	12.6	NTU	[NULL]	[NULL]	[NULL]	C	B1TR63	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6330	9/10/2008 10:29	Y	TURBIDITY	Turbidity	12.6	NTU	[NULL]	[NULL]	[NULL]	C	B1TR64	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6330	9/10/2008 10:29	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TR63	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TR64	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TR63	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TR64	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6330	9/10/2008 10:29	Y	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	C	B1TR64	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6330	9/10/2008 10:29	N	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	C	B1TR63	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6330	3/19/2009 9:58	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1XWV2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1XWV3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	Y	7440-39-3	Barium	22.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	N	7440-39-3	Barium	24.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWV3	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWV2	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWV3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWV2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	Y	7440-70-2	Calcium	37700	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	N	7440-70-2	Calcium	34500	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWV2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6330	3/19/2009 9:58	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWV3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWV3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	Y	7440-48-4	Cobalt	6.1	ug/L	B	[NULL]	[NULL]	R	B1XWV2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1XWV2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1XWV3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	N	DO	Dissolved oxygen	8840	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6330	3/19/2009 9:58	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B1XWV2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	N	7439-89-6	Iron	75.6	ug/L	BC	[NULL]	[NULL]	R	B1XWV3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	N	7439-95-4	Magnesium	6330	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	Y	7439-95-4	Magnesium	6740	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	Y	7439-96-5	Manganese	21.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	N	7439-96-5	Manganese	19.1	ug/L	B	[NULL]	[NULL]	R	B1XWV3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWV3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWV2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	N	EH	Oxidation Reduction Potential	178	mV	[NULL]	[NULL]	[NULL]	R	B1XWV4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6330	3/19/2009 9:58	Y	7440-09-7	Potassium	1690	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	N	7440-09-7	Potassium	1700	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWV3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWV2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	N	7440-23-5	Sodium	6440	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	Y	7440-23-5	Sodium	6450	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWV4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6330	3/19/2009 9:58	Y	7440-24-6	Strontium	144	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	N	7440-24-6	Strontium	150	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	N	10098-97-2	Strontium-90	-4.7	pCi/L	U	[NULL]	[NULL]	R	B1XWV3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6330	3/19/2009 9:58	N	TEMPERATURE	Temperature	9.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWV4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6330	3/19/2009 9:58	N	10028-17-8	Tritium	4300	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XWV3	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6330	3/19/2009 9:58	N	TURBIDITY	Turbidity	8.94	NTU	[NULL]	[NULL]	[NULL]	R	B1XWV4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6330	3/19/2009 9:58	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWV2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWV3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1XWV3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1XWV2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6330	3/19/2009 9:58	N	PH	pH Measurement	8.73	unitless	[NULL]	[NULL]	[NULL]	R	B1XWV4	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6330	12/20/2009 10:42	N	DO	Dissolved oxygen	9210	ug/L	[NULL]	[NULL]	[NULL]	R	B23613	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6330	12/20/2009 10:42	N	EH	Oxidation Reduction Potential	136	mV	[NULL]	[NULL]	[NULL]	R	B23613	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6330	12/20/2009 10:42	N	CONDUCT	Specific Conductance	248	uS/cm	[NULL]	[NULL]	[NULL]	R	B23613	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6330	12/20/2009 10:42	N	TEMPERATURE	Temperature	11.3	Deg C	[NULL]	[NULL]	[NULL]	R	B23613	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6330	12/20/2009 10:42	N	TURBIDITY	Turbidity	19.7	NTU	[NULL]	[NULL]	[NULL]	R	B23613	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6330	12/20/2009 10:42	N	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	R	B23613	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6331	9/10/2008 10:44	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR78	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR66	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-36-0	Antimony	4	ug/L	U	[NULL]	[NULL]	C	B1TR70	7440-36-0	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR65	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-36-0	Antimony	4	ug/L	U	[NULL]	[NULL]	C	B1TR77	7440-36-0	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1TR68	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR68	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-38-2	Arsenic	2	ug/L	U	[NULL]	[NULL]	C	B1TR70	7440-38-2	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	Y	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR66	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-38-2	Arsenic	2	ug/L	U	[NULL]	[NULL]	C	B1TR77	7440-38-2	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	Y	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR78	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1TR65	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-39-3	Barium	23	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR78	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-39-3	Barium	26	ug/L	B	[NULL]	[NULL]	C	B1TR77	7440-39-3	TASL	6010_METALS_ICP_TR	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6331	9/10/2008 10:44	N	7440-39-3	Barium	26	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR65	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-39-3	Barium	25	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR68	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-39-3	Barium	21.6	ug/L	B	[NULL]	[NULL]	C	B1TR70	7440-39-3	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	Y	7440-39-3	Barium	23	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR66	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR65	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	C	B1TR70	7440-41-7	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR68	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR66	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	C	B1TR78	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	C	B1TR77	7440-41-7	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	N	7440-43-9	Cadmium	0.45	ug/L	U	[NULL]	[NULL]	C	B1TR70	7440-43-9	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TR66	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-43-9	Cadmium	0.45	ug/L	U	[NULL]	[NULL]	C	B1TR77	7440-43-9	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TR78	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TR65	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1TR68	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-70-2	Calcium	39000	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR66	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-70-2	Calcium	40100	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR65	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-70-2	Calcium	36100	ug/L	CD	[NULL]	[NULL]	C	B1TR77	7440-70-2	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	N	7440-70-2	Calcium	39600	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR68	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-70-2	Calcium	39000	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR78	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-70-2	Calcium	34900	ug/L	CD	[NULL]	[NULL]	C	B1TR70	7440-70-2	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	Y	7440-47-3	Chromium	10.1	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR77	7440-47-3	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	N	7440-47-3	Chromium	8.9	ug/L	B	[NULL]	[NULL]	C	B1TR70	7440-47-3	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	N	7440-47-3	Chromium	15.7	ug/L	B	[NULL]	[NULL]	C	B1TR68	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-47-3	Chromium	15.7	ug/L	B	[NULL]	[NULL]	C	B1TR65	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-47-3	Chromium	13.7	ug/L	B	[NULL]	[NULL]	C	B1TR78	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-47-3	Chromium	13.2	ug/L	B	[NULL]	[NULL]	C	B1TR66	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR65	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR78	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR70	7440-48-4	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR77	7440-48-4	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR66	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1TR68	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	DO	Dissolved oxygen	8690	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR77	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6331	9/10/2008 10:44	N	DO	Dissolved oxygen	8690	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR65	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6331	9/10/2008 10:44	Y	DO	Dissolved oxygen	8690	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR66	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6331	9/10/2008 10:44	N	DO	Dissolved oxygen	8690	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR70	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6331	9/10/2008 10:44	N	DO	Dissolved oxygen	8690	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR68	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6331	9/10/2008 10:44	Y	DO	Dissolved oxygen	8690	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR78	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6331	9/10/2008 10:44	N	DO	Dissolved oxygen	8690	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR69	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6331	9/10/2008 10:44	N	DO	Dissolved oxygen	8690	ug/L	[NULL]	[NULL]	[NULL]	T	B1TR67	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6331	9/10/2008 10:44	N	12587-46-1	Gross alpha	0.94	pCi/L	U	[NULL]	[NULL]	C	B1TR65	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
C6331	9/10/2008 10:44	N	12587-46-1	Gross alpha	1.06	pCi/L	U	[NULL]	[NULL]	C	B1TR69	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
C6331	9/10/2008 10:44	N	12587-46-1	Gross alpha	0.93	pCi/L	U	[NULL]	[NULL]	C	B1TR68	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
C6331	9/10/2008 10:44	N	12587-47-2	Gross beta	14	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR68	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6331	9/10/2008 10:44	N	12587-47-2	Gross beta	4.99	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR69	12587-47-2	TARL	BETA_GPC	100-NR-2
C6331	9/10/2008 10:44	N	12587-47-2	Gross beta	3.1	pCi/L	U	[NULL]	[NULL]	C	B1TR65	12587-47-2	WSCF	BETA_GPC	100-NR-2
C6331	9/10/2008 10:44	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	C	B1TR78	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7439-89-6	Iron	27	ug/L	B	[NULL]	[NULL]	C	B1TR66	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7439-89-6	Iron	122	ug/L	B	[NULL]	[NULL]	C	B1TR68	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7439-89-6	Iron	16	ug/L	U	[NULL]	[NULL]	C	B1TR70	7439-89-6	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	N	7439-89-6	Iron	162	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR65	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7439-89-6	Iron	299	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR77	7439-89-6	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	Y	7439-93-2	Lithium	48.1	ug/L	UD	[NULL]	[NULL]	C	B1TR77	7439-93-2	TASL	6010_METALS_ICP_TR	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6331	9/10/2008 10:44	Y	7439-93-2	Lithium	4	ug/L	U	[NULL]	[NULL]	C	B1TR78	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7439-93-2	Lithium	4	ug/L	U	[NULL]	[NULL]	C	B1TR68	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7439-93-2	Lithium	48.1	ug/L	UD	[NULL]	[NULL]	C	B1TR70	7439-93-2	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	N	7439-93-2	Lithium	4	ug/L	U	[NULL]	[NULL]	C	B1TR65	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7439-93-2	Lithium	4	ug/L	U	[NULL]	[NULL]	C	B1TR66	7439-93-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7439-95-4	Magnesium	7120	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR68	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7439-95-4	Magnesium	6690	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR70	7439-95-4	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	N	7439-95-4	Magnesium	7240	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR65	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7439-95-4	Magnesium	6950	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR77	7439-95-4	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	Y	7439-95-4	Magnesium	6820	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR66	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7439-95-4	Magnesium	7030	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR78	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7439-96-5	Manganese	11.1	ug/L	B	[NULL]	[NULL]	C	B1TR70	7439-96-5	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	Y	7439-96-5	Manganese	11	ug/L	B	[NULL]	[NULL]	C	B1TR66	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7439-96-5	Manganese	23	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR68	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7439-96-5	Manganese	33.3	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR77	7439-96-5	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	Y	7439-96-5	Manganese	12	ug/L	B	[NULL]	[NULL]	C	B1TR78	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7439-96-5	Manganese	27	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR65	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TR78	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TR65	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TR68	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-02-0	Nickel	13.3	ug/L	U	[NULL]	[NULL]	C	B1TR77	7440-02-0	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1TR66	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-02-0	Nickel	13.3	ug/L	U	[NULL]	[NULL]	C	B1TR70	7440-02-0	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	Y	EH	Oxidation Reduction Potential	38	mV	[NULL]	[NULL]	[NULL]	C	B1TR77	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6331	9/10/2008 10:44	N	EH	Oxidation Reduction Potential	38	mV	[NULL]	[NULL]	[NULL]	C	B1TR65	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6331	9/10/2008 10:44	Y	EH	Oxidation Reduction Potential	38	mV	[NULL]	[NULL]	[NULL]	C	B1TR66	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6331	9/10/2008 10:44	N	EH	Oxidation Reduction Potential	38	mV	[NULL]	[NULL]	[NULL]	T	B1TR67	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6331	9/10/2008 10:44	N	EH	Oxidation Reduction Potential	38	mV	[NULL]	[NULL]	[NULL]	C	B1TR68	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6331	9/10/2008 10:44	Y	EH	Oxidation Reduction Potential	38	mV	[NULL]	[NULL]	[NULL]	C	B1TR78	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6331	9/10/2008 10:44	N	EH	Oxidation Reduction Potential	38	mV	[NULL]	[NULL]	[NULL]	C	B1TR69	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6331	9/10/2008 10:44	N	EH	Oxidation Reduction Potential	38	mV	[NULL]	[NULL]	[NULL]	C	B1TR70	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6331	9/10/2008 10:44	N	7440-09-7	Potassium	2150	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR65	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-09-7	Potassium	2130	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR78	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-09-7	Potassium	1650	ug/L	U	[NULL]	[NULL]	C	B1TR77	7440-09-7	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	N	7440-09-7	Potassium	2120	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR68	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-09-7	Potassium	2010	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR66	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-09-7	Potassium	2220	ug/L	B	[NULL]	[NULL]	C	B1TR70	7440-09-7	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TR66	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TR78	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TR68	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1TR65	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	C	B1TR70	7440-22-4	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	C	B1TR77	7440-22-4	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	Y	7440-23-5	Sodium	8620	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR78	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-23-5	Sodium	8260	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR66	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-23-5	Sodium	9040	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR77	7440-23-5	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	N	7440-23-5	Sodium	8630	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR70	7440-23-5	TASL	6010_METALS_ICP_TR	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6331	9/10/2008 10:44	N	7440-23-5	Sodium	8620	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR68	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-23-5	Sodium	8840	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR65	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	CONDUCT	Specific Conductance	270	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR66	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6331	9/10/2008 10:44	N	CONDUCT	Specific Conductance	270	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR68	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6331	9/10/2008 10:44	N	CONDUCT	Specific Conductance	270	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR65	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6331	9/10/2008 10:44	Y	CONDUCT	Specific Conductance	270	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR78	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6331	9/10/2008 10:44	Y	CONDUCT	Specific Conductance	270	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR77	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6331	9/10/2008 10:44	N	CONDUCT	Specific Conductance	270	uS/cm	[NULL]	[NULL]	[NULL]	T	B1TR67	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6331	9/10/2008 10:44	N	CONDUCT	Specific Conductance	270	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR70	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6331	9/10/2008 10:44	N	CONDUCT	Specific Conductance	270	uS/cm	[NULL]	[NULL]	[NULL]	C	B1TR69	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6331	9/10/2008 10:44	N	7440-24-6	Strontium	153	ug/L	D	[NULL]	[NULL]	C	B1TR70	7440-24-6	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	Y	7440-24-6	Strontium	161	ug/L	D	[NULL]	[NULL]	C	B1TR77	7440-24-6	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	Y	7440-24-6	Strontium	210	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR78	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-24-6	Strontium	215	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR68	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-24-6	Strontium	215	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR65	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-24-6	Strontium	206	ug/L	[NULL]	[NULL]	[NULL]	C	B1TR66	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	10098-97-2	Strontium-90	-1.9	pCi/L	U	[NULL]	[NULL]	C	B1TR65	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6331	9/10/2008 10:44	N	10098-97-2	Strontium-90	-1.7	pCi/L	U	[NULL]	[NULL]	C	B1TR68	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6331	9/10/2008 10:44	N	10098-97-2	Strontium-90	0.36	pCi/L	U	[NULL]	[NULL]	C	B1TR69	SR-RAD	TARL	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6331	9/10/2008 10:44	Y	TEMPERATURE	Temperature	13.7	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR77	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6331	9/10/2008 10:44	N	TEMPERATURE	Temperature	13.7	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR70	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6331	9/10/2008 10:44	N	TEMPERATURE	Temperature	13.7	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR65	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6331	9/10/2008 10:44	Y	TEMPERATURE	Temperature	13.7	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR78	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6331	9/10/2008 10:44	N	TEMPERATURE	Temperature	13.7	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR68	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6331	9/10/2008 10:44	N	TEMPERATURE	Temperature	13.7	Deg C	[NULL]	[NULL]	[NULL]	T	B1TR67	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6331	9/10/2008 10:44	Y	TEMPERATURE	Temperature	13.7	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR66	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6331	9/10/2008 10:44	N	TEMPERATURE	Temperature	13.7	Deg C	[NULL]	[NULL]	[NULL]	C	B1TR69	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6331	9/10/2008 10:44	N	10028-17-8	Tritium	4400	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR65	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6331	9/10/2008 10:44	N	10028-17-8	Tritium	5370	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR69	10028-17-8	TARL	906.0_H3_LSC	100-NR-2
C6331	9/10/2008 10:44	N	10028-17-8	Tritium	4700	pCi/L	[NULL]	[NULL]	[NULL]	C	B1TR68	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6331	9/10/2008 10:44	N	TURBIDITY	Turbidity	4.88	NTU	[NULL]	[NULL]	[NULL]	C	B1TR69	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6331	9/10/2008 10:44	Y	TURBIDITY	Turbidity	4.88	NTU	[NULL]	[NULL]	[NULL]	C	B1TR78	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6331	9/10/2008 10:44	N	TURBIDITY	Turbidity	4.88	NTU	[NULL]	[NULL]	[NULL]	C	B1TR65	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6331	9/10/2008 10:44	N	TURBIDITY	Turbidity	4.88	NTU	[NULL]	[NULL]	[NULL]	C	B1TR68	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6331	9/10/2008 10:44	N	TURBIDITY	Turbidity	4.88	NTU	[NULL]	[NULL]	[NULL]	T	B1TR67	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6331	9/10/2008 10:44	Y	TURBIDITY	Turbidity	4.88	NTU	[NULL]	[NULL]	[NULL]	C	B1TR66	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6331	9/10/2008 10:44	N	TURBIDITY	Turbidity	4.88	NTU	[NULL]	[NULL]	[NULL]	C	B1TR70	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6331	9/10/2008 10:44	Y	TURBIDITY	Turbidity	4.88	NTU	[NULL]	[NULL]	[NULL]	C	B1TR77	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6331	9/10/2008 10:44	Y	7440-62-2	Vanadium	4.2	ug/L	B	[NULL]	[NULL]	C	B1TR77	7440-62-2	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	N	7440-62-2	Vanadium	4.1	ug/L	U	[NULL]	[NULL]	C	B1TR70	7440-62-2	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TR78	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TR66	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TR68	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1TR65	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-66-6	Zinc	5.2	ug/L	U	[NULL]	[NULL]	C	B1TR77	7440-66-6	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	N	7440-66-6	Zinc	5.4	ug/L	BC	[NULL]	[NULL]	C	B1TR70	7440-66-6	TASL	6010_METALS_ICP_TR	100-NR-2
C6331	9/10/2008 10:44	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TR78	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TR66	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TR68	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1TR65	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	9/10/2008 10:44	Y	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	C	B1TR78	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6331	9/10/2008 10:44	N	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	C	B1TR69	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6331	9/10/2008 10:44	N	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	C	B1TR70	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6331	9/10/2008 10:44	Y	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	C	B1TR77	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6331	9/10/2008 10:44	Y	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	C	B1TR66	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6331	9/10/2008 10:44	N	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	T	B1TR67	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6331	9/10/2008 10:44	N	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	C	B1TR68	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6331	9/10/2008 10:44	N	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	C	B1TR65	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6331	3/19/2009 9:48	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1XWV5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1XWV6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	Y	7440-39-3	Barium	17.3	ug/L	B	[NULL]	[NULL]	R	B1XWV5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	N	7440-39-3	Barium	19.4	ug/L	B	[NULL]	[NULL]	R	B1XWV6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWV5	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWV6	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWV5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWV6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	Y	7440-70-2	Calcium	32400	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	N	7440-70-2	Calcium	34800	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	Y	7440-47-3	Chromium	16.7	ug/L	B	[NULL]	[NULL]	R	B1XWV5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWV6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWV5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWV6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1XWV5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1XWV6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	N	DO	Dissolved oxygen	9320	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6331	3/19/2009 9:48	N	7439-89-6	Iron	45.1	ug/L	BC	[NULL]	[NULL]	R	B1XWV6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B1XWV5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	Y	7439-95-4	Magnesium	6010	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	N	7439-95-4	Magnesium	6230	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1XWV6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	Y	7439-96-5	Manganese	6.3	ug/L	B	[NULL]	[NULL]	R	B1XWV5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWV6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWV5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	N	EH	Oxidation Reduction Potential	189	mV	[NULL]	[NULL]	[NULL]	R	B1XWV7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6331	3/19/2009 9:48	Y	7440-09-7	Potassium	1650	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	N	7440-09-7	Potassium	1670	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWV6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWV5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	N	7440-23-5	Sodium	8020	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	Y	7440-23-5	Sodium	7750	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	N	CONDUCT	Specific Conductance	247	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWV7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6331	3/19/2009 9:48	Y	7440-24-6	Strontium	128	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	N	7440-24-6	Strontium	149	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWV6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	N	10098-97-2	Strontium-90	-5.1	pCi/L	U	[NULL]	[NULL]	R	B1XWV6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
C6331	3/19/2009 9:48	N	TEMPERATURE	Temperature	10.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWV7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6331	3/19/2009 9:48	N	10028-17-8	Tritium	4200	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XWV6	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6331	3/19/2009 9:48	N	TURBIDITY	Turbidity	3.69	NTU	[NULL]	[NULL]	[NULL]	R	B1XWV7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6331	3/19/2009 9:48	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWV6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1XWV5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1XWV6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1XWV5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	3/19/2009 9:48	N	PH	pH Measurement	8.19	unitless	[NULL]	[NULL]	[NULL]	R	B1XWV7	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6331	12/20/2009 10:32	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B235V1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B234N0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	N	7440-39-3	Barium	22.3	ug/L	[NULL]	[NULL]	[NULL]	R	B234N0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	Y	7440-39-3	Barium	21.6	ug/L	[NULL]	[NULL]	[NULL]	R	B235V1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B234N0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B235V1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B234N0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
C6331	12/20/2009 10:32	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B235V1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	Y	7440-70-2	Calcium	38700	ug/L	[NULL]	[NULL]	[NULL]	R	B235V1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	N	7440-70-2	Calcium	39800	ug/L	[NULL]	[NULL]	[NULL]	R	B234N0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B234N0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B235V1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B234N0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B235V1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B235V1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B234N0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	N	DO	Dissolved oxygen	9320	ug/L	[NULL]	[NULL]	[NULL]	R	B234M9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
C6331	12/20/2009 10:32	N	18540-29-9	Hexavalent Chromium	8.9	ug/L	[NULL]	[NULL]	[NULL]	R	B235V3	18540-29-9	WSCF	7196_CR6	100-NR-2
C6331	12/20/2009 10:32	Y	18540-29-9	Hexavalent Chromium	8.7	ug/L	[NULL]	[NULL]	[NULL]	R	B235V2	18540-29-9	WSCF	7196_CR6	100-NR-2
C6331	12/20/2009 10:32	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B235V1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	N	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B234N0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	Y	7439-95-4	Magnesium	7290	ug/L	[NULL]	[NULL]	[NULL]	R	B235V1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	N	7439-95-4	Magnesium	7370	ug/L	[NULL]	[NULL]	[NULL]	R	B234N0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B234N0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B235V1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B235V1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B234N0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	N	EH	Oxidation Reduction Potential	195	mV	[NULL]	[NULL]	[NULL]	R	B234M9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6331	12/20/2009 10:32	N	7440-09-7	Potassium	1950	ug/L	[NULL]	[NULL]	[NULL]	R	B234N0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	Y	7440-09-7	Potassium	1910	ug/L	[NULL]	[NULL]	[NULL]	R	B235V1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B234N0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B235V1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	Y	7440-23-5	Sodium	8690	ug/L	[NULL]	[NULL]	[NULL]	R	B235V1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	N	7440-23-5	Sodium	8800	ug/L	[NULL]	[NULL]	[NULL]	R	B234N0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	N	CONDUCT	Specific Conductance	278	uS/cm	[NULL]	[NULL]	[NULL]	R	B234M9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6331	12/20/2009 10:32	Y	7440-24-6	Strontium	170	ug/L	[NULL]	[NULL]	[NULL]	R	B235V1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	N	7440-24-6	Strontium	173	ug/L	[NULL]	[NULL]	[NULL]	R	B234N0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	N	TEMPERATURE	Temperature	11.1	Deg C	[NULL]	[NULL]	[NULL]	R	B234M9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6331	12/20/2009 10:32	N	10028-17-8	Tritium	4800	pCi/L	[NULL]	[NULL]	[NULL]	R	B234N0	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
C6331	12/20/2009 10:32	N	TURBIDITY	Turbidity	3.61	NTU	[NULL]	[NULL]	[NULL]	R	B234M9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
C6331	12/20/2009 10:32	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B234N0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B235V1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B235V1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B234N0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
C6331	12/20/2009 10:32	N	PH	pH Measurement	7.51	unitless	[NULL]	[NULL]	[NULL]	R	B234M9	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6472	5/19/2008 13:00	N	EH	Oxidation Reduction Potential	18	mV	[NULL]	[NULL]	[NULL]	S	B1TPC2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6472	5/19/2008 13:00	N	CONDUCT	Specific Conductance	138	uS/cm	[NULL]	[NULL]	[NULL]	S	B1TPC2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6472	5/19/2008 13:00	N	TEMPERATURE	Temperature	11.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1TPC2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6472	5/19/2008 13:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	S	B1TPC2	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6473	5/19/2008 13:15	N	EH	Oxidation Reduction Potential	-30	mV	[NULL]	[NULL]	[NULL]	S	B1TPC3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6473	5/19/2008 13:15	N	CONDUCT	Specific Conductance	213	uS/cm	[NULL]	[NULL]	[NULL]	S	B1TPC3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6473	5/19/2008 13:15	N	TEMPERATURE	Temperature	14	Deg C	[NULL]	[NULL]	[NULL]	S	B1TPC3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6473	5/19/2008 13:15	N	PH	pH Measurement	7	unitless	[NULL]	[NULL]	[NULL]	S	B1TPC3	PH	FIELD	PH_ELECT_FLD	100-NR-2
C6474	5/19/2008 13:30	N	EH	Oxidation Reduction Potential	-30	mV	[NULL]	[NULL]	[NULL]	S	B1TPC4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
C6474	5/19/2008 13:30	N	CONDUCT	Specific Conductance	138	uS/cm	[NULL]	[NULL]	[NULL]	S	B1TPC4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
C6474	5/19/2008 13:30	N	TEMPERATURE	Temperature	13	Deg C	[NULL]	[NULL]	[NULL]	S	B1TPC4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
C6474	5/19/2008 13:30	N	PH	pH Measurement	7.36	unitless	[NULL]	[NULL]	[NULL]	S	B1TPC4	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-0A	1/10/2007 0:00	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	970	ug/L	[NULL]	[NULL]	[NULL]	S	B1M567	TPHDIESEL	RJ LEE	8015M_TPH_GC	100-NR-2
N116mArray-0A	1/10/2007 15:30	N	12587-47-2	Gross beta	3.97	pCi/L	[NULL]	[NULL]	[NULL]	S	B1M553	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-0A	1/10/2007 15:30	N	CONDUCT	Specific Conductance	191	uS/cm	[NULL]	[NULL]	[NULL]	S	B1M553	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-0A	12/17/2007 10:04	N	DO	Dissolved oxygen	5590	ug/L	[NULL]	[NULL]	[NULL]	R	B1RTB1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-0A	12/17/2007 10:04	N	CONDUCT	Specific Conductance	141	uS/cm	[NULL]	[NULL]	[NULL]	R	B1RTB1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-0A	12/17/2007 10:04	N	TEMPERATURE	Temperature	5	Deg C	[NULL]	[NULL]	[NULL]	R	B1RTB1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-0A	12/17/2007 10:04	N	TURBIDITY	Turbidity	0.4	NTU	[NULL]	[NULL]	[NULL]	R	B1RTB1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-0A	12/17/2007 10:04	N	PH	pH Measurement	6.89	unitless	[NULL]	[NULL]	[NULL]	R	B1RTB1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-0A	12/17/2007 10:06	N	16887-00-6	Chloride	950	ug/L	D	[NULL]	[NULL]	R	B1R8X7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	12/17/2007 10:06	N	16887-00-6	Chloride	942	ug/L	D	[NULL]	[NULL]	R	B1RTB3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	12/17/2007 10:06	N	DO	Dissolved oxygen	5590	ug/L	[NULL]	[NULL]	[NULL]	R	B1R8X5	DO	FIELD	360.1_OXYGEN	100-NR-2
N116mArray-0A	12/17/2007 10:06	N	16984-48-8	Fluoride	17.6	ug/L	BD	[NULL]	[NULL]	R	B1R8X7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	12/17/2007 10:06	N	16984-48-8	Fluoride	23.5	ug/L	BD	[NULL]	[NULL]	R	B1RTB3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	12/17/2007 10:06	N	14797-55-8	Nitrate	460	ug/L	BD	[NULL]	[NULL]	R	B1R8X7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	12/17/2007 10:06	N	14797-55-8	Nitrate	496	ug/L	BD	[NULL]	[NULL]	R	B1RTB3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	12/17/2007 10:06	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1RTB3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	12/17/2007 10:06	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1R8X7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	12/17/2007 10:06	N	14265-44-2	Phosphate	245	ug/L	DU	[NULL]	[NULL]	R	B1RTB3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	12/17/2007 10:06	N	CONDUCT	Specific Conductance	141	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R8X5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-0A	12/17/2007 10:06	N	14808-79-8	Sulfate	19900	ug/L	D	[NULL]	[NULL]	R	B1R8X7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	12/17/2007 10:06	N	14808-79-8	Sulfate	19800	ug/L	D	[NULL]	[NULL]	R	B1RTB3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	12/17/2007 10:06	N	TEMPERATURE	Temperature	5	Deg C	[NULL]	[NULL]	[NULL]	R	B1R8X5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-0A	12/17/2007 10:06	N	TOC	Total organic carbon	1050	ug/L	[NULL]	[NULL]	[NULL]	R	B1RTB3	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-0A	12/17/2007 10:06	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	250	ug/L	[NULL]	[NULL]	[NULL]	R	B1RTB3	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-0A	12/17/2007 10:06	N	TURBIDITY	Turbidity	0.4	NTU	[NULL]	[NULL]	[NULL]	R	B1R8X5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-0A	12/17/2007 10:06	N	PH	pH Measurement	6.89	unitless	[NULL]	[NULL]	[NULL]	R	B1R8X5	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-0A	12/17/2007 15:05	N	12587-47-2	Gross beta	1.19	pCi/L	U	[NULL]	[NULL]	R	B1RTB2	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-0A	3/24/2008 9:17	N	16887-00-6	Chloride	1200	ug/L	D	[NULL]	[NULL]	R	B1THH8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	3/24/2008 9:17	N	DO	Dissolved oxygen	5310	ug/L	[NULL]	[NULL]	[NULL]	R	B1THH6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-0A	3/24/2008 9:17	N	16984-48-8	Fluoride	78.6	ug/L	BD	[NULL]	[NULL]	R	B1THH8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	3/24/2008 9:17	N	12587-47-2	Gross beta	4.38	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THH7	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-0A	3/24/2008 9:17	N	14797-55-8	Nitrate	491	ug/L	BD	[NULL]	[NULL]	R	B1THH8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	3/24/2008 9:17	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1THH8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	3/24/2008 9:17	N	EH	Oxidation Reduction Potential	119	mV	[NULL]	[NULL]	[NULL]	R	B1THH6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-0A	3/24/2008 9:17	N	14265-44-2	Phosphate	245	ug/L	DNU	[NULL]	[NULL]	R	B1THH8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	3/24/2008 9:17	N	CONDUCT	Specific Conductance	149	uS/cm	[NULL]	[NULL]	[NULL]	R	B1THH6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-0A	3/24/2008 9:17	N	14808-79-8	Sulfate	23700	ug/L	D	[NULL]	[NULL]	R	B1THH8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	3/24/2008 9:17	N	TEMPERATURE	Temperature	5.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1THH6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-0A	3/24/2008 9:17	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B1THH8	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-0A	3/24/2008 9:17	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	94	ug/L	U	[NULL]	[NULL]	R	B1THH8	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-0A	3/24/2008 9:17	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	94	ug/L	U	[NULL]	[NULL]	R	B1THH8	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-0A	3/24/2008 9:17	N	TURBIDITY	Turbidity	1.01	NTU	[NULL]	[NULL]	[NULL]	R	B1THH6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-0A	3/24/2008 9:17	N	PH	pH Measurement	6.29	unitless	[NULL]	[NULL]	[NULL]	R	B1THH6	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-0A	6/23/2008 9:24	N	16887-00-6	Chloride	999	ug/L	D	[NULL]	[NULL]	R	B1VJT5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	6/23/2008 9:24	N	DO	Dissolved oxygen	1560	ug/L	[NULL]	[NULL]	[NULL]	R	B1VJT5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-0A	6/23/2008 9:24	N	16984-48-8	Fluoride	51.6	ug/L	BD	[NULL]	[NULL]	R	B1VJT5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	6/23/2008 9:24	N	12587-47-2	Gross beta	1.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B1VJT5	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-0A	6/23/2008 9:24	N	14797-55-8	Nitrate	319	ug/L	DU	[NULL]	[NULL]	R	B1VJT5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	6/23/2008 9:24	N	14797-65-0	Nitrite	65	ug/L	DU	[NULL]	[NULL]	R	B1VJT5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	6/23/2008 9:24	N	EH	Oxidation Reduction Potential	149	mV	[NULL]	[NULL]	[NULL]	R	B1VJT5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-0A	6/23/2008 9:24	N	14265-44-2	Phosphate	196	ug/L	DU	[NULL]	[NULL]	R	B1VJT5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	6/23/2008 9:24	N	CONDUCT	Specific Conductance	130	uS/cm	[NULL]	[NULL]	[NULL]	R	B1VJT5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-0A	6/23/2008 9:24	N	14808-79-8	Sulfate	7520	ug/L	D	[NULL]	[NULL]	R	B1VJT5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	6/23/2008 9:24	N	TEMPERATURE	Temperature	15.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1VJT5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-0A	6/23/2008 9:24	N	TOC	Total organic carbon	1550	ug/L	[NULL]	[NULL]	[NULL]	R	B1VJT5	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-0A	6/23/2008 9:24	N	TURBIDITY	Turbidity	1.21	NTU	[NULL]	[NULL]	[NULL]	R	B1VJT5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-0A	6/23/2008 9:24	N	PH	pH Measurement	7.25	unitless	[NULL]	[NULL]	[NULL]	R	B1VJT5	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WP99	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WP99	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WP99	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	7440-39-3	Barium	30	ug/L	D	[NULL]	[NULL]	S	B1WP99	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP99	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	7440-70-2	Calcium	19000	ug/L	D	[NULL]	[NULL]	S	B1WP99	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	16887-00-6	Chloride	1270	ug/L	BD	[NULL]	[NULL]	S	B1WP99	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WP99	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WP99	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WP99	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	DO	Dissolved oxygen	8160	ug/L	[NULL]	[NULL]	[NULL]	S	B1WP99	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WP99	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	12587-46-1	Gross alpha	-2	pCi/L	U	[NULL]	[NULL]	S	B1WP99	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	12587-47-2	Gross beta	6.8	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WP99	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WP99	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WP99	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	7439-95-4	Magnesium	4360	ug/L	D	[NULL]	[NULL]	S	B1WP99	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WP99	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WP99	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WP99	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WP99	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WP99	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-0A	8/22/2008 8:25	Y	EH	Oxidation Reduction Potential	-215	mV	[NULL]	[NULL]	[NULL]	S	B1WP99	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	14265-44-2	Phosphate	1860	ug/L	DU	[NULL]	[NULL]	S	B1WP99	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	7440-09-7	Potassium	850	ug/L	DU	[NULL]	[NULL]	S	B1WP99	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WP99	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	7440-23-5	Sodium	4670	ug/L	CD	[NULL]	[NULL]	S	B1WP99	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	CONDUCT	Specific Conductance	114.3	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WP99	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	7440-24-6	Strontium	104	ug/L	D	[NULL]	[NULL]	S	B1WP99	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	14808-79-8	Sulfate	7020	ug/L	BD	[NULL]	[NULL]	S	B1WP99	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	S	B1WP99	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WP99	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WP99	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	8/22/2008 8:25	Y	PH	pH Measurement	7.96	unitless	[NULL]	[NULL]	[NULL]	S	B1WP99	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-0A	1/8/2009 8:32	N	DO	Dissolved oxygen	3330	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWW7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-0A	1/8/2009 8:32	N	12587-47-2	Gross beta	1.6	pCi/L	U	[NULL]	[NULL]	R	B1XWW8	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-0A	1/8/2009 8:32	N	CONDUCT	Specific Conductance	135	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWW7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-0A	1/8/2009 8:32	N	TEMPERATURE	Temperature	7.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWW7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-0A	1/8/2009 8:32	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B1XWW8	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-0A	1/8/2009 8:32	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	74	ug/L	U	[NULL]	[NULL]	R	B1XWW8	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-0A	1/8/2009 8:32	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	74	ug/L	U	[NULL]	[NULL]	R	B1XWW8	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-0A	1/8/2009 8:32	N	TURBIDITY	Turbidity	0.44	NTU	[NULL]	[NULL]	[NULL]	R	B1XWW7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-0A	1/8/2009 8:32	N	PH	pH Measurement	6.4	unitless	[NULL]	[NULL]	[NULL]	R	B1XWW7	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	ALKALINITY	Alkalinity	46000	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPJ9	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-0A	4/1/2009 8:40	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YPJ8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YPJ9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	Y	7440-39-3	Barium	23.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPJ8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	7440-39-3	Barium	21.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPJ9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-0A	4/1/2009 8:40	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YPJ9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YPJ8	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YPJ8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YPJ9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	7440-70-2	Calcium	14200	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPJ9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	Y	7440-70-2	Calcium	15600	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPJ8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	16887-00-6	Chloride	1200	ug/L	D	[NULL]	[NULL]	R	B1YPJ9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	4/1/2009 8:40	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YPJ8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YPJ9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YPJ8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YPJ9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	Y	7440-50-8	Copper	5.1	ug/L	B	[NULL]	[NULL]	R	B1YPJ8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YPJ9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	DO	Dissolved oxygen	8900	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	16984-48-8	Fluoride	46	ug/L	UD	[NULL]	[NULL]	R	B1YPJ9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	12587-47-2	Gross beta	3	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPJ9	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-0A	4/1/2009 8:40	Y	7439-89-6	Iron	1130	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPJ8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	7439-89-6	Iron	1070	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPJ9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	7439-95-4	Magnesium	4280	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPJ9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	Y	7439-95-4	Magnesium	4600	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPJ8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	7439-96-5	Manganese	281	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPJ9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	Y	7439-96-5	Manganese	301	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPJ8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YPJ9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YPJ8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	14797-55-8	Nitrate	956	ug/L	D	[NULL]	[NULL]	R	B1YPJ9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	14797-65-0	Nitrite	85.4	ug/L	UD	[NULL]	[NULL]	R	B1YPJ9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	EH	Oxidation Reduction Potential	123	mV	[NULL]	[NULL]	[NULL]	R	B1YPK0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-0A	4/1/2009 8:40	N	14265-44-2	Phosphate	368	ug/L	UD	[NULL]	[NULL]	R	B1YPJ9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	7440-09-7	Potassium	780	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPJ9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	Y	7440-09-7	Potassium	840	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPJ8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YPJ9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YPJ8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	Y	7440-23-5	Sodium	2050	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPJ8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	7440-23-5	Sodium	1870	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPJ9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	CONDUCT	Specific Conductance	127	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YPK0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	7440-24-6	Strontium	57.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPJ9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	Y	7440-24-6	Strontium	62.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPJ8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	10098-97-2	Strontium-90	0.51	pCi/L	U	[NULL]	[NULL]	R	B1YPJ9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	14808-79-8	Sulfate	15100	ug/L	D	[NULL]	[NULL]	R	B1YPJ9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	TEMPERATURE	Temperature	5.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1YPK0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B1YPJ9	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	70	ug/L	U	[NULL]	[NULL]	R	B1YPJ9	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	TURBIDITY	Turbidity	0.3	NTU	[NULL]	[NULL]	[NULL]	R	B1YPK0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-0A	4/1/2009 8:40	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YPJ8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YPJ9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YPJ9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YPJ8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	4/1/2009 8:40	N	PH	pH Measurement	6.37	unitless	[NULL]	[NULL]	[NULL]	R	B1YPK0	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-0A	6/17/2009 8:39	N	16887-00-6	Chloride	1340	ug/L	D	[NULL]	[NULL]	R	B20M20	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	6/17/2009 8:39	N	DO	Dissolved oxygen	8230	ug/L	[NULL]	[NULL]	[NULL]	R	B20M19	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-0A	6/17/2009 8:39	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B20M20	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	6/17/2009 8:39	N	12587-47-2	Gross beta	2.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B20M20	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-0A	6/17/2009 8:39	N	14797-55-8	Nitrate	274	ug/L	UD	[NULL]	[NULL]	R	B20M20	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-0A	6/17/2009 8:39	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B20M20	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	6/17/2009 8:39	N	EH	Oxidation Reduction Potential	120	mV	[NULL]	[NULL]	[NULL]	R	B20M19	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-0A	6/17/2009 8:39	N	14265-44-2	Phosphate	429	ug/L	UD	[NULL]	[NULL]	R	B20M20	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	6/17/2009 8:39	N	CONDUCT	Specific Conductance	134	uS/cm	[NULL]	[NULL]	[NULL]	R	B20M19	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-0A	6/17/2009 8:39	N	10098-97-2	Strontium-90	-8	pCi/L	U	G	[NULL]	R	B20M20	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-0A	6/17/2009 8:39	N	14808-79-8	Sulfate	9860	ug/L	D	[NULL]	[NULL]	R	B20M20	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	6/17/2009 8:39	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B20M19	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-0A	6/17/2009 8:39	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B20M20	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-0A	6/17/2009 8:39	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	70	ug/L	U	[NULL]	[NULL]	R	B20M20	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-0A	6/17/2009 8:39	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	70	ug/L	U	[NULL]	[NULL]	R	B20M20	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-0A	6/17/2009 8:39	N	TURBIDITY	Turbidity	0.47	NTU	[NULL]	[NULL]	[NULL]	R	B20M19	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-0A	6/17/2009 8:39	N	PH	pH Measurement	7.35	unitless	[NULL]	[NULL]	[NULL]	R	B20M19	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-0A	9/17/2009 9:57	N	16887-00-6	Chloride	1010	ug/L	DX	[NULL]	[NULL]	R	B21HH8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	9/17/2009 9:57	N	DO	Dissolved oxygen	2100	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-0A	9/17/2009 9:57	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B21HH8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	9/17/2009 9:57	N	12587-47-2	Gross beta	2.5	pCi/L	U	[NULL]	[NULL]	R	B21HH8	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-0A	9/17/2009 9:57	N	14797-55-8	Nitrate	274	ug/L	UD	[NULL]	[NULL]	R	B21HH8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	9/17/2009 9:57	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B21HH8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	9/17/2009 9:57	N	EH	Oxidation Reduction Potential	-25	mV	[NULL]	[NULL]	[NULL]	R	B21HH7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-0A	9/17/2009 9:57	N	14265-44-2	Phosphate	429	ug/L	UD	[NULL]	[NULL]	R	B21HH8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	9/17/2009 9:57	N	CONDUCT	Specific Conductance	244	uS/cm	[NULL]	[NULL]	[NULL]	R	B21HH7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-0A	9/17/2009 9:57	N	10098-97-2	Strontium-90	-5.6	pCi/L	U	[NULL]	[NULL]	R	B21HH8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-0A	9/17/2009 9:57	N	14808-79-8	Sulfate	24100	ug/L	D	[NULL]	[NULL]	R	B21HH8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	9/17/2009 9:57	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	B21HH7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-0A	9/17/2009 9:57	N	TOC	Total organic carbon	304	ug/L	B	[NULL]	[NULL]	R	B21HH8	TOC	WSCF	9060_TOC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-0A	9/17/2009 9:57	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	810	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH8	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-0A	9/17/2009 9:57	N	TURBIDITY	Turbidity	1.37	NTU	[NULL]	[NULL]	[NULL]	R	B21HH7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-0A	9/17/2009 9:57	N	PH	pH Measurement	6.71	unitless	[NULL]	[NULL]	[NULL]	R	B21HH7	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-0A	11/5/2009 12:52	N	DO	Dissolved oxygen	2330	ug/L	[NULL]	[NULL]	[NULL]	R	B237C3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-0A	11/5/2009 12:52	N	EH	Oxidation Reduction Potential	290	mV	[NULL]	[NULL]	[NULL]	R	B237C3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-0A	11/5/2009 12:52	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	B237C3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-0A	11/5/2009 12:52	N	TEMPERATURE	Temperature	7.6	Deg C	[NULL]	[NULL]	[NULL]	R	B237C3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-0A	11/5/2009 12:52	N	TURBIDITY	Turbidity	2.06	NTU	[NULL]	[NULL]	[NULL]	R	B237C3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-0A	11/5/2009 12:52	N	PH	pH Measurement	6.8	unitless	[NULL]	[NULL]	[NULL]	R	B237C3	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	ALKALINITY	Alkalinity	81000	ug/L	[NULL]	[NULL]	[NULL]	R	B237C6	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B237C6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B237C5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	Y	7440-39-3	Barium	46.2	ug/L	[NULL]	[NULL]	[NULL]	R	B237C5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	7440-39-3	Barium	48.8	ug/L	[NULL]	[NULL]	[NULL]	R	B237C6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B237C5	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B237C6	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B237C5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B237C6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	Y	7440-70-2	Calcium	37900	ug/L	[NULL]	[NULL]	[NULL]	R	B237C5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	7440-70-2	Calcium	36000	ug/L	[NULL]	[NULL]	[NULL]	R	B237C6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	16887-00-6	Chloride	1120	ug/L	D	[NULL]	[NULL]	R	B237C4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	12/17/2009 12:52	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B237C5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B237C6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B237C6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B237C5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B237C6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-0A	12/17/2009 12:52	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B237C5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	16984-48-8	Fluoride	87.7	ug/L	BD	[NULL]	[NULL]	R	B237C4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	12587-47-2	Gross beta	4.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B237C6	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	7439-89-6	Iron	1360	ug/L	[NULL]	[NULL]	[NULL]	R	B237C6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	Y	7439-89-6	Iron	1130	ug/L	[NULL]	[NULL]	[NULL]	R	B237C5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	Y	7439-95-4	Magnesium	6790	ug/L	[NULL]	[NULL]	[NULL]	R	B237C5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	7439-95-4	Magnesium	6920	ug/L	[NULL]	[NULL]	[NULL]	R	B237C6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	Y	7439-96-5	Manganese	4860	ug/L	[NULL]	[NULL]	[NULL]	R	B237C5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	7439-96-5	Manganese	4880	ug/L	[NULL]	[NULL]	[NULL]	R	B237C6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B237C5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B237C6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	14797-55-8	Nitrate	274	ug/L	UD	[NULL]	[NULL]	R	B237C4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B237C4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	7440-09-7	Potassium	2280	ug/L	[NULL]	[NULL]	[NULL]	R	B237C6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	Y	7440-09-7	Potassium	2230	ug/L	[NULL]	[NULL]	[NULL]	R	B237C5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B237C6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B237C5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	Y	7440-23-5	Sodium	2600	ug/L	[NULL]	[NULL]	[NULL]	R	B237C5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	7440-23-5	Sodium	2730	ug/L	[NULL]	[NULL]	[NULL]	R	B237C6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	Y	7440-24-6	Strontium	181	ug/L	[NULL]	[NULL]	[NULL]	R	B237C5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	7440-24-6	Strontium	185	ug/L	[NULL]	[NULL]	[NULL]	R	B237C6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	10098-97-2	Strontium-90	-1.5	pCi/L	U	[NULL]	[NULL]	R	B237C6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	14808-79-8	Sulfate	48800	ug/L	D	[NULL]	[NULL]	R	B237C4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	TOC	Total organic carbon	847	ug/L	B	[NULL]	[NULL]	R	B237C6	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	840	ug/L	[NULL]	H	[NULL]	R	B237C6	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-0A	12/17/2009 12:52	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B237C5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-0A	12/17/2009 12:52	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B237C6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B237C5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	12/17/2009 12:52	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B237C6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-0A	3/8/2010 8:59	N	12587-47-2	Gross beta	2.9	pCi/L	[NULL]	[NULL]	[NULL]	R	B249R6	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-0A	3/8/2010 8:59	N	10098-97-2	Strontium-90	1.2	pCi/L	U	[NULL]	[NULL]	R	B249R6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-0A	3/8/2010 8:59	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B249R6	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-0A	3/8/2010 8:59	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	440	ug/L	[NULL]	[NULL]	[NULL]	R	B249R6	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-10A	11/14/2005 0:00	N	12587-47-2	Gross beta	171	pCi/L	[NULL]	[NULL]	[NULL]	S	B1FW07	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-10A	12/27/2005 0:00	N	12587-47-2	Gross beta	158	pCi/L	[NULL]	[NULL]	[NULL]	S	B1H3R2	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-10A	12/27/2005 0:00	N	EH	Oxidation Reduction Potential	61	mV	[NULL]	[NULL]	[NULL]	S	B1H3R2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-10A	12/27/2005 0:00	N	CONDUCT	Specific Conductance	133	uS/cm	[NULL]	[NULL]	[NULL]	S	B1H3R2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-10A	12/27/2005 0:00	N	TEMPERATURE	Temperature	7	Deg C	[NULL]	[NULL]	[NULL]	S	B1H3R2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-10A	12/27/2005 0:00	N	TDS	Total dissolved solids	88000	ug/L	[NULL]	[NULL]	[NULL]	S	B1H3R2	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-10A	12/27/2005 0:00	N	PH	pH Measurement	6.4	unitless	[NULL]	[NULL]	[NULL]	S	B1H3R2	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-10A	1/11/2006 0:00	N	DO	Dissolved oxygen	8000	ug/L	[NULL]	[NULL]	[NULL]	S	B1HB76	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-10A	1/11/2006 0:00	N	12587-47-2	Gross beta	183	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HB76	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-10A	1/11/2006 0:00	N	EH	Oxidation Reduction Potential	-43	mV	[NULL]	[NULL]	[NULL]	S	B1HB76	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-10A	1/11/2006 0:00	N	CONDUCT	Specific Conductance	131.3	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HB76	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-10A	1/11/2006 0:00	N	TEMPERATURE	Temperature	7.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1HB76	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-10A	1/11/2006 0:00	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	S	B1HB76	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-10A	2/7/2006 14:45	N	DO	Dissolved oxygen	9000	ug/L	[NULL]	[NULL]	[NULL]	S	B1HL55	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-10A	2/7/2006 14:45	N	12587-47-2	Gross beta	154	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HL55	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-10A	2/7/2006 14:45	N	EH	Oxidation Reduction Potential	-31	mV	[NULL]	[NULL]	[NULL]	S	B1HL55	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-10A	2/7/2006 14:45	N	CONDUCT	Specific Conductance	131.9	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HL55	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-10A	2/7/2006 14:45	N	TEMPERATURE	Temperature	7.25	Deg C	[NULL]	[NULL]	[NULL]	S	B1HL55	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-10A	2/7/2006 14:45	N	PH	pH Measurement	8.01	unitless	[NULL]	[NULL]	[NULL]	S	B1HL55	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-10A	3/8/2006 9:50	N	12587-47-2	Gross beta	177	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HV71	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-10A	3/8/2006 9:50	N	CONDUCT	Specific Conductance	136.3	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HV71	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-10A	3/8/2006 9:50	N	TEMPERATURE	Temperature	5.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1HV71	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-10A	3/8/2006 9:50	N	TDS	Total dissolved solids	91500	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV71	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-10A	3/8/2006 9:50	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	S	B1HV71	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-10A	4/13/2006 13:26	N	DO	Dissolved oxygen	7200	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2F2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-10A	4/13/2006 13:26	N	12587-47-2	Gross beta	183	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J2F2	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-10A	4/13/2006 13:26	N	EH	Oxidation Reduction Potential	-35	mV	[NULL]	[NULL]	[NULL]	S	B1J2F2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-10A	4/13/2006 13:26	N	CONDUCT	Specific Conductance	144.8	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J2F2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-10A	4/13/2006 13:26	N	TEMPERATURE	Temperature	9.35	Deg C	[NULL]	[NULL]	[NULL]	S	B1J2F2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-10A	4/13/2006 13:26	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	S	B1J2F2	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-10A	5/10/2006 13:45	N	12587-47-2	Gross beta	237	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J740	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-10A	5/10/2006 13:45	N	EH	Oxidation Reduction Potential	-63	mV	[NULL]	[NULL]	[NULL]	S	B1J740	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-10A	5/10/2006 13:45	N	CONDUCT	Specific Conductance	166	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J740	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-10A	5/10/2006 13:45	N	TEMPERATURE	Temperature	14	Deg C	[NULL]	[NULL]	[NULL]	S	B1J740	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-10A	5/10/2006 13:45	N	TDS	Total dissolved solids	112000	ug/L	[NULL]	[NULL]	[NULL]	S	B1J740	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-10A	5/10/2006 13:45	N	10028-17-8	Tritium	-8.54	pCi/L	U	[NULL]	[NULL]	S	B1J741	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
N116mArray-10A	5/10/2006 13:45	N	PH	pH Measurement	7.68	unitless	[NULL]	[NULL]	[NULL]	S	B1J740	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-10A	6/6/2006 10:10	N	DO	Dissolved oxygen	4100	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDC5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-10A	6/6/2006 10:10	N	12587-47-2	Gross beta	274	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDC6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-10A	6/6/2006 10:10	N	EH	Oxidation Reduction Potential	-70	mV	[NULL]	[NULL]	[NULL]	R	B1JDC5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-10A	6/6/2006 10:10	N	CONDUCT	Specific Conductance	171.6	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JDC5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-10A	6/6/2006 10:10	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1JDC5	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-10A	6/6/2006 10:10	N	PH	pH Measurement	7.18	unitless	[NULL]	[NULL]	[NULL]	R	B1JDC5	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	ALKALINITY	Alkalinity	68000	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBJ8	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
N116mArray-10A	9/26/2006 9:40	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1KBJ7	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	14234-35-6	Antimony-125	0.925	pCi/L	U	[NULL]	[NULL]	R	B1KBK0	14234-35-6	STLRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-10A	9/26/2006 9:40	Y	7440-39-3	Barium	18.5	ug/L	B	[NULL]	[NULL]	R	B1KBJ7	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-10A	9/26/2006 9:40	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1KBJ7	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	13966-02-4	Beryllium-7	5.86	pCi/L	U	[NULL]	[NULL]	R	B1KBK0	13966-02-4	STLRL	GAMMA_GS	100-NR-2
N116mArray-10A	9/26/2006 9:40	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1KBJ7	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-10A	9/26/2006 9:40	Y	7440-70-2	Calcium	23500	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBJ7	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	13967-70-9	Cesium-134	-0.195	pCi/L	U	[NULL]	[NULL]	R	B1KBK0	13967-70-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	10045-97-3	Cesium-137	0.718	pCi/L	U	[NULL]	[NULL]	R	B1KBK0	10045-97-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	16887-00-6	Chloride	890	ug/L	N	[NULL]	[NULL]	R	B1KBJ8	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	9/26/2006 9:40	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1KBJ7	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-10A	9/26/2006 9:40	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1KBJ7	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	10198-40-0	Cobalt-60	-0.558	pCi/L	U	[NULL]	[NULL]	R	B1KBK0	10198-40-0	STLRL	GAMMA_GS	100-NR-2
N116mArray-10A	9/26/2006 9:40	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1KBJ7	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	DO	Dissolved oxygen	8900	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBJ9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	14683-23-9	Europium-152	-2.85	pCi/L	U	[NULL]	[NULL]	R	B1KBK0	14683-23-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	15585-10-1	Europium-154	4.37	pCi/L	U	[NULL]	[NULL]	R	B1KBK0	15585-10-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	14391-16-3	Europium-155	0.188	pCi/L	U	[NULL]	[NULL]	R	B1KBK0	14391-16-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	16984-48-8	Fluoride	110	ug/L	N	[NULL]	[NULL]	R	B1KBJ8	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	12587-46-1	Gross alpha	0.0638	pCi/L	U	[NULL]	[NULL]	R	B1KBK0	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	12587-47-2	Gross beta	168	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBK0	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-10A	9/26/2006 9:40	Y	7439-89-6	Iron	42.3	ug/L	BC	[NULL]	[NULL]	R	B1KBJ7	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-10A	9/26/2006 9:40	Y	7439-95-4	Magnesium	4580	ug/L	B	[NULL]	[NULL]	R	B1KBJ7	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-10A	9/26/2006 9:40	Y	7439-96-5	Manganese	9	ug/L	B	[NULL]	[NULL]	R	B1KBJ7	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-10A	9/26/2006 9:40	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1KBJ7	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	14797-55-8	Nitrate	8410	ug/L	D	[NULL]	[NULL]	R	B1KBJ8	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1KBJ8	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	EH	Oxidation Reduction Potential	148	mV	[NULL]	[NULL]	[NULL]	R	B1KBJ9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	14265-44-2	Phosphate	100	ug/L	UN	[NULL]	[NULL]	R	B1KBJ8	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-10A	9/26/2006 9:40	Y	7440-09-7	Potassium	3000	ug/L	BC	[NULL]	[NULL]	R	B1KBJ7	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	13966-00-2	Potassium-40	-7.77	pCi/L	U	[NULL]	[NULL]	R	B1KBK0	13966-00-2	STLRL	GAMMA_GS	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	13967-48-1	Ruthenium-106	-0.002	pCi/L	U	[NULL]	[NULL]	R	B1KBK0	13967-48-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-10A	9/26/2006 9:40	Y	7440-22-4	Silver	5.6	ug/L	B	[NULL]	[NULL]	R	B1KBJ7	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-10A	9/26/2006 9:40	Y	7440-23-5	Sodium	2350	ug/L	B	[NULL]	[NULL]	R	B1KBJ7	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	CONDUCT	Specific Conductance	160.9	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KBJ9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-10A	9/26/2006 9:40	Y	7440-24-6	Strontium	101	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBJ7	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	10098-97-2	Strontium-90	117	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBK0	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	14808-79-8	Sulfate	9800	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBJ8	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1KBJ9	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	10028-17-8	Tritium	89.1	pCi/L	U	[NULL]	[NULL]	R	B1KBK0	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
N116mArray-10A	9/26/2006 9:40	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1KBJ7	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-10A	9/26/2006 9:40	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1KBJ7	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-10A	9/26/2006 9:40	N	PH	pH Measurement	7.13	unitless	[NULL]	[NULL]	[NULL]	R	B1KBJ9	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-10A	3/14/2007 13:00	N	DO	Dissolved oxygen	9600	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-10A	3/14/2007 13:00	N	12587-46-1	Gross alpha	1.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MPH6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-10A	3/14/2007 13:00	N	12587-47-2	Gross beta	180	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MPH6	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-10A	3/14/2007 13:00	N	EH	Oxidation Reduction Potential	120	mV	[NULL]	[NULL]	[NULL]	R	B1MPH6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-10A	3/14/2007 13:00	N	CONDUCT	Specific Conductance	130.9	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MPH6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-10A	3/14/2007 13:00	N	TEMPERATURE	Temperature	13	Deg C	[NULL]	[NULL]	[NULL]	R	B1MPH6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-10A	3/14/2007 13:00	N	TURBIDITY	Turbidity	4.75	NTU	[NULL]	[NULL]	[NULL]	R	B1MPH6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-10A	3/14/2007 13:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	B1MPH6	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-10A	6/26/2007 14:15	N	DO	Dissolved oxygen	6710	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV26	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-10A	6/26/2007 14:15	N	12587-46-1	Gross alpha	1.1	pCi/L	U	[NULL]	[NULL]	R	B1NV26	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-10A	6/26/2007 14:15	N	12587-47-2	Gross beta	240	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NV26	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-10A	6/26/2007 14:15	N	EH	Oxidation Reduction Potential	44	mV	[NULL]	[NULL]	[NULL]	R	B1NV26	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-10A	6/26/2007 14:15	N	CONDUCT	Specific Conductance	157.4	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NV26	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-10A	6/26/2007 14:15	N	TEMPERATURE	Temperature	26.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1NV26	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-10A	6/26/2007 14:15	N	TURBIDITY	Turbidity	30.3	NTU	[NULL]	[NULL]	[NULL]	R	B1NV26	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-10A	6/26/2007 14:15	N	PH	pH Measurement	7.17	unitless	[NULL]	[NULL]	[NULL]	R	B1NV26	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	ALKALINITY	Alkalinity	69000	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W5	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	7440-36-0	Antimony	0.3	ug/L	U	[NULL]	[NULL]	R	B1P3W5	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	7440-38-2	Arsenic	0.4	ug/L	U	[NULL]	[NULL]	R	B1P3W5	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	7440-39-3	Barium	18.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W5	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	7440-41-7	Beryllium	0.05	ug/L	U	[NULL]	[NULL]	R	B1P3W5	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	24959-67-9	Bromide	30	ug/L	U	[NULL]	[NULL]	R	B1P3W5	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	7440-43-9	Cadmium	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3W5	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	7440-70-2	Calcium	21400	ug/L	D	[NULL]	[NULL]	R	B1P3W5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	10045-97-3	Cesium-137	0.549	pCi/L	U	[NULL]	[NULL]	R	B1P3W5	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	16887-00-6	Chloride	1180	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	7440-47-3	Chromium	0.5	ug/L	U	[NULL]	[NULL]	R	B1P3W5	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	7440-48-4	Cobalt	0.093	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W5	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	10198-40-0	Cobalt-60	7.99	pCi/L	U	[NULL]	[NULL]	R	B1P3W5	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	DO	Dissolved oxygen	7400	ug/L	[NULL]	[NULL]	[NULL]	C	B1P3P1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	14683-23-9	Europium-152	-8.24	pCi/L	U	[NULL]	[NULL]	R	B1P3W5	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	15585-10-1	Europium-154	-10.5	pCi/L	U	[NULL]	[NULL]	R	B1P3W5	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	14391-16-3	Europium-155	-2.66	pCi/L	U	[NULL]	[NULL]	R	B1P3W5	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	16984-48-8	Fluoride	42	ug/L	B	[NULL]	[NULL]	R	B1P3W5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	12587-46-1	Gross alpha	0.27	pCi/L	U	[NULL]	[NULL]	R	B1P3W5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	12587-47-2	Gross beta	140	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W5	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	7439-89-6	Iron	404	ug/L	D	[NULL]	[NULL]	R	B1P3W5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	7439-95-4	Magnesium	3970	ug/L	D	[NULL]	[NULL]	R	B1P3W5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	7439-96-5	Manganese	20.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W5	7439-96-5	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	7440-02-0	Nickel	0.36	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W5	7440-02-0	WSCF	200.8_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-10A	8/13/2007 13:00	N	14797-55-8	Nitrate	1810	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	R	B1P3W5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	EH	Oxidation Reduction Potential	21	mV	[NULL]	[NULL]	[NULL]	C	B1P3P1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	14265-44-2	Phosphate	123	ug/L	U	[NULL]	[NULL]	R	B1P3W5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	7440-09-7	Potassium	1360	ug/L	D	[NULL]	[NULL]	R	B1P3W5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	7440-22-4	Silver	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3W5	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	7440-23-5	Sodium	1970	ug/L	D	[NULL]	[NULL]	R	B1P3W5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	CONDUCT	Specific Conductance	152.2	uS/cm	[NULL]	[NULL]	[NULL]	C	B1P3P1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	7440-24-6	Strontium	92.8	ug/L	N	[NULL]	[NULL]	R	B1P3W5	7440-24-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	10098-97-2	Strontium-90	100	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	14808-79-8	Sulfate	9830	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	TEMPERATURE	Temperature	22	Deg C	[NULL]	[NULL]	[NULL]	C	B1P3P1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	10028-17-8	Tritium	55	pCi/L	U	[NULL]	[NULL]	R	B1P3W5	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	TURBIDITY	Turbidity	2.52	NTU	[NULL]	[NULL]	[NULL]	C	B1P3P1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	7440-62-2	Vanadium	1.12	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W5	7440-62-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	7440-66-6	Zinc	1.23	ug/L	C	[NULL]	[NULL]	R	B1P3W5	7440-66-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-10A	8/13/2007 13:00	N	PH	pH Measurement	7.2	unitless	[NULL]	[NULL]	[NULL]	C	B1P3P1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-10A	12/14/2007 10:38	N	DO	Dissolved oxygen	12420	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9R2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-10A	12/14/2007 10:38	N	12587-47-2	Gross beta	194	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9R3	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-10A	12/14/2007 10:38	N	EH	Oxidation Reduction Potential	139	mV	[NULL]	[NULL]	[NULL]	R	B1R9R2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-10A	12/14/2007 10:38	N	CONDUCT	Specific Conductance	132	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R9R2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-10A	12/14/2007 10:38	N	TEMPERATURE	Temperature	5.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1R9R2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-10A	12/14/2007 10:38	N	TURBIDITY	Turbidity	5.78	NTU	[NULL]	[NULL]	[NULL]	R	B1R9R2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-10A	12/14/2007 10:38	N	PH	pH Measurement	7.73	unitless	[NULL]	[NULL]	[NULL]	R	B1R9R2	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-10A	3/24/2008 10:01	N	DO	Dissolved oxygen	10070	ug/L	[NULL]	[NULL]	[NULL]	R	B1THH9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-10A	3/24/2008 10:01	N	12587-47-2	Gross beta	223	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THJ0	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-10A	3/24/2008 10:01	N	EH	Oxidation Reduction Potential	171	mV	[NULL]	[NULL]	[NULL]	R	B1THH9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-10A	3/24/2008 10:01	N	CONDUCT	Specific Conductance	136	uS/cm	[NULL]	[NULL]	[NULL]	R	B1THH9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-10A	3/24/2008 10:01	N	TEMPERATURE	Temperature	5.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1THH9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-10A	3/24/2008 10:01	N	TURBIDITY	Turbidity	11.1	NTU	[NULL]	[NULL]	[NULL]	R	B1THH9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-10A	3/24/2008 10:01	N	PH	pH Measurement	6.78	unitless	[NULL]	[NULL]	[NULL]	R	B1THH9	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-10A	6/23/2008 10:35	N	12587-47-2	Gross beta	190	pCi/L	[NULL]	[NULL]	[NULL]	R	B1VJT7	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-10A	8/19/2008 9:40	N	DO	Dissolved oxygen	4440	ug/L	[NULL]	[NULL]	[NULL]	R	B1VJT6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-10A	8/19/2008 9:40	N	EH	Oxidation Reduction Potential	50	mV	[NULL]	[NULL]	[NULL]	R	B1VJT6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-10A	8/19/2008 9:40	N	CONDUCT	Specific Conductance	152	uS/cm	[NULL]	[NULL]	[NULL]	R	B1VJT6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-10A	8/19/2008 9:40	N	TEMPERATURE	Temperature	15	Deg C	[NULL]	[NULL]	[NULL]	R	B1VJT6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-10A	8/19/2008 9:40	N	TURBIDITY	Turbidity	13	NTU	[NULL]	[NULL]	[NULL]	R	B1VJT6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-10A	8/19/2008 9:40	N	PH	pH Measurement	7.42	unitless	[NULL]	[NULL]	[NULL]	R	B1VJT6	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-10A	1/7/2009 9:44	N	DO	Dissolved oxygen	10660	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWX1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-10A	1/7/2009 9:44	N	12587-47-2	Gross beta	171	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XWW9	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-10A	1/7/2009 9:44	N	12587-47-2	Gross beta	189	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XWX0	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-10A	1/7/2009 9:44	N	EH	Oxidation Reduction Potential	209	mV	[NULL]	[NULL]	[NULL]	R	B1XWX1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-10A	1/7/2009 9:44	N	CONDUCT	Specific Conductance	124	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWX1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-10A	1/7/2009 9:44	N	TEMPERATURE	Temperature	6.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWX1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-10A	1/7/2009 9:44	N	TURBIDITY	Turbidity	8.71	NTU	[NULL]	[NULL]	[NULL]	R	B1XWX1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-10A	1/7/2009 9:44	N	PH	pH Measurement	7.03	unitless	[NULL]	[NULL]	[NULL]	R	B1XWX1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	ALKALINITY	Alkalinity	58000	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK2	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-10A	4/2/2009 10:56	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YPK1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YPK2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	Y	7440-39-3	Barium	10.8	ug/L	B	[NULL]	[NULL]	R	B1YPK1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	7440-39-3	Barium	11.2	ug/L	B	[NULL]	[NULL]	R	B1YPK2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YPK2	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YPK1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YPK1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-10A	4/2/2009 10:56	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YPK2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	Y	7440-70-2	Calcium	19900	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	7440-70-2	Calcium	20100	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	16887-00-6	Chloride	1280	ug/L	D	[NULL]	[NULL]	R	B1YPK2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	4/2/2009 10:56	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YPK1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YPK2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YPK2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YPK1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YPK2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YPK1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	DO	Dissolved oxygen	10960	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	16984-48-8	Fluoride	46	ug/L	UD	[NULL]	[NULL]	R	B1YPK2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	12587-46-1	Gross alpha	0.53	pCi/L	U	[NULL]	[NULL]	R	B1YPK2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	12587-47-2	Gross beta	210	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPK2	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	7439-89-6	Iron	55.8	ug/L	B	[NULL]	[NULL]	R	B1YPK2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	Y	7439-89-6	Iron	38.9	ug/L	B	[NULL]	[NULL]	R	B1YPK1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	7439-95-4	Magnesium	3920	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	Y	7439-95-4	Magnesium	3840	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1YPK2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	Y	7439-96-5	Manganese	8	ug/L	B	[NULL]	[NULL]	R	B1YPK1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YPK2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YPK1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	14797-55-8	Nitrate	1540	ug/L	D	[NULL]	[NULL]	R	B1YPK2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	14797-65-0	Nitrite	85.4	ug/L	UD	[NULL]	[NULL]	R	B1YPK2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	EH	Oxidation Reduction Potential	159	mV	[NULL]	[NULL]	[NULL]	R	B1YPK3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	14265-44-2	Phosphate	368	ug/L	UD	[NULL]	[NULL]	R	B1YPK2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	4/2/2009 10:56	Y	7440-09-7	Potassium	721	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-10A	4/2/2009 10:56	N	7440-09-7	Potassium	765	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YPK2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YPK1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	7440-23-5	Sodium	2220	ug/L	[NULL]	Q	[NULL]	R	B1YPK2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	Y	7440-23-5	Sodium	1850	ug/L	[NULL]	Q	[NULL]	R	B1YPK1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	CONDUCT	Specific Conductance	134	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YPK3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	7440-24-6	Strontium	79.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	Y	7440-24-6	Strontium	77.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	10098-97-2	Strontium-90	87	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPK2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	14808-79-8	Sulfate	9730	ug/L	D	[NULL]	[NULL]	R	B1YPK2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	TEMPERATURE	Temperature	8.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1YPK3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	TURBIDITY	Turbidity	6.49	NTU	[NULL]	[NULL]	[NULL]	R	B1YPK3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-10A	4/2/2009 10:56	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YPK1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YPK2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YPK1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YPK2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	4/2/2009 10:56	N	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	R	B1YPK3	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-10A	6/23/2009 9:41	N	DO	Dissolved oxygen	10500	ug/L	[NULL]	R	[NULL]	R	B20M21	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-10A	6/23/2009 9:41	N	12587-47-2	Gross beta	1.7	pCi/L	[NULL]	R	[NULL]	R	B20M22	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-10A	6/23/2009 9:41	N	EH	Oxidation Reduction Potential	155	mV	[NULL]	R	[NULL]	R	B20M21	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-10A	6/23/2009 9:41	N	CONDUCT	Specific Conductance	120	uS/cm	[NULL]	R	[NULL]	R	B20M21	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-10A	6/23/2009 9:41	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	R	[NULL]	R	B20M21	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-10A	6/23/2009 9:41	N	TURBIDITY	Turbidity	2.04	NTU	[NULL]	R	[NULL]	R	B20M21	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-10A	6/23/2009 9:41	N	PH	pH Measurement	7.99	unitless	[NULL]	R	[NULL]	R	B20M21	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-10A	9/24/2009 17:40	N	DO	Dissolved oxygen	7460	ug/L	[NULL]	[NULL]	[NULL]	R	B21HH9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-10A	9/24/2009 17:40	N	12587-47-2	Gross beta	220	pCi/L	[NULL]	[NULL]	[NULL]	R	B21HJ0	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-10A	9/24/2009 17:40	N	EH	Oxidation Reduction Potential	133	mV	[NULL]	[NULL]	[NULL]	R	B21HH9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-10A	9/24/2009 17:40	N	CONDUCT	Specific Conductance	150	uS/cm	[NULL]	[NULL]	[NULL]	R	B21HH9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-10A	9/24/2009 17:40	N	TEMPERATURE	Temperature	21.2	Deg C	[NULL]	[NULL]	[NULL]	R	B21HH9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-10A	9/24/2009 17:40	N	TURBIDITY	Turbidity	2.36	NTU	[NULL]	[NULL]	[NULL]	R	B21HH9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-10A	9/24/2009 17:40	N	PH	pH Measurement	7.39	unitless	[NULL]	[NULL]	[NULL]	R	B21HH9	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	ALKALINITY	Alkalinity	54000	ug/L	[NULL]	[NULL]	[NULL]	R	B234N2	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B234N2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B235V5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	7440-39-3	Barium	12.3	ug/L	B	[NULL]	[NULL]	R	B234N2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	Y	7440-39-3	Barium	12.6	ug/L	B	[NULL]	[NULL]	R	B235V5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B234N2	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B235V5	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B235V5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B234N2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	7440-70-2	Calcium	19700	ug/L	[NULL]	[NULL]	[NULL]	R	B234N2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	Y	7440-70-2	Calcium	19800	ug/L	[NULL]	[NULL]	[NULL]	R	B235V5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	16887-00-6	Chloride	1070	ug/L	D	[NULL]	[NULL]	R	B237K8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B234N2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B235V5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B235V5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B234N2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B235V5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B234N2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	DO	Dissolved oxygen	10390	ug/L	[NULL]	[NULL]	[NULL]	R	B234N1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B237K8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	12587-47-2	Gross beta	190	pCi/L	[NULL]	[NULL]	[NULL]	R	B234N2	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-10A	12/18/2009 10:07	Y	7439-89-6	Iron	31.9	ug/L	B	[NULL]	[NULL]	R	B235V5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	7439-89-6	Iron	34.5	ug/L	B	[NULL]	[NULL]	R	B234N2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-10A	12/18/2009 10:07	Y	7439-95-4	Magnesium	3930	ug/L	[NULL]	[NULL]	[NULL]	R	B235V5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	7439-95-4	Magnesium	4020	ug/L	[NULL]	[NULL]	[NULL]	R	B234N2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B235V5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B234N2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B234N2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B235V5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	14797-55-8	Nitrate	1270	ug/L	D	[NULL]	[NULL]	R	B237K8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B237K8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	EH	Oxidation Reduction Potential	186	mV	[NULL]	[NULL]	[NULL]	R	B234N1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	7440-09-7	Potassium	899	ug/L	[NULL]	[NULL]	[NULL]	R	B234N2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	Y	7440-09-7	Potassium	899	ug/L	[NULL]	[NULL]	[NULL]	R	B235V5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B235V5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B234N2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	7440-23-5	Sodium	2070	ug/L	[NULL]	[NULL]	[NULL]	R	B234N2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	Y	7440-23-5	Sodium	2120	ug/L	[NULL]	[NULL]	[NULL]	R	B235V5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	CONDUCT	Specific Conductance	130	uS/cm	[NULL]	[NULL]	[NULL]	R	B234N1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	7440-24-6	Strontium	80.8	ug/L	[NULL]	[NULL]	[NULL]	R	B234N2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	Y	7440-24-6	Strontium	82.2	ug/L	[NULL]	[NULL]	[NULL]	R	B235V5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	10098-97-2	Strontium-90	90	pCi/L	[NULL]	[NULL]	[NULL]	R	B234N2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	14808-79-8	Sulfate	10100	ug/L	D	[NULL]	[NULL]	R	B237K8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	TEMPERATURE	Temperature	7	Deg C	[NULL]	[NULL]	[NULL]	R	B234N1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	TURBIDITY	Turbidity	1.35	NTU	[NULL]	[NULL]	[NULL]	R	B234N1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B234N2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B235V5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B235V5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B234N2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-10A	12/18/2009 10:07	N	PH	pH Measurement	7.47	unitless	[NULL]	[NULL]	[NULL]	R	B234N1	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-10A	3/16/2010 9:27	N	12587-47-2	Gross beta	220	pCi/L	[NULL]	[NULL]	[NULL]	R	B249R8	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-11A	11/14/2005 0:00	N	12587-47-2	Gross beta	824	pCi/L	[NULL]	[NULL]	[NULL]	S	B1FW08	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-11A	12/27/2005 0:00	N	12587-47-2	Gross beta	263	pCi/L	[NULL]	[NULL]	[NULL]	S	B1H3R3	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-11A	12/27/2005 0:00	N	EH	Oxidation Reduction Potential	72	mV	[NULL]	[NULL]	[NULL]	S	B1H3R3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-11A	12/27/2005 0:00	N	CONDUCT	Specific Conductance	133	uS/cm	[NULL]	[NULL]	[NULL]	S	B1H3R3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-11A	12/27/2005 0:00	N	TEMPERATURE	Temperature	6.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1H3R3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-11A	12/27/2005 0:00	N	TDS	Total dissolved solids	88000	ug/L	[NULL]	[NULL]	[NULL]	S	B1H3R3	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-11A	12/27/2005 0:00	N	PH	pH Measurement	6.1	unitless	[NULL]	[NULL]	[NULL]	S	B1H3R3	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-11A	1/11/2006 0:00	N	DO	Dissolved oxygen	9700	ug/L	[NULL]	[NULL]	[NULL]	S	B1HB77	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-11A	1/11/2006 0:00	N	12587-47-2	Gross beta	690	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HB77	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-11A	1/11/2006 0:00	N	EH	Oxidation Reduction Potential	24	mV	[NULL]	[NULL]	[NULL]	S	B1HB77	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-11A	1/11/2006 0:00	N	CONDUCT	Specific Conductance	134	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HB77	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-11A	1/11/2006 0:00	N	TEMPERATURE	Temperature	7.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1HB77	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-11A	1/11/2006 0:00	N	PH	pH Measurement	7.81	unitless	[NULL]	[NULL]	[NULL]	S	B1HB77	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-11A	2/7/2006 14:50	N	DO	Dissolved oxygen	10700	ug/L	[NULL]	[NULL]	[NULL]	S	B1HL56	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-11A	2/7/2006 14:50	N	12587-47-2	Gross beta	614	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HL56	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-11A	2/7/2006 14:50	N	EH	Oxidation Reduction Potential	-4	mV	[NULL]	[NULL]	[NULL]	S	B1HL56	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-11A	2/7/2006 14:50	N	CONDUCT	Specific Conductance	136.7	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HL56	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-11A	2/7/2006 14:50	N	TEMPERATURE	Temperature	6.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1HL56	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-11A	2/7/2006 14:50	N	PH	pH Measurement	7.95	unitless	[NULL]	[NULL]	[NULL]	S	B1HL56	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-11A	3/8/2006 9:55	N	12587-47-2	Gross beta	714	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HV72	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-11A	3/8/2006 9:55	N	CONDUCT	Specific Conductance	140.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HV72	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-11A	3/8/2006 9:55	N	TEMPERATURE	Temperature	5.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1HV72	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-11A	3/8/2006 9:55	N	TDS	Total dissolved solids	94200	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV72	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-11A	3/8/2006 9:55	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	S	B1HV72	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-11A	4/13/2006 13:31	N	12587-47-2	Gross beta	757	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J2F4	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-11A	4/13/2006 13:31	N	EH	Oxidation Reduction Potential	96	mV	[NULL]	[NULL]	[NULL]	S	B1J2F4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-11A	4/13/2006 13:31	N	CONDUCT	Specific Conductance	149.9	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J2F4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-11A	4/13/2006 13:31	N	TEMPERATURE	Temperature	8.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1J2F4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-11A	4/13/2006 13:31	N	PH	pH Measurement	7.46	unitless	[NULL]	[NULL]	[NULL]	S	B1J2F4	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-11A	5/10/2006 14:00	N	12587-47-2	Gross beta	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J742	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-11A	5/10/2006 14:00	N	EH	Oxidation Reduction Potential	520	mV	[NULL]	[NULL]	[NULL]	S	B1J742	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-11A	5/10/2006 14:00	N	CONDUCT	Specific Conductance	183.8	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J742	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-11A	5/10/2006 14:00	N	TEMPERATURE	Temperature	13.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1J742	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-11A	5/10/2006 14:00	N	TDS	Total dissolved solids	124100	ug/L	[NULL]	[NULL]	[NULL]	S	B1J742	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-11A	5/10/2006 14:00	N	10028-17-8	Tritium	-59.9	pCi/L	U	[NULL]	[NULL]	S	B1J743	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
N116mArray-11A	5/10/2006 14:00	N	PH	pH Measurement	7.66	unitless	[NULL]	[NULL]	[NULL]	S	B1J742	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-11A	6/6/2006 10:00	N	DO	Dissolved oxygen	1900	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDM1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-11A	6/6/2006 10:00	N	12587-47-2	Gross beta	1020	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDM2	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-11A	6/6/2006 10:00	N	EH	Oxidation Reduction Potential	513	mV	[NULL]	[NULL]	[NULL]	R	B1JDM1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-11A	6/6/2006 10:00	N	CONDUCT	Specific Conductance	187.3	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JDM1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-11A	6/6/2006 10:00	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1JDM1	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-11A	6/6/2006 10:00	N	PH	pH Measurement	6.93	unitless	[NULL]	[NULL]	[NULL]	R	B1JDM1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	ALKALINITY	Alkalinity	62000	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBK2	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
N116mArray-11A	9/26/2006 9:50	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1KBK1	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	14234-35-6	Antimony-125	-2.5	pCi/L	U	[NULL]	[NULL]	R	B1KBK4	14234-35-6	STLRL	GAMMA_GS	100-NR-2
N116mArray-11A	9/26/2006 9:50	Y	7440-39-3	Barium	19.8	ug/L	B	[NULL]	[NULL]	R	B1KBK1	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-11A	9/26/2006 9:50	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1KBK1	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	13966-02-4	Beryllium-7	1.17	pCi/L	U	[NULL]	[NULL]	R	B1KBK4	13966-02-4	STLRL	GAMMA_GS	100-NR-2
N116mArray-11A	9/26/2006 9:50	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1KBK1	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-11A	9/26/2006 9:50	Y	7440-70-2	Calcium	23700	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBK1	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	13967-70-9	Cesium-134	0.213	pCi/L	U	[NULL]	[NULL]	R	B1KBK4	13967-70-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	10045-97-3	Cesium-137	1.23	pCi/L	U	[NULL]	[NULL]	R	B1KBK4	10045-97-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	16887-00-6	Chloride	1400	ug/L	N	[NULL]	[NULL]	R	B1KBK2	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-11A	9/26/2006 9:50	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1KBK1	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-11A	9/26/2006 9:50	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1KBK1	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	10198-40-0	Cobalt-60	0.633	pCi/L	U	[NULL]	[NULL]	R	B1KBK4	10198-40-0	STLRL	GAMMA_GS	100-NR-2
N116mArray-11A	9/26/2006 9:50	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1KBK1	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	DO	Dissolved oxygen	8900	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBK3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	14683-23-9	Europium-152	-3.1	pCi/L	U	[NULL]	[NULL]	R	B1KBK4	14683-23-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	15585-10-1	Europium-154	-3.47	pCi/L	U	[NULL]	[NULL]	R	B1KBK4	15585-10-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	14391-16-3	Europium-155	1.49	pCi/L	U	[NULL]	[NULL]	R	B1KBK4	14391-16-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	16984-48-8	Fluoride	80	ug/L	BN	[NULL]	[NULL]	R	B1KBK2	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	12587-46-1	Gross alpha	1.17	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBK4	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	12587-47-2	Gross beta	532	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBK4	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-11A	9/26/2006 9:50	Y	7439-89-6	Iron	27.9	ug/L	BC	[NULL]	[NULL]	R	B1KBK1	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-11A	9/26/2006 9:50	Y	7439-95-4	Magnesium	4470	ug/L	B	[NULL]	[NULL]	R	B1KBK1	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-11A	9/26/2006 9:50	Y	7439-96-5	Manganese	8	ug/L	B	[NULL]	[NULL]	R	B1KBK1	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-11A	9/26/2006 9:50	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1KBK1	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	14797-55-8	Nitrate	8850	ug/L	D	[NULL]	[NULL]	R	B1KBK2	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1KBK2	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	EH	Oxidation Reduction Potential	210	mV	[NULL]	[NULL]	[NULL]	R	B1KBK3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	14265-44-2	Phosphate	100	ug/L	UN	[NULL]	[NULL]	R	B1KBK2	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-11A	9/26/2006 9:50	Y	7440-09-7	Potassium	4440	ug/L	BC	[NULL]	[NULL]	R	B1KBK1	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	13966-00-2	Potassium-40	24	pCi/L	U	[NULL]	[NULL]	R	B1KBK4	13966-00-2	STLRL	GAMMA_GS	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	13967-48-1	Ruthenium-106	-3.58	pCi/L	U	[NULL]	[NULL]	R	B1KBK4	13967-48-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-11A	9/26/2006 9:50	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1KBK1	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-11A	9/26/2006 9:50	Y	7440-23-5	Sodium	2720	ug/L	B	[NULL]	[NULL]	R	B1KBK1	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	CONDUCT	Specific Conductance	161.8	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KBK3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-11A	9/26/2006 9:50	Y	7440-24-6	Strontium	99.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBK1	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	10098-97-2	Strontium-90	434	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBK4	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-11A	9/26/2006 9:50	N	14808-79-8	Sulfate	11100	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBK2	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	TEMPERATURE	Temperature	17.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1KBK3	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	10028-17-8	Tritium	1210	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBK4	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
N116mArray-11A	9/26/2006 9:50	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1KBK1	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-11A	9/26/2006 9:50	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1KBK1	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-11A	9/26/2006 9:50	N	PH	pH Measurement	6.82	unitless	[NULL]	[NULL]	[NULL]	R	B1KBK3	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-11A	3/14/2007 13:30	N	DO	Dissolved oxygen	8200	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-11A	3/14/2007 13:30	N	12587-46-1	Gross alpha	7.3	pCi/L	[NULL]	R	[NULL]	R	B1MPH7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-11A	3/14/2007 13:30	N	12587-47-2	Gross beta	850	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MPH7	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-11A	3/14/2007 13:30	N	EH	Oxidation Reduction Potential	156	mV	[NULL]	[NULL]	[NULL]	R	B1MPH7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-11A	3/14/2007 13:30	N	CONDUCT	Specific Conductance	172.6	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MPH7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-11A	3/14/2007 13:30	N	TEMPERATURE	Temperature	9.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1MPH7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-11A	3/14/2007 13:30	N	TURBIDITY	Turbidity	7.21	NTU	[NULL]	[NULL]	[NULL]	R	B1MPH7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-11A	3/14/2007 13:30	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	B1MPH7	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-11A	6/26/2007 14:26	N	DO	Dissolved oxygen	7100	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV27	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-11A	6/26/2007 14:26	N	DO	Dissolved oxygen	7100	ug/L	[NULL]	[NULL]	[NULL]	R	B1NTX9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-11A	6/26/2007 14:26	N	12587-46-1	Gross alpha	0.4	pCi/L	U	G	[NULL]	R	B1NV27	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-11A	6/26/2007 14:26	N	12587-47-2	Gross beta	820	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NV27	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-11A	6/26/2007 14:26	N	EH	Oxidation Reduction Potential	35	mV	[NULL]	[NULL]	[NULL]	R	B1NV27	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-11A	6/26/2007 14:26	N	EH	Oxidation Reduction Potential	35	mV	[NULL]	[NULL]	[NULL]	R	B1NTX9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-11A	6/26/2007 14:26	N	CONDUCT	Specific Conductance	172.2	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NTX9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-11A	6/26/2007 14:26	N	CONDUCT	Specific Conductance	172.2	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NV27	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-11A	6/26/2007 14:26	N	TEMPERATURE	Temperature	21.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1NTX9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-11A	6/26/2007 14:26	N	TEMPERATURE	Temperature	21.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1NV27	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-11A	6/26/2007 14:26	N	TURBIDITY	Turbidity	0.87	NTU	[NULL]	[NULL]	[NULL]	R	B1NTX9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-11A	6/26/2007 14:26	N	TURBIDITY	Turbidity	0.87	NTU	[NULL]	[NULL]	[NULL]	R	B1NV27	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-11A	6/26/2007 14:26	N	PH	pH Measurement	7.32	unitless	[NULL]	[NULL]	[NULL]	R	B1NTX9	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-11A	6/26/2007 14:26	N	PH	pH Measurement	7.32	unitless	[NULL]	[NULL]	[NULL]	R	B1NV27	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	ALKALINITY	Alkalinity	69000	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W6	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	7440-36-0	Antimony	0.3	ug/L	U	[NULL]	[NULL]	R	B1P3W6	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	7440-38-2	Arsenic	0.4	ug/L	U	[NULL]	[NULL]	R	B1P3W6	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	7440-39-3	Barium	22	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W6	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	7440-41-7	Beryllium	0.05	ug/L	U	[NULL]	[NULL]	R	B1P3W6	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	24959-67-9	Bromide	30	ug/L	U	[NULL]	[NULL]	R	B1P3W6	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	7440-43-9	Cadmium	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3W6	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	7440-70-2	Calcium	24800	ug/L	D	[NULL]	[NULL]	R	B1P3W6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	10045-97-3	Cesium-137	-8.28	pCi/L	U	[NULL]	[NULL]	R	B1P3W6	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	16887-00-6	Chloride	1390	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	7440-47-3	Chromium	1.39	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W6	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	7440-48-4	Cobalt	0.119	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W6	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	10198-40-0	Cobalt-60	1.64	pCi/L	U	[NULL]	[NULL]	R	B1P3W6	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	DO	Dissolved oxygen	6890	ug/L	[NULL]	[NULL]	[NULL]	C	B1P3P2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	14683-23-9	Europium-152	-8.87	pCi/L	U	[NULL]	[NULL]	R	B1P3W6	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	15585-10-1	Europium-154	3.6	pCi/L	U	[NULL]	[NULL]	R	B1P3W6	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	14391-16-3	Europium-155	-4.57	pCi/L	U	[NULL]	[NULL]	R	B1P3W6	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	16984-48-8	Fluoride	42	ug/L	B	[NULL]	[NULL]	R	B1P3W6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	12587-46-1	Gross alpha	0.25	pCi/L	U	G	[NULL]	R	B1P3W6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	12587-47-2	Gross beta	430	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W6	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	7439-89-6	Iron	144	ug/L	D	[NULL]	[NULL]	R	B1P3W6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	7439-95-4	Magnesium	4130	ug/L	D	[NULL]	[NULL]	R	B1P3W6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	7439-96-5	Manganese	25	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W6	7439-96-5	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	7440-02-0	Nickel	0.392	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W6	7440-02-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	14797-55-8	Nitrate	7440	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	R	B1P3W6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-11A	8/13/2007 13:30	N	EH	Oxidation Reduction Potential	41	mV	[NULL]	[NULL]	[NULL]	C	B1P3P2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	14265-44-2	Phosphate	123	ug/L	U	[NULL]	[NULL]	R	B1P3W6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	7440-09-7	Potassium	1530	ug/L	D	[NULL]	[NULL]	R	B1P3W6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	7440-22-4	Silver	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3W6	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	7440-23-5	Sodium	2370	ug/L	D	[NULL]	[NULL]	R	B1P3W6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	CONDUCT	Specific Conductance	175.4	uS/cm	[NULL]	[NULL]	[NULL]	C	B1P3P2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	7440-24-6	Strontium	98.4	ug/L	N	[NULL]	[NULL]	R	B1P3W6	7440-24-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	10098-97-2	Strontium-90	420	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	14808-79-8	Sulfate	11700	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	TEMPERATURE	Temperature	22.5	Deg C	[NULL]	[NULL]	[NULL]	C	B1P3P2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	10028-17-8	Tritium	910	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W6	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	TURBIDITY	Turbidity	9.77	NTU	[NULL]	[NULL]	[NULL]	C	B1P3P2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	7440-62-2	Vanadium	1.32	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W6	7440-62-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	7440-66-6	Zinc	0.8	ug/L	U	[NULL]	[NULL]	R	B1P3W6	7440-66-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-11A	8/13/2007 13:30	N	PH	pH Measurement	7.15	unitless	[NULL]	[NULL]	[NULL]	C	B1P3P2	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-11A	12/14/2007 11:38	N	DO	Dissolved oxygen	10440	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9R4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-11A	12/14/2007 11:38	N	12587-47-2	Gross beta	866	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9R5	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-11A	12/14/2007 11:38	N	EH	Oxidation Reduction Potential	157	mV	[NULL]	[NULL]	[NULL]	R	B1R9R4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-11A	12/14/2007 11:38	N	CONDUCT	Specific Conductance	175	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R9R4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-11A	12/14/2007 11:38	N	TEMPERATURE	Temperature	7.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1R9R4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-11A	12/14/2007 11:38	N	TURBIDITY	Turbidity	5.14	NTU	[NULL]	[NULL]	[NULL]	R	B1R9R4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-11A	12/14/2007 11:38	N	PH	pH Measurement	7.64	unitless	[NULL]	[NULL]	[NULL]	R	B1R9R4	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-11A	3/24/2008 10:15	N	DO	Dissolved oxygen	8060	ug/L	[NULL]	[NULL]	[NULL]	R	B1THJ1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-11A	3/24/2008 10:15	N	12587-47-2	Gross beta	1090	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THJ2	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-11A	3/24/2008 10:15	N	EH	Oxidation Reduction Potential	154	mV	[NULL]	[NULL]	[NULL]	R	B1THJ1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-11A	3/24/2008 10:15	N	CONDUCT	Specific Conductance	202	uS/cm	[NULL]	[NULL]	[NULL]	R	B1THJ1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-11A	3/24/2008 10:15	N	TEMPERATURE	Temperature	5.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1THJ1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-11A	3/24/2008 10:15	N	TURBIDITY	Turbidity	6.98	NTU	[NULL]	[NULL]	[NULL]	R	B1THJ1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-11A	3/24/2008 10:15	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	B1THJ1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-11A	6/23/2008 10:46	N	DO	Dissolved oxygen	2270	ug/L	[NULL]	[NULL]	[NULL]	R	B1VJT8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-11A	6/23/2008 10:46	N	12587-47-2	Gross beta	740	pCi/L	[NULL]	[NULL]	[NULL]	R	B1VJT9	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-11A	6/23/2008 10:46	N	EH	Oxidation Reduction Potential	78	mV	[NULL]	Y	[NULL]	R	B1VJT8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-11A	6/23/2008 10:46	N	TEMPERATURE	Temperature	15.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1VJT8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-11A	6/23/2008 10:46	N	TURBIDITY	Turbidity	4.15	NTU	[NULL]	[NULL]	[NULL]	R	B1VJT8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-11A	6/23/2008 10:46	N	PH	pH Measurement	7.26	unitless	[NULL]	[NULL]	[NULL]	R	B1VJT8	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-11A	1/7/2009 9:47	N	DO	Dissolved oxygen	8450	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWX2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-11A	1/7/2009 9:47	N	12587-47-2	Gross beta	844	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XWX3	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-11A	1/7/2009 9:47	N	EH	Oxidation Reduction Potential	222	mV	[NULL]	[NULL]	[NULL]	R	B1XWX2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-11A	1/7/2009 9:47	N	CONDUCT	Specific Conductance	189	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWX2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-11A	1/7/2009 9:47	N	TEMPERATURE	Temperature	5	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWX2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-11A	1/7/2009 9:47	N	TURBIDITY	Turbidity	3.38	NTU	[NULL]	[NULL]	[NULL]	R	B1XWX2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-11A	1/7/2009 9:47	N	PH	pH Measurement	7.26	unitless	[NULL]	[NULL]	[NULL]	R	B1XWX2	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	ALKALINITY	Alkalinity	58000	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK5	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YPK5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YPK4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	7440-39-3	Barium	24.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	Y	7440-39-3	Barium	23.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YPK4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YPK5	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YPK4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YPK5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	7440-70-2	Calcium	38100	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	Y	7440-70-2	Calcium	38600	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	16887-00-6	Chloride	7570	ug/L	D	[NULL]	[NULL]	R	B1YPK5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-11A	4/7/2009 8:43	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YPK4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YPK5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YPK4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YPK5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YPK4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YPK5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	DO	Dissolved oxygen	11210	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	16984-48-8	Fluoride	46	ug/L	UD	[NULL]	[NULL]	R	B1YPK5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	12587-46-1	Gross alpha	0.003	pCi/L	U	[NULL]	[NULL]	R	B1YPK5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	12587-47-2	Gross beta	1400	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPK5	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	7439-89-6	Iron	148	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	Y	7439-89-6	Iron	112	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	Y	7439-95-4	Magnesium	7080	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	7439-95-4	Magnesium	7100	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	7439-96-5	Manganese	14.8	ug/L	B	[NULL]	[NULL]	R	B1YPK5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	Y	7439-96-5	Manganese	13.1	ug/L	B	[NULL]	[NULL]	R	B1YPK4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YPK4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YPK5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	14797-55-8	Nitrate	27100	ug/L	D	[NULL]	[NULL]	R	B1YPK5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	14797-65-0	Nitrite	85.4	ug/L	UD	[NULL]	[NULL]	R	B1YPK5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	EH	Oxidation Reduction Potential	99	mV	[NULL]	[NULL]	[NULL]	R	B1YPK6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	14265-44-2	Phosphate	368	ug/L	UD	[NULL]	[NULL]	R	B1YPK5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	7440-09-7	Potassium	1220	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	Y	7440-09-7	Potassium	1200	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YPK5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YPK4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	7440-23-5	Sodium	3140	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-11A	4/7/2009 8:43	Y	7440-23-5	Sodium	3120	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	CONDUCT	Specific Conductance	258	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YPK6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-11A	4/7/2009 8:43	Y	7440-24-6	Strontium	151	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	7440-24-6	Strontium	151	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	10098-97-2	Strontium-90	640	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPK5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	14808-79-8	Sulfate	35100	ug/L	D	[NULL]	[NULL]	R	B1YPK5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	TEMPERATURE	Temperature	7.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1YPK6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	TURBIDITY	Turbidity	2.61	NTU	[NULL]	[NULL]	[NULL]	R	B1YPK6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-11A	4/7/2009 8:43	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YPK4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YPK5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YPK4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YPK5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	4/7/2009 8:43	N	PH	pH Measurement	7.49	unitless	[NULL]	[NULL]	[NULL]	R	B1YPK6	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-11A	6/23/2009 9:53	N	DO	Dissolved oxygen	6220	ug/L	[NULL]	[NULL]	[NULL]	R	B20M23	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-11A	6/23/2009 9:53	N	12587-47-2	Gross beta	970	pCi/L	[NULL]	[NULL]	[NULL]	R	B20M24	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-11A	6/23/2009 9:53	N	EH	Oxidation Reduction Potential	153	mV	[NULL]	[NULL]	[NULL]	R	B20M23	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-11A	6/23/2009 9:53	N	CONDUCT	Specific Conductance	172	uS/cm	[NULL]	[NULL]	[NULL]	R	B20M23	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-11A	6/23/2009 9:53	N	TEMPERATURE	Temperature	15.8	Deg C	[NULL]	[NULL]	[NULL]	R	B20M23	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-11A	6/23/2009 9:53	N	TURBIDITY	Turbidity	3.95	NTU	[NULL]	[NULL]	[NULL]	R	B20M23	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-11A	6/23/2009 9:53	N	PH	pH Measurement	7.95	unitless	[NULL]	[NULL]	[NULL]	R	B20M23	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-11A	9/24/2009 18:34	N	DO	Dissolved oxygen	7410	ug/L	[NULL]	[NULL]	[NULL]	R	B21HJ1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-11A	9/24/2009 18:34	N	12587-47-2	Gross beta	1100	pCi/L	[NULL]	[NULL]	[NULL]	R	B21HJ2	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-11A	9/24/2009 18:34	N	CONDUCT	Specific Conductance	261	uS/cm	[NULL]	[NULL]	[NULL]	R	B21HJ1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-11A	9/24/2009 18:34	N	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	R	B21HJ1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-11A	9/24/2009 18:34	N	TURBIDITY	Turbidity	1.43	NTU	[NULL]	[NULL]	[NULL]	R	B21HJ1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-11A	9/24/2009 18:34	N	PH	pH Measurement	7.47	unitless	[NULL]	[NULL]	[NULL]	R	B21HJ1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	ALKALINITY	Alkalinity	58000	ug/L	[NULL]	[NULL]	[NULL]	R	B234N4	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-11A	12/19/2009 9:10	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B235W0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B234N4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	7440-39-3	Barium	12.6	ug/L	B	[NULL]	[NULL]	R	B234N4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	Y	7440-39-3	Barium	16.4	ug/L	B	[NULL]	[NULL]	R	B235W0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B235W0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B234N4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B235W0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B234N4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	7440-70-2	Calcium	19100	ug/L	[NULL]	[NULL]	[NULL]	R	B234N4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	Y	7440-70-2	Calcium	21300	ug/L	[NULL]	[NULL]	[NULL]	R	B235W0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	16887-00-6	Chloride	2430	ug/L	D	[NULL]	[NULL]	R	B235V8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B234N4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B235W0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B235W0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B234N4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B235W0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B234N4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	DO	Dissolved oxygen	10490	ug/L	[NULL]	[NULL]	[NULL]	R	B234N3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B235V8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	12587-47-2	Gross beta	820	pCi/L	[NULL]	[NULL]	[NULL]	R	B234N4	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	7439-89-6	Iron	25.2	ug/L	B	[NULL]	[NULL]	R	B234N4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	Y	7439-89-6	Iron	51.1	ug/L	B	[NULL]	[NULL]	R	B235W0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	Y	7439-95-4	Magnesium	4010	ug/L	[NULL]	[NULL]	[NULL]	R	B235W0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	7439-95-4	Magnesium	5000	ug/L	[NULL]	[NULL]	[NULL]	R	B234N4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B235W0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B234N4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B234N4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-11A	12/19/2009 9:10	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B235W0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	14797-55-8	Nitrate	7530	ug/L	D	[NULL]	[NULL]	R	B235V8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B235V8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	EH	Oxidation Reduction Potential	80	mV	[NULL]	[NULL]	[NULL]	R	B234N3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	7440-09-7	Potassium	795	ug/L	[NULL]	[NULL]	[NULL]	R	B234N4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	Y	7440-09-7	Potassium	1050	ug/L	[NULL]	[NULL]	[NULL]	R	B235W0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B234N4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B235W0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	Y	7440-23-5	Sodium	2300	ug/L	[NULL]	[NULL]	[NULL]	R	B235W0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	7440-23-5	Sodium	2140	ug/L	[NULL]	[NULL]	[NULL]	R	B234N4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	CONDUCT	Specific Conductance	172	uS/cm	[NULL]	[NULL]	[NULL]	R	B234N3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-11A	12/19/2009 9:10	Y	7440-24-6	Strontium	89.9	ug/L	[NULL]	[NULL]	[NULL]	R	B235W0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	7440-24-6	Strontium	104	ug/L	[NULL]	[NULL]	[NULL]	R	B234N4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	10098-97-2	Strontium-90	310	pCi/L	[NULL]	[NULL]	[NULL]	R	B234N4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	14808-79-8	Sulfate	17300	ug/L	D	[NULL]	[NULL]	R	B235V8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	TEMPERATURE	Temperature	8.4	Deg C	[NULL]	[NULL]	[NULL]	R	B234N3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	TURBIDITY	Turbidity	1.27	NTU	[NULL]	[NULL]	[NULL]	R	B234N3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-11A	12/19/2009 9:10	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B235W0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B234N4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B234N4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B235W0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-11A	12/19/2009 9:10	N	PH	pH Measurement	7.49	unitless	[NULL]	[NULL]	[NULL]	R	B234N3	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-11A	3/16/2010 9:35	N	12587-47-2	Gross beta	1700	pCi/L	[NULL]	[NULL]	[NULL]	R	B249T0	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-12A	11/14/2005 0:00	N	12587-47-2	Gross beta	62.2	pCi/L	[NULL]	[NULL]	[NULL]	S	B1FW09	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-12A	1/11/2006 0:00	N	DO	Dissolved oxygen	7500	ug/L	[NULL]	[NULL]	[NULL]	S	B1HB78	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-12A	1/11/2006 0:00	N	12587-47-2	Gross beta	69.8	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HB78	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-12A	1/11/2006 0:00	N	EH	Oxidation Reduction Potential	-57	mV	[NULL]	[NULL]	[NULL]	S	B1HB78	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-12A	1/11/2006 0:00	N	CONDUCT	Specific Conductance	129.7	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HB78	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-12A	1/11/2006 0:00	N	TEMPERATURE	Temperature	7.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1HB78	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-12A	1/11/2006 0:00	N	PH	pH Measurement	8.28	unitless	[NULL]	[NULL]	[NULL]	S	B1HB78	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-12A	2/7/2006 15:00	N	DO	Dissolved oxygen	8900	ug/L	[NULL]	[NULL]	[NULL]	S	B1HL57	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-12A	2/7/2006 15:00	N	12587-47-2	Gross beta	58.2	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HL57	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-12A	2/7/2006 15:00	N	EH	Oxidation Reduction Potential	-45	mV	[NULL]	[NULL]	[NULL]	S	B1HL57	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-12A	2/7/2006 15:00	N	CONDUCT	Specific Conductance	129.8	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HL57	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-12A	2/7/2006 15:00	N	TEMPERATURE	Temperature	6.28	Deg C	[NULL]	[NULL]	[NULL]	S	B1HL57	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-12A	2/7/2006 15:00	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	S	B1HL57	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-12A	3/8/2006 10:00	N	12587-47-2	Gross beta	58.9	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HV73	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-12A	3/8/2006 10:00	N	CONDUCT	Specific Conductance	132.6	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HV73	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-12A	3/8/2006 10:00	N	TEMPERATURE	Temperature	5.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1HV73	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-12A	3/8/2006 10:00	N	TDS	Total dissolved solids	88800	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV73	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-12A	3/8/2006 10:00	N	PH	pH Measurement	5.04	unitless	[NULL]	[NULL]	[NULL]	S	B1HV73	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-12A	4/13/2006 13:30	N	DO	Dissolved oxygen	6600	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2F6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-12A	4/13/2006 13:30	N	12587-47-2	Gross beta	65	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J2F6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-12A	4/13/2006 13:30	N	EH	Oxidation Reduction Potential	-83	mV	[NULL]	[NULL]	[NULL]	S	B1J2F6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-12A	4/13/2006 13:30	N	CONDUCT	Specific Conductance	143.2	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J2F6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-12A	4/13/2006 13:30	N	TEMPERATURE	Temperature	8.97	Deg C	[NULL]	[NULL]	[NULL]	S	B1J2F6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-12A	4/13/2006 13:30	N	PH	pH Measurement	7.83	unitless	[NULL]	[NULL]	[NULL]	S	B1J2F6	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-12A	5/10/2006 14:15	N	12587-47-2	Gross beta	79.2	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J744	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-12A	5/10/2006 14:15	N	EH	Oxidation Reduction Potential	-89	mV	[NULL]	[NULL]	[NULL]	S	B1J744	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-12A	5/10/2006 14:15	N	CONDUCT	Specific Conductance	161.3	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J744	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-12A	5/10/2006 14:15	N	TEMPERATURE	Temperature	14.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1J744	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-12A	5/10/2006 14:15	N	TDS	Total dissolved solids	108700	ug/L	[NULL]	[NULL]	[NULL]	S	B1J744	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-12A	5/10/2006 14:15	N	10028-17-8	Tritium	-33.7	pCi/L	U	[NULL]	[NULL]	S	B1J745	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
N116mArray-12A	5/10/2006 14:15	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	S	B1J744	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-12A	6/6/2006 9:50	N	DO	Dissolved oxygen	8700	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDM3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-12A	6/6/2006 9:50	N	12587-47-2	Gross beta	75.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDM4	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-12A	6/6/2006 9:50	N	EH	Oxidation Reduction Potential	0	mV	[NULL]	[NULL]	[NULL]	R	B1JDM3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-12A	6/6/2006 9:50	N	CONDUCT	Specific Conductance	153.3	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JDM3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-12A	6/6/2006 9:50	N	TEMPERATURE	Temperature	15.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1JDM3	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-12A	6/6/2006 9:50	N	PH	pH Measurement	7.16	unitless	[NULL]	[NULL]	[NULL]	R	B1JDM3	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	ALKALINITY	Alkalinity	58000	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBK6	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
N116mArray-12A	9/26/2006 10:30	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1KBK5	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	14234-35-6	Antimony-125	0.693	pCi/L	U	[NULL]	[NULL]	R	B1KBK8	14234-35-6	STLRL	GAMMA_GS	100-NR-2
N116mArray-12A	9/26/2006 10:30	Y	7440-39-3	Barium	16.5	ug/L	B	[NULL]	[NULL]	R	B1KBK5	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-12A	9/26/2006 10:30	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1KBK5	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	13966-02-4	Beryllium-7	-7.22	pCi/L	U	[NULL]	[NULL]	R	B1KBK8	13966-02-4	STLRL	GAMMA_GS	100-NR-2
N116mArray-12A	9/26/2006 10:30	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1KBK5	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-12A	9/26/2006 10:30	Y	7440-70-2	Calcium	19500	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBK5	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	13967-70-9	Cesium-134	2.3	pCi/L	U	[NULL]	[NULL]	R	B1KBK8	13967-70-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	10045-97-3	Cesium-137	-1.96	pCi/L	U	[NULL]	[NULL]	R	B1KBK8	10045-97-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	16887-00-6	Chloride	940	ug/L	N	[NULL]	[NULL]	R	B1KBK6	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	9/26/2006 10:30	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1KBK5	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-12A	9/26/2006 10:30	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1KBK5	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	10198-40-0	Cobalt-60	-1.16	pCi/L	U	[NULL]	[NULL]	R	B1KBK8	10198-40-0	STLRL	GAMMA_GS	100-NR-2
N116mArray-12A	9/26/2006 10:30	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1KBK5	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	DO	Dissolved oxygen	8000	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBK7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	14683-23-9	Europium-152	4.97	pCi/L	U	[NULL]	[NULL]	R	B1KBK8	14683-23-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	15585-10-1	Europium-154	0.605	pCi/L	U	[NULL]	[NULL]	R	B1KBK8	15585-10-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	14391-16-3	Europium-155	-1.14	pCi/L	U	[NULL]	[NULL]	R	B1KBK8	14391-16-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	16984-48-8	Fluoride	88	ug/L	BN	[NULL]	[NULL]	R	B1KBK6	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	12587-46-1	Gross alpha	-0.241	pCi/L	U	[NULL]	[NULL]	R	B1KBK8	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-12A	9/26/2006 10:30	N	12587-47-2	Gross beta	69.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBK8	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-12A	9/26/2006 10:30	Y	7439-89-6	Iron	27.8	ug/L	BC	[NULL]	[NULL]	R	B1KBK5	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-12A	9/26/2006 10:30	Y	7439-95-4	Magnesium	4790	ug/L	B	[NULL]	[NULL]	R	B1KBK5	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-12A	9/26/2006 10:30	Y	7439-96-5	Manganese	5.2	ug/L	B	[NULL]	[NULL]	R	B1KBK5	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-12A	9/26/2006 10:30	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1KBK5	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	14797-55-8	Nitrate	4210	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBK6	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1KBK6	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	EH	Oxidation Reduction Potential	169	mV	[NULL]	[NULL]	[NULL]	R	B1KBK7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	14265-44-2	Phosphate	100	ug/L	UN	[NULL]	[NULL]	R	B1KBK6	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	9/26/2006 10:30	Y	7440-09-7	Potassium	2960	ug/L	BC	[NULL]	[NULL]	R	B1KBK5	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	13966-00-2	Potassium-40	-66.3	pCi/L	U	[NULL]	[NULL]	R	B1KBK8	13966-00-2	STLRL	GAMMA_GS	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	13967-48-1	Ruthenium-106	-9.99	pCi/L	U	[NULL]	[NULL]	R	B1KBK8	13967-48-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-12A	9/26/2006 10:30	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1KBK5	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-12A	9/26/2006 10:30	Y	7440-23-5	Sodium	2420	ug/L	B	[NULL]	[NULL]	R	B1KBK5	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	CONDUCT	Specific Conductance	139.6	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KBK7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-12A	9/26/2006 10:30	Y	7440-24-6	Strontium	98.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBK5	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	10098-97-2	Strontium-90	33.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBK8	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	14808-79-8	Sulfate	9700	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBK6	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1KBK7	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	10028-17-8	Tritium	80.7	pCi/L	U	[NULL]	[NULL]	R	B1KBK8	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
N116mArray-12A	9/26/2006 10:30	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1KBK5	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-12A	9/26/2006 10:30	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1KBK5	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-12A	9/26/2006 10:30	N	PH	pH Measurement	7	unitless	[NULL]	[NULL]	[NULL]	R	B1KBK7	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-12A	3/14/2007 14:00	N	DO	Dissolved oxygen	6500	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-12A	3/14/2007 14:00	N	12587-46-1	Gross alpha	0.48	pCi/L	U	[NULL]	[NULL]	R	B1MPH8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-12A	3/14/2007 14:00	N	12587-47-2	Gross beta	110	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MPH8	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-12A	3/14/2007 14:00	N	EH	Oxidation Reduction Potential	39	mV	[NULL]	[NULL]	[NULL]	R	B1MPH8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-12A	3/14/2007 14:00	N	CONDUCT	Specific Conductance	196.2	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MPH8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-12A	3/14/2007 14:00	N	TEMPERATURE	Temperature	11.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1MPH8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-12A	3/14/2007 14:00	N	TURBIDITY	Turbidity	0.034	NTU	[NULL]	[NULL]	[NULL]	R	B1MPH8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-12A	3/14/2007 14:00	N	PH	pH Measurement	7.53	unitless	[NULL]	[NULL]	[NULL]	R	B1MPH8	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-12A	6/26/2007 14:45	N	DO	Dissolved oxygen	7020	ug/L	[NULL]	[NULL]	[NULL]	R	B1NTY0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-12A	6/26/2007 14:45	N	12587-46-1	Gross alpha	0.59	pCi/L	U	[NULL]	[NULL]	R	B1NV28	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-12A	6/26/2007 14:45	Y	12587-46-1	Gross alpha	0.85	pCi/L	U	[NULL]	[NULL]	R	B1NW84	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-12A	6/26/2007 14:45	N	12587-47-2	Gross beta	120	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NV28	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-12A	6/26/2007 14:45	Y	12587-47-2	Gross beta	100	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NW84	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-12A	6/26/2007 14:45	N	EH	Oxidation Reduction Potential	38	mV	[NULL]	[NULL]	[NULL]	R	B1NTY0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-12A	6/26/2007 14:45	N	CONDUCT	Specific Conductance	172.4	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NTY0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-12A	6/26/2007 14:45	N	TEMPERATURE	Temperature	21.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1NTY0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-12A	6/26/2007 14:45	N	TURBIDITY	Turbidity	0.2	NTU	[NULL]	[NULL]	[NULL]	R	B1NTY0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-12A	6/26/2007 14:45	N	PH	pH Measurement	7.47	unitless	[NULL]	[NULL]	[NULL]	R	B1NTY0	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	ALKALINITY	Alkalinity	67000	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X4	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	ALKALINITY	Alkalinity	68000	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W7	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-36-0	Antimony	0.3	ug/L	U	[NULL]	[NULL]	R	B1P3W7	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-36-0	Antimony	0.3	ug/L	U	[NULL]	[NULL]	R	B1P3X4	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-38-2	Arsenic	0.4	ug/L	U	[NULL]	[NULL]	R	B1P3X4	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-38-2	Arsenic	0.4	ug/L	U	[NULL]	[NULL]	R	B1P3W7	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-39-3	Barium	18.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X4	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-39-3	Barium	18.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W7	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-41-7	Beryllium	0.05	ug/L	U	[NULL]	[NULL]	R	B1P3X4	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-41-7	Beryllium	0.05	ug/L	U	[NULL]	[NULL]	R	B1P3W7	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	24959-67-9	Bromide	30	ug/L	U	[NULL]	[NULL]	R	B1P3W7	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	24959-67-9	Bromide	30	ug/L	U	[NULL]	[NULL]	R	B1P3X4	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-43-9	Cadmium	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3X4	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-12A	8/13/2007 14:00	N	7440-43-9	Cadmium	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3W7	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-70-2	Calcium	21600	ug/L	D	[NULL]	[NULL]	R	B1P3X4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-70-2	Calcium	22100	ug/L	D	[NULL]	[NULL]	R	B1P3W7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	10045-97-3	Cesium-137	-2.71	pCi/L	U	[NULL]	[NULL]	R	B1P3X4	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	10045-97-3	Cesium-137	-1.86	pCi/L	U	[NULL]	[NULL]	R	B1P3W7	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	16887-00-6	Chloride	1980	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	16887-00-6	Chloride	1970	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-47-3	Chromium	0.782	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X4	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-47-3	Chromium	0.88	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W7	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-48-4	Cobalt	0.05	ug/L	U	[NULL]	[NULL]	R	B1P3W7	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-48-4	Cobalt	0.05	ug/L	U	[NULL]	[NULL]	R	B1P3X4	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	10198-40-0	Cobalt-60	1.79	pCi/L	U	[NULL]	[NULL]	R	B1P3W7	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	10198-40-0	Cobalt-60	-4.26	pCi/L	U	[NULL]	[NULL]	R	B1P3X4	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	DO	Dissolved oxygen	6420	ug/L	[NULL]	[NULL]	[NULL]	C	B1P3P3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	14683-23-9	Europium-152	-1.11	pCi/L	U	[NULL]	[NULL]	R	B1P3W7	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	14683-23-9	Europium-152	3.3	pCi/L	U	[NULL]	[NULL]	R	B1P3X4	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	15585-10-1	Europium-154	-10.5	pCi/L	U	[NULL]	[NULL]	R	B1P3X4	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	15585-10-1	Europium-154	-18.1	pCi/L	U	[NULL]	[NULL]	R	B1P3W7	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	14391-16-3	Europium-155	-11.7	pCi/L	U	[NULL]	[NULL]	R	B1P3X4	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	14391-16-3	Europium-155	-8.58	pCi/L	U	[NULL]	[NULL]	R	B1P3W7	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	16984-48-8	Fluoride	51	ug/L	B	[NULL]	[NULL]	R	B1P3W7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	16984-48-8	Fluoride	61	ug/L	B	[NULL]	[NULL]	R	B1P3X4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	12587-46-1	Gross alpha	0.16	pCi/L	U	[NULL]	[NULL]	R	B1P3X4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	12587-46-1	Gross alpha	0.36	pCi/L	U	[NULL]	[NULL]	R	B1P3W7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	12587-47-2	Gross beta	76	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W7	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	12587-47-2	Gross beta	62	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3X4	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7439-89-6	Iron	166	ug/L	D	[NULL]	[NULL]	R	B1P3X4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-12A	8/13/2007 14:00	N	7439-89-6	Iron	176	ug/L	D	[NULL]	[NULL]	R	B1P3W7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7439-95-4	Magnesium	5310	ug/L	D	[NULL]	[NULL]	R	B1P3X4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7439-95-4	Magnesium	5240	ug/L	D	[NULL]	[NULL]	R	B1P3W7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7439-96-5	Manganese	9.82	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W7	7439-96-5	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7439-96-5	Manganese	9.73	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X4	7439-96-5	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-02-0	Nickel	0.2	ug/L	U	[NULL]	[NULL]	R	B1P3X4	7440-02-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-02-0	Nickel	0.2	ug/L	U	[NULL]	[NULL]	R	B1P3W7	7440-02-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	14797-55-8	Nitrate	6060	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	14797-55-8	Nitrate	6110	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	R	B1P3W7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	R	B1P3X4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	EH	Oxidation Reduction Potential	27	mV	[NULL]	[NULL]	[NULL]	C	B1P3P3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	14265-44-2	Phosphate	123	ug/L	U	[NULL]	[NULL]	R	B1P3X4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	14265-44-2	Phosphate	123	ug/L	U	[NULL]	[NULL]	R	B1P3W7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-09-7	Potassium	1190	ug/L	D	[NULL]	[NULL]	R	B1P3W7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-09-7	Potassium	1020	ug/L	D	[NULL]	[NULL]	R	B1P3X4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-22-4	Silver	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3W7	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-22-4	Silver	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3X4	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-23-5	Sodium	2080	ug/L	D	[NULL]	[NULL]	R	B1P3X4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-23-5	Sodium	2130	ug/L	D	[NULL]	[NULL]	R	B1P3W7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	CONDUCT	Specific Conductance	167.2	uS/cm	[NULL]	[NULL]	[NULL]	C	B1P3P3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-24-6	Strontium	120	ug/L	N	[NULL]	[NULL]	R	B1P3X4	7440-24-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-24-6	Strontium	116	ug/L	N	[NULL]	[NULL]	R	B1P3W7	7440-24-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	10098-97-2	Strontium-90	11	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3X4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	10098-97-2	Strontium-90	24	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	14808-79-8	Sulfate	13600	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	14808-79-8	Sulfate	13800	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-12A	8/13/2007 14:00	N	TEMPERATURE	Temperature	22.6	Deg C	[NULL]	[NULL]	[NULL]	C	B1P3P3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	10028-17-8	Tritium	2300	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W7	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	10028-17-8	Tritium	2200	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3X4	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	TURBIDITY	Turbidity	0.42	NTU	[NULL]	[NULL]	[NULL]	C	B1P3P3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-62-2	Vanadium	0.64	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W7	7440-62-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-62-2	Vanadium	0.526	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X4	7440-62-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-66-6	Zinc	1.58	ug/L	C	[NULL]	[NULL]	R	B1P3W7	7440-66-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	7440-66-6	Zinc	1.46	ug/L	C	[NULL]	[NULL]	R	B1P3X4	7440-66-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-12A	8/13/2007 14:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	C	B1P3P3	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-12A	12/14/2007 11:53	N	DO	Dissolved oxygen	10540	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9R6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-12A	12/14/2007 11:53	N	12587-47-2	Gross beta	65.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9R7	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-12A	12/14/2007 11:53	N	EH	Oxidation Reduction Potential	135	mV	[NULL]	[NULL]	[NULL]	R	B1R9R6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-12A	12/14/2007 11:53	N	CONDUCT	Specific Conductance	125	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R9R6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-12A	12/14/2007 11:53	N	TEMPERATURE	Temperature	5.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1R9R6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-12A	12/14/2007 11:53	N	TURBIDITY	Turbidity	0	NTU	U	[NULL]	[NULL]	R	B1R9R6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-12A	12/14/2007 11:53	N	PH	pH Measurement	8.29	unitless	[NULL]	[NULL]	[NULL]	R	B1R9R6	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-12A	3/24/2008 10:31	N	DO	Dissolved oxygen	11040	ug/L	[NULL]	[NULL]	[NULL]	R	B1THJ3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-12A	3/24/2008 10:31	N	12587-47-2	Gross beta	76.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THJ4	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-12A	3/24/2008 10:31	N	EH	Oxidation Reduction Potential	163	mV	[NULL]	[NULL]	[NULL]	R	B1THJ3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-12A	3/24/2008 10:31	N	CONDUCT	Specific Conductance	148	uS/cm	[NULL]	[NULL]	[NULL]	R	B1THJ3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-12A	3/24/2008 10:31	N	TEMPERATURE	Temperature	5.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1THJ3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-12A	3/24/2008 10:31	N	TURBIDITY	Turbidity	0.85	NTU	[NULL]	[NULL]	[NULL]	R	B1THJ3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-12A	3/24/2008 10:31	N	PH	pH Measurement	8.38	unitless	[NULL]	[NULL]	[NULL]	R	B1THJ3	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-12A	6/23/2008 11:00	N	DO	Dissolved oxygen	2970	ug/L	[NULL]	[NULL]	[NULL]	R	B1VJV0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-12A	6/23/2008 11:00	N	12587-47-2	Gross beta	52	pCi/L	[NULL]	[NULL]	[NULL]	R	B1VJV1	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-12A	6/23/2008 11:00	N	EH	Oxidation Reduction Potential	127	mV	[NULL]	[NULL]	[NULL]	R	B1VJV0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-12A	6/23/2008 11:00	N	CONDUCT	Specific Conductance	143	uS/cm	[NULL]	[NULL]	[NULL]	R	B1VJV0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-12A	6/23/2008 11:00	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1VJV0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-12A	6/23/2008 11:00	N	TURBIDITY	Turbidity	0.43	NTU	[NULL]	[NULL]	[NULL]	R	B1VJV0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-12A	6/23/2008 11:00	N	PH	pH Measurement	7.91	unitless	[NULL]	[NULL]	[NULL]	R	B1VJV0	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-12A	1/7/2009 10:07	N	DO	Dissolved oxygen	8450	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWX4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-12A	1/7/2009 10:07	N	12587-47-2	Gross beta	54.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XWX5	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-12A	1/7/2009 10:07	N	EH	Oxidation Reduction Potential	210	mV	[NULL]	[NULL]	[NULL]	R	B1XWX4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-12A	1/7/2009 10:07	N	CONDUCT	Specific Conductance	121	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWX4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-12A	1/7/2009 10:07	N	TEMPERATURE	Temperature	4.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWX4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-12A	1/7/2009 10:07	N	TURBIDITY	Turbidity	0.48	NTU	[NULL]	[NULL]	[NULL]	R	B1XWX4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-12A	1/7/2009 10:07	N	PH	pH Measurement	8.18	unitless	[NULL]	[NULL]	[NULL]	R	B1XWX4	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	ALKALINITY	Alkalinity	57000	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK8	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-12A	4/7/2009 9:47	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YPK7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YPK8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	Y	7440-39-3	Barium	21.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	7440-39-3	Barium	22.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YPK7	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YPK8	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YPK8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YPK7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	Y	7440-70-2	Calcium	36300	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	7440-70-2	Calcium	37000	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	16887-00-6	Chloride	8610	ug/L	D	[NULL]	[NULL]	R	B1YPK8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	4/7/2009 9:47	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YPK7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YPK8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YPK7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YPK8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YPK7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-12A	4/7/2009 9:47	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YPK8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	DO	Dissolved oxygen	8470	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	16984-48-8	Fluoride	46	ug/L	UD	[NULL]	[NULL]	R	B1YPK8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	12587-46-1	Gross alpha	-0.32	pCi/L	U	[NULL]	[NULL]	R	B1YPK8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	12587-47-2	Gross beta	120	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPK8	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	7439-89-6	Iron	76.8	ug/L	B	[NULL]	[NULL]	R	B1YPK8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	Y	7439-89-6	Iron	94.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	7439-95-4	Magnesium	8360	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	Y	7439-95-4	Magnesium	8380	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	Y	7439-96-5	Manganese	13.4	ug/L	B	[NULL]	[NULL]	R	B1YPK7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	7439-96-5	Manganese	11.8	ug/L	B	[NULL]	[NULL]	R	B1YPK8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YPK7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YPK8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	14797-55-8	Nitrate	28900	ug/L	D	[NULL]	[NULL]	R	B1YPK8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	14797-65-0	Nitrite	85.4	ug/L	UD	[NULL]	[NULL]	R	B1YPK8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	EH	Oxidation Reduction Potential	223	mV	[NULL]	[NULL]	[NULL]	R	B1YPK9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	14265-44-2	Phosphate	368	ug/L	UD	[NULL]	[NULL]	R	B1YPK8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	4/7/2009 9:47	Y	7440-09-7	Potassium	914	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	7440-09-7	Potassium	881	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YPK8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YPK7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	7440-23-5	Sodium	2710	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	Y	7440-23-5	Sodium	2750	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	CONDUCT	Specific Conductance	279	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YPK9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	7440-24-6	Strontium	178	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	Y	7440-24-6	Strontium	177	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPK7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	10098-97-2	Strontium-90	46	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPK8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-12A	4/7/2009 9:47	N	14808-79-8	Sulfate	37200	ug/L	D	[NULL]	[NULL]	R	B1YPK8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	TEMPERATURE	Temperature	8.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1YPK9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	TURBIDITY	Turbidity	0.78	NTU	[NULL]	[NULL]	[NULL]	R	B1YPK9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YPK8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	Y	7440-62-2	Vanadium	13.3	ug/L	B	[NULL]	[NULL]	R	B1YPK7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YPK7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YPK8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	4/7/2009 9:47	N	PH	pH Measurement	7.66	unitless	[NULL]	[NULL]	[NULL]	R	B1YPK9	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-12A	6/23/2009 10:05	N	DO	Dissolved oxygen	3710	ug/L	[NULL]	[NULL]	[NULL]	R	B20M25	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-12A	6/23/2009 10:05	N	12587-47-2	Gross beta	74	pCi/L	[NULL]	[NULL]	[NULL]	R	B20M26	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-12A	6/23/2009 10:05	N	EH	Oxidation Reduction Potential	157	mV	[NULL]	[NULL]	[NULL]	R	B20M25	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-12A	6/23/2009 10:05	N	CONDUCT	Specific Conductance	164	uS/cm	[NULL]	[NULL]	[NULL]	R	B20M25	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-12A	6/23/2009 10:05	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B20M25	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-12A	6/23/2009 10:05	N	TURBIDITY	Turbidity	2.2	NTU	[NULL]	[NULL]	[NULL]	R	B20M25	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-12A	6/23/2009 10:05	N	PH	pH Measurement	7.81	unitless	[NULL]	[NULL]	[NULL]	R	B20M25	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	ALKALINITY	Alkalinity	56000	ug/L	[NULL]	[NULL]	[NULL]	R	B234N6	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B234N6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B235W1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	Y	7440-39-3	Barium	12.2	ug/L	B	[NULL]	[NULL]	R	B235W1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	7440-39-3	Barium	12.4	ug/L	B	[NULL]	[NULL]	R	B234N6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B235W1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B234N6	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B235W1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B234N6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	Y	7440-70-2	Calcium	19000	ug/L	[NULL]	[NULL]	[NULL]	R	B235W1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	7440-70-2	Calcium	19900	ug/L	[NULL]	[NULL]	[NULL]	R	B234N6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	16887-00-6	Chloride	1230	ug/L	D	[NULL]	[NULL]	R	B235V9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-12A	12/18/2009 10:59	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B234N6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B235W1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B234N6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B235W1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B234N6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B235W1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	DO	Dissolved oxygen	9790	ug/L	[NULL]	[NULL]	[NULL]	R	B234N5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B235V9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	12587-47-2	Gross beta	49	pCi/L	[NULL]	[NULL]	[NULL]	R	B234N6	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-12A	12/18/2009 10:59	Y	7439-89-6	Iron	25.8	ug/L	B	[NULL]	[NULL]	R	B235W1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	7439-89-6	Iron	23.9	ug/L	B	[NULL]	[NULL]	R	B234N6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	7439-95-4	Magnesium	4000	ug/L	[NULL]	[NULL]	[NULL]	R	B234N6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	Y	7439-95-4	Magnesium	4580	ug/L	[NULL]	[NULL]	[NULL]	R	B235W1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	Y	7439-96-5	Manganese	5.4	ug/L	B	[NULL]	[NULL]	R	B235W1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B234N6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B234N6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B235W1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	14797-55-8	Nitrate	877	ug/L	BD	[NULL]	[NULL]	R	B235V9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B235V9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	EH	Oxidation Reduction Potential	209	mV	[NULL]	[NULL]	[NULL]	R	B234N5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	7440-09-7	Potassium	917	ug/L	[NULL]	[NULL]	[NULL]	R	B234N6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	Y	7440-09-7	Potassium	770	ug/L	[NULL]	[NULL]	[NULL]	R	B235W1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B234N6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B235W1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	7440-23-5	Sodium	2020	ug/L	[NULL]	[NULL]	[NULL]	R	B234N6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	Y	7440-23-5	Sodium	2140	ug/L	[NULL]	[NULL]	[NULL]	R	B235W1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	CONDUCT	Specific Conductance	135	uS/cm	[NULL]	[NULL]	[NULL]	R	B234N5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-12A	12/18/2009 10:59	N	7440-24-6	Strontium	80.1	ug/L	[NULL]	[NULL]	[NULL]	R	B234N6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	Y	7440-24-6	Strontium	95.9	ug/L	[NULL]	[NULL]	[NULL]	R	B235W1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	10098-97-2	Strontium-90	17	pCi/L	[NULL]	[NULL]	[NULL]	R	B234N6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	14808-79-8	Sulfate	10300	ug/L	D	[NULL]	[NULL]	R	B235V9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	TEMPERATURE	Temperature	6.4	Deg C	[NULL]	[NULL]	[NULL]	R	B234N5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	TURBIDITY	Turbidity	5.35	NTU	[NULL]	[NULL]	[NULL]	R	B234N5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B234N6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B235W1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B234N6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B235W1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-12A	12/18/2009 10:59	N	PH	pH Measurement	7.34	unitless	[NULL]	[NULL]	[NULL]	R	B234N5	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-13A	3/8/2006 10:10	N	12587-47-2	Gross beta	427	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HV75	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-13A	3/8/2006 10:10	N	CONDUCT	Specific Conductance	134.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HV75	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-13A	3/8/2006 10:10	N	TEMPERATURE	Temperature	6	Deg C	[NULL]	[NULL]	[NULL]	S	B1HV75	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-13A	3/8/2006 10:10	N	TDS	Total dissolved solids	90100	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV75	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-13A	3/8/2006 10:10	N	PH	pH Measurement	8.9	unitless	[NULL]	[NULL]	[NULL]	S	B1HV75	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-13A	4/13/2006 13:40	N	12587-47-2	Gross beta	498	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J2H0	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-13A	4/13/2006 13:40	N	EH	Oxidation Reduction Potential	100	mV	[NULL]	[NULL]	[NULL]	S	B1J2H0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-13A	4/13/2006 13:40	N	CONDUCT	Specific Conductance	138.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J2H0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-13A	4/13/2006 13:40	N	TEMPERATURE	Temperature	8.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1J2H0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-13A	4/13/2006 13:40	N	PH	pH Measurement	7.44	unitless	[NULL]	[NULL]	[NULL]	S	B1J2H0	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-13A	5/10/2006 14:20	Y	7440-38-2	Arsenic	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J750	7440-38-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-13A	5/10/2006 14:20	Y	7440-39-3	Barium	38.95	ug/L	[NULL]	[NULL]	[NULL]	S	B1J750	7440-39-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-13A	5/10/2006 14:20	Y	7440-70-2	Calcium	21386.5	ug/L	D	[NULL]	[NULL]	S	B1J750	7440-70-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-13A	5/10/2006 14:20	Y	7440-47-3	Chromium	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J750	7440-47-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-13A	5/10/2006 14:20	N	12587-47-2	Gross beta	570	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J748	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-13A	5/10/2006 14:20	Y	7439-92-1	Lead	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J750	7439-92-1	RJ LEE	200.8_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-13A	5/10/2006 14:20	Y	7440-02-0	Nickel	2.33	ug/L	[NULL]	[NULL]	[NULL]	S	B1J750	7440-02-0	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-13A	5/10/2006 14:20	N	EH	Oxidation Reduction Potential	0	mV	[NULL]	[NULL]	[NULL]	S	B1J748	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-13A	5/10/2006 14:20	Y	7440-09-7	Potassium	1368.76	ug/L	[NULL]	[NULL]	[NULL]	S	B1J750	7440-09-7	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-13A	5/10/2006 14:20	Y	7440-23-5	Sodium	2207.38	ug/L	[NULL]	[NULL]	[NULL]	S	B1J750	7440-23-5	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-13A	5/10/2006 14:20	N	CONDUCT	Specific Conductance	149.1	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J748	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-13A	5/10/2006 14:20	N	TEMPERATURE	Temperature	12.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1J748	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-13A	5/10/2006 14:20	N	TDS	Total dissolved solids	100600	ug/L	[NULL]	[NULL]	[NULL]	S	B1J748	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-13A	5/10/2006 14:20	N	10028-17-8	Tritium	6.16	pCi/L	U	[NULL]	[NULL]	S	B1J749	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
N116mArray-13A	5/10/2006 14:20	Y	7440-66-6	Zinc	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J750	7440-66-6	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-13A	5/10/2006 14:20	N	PH	pH Measurement	7.59	unitless	[NULL]	[NULL]	[NULL]	S	B1J748	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-13A	6/6/2006 9:40	N	DO	Dissolved oxygen	6700	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDM5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-13A	6/6/2006 9:40	N	12587-47-2	Gross beta	545	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDM6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-13A	6/6/2006 9:40	N	EH	Oxidation Reduction Potential	2	mV	[NULL]	[NULL]	[NULL]	R	B1JDM5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-13A	6/6/2006 9:40	N	CONDUCT	Specific Conductance	166.8	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JDM5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-13A	6/6/2006 9:40	N	TEMPERATURE	Temperature	14.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1JDM5	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-13A	6/6/2006 9:40	N	PH	pH Measurement	6.98	unitless	[NULL]	[NULL]	[NULL]	R	B1JDM5	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	ALKALINITY	Alkalinity	49000	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBL0	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
N116mArray-13A	9/26/2006 11:20	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1KBK9	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	14234-35-6	Antimony-125	1.67	pCi/L	U	[NULL]	[NULL]	R	B1KBL2	14234-35-6	STLRL	GAMMA_GS	100-NR-2
N116mArray-13A	9/26/2006 11:20	Y	7440-39-3	Barium	42.1	ug/L	B	[NULL]	[NULL]	R	B1KBK9	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	9/26/2006 11:20	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1KBK9	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	13966-02-4	Beryllium-7	22	pCi/L	U	[NULL]	[NULL]	R	B1KBL2	13966-02-4	STLRL	GAMMA_GS	100-NR-2
N116mArray-13A	9/26/2006 11:20	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1KBK9	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	9/26/2006 11:20	Y	7440-70-2	Calcium	21700	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBK9	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	13967-70-9	Cesium-134	-0.351	pCi/L	U	[NULL]	[NULL]	R	B1KBL2	13967-70-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	10045-97-3	Cesium-137	-0.583	pCi/L	U	[NULL]	[NULL]	R	B1KBL2	10045-97-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	16887-00-6	Chloride	1600	ug/L	N	[NULL]	[NULL]	R	B1KBL0	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-13A	9/26/2006 11:20	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1KBK9	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	9/26/2006 11:20	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1KBK9	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	10198-40-0	Cobalt-60	0.899	pCi/L	U	[NULL]	[NULL]	R	B1KBL2	10198-40-0	STLRL	GAMMA_GS	100-NR-2
N116mArray-13A	9/26/2006 11:20	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1KBK9	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	DO	Dissolved oxygen	8400	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBL1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	14683-23-9	Europium-152	0.891	pCi/L	U	[NULL]	[NULL]	R	B1KBL2	14683-23-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	15585-10-1	Europium-154	-3.24	pCi/L	U	[NULL]	[NULL]	R	B1KBL2	15585-10-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	14391-16-3	Europium-155	-0.533	pCi/L	U	[NULL]	[NULL]	R	B1KBL2	14391-16-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	16984-48-8	Fluoride	78	ug/L	BN	[NULL]	[NULL]	R	B1KBL0	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	12587-46-1	Gross alpha	0.254	pCi/L	U	[NULL]	[NULL]	R	B1KBL2	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	12587-47-2	Gross beta	481	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBL2	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-13A	9/26/2006 11:20	Y	7439-89-6	Iron	146	ug/L	C	[NULL]	[NULL]	R	B1KBK9	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	9/26/2006 11:20	Y	7439-95-4	Magnesium	5320	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBK9	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	9/26/2006 11:20	Y	7439-96-5	Manganese	9.8	ug/L	B	[NULL]	[NULL]	R	B1KBK9	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	9/26/2006 11:20	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1KBK9	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	14797-55-8	Nitrate	12000	ug/L	D	[NULL]	[NULL]	R	B1KBL0	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1KBL0	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	EH	Oxidation Reduction Potential	101	mV	[NULL]	[NULL]	[NULL]	R	B1KBL1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	14265-44-2	Phosphate	100	ug/L	UN	[NULL]	[NULL]	R	B1KBL0	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	9/26/2006 11:20	Y	7440-09-7	Potassium	2790	ug/L	BC	[NULL]	[NULL]	R	B1KBK9	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	13966-00-2	Potassium-40	-43.7	pCi/L	U	[NULL]	[NULL]	R	B1KBL2	13966-00-2	STLRL	GAMMA_GS	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	13967-48-1	Ruthenium-106	9.65	pCi/L	U	[NULL]	[NULL]	R	B1KBL2	13967-48-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-13A	9/26/2006 11:20	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1KBK9	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	9/26/2006 11:20	Y	7440-23-5	Sodium	2720	ug/L	B	[NULL]	[NULL]	R	B1KBK9	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	CONDUCT	Specific Conductance	157	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KBL1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-13A	9/26/2006 11:20	Y	7440-24-6	Strontium	101	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBK9	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	10098-97-2	Strontium-90	238	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBL2	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-13A	9/26/2006 11:20	N	14808-79-8	Sulfate	11700	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBL0	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	TEMPERATURE	Temperature	19.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1KBL1	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	10028-17-8	Tritium	680	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBL2	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
N116mArray-13A	9/26/2006 11:20	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1KBK9	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	9/26/2006 11:20	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1KBK9	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	9/26/2006 11:20	N	PH	pH Measurement	6.74	unitless	[NULL]	[NULL]	[NULL]	R	B1KBL1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-13A	3/14/2007 14:25	N	DO	Dissolved oxygen	8400	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-13A	3/14/2007 14:25	N	12587-46-1	Gross alpha	5	pCi/L	[NULL]	R	[NULL]	R	B1MPH9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-13A	3/14/2007 14:25	N	12587-47-2	Gross beta	520	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MPH9	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-13A	3/14/2007 14:25	N	EH	Oxidation Reduction Potential	136	mV	[NULL]	[NULL]	[NULL]	R	B1MPH9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-13A	3/14/2007 14:25	N	CONDUCT	Specific Conductance	165.2	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MPH9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-13A	3/14/2007 14:25	N	TEMPERATURE	Temperature	12	Deg C	[NULL]	[NULL]	[NULL]	R	B1MPH9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-13A	3/14/2007 14:25	N	TURBIDITY	Turbidity	0.49	NTU	[NULL]	[NULL]	[NULL]	R	B1MPH9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-13A	3/14/2007 14:25	N	PH	pH Measurement	7.65	unitless	[NULL]	[NULL]	[NULL]	R	B1MPH9	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-13A	6/26/2007 15:00	N	DO	Dissolved oxygen	7250	ug/L	[NULL]	[NULL]	[NULL]	R	B1NTY1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-13A	6/26/2007 15:00	N	12587-46-1	Gross alpha	-0.77	pCi/L	U	G	[NULL]	R	B1NV29	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-13A	6/26/2007 15:00	N	12587-47-2	Gross beta	540	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NV29	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-13A	6/26/2007 15:00	N	EH	Oxidation Reduction Potential	49	mV	[NULL]	[NULL]	[NULL]	R	B1NTY1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-13A	6/26/2007 15:00	N	CONDUCT	Specific Conductance	160.8	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NTY1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-13A	6/26/2007 15:00	N	TEMPERATURE	Temperature	21.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1NTY1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-13A	6/26/2007 15:00	N	TURBIDITY	Turbidity	0.92	NTU	[NULL]	[NULL]	[NULL]	R	B1NTY1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-13A	6/26/2007 15:00	N	PH	pH Measurement	7.57	unitless	[NULL]	[NULL]	[NULL]	R	B1NTY1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	ALKALINITY	Alkalinity	68000	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W8	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	ALKALINITY	Alkalinity	61000	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X1	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	14596-10-2	Americium-241	0.351	pCi/L	U	[NULL]	[NULL]	R	B1P3X1	14596-10-2	TARL	GAMMA_GS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-36-0	Antimony	0.323	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W8	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-36-0	Antimony	89.7	ug/L	UD	[NULL]	[NULL]	R	B1P3X1	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-13A	8/8/2007 10:50	N	14234-35-6	Antimony-125	0.304	pCi/L	U	[NULL]	[NULL]	R	B1P3X1	14234-35-6	TARL	GAMMA_GS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-38-2	Arsenic	3.8	ug/L	UD	[NULL]	[NULL]	R	B1P3X1	7440-38-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-38-2	Arsenic	0.4	ug/L	U	[NULL]	[NULL]	R	B1P3W8	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-39-3	Barium	40.1	ug/L	BD	[NULL]	[NULL]	R	B1P3X1	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-39-3	Barium	37.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W8	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-41-7	Beryllium	2.1	ug/L	UD	[NULL]	[NULL]	R	B1P3X1	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-41-7	Beryllium	0.05	ug/L	U	[NULL]	[NULL]	R	B1P3W8	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	13966-02-4	Beryllium-7	-20.1	pCi/L	U	[NULL]	[NULL]	R	B1P3X1	13966-02-4	TARL	GAMMA_GS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	24959-67-9	Bromide	62	ug/L	U	[NULL]	[NULL]	R	B1P3X1	24959-67-9	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	24959-67-9	Bromide	30	ug/L	U	[NULL]	[NULL]	R	B1P3W8	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-43-9	Cadmium	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3W8	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-43-9	Cadmium	7.1	ug/L	UD	[NULL]	[NULL]	R	B1P3X1	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-70-2	Calcium	20600	ug/L	D	[NULL]	[NULL]	R	B1P3W8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-70-2	Calcium	19900	ug/L	D	[NULL]	[NULL]	R	B1P3X1	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	13967-70-9	Cesium-134	-1.33	pCi/L	U	[NULL]	[NULL]	R	B1P3X1	13967-70-9	TARL	GAMMA_GS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	10045-97-3	Cesium-137	5.35	pCi/L	U	[NULL]	[NULL]	R	B1P3W8	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	10045-97-3	Cesium-137	0.309	pCi/L	U	[NULL]	[NULL]	R	B1P3X1	10045-97-3	TARL	GAMMA_GS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	16887-00-6	Chloride	1120	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	16887-00-6	Chloride	1100	ug/L	N	[NULL]	[NULL]	R	B1P3X1	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-47-3	Chromium	4.9	ug/L	UD	[NULL]	[NULL]	R	B1P3X1	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-47-3	Chromium	0.91	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W8	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-48-4	Cobalt	0.129	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W8	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-48-4	Cobalt	4	ug/L	UD	[NULL]	[NULL]	R	B1P3X1	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	10198-40-0	Cobalt-60	-4.67	pCi/L	U	[NULL]	[NULL]	R	B1P3W8	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	10198-40-0	Cobalt-60	0.498	pCi/L	U	[NULL]	[NULL]	R	B1P3X1	10198-40-0	TARL	GAMMA_GS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	DO	Dissolved oxygen	6300	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	14683-23-9	Europium-152	6.08	pCi/L	U	[NULL]	[NULL]	R	B1P3W8	14683-23-9	WSCF	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-13A	8/8/2007 10:50	N	14683-23-9	Europium-152	0.068	pCi/L	U	[NULL]	[NULL]	R	B1P3X1	14683-23-9	TARL	GAMMA_GS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	15585-10-1	Europium-154	-2.68	pCi/L	U	[NULL]	[NULL]	R	B1P3W8	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	15585-10-1	Europium-154	-5.09	pCi/L	U	[NULL]	[NULL]	R	B1P3X1	15585-10-1	TARL	GAMMA_GS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	14391-16-3	Europium-155	0.06	pCi/L	U	[NULL]	[NULL]	R	B1P3X1	14391-16-3	TARL	GAMMA_GS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	14391-16-3	Europium-155	-2.37	pCi/L	U	[NULL]	[NULL]	R	B1P3W8	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	16984-48-8	Fluoride	57	ug/L	BN	[NULL]	[NULL]	R	B1P3X1	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	16984-48-8	Fluoride	23	ug/L	B	[NULL]	[NULL]	R	B1P3W8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	12587-46-1	Gross alpha	0.37	pCi/L	U	G	[NULL]	R	B1P3W8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	12587-47-2	Gross beta	500	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W8	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	12587-47-2	Gross beta	504	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3X1	12587-47-2	TARL	BETA_GPC	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7439-89-6	Iron	245	ug/L	D	[NULL]	[NULL]	R	B1P3X1	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7439-89-6	Iron	230	ug/L	D	[NULL]	[NULL]	R	B1P3W8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7439-95-4	Magnesium	5230	ug/L	BD	[NULL]	[NULL]	R	B1P3X1	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7439-95-4	Magnesium	4770	ug/L	D	[NULL]	[NULL]	R	B1P3W8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7439-96-5	Manganese	21.6	ug/L	BCD	[NULL]	[NULL]	R	B1P3X1	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7439-96-5	Manganese	19.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W8	7439-96-5	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-02-0	Nickel	0.324	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W8	7440-02-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-02-0	Nickel	9.1	ug/L	UD	[NULL]	[NULL]	R	B1P3X1	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	14797-55-8	Nitrate	4000	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	14797-55-8	Nitrate	2830	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X1	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	R	B1P3W8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	14797-65-0	Nitrite	16.4	ug/L	UN	[NULL]	[NULL]	R	B1P3X1	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	EH	Oxidation Reduction Potential	78	mV	[NULL]	[NULL]	[NULL]	R	B1P3X1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	14265-44-2	Phosphate	160	ug/L	UN	[NULL]	[NULL]	R	B1P3X1	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	14265-44-2	Phosphate	123	ug/L	U	[NULL]	[NULL]	R	B1P3W8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-09-7	Potassium	3270	ug/L	UD	[NULL]	[NULL]	R	B1P3X1	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-09-7	Potassium	1450	ug/L	D	[NULL]	[NULL]	R	B1P3W8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-13A	8/8/2007 10:50	N	13982-63-3	Radium-226	2.17	pCi/L	U	[NULL]	[NULL]	R	B1P3X1	13982-63-3	TARL	GAMMA_GS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	15262-20-1	Radium-228	5.06	pCi/L	U	[NULL]	[NULL]	R	B1P3X1	15262-20-1	TARL	GAMMA_GS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-22-4	Silver	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3W8	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-22-4	Silver	3.6	ug/L	BD	[NULL]	[NULL]	R	B1P3X1	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-23-5	Sodium	2040	ug/L	D	[NULL]	[NULL]	R	B1P3W8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-23-5	Sodium	2180	ug/L	BD	[NULL]	[NULL]	R	B1P3X1	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	CONDUCT	Specific Conductance	152.3	uS/cm	[NULL]	[NULL]	[NULL]	R	B1P3X1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-24-6	Strontium	97.1	ug/L	N	[NULL]	[NULL]	R	B1P3W8	7440-24-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-24-6	Strontium	103	ug/L	CD	[NULL]	[NULL]	R	B1P3X1	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	10098-97-2	Strontium-90	240	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	10098-97-2	Strontium-90	235	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3X1	SR-RAD	TARL	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	14808-79-8	Sulfate	9490	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	14808-79-8	Sulfate	9200	ug/L	N	[NULL]	[NULL]	R	B1P3X1	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	TEMPERATURE	Temperature	24.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1P3X1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	10028-17-8	Tritium	220	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W8	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	10028-17-8	Tritium	159	pCi/L	U	[NULL]	[NULL]	R	B1P3X1	10028-17-8	TARL	906.0_H3_LSC	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	15117-96-1	Uranium-235	0.798	pCi/L	U	[NULL]	[NULL]	R	B1P3X1	15117-96-1	TARL	GAMMA_GS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-62-2	Vanadium	12.1	ug/L	UD	[NULL]	[NULL]	R	B1P3X1	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-62-2	Vanadium	0.949	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W8	7440-62-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-66-6	Zinc	1.21	ug/L	C	[NULL]	[NULL]	R	B1P3W8	7440-66-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	7440-66-6	Zinc	19.3	ug/L	UD	[NULL]	[NULL]	R	B1P3X1	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-13A	8/8/2007 10:50	N	PH	pH Measurement	6.57	unitless	[NULL]	[NULL]	[NULL]	R	B1P3X1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-13A	12/14/2007 12:12	N	DO	Dissolved oxygen	12800	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9R8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-13A	12/14/2007 12:12	N	12587-47-2	Gross beta	378	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9R9	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-13A	12/14/2007 12:12	N	EH	Oxidation Reduction Potential	111	mV	[NULL]	[NULL]	[NULL]	R	B1R9R8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-13A	12/14/2007 12:12	N	CONDUCT	Specific Conductance	130	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R9R8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-13A	12/14/2007 12:12	N	TEMPERATURE	Temperature	7.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1R9R8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-13A	12/14/2007 12:12	N	TURBIDITY	Turbidity	1.86	NTU	[NULL]	[NULL]	[NULL]	R	B1R9R8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-13A	12/14/2007 12:12	N	PH	pH Measurement	8.03	unitless	[NULL]	[NULL]	[NULL]	R	B1R9R8	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-13A	3/24/2008 10:46	N	DO	Dissolved oxygen	9020	ug/L	[NULL]	[NULL]	[NULL]	R	B1THJ5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-13A	3/24/2008 10:46	N	12587-47-2	Gross beta	538	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THJ6	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-13A	3/24/2008 10:46	N	EH	Oxidation Reduction Potential	177	mV	[NULL]	[NULL]	[NULL]	R	B1THJ5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-13A	3/24/2008 10:46	N	CONDUCT	Specific Conductance	173	uS/cm	[NULL]	[NULL]	[NULL]	R	B1THJ5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-13A	3/24/2008 10:46	N	TEMPERATURE	Temperature	6.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1THJ5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-13A	3/24/2008 10:46	N	TURBIDITY	Turbidity	14.3	NTU	[NULL]	[NULL]	[NULL]	R	B1THJ5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-13A	3/24/2008 10:46	N	PH	pH Measurement	8.37	unitless	[NULL]	[NULL]	[NULL]	R	B1THJ5	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-13A	6/23/2008 11:13	N	DO	Dissolved oxygen	1550	ug/L	[NULL]	[NULL]	[NULL]	R	B1VJV2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-13A	6/23/2008 11:13	N	12587-47-2	Gross beta	340	pCi/L	[NULL]	[NULL]	[NULL]	R	B1VJV3	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-13A	6/23/2008 11:13	N	EH	Oxidation Reduction Potential	37	mV	[NULL]	[NULL]	[NULL]	R	B1VJV2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-13A	6/23/2008 11:13	N	CONDUCT	Specific Conductance	152	uS/cm	[NULL]	[NULL]	[NULL]	R	B1VJV2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-13A	6/23/2008 11:13	N	TEMPERATURE	Temperature	15.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1VJV2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-13A	6/23/2008 11:13	N	TURBIDITY	Turbidity	2.96	NTU	[NULL]	[NULL]	[NULL]	R	B1VJV2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-13A	6/23/2008 11:13	N	PH	pH Measurement	7.56	unitless	[NULL]	[NULL]	[NULL]	R	B1VJV2	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-13A	1/7/2009 10:19	N	DO	Dissolved oxygen	11680	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWX6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-13A	1/7/2009 10:19	N	EH	Oxidation Reduction Potential	70	mV	[NULL]	[NULL]	[NULL]	R	B1XWX6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-13A	1/7/2009 10:19	N	CONDUCT	Specific Conductance	139	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWX6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-13A	1/7/2009 10:19	N	TEMPERATURE	Temperature	6.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWX6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-13A	1/7/2009 10:19	N	TURBIDITY	Turbidity	0.6	NTU	[NULL]	[NULL]	[NULL]	R	B1XWX6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-13A	1/7/2009 10:19	N	PH	pH Measurement	7.51	unitless	[NULL]	[NULL]	[NULL]	R	B1XWX6	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-13A	1/7/2009 10:21	N	12587-47-2	Gross beta	295	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XWX7	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	ALKALINITY	Alkalinity	62000	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL1	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YPL1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YPL0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	7440-39-3	Barium	51.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-13A	4/7/2009 10:19	Y	7440-39-3	Barium	48.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YPL1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YPL0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YPL1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YPL0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	7440-70-2	Calcium	42100	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	Y	7440-70-2	Calcium	40900	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	16887-00-6	Chloride	8180	ug/L	D	[NULL]	[NULL]	R	B1YPL1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	4/7/2009 10:19	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YPL0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YPL1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YPL0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YPL1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YPL0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YPL1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	DO	Dissolved oxygen	9800	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	16984-48-8	Fluoride	46	ug/L	UD	[NULL]	[NULL]	R	B1YPL1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	12587-46-1	Gross alpha	0.088	pCi/L	U	[NULL]	[NULL]	R	B1YPL1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	12587-47-2	Gross beta	710	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPL1	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	7439-89-6	Iron	227	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B1YPL0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	Y	7439-95-4	Magnesium	9390	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	7439-95-4	Magnesium	9810	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1YPL0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1YPL1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YPL0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YPL1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	14797-55-8	Nitrate	27900	ug/L	D	[NULL]	[NULL]	R	B1YPL1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-13A	4/7/2009 10:19	N	14797-65-0	Nitrite	85.4	ug/L	UD	[NULL]	[NULL]	R	B1YPL1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	EH	Oxidation Reduction Potential	-5	mV	[NULL]	[NULL]	[NULL]	R	B1YPL2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	14265-44-2	Phosphate	368	ug/L	UD	[NULL]	[NULL]	R	B1YPL1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	4/7/2009 10:19	Y	7440-09-7	Potassium	966	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	7440-09-7	Potassium	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YPL0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YPL1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	7440-23-5	Sodium	3100	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	Y	7440-23-5	Sodium	3100	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	CONDUCT	Specific Conductance	327	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YPL2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-13A	4/7/2009 10:19	Y	7440-24-6	Strontium	178	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	7440-24-6	Strontium	186	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	10098-97-2	Strontium-90	300	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPL1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	14808-79-8	Sulfate	48200	ug/L	D	[NULL]	[NULL]	R	B1YPL1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	TEMPERATURE	Temperature	12.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1YPL2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	TURBIDITY	Turbidity	1.36	NTU	[NULL]	[NULL]	[NULL]	R	B1YPL2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YPL1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YPL0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YPL0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YPL1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-13A	4/7/2009 10:19	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	R	B1YPL2	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-14A	3/8/2006 10:20	N	12587-47-2	Gross beta	145	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HV76	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-14A	3/8/2006 10:20	N	CONDUCT	Specific Conductance	138.8	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HV76	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-14A	3/8/2006 10:20	N	TEMPERATURE	Temperature	5.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1HV76	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-14A	3/8/2006 10:20	N	TDS	Total dissolved solids	92800	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV76	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-14A	3/8/2006 10:20	N	PH	pH Measurement	8.5	unitless	[NULL]	[NULL]	[NULL]	S	B1HV76	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-14A	4/13/2006 13:45	N	DO	Dissolved oxygen	7500	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2H3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-14A	4/13/2006 13:45	N	12587-47-2	Gross beta	194	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J2H3	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-14A	4/13/2006 13:45	N	EH	Oxidation Reduction Potential	-8	mV	[NULL]	[NULL]	[NULL]	S	B1J2H3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-14A	4/13/2006 13:45	N	CONDUCT	Specific Conductance	153.7	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J2H3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-14A	4/13/2006 13:45	N	TEMPERATURE	Temperature	8.76	Deg C	[NULL]	[NULL]	[NULL]	S	B1J2H3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-14A	4/13/2006 13:45	N	PH	pH Measurement	7.76	unitless	[NULL]	[NULL]	[NULL]	S	B1J2H3	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-14A	5/10/2006 14:30	Y	7440-38-2	Arsenic	0.64	ug/L	B	[NULL]	[NULL]	S	B1J753	7440-38-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-14A	5/10/2006 14:30	Y	7440-39-3	Barium	22.58	ug/L	[NULL]	[NULL]	[NULL]	S	B1J753	7440-39-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-14A	5/10/2006 14:30	Y	7440-70-2	Calcium	22871.5	ug/L	D	[NULL]	[NULL]	S	B1J753	7440-70-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-14A	5/10/2006 14:30	Y	7440-47-3	Chromium	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J753	7440-47-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-14A	5/10/2006 14:30	N	12587-47-2	Gross beta	181	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J751	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-14A	5/10/2006 14:30	Y	7439-92-1	Lead	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J753	7439-92-1	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-14A	5/10/2006 14:30	Y	7440-02-0	Nickel	0.82	ug/L	[NULL]	[NULL]	[NULL]	S	B1J753	7440-02-0	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-14A	5/10/2006 14:30	N	EH	Oxidation Reduction Potential	62	mV	[NULL]	[NULL]	[NULL]	S	B1J751	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-14A	5/10/2006 14:30	Y	7440-09-7	Potassium	982.56	ug/L	[NULL]	[NULL]	[NULL]	S	B1J753	7440-09-7	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-14A	5/10/2006 14:30	Y	7440-23-5	Sodium	2511.23	ug/L	[NULL]	[NULL]	[NULL]	S	B1J753	7440-23-5	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-14A	5/10/2006 14:30	N	CONDUCT	Specific Conductance	150.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J751	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-14A	5/10/2006 14:30	N	TEMPERATURE	Temperature	13.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1J751	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-14A	5/10/2006 14:30	N	TDS	Total dissolved solids	101400	ug/L	[NULL]	[NULL]	[NULL]	S	B1J751	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-14A	5/10/2006 14:30	N	10028-17-8	Tritium	-2.32	pCi/L	U	[NULL]	[NULL]	S	B1J752	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
N116mArray-14A	5/10/2006 14:30	Y	7440-66-6	Zinc	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J753	7440-66-6	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-14A	5/10/2006 14:30	N	PH	pH Measurement	7.44	unitless	[NULL]	[NULL]	[NULL]	S	B1J751	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-14A	6/6/2006 9:30	N	DO	Dissolved oxygen	4400	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDM7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-14A	6/6/2006 9:30	N	12587-47-2	Gross beta	147	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDM8	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-14A	6/6/2006 9:30	N	EH	Oxidation Reduction Potential	47	mV	[NULL]	[NULL]	[NULL]	R	B1JDM7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-14A	6/6/2006 9:30	N	CONDUCT	Specific Conductance	126.5	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JDM7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-14A	6/6/2006 9:30	N	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1JDM7	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-14A	6/6/2006 9:30	N	PH	pH Measurement	7.07	unitless	[NULL]	[NULL]	[NULL]	R	B1JDM7	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-14A	9/26/2006 11:50	N	ALKALINITY	Alkalinity	62000	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBL4	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
N116mArray-14A	9/26/2006 11:50	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1KBL3	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	14234-35-6	Antimony-125	3.34	pCi/L	U	[NULL]	[NULL]	R	B1KBL6	14234-35-6	STLRL	GAMMA_GS	100-NR-2
N116mArray-14A	9/26/2006 11:50	Y	7440-39-3	Barium	23.9	ug/L	B	[NULL]	[NULL]	R	B1KBL3	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-14A	9/26/2006 11:50	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1KBL3	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	13966-02-4	Beryllium-7	-13.2	pCi/L	U	[NULL]	[NULL]	R	B1KBL6	13966-02-4	STLRL	GAMMA_GS	100-NR-2
N116mArray-14A	9/26/2006 11:50	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1KBL3	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-14A	9/26/2006 11:50	Y	7440-70-2	Calcium	24000	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBL3	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	13967-70-9	Cesium-134	-0.283	pCi/L	U	[NULL]	[NULL]	R	B1KBL6	13967-70-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	10045-97-3	Cesium-137	0.0656	pCi/L	U	[NULL]	[NULL]	R	B1KBL6	10045-97-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	16887-00-6	Chloride	3200	ug/L	N	[NULL]	[NULL]	R	B1KBL4	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-14A	9/26/2006 11:50	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1KBL3	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-14A	9/26/2006 11:50	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1KBL3	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	10198-40-0	Cobalt-60	2.08	pCi/L	U	[NULL]	[NULL]	R	B1KBL6	10198-40-0	STLRL	GAMMA_GS	100-NR-2
N116mArray-14A	9/26/2006 11:50	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1KBL3	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	DO	Dissolved oxygen	8300	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBL4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	14683-23-9	Europium-152	-1.78	pCi/L	U	[NULL]	[NULL]	R	B1KBL6	14683-23-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	15585-10-1	Europium-154	-1.33	pCi/L	U	[NULL]	[NULL]	R	B1KBL6	15585-10-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	14391-16-3	Europium-155	0.767	pCi/L	U	[NULL]	[NULL]	R	B1KBL6	14391-16-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	16984-48-8	Fluoride	92	ug/L	BN	[NULL]	[NULL]	R	B1KBL4	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	12587-46-1	Gross alpha	0.199	pCi/L	U	[NULL]	[NULL]	R	B1KBL6	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	12587-47-2	Gross beta	186	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBL6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-14A	9/26/2006 11:50	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1KBL3	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-14A	9/26/2006 11:50	Y	7439-95-4	Magnesium	5250	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBL3	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-14A	9/26/2006 11:50	Y	7439-96-5	Manganese	2.5	ug/L	U	[NULL]	[NULL]	R	B1KBL3	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-14A	9/26/2006 11:50	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1KBL3	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	14797-55-8	Nitrate	9300	ug/L	D	[NULL]	[NULL]	R	B1KBL4	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-14A	9/26/2006 11:50	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1KBL4	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	EH	Oxidation Reduction Potential	21.2	mV	[NULL]	[NULL]	[NULL]	R	B1KBL4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	14265-44-2	Phosphate	100	ug/L	UN	[NULL]	[NULL]	R	B1KBL4	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-14A	9/26/2006 11:50	Y	7440-09-7	Potassium	2240	ug/L	BC	[NULL]	[NULL]	R	B1KBL3	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	13966-00-2	Potassium-40	-91.9	pCi/L	U	[NULL]	[NULL]	R	B1KBL6	13966-00-2	STLRL	GAMMA_GS	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	13967-48-1	Ruthenium-106	-1.05	pCi/L	U	[NULL]	[NULL]	R	B1KBL6	13967-48-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-14A	9/26/2006 11:50	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1KBL3	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-14A	9/26/2006 11:50	Y	7440-23-5	Sodium	3000	ug/L	B	[NULL]	[NULL]	R	B1KBL3	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	CONDUCT	Specific Conductance	172.9	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KBL4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-14A	9/26/2006 11:50	Y	7440-24-6	Strontium	112	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBL3	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	10098-97-2	Strontium-90	97	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBL6	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	14808-79-8	Sulfate	16100	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBL4	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	TEMPERATURE	Temperature	20.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1KBL4	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	10028-17-8	Tritium	7840	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBL6	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
N116mArray-14A	9/26/2006 11:50	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1KBL3	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-14A	9/26/2006 11:50	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1KBL3	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-14A	9/26/2006 11:50	N	PH	pH Measurement	7.1	unitless	[NULL]	[NULL]	[NULL]	R	B1KBL4	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-14A	3/14/2007 14:50	N	DO	Dissolved oxygen	7500	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPJ0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-14A	3/14/2007 14:50	N	12587-46-1	Gross alpha	2	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MPJ0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-14A	3/14/2007 14:50	N	12587-47-2	Gross beta	210	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MPJ0	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-14A	3/14/2007 14:50	N	EH	Oxidation Reduction Potential	183	mV	[NULL]	[NULL]	[NULL]	R	B1MPJ0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-14A	3/14/2007 14:50	N	CONDUCT	Specific Conductance	212.5	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MPJ0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-14A	3/14/2007 14:50	N	TEMPERATURE	Temperature	13	Deg C	[NULL]	[NULL]	[NULL]	R	B1MPJ0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-14A	3/14/2007 14:50	N	TURBIDITY	Turbidity	2.14	NTU	[NULL]	[NULL]	[NULL]	R	B1MPJ0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-14A	3/14/2007 14:50	N	PH	pH Measurement	7.61	unitless	[NULL]	[NULL]	[NULL]	R	B1MPJ0	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-14A	6/27/2007 11:10	N	DO	Dissolved oxygen	7220	ug/L	[NULL]	[NULL]	[NULL]	R	B1NTY2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-14A	6/27/2007 11:10	N	12587-46-1	Gross alpha	1.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NV30	12587-46-1	WSCF	ALPHA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-14A	6/27/2007 11:10	N	12587-47-2	Gross beta	170	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NV30	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-14A	6/27/2007 11:10	N	EH	Oxidation Reduction Potential	72	mV	[NULL]	[NULL]	[NULL]	R	B1NTY2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-14A	6/27/2007 11:10	N	CONDUCT	Specific Conductance	157.1	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NTY2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-14A	6/27/2007 11:10	N	TEMPERATURE	Temperature	22.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1NTY2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-14A	6/27/2007 11:10	N	TURBIDITY	Turbidity	0.84	NTU	[NULL]	[NULL]	[NULL]	R	B1NTY2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-14A	6/27/2007 11:10	N	PH	pH Measurement	7.46	unitless	[NULL]	[NULL]	[NULL]	R	B1NTY2	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-14A	8/13/2007 13:00	N	DO	Dissolved oxygen	7040	ug/L	[NULL]	[NULL]	[NULL]	C	B1P3P5	DO	FIELD	360.1_OXYGEN	100-NR-2
N116mArray-14A	8/13/2007 13:00	N	EH	Oxidation Reduction Potential	37	mV	[NULL]	[NULL]	[NULL]	C	B1P3P5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-14A	8/13/2007 13:00	N	CONDUCT	Specific Conductance	178.6	uS/cm	[NULL]	[NULL]	[NULL]	C	B1P3P5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-14A	8/13/2007 13:00	N	TEMPERATURE	Temperature	21.2	Deg C	[NULL]	[NULL]	[NULL]	C	B1P3P5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-14A	8/13/2007 13:00	N	TURBIDITY	Turbidity	3.42	NTU	[NULL]	[NULL]	[NULL]	C	B1P3P5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-14A	8/13/2007 13:00	N	PH	pH Measurement	7.33	unitless	[NULL]	[NULL]	[NULL]	C	B1P3P5	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	ALKALINITY	Alkalinity	67000	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W9	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	7440-36-0	Antimony	0.3	ug/L	U	[NULL]	[NULL]	R	B1P3W9	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	7440-38-2	Arsenic	0.4	ug/L	U	[NULL]	[NULL]	R	B1P3W9	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	7440-39-3	Barium	23	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W9	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	7440-41-7	Beryllium	0.05	ug/L	U	[NULL]	[NULL]	R	B1P3W9	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	24959-67-9	Bromide	30	ug/L	U	[NULL]	[NULL]	R	B1P3W9	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	7440-43-9	Cadmium	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3W9	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	7440-70-2	Calcium	25200	ug/L	D	[NULL]	[NULL]	R	B1P3W9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	10045-97-3	Cesium-137	-0.308	pCi/L	U	[NULL]	[NULL]	R	B1P3W9	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	16887-00-6	Chloride	2770	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	7440-47-3	Chromium	1.04	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W9	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	7440-48-4	Cobalt	0.05	ug/L	U	[NULL]	[NULL]	R	B1P3W9	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	10198-40-0	Cobalt-60	-2.03	pCi/L	U	[NULL]	[NULL]	R	B1P3W9	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	14683-23-9	Europium-152	-2.31	pCi/L	U	[NULL]	[NULL]	R	B1P3W9	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	15585-10-1	Europium-154	-6.6	pCi/L	U	[NULL]	[NULL]	R	B1P3W9	15585-10-1	WSCF	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-14A	8/13/2007 14:30	N	14391-16-3	Europium-155	5.14	pCi/L	U	[NULL]	[NULL]	R	B1P3W9	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	16984-48-8	Fluoride	75	ug/L	B	[NULL]	[NULL]	R	B1P3W9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	12587-46-1	Gross alpha	0.89	pCi/L	U	[NULL]	[NULL]	R	B1P3W9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	12587-47-2	Gross beta	160	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W9	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	R	B1P3W9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	7439-95-4	Magnesium	5010	ug/L	D	[NULL]	[NULL]	R	B1P3W9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	7439-96-5	Manganese	1.42	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W9	7439-96-5	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	7440-02-0	Nickel	0.248	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W9	7440-02-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	14797-55-8	Nitrate	8770	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	R	B1P3W9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	14265-44-2	Phosphate	123	ug/L	U	[NULL]	[NULL]	R	B1P3W9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	7440-09-7	Potassium	1200	ug/L	D	[NULL]	[NULL]	R	B1P3W9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	7440-22-4	Silver	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3W9	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	7440-23-5	Sodium	2490	ug/L	D	[NULL]	[NULL]	R	B1P3W9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	7440-24-6	Strontium	107	ug/L	N	[NULL]	[NULL]	R	B1P3W9	7440-24-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	10098-97-2	Strontium-90	51	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	14808-79-8	Sulfate	16700	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	10028-17-8	Tritium	5100	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W9	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	7440-62-2	Vanadium	1.47	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W9	7440-62-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-14A	8/13/2007 14:30	N	7440-66-6	Zinc	0.8	ug/L	U	[NULL]	[NULL]	R	B1P3W9	7440-66-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-14A	12/18/2007 9:04	N	DO	Dissolved oxygen	10300	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9T0	DO	FIELD	360.1_OXYGEN	100-NR-2
N116mArray-14A	12/18/2007 9:04	N	12587-47-2	Gross beta	122	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9T1	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-14A	12/18/2007 9:04	N	CONDUCT	Specific Conductance	2.23	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R9T0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-14A	12/18/2007 9:04	N	TEMPERATURE	Temperature	8	Deg C	[NULL]	[NULL]	[NULL]	R	B1R9T0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-14A	12/18/2007 9:04	N	TURBIDITY	Turbidity	9.08	NTU	[NULL]	[NULL]	[NULL]	R	B1R9T0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-14A	12/18/2007 9:04	N	PH	pH Measurement	7.36	unitless	[NULL]	[NULL]	[NULL]	R	B1R9T0	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-14A	3/24/2008 11:03	N	DO	Dissolved oxygen	7440	ug/L	[NULL]	[NULL]	[NULL]	R	B1THJ7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-14A	3/24/2008 11:03	N	12587-47-2	Gross beta	244	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THJ8	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-14A	3/24/2008 11:03	N	EH	Oxidation Reduction Potential	166	mV	[NULL]	[NULL]	[NULL]	R	B1THJ7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-14A	3/24/2008 11:03	N	CONDUCT	Specific Conductance	250	uS/cm	[NULL]	[NULL]	[NULL]	R	B1THJ7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-14A	3/24/2008 11:03	N	TEMPERATURE	Temperature	8.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1THJ7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-14A	3/24/2008 11:03	N	TURBIDITY	Turbidity	1.55	NTU	[NULL]	[NULL]	[NULL]	R	B1THJ7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-14A	3/24/2008 11:03	N	PH	pH Measurement	7.63	unitless	[NULL]	[NULL]	[NULL]	R	B1THJ7	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-14A	6/23/2008 11:28	N	DO	Dissolved oxygen	3880	ug/L	[NULL]	[NULL]	[NULL]	R	B1VJV4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-14A	6/23/2008 11:28	N	12587-47-2	Gross beta	120	pCi/L	[NULL]	[NULL]	[NULL]	R	B1VJV5	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-14A	6/23/2008 11:28	N	EH	Oxidation Reduction Potential	76	mV	[NULL]	[NULL]	[NULL]	R	B1VJV4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-14A	6/23/2008 11:28	N	CONDUCT	Specific Conductance	127	uS/cm	[NULL]	[NULL]	[NULL]	R	B1VJV4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-14A	6/23/2008 11:28	N	TEMPERATURE	Temperature	15.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1VJV4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-14A	6/23/2008 11:28	N	TURBIDITY	Turbidity	1.32	NTU	[NULL]	[NULL]	[NULL]	R	B1VJV4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-14A	6/23/2008 11:28	N	PH	pH Measurement	7.55	unitless	[NULL]	[NULL]	[NULL]	R	B1VJV4	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-14A	1/7/2009 10:05	N	DO	Dissolved oxygen	10410	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWX8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-14A	1/7/2009 10:05	N	12587-47-2	Gross beta	197	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XWX9	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-14A	1/7/2009 10:05	N	EH	Oxidation Reduction Potential	2.21	mV	[NULL]	[NULL]	[NULL]	R	B1XWX8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-14A	1/7/2009 10:05	N	CONDUCT	Specific Conductance	194	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWX8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-14A	1/7/2009 10:05	N	TEMPERATURE	Temperature	6.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWX8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-14A	1/7/2009 10:05	N	TURBIDITY	Turbidity	3.39	NTU	[NULL]	[NULL]	[NULL]	R	B1XWX8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-14A	1/7/2009 10:05	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	B1XWX8	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	ALKALINITY	Alkalinity	62000	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL4	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YPL4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YPL3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	Y	7440-39-3	Barium	43.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	7440-39-3	Barium	43.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YPL4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YPL3	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-14A	4/7/2009 12:06	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YPL3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YPL4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	7440-70-2	Calcium	52200	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	Y	7440-70-2	Calcium	52000	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	16887-00-6	Chloride	13500	ug/L	D	[NULL]	[NULL]	R	B1YPL4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YPL4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YPL3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YPL3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YPL4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YPL4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YPL3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	DO	Dissolved oxygen	8330	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	16984-48-8	Fluoride	46	ug/L	UD	[NULL]	[NULL]	R	B1YPL4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	12587-46-1	Gross alpha	0.73	pCi/L	U	[NULL]	[NULL]	R	B1YPL4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	12587-47-2	Gross beta	420	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPL4	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B1YPL4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	Y	7439-89-6	Iron	26.4	ug/L	B	[NULL]	[NULL]	R	B1YPL3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	Y	7439-95-4	Magnesium	9920	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	7439-95-4	Magnesium	10100	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	Y	7439-96-5	Manganese	5.4	ug/L	B	[NULL]	[NULL]	R	B1YPL3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1YPL4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YPL3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YPL4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	14797-55-8	Nitrate	40400	ug/L	D	[NULL]	[NULL]	R	B1YPL4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	14797-65-0	Nitrite	85.4	ug/L	UD	[NULL]	[NULL]	R	B1YPL4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	EH	Oxidation Reduction Potential	185	mV	[NULL]	[NULL]	[NULL]	R	B1YPL5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	14265-44-2	Phosphate	368	ug/L	UD	[NULL]	[NULL]	R	B1YPL4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-14A	4/7/2009 12:06	Y	7440-09-7	Potassium	1500	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	7440-09-7	Potassium	1500	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YPL3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YPL4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	Y	7440-23-5	Sodium	4110	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	7440-23-5	Sodium	4180	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	CONDUCT	Specific Conductance	370	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YPL5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-14A	4/7/2009 12:06	Y	7440-24-6	Strontium	235	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	7440-24-6	Strontium	239	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	10098-97-2	Strontium-90	180	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPL4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	14808-79-8	Sulfate	64500	ug/L	D	[NULL]	[NULL]	R	B1YPL4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	TEMPERATURE	Temperature	15.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1YPL5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	10028-17-8	Tritium	14000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPL6	10028-17-8	TARL	906.0ML_H3_LSC	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	TURBIDITY	Turbidity	0.2	NTU	[NULL]	[NULL]	[NULL]	R	B1YPL5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-14A	4/7/2009 12:06	Y	7440-62-2	Vanadium	26.9	ug/L	B	[NULL]	[NULL]	R	B1YPL3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	7440-62-2	Vanadium	17.3	ug/L	B	[NULL]	[NULL]	R	B1YPL4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YPL3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YPL4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-14A	4/7/2009 12:06	N	PH	pH Measurement	7.64	unitless	[NULL]	[NULL]	[NULL]	R	B1YPL5	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-14A	6/23/2009 10:37	N	DO	Dissolved oxygen	5210	ug/L	[NULL]	[NULL]	[NULL]	R	B20M30	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-14A	6/23/2009 10:37	N	12587-47-2	Gross beta	170	pCi/L	[NULL]	[NULL]	[NULL]	R	B20M31	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-14A	6/23/2009 10:37	N	EH	Oxidation Reduction Potential	-6	mV	[NULL]	[NULL]	[NULL]	R	B20M30	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-14A	6/23/2009 10:37	N	CONDUCT	Specific Conductance	137	uS/cm	[NULL]	[NULL]	[NULL]	R	B20M30	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-14A	6/23/2009 10:37	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B20M30	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-14A	6/23/2009 10:37	N	TURBIDITY	Turbidity	3.1	NTU	[NULL]	[NULL]	[NULL]	R	B20M30	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-14A	6/23/2009 10:37	N	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	R	B20M30	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-14A	9/24/2009 17:42	N	DO	Dissolved oxygen	6940	ug/L	[NULL]	[NULL]	[NULL]	R	B21HJ7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-14A	9/24/2009 17:42	N	12587-47-2	Gross beta	400	pCi/L	[NULL]	[NULL]	[NULL]	R	B21HJ8	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-14A	9/24/2009 17:42	N	EH	Oxidation Reduction Potential	-0.67	mV	[NULL]	[NULL]	[NULL]	R	B21HJ7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-14A	9/24/2009 17:42	N	CONDUCT	Specific Conductance	393	uS/cm	[NULL]	[NULL]	[NULL]	R	B21HJ7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-14A	9/24/2009 17:42	N	TEMPERATURE	Temperature	27.2	Deg C	[NULL]	[NULL]	[NULL]	R	B21HJ7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-14A	9/24/2009 17:42	N	TURBIDITY	Turbidity	3.43	NTU	[NULL]	[NULL]	[NULL]	R	B21HJ7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-14A	9/24/2009 17:42	N	PH	pH Measurement	7.52	unitless	[NULL]	[NULL]	[NULL]	R	B21HJ7	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-15A	1/10/2007 14:03	N	12587-47-2	Gross beta	-0.0986	pCi/L	U	[NULL]	[NULL]	S	B1M554	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-15A	1/10/2007 14:03	N	CONDUCT	Specific Conductance	154.9	uS/cm	[NULL]	[NULL]	[NULL]	S	B1M554	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-15A	12/14/2007 12:32	N	DO	Dissolved oxygen	12060	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9T2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-15A	12/14/2007 12:32	N	EH	Oxidation Reduction Potential	130	mV	[NULL]	[NULL]	[NULL]	R	B1R9T2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-15A	12/14/2007 12:32	N	CONDUCT	Specific Conductance	144	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R9T2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-15A	12/14/2007 12:32	N	TEMPERATURE	Temperature	8.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1R9T2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-15A	12/14/2007 12:32	N	TURBIDITY	Turbidity	2.53	NTU	[NULL]	[NULL]	[NULL]	R	B1R9T2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-15A	12/14/2007 12:32	N	PH	pH Measurement	7.51	unitless	[NULL]	[NULL]	[NULL]	R	B1R9T2	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-15A	12/14/2007 13:32	N	12587-47-2	Gross beta	2.13	pCi/L	U	[NULL]	[NULL]	R	B1R9T3	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-15A	3/24/2008 11:15	N	DO	Dissolved oxygen	9690	ug/L	[NULL]	[NULL]	[NULL]	R	B1THJ9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-15A	3/24/2008 11:15	N	12587-47-2	Gross beta	7.81	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THK0	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-15A	3/24/2008 11:15	N	EH	Oxidation Reduction Potential	158	mV	[NULL]	[NULL]	[NULL]	R	B1THJ9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-15A	3/24/2008 11:15	N	CONDUCT	Specific Conductance	152	uS/cm	[NULL]	[NULL]	[NULL]	R	B1THJ9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-15A	3/24/2008 11:15	N	TEMPERATURE	Temperature	7.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1THJ9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-15A	3/24/2008 11:15	N	TURBIDITY	Turbidity	11.5	NTU	[NULL]	[NULL]	[NULL]	R	B1THJ9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-15A	3/24/2008 11:15	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B1THJ9	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-15A	6/23/2008 11:40	N	DO	Dissolved oxygen	2370	ug/L	[NULL]	[NULL]	[NULL]	R	B1VJV6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-15A	6/23/2008 11:40	N	12587-47-2	Gross beta	1.3	pCi/L	U	[NULL]	[NULL]	R	B1VJV7	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-15A	6/23/2008 11:40	N	EH	Oxidation Reduction Potential	109	mV	[NULL]	[NULL]	[NULL]	R	B1VJV6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-15A	6/23/2008 11:40	N	CONDUCT	Specific Conductance	151	uS/cm	[NULL]	[NULL]	[NULL]	R	B1VJV6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-15A	6/23/2008 11:40	N	TEMPERATURE	Temperature	16	Deg C	[NULL]	[NULL]	[NULL]	R	B1VJV6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-15A	6/23/2008 11:40	N	TURBIDITY	Turbidity	1.15	NTU	[NULL]	[NULL]	[NULL]	R	B1VJV6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-15A	6/23/2008 11:40	N	PH	pH Measurement	7.72	unitless	[NULL]	[NULL]	[NULL]	R	B1VJV6	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-15A	4/7/2009 12:51	N	DO	Dissolved oxygen	8800	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-15A	4/7/2009 12:51	N	12587-47-2	Gross beta	3.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPL8	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-15A	4/7/2009 12:51	N	EH	Oxidation Reduction Potential	151	mV	[NULL]	[NULL]	[NULL]	R	B1YPL7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-15A	4/7/2009 12:51	N	CONDUCT	Specific Conductance	197	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YPL7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-15A	4/7/2009 12:51	N	TEMPERATURE	Temperature	17.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1YPL7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-15A	4/7/2009 12:51	N	10028-17-8	Tritium	5300	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPL8	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-15A	4/7/2009 12:51	N	TURBIDITY	Turbidity	0.27	NTU	[NULL]	[NULL]	[NULL]	R	B1YPL7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-15A	4/7/2009 12:51	N	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	R	B1YPL7	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-15A	6/23/2009 10:51	N	DO	Dissolved oxygen	4560	ug/L	[NULL]	[NULL]	[NULL]	R	B20M32	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-15A	6/23/2009 10:51	N	12587-47-2	Gross beta	1.8	pCi/L	[NULL]	[NULL]	[NULL]	R	B20M33	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-15A	6/23/2009 10:51	N	EH	Oxidation Reduction Potential	76	mV	[NULL]	[NULL]	[NULL]	R	B20M32	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-15A	6/23/2009 10:51	N	CONDUCT	Specific Conductance	157	uS/cm	[NULL]	[NULL]	[NULL]	R	B20M32	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-15A	6/23/2009 10:51	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	R	B20M32	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-15A	6/23/2009 10:51	N	TURBIDITY	Turbidity	1.77	NTU	[NULL]	[NULL]	[NULL]	R	B20M32	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-15A	6/23/2009 10:51	N	PH	pH Measurement	8.22	unitless	[NULL]	[NULL]	[NULL]	R	B20M32	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-15A	9/24/2009 17:25	N	DO	Dissolved oxygen	8120	ug/L	[NULL]	[NULL]	[NULL]	R	B21HJ9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-15A	9/24/2009 17:25	N	12587-47-2	Gross beta	7.8	pCi/L	[NULL]	[NULL]	[NULL]	R	B21HK0	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-15A	9/24/2009 17:25	N	EH	Oxidation Reduction Potential	251	mV	[NULL]	[NULL]	[NULL]	R	B21HJ9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-15A	9/24/2009 17:25	N	CONDUCT	Specific Conductance	173	uS/cm	[NULL]	[NULL]	[NULL]	R	B21HJ9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-15A	9/24/2009 17:25	N	TEMPERATURE	Temperature	21.9	Deg C	[NULL]	[NULL]	[NULL]	R	B21HJ9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-15A	9/24/2009 17:25	N	TURBIDITY	Turbidity	1.99	NTU	[NULL]	[NULL]	[NULL]	R	B21HJ9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-15A	9/24/2009 17:25	N	PH	pH Measurement	7.73	unitless	[NULL]	[NULL]	[NULL]	R	B21HJ9	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	ALKALINITY	Alkalinity	60000	ug/L	[NULL]	[NULL]	[NULL]	R	B234P2	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-15A	12/29/2009 10:01	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B235X1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B234P2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-15A	12/29/2009 10:01	N	7440-39-3	Barium	24.3	ug/L	[NULL]	[NULL]	[NULL]	R	B234P2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	Y	7440-39-3	Barium	23.8	ug/L	[NULL]	[NULL]	[NULL]	R	B235X1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B235X1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B234P2	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B234P2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B235X1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	Y	7440-70-2	Calcium	20200	ug/L	[NULL]	[NULL]	[NULL]	R	B235X1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	7440-70-2	Calcium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B234P2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	16887-00-6	Chloride	1110	ug/L	D	[NULL]	[NULL]	R	B235W8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-15A	12/29/2009 10:01	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B235X1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B234P2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B235X1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B234P2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B235X1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B234P2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	DO	Dissolved oxygen	11030	ug/L	[NULL]	[NULL]	[NULL]	R	B234P1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	16984-48-8	Fluoride	72	ug/L	BD	[NULL]	[NULL]	R	B235W8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	12587-47-2	Gross beta	3.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B234P2	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-15A	12/29/2009 10:01	Y	7439-89-6	Iron	50.8	ug/L	BC	[NULL]	[NULL]	R	B235X1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B234P2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	7439-95-4	Magnesium	5120	ug/L	[NULL]	[NULL]	[NULL]	R	B234P2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	Y	7439-95-4	Magnesium	5030	ug/L	[NULL]	[NULL]	[NULL]	R	B235X1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B234P2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	Y	7439-96-5	Manganese	4.5	ug/L	B	[NULL]	[NULL]	R	B235X1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B234P2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B235X1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	14797-55-8	Nitrate	1820	ug/L	D	[NULL]	[NULL]	R	B235W8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-15A	12/29/2009 10:01	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B235W8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	EH	Oxidation Reduction Potential	201	mV	[NULL]	[NULL]	[NULL]	R	B234P1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	7440-09-7	Potassium	1030	ug/L	[NULL]	[NULL]	[NULL]	R	B234P2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	Y	7440-09-7	Potassium	1030	ug/L	[NULL]	[NULL]	[NULL]	R	B235X1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B235X1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B234P2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	7440-23-5	Sodium	2280	ug/L	[NULL]	[NULL]	[NULL]	R	B234P2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	Y	7440-23-5	Sodium	2360	ug/L	[NULL]	[NULL]	[NULL]	R	B235X1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	CONDUCT	Specific Conductance	140	uS/cm	[NULL]	[NULL]	[NULL]	R	B234P1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	7440-24-6	Strontium	104	ug/L	[NULL]	[NULL]	[NULL]	R	B234P2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	Y	7440-24-6	Strontium	102	ug/L	[NULL]	[NULL]	[NULL]	R	B235X1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	10098-97-2	Strontium-90	-9.5	pCi/L	U	[NULL]	[NULL]	R	B234P2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	14808-79-8	Sulfate	10200	ug/L	D	[NULL]	[NULL]	R	B235W8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	TEMPERATURE	Temperature	8.1	Deg C	[NULL]	[NULL]	[NULL]	R	B234P1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	10028-17-8	Tritium	140	pCi/L	U	[NULL]	[NULL]	R	B234P2	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	TURBIDITY	Turbidity	0.23	NTU	[NULL]	[NULL]	[NULL]	R	B234P1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-15A	12/29/2009 10:01	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B235X1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B234P2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B234P2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B235X1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-15A	12/29/2009 10:01	N	PH	pH Measurement	7.39	unitless	[NULL]	[NULL]	[NULL]	R	B234P1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-15A	3/16/2010 9:56	N	12587-47-2	Gross beta	1.5	pCi/L	U	[NULL]	[NULL]	R	B249T8	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-15A	3/16/2010 9:56	N	12587-47-2	Gross beta	4.4	pCi/L	[NULL]	[NULL]	[NULL]	R	B249T7	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-16A	1/10/2007 14:17	N	12587-47-2	Gross beta	4.8	pCi/L	[NULL]	[NULL]	[NULL]	S	B1M555	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-16A	1/10/2007 14:17	N	CONDUCT	Specific Conductance	194.6	uS/cm	[NULL]	[NULL]	[NULL]	S	B1M555	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-16A	12/14/2007 12:50	N	DO	Dissolved oxygen	11020	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9T4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-16A	12/14/2007 12:50	N	12587-47-2	Gross beta	3.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9T5	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-16A	12/14/2007 12:50	N	EH	Oxidation Reduction Potential	101	mV	[NULL]	[NULL]	[NULL]	R	B1R9T4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-16A	12/14/2007 12:50	N	CONDUCT	Specific Conductance	150	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R9T4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-16A	12/14/2007 12:50	N	TEMPERATURE	Temperature	7.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1R9T4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-16A	12/14/2007 12:50	N	TURBIDITY	Turbidity	45.6	NTU	[NULL]	[NULL]	[NULL]	R	B1R9T4	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
N116mArray-16A	12/14/2007 12:50	N	PH	pH Measurement	7.74	unitless	[NULL]	[NULL]	[NULL]	R	B1R9T4	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-16A	3/24/2008 11:33	N	DO	Dissolved oxygen	9580	ug/L	[NULL]	G	[NULL]	R	B1THK1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-16A	3/24/2008 11:33	N	12587-47-2	Gross beta	5.44	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THK2	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-16A	3/24/2008 11:33	N	EH	Oxidation Reduction Potential	150	mV	[NULL]	[NULL]	[NULL]	R	B1THK1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-16A	3/24/2008 11:33	N	CONDUCT	Specific Conductance	217	uS/cm	[NULL]	[NULL]	[NULL]	R	B1THK1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-16A	3/24/2008 11:33	N	TEMPERATURE	Temperature	9.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1THK1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-16A	3/24/2008 11:33	N	TURBIDITY	Turbidity	59.3	NTU	[NULL]	[NULL]	[NULL]	R	B1THK1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-16A	3/24/2008 11:33	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	R	B1THK1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-16A	6/23/2008 11:56	N	DO	Dissolved oxygen	5490	ug/L	[NULL]	[NULL]	[NULL]	R	B1VJV8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-16A	6/23/2008 11:56	N	12587-47-2	Gross beta	1.5	pCi/L	U	[NULL]	[NULL]	R	B1VJV9	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-16A	6/23/2008 11:56	N	EH	Oxidation Reduction Potential	-19	mV	[NULL]	[NULL]	[NULL]	R	B1VJV8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-16A	6/23/2008 11:56	N	CONDUCT	Specific Conductance	126	uS/cm	[NULL]	[NULL]	[NULL]	R	B1VJV8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-16A	6/23/2008 11:56	N	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1VJV8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-16A	6/23/2008 11:56	N	TURBIDITY	Turbidity	7.35	NTU	[NULL]	[NULL]	[NULL]	R	B1VJV8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-16A	6/23/2008 11:56	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B1VJV8	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-1A	8/3/2005 0:00	N	12587-47-2	Gross beta	144	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DM65	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-1A	8/3/2005 0:00	N	EH	Oxidation Reduction Potential	51	mV	[NULL]	[NULL]	[NULL]	S	B1DM65	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-1A	8/3/2005 0:00	N	CONDUCT	Specific Conductance	260.6	uS/cm	[NULL]	[NULL]	[NULL]	S	B1DM65	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-1A	8/3/2005 0:00	N	TEMPERATURE	Temperature	25.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1DM65	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-1A	8/3/2005 0:00	N	TDS	Total dissolved solids	179100	ug/L	[NULL]	[NULL]	[NULL]	S	B1DM65	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-1A	8/3/2005 0:00	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	S	B1DM65	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-1A	9/28/2005 0:00	N	ALKALINITY	Alkalinity	89000	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC1	ALKALINITY	ENW	2320_ALKALINITY	100-NR-2
N116mArray-1A	9/28/2005 0:00	Y	7429-90-5	Aluminum	5.26	ug/L	X	[NULL]	[NULL]	S	B1DYB9	7429-90-5	SEQUIM	1638_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	9/28/2005 0:00	Y	7440-38-2	Arsenic	0.843	ug/L	X	[NULL]	[NULL]	S	B1DYB9	7440-38-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-1A	9/28/2005 0:00	Y	7440-39-3	Barium	26.5	ug/L	X	[NULL]	[NULL]	S	B1DYB9	7440-39-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-1A	9/28/2005 0:00	N	24959-67-9	Bromide	10	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC0	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	9/28/2005 0:00	Y	7440-43-9	Cadmium	0.00514	ug/L	BX	[NULL]	[NULL]	S	B1DYB9	7440-43-9	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-1A	9/28/2005 0:00	Y	7440-70-2	Calcium	30128	ug/L	X	[NULL]	[NULL]	S	B1DYB9	7440-70-2	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-1A	9/28/2005 0:00	N	3812-32-6	Carbonate ion	90000	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC0	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	9/28/2005 0:00	N	16887-00-6	Chloride	1020	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC0	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	9/28/2005 0:00	Y	7440-47-3	Chromium	5.29	ug/L	X	[NULL]	[NULL]	S	B1DYB9	7440-47-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-1A	9/28/2005 0:00	Y	7440-50-8	Copper	0.441	ug/L	X	[NULL]	[NULL]	S	B1DYB9	7440-50-8	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-1A	9/28/2005 0:00	N	DO	Dissolved oxygen	7400	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYB8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-1A	9/28/2005 0:00	N	16984-48-8	Fluoride	50	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC0	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	9/28/2005 0:00	N	12587-47-2	Gross beta	97.9	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DYB8	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-1A	9/28/2005 0:00	Y	7439-92-1	Lead	0.289	ug/L	X	[NULL]	[NULL]	S	B1DYB9	7439-92-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-1A	9/28/2005 0:00	Y	7439-95-4	Magnesium	5172	ug/L	X	[NULL]	[NULL]	S	B1DYB9	7439-95-4	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-1A	9/28/2005 0:00	Y	7439-96-5	Manganese	5.85	ug/L	X	[NULL]	[NULL]	S	B1DYB9	7439-96-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-1A	9/28/2005 0:00	Y	7440-02-0	Nickel	1.15	ug/L	X	[NULL]	[NULL]	S	B1DYB9	7440-02-0	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-1A	9/28/2005 0:00	N	14797-55-8	Nitrate	5210	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC0	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	9/28/2005 0:00	N	EH	Oxidation Reduction Potential	51	mV	[NULL]	[NULL]	[NULL]	S	B1DYB8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-1A	9/28/2005 0:00	N	14265-44-2	Phosphate	250	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC0	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	9/28/2005 0:00	Y	7440-09-7	Potassium	1761	ug/L	X	[NULL]	[NULL]	S	B1DYB9	7440-09-7	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-1A	9/28/2005 0:00	Y	7782-49-2	Selenium	0.162	ug/L	BX	[NULL]	[NULL]	S	B1DYB9	7782-49-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-1A	9/28/2005 0:00	Y	7440-23-5	Sodium	3518	ug/L	X	[NULL]	[NULL]	S	B1DYB9	7440-23-5	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-1A	9/28/2005 0:00	N	CONDUCT	Specific Conductance	203	uS/cm	[NULL]	[NULL]	[NULL]	S	B1DYB8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-1A	9/28/2005 0:00	Y	7440-24-6	Strontium	122	ug/L	X	[NULL]	[NULL]	S	B1DYB9	7440-24-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-1A	9/28/2005 0:00	N	10098-97-2	Strontium-90	63.7	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DYB8	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-1A	9/28/2005 0:00	N	14808-79-8	Sulfate	10000	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC0	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	9/28/2005 0:00	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	S	B1DYB8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	9/28/2005 0:00	Y	7440-29-1	Thorium	0.00352	ug/L	CX	[NULL]	[NULL]	S	B1DYB9	7440-29-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-1A	9/28/2005 0:00	N	TDS	Total dissolved solids	134000	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYB8	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-1A	9/28/2005 0:00	N	10028-17-8	Tritium	88.5	pCi/L	U	[NULL]	[NULL]	S	B1DYB8	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
N116mArray-1A	9/28/2005 0:00	Y	7440-61-1	Uranium	0.322	ug/L	X	[NULL]	[NULL]	S	B1DYB9	7440-61-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-1A	9/28/2005 0:00	Y	7440-66-6	Zinc	1.65	ug/L	X	[NULL]	[NULL]	S	B1DYB9	7440-66-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-1A	9/28/2005 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	S	B1DYB8	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-1A	12/27/2005 0:00	N	12587-47-2	Gross beta	67	pCi/L	[NULL]	[NULL]	[NULL]	S	B1H3P9	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-1A	12/27/2005 0:00	N	EH	Oxidation Reduction Potential	164	mV	[NULL]	[NULL]	[NULL]	S	B1H3P9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-1A	12/27/2005 0:00	N	CONDUCT	Specific Conductance	141	uS/cm	[NULL]	[NULL]	[NULL]	S	B1H3P9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-1A	12/27/2005 0:00	N	TEMPERATURE	Temperature	7.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1H3P9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-1A	12/27/2005 0:00	N	TDS	Total dissolved solids	94000	ug/L	[NULL]	[NULL]	[NULL]	S	B1H3P9	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-1A	12/27/2005 0:00	N	PH	pH Measurement	6.3	unitless	[NULL]	[NULL]	[NULL]	S	B1H3P9	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-1A	1/11/2006 0:00	N	DO	Dissolved oxygen	10800	ug/L	[NULL]	[NULL]	[NULL]	S	B1HB72	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-1A	1/11/2006 0:00	N	12587-47-2	Gross beta	84.7	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HB72	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-1A	1/11/2006 0:00	N	EH	Oxidation Reduction Potential	123	mV	[NULL]	[NULL]	[NULL]	S	B1HB72	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-1A	1/11/2006 0:00	N	CONDUCT	Specific Conductance	152.1	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HB72	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-1A	1/11/2006 0:00	N	TEMPERATURE	Temperature	7.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1HB72	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-1A	1/11/2006 0:00	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	S	B1HB72	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-1A	2/7/2006 10:00	N	DO	Dissolved oxygen	11000	ug/L	[NULL]	[NULL]	[NULL]	S	B1HL50	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-1A	2/7/2006 10:00	N	12587-47-2	Gross beta	88.5	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HL50	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-1A	2/7/2006 10:00	N	EH	Oxidation Reduction Potential	182	mV	[NULL]	[NULL]	[NULL]	S	B1HL50	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-1A	2/7/2006 10:00	N	CONDUCT	Specific Conductance	161.9	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HL50	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-1A	2/7/2006 10:00	N	TEMPERATURE	Temperature	4.85	Deg C	[NULL]	[NULL]	[NULL]	S	B1HL50	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-1A	2/7/2006 10:00	N	PH	pH Measurement	7.21	unitless	[NULL]	[NULL]	[NULL]	S	B1HL50	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-1A	3/8/2006 0:00	Y	7440-70-2	Calcium	24000.8	ug/L	D	[NULL]	[NULL]	S	B1HV97	7440-70-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	3/8/2006 0:00	Y	7440-23-5	Sodium	2937.63	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV97	7440-23-5	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	3/8/2006 0:00	Y	7440-61-1	Uranium	0.27	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV97	7440-61-1	RJ LEE	200.8_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	3/8/2006 9:30	N	24959-67-9	Bromide	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HV98	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	3/8/2006 9:30	N	3812-32-6	Carbonate ion	61900	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV98	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	3/8/2006 9:30	N	16887-00-6	Chloride	1210	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV98	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	3/8/2006 9:30	N	DO	Dissolved oxygen	9600	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV63	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-1A	3/8/2006 9:30	N	16984-48-8	Fluoride	60	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV98	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	3/8/2006 9:30	N	12587-47-2	Gross beta	90.5	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HV63	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-1A	3/8/2006 9:30	N	14797-55-8	Nitrate	3110	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV98	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	3/8/2006 9:30	N	EH	Oxidation Reduction Potential	181	mV	[NULL]	[NULL]	[NULL]	S	B1HV63	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-1A	3/8/2006 9:30	N	14265-44-2	Phosphate	230	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV98	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	3/8/2006 9:30	N	127-09-3	Sodium acetate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HV98	127-09-3	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	3/8/2006 9:30	N	68-04-2	Sodium citrate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HV98	68-04-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	3/8/2006 9:30	N	141-53-7	Sodium formate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HV98	141-53-7	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	3/8/2006 9:30	N	CONDUCT	Specific Conductance	161.8	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HV63	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-1A	3/8/2006 9:30	N	14808-79-8	Sulfate	12000	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV98	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	3/8/2006 9:30	N	TEMPERATURE	Temperature	6.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1HV63	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-1A	4/13/2006 9:20	N	DO	Dissolved oxygen	8700	ug/L	[NULL]	[NULL]	[NULL]	S	B1J296	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-1A	4/13/2006 9:20	N	12587-47-2	Gross beta	83.8	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J296	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-1A	4/13/2006 9:20	N	EH	Oxidation Reduction Potential	26	mV	[NULL]	[NULL]	[NULL]	S	B1J296	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-1A	4/13/2006 9:20	N	CONDUCT	Specific Conductance	171.2	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J296	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-1A	4/13/2006 9:20	N	TEMPERATURE	Temperature	7.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1J296	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-1A	4/13/2006 9:20	N	PH	pH Measurement	7.36	unitless	[NULL]	[NULL]	[NULL]	S	B1J296	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-1A	5/10/2006 10:00	N	ALKALINITY	Alkalinity	64000	ug/L	[NULL]	[NULL]	[NULL]	S	B1J708	ALKALINITY	RJ LEE	2320_ALKALINITY	100-NR-2
N116mArray-1A	5/10/2006 10:00	Y	7440-38-2	Arsenic	0.76	ug/L	B	[NULL]	[NULL]	S	B1J707	7440-38-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	5/10/2006 10:00	Y	7440-39-3	Barium	19.92	ug/L	[NULL]	[NULL]	[NULL]	S	B1J707	7440-39-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	5/10/2006 10:00	N	24959-67-9	Bromide	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J706	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	5/10/2006 10:00	Y	7440-70-2	Calcium	22121.6	ug/L	D	[NULL]	[NULL]	S	B1J707	7440-70-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	5/10/2006 10:00	N	3812-32-6	Carbonate ion	42400	ug/L	[NULL]	[NULL]	[NULL]	S	B1J706	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	5/10/2006 10:00	N	16887-00-6	Chloride	1220	ug/L	[NULL]	[NULL]	[NULL]	S	B1J706	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	5/10/2006 10:00	Y	7440-47-3	Chromium	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J707	7440-47-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	5/10/2006 10:00	N	16984-48-8	Fluoride	80	ug/L	[NULL]	[NULL]	[NULL]	S	B1J706	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	5/10/2006 10:00	N	12587-47-2	Gross beta	40.3	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J704	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-1A	5/10/2006 10:00	Y	7439-92-1	Lead	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J707	7439-92-1	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	5/10/2006 10:00	Y	7440-02-0	Nickel	0.47	ug/L	[NULL]	[NULL]	[NULL]	S	B1J707	7440-02-0	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	5/10/2006 10:00	N	14797-55-8	Nitrate	880	ug/L	[NULL]	[NULL]	[NULL]	S	B1J706	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	5/10/2006 10:00	N	EH	Oxidation Reduction Potential	71	mV	[NULL]	[NULL]	[NULL]	S	B1J704	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-1A	5/10/2006 10:00	N	14265-44-2	Phosphate	170	ug/L	[NULL]	[NULL]	[NULL]	S	B1J706	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	5/10/2006 10:00	Y	7440-09-7	Potassium	1173.26	ug/L	[NULL]	[NULL]	[NULL]	S	B1J707	7440-09-7	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	5/10/2006 10:00	Y	7440-23-5	Sodium	2686.43	ug/L	[NULL]	[NULL]	[NULL]	S	B1J707	7440-23-5	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	5/10/2006 10:00	N	127-09-3	Sodium acetate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J706	127-09-3	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	5/10/2006 10:00	N	68-04-2	Sodium citrate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J706	68-04-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	5/10/2006 10:00	N	141-53-7	Sodium formate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J706	141-53-7	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	5/10/2006 10:00	N	CONDUCT	Specific Conductance	141	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J704	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-1A	5/10/2006 10:00	N	14808-79-8	Sulfate	9250	ug/L	[NULL]	[NULL]	[NULL]	S	B1J706	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	5/10/2006 10:00	N	TEMPERATURE	Temperature	11	Deg C	[NULL]	[NULL]	[NULL]	S	B1J704	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-1A	5/10/2006 10:00	N	TDS	Total dissolved solids	95500	ug/L	[NULL]	[NULL]	[NULL]	S	B1J704	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-1A	5/10/2006 10:00	N	10028-17-8	Tritium	-8.94	pCi/L	U	[NULL]	[NULL]	S	B1J705	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
N116mArray-1A	5/10/2006 10:00	Y	7440-66-6	Zinc	0.78	ug/L	B	[NULL]	[NULL]	S	B1J707	7440-66-6	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	5/10/2006 10:00	N	PH	pH Measurement	7.36	unitless	[NULL]	[NULL]	[NULL]	S	B1J704	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-1A	6/6/2006 13:15	N	DO	Dissolved oxygen	7900	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDC7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-1A	6/6/2006 13:15	N	12587-47-2	Gross beta	1.56	pCi/L	U	[NULL]	[NULL]	R	B1JDC8	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-1A	6/6/2006 13:15	N	EH	Oxidation Reduction Potential	-34	mV	[NULL]	[NULL]	[NULL]	R	B1JDC7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-1A	6/6/2006 13:15	N	CONDUCT	Specific Conductance	119.6	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JDC7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-1A	6/6/2006 13:15	N	10098-97-2	Strontium-90	0.836	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDC8	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-1A	6/6/2006 13:15	N	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1JDC7	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	6/6/2006 13:15	N	TOC	Total organic carbon	2200	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDC9	TOC	STLSL	9060_TOC	100-NR-2
N116mArray-1A	6/6/2006 13:15	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	[NULL]	[NULL]	R	B1JDC9	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
N116mArray-1A	6/6/2006 13:15	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B1JDC7	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-1A	9/25/2006 10:10	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	61	ug/L	UD	[NULL]	[NULL]	R	B1KBL8	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
N116mArray-1A	1/10/2007 0:00	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	15	ug/L	U	[NULL]	[NULL]	S	B1M566	TPHDIESEL	RJ LEE	8015M_TPH_GC	100-NR-2
N116mArray-1A	1/10/2007 15:05	N	12587-47-2	Gross beta	0.552	pCi/L	U	[NULL]	[NULL]	S	B1M551	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-1A	1/10/2007 15:05	N	CONDUCT	Specific Conductance	146.2	uS/cm	[NULL]	[NULL]	[NULL]	S	B1M551	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-1A	3/13/2007 8:45	N	DO	Dissolved oxygen	10800	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPF8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-1A	3/13/2007 8:45	N	12587-46-1	Gross alpha	0.45	pCi/L	U	[NULL]	[NULL]	R	B1MPF8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-1A	3/13/2007 8:45	N	12587-47-2	Gross beta	2.2	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MPF8	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-1A	3/13/2007 8:45	N	EH	Oxidation Reduction Potential	175	mV	[NULL]	[NULL]	[NULL]	R	B1MPF8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-1A	3/13/2007 8:45	N	CONDUCT	Specific Conductance	149.8	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MPF8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-1A	3/13/2007 8:45	N	10098-97-2	Strontium-90	8.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MPF8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-1A	3/13/2007 8:45	N	TEMPERATURE	Temperature	5	Deg C	[NULL]	[NULL]	[NULL]	R	B1MPF8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-1A	3/13/2007 8:45	N	TOC	Total organic carbon	522	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPF8	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-1A	3/13/2007 8:45	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	74	ug/L	U	[NULL]	[NULL]	R	B1MPF8	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-1A	3/13/2007 8:45	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	50	ug/L	U	[NULL]	[NULL]	R	B1MPF8	TPHGASOLINE	WSCF	WTPH_GASOLINE	100-NR-2
N116mArray-1A	3/13/2007 8:45	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	74	ug/L	U	[NULL]	[NULL]	R	B1MPF8	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-1A	3/13/2007 8:45	N	TURBIDITY	Turbidity	0.97	NTU	[NULL]	[NULL]	[NULL]	R	B1MPF8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-1A	3/13/2007 8:45	N	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	R	B1MPF8	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-1A	6/27/2007 7:34	N	DO	Dissolved oxygen	8910	ug/L	[NULL]	[NULL]	[NULL]	R	B1NTX0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-1A	6/27/2007 7:34	N	12587-46-1	Gross alpha	0.22	pCi/L	U	[NULL]	[NULL]	R	B1NV31	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-1A	6/27/2007 7:34	N	12587-47-2	Gross beta	1.6	pCi/L	U	[NULL]	[NULL]	R	B1NV31	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-1A	6/27/2007 7:34	N	EH	Oxidation Reduction Potential	75	mV	[NULL]	[NULL]	[NULL]	R	B1NTX0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	6/27/2007 7:34	N	CONDUCT	Specific Conductance	125.4	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NTX0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-1A	6/27/2007 7:34	N	10098-97-2	Strontium-90	-1.4	pCi/L	U	G	[NULL]	R	B1NV31	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-1A	6/27/2007 7:34	N	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1NTX0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-1A	6/27/2007 7:34	N	TOC	Total organic carbon	632	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV31	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-1A	6/27/2007 7:34	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	73	ug/L	U	[NULL]	[NULL]	R	B1NV31	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-1A	6/27/2007 7:34	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	73	ug/L	U	[NULL]	[NULL]	R	B1NV31	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-1A	6/27/2007 7:34	N	TURBIDITY	Turbidity	0.94	NTU	[NULL]	[NULL]	[NULL]	R	B1NTX0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-1A	6/27/2007 7:34	N	PH	pH Measurement	6.7	unitless	[NULL]	[NULL]	[NULL]	R	B1NTX0	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	ALKALINITY	Alkalinity	67000	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V7	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	7440-36-0	Antimony	0.3	ug/L	U	[NULL]	[NULL]	R	B1P3V7	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	7440-38-2	Arsenic	0.4	ug/L	U	[NULL]	[NULL]	R	B1P3V7	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	7440-39-3	Barium	27.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V7	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	7440-41-7	Beryllium	0.05	ug/L	U	[NULL]	[NULL]	R	B1P3V7	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	24959-67-9	Bromide	30	ug/L	U	[NULL]	[NULL]	R	B1P3V7	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	7440-43-9	Cadmium	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3V7	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	7440-70-2	Calcium	19400	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	10045-97-3	Cesium-137	5.68	pCi/L	U	[NULL]	[NULL]	R	B1P3V7	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	16887-00-6	Chloride	889	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	7440-47-3	Chromium	0.5	ug/L	U	[NULL]	[NULL]	R	B1P3V7	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	7440-48-4	Cobalt	0.05	ug/L	U	[NULL]	[NULL]	R	B1P3V7	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	10198-40-0	Cobalt-60	0.159	pCi/L	U	[NULL]	[NULL]	R	B1P3V7	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	14683-23-9	Europium-152	6.57	pCi/L	U	[NULL]	[NULL]	R	B1P3V7	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	15585-10-1	Europium-154	10.3	pCi/L	U	[NULL]	[NULL]	R	B1P3V7	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	14391-16-3	Europium-155	16.5	pCi/L	U	[NULL]	[NULL]	R	B1P3V7	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	16984-48-8	Fluoride	36	ug/L	B	[NULL]	[NULL]	R	B1P3V7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	12587-46-1	Gross alpha	0.45	pCi/L	U	[NULL]	[NULL]	R	B1P3V7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	8/9/2007 8:53	N	12587-47-2	Gross beta	6.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3V7	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	7439-89-6	Iron	46.5	ug/L	C	[NULL]	[NULL]	R	B1P3V7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	7439-95-4	Magnesium	4100	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	7439-96-5	Manganese	5.44	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V7	7439-96-5	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	7440-02-0	Nickel	0.332	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V7	7440-02-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	14797-55-8	Nitrate	235	ug/L	B	[NULL]	[NULL]	R	B1P3V7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	R	B1P3V7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	14265-44-2	Phosphate	123	ug/L	U	[NULL]	[NULL]	R	B1P3V7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	7440-09-7	Potassium	728	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	7440-22-4	Silver	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3V7	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	7440-23-5	Sodium	1680	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	7440-24-6	Strontium	97.4	ug/L	N	[NULL]	[NULL]	R	B1P3V7	7440-24-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	10098-97-2	Strontium-90	0.78	pCi/L	U	[NULL]	[NULL]	R	B1P3V7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	14808-79-8	Sulfate	8730	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	TOC	Total organic carbon	1250	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V7	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	75	ug/L	U	[NULL]	[NULL]	R	B1P3V7	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	75	ug/L	U	[NULL]	[NULL]	R	B1P3V7	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	10028-17-8	Tritium	-29	pCi/L	U	[NULL]	[NULL]	R	B1P3V7	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	7440-62-2	Vanadium	0.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V7	7440-62-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	8/9/2007 8:53	N	7440-66-6	Zinc	2.33	ug/L	C	[NULL]	[NULL]	R	B1P3V7	7440-66-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-1A	12/11/2007 8:50	N	DO	Dissolved oxygen	13170	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9T6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-1A	12/11/2007 8:50	N	EH	Oxidation Reduction Potential	167	mV	[NULL]	[NULL]	[NULL]	R	B1R9T6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-1A	12/11/2007 8:50	N	CONDUCT	Specific Conductance	132.4	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R9T6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-1A	12/11/2007 8:50	N	TEMPERATURE	Temperature	5.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1R9T6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-1A	12/11/2007 8:50	N	TURBIDITY	Turbidity	1.52	NTU	[NULL]	[NULL]	[NULL]	R	B1R9T6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-1A	12/11/2007 8:50	N	PH	pH Measurement	8.16	unitless	[NULL]	[NULL]	[NULL]	R	B1R9T6	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	12/11/2007 9:25	N	12587-47-2	Gross beta	1.22	pCi/L	U	[NULL]	[NULL]	R	B1R9T8	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-1A	12/11/2007 14:20	N	TOC	Total organic carbon	896	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9T9	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-1A	12/11/2007 14:20	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	75	ug/L	U	[NULL]	[NULL]	R	B1R9T9	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-1A	12/11/2007 14:20	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	75	ug/L	U	[NULL]	[NULL]	R	B1R9T9	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-1A	3/25/2008 9:01	N	12587-47-2	Gross beta	2.51	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THK5	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-1A	3/25/2008 9:01	N	68-04-2	Sodium citrate	100	ug/L	U	[NULL]	[NULL]	R	B1THK4	68-04-2	ESL	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	3/25/2008 9:01	N	TOC	Total organic carbon	466	ug/L	[NULL]	[NULL]	[NULL]	R	B1THK6	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-1A	3/25/2008 9:01	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	72	ug/L	U	[NULL]	[NULL]	R	B1THK6	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-1A	3/25/2008 9:01	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	72	ug/L	U	[NULL]	[NULL]	R	B1THK6	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-1A	3/25/2008 9:02	N	DO	Dissolved oxygen	10780	ug/L	[NULL]	[NULL]	[NULL]	R	B1THK3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-1A	3/25/2008 9:02	N	EH	Oxidation Reduction Potential	196	mV	[NULL]	[NULL]	[NULL]	R	B1THK3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-1A	3/25/2008 9:02	N	CONDUCT	Specific Conductance	150	uS/cm	[NULL]	[NULL]	[NULL]	R	B1THK3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-1A	3/25/2008 9:02	N	TEMPERATURE	Temperature	4.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1THK3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-1A	3/25/2008 9:02	N	TURBIDITY	Turbidity	1.34	NTU	[NULL]	[NULL]	[NULL]	R	B1THK3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-1A	3/25/2008 9:02	N	PH	pH Measurement	7.63	unitless	[NULL]	[NULL]	[NULL]	R	B1THK3	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-1A	1/8/2009 9:19	N	DO	Dissolved oxygen	9330	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWY0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-1A	1/8/2009 9:19	N	12587-47-2	Gross beta	0.7	pCi/L	U	[NULL]	[NULL]	R	B1XWY1	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-1A	1/8/2009 9:19	N	EH	Oxidation Reduction Potential	263	mV	[NULL]	[NULL]	[NULL]	R	B1XWY0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-1A	1/8/2009 9:19	N	CONDUCT	Specific Conductance	140	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWY0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-1A	1/8/2009 9:19	N	TEMPERATURE	Temperature	6.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWY0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-1A	1/8/2009 9:19	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B1XWY1	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-1A	1/8/2009 9:19	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	74	ug/L	U	[NULL]	[NULL]	R	B1XWY1	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-1A	1/8/2009 9:19	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	74	ug/L	U	[NULL]	[NULL]	R	B1XWY1	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-1A	1/8/2009 9:19	N	TURBIDITY	Turbidity	1.46	NTU	[NULL]	[NULL]	[NULL]	R	B1XWY0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	1/8/2009 9:19	N	PH	pH Measurement	7.45	unitless	[NULL]	[NULL]	[NULL]	R	B1XWY0	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	ALKALINITY	Alkalinity	64000	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPM0	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YPM0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YPL9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	7440-39-3	Barium	27.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPM0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	Y	7440-39-3	Barium	25.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YPM0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YPL9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YPL9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YPM0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	Y	7440-70-2	Calcium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	7440-70-2	Calcium	21200	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPM0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	16887-00-6	Chloride	1110	ug/L	D	[NULL]	[NULL]	R	B1YPM0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	4/1/2009 9:18	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YPL9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YPM0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YPL9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YPM0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YPM0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YPL9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	DO	Dissolved oxygen	12660	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPM1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	16984-48-8	Fluoride	46	ug/L	UD	[NULL]	[NULL]	R	B1YPM0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	12587-46-1	Gross alpha	0.22	pCi/L	U	[NULL]	[NULL]	R	B1YPM0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	12587-47-2	Gross beta	2.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPM0	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-1A	4/1/2009 9:18	Y	7439-89-6	Iron	34.4	ug/L	B	[NULL]	[NULL]	R	B1YPL9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B1YPM0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	7439-95-4	Magnesium	5140	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPM0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	Y	7439-95-4	Magnesium	4950	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	4/1/2009 9:18	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1YPL9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1YPM0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YPL9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YPM0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	14797-55-8	Nitrate	637	ug/L	BD	[NULL]	[NULL]	R	B1YPM0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	14797-65-0	Nitrite	85.4	ug/L	UD	[NULL]	[NULL]	R	B1YPM0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	EH	Oxidation Reduction Potential	185	mV	[NULL]	[NULL]	[NULL]	R	B1YPM1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	14265-44-2	Phosphate	368	ug/L	UD	[NULL]	[NULL]	R	B1YPM0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	7440-09-7	Potassium	836	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPM0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	Y	7440-09-7	Potassium	783	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YPM0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YPL9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	7440-23-5	Sodium	2320	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPM0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	Y	7440-23-5	Sodium	2250	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	CONDUCT	Specific Conductance	144	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YPM1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	7440-24-6	Strontium	110	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPM0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	Y	7440-24-6	Strontium	105	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPL9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	10098-97-2	Strontium-90	0.31	pCi/L	U	[NULL]	[NULL]	R	B1YPM0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	14808-79-8	Sulfate	10100	ug/L	D	[NULL]	[NULL]	R	B1YPM0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	TEMPERATURE	Temperature	4.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1YPM1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	TOC	Total organic carbon	336	ug/L	B	[NULL]	[NULL]	R	B1YPM0	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	70	ug/L	U	[NULL]	[NULL]	R	B1YPM0	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	TURBIDITY	Turbidity	1.06	NTU	[NULL]	[NULL]	[NULL]	R	B1YPM1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-1A	4/1/2009 9:18	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YPL9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YPM0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YPL9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	4/1/2009 9:18	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YPM0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	4/1/2009 9:18	N	PH	pH Measurement	7.85	unitless	[NULL]	[NULL]	[NULL]	R	B1YPM1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-1A	6/17/2009 9:25	N	DO	Dissolved oxygen	8990	ug/L	[NULL]	[NULL]	[NULL]	R	B20M34	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-1A	6/17/2009 9:25	N	12587-47-2	Gross beta	0.86	pCi/L	U	[NULL]	[NULL]	R	B20M35	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-1A	6/17/2009 9:25	N	EH	Oxidation Reduction Potential	200	mV	[NULL]	[NULL]	[NULL]	R	B20M34	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-1A	6/17/2009 9:25	N	CONDUCT	Specific Conductance	121	uS/cm	[NULL]	[NULL]	[NULL]	R	B20M34	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-1A	6/17/2009 9:25	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B20M34	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-1A	6/17/2009 9:25	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B20M35	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-1A	6/17/2009 9:25	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	70	ug/L	U	[NULL]	[NULL]	R	B20M35	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-1A	6/17/2009 9:25	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	70	ug/L	U	[NULL]	[NULL]	R	B20M35	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-1A	6/17/2009 9:25	N	TURBIDITY	Turbidity	2.03	NTU	[NULL]	[NULL]	[NULL]	R	B20M34	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-1A	6/17/2009 9:25	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B20M34	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	71-55-6	1,1,1-Trichloroethane	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	71-55-6	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	79-00-5	1,1,2-Trichloroethane	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	79-00-5	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	75-34-3	1,1-Dichloroethane	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	75-34-3	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	75-35-4	1,1-Dichloroethene	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	75-35-4	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	120-82-1	1,2,4-Trichlorobenzene	0.7	ug/L	U	[NULL]	[NULL]	R	B21HK2	120-82-1	WSCF	8270_SVOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	107-06-2	1,2-Dichloroethane	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	107-06-2	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	106-46-7	1,4-Dichlorobenzene	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	106-46-7	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	106-46-7	1,4-Dichlorobenzene	0.9	ug/L	U	[NULL]	[NULL]	R	B21HK2	106-46-7	WSCF	8270_SVOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	71-36-3	1-Butanol	100	ug/L	U	[NULL]	[NULL]	R	B21HK2	71-36-3	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	120-83-2	2,4-Dichlorophenol	0.5	ug/L	U	[NULL]	[NULL]	R	B21HK2	120-83-2	WSCF	8270_SVOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	121-14-2	2,4-Dinitrotoluene	0.5	ug/L	UT	[NULL]	[NULL]	R	B21HK2	121-14-2	WSCF	8270_SVOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	78-93-3	2-Butanone	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	78-93-3	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	95-57-8	2-Chlorophenol	0.5	ug/L	U	[NULL]	[NULL]	R	B21HK2	95-57-8	WSCF	8270_SVOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	95-48-7	2-Methylphenol (cresol, o-)	0.8	ug/L	U	[NULL]	[NULL]	R	B21HK2	95-48-7	WSCF	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	9/17/2009 11:04	N	88-75-5	2-Nitrophenol	0.5	ug/L	U	[NULL]	[NULL]	R	B21HK2	88-75-5	WSCF	8270_SVOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	108-10-1	2-Pentanone, 4-Methyl	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	108-10-1	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	109-06-8	2-Picoline	1	ug/L	UT	[NULL]	[NULL]	R	B21HK2	109-06-8	WSCF	8270_SVOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	65794-96-9	3+4 Methylphenol (cresol, m+p)	0.6	ug/L	U	[NULL]	[NULL]	R	B21HK2	65794-96-9	WSCF	8270_SVOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	59-50-7	4-Chloro-3-methylphenol	0.5	ug/L	U	[NULL]	[NULL]	R	B21HK2	59-50-7	WSCF	8270_SVOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	100-02-7	4-Nitrophenol	0.6	ug/L	U	[NULL]	[NULL]	R	B21HK2	100-02-7	WSCF	8270_SVOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	83-32-9	Acenaphthene	0.5	ug/L	U	[NULL]	[NULL]	R	B21HK2	83-32-9	WSCF	8270_SVOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	67-64-1	Acetone	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	67-64-1	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	ALKALINITY	Alkalinity	65000	ug/L	[NULL]	[NULL]	[NULL]	R	B21HK2	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-1A	9/17/2009 11:04	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21HK1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21HK2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	7440-39-3	Barium	21.9	ug/L	[NULL]	[NULL]	[NULL]	R	B21HK2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	Y	7440-39-3	Barium	18.3	ug/L	B	[NULL]	[NULL]	R	B21HK1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	71-43-2	Benzene	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	71-43-2	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	95-16-9	Benzothiazole	0.5	ug/L	U	[NULL]	[NULL]	R	B21HK2	95-16-9	WSCF	8270_SVOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21HK2	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21HK1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	117-81-7	Bis(2-ethylhexyl) phthalate	0.7	ug/L	U	[NULL]	[NULL]	R	B21HK2	117-81-7	WSCF	8270_SVOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21HK1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21HK2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	Y	7440-70-2	Calcium	23000	ug/L	[NULL]	[NULL]	[NULL]	R	B21HK1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	7440-70-2	Calcium	22800	ug/L	[NULL]	[NULL]	[NULL]	R	B21HK2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	75-15-0	Carbon disulfide	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	75-15-0	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	56-23-5	Carbon tetrachloride	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	56-23-5	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	16887-00-6	Chloride	1130	ug/L	D	[NULL]	[NULL]	R	B21HK2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	108-90-7	Chlorobenzene	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	108-90-7	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	67-66-3	Chloroform	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	67-66-3	WSCF	8260_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	9/17/2009 11:04	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B21HK2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B21HK1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21HK2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21HK1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B21HK1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B21HK2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	DO	Dissolved oxygen	6320	ug/L	[NULL]	[NULL]	[NULL]	R	B21HK3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	107-12-0	Ethyl cyanide	2	ug/L	U	[NULL]	[NULL]	R	B21HK2	107-12-0	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	100-41-4	Ethylbenzene	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	100-41-4	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B21HK2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	12587-47-2	Gross beta	71	pCi/L	[NULL]	F	[NULL]	R	B21HK2	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	7439-89-6	Iron	693	ug/L	[NULL]	[NULL]	[NULL]	R	B21HK2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	Y	7439-89-6	Iron	324	ug/L	[NULL]	[NULL]	[NULL]	R	B21HK1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	7439-95-4	Magnesium	3820	ug/L	[NULL]	[NULL]	[NULL]	R	B21HK2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	Y	7439-95-4	Magnesium	3670	ug/L	[NULL]	[NULL]	[NULL]	R	B21HK1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	7439-96-5	Manganese	24.7	ug/L	[NULL]	[NULL]	[NULL]	R	B21HK2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	Y	7439-96-5	Manganese	17.2	ug/L	B	[NULL]	[NULL]	R	B21HK1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	75-09-2	Methylene chloride	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	75-09-2	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	91-20-3	Naphthalene	0.5	ug/L	U	[NULL]	[NULL]	R	B21HK2	91-20-3	WSCF	8270_SVOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21HK2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21HK1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	14797-55-8	Nitrate	2590	ug/L	D	[NULL]	[NULL]	R	B21HK2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B21HK2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	EH	Oxidation Reduction Potential	0.9	mV	[NULL]	[NULL]	[NULL]	R	B21HK3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	87-86-5	Pentachlorophenol	0.5	ug/L	UT	[NULL]	[NULL]	R	B21HK2	87-86-5	WSCF	8270_SVOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	108-95-2	Phenol	0.9	ug/L	U	[NULL]	[NULL]	R	B21HK2	108-95-2	WSCF	8270_SVOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	7440-09-7	Potassium	1550	ug/L	[NULL]	[NULL]	[NULL]	R	B21HK2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	9/17/2009 11:04	Y	7440-09-7	Potassium	1510	ug/L	[NULL]	[NULL]	[NULL]	R	B21HK1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	129-00-0	Pyrene	0.5	ug/L	U	[NULL]	[NULL]	R	B21HK2	129-00-0	WSCF	8270_SVOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21HK1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21HK2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	Y	7440-23-5	Sodium	2610	ug/L	[NULL]	[NULL]	[NULL]	R	B21HK1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	7440-23-5	Sodium	2650	ug/L	[NULL]	[NULL]	[NULL]	R	B21HK2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	CONDUCT	Specific Conductance	157	uS/cm	[NULL]	[NULL]	[NULL]	R	B21HK3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-1A	9/17/2009 11:04	Y	7440-24-6	Strontium	91.7	ug/L	[NULL]	[NULL]	[NULL]	R	B21HK1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	7440-24-6	Strontium	94	ug/L	[NULL]	[NULL]	[NULL]	R	B21HK2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	10098-97-2	Strontium-90	39	pCi/L	[NULL]	[NULL]	[NULL]	R	B21HK2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	14808-79-8	Sulfate	10200	ug/L	D	[NULL]	[NULL]	R	B21HK2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	TEMPERATURE	Temperature	21.8	Deg C	[NULL]	[NULL]	[NULL]	R	B21HK3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	127-18-4	Tetrachloroethene	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	127-18-4	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	109-99-9	Tetrahydrofuran	2	ug/L	U	[NULL]	[NULL]	R	B21HK2	109-99-9	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	108-88-3	Toluene	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	108-88-3	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	126-73-8	Tributyl phosphate	0.5	ug/L	U	[NULL]	[NULL]	R	B21HK2	126-73-8	WSCF	8270_SVOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	79-01-6	Trichloroethene	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	79-01-6	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	115-96-8	Tris-2-chloroethyl phosphate	0.5	ug/L	U	[NULL]	[NULL]	R	B21HK2	115-96-8	WSCF	8270_SVOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	TURBIDITY	Turbidity	34.3	NTU	[NULL]	Y	[NULL]	R	B21HK3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B21HK2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B21HK1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	75-01-4	Vinyl chloride	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	75-01-4	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	1330-20-7	Xylenes (total)	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	1330-20-7	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B21HK1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B21HK2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	156-59-2	cis-1,2-Dichloroethylene	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	156-59-2	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	621-64-7	n-Nitrosodi-n-dipropylamine	0.5	ug/L	U	[NULL]	[NULL]	R	B21HK2	621-64-7	WSCF	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	9/17/2009 11:04	N	PH	pH Measurement	7.1	unitless	[NULL]	[NULL]	[NULL]	R	B21HK3	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-1A	9/17/2009 11:04	N	156-60-5	trans-1,2-Dichloroethylene	1	ug/L	U	[NULL]	[NULL]	R	B21HK2	156-60-5	WSCF	8260_VOA_GCMS	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	7429-90-5	Aluminum	17	ug/L	U	[NULL]	[NULL]	S	B22WY3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	S	B22WY3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	7440-38-2	Arsenic	65	ug/L	U	[NULL]	[NULL]	S	B22WY3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	7440-39-3	Barium	14.3	ug/L	B	[NULL]	[NULL]	S	B22WY3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B22WY3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	7440-70-2	Calcium	17600	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	16887-00-6	Chloride	1070	ug/L	D	[NULL]	[NULL]	S	B22WY3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B22WY3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B22WY3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B22WY3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	16984-48-8	Fluoride	62.6	ug/L	BD	[NULL]	[NULL]	S	B22WY3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	7439-89-6	Iron	221	ug/L	C	[NULL]	[NULL]	S	B22WY3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	7439-92-1	Lead	26.8	ug/L	B	[NULL]	[NULL]	S	B22WY3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	7439-95-4	Magnesium	3120	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	7439-96-5	Manganese	10.8	ug/L	B	[NULL]	[NULL]	S	B22WY3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B22WY3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B22WY3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	14797-55-8	Nitrate	1870	ug/L	D	[NULL]	[NULL]	S	B22WY3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	S	B22WY3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	14265-44-2	Phosphate	429	ug/L	UD	[NULL]	[NULL]	S	B22WY3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	7440-09-7	Potassium	1320	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B22WY3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	7440-23-5	Sodium	2420	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	7440-24-6	Strontium	78.7	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	10098-97-2	Strontium-90	29	pCi/L	[NULL]	[NULL]	[NULL]	S	B22WY3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	12/3/2009 12:05	N	14808-79-8	Sulfate	10200	ug/L	D	[NULL]	[NULL]	S	B22WY3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B22WY3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/3/2009 12:05	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	S	B22WY3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	7429-90-5	Aluminum	17	ug/L	U	[NULL]	[NULL]	S	B22WY5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	S	B22WY5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	7440-38-2	Arsenic	65	ug/L	U	[NULL]	[NULL]	S	B22WY5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	7440-39-3	Barium	14.5	ug/L	B	[NULL]	[NULL]	S	B22WY5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B22WY5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	7440-70-2	Calcium	18400	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	16887-00-6	Chloride	1130	ug/L	D	[NULL]	[NULL]	S	B22WY5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B22WY5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B22WY5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B22WY5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	S	B22WY5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	7439-89-6	Iron	1090	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	7439-92-1	Lead	23	ug/L	U	[NULL]	[NULL]	S	B22WY5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	7439-95-4	Magnesium	3230	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	7439-96-5	Manganese	23.3	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B22WY5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B22WY5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	14797-55-8	Nitrate	1430	ug/L	D	[NULL]	[NULL]	S	B22WY5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	S	B22WY5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	14265-44-2	Phosphate	429	ug/L	UD	[NULL]	[NULL]	S	B22WY5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	7440-09-7	Potassium	1260	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B22WY5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	7440-23-5	Sodium	2280	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	7440-24-6	Strontium	78.6	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	12/11/2009 11:46	N	10098-97-2	Strontium-90	23	pCi/L	[NULL]	[NULL]	[NULL]	S	B22WY5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	14808-79-8	Sulfate	12300	ug/L	D	[NULL]	[NULL]	S	B22WY5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B22WY5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/11/2009 11:46	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	S	B22WY5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	7429-90-5	Aluminum	17	ug/L	U	[NULL]	[NULL]	S	B22WY7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	S	B22WY7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	7440-38-2	Arsenic	65	ug/L	U	[NULL]	[NULL]	S	B22WY7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	7440-39-3	Barium	13.9	ug/L	B	[NULL]	[NULL]	S	B22WY7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B22WY7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	7440-70-2	Calcium	17700	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	16887-00-6	Chloride	1140	ug/L	D	[NULL]	[NULL]	S	B22WY7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B22WY7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B22WY7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B22WY7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	S	B22WY7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	7439-89-6	Iron	741	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	7439-92-1	Lead	31.3	ug/L	B	[NULL]	[NULL]	S	B22WY7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	7439-95-4	Magnesium	3040	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	7439-96-5	Manganese	32.4	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B22WY7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B22WY7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	14797-55-8	Nitrate	1900	ug/L	D	[NULL]	[NULL]	S	B22WY7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	S	B22WY7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	14265-44-2	Phosphate	429	ug/L	UD	[NULL]	[NULL]	S	B22WY7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	7440-09-7	Potassium	1110	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B22WY7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	7440-23-5	Sodium	2160	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	12/17/2009 10:55	N	7440-24-6	Strontium	72.5	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	10098-97-2	Strontium-90	28	pCi/L	[NULL]	[NULL]	[NULL]	S	B22WY7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	14808-79-8	Sulfate	11800	ug/L	D	[NULL]	[NULL]	S	B22WY7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B22WY7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 10:55	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	S	B22WY7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	ALKALINITY	Alkalinity	48000	ug/L	[NULL]	[NULL]	[NULL]	R	B237D0	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B237D0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B237C9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	Y	7440-39-3	Barium	14.2	ug/L	B	[NULL]	[NULL]	R	B237C9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	7440-39-3	Barium	14.1	ug/L	B	[NULL]	[NULL]	R	B237D0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B237C9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B237D0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B237D0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B237C9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	7440-70-2	Calcium	18000	ug/L	[NULL]	[NULL]	[NULL]	R	B237D0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	Y	7440-70-2	Calcium	18800	ug/L	[NULL]	[NULL]	[NULL]	R	B237C9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	16887-00-6	Chloride	1130	ug/L	D	[NULL]	[NULL]	R	B237C8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B237D0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B237C9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B237D0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B237C9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B237C9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B237D0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	DO	Dissolved oxygen	9140	ug/L	[NULL]	[NULL]	[NULL]	R	B237C7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B237C8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	12587-47-2	Gross beta	58	pCi/L	[NULL]	F	[NULL]	R	B237D0	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-1A	12/17/2009 11:00	Y	7439-89-6	Iron	646	ug/L	[NULL]	[NULL]	[NULL]	R	B237C9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	12/17/2009 11:00	N	7439-89-6	Iron	408	ug/L	[NULL]	[NULL]	[NULL]	R	B237D0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	Y	7439-95-4	Magnesium	3210	ug/L	[NULL]	[NULL]	[NULL]	R	B237C9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	7439-95-4	Magnesium	3160	ug/L	[NULL]	[NULL]	[NULL]	R	B237D0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	Y	7439-96-5	Manganese	26.7	ug/L	[NULL]	[NULL]	[NULL]	R	B237C9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	7439-96-5	Manganese	8.4	ug/L	B	[NULL]	[NULL]	R	B237D0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B237D0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B237C9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	14797-55-8	Nitrate	1990	ug/L	D	[NULL]	[NULL]	R	B237C8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B237C8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	EH	Oxidation Reduction Potential	219	mV	[NULL]	[NULL]	[NULL]	R	B237C7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	7440-09-7	Potassium	1200	ug/L	[NULL]	[NULL]	[NULL]	R	B237D0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	Y	7440-09-7	Potassium	1190	ug/L	[NULL]	[NULL]	[NULL]	R	B237C9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B237C9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B237D0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	7440-23-5	Sodium	2280	ug/L	[NULL]	[NULL]	[NULL]	R	B237D0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	Y	7440-23-5	Sodium	2280	ug/L	[NULL]	[NULL]	[NULL]	R	B237C9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	CONDUCT	Specific Conductance	253	uS/cm	[NULL]	[NULL]	[NULL]	R	B237C7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-1A	12/17/2009 11:00	Y	7440-24-6	Strontium	76	ug/L	[NULL]	[NULL]	[NULL]	R	B237C9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	7440-24-6	Strontium	75.4	ug/L	[NULL]	[NULL]	[NULL]	R	B237D0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	10098-97-2	Strontium-90	21	pCi/L	[NULL]	[NULL]	[NULL]	R	B237D0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	14808-79-8	Sulfate	11300	ug/L	D	[NULL]	[NULL]	R	B237C8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	TEMPERATURE	Temperature	7.5	Deg C	[NULL]	[NULL]	[NULL]	R	B237C7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B237D0	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	70	ug/L	U	H	[NULL]	R	B237D0	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	TURBIDITY	Turbidity	212	NTU	[NULL]	[NULL]	[NULL]	R	B237C7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B237D0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	12/17/2009 11:00	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B237C9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B237D0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B237C9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/17/2009 11:00	N	PH	pH Measurement	7.05	unitless	[NULL]	[NULL]	[NULL]	R	B237C7	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	7429-90-5	Aluminum	17	ug/L	U	[NULL]	[NULL]	C	B22WY9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	C	B22WY9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	7440-38-2	Arsenic	65	ug/L	U	[NULL]	[NULL]	C	B22WY9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	7440-39-3	Barium	14	ug/L	B	[NULL]	[NULL]	C	B22WY9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B22WY9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	7440-70-2	Calcium	18100	ug/L	[NULL]	[NULL]	[NULL]	C	B22WY9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	16887-00-6	Chloride	1110	ug/L	D	[NULL]	[NULL]	C	B22WY9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B22WY9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B22WY9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	C	B22WY9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	16984-48-8	Fluoride	60	ug/L	BD	[NULL]	[NULL]	C	B22WY9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	7439-89-6	Iron	214	ug/L	[NULL]	[NULL]	[NULL]	C	B22WY9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	7439-92-1	Lead	23	ug/L	U	[NULL]	[NULL]	C	B22WY9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	7439-95-4	Magnesium	3060	ug/L	[NULL]	[NULL]	[NULL]	C	B22WY9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	7439-96-5	Manganese	4.4	ug/L	B	[NULL]	[NULL]	C	B22WY9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	C	B22WY9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B22WY9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	14797-55-8	Nitrate	2090	ug/L	D	[NULL]	[NULL]	C	B22WY9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	C	B22WY9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	14265-44-2	Phosphate	429	ug/L	UD	[NULL]	[NULL]	C	B22WY9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	7440-09-7	Potassium	1240	ug/L	[NULL]	[NULL]	[NULL]	C	B22WY9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B22WY9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	7440-23-5	Sodium	2320	ug/L	[NULL]	[NULL]	[NULL]	C	B22WY9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	12/21/2009 9:09	N	7440-24-6	Strontium	77	ug/L	[NULL]	[NULL]	[NULL]	C	B22WY9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	10098-97-2	Strontium-90	30	pCi/L	[NULL]	[NULL]	[NULL]	C	B22WY9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	14808-79-8	Sulfate	10900	ug/L	D	[NULL]	[NULL]	C	B22WY9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B22WY9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/21/2009 9:09	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	C	B22WY9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	7429-90-5	Aluminum	17	ug/L	U	[NULL]	[NULL]	C	B22X01	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	C	B22X01	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	7440-38-2	Arsenic	65	ug/L	U	[NULL]	[NULL]	C	B22X01	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	7440-39-3	Barium	14.6	ug/L	B	[NULL]	[NULL]	C	B22X01	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B22X01	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	7440-70-2	Calcium	18200	ug/L	[NULL]	[NULL]	[NULL]	C	B22X01	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	16887-00-6	Chloride	1160	ug/L	D	[NULL]	[NULL]	C	B22X01	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B22X01	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B22X01	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	C	B22X01	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	C	B22X01	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	7439-89-6	Iron	283	ug/L	[NULL]	[NULL]	[NULL]	C	B22X01	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	7439-92-1	Lead	23	ug/L	U	[NULL]	[NULL]	C	B22X01	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	7439-95-4	Magnesium	3130	ug/L	[NULL]	[NULL]	[NULL]	C	B22X01	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	7439-96-5	Manganese	22.8	ug/L	[NULL]	[NULL]	[NULL]	C	B22X01	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	C	B22X01	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B22X01	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	14797-55-8	Nitrate	2090	ug/L	D	[NULL]	[NULL]	C	B22X01	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	C	B22X01	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	14265-44-2	Phosphate	429	ug/L	UD	[NULL]	[NULL]	C	B22X01	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	7440-09-7	Potassium	1200	ug/L	[NULL]	[NULL]	[NULL]	C	B22X01	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B22X01	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	12/28/2009 10:05	N	7440-23-5	Sodium	2320	ug/L	[NULL]	[NULL]	[NULL]	C	B22X01	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	7440-24-6	Strontium	77.4	ug/L	[NULL]	[NULL]	[NULL]	C	B22X01	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	10098-97-2	Strontium-90	28	pCi/L	[NULL]	[NULL]	[NULL]	C	B22X01	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	14808-79-8	Sulfate	11500	ug/L	D	[NULL]	[NULL]	C	B22X01	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B22X01	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	12/28/2009 10:05	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	C	B22X01	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	7429-90-5	Aluminum	17	ug/L	U	[NULL]	[NULL]	S	B22X03	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	S	B22X03	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	7440-38-2	Arsenic	65	ug/L	U	[NULL]	[NULL]	S	B22X03	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	7440-39-3	Barium	14.3	ug/L	B	[NULL]	[NULL]	S	B22X03	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B22X03	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	7440-70-2	Calcium	18800	ug/L	[NULL]	[NULL]	[NULL]	S	B22X03	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	16887-00-6	Chloride	1560	ug/L	D	[NULL]	[NULL]	S	B22X03	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B22X03	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B22X03	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B22X03	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	S	B22X03	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	7439-89-6	Iron	433	ug/L	[NULL]	[NULL]	[NULL]	S	B22X03	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	7439-92-1	Lead	23	ug/L	U	[NULL]	[NULL]	S	B22X03	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	7439-95-4	Magnesium	3130	ug/L	[NULL]	[NULL]	[NULL]	S	B22X03	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	7439-96-5	Manganese	12.7	ug/L	B	[NULL]	[NULL]	S	B22X03	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B22X03	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B22X03	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	14797-55-8	Nitrate	2220	ug/L	D	[NULL]	[NULL]	S	B22X03	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	S	B22X03	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	14265-44-2	Phosphate	429	ug/L	UD	[NULL]	[NULL]	S	B22X03	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	7440-09-7	Potassium	1160	ug/L	[NULL]	[NULL]	[NULL]	S	B22X03	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	1/6/2010 9:55	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B22X03	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	7440-23-5	Sodium	2310	ug/L	[NULL]	[NULL]	[NULL]	S	B22X03	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	7440-24-6	Strontium	76.4	ug/L	[NULL]	[NULL]	[NULL]	S	B22X03	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	10098-97-2	Strontium-90	24	pCi/L	[NULL]	[NULL]	[NULL]	S	B22X03	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	14808-79-8	Sulfate	11800	ug/L	D	[NULL]	[NULL]	S	B22X03	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B22X03	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	1/6/2010 9:55	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	S	B22X03	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	7429-90-5	Aluminum	17	ug/L	U	[NULL]	[NULL]	S	B22X05	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	S	B22X05	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	7440-38-2	Arsenic	65	ug/L	U	[NULL]	[NULL]	S	B22X05	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	7440-39-3	Barium	19.1	ug/L	B	[NULL]	[NULL]	S	B22X05	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B22X05	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	7440-70-2	Calcium	25600	ug/L	[NULL]	[NULL]	[NULL]	S	B22X05	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	16887-00-6	Chloride	1660	ug/L	D	[NULL]	[NULL]	S	B22X05	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B22X05	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B22X05	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B22X05	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	S	B22X05	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	7439-89-6	Iron	500	ug/L	[NULL]	[NULL]	[NULL]	S	B22X05	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	7439-92-1	Lead	23	ug/L	U	[NULL]	[NULL]	S	B22X05	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	7439-95-4	Magnesium	4250	ug/L	[NULL]	[NULL]	[NULL]	S	B22X05	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	7439-96-5	Manganese	12.2	ug/L	B	[NULL]	[NULL]	S	B22X05	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B22X05	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B22X05	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	14797-55-8	Nitrate	4000	ug/L	D	[NULL]	[NULL]	S	B22X05	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	S	B22X05	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	14265-44-2	Phosphate	429	ug/L	UD	[NULL]	[NULL]	S	B22X05	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-1A	3/2/2010 9:33	N	7440-09-7	Potassium	1340	ug/L	[NULL]	[NULL]	[NULL]	S	B22X05	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B22X05	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	7440-23-5	Sodium	2890	ug/L	[NULL]	[NULL]	[NULL]	S	B22X05	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	7440-24-6	Strontium	109	ug/L	[NULL]	[NULL]	[NULL]	S	B22X05	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	10098-97-2	Strontium-90	30	pCi/L	[NULL]	[NULL]	[NULL]	S	B22X05	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	14808-79-8	Sulfate	13200	ug/L	D	[NULL]	[NULL]	S	B22X05	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B22X05	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	3/2/2010 9:33	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	S	B22X05	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-1A	3/8/2010 10:14	N	12587-47-2	Gross beta	92	pCi/L	[NULL]	[NULL]	[NULL]	R	B249V1	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-1A	3/8/2010 10:14	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B249V1	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-1A	3/8/2010 10:14	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	70	ug/L	U	[NULL]	[NULL]	R	B249V1	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-2A	8/3/2005 0:00	N	12587-47-2	Gross beta	398	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DM66	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-2A	8/3/2005 0:00	N	EH	Oxidation Reduction Potential	45	mV	[NULL]	[NULL]	[NULL]	S	B1DM66	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-2A	8/3/2005 0:00	N	CONDUCT	Specific Conductance	475	uS/cm	[NULL]	[NULL]	[NULL]	S	B1DM66	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-2A	8/3/2005 0:00	N	TEMPERATURE	Temperature	24.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1DM66	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-2A	8/3/2005 0:00	N	TDS	Total dissolved solids	269100	ug/L	[NULL]	[NULL]	[NULL]	S	B1DM66	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-2A	8/3/2005 0:00	N	PH	pH Measurement	7.64	unitless	[NULL]	[NULL]	[NULL]	S	B1DM66	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-2A	9/28/2005 0:00	N	ALKALINITY	Alkalinity	120000	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC5	ALKALINITY	ENW	2320_ALKALINITY	100-NR-2
N116mArray-2A	9/28/2005 0:00	Y	7429-90-5	Aluminum	8.51	ug/L	X	[NULL]	[NULL]	S	B1DYC3	7429-90-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-2A	9/28/2005 0:00	Y	7440-38-2	Arsenic	0.728	ug/L	X	[NULL]	[NULL]	S	B1DYC3	7440-38-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-2A	9/28/2005 0:00	Y	7440-39-3	Barium	44	ug/L	X	[NULL]	[NULL]	S	B1DYC3	7440-39-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-2A	9/28/2005 0:00	N	24959-67-9	Bromide	130	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC4	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	9/28/2005 0:00	Y	7440-43-9	Cadmium	0.0209	ug/L	BX	[NULL]	[NULL]	S	B1DYC3	7440-43-9	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-2A	9/28/2005 0:00	Y	7440-70-2	Calcium	71732	ug/L	X	[NULL]	[NULL]	S	B1DYC3	7440-70-2	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-2A	9/28/2005 0:00	N	3812-32-6	Carbonate ion	131000	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC4	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	9/28/2005 0:00	N	16887-00-6	Chloride	19100	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC4	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	9/28/2005 0:00	Y	7440-47-3	Chromium	3.18	ug/L	X	[NULL]	[NULL]	S	B1DYC3	7440-47-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-2A	9/28/2005 0:00	Y	7440-50-8	Copper	0.407	ug/L	X	[NULL]	[NULL]	S	B1DYC3	7440-50-8	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-2A	9/28/2005 0:00	N	DO	Dissolved oxygen	5500	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-2A	9/28/2005 0:00	N	16984-48-8	Fluoride	60	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC4	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	9/28/2005 0:00	N	12587-47-2	Gross beta	430	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DYC2	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-2A	9/28/2005 0:00	Y	7439-92-1	Lead	0.0389	ug/L	X	[NULL]	[NULL]	S	B1DYC3	7439-92-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-2A	9/28/2005 0:00	Y	7439-95-4	Magnesium	12241	ug/L	X	[NULL]	[NULL]	S	B1DYC3	7439-95-4	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-2A	9/28/2005 0:00	Y	7439-96-5	Manganese	2.87	ug/L	X	[NULL]	[NULL]	S	B1DYC3	7439-96-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-2A	9/28/2005 0:00	Y	7440-02-0	Nickel	1.84	ug/L	X	[NULL]	[NULL]	S	B1DYC3	7440-02-0	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-2A	9/28/2005 0:00	N	14797-55-8	Nitrate	21200	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC4	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	9/28/2005 0:00	N	EH	Oxidation Reduction Potential	60	mV	[NULL]	[NULL]	[NULL]	S	B1DYC2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-2A	9/28/2005 0:00	N	14265-44-2	Phosphate	100	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC4	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	9/28/2005 0:00	Y	7440-09-7	Potassium	2649	ug/L	X	[NULL]	[NULL]	S	B1DYC3	7440-09-7	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-2A	9/28/2005 0:00	Y	7782-49-2	Selenium	0.74	ug/L	X	[NULL]	[NULL]	S	B1DYC3	7782-49-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-2A	9/28/2005 0:00	Y	7440-23-5	Sodium	13036	ug/L	X	[NULL]	[NULL]	S	B1DYC3	7440-23-5	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-2A	9/28/2005 0:00	N	CONDUCT	Specific Conductance	499	uS/cm	[NULL]	[NULL]	[NULL]	S	B1DYC2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-2A	9/28/2005 0:00	Y	7440-24-6	Strontium	290	ug/L	X	[NULL]	[NULL]	S	B1DYC3	7440-24-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-2A	9/28/2005 0:00	N	10098-97-2	Strontium-90	277	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DYC2	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-2A	9/28/2005 0:00	N	14808-79-8	Sulfate	88900	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC4	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	9/28/2005 0:00	N	TEMPERATURE	Temperature	18.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1DYC2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-2A	9/28/2005 0:00	Y	7440-29-1	Thorium	0.00472	ug/L	CX	[NULL]	[NULL]	S	B1DYC3	7440-29-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-2A	9/28/2005 0:00	N	TDS	Total dissolved solids	338000	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC2	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-2A	9/28/2005 0:00	N	10028-17-8	Tritium	2530	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DYC2	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
N116mArray-2A	9/28/2005 0:00	Y	7440-61-1	Uranium	2.05	ug/L	X	[NULL]	[NULL]	S	B1DYC3	7440-61-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-2A	9/28/2005 0:00	Y	7440-66-6	Zinc	1.91	ug/L	X	[NULL]	[NULL]	S	B1DYC3	7440-66-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-2A	9/28/2005 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	S	B1DYC2	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-2A	3/8/2006 9:45	N	24959-67-9	Bromide	200	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB0	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	3/8/2006 9:45	Y	7440-70-2	Calcium	103698	ug/L	D	[NULL]	[NULL]	S	B1HV99	7440-70-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	3/8/2006 9:45	N	3812-32-6	Carbonate ion	168000	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB0	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	3/8/2006 9:45	N	16887-00-6	Chloride	30200	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB0	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	3/8/2006 9:45	N	DO	Dissolved oxygen	9100	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV64	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-2A	3/8/2006 9:45	N	16984-48-8	Fluoride	60	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB0	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	3/8/2006 9:45	N	12587-47-2	Gross beta	714	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HV64	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-2A	3/8/2006 9:45	N	14797-55-8	Nitrate	29700	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB0	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	3/8/2006 9:45	N	EH	Oxidation Reduction Potential	161	mV	[NULL]	[NULL]	[NULL]	S	B1HV64	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-2A	3/8/2006 9:45	N	14265-44-2	Phosphate	170	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB0	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	3/8/2006 9:45	Y	7440-23-5	Sodium	15293.5	ug/L	D	[NULL]	[NULL]	S	B1HV99	7440-23-5	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	3/8/2006 9:45	N	127-09-3	Sodium acetate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HVB0	127-09-3	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	3/8/2006 9:45	N	68-04-2	Sodium citrate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HVB0	68-04-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	3/8/2006 9:45	N	141-53-7	Sodium formate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HVB0	141-53-7	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	3/8/2006 9:45	N	CONDUCT	Specific Conductance	650	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HV64	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-2A	3/8/2006 9:45	N	14808-79-8	Sulfate	136000	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB0	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	3/8/2006 9:45	N	TEMPERATURE	Temperature	5.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1HV64	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-2A	3/8/2006 9:45	Y	7440-61-1	Uranium	5.1	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV99	7440-61-1	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	4/13/2006 9:30	N	DO	Dissolved oxygen	8400	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2B1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-2A	4/13/2006 9:30	N	12587-47-2	Gross beta	176	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J2B1	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-2A	4/13/2006 9:30	N	EH	Oxidation Reduction Potential	31	mV	[NULL]	[NULL]	[NULL]	S	B1J2B1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-2A	4/13/2006 9:30	N	CONDUCT	Specific Conductance	236.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J2B1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-2A	4/13/2006 9:30	N	TEMPERATURE	Temperature	7.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1J2B1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-2A	4/13/2006 9:30	N	PH	pH Measurement	7.64	unitless	[NULL]	[NULL]	[NULL]	S	B1J2B1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-2A	5/10/2006 10:20	N	ALKALINITY	Alkalinity	84000	ug/L	[NULL]	[NULL]	[NULL]	S	B1J713	ALKALINITY	RJ LEE	2320_ALKALINITY	100-NR-2
N116mArray-2A	5/10/2006 10:20	Y	7440-38-2	Arsenic	0.68	ug/L	B	[NULL]	[NULL]	S	B1J712	7440-38-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	5/10/2006 10:20	Y	7440-39-3	Barium	13.82	ug/L	[NULL]	[NULL]	[NULL]	S	B1J712	7440-39-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	5/10/2006 10:20	N	24959-67-9	Bromide	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J711	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	5/10/2006 10:20	Y	7440-70-2	Calcium	57520.2	ug/L	D	[NULL]	[NULL]	S	B1J712	7440-70-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	5/10/2006 10:20	N	3812-32-6	Carbonate ion	65500	ug/L	[NULL]	[NULL]	[NULL]	S	B1J711	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	5/10/2006 10:20	N	16887-00-6	Chloride	1380	ug/L	[NULL]	[NULL]	[NULL]	S	B1J711	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	5/10/2006 10:20	Y	7440-47-3	Chromium	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J712	7440-47-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	5/10/2006 10:20	N	16984-48-8	Fluoride	80	ug/L	[NULL]	[NULL]	[NULL]	S	B1J711	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	5/10/2006 10:20	N	12587-47-2	Gross beta	184	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J709	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-2A	5/10/2006 10:20	Y	7439-92-1	Lead	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J712	7439-92-1	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	5/10/2006 10:20	Y	7440-02-0	Nickel	0.35	ug/L	[NULL]	[NULL]	[NULL]	S	B1J712	7440-02-0	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	5/10/2006 10:20	N	14797-55-8	Nitrate	720	ug/L	[NULL]	[NULL]	[NULL]	S	B1J711	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	5/10/2006 10:20	N	EH	Oxidation Reduction Potential	100	mV	[NULL]	[NULL]	[NULL]	S	B1J709	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-2A	5/10/2006 10:20	N	14265-44-2	Phosphate	160	ug/L	[NULL]	[NULL]	[NULL]	S	B1J711	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	5/10/2006 10:20	Y	7440-09-7	Potassium	1417.73	ug/L	[NULL]	[NULL]	[NULL]	S	B1J712	7440-09-7	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	5/10/2006 10:20	Y	7440-23-5	Sodium	4607.49	ug/L	[NULL]	[NULL]	[NULL]	S	B1J712	7440-23-5	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	5/10/2006 10:20	N	127-09-3	Sodium acetate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J711	127-09-3	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	5/10/2006 10:20	N	68-04-2	Sodium citrate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J711	68-04-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	5/10/2006 10:20	N	141-53-7	Sodium formate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J711	141-53-7	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	5/10/2006 10:20	N	CONDUCT	Specific Conductance	181	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J709	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-2A	5/10/2006 10:20	N	14808-79-8	Sulfate	11200	ug/L	[NULL]	[NULL]	[NULL]	S	B1J711	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	5/10/2006 10:20	N	TEMPERATURE	Temperature	11.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1J709	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-2A	5/10/2006 10:20	N	TDS	Total dissolved solids	123400	ug/L	[NULL]	[NULL]	[NULL]	S	B1J709	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-2A	5/10/2006 10:20	N	10028-17-8	Tritium	-16	pCi/L	U	[NULL]	[NULL]	S	B1J710	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
N116mArray-2A	5/10/2006 10:20	Y	7440-66-6	Zinc	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J712	7440-66-6	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	5/10/2006 10:20	N	PH	pH Measurement	7.2	unitless	[NULL]	[NULL]	[NULL]	S	B1J709	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-2A	6/6/2006 13:20	N	DO	Dissolved oxygen	7200	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDD0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-2A	6/6/2006 13:20	N	12587-47-2	Gross beta	149	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDD1	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-2A	6/6/2006 13:20	N	EH	Oxidation Reduction Potential	11	mV	[NULL]	[NULL]	[NULL]	R	B1JDD0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-2A	6/6/2006 13:20	N	CONDUCT	Specific Conductance	166.1	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JDD0	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	6/6/2006 13:20	N	10098-97-2	Strontium-90	80	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDD1	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-2A	6/6/2006 13:20	N	TEMPERATURE	Temperature	17.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1JDD0	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-2A	6/6/2006 13:20	N	TOC	Total organic carbon	1300	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDD2	TOC	STLSL	9060_TOC	100-NR-2
N116mArray-2A	6/6/2006 13:20	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	[NULL]	[NULL]	R	B1JDD2	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
N116mArray-2A	6/6/2006 13:20	N	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	R	B1JDD0	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	ALKALINITY	Alkalinity	134000	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBM2	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
N116mArray-2A	9/25/2006 10:16	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1KBM1	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	14234-35-6	Antimony-125	0.179	pCi/L	U	[NULL]	[NULL]	R	B1KBM4	14234-35-6	STLRL	GAMMA_GS	100-NR-2
N116mArray-2A	9/25/2006 10:16	Y	7440-39-3	Barium	46.4	ug/L	B	[NULL]	[NULL]	R	B1KBM1	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-2A	9/25/2006 10:16	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1KBM1	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	13966-02-4	Beryllium-7	-13.7	pCi/L	U	[NULL]	[NULL]	R	B1KBM4	13966-02-4	STLRL	GAMMA_GS	100-NR-2
N116mArray-2A	9/25/2006 10:16	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1KBM1	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-2A	9/25/2006 10:16	Y	7440-70-2	Calcium	76000	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBM1	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	13967-70-9	Cesium-134	-0.746	pCi/L	U	[NULL]	[NULL]	R	B1KBM4	13967-70-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	10045-97-3	Cesium-137	-0.148	pCi/L	U	[NULL]	[NULL]	R	B1KBM4	10045-97-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	16887-00-6	Chloride	20800	ug/L	DN	[NULL]	[NULL]	R	B1KBM2	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	9/25/2006 10:16	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1KBM1	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-2A	9/25/2006 10:16	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1KBM1	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	10198-40-0	Cobalt-60	-0.0836	pCi/L	U	[NULL]	[NULL]	R	B1KBM4	10198-40-0	STLRL	GAMMA_GS	100-NR-2
N116mArray-2A	9/25/2006 10:16	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1KBM1	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	DO	Dissolved oxygen	7900	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBM3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	14683-23-9	Europium-152	1.66	pCi/L	U	[NULL]	[NULL]	R	B1KBM4	14683-23-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	15585-10-1	Europium-154	1.47	pCi/L	U	[NULL]	[NULL]	R	B1KBM4	15585-10-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	14391-16-3	Europium-155	-0.19	pCi/L	U	[NULL]	[NULL]	R	B1KBM4	14391-16-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	16984-48-8	Fluoride	110	ug/L	N	[NULL]	[NULL]	R	B1KBM2	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	12587-46-1	Gross alpha	1.2	pCi/L	U	[NULL]	[NULL]	R	B1KBM4	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	9/25/2006 10:16	N	12587-47-2	Gross beta	405	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBM4	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-2A	9/25/2006 10:16	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1KBM1	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-2A	9/25/2006 10:16	Y	7439-95-4	Magnesium	13400	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBM1	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-2A	9/25/2006 10:16	Y	7439-96-5	Manganese	3	ug/L	B	[NULL]	[NULL]	R	B1KBM1	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-2A	9/25/2006 10:16	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1KBM1	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	14797-55-8	Nitrate	26100	ug/L	D	[NULL]	[NULL]	R	B1KBM2	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1KBM2	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	EH	Oxidation Reduction Potential	258	mV	[NULL]	[NULL]	[NULL]	R	B1KBM3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	14265-44-2	Phosphate	190	ug/L	BN	[NULL]	[NULL]	R	B1KBM2	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	9/25/2006 10:16	Y	7440-09-7	Potassium	4400	ug/L	BC	[NULL]	[NULL]	R	B1KBM1	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	13966-00-2	Potassium-40	-35.4	pCi/L	U	[NULL]	[NULL]	R	B1KBM4	13966-00-2	STLRL	GAMMA_GS	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	13967-48-1	Ruthenium-106	-10.6	pCi/L	U	[NULL]	[NULL]	R	B1KBM4	13967-48-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-2A	9/25/2006 10:16	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1KBM1	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-2A	9/25/2006 10:16	Y	7440-23-5	Sodium	14400	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBM1	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	CONDUCT	Specific Conductance	507	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KBM3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-2A	9/25/2006 10:16	Y	7440-24-6	Strontium	333	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBM1	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	10098-97-2	Strontium-90	272	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBM4	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	14808-79-8	Sulfate	92400	ug/L	D	[NULL]	[NULL]	R	B1KBM2	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1KBM3	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	TOC	Total organic carbon	580	ug/L	B	[NULL]	[NULL]	R	B1KBM2	TOC	STLSL	9060_TOC	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	[NULL]	[NULL]	R	B1KBM2	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	10028-17-8	Tritium	2010	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBM4	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
N116mArray-2A	9/25/2006 10:16	Y	7440-62-2	Vanadium	6.5	ug/L	B	[NULL]	[NULL]	R	B1KBM1	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-2A	9/25/2006 10:16	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1KBM1	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-2A	9/25/2006 10:16	N	PH	pH Measurement	7.17	unitless	[NULL]	[NULL]	[NULL]	R	B1KBM3	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	DO	Dissolved oxygen	5600	ug/L	[NULL]	[NULL]	[NULL]	R	B1MRN4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	3/12/2007 13:02	N	DO	Dissolved oxygen	5600	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPF9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	12587-46-1	Gross alpha	1.6	pCi/L	U	G	[NULL]	R	B1MPF9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	12587-46-1	Gross alpha	1.7	pCi/L	U	G	[NULL]	R	B1MRN4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	12587-47-2	Gross beta	530	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MRN4	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	12587-47-2	Gross beta	500	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MPF9	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	EH	Oxidation Reduction Potential	142	mV	[NULL]	[NULL]	[NULL]	R	B1MPF9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	EH	Oxidation Reduction Potential	142	mV	[NULL]	[NULL]	[NULL]	R	B1MRN4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	CONDUCT	Specific Conductance	661.5	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MRN4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	CONDUCT	Specific Conductance	661.5	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MPF9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	10098-97-2	Strontium-90	340	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MRN4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	10098-97-2	Strontium-90	360	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MPF9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	TEMPERATURE	Temperature	10.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1MRN4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	TEMPERATURE	Temperature	10.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1MPF9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	TOC	Total organic carbon	376	ug/L	[NULL]	[NULL]	[NULL]	R	B1MRN4	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B1MPF9	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	74	ug/L	U	[NULL]	[NULL]	R	B1MPF9	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	76	ug/L	U	[NULL]	[NULL]	R	B1MRN4	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	50	ug/L	U	[NULL]	[NULL]	R	B1MPF9	TPHGASOLINE	WSCF	WTPH_GASOLINE	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	50	ug/L	U	[NULL]	[NULL]	R	B1MRN4	TPHGASOLINE	WSCF	WTPH_GASOLINE	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	74	ug/L	U	[NULL]	[NULL]	R	B1MPF9	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	76	ug/L	U	[NULL]	[NULL]	R	B1MRN4	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	PH	pH Measurement	7.34	unitless	[NULL]	[NULL]	[NULL]	R	B1MPF9	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-2A	3/12/2007 13:02	N	PH	pH Measurement	7.34	unitless	[NULL]	[NULL]	[NULL]	R	B1MRN4	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-2A	6/27/2007 8:30	N	DO	Dissolved oxygen	2140	ug/L	[NULL]	[NULL]	[NULL]	R	B1NTX1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	6/27/2007 8:30	N	12587-46-1	Gross alpha	0.44	pCi/L	U	G	[NULL]	R	B1NV32	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-2A	6/27/2007 8:30	N	12587-47-2	Gross beta	380	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NV32	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-2A	6/27/2007 8:30	N	EH	Oxidation Reduction Potential	80	mV	[NULL]	[NULL]	[NULL]	R	B1NTX1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-2A	6/27/2007 8:30	N	CONDUCT	Specific Conductance	343.2	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NTX1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-2A	6/27/2007 8:30	N	10098-97-2	Strontium-90	200	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NV32	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-2A	6/27/2007 8:30	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1NTX1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-2A	6/27/2007 8:30	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B1NV32	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-2A	6/27/2007 8:30	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	76	ug/L	U	[NULL]	[NULL]	R	B1NV32	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-2A	6/27/2007 8:30	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	76	ug/L	U	[NULL]	[NULL]	R	B1NV32	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-2A	6/27/2007 8:30	N	TURBIDITY	Turbidity	5.03	NTU	[NULL]	[NULL]	[NULL]	R	B1NTX1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-2A	6/27/2007 8:30	N	PH	pH Measurement	7.27	unitless	[NULL]	[NULL]	[NULL]	R	B1NTX1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	ALKALINITY	Alkalinity	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V8	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	7440-36-0	Antimony	0.3	ug/L	U	[NULL]	[NULL]	R	B1P3V8	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	7440-38-2	Arsenic	0.532	ug/L	E	[NULL]	[NULL]	R	B1P3V8	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	7440-39-3	Barium	32	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V8	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	7440-41-7	Beryllium	0.05	ug/L	U	[NULL]	[NULL]	R	B1P3V8	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	24959-67-9	Bromide	168	ug/L	B	[NULL]	[NULL]	R	B1P3V8	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	7440-43-9	Cadmium	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3V8	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	7440-70-2	Calcium	56000	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	10045-97-3	Cesium-137	0.608	pCi/L	U	[NULL]	[NULL]	R	B1P3V8	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	16887-00-6	Chloride	12500	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	7440-47-3	Chromium	2.77	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V8	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	7440-48-4	Cobalt	0.066	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V8	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	10198-40-0	Cobalt-60	2.96	pCi/L	U	[NULL]	[NULL]	R	B1P3V8	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	DO	Dissolved oxygen	4990	ug/L	[NULL]	[NULL]	[NULL]	C	B1P3N4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	14683-23-9	Europium-152	-3.68	pCi/L	U	[NULL]	[NULL]	R	B1P3V8	14683-23-9	WSCF	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	8/9/2007 9:48	N	15585-10-1	Europium-154	-11.2	pCi/L	U	[NULL]	[NULL]	R	B1P3V8	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	14391-16-3	Europium-155	-10	pCi/L	U	[NULL]	[NULL]	R	B1P3V8	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	16984-48-8	Fluoride	53	ug/L	B	[NULL]	[NULL]	R	B1P3V8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	12587-46-1	Gross alpha	-0.39	pCi/L	U	G	[NULL]	R	B1P3V8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	12587-47-2	Gross beta	370	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3V8	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	7439-89-6	Iron	38.2	ug/L	C	[NULL]	[NULL]	R	B1P3V8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	7439-95-4	Magnesium	8500	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	7439-96-5	Manganese	1.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V8	7439-96-5	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	7440-02-0	Nickel	1.06	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V8	7440-02-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	14797-55-8	Nitrate	12200	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	R	B1P3V8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	EH	Oxidation Reduction Potential	107	mV	[NULL]	[NULL]	[NULL]	C	B1P3N4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	14265-44-2	Phosphate	123	ug/L	NU	[NULL]	[NULL]	R	B1P3V8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	7440-09-7	Potassium	2400	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	7440-22-4	Silver	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3V8	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	7440-23-5	Sodium	12200	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	CONDUCT	Specific Conductance	395	uS/cm	[NULL]	[NULL]	[NULL]	C	B1P3N4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	7440-24-6	Strontium	218	ug/L	N	[NULL]	[NULL]	R	B1P3V8	7440-24-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	10098-97-2	Strontium-90	180	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3V8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	14808-79-8	Sulfate	59000	ug/L	D	[NULL]	[NULL]	R	B1P3V8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	TEMPERATURE	Temperature	22.1	Deg C	[NULL]	[NULL]	[NULL]	C	B1P3N4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	TOC	Total organic carbon	588	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V8	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	75	ug/L	U	[NULL]	[NULL]	R	B1P3V8	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	75	ug/L	U	[NULL]	[NULL]	R	B1P3V8	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	10028-17-8	Tritium	1200	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3V8	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	TURBIDITY	Turbidity	2.77	NTU	[NULL]	[NULL]	[NULL]	C	B1P3N4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	8/9/2007 9:48	N	7440-62-2	Vanadium	1.89	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V8	7440-62-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	7440-66-6	Zinc	1.22	ug/L	C	[NULL]	[NULL]	R	B1P3V8	7440-66-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-2A	8/9/2007 9:48	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	C	B1P3N4	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-2A	12/11/2007 8:40	N	16887-00-6	Chloride	10100	ug/L	D	[NULL]	[NULL]	R	B1R9V3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/11/2007 8:40	N	DO	Dissolved oxygen	9370	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-2A	12/11/2007 8:40	N	16984-48-8	Fluoride	20.7	ug/L	BD	[NULL]	[NULL]	R	B1R9V3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/11/2007 8:40	N	12587-47-2	Gross beta	346	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9V2	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-2A	12/11/2007 8:40	N	14797-55-8	Nitrate	13800	ug/L	D	[NULL]	[NULL]	R	B1R9V3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/11/2007 8:40	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1R9V3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/11/2007 8:40	N	EH	Oxidation Reduction Potential	180	mV	[NULL]	[NULL]	[NULL]	R	B1R9V0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-2A	12/11/2007 8:40	N	14265-44-2	Phosphate	245	ug/L	DU	[NULL]	[NULL]	R	B1R9V3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/11/2007 8:40	N	CONDUCT	Specific Conductance	327.6	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R9V0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-2A	12/11/2007 8:40	N	14808-79-8	Sulfate	46700	ug/L	D	[NULL]	[NULL]	R	B1R9V3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/11/2007 8:40	N	TEMPERATURE	Temperature	5	Deg C	[NULL]	[NULL]	[NULL]	R	B1R9V0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-2A	12/11/2007 8:40	N	TOC	Total organic carbon	542	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V3	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-2A	12/11/2007 8:40	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	78	ug/L	U	[NULL]	[NULL]	R	B1R9V3	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-2A	12/11/2007 8:40	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	78	ug/L	U	[NULL]	[NULL]	R	B1R9V3	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-2A	12/11/2007 8:40	N	TURBIDITY	Turbidity	9.22	NTU	[NULL]	[NULL]	[NULL]	R	B1R9V0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-2A	12/11/2007 8:40	N	PH	pH Measurement	7.65	unitless	[NULL]	[NULL]	[NULL]	R	B1R9V0	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-2A	3/25/2008 9:34	N	16887-00-6	Chloride	27200	ug/L	D	[NULL]	[NULL]	R	B1THL0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	3/25/2008 9:34	N	16984-48-8	Fluoride	12	ug/L	DU	[NULL]	[NULL]	R	B1THL0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	3/25/2008 9:34	N	12587-47-2	Gross beta	669	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THK9	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-2A	3/25/2008 9:34	N	14797-55-8	Nitrate	33500	ug/L	D	[NULL]	[NULL]	R	B1THL0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	3/25/2008 9:34	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1THL0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	3/25/2008 9:34	N	14265-44-2	Phosphate	245	ug/L	DU	[NULL]	[NULL]	R	B1THL0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	3/25/2008 9:34	N	68-04-2	Sodium citrate	100	ug/L	U	[NULL]	[NULL]	R	B1THK8	68-04-2	ESL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	3/25/2008 9:34	N	14808-79-8	Sulfate	112000	ug/L	D	[NULL]	[NULL]	R	B1THL0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	3/25/2008 9:34	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B1THL0	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-2A	3/25/2008 9:34	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	73	ug/L	U	[NULL]	[NULL]	R	B1THL0	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-2A	3/25/2008 9:34	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	73	ug/L	U	[NULL]	[NULL]	R	B1THL0	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-2A	3/25/2008 9:35	N	DO	Dissolved oxygen	8550	ug/L	[NULL]	[NULL]	[NULL]	R	B1THK7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-2A	3/25/2008 9:35	N	EH	Oxidation Reduction Potential	213	mV	[NULL]	[NULL]	[NULL]	R	B1THK7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-2A	3/25/2008 9:35	N	CONDUCT	Specific Conductance	665	uS/cm	[NULL]	[NULL]	[NULL]	R	B1THK7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-2A	3/25/2008 9:35	N	TEMPERATURE	Temperature	4.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1THK7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-2A	3/25/2008 9:35	N	TURBIDITY	Turbidity	6.1	NTU	[NULL]	[NULL]	[NULL]	R	B1THK7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-2A	3/25/2008 9:35	N	PH	pH Measurement	7.58	unitless	[NULL]	[NULL]	[NULL]	R	B1THK7	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	7429-90-5	Aluminum	30	ug/L	U	[NULL]	[NULL]	S	B1VJN5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1VJN5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	7440-38-2	Arsenic	50	ug/L	U	[NULL]	[NULL]	S	B1VJN5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	7440-39-3	Barium	14	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1VJN5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	7440-70-2	Calcium	25500	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	16887-00-6	Chloride	1250	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1VJN5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1VJN5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B1VJN5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	16984-48-8	Fluoride	21	ug/L	U	[NULL]	[NULL]	S	B1VJN5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	12587-46-1	Gross alpha	-0.89	pCi/L	U	G	[NULL]	S	B1VJN5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	12587-47-2	Gross beta	170	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VJN5	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	7439-89-6	Iron	19.1	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	7439-92-1	Lead	27	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	7439-95-4	Magnesium	4120	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	6/3/2008 11:00	Y	7439-96-5	Manganese	156	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B1VJN5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	7440-02-0	Nickel	5.3	ug/L	C	[NULL]	[NULL]	S	B1VJN5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	14797-55-8	Nitrate	159	ug/L	U	[NULL]	[NULL]	S	B1VJN5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	S	B1VJN5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	14265-44-2	Phosphate	175	ug/L	B	[NULL]	[NULL]	S	B1VJN5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	7440-09-7	Potassium	1410	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1VJN5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	7440-23-5	Sodium	3640	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	7440-24-6	Strontium	111	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	14808-79-8	Sulfate	7870	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	S	B1VJN5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	6/3/2008 11:00	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	S	B1VJN5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	7429-90-5	Aluminum	118	ug/L	B	[NULL]	[NULL]	S	B1WX63	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	7440-36-0	Antimony	60	ug/L	U	[NULL]	[NULL]	S	B1WX63	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	7440-38-2	Arsenic	80	ug/L	U	[NULL]	[NULL]	S	B1WX63	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	7440-39-3	Barium	40.1	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX63	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	24959-67-9	Bromide	500	ug/L	UD	[NULL]	[NULL]	S	B1WX63	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1WX63	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	7440-70-2	Calcium	68900	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX63	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	16887-00-6	Chloride	15700	ug/L	D	[NULL]	[NULL]	S	B1WX63	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	7440-47-3	Chromium	10.5	ug/L	B	[NULL]	[NULL]	S	B1WX63	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	7440-48-4	Cobalt	5.3	ug/L	B	[NULL]	[NULL]	S	B1WX63	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1WX63	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	DO	Dissolved oxygen	8720	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX63	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WX63	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	12587-46-1	Gross alpha	-0.224	pCi/L	U	[NULL]	[NULL]	S	B1WX63	12587-46-1	WSCF	ALPHA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	10/29/2008 13:03	N	12587-47-2	Gross beta	431	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX63	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	S	B1WX63	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	7439-92-1	Lead	40	ug/L	U	[NULL]	[NULL]	S	B1WX63	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	7439-95-4	Magnesium	10300	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX63	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	7439-96-5	Manganese	6.7	ug/L	B	[NULL]	[NULL]	S	B1WX63	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	7439-98-7	Molybdenum	6	ug/L	B	[NULL]	[NULL]	S	B1WX63	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1WX63	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	14797-55-8	Nitrate	26500	ug/L	D	[NULL]	[NULL]	S	B1WX63	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WX63	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	EH	Oxidation Reduction Potential	156	mV	[NULL]	[NULL]	[NULL]	S	B1WX63	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	14265-44-2	Phosphate	1840	ug/L	UD	[NULL]	[NULL]	S	B1WX63	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	7440-09-7	Potassium	2290	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX63	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	7440-22-4	Silver	10.3	ug/L	BC	[NULL]	[NULL]	S	B1WX63	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	7440-23-5	Sodium	10100	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX63	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	CONDUCT	Specific Conductance	461	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX63	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	7440-24-6	Strontium	401	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX63	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	14808-79-8	Sulfate	67800	ug/L	D	[NULL]	[NULL]	S	B1WX63	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	TEMPERATURE	Temperature	12.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX63	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	7440-62-2	Vanadium	10	ug/L	U	[NULL]	[NULL]	S	B1WX63	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1WX63	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	10/29/2008 13:03	N	PH	pH Measurement	7.94	unitless	[NULL]	[NULL]	[NULL]	S	B1WX63	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	7429-90-5	Aluminum	106	ug/L	B	[NULL]	[NULL]	C	B1XXV5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1XXV5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1XXV5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	7440-39-3	Barium	27.7	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1XXV5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	7440-70-2	Calcium	51800	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	12/3/2008 9:35	N	16887-00-6	Chloride	10800	ug/L	D	[NULL]	[NULL]	C	B1XXV5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1XXV5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1XXV5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	C	B1XXV5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	DO	Dissolved oxygen	10150	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	C	B1XXV5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	12587-46-1	Gross alpha	1.5	pCi/L	[NULL]	G	[NULL]	C	B1XXV5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	12587-47-2	Gross beta	280	pCi/L	[NULL]	[NULL]	[NULL]	C	B1XXV5	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	C	B1XXV5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	C	B1XXV5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	7439-95-4	Magnesium	8660	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	C	B1XXV5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	C	B1XXV5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1XXV5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	14797-55-8	Nitrate	17600	ug/L	D	[NULL]	[NULL]	C	B1XXV5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	C	B1XXV5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	EH	Oxidation Reduction Potential	152	mV	[NULL]	[NULL]	[NULL]	C	B1XXV5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	14265-44-2	Phosphate	1860	ug/L	DU	[NULL]	[NULL]	C	B1XXV5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	7440-09-7	Potassium	2250	ug/L	C	[NULL]	[NULL]	C	B1XXV5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1XXV5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	7440-23-5	Sodium	9400	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	CONDUCT	Specific Conductance	340	uS/cm	[NULL]	[NULL]	[NULL]	C	B1XXV5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	7440-24-6	Strontium	327	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	14808-79-8	Sulfate	52400	ug/L	D	[NULL]	[NULL]	C	B1XXV5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	TEMPERATURE	Temperature	7.5	Deg C	[NULL]	[NULL]	[NULL]	C	B1XXV5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	U-233/234	Uranium-233/234	0.87	pCi/L	[NULL]	[NULL]	[NULL]	C	B1XXV5	U-233/234	WSCF	UISO_IE_PRECIP_AEA	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	15117-96-1	Uranium-235	0.065	pCi/L	[NULL]	[NULL]	[NULL]	C	B1XXV5	15117-96-1	WSCF	UISO_IE_PRECIP_AEA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	12/3/2008 9:35	N	U-238	Uranium-238	0.5	pCi/L	[NULL]	[NULL]	[NULL]	C	B1XXV5	U-238	WSCF	UISO_IE_PRECIP_AEA	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1XXV5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1XXV5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/3/2008 9:35	N	PH	pH Measurement	7.54	unitless	[NULL]	[NULL]	[NULL]	C	B1XXV5	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	16887-00-6	Chloride	2330	ug/L	D	[NULL]	[NULL]	R	B20M37	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	16887-00-6	Chloride	2150	ug/L	D	[NULL]	[NULL]	R	B20M36	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	DO	Dissolved oxygen	6890	ug/L	[NULL]	[NULL]	[NULL]	R	B20M38	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B20M37	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B20M36	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	12587-47-2	Gross beta	220	pCi/L	[NULL]	[NULL]	[NULL]	R	B20M36	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	12587-47-2	Gross beta	220	pCi/L	[NULL]	[NULL]	[NULL]	R	B20M37	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	14797-55-8	Nitrate	415	ug/L	BD	[NULL]	[NULL]	R	B20M36	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	14797-55-8	Nitrate	363	ug/L	BD	[NULL]	[NULL]	R	B20M37	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B20M37	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B20M36	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	EH	Oxidation Reduction Potential	125	mV	[NULL]	[NULL]	[NULL]	R	B20M38	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	14265-44-2	Phosphate	429	ug/L	UD	[NULL]	[NULL]	R	B20M36	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	14265-44-2	Phosphate	429	ug/L	UD	[NULL]	[NULL]	R	B20M37	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	CONDUCT	Specific Conductance	249	uS/cm	[NULL]	[NULL]	[NULL]	R	B20M38	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	14808-79-8	Sulfate	10800	ug/L	D	[NULL]	[NULL]	R	B20M36	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	14808-79-8	Sulfate	11500	ug/L	D	[NULL]	[NULL]	R	B20M37	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	R	B20M38	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B20M37	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B20M36	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	80	ug/L	U	[NULL]	[NULL]	R	B20M36	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	70	ug/L	U	[NULL]	[NULL]	R	B20M37	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	6/17/2009 10:04	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	70	ug/L	U	[NULL]	[NULL]	R	B20M37	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	80	ug/L	U	[NULL]	[NULL]	R	B20M36	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	TURBIDITY	Turbidity	4.71	NTU	[NULL]	[NULL]	[NULL]	R	B20M38	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-2A	6/17/2009 10:04	N	PH	pH Measurement	8.28	unitless	[NULL]	[NULL]	[NULL]	R	B20M38	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	7429-90-5	Aluminum	17	ug/L	U	[NULL]	[NULL]	S	B22WY6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	S	B22WY6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	7440-38-2	Arsenic	65	ug/L	U	[NULL]	[NULL]	S	B22WY6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	7440-39-3	Barium	25	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B22WY6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	7440-70-2	Calcium	22600	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	16887-00-6	Chloride	1410	ug/L	D	[NULL]	[NULL]	S	B22WY6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B22WY6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B22WY6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B22WY6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	S	B22WY6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	S	B22WY6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	7439-92-1	Lead	23	ug/L	U	[NULL]	[NULL]	S	B22WY6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	7439-95-4	Magnesium	4980	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B22WY6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B22WY6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B22WY6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	14797-55-8	Nitrate	1550	ug/L	D	[NULL]	[NULL]	S	B22WY6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	S	B22WY6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	14265-44-2	Phosphate	429	ug/L	UD	[NULL]	[NULL]	S	B22WY6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	7440-09-7	Potassium	960	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B22WY6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	12/11/2009 10:33	N	7440-23-5	Sodium	3410	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	7440-24-6	Strontium	109	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	10098-97-2	Strontium-90	12	pCi/L	[NULL]	[NULL]	[NULL]	S	B22WY6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	14808-79-8	Sulfate	11800	ug/L	D	[NULL]	[NULL]	S	B22WY6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B22WY6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/11/2009 10:33	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	S	B22WY6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	7429-90-5	Aluminum	17	ug/L	U	[NULL]	[NULL]	S	B22WY8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	S	B22WY8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	7440-38-2	Arsenic	65	ug/L	U	[NULL]	[NULL]	S	B22WY8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	7440-39-3	Barium	16.7	ug/L	B	[NULL]	[NULL]	S	B22WY8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B22WY8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	7440-70-2	Calcium	34500	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	16887-00-6	Chloride	3720	ug/L	D	[NULL]	[NULL]	S	B22WY8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B22WY8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B22WY8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B22WY8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	S	B22WY8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	S	B22WY8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	7439-92-1	Lead	23	ug/L	U	[NULL]	[NULL]	S	B22WY8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	7439-95-4	Magnesium	6250	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B22WY8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B22WY8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B22WY8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	14797-55-8	Nitrate	6730	ug/L	D	[NULL]	[NULL]	S	B22WY8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	S	B22WY8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	14265-44-2	Phosphate	429	ug/L	UD	[NULL]	[NULL]	S	B22WY8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	7440-09-7	Potassium	1440	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	12/17/2009 11:20	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B22WY8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	7440-23-5	Sodium	7040	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	7440-24-6	Strontium	145	ug/L	[NULL]	[NULL]	[NULL]	S	B22WY8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	10098-97-2	Strontium-90	100	pCi/L	[NULL]	[NULL]	[NULL]	S	B22WY8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	14808-79-8	Sulfate	23800	ug/L	D	[NULL]	[NULL]	S	B22WY8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B22WY8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:20	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	S	B22WY8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	ALKALINITY	Alkalinity	82000	ug/L	[NULL]	[NULL]	[NULL]	R	B237D4	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B237D4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B237D3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	7440-39-3	Barium	15.7	ug/L	B	[NULL]	[NULL]	R	B237D4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	Y	7440-39-3	Barium	16.5	ug/L	B	[NULL]	[NULL]	R	B237D3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B237D4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B237D3	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B237D4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B237D3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	7440-70-2	Calcium	31500	ug/L	[NULL]	[NULL]	[NULL]	R	B237D4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	Y	7440-70-2	Calcium	34100	ug/L	[NULL]	[NULL]	[NULL]	R	B237D3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	16887-00-6	Chloride	3140	ug/L	D	[NULL]	[NULL]	R	B237D2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B237D4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B237D3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B237D4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B237D3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B237D3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B237D4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	DO	Dissolved oxygen	7040	ug/L	[NULL]	[NULL]	[NULL]	R	B237D1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B237D2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	12/17/2009 11:50	N	12587-47-2	Gross beta	190	pCi/L	[NULL]	[NULL]	[NULL]	R	B237D4	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-2A	12/17/2009 11:50	Y	7439-89-6	Iron	18.3	ug/L	B	[NULL]	[NULL]	R	B237D3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	7439-89-6	Iron	32.1	ug/L	B	[NULL]	[NULL]	R	B237D4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	7439-95-4	Magnesium	5650	ug/L	[NULL]	[NULL]	[NULL]	R	B237D4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	Y	7439-95-4	Magnesium	6150	ug/L	[NULL]	[NULL]	[NULL]	R	B237D3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B237D3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B237D4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B237D3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B237D4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	14797-55-8	Nitrate	5490	ug/L	D	[NULL]	[NULL]	R	B237D2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B237D2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	EH	Oxidation Reduction Potential	247	mV	[NULL]	[NULL]	[NULL]	R	B237D1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	7440-09-7	Potassium	1340	ug/L	[NULL]	[NULL]	[NULL]	R	B237D4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	Y	7440-09-7	Potassium	1420	ug/L	[NULL]	[NULL]	[NULL]	R	B237D3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B237D4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B237D3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	Y	7440-23-5	Sodium	7010	ug/L	[NULL]	[NULL]	[NULL]	R	B237D3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	7440-23-5	Sodium	6440	ug/L	[NULL]	[NULL]	[NULL]	R	B237D4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	CONDUCT	Specific Conductance	269	uS/cm	[NULL]	[NULL]	[NULL]	R	B237D1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	7440-24-6	Strontium	133	ug/L	[NULL]	[NULL]	[NULL]	R	B237D4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	Y	7440-24-6	Strontium	143	ug/L	[NULL]	[NULL]	[NULL]	R	B237D3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	10098-97-2	Strontium-90	95	pCi/L	[NULL]	[NULL]	[NULL]	R	B237D4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	14808-79-8	Sulfate	20900	ug/L	D	[NULL]	[NULL]	R	B237D2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	TEMPERATURE	Temperature	6.9	Deg C	[NULL]	[NULL]	[NULL]	R	B237D1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B237D4	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	70	ug/L	U	H	[NULL]	R	B237D4	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	12/17/2009 11:50	N	TURBIDITY	Turbidity	3.86	NTU	[NULL]	[NULL]	[NULL]	R	B237D1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B237D4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B237D3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B237D4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B237D3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/17/2009 11:50	N	PH	pH Measurement	7.53	unitless	[NULL]	[NULL]	[NULL]	R	B237D1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	7429-90-5	Aluminum	17	ug/L	U	[NULL]	[NULL]	C	B22X00	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	C	B22X00	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	7440-38-2	Arsenic	65	ug/L	U	[NULL]	[NULL]	C	B22X00	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	7440-39-3	Barium	25.3	ug/L	[NULL]	[NULL]	[NULL]	C	B22X00	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B22X00	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	7440-70-2	Calcium	48100	ug/L	[NULL]	[NULL]	[NULL]	C	B22X00	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	16887-00-6	Chloride	8140	ug/L	D	[NULL]	[NULL]	C	B22X00	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B22X00	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B22X00	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	C	B22X00	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	C	B22X00	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	C	B22X00	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	7439-92-1	Lead	23	ug/L	U	[NULL]	[NULL]	C	B22X00	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	7439-95-4	Magnesium	8470	ug/L	[NULL]	[NULL]	[NULL]	C	B22X00	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	C	B22X00	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	C	B22X00	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B22X00	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	14797-55-8	Nitrate	16700	ug/L	D	[NULL]	[NULL]	C	B22X00	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	C	B22X00	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	14265-44-2	Phosphate	429	ug/L	UD	[NULL]	[NULL]	C	B22X00	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	7440-09-7	Potassium	1760	ug/L	[NULL]	[NULL]	[NULL]	C	B22X00	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	12/21/2009 9:43	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B22X00	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	7440-23-5	Sodium	9470	ug/L	[NULL]	[NULL]	[NULL]	C	B22X00	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	7440-24-6	Strontium	212	ug/L	[NULL]	[NULL]	[NULL]	C	B22X00	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	10098-97-2	Strontium-90	150	pCi/L	[NULL]	[NULL]	[NULL]	C	B22X00	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	14808-79-8	Sulfate	45700	ug/L	D	[NULL]	[NULL]	C	B22X00	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B22X00	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/21/2009 9:43	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	C	B22X00	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	7429-90-5	Aluminum	17	ug/L	U	[NULL]	[NULL]	C	B22X02	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	C	B22X02	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	7440-38-2	Arsenic	65	ug/L	U	[NULL]	[NULL]	C	B22X02	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	7440-39-3	Barium	17.8	ug/L	B	[NULL]	[NULL]	C	B22X02	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B22X02	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	7440-70-2	Calcium	34000	ug/L	[NULL]	[NULL]	[NULL]	C	B22X02	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	16887-00-6	Chloride	4060	ug/L	D	[NULL]	[NULL]	C	B22X02	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B22X02	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B22X02	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	C	B22X02	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	C	B22X02	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	C	B22X02	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	7439-92-1	Lead	23	ug/L	U	[NULL]	[NULL]	C	B22X02	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	7439-95-4	Magnesium	6160	ug/L	[NULL]	[NULL]	[NULL]	C	B22X02	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	C	B22X02	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	C	B22X02	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B22X02	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	14797-55-8	Nitrate	7610	ug/L	D	[NULL]	[NULL]	C	B22X02	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	C	B22X02	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	14265-44-2	Phosphate	429	ug/L	UD	[NULL]	[NULL]	C	B22X02	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	12/28/2009 9:20	N	7440-09-7	Potassium	1430	ug/L	[NULL]	[NULL]	[NULL]	C	B22X02	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B22X02	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	7440-23-5	Sodium	7320	ug/L	[NULL]	[NULL]	[NULL]	C	B22X02	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	7440-24-6	Strontium	150	ug/L	[NULL]	[NULL]	[NULL]	C	B22X02	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	10098-97-2	Strontium-90	92	pCi/L	[NULL]	[NULL]	[NULL]	C	B22X02	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	14808-79-8	Sulfate	25600	ug/L	D	[NULL]	[NULL]	C	B22X02	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B22X02	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	12/28/2009 9:20	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	C	B22X02	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	7429-90-5	Aluminum	17	ug/L	U	[NULL]	[NULL]	S	B22X04	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	S	B22X04	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	7440-38-2	Arsenic	65	ug/L	U	[NULL]	[NULL]	S	B22X04	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	7440-39-3	Barium	24.3	ug/L	[NULL]	[NULL]	[NULL]	S	B22X04	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B22X04	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	7440-70-2	Calcium	49600	ug/L	[NULL]	[NULL]	[NULL]	S	B22X04	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	16887-00-6	Chloride	8520	ug/L	D	[NULL]	[NULL]	S	B22X04	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B22X04	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B22X04	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B22X04	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	S	B22X04	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	S	B22X04	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	7439-92-1	Lead	23	ug/L	U	[NULL]	[NULL]	S	B22X04	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	7439-95-4	Magnesium	8420	ug/L	[NULL]	[NULL]	[NULL]	S	B22X04	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B22X04	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B22X04	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B22X04	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	14797-55-8	Nitrate	17300	ug/L	D	[NULL]	[NULL]	S	B22X04	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	S	B22X04	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2