SECTION

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	1/6/2010 10:15	N	14265-44-2	Phosphate	429	ug/L	UD	[NULL]	[NULL]	S	B22X04	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	7440-09-7	Potassium	1670	ug/L	[NULL]	[NULL]	[NULL]	S	B22X04	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B22X04	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	7440-23-5	Sodium	9120	ug/L	[NULL]	[NULL]	[NULL]	S	B22X04	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	7440-24-6	Strontium	205	ug/L	[NULL]	[NULL]	[NULL]	S	B22X04	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	10098-97-2	Strontium-90	160	pCi/L	[NULL]	[NULL]	[NULL]	S	B22X04	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	14808-79-8	Sulfate	45900	ug/L	D	[NULL]	[NULL]	S	B22X04	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B22X04	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	1/6/2010 10:15	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	S	B22X04	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	7429-90-5	Aluminum	24	ug/L	B	[NULL]	[NULL]	S	B22X06	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	S	B22X06	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	7440-38-2	Arsenic	65	ug/L	U	[NULL]	[NULL]	S	B22X06	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	7440-39-3	Barium	45.5	ug/L	[NULL]	[NULL]	[NULL]	S	B22X06	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B22X06	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	7440-70-2	Calcium	87400	ug/L	[NULL]	[NULL]	[NULL]	S	B22X06	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	16887-00-6	Chloride	19400	ug/L	D	[NULL]	[NULL]	S	B22X06	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B22X06	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B22X06	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B22X06	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	S	B22X06	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	7439-89-6	Iron	20.5	ug/L	B	[NULL]	[NULL]	S	B22X06	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	7439-92-1	Lead	23	ug/L	U	[NULL]	[NULL]	S	B22X06	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	7439-95-4	Magnesium	14800	ug/L	[NULL]	[NULL]	[NULL]	S	B22X06	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B22X06	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B22X06	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B22X06	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	14797-55-8	Nitrate	36700	ug/L	D	[NULL]	[NULL]	S	B22X06	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-2A	3/2/2010 9:50	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	S	B22X06	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	14265-44-2	Phosphate	429	ug/L	UD	[NULL]	[NULL]	S	B22X06	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	7440-09-7	Potassium	2160	ug/L	[NULL]	[NULL]	[NULL]	S	B22X06	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B22X06	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	7440-23-5	Sodium	12400	ug/L	[NULL]	[NULL]	[NULL]	S	B22X06	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	7440-24-6	Strontium	374	ug/L	[NULL]	[NULL]	[NULL]	S	B22X06	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	10098-97-2	Strontium-90	250	pCi/L	[NULL]	[NULL]	[NULL]	S	B22X06	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	14808-79-8	Sulfate	89300	ug/L	D	[NULL]	[NULL]	S	B22X06	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B22X06	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	3/2/2010 9:50	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	S	B22X06	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-2A	3/8/2010 10:57	N	12587-47-2	Gross beta	680	pCi/L	[NULL]	[NULL]	[NULL]	R	B249V3	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-2A	3/8/2010 10:57	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B249V3	TOC	WSCF	9060_TOC	100-NR-2
N116mArray-2A	3/8/2010 10:57	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	70	ug/L	U	[NULL]	[NULL]	R	B249V3	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
N116mArray-3A	8/3/2005 0:00	N	12587-47-2	Gross beta	577	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DM67	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-3A	8/3/2005 0:00	N	EH	Oxidation Reduction Potential	21	mV	[NULL]	[NULL]	[NULL]	S	B1DM67	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	8/3/2005 0:00	N	CONDUCT	Specific Conductance	160	uS/cm	[NULL]	[NULL]	[NULL]	S	B1DM67	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	8/3/2005 0:00	N	TEMPERATURE	Temperature	21.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1DM67	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	8/3/2005 0:00	N	TDS	Total dissolved solids	101000	ug/L	[NULL]	[NULL]	[NULL]	S	B1DM67	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-3A	8/3/2005 0:00	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	S	B1DM67	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	9/28/2005 0:00	N	ALKALINITY	Alkalinity	75000	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC9	ALKALINITY	ENW	2320_ALKALINITY	100-NR-2
N116mArray-3A	9/28/2005 0:00	Y	7429-90-5	Aluminum	12.4	ug/L	X	[NULL]	[NULL]	S	B1DYC7	7429-90-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-3A	9/28/2005 0:00	Y	7440-38-2	Arsenic	1.15	ug/L	X	[NULL]	[NULL]	S	B1DYC7	7440-38-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-3A	9/28/2005 0:00	Y	7440-39-3	Barium	16.7	ug/L	X	[NULL]	[NULL]	S	B1DYC7	7440-39-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-3A	9/28/2005 0:00	N	24959-67-9	Bromide	10	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC8	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/28/2005 0:00	Y	7440-43-9	Cadmium	0.00727	ug/L	BX	[NULL]	[NULL]	S	B1DYC7	7440-43-9	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-3A	9/28/2005 0:00	Y	7440-70-2	Calcium	26438	ug/L	X	[NULL]	[NULL]	S	B1DYC7	7440-70-2	SEQUIM	200.7_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	9/28/2005 0:00	N	3812-32-6	Carbonate ion	68800	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC8	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/28/2005 0:00	N	16887-00-6	Chloride	1020	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC8	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/28/2005 0:00	Y	7440-47-3	Chromium	0.884	ug/L	X	[NULL]	[NULL]	S	B1DYC7	7440-47-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-3A	9/28/2005 0:00	Y	7440-50-8	Copper	0.352	ug/L	X	[NULL]	[NULL]	S	B1DYC7	7440-50-8	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-3A	9/28/2005 0:00	N	DO	Dissolved oxygen	6700	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	9/28/2005 0:00	N	16984-48-8	Fluoride	90	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC8	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/28/2005 0:00	N	12587-47-2	Gross beta	577	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DYC6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-3A	9/28/2005 0:00	Y	7439-92-1	Lead	0.0134	ug/L	BX	[NULL]	[NULL]	S	B1DYC7	7439-92-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-3A	9/28/2005 0:00	Y	7439-95-4	Magnesium	4140	ug/L	X	[NULL]	[NULL]	S	B1DYC7	7439-95-4	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-3A	9/28/2005 0:00	Y	7439-96-5	Manganese	19.1	ug/L	X	[NULL]	[NULL]	S	B1DYC7	7439-96-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-3A	9/28/2005 0:00	Y	7440-02-0	Nickel	1.02	ug/L	X	[NULL]	[NULL]	S	B1DYC7	7440-02-0	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-3A	9/28/2005 0:00	N	14797-55-8	Nitrate	5670	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC8	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/28/2005 0:00	N	EH	Oxidation Reduction Potential	-0.3	mV	[NULL]	[NULL]	[NULL]	S	B1DYC6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	9/28/2005 0:00	N	14265-44-2	Phosphate	260	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC8	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/28/2005 0:00	Y	7440-09-7	Potassium	1387	ug/L	X	[NULL]	[NULL]	S	B1DYC7	7440-09-7	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-3A	9/28/2005 0:00	Y	7782-49-2	Selenium	0.1	ug/L	UX	[NULL]	[NULL]	S	B1DYC7	7782-49-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-3A	9/28/2005 0:00	Y	7440-23-5	Sodium	2696	ug/L	X	[NULL]	[NULL]	S	B1DYC7	7440-23-5	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-3A	9/28/2005 0:00	N	CONDUCT	Specific Conductance	172	uS/cm	[NULL]	[NULL]	[NULL]	S	B1DYC6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	9/28/2005 0:00	Y	7440-24-6	Strontium	84.4	ug/L	X	[NULL]	[NULL]	S	B1DYC7	7440-24-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-3A	9/28/2005 0:00	N	10098-97-2	Strontium-90	379	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DYC6	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-3A	9/28/2005 0:00	N	14808-79-8	Sulfate	9340	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC8	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/28/2005 0:00	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	S	B1DYC6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	9/28/2005 0:00	Y	7440-29-1	Thorium	0.00432	ug/L	CX	[NULL]	[NULL]	S	B1DYC7	7440-29-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-3A	9/28/2005 0:00	N	TDS	Total dissolved solids	114000	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYC6	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-3A	9/28/2005 0:00	Y	7440-61-1	Uranium	0.473	ug/L	X	[NULL]	[NULL]	S	B1DYC7	7440-61-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-3A	9/28/2005 0:00	Y	7440-66-6	Zinc	0.886	ug/L	X	[NULL]	[NULL]	S	B1DYC7	7440-66-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-3A	9/28/2005 0:00	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	S	B1DYC6	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	3/8/2006 10:02	N	24959-67-9	Bromide	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HVB2	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/8/2006 10:02	Y	7440-70-2	Calcium	21567.3	ug/L	D	[NULL]	[NULL]	S	B1HVB1	7440-70-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	3/8/2006 10:02	N	3812-32-6	Carbonate ion	53000	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB2	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/8/2006 10:02	N	16887-00-6	Chloride	1070	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB2	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/8/2006 10:02	N	DO	Dissolved oxygen	10000	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV65	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	3/8/2006 10:02	N	16984-48-8	Fluoride	100	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB2	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/8/2006 10:02	N	12587-47-2	Gross beta	547	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HV65	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-3A	3/8/2006 10:02	N	14797-55-8	Nitrate	2020	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB2	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/8/2006 10:02	N	EH	Oxidation Reduction Potential	21	mV	[NULL]	[NULL]	[NULL]	S	B1HV65	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	3/8/2006 10:02	N	14265-44-2	Phosphate	330	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB2	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/8/2006 10:02	Y	7440-23-5	Sodium	1867.79	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB1	7440-23-5	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	3/8/2006 10:02	N	127-09-3	Sodium acetate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HVB2	127-09-3	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/8/2006 10:02	N	68-04-2	Sodium citrate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HVB2	68-04-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/8/2006 10:02	N	141-53-7	Sodium formate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HVB2	141-53-7	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/8/2006 10:02	N	CONDUCT	Specific Conductance	144	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HV65	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	3/8/2006 10:02	N	14808-79-8	Sulfate	10900	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB2	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/8/2006 10:02	N	TEMPERATURE	Temperature	4.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1HV65	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	3/8/2006 10:02	Y	7440-61-1	Uranium	0.51	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB1	7440-61-1	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	4/13/2006 9:50	N	DO	Dissolved oxygen	8000	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2B6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	4/13/2006 9:50	N	12587-47-2	Gross beta	553	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J2B6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-3A	4/13/2006 9:50	N	EH	Oxidation Reduction Potential	-54	mV	[NULL]	[NULL]	[NULL]	S	B1J2B6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	4/13/2006 9:50	N	CONDUCT	Specific Conductance	163.1	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J2B6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	4/13/2006 9:50	N	TEMPERATURE	Temperature	6.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1J2B6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	4/13/2006 9:50	N	PH	pH Measurement	8.04	unitless	[NULL]	[NULL]	[NULL]	S	B1J2B6	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	5/10/2006 11:45	N	ALKALINITY	Alkalinity	82000	ug/L	[NULL]	[NULL]	[NULL]	S	B1J718	ALKALINITY	RJ LEE	2320_ALKALINITY	100-NR-2
N116mArray-3A	5/10/2006 11:45	Y	7440-38-2	Arsenic	1.34	ug/L	[NULL]	[NULL]	[NULL]	S	B1J717	7440-38-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	5/10/2006 11:45	Y	7440-39-3	Barium	14.34	ug/L	[NULL]	[NULL]	[NULL]	S	B1J717	7440-39-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	5/10/2006 11:45	N	24959-67-9	Bromide	10	ug/L	[NULL]	[NULL]	[NULL]	S	B1J716	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	5/10/2006 11:45	Y	7440-70-2	Calcium	29071.4	ug/L	D	[NULL]	[NULL]	S	B1J717	7440-70-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	5/10/2006 11:45	N	3812-32-6	Carbonate ion	62300	ug/L	[NULL]	[NULL]	[NULL]	S	B1J716	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	5/10/2006 11:45	N	16887-00-6	Chloride	1310	ug/L	[NULL]	[NULL]	[NULL]	S	B1J716	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	5/10/2006 11:45	Y	7440-47-3	Chromium	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J717	7440-47-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	5/10/2006 11:45	N	16984-48-8	Fluoride	100	ug/L	[NULL]	[NULL]	[NULL]	S	B1J716	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	5/10/2006 11:45	N	12587-47-2	Gross beta	571	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J714	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-3A	5/10/2006 11:45	Y	7439-92-1	Lead	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J717	7439-92-1	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	5/10/2006 11:45	Y	7440-02-0	Nickel	0.38	ug/L	[NULL]	[NULL]	[NULL]	S	B1J717	7440-02-0	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	5/10/2006 11:45	N	14797-55-8	Nitrate	1360	ug/L	[NULL]	[NULL]	[NULL]	S	B1J716	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	5/10/2006 11:45	N	EH	Oxidation Reduction Potential	-41	mV	[NULL]	[NULL]	[NULL]	S	B1J714	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	5/10/2006 11:45	N	14265-44-2	Phosphate	410	ug/L	[NULL]	[NULL]	[NULL]	S	B1J716	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	5/10/2006 11:45	Y	7440-09-7	Potassium	1247.83	ug/L	[NULL]	[NULL]	[NULL]	S	B1J717	7440-09-7	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	5/10/2006 11:45	Y	7440-23-5	Sodium	2602.33	ug/L	[NULL]	[NULL]	[NULL]	S	B1J717	7440-23-5	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	5/10/2006 11:45	N	127-09-3	Sodium acetate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J716	127-09-3	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	5/10/2006 11:45	N	68-04-2	Sodium citrate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J716	68-04-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	5/10/2006 11:45	N	141-53-7	Sodium formate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J716	141-53-7	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	5/10/2006 11:45	N	CONDUCT	Specific Conductance	131	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J714	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	5/10/2006 11:45	N	14808-79-8	Sulfate	10500	ug/L	[NULL]	[NULL]	[NULL]	S	B1J716	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	5/10/2006 11:45	N	TEMPERATURE	Temperature	13.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1J714	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	5/10/2006 11:45	N	TDS	Total dissolved solids	115700	ug/L	[NULL]	[NULL]	[NULL]	S	B1J714	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-3A	5/10/2006 11:45	N	10028-17-8	Tritium	11.8	pCi/L	U	[NULL]	[NULL]	S	B1J715	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
N116mArray-3A	5/10/2006 11:45	Y	7440-66-6	Zinc	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J717	7440-66-6	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	5/10/2006 11:45	N	PH	pH Measurement	7.74	unitless	[NULL]	[NULL]	[NULL]	S	B1J714	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	ALKALINITY	Alkalinity	80000	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDN2	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
N116mArray-3A	6/6/2006 13:10	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1JDN1	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	14234-35-6	Antimony-125	-0.727	pCi/L	U	[NULL]	[NULL]	R	B1JDN0	14234-35-6	STLRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	6/6/2006 13:10	Y	7440-39-3	Barium	18.1	ug/L	B	[NULL]	[NULL]	R	B1JDN1	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/6/2006 13:10	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1JDN1	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	13966-02-4	Beryllium-7	-5.55	pCi/L	U	[NULL]	[NULL]	R	B1JDN0	13966-02-4	STLRL	GAMMA_GS	100-NR-2
N116mArray-3A	6/6/2006 13:10	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1JDN1	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/6/2006 13:10	Y	7440-70-2	Calcium	29300	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDN1	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	13967-70-9	Cesium-134	0.78	pCi/L	U	[NULL]	[NULL]	R	B1JDN0	13967-70-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	10045-97-3	Cesium-137	-0.433	pCi/L	U	[NULL]	[NULL]	R	B1JDN0	10045-97-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	16887-00-6	Chloride	1000	ug/L	C	[NULL]	[NULL]	R	B1JDN2	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/6/2006 13:10	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1JDN1	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/6/2006 13:10	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1JDN1	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	10198-40-0	Cobalt-60	0.353	pCi/L	U	[NULL]	[NULL]	R	B1JDN0	10198-40-0	STLRL	GAMMA_GS	100-NR-2
N116mArray-3A	6/6/2006 13:10	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1JDN1	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	14683-23-9	Europium-152	-0.691	pCi/L	U	[NULL]	[NULL]	R	B1JDN0	14683-23-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	15585-10-1	Europium-154	0.636	pCi/L	U	[NULL]	[NULL]	R	B1JDN0	15585-10-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	14391-16-3	Europium-155	-0.412	pCi/L	U	[NULL]	[NULL]	R	B1JDN0	14391-16-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	16984-48-8	Fluoride	120	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDN2	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	12587-46-1	Gross alpha	2.15	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDN0	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	12587-47-2	Gross beta	643	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDN0	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-3A	6/6/2006 13:10	Y	7439-89-6	Iron	184	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDN1	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/6/2006 13:10	Y	7439-95-4	Magnesium	4580	ug/L	B	[NULL]	[NULL]	R	B1JDN1	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/6/2006 13:10	Y	7439-96-5	Manganese	22.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDN1	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/6/2006 13:10	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1JDN1	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	14797-55-8	Nitrate	1200	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDN2	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1JDN2	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	EH	Oxidation Reduction Potential	-72	mV	[NULL]	[NULL]	[NULL]	R	B1JDM9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	14265-44-2	Phosphate	480	ug/L	B	[NULL]	[NULL]	R	B1JDN2	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/6/2006 13:10	Y	7440-09-7	Potassium	1500	ug/L	U	[NULL]	[NULL]	R	B1JDN1	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	6/6/2006 13:10	N	13966-00-2	Potassium-40	-7.01	pCi/L	U	[NULL]	[NULL]	R	B1JDN0	13966-00-2	STLRL	GAMMA_GS	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	13967-48-1	Ruthenium-106	-0.0407	pCi/L	U	[NULL]	[NULL]	R	B1JDN0	13967-48-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-3A	6/6/2006 13:10	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1JDN1	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/6/2006 13:10	Y	7440-23-5	Sodium	2600	ug/L	B	[NULL]	[NULL]	R	B1JDN1	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	CONDUCT	Specific Conductance	173	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JDM9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-3A	6/6/2006 13:10	Y	7440-24-6	Strontium	108	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDN1	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	10098-97-2	Strontium-90	318	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDN0	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	14808-79-8	Sulfate	8300	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDN2	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	TEMPERATURE	Temperature	26.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1JDM9	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	10028-17-8	Tritium	123	pCi/L	U	[NULL]	[NULL]	R	B1JDN0	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
N116mArray-3A	6/6/2006 13:10	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1JDN1	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/6/2006 13:10	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1JDN1	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/6/2006 13:10	N	PH	pH Measurement	7.28	unitless	[NULL]	[NULL]	[NULL]	R	B1JDM9	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	7/20/2006 9:55	N	ALKALINITY	Alkalinity	64000	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK95	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
N116mArray-3A	7/20/2006 9:55	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1JK96	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/20/2006 9:55	Y	7440-39-3	Barium	17.3	ug/L	B	[NULL]	[NULL]	R	B1JK96	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/20/2006 9:55	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1JK96	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/20/2006 9:55	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1JK96	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/20/2006 9:55	Y	7440-70-2	Calcium	25800	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK96	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/20/2006 9:55	N	16887-00-6	Chloride	1300	ug/L	CN	[NULL]	[NULL]	R	B1JK95	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/20/2006 9:55	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1JK96	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/20/2006 9:55	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1JK96	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/20/2006 9:55	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1JK96	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/20/2006 9:55	N	DO	Dissolved oxygen	6900	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK87	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/20/2006 9:55	N	16984-48-8	Fluoride	110	ug/L	N	[NULL]	[NULL]	R	B1JK95	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/20/2006 9:55	N	12587-47-2	Gross beta	421	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JK88	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-3A	7/20/2006 9:55	Y	7439-89-6	Iron	152	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK96	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/20/2006 9:55	Y	7439-95-4	Magnesium	4170	ug/L	B	[NULL]	[NULL]	R	B1JK96	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/20/2006 9:55	Y	7439-96-5	Manganese	61.9	ug/L	N	[NULL]	[NULL]	R	B1JK96	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/20/2006 9:55	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1JK96	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/20/2006 9:55	N	14797-55-8	Nitrate	1810	ug/L	N	H	[NULL]	R	B1JK95	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/20/2006 9:55	N	14797-65-0	Nitrite	13.1	ug/L	UN	H	[NULL]	R	B1JK95	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/20/2006 9:55	N	EH	Oxidation Reduction Potential	8	mV	[NULL]	[NULL]	[NULL]	R	B1JK87	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	7/20/2006 9:55	N	14265-44-2	Phosphate	1100	ug/L	N	H	[NULL]	R	B1JK95	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/20/2006 9:55	Y	7440-09-7	Potassium	2090	ug/L	B	[NULL]	[NULL]	R	B1JK96	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/20/2006 9:55	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1JK96	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/20/2006 9:55	Y	7440-23-5	Sodium	2840	ug/L	BN	[NULL]	[NULL]	R	B1JK96	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/20/2006 9:55	N	CONDUCT	Specific Conductance	168.5	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JK87	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-3A	7/20/2006 9:55	Y	7440-24-6	Strontium	95	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK96	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/20/2006 9:55	N	14808-79-8	Sulfate	10200	ug/L	N	[NULL]	[NULL]	R	B1JK95	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/20/2006 9:55	N	TEMPERATURE	Temperature	21.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1JK87	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-3A	7/20/2006 9:55	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1JK96	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/20/2006 9:55	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1JK96	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/20/2006 9:55	N	PH	pH Measurement	7.69	unitless	[NULL]	[NULL]	[NULL]	R	B1JK87	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	8/16/2006 9:30	N	12587-47-2	Gross beta	631	pCi/L	[NULL]	[NULL]	[NULL]	R	B1K4H2	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	ALKALINITY	Alkalinity	78000	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBM6	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
N116mArray-3A	9/25/2006 10:48	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1KBM5	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	14234-35-6	Antimony-125	2.06	pCi/L	U	[NULL]	[NULL]	R	B1KBM8	14234-35-6	STLRL	GAMMA_GS	100-NR-2
N116mArray-3A	9/25/2006 10:48	Y	7440-39-3	Barium	20	ug/L	B	[NULL]	[NULL]	R	B1KBM5	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/25/2006 10:48	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1KBM5	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	13966-02-4	Beryllium-7	7.92	pCi/L	U	[NULL]	[NULL]	R	B1KBM8	13966-02-4	STLRL	GAMMA_GS	100-NR-2
N116mArray-3A	9/25/2006 10:48	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1KBM5	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/25/2006 10:48	Y	7440-70-2	Calcium	29300	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBM5	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	13967-70-9	Cesium-134	0.426	pCi/L	U	[NULL]	[NULL]	R	B1KBM8	13967-70-9	STLRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	9/25/2006 10:48	N	10045-97-3	Cesium-137	0.383	pCi/L	U	[NULL]	[NULL]	R	B1KBM8	10045-97-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	16887-00-6	Chloride	7800	ug/L	DN	[NULL]	[NULL]	R	B1KBM6	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/25/2006 10:48	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1KBM5	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/25/2006 10:48	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1KBM5	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	10198-40-0	Cobalt-60	-0.27	pCi/L	U	[NULL]	[NULL]	R	B1KBM8	10198-40-0	STLRL	GAMMA_GS	100-NR-2
N116mArray-3A	9/25/2006 10:48	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1KBM5	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	DO	Dissolved oxygen	8400	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBM7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	14683-23-9	Europium-152	-0.251	pCi/L	U	[NULL]	[NULL]	R	B1KBM8	14683-23-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	15585-10-1	Europium-154	2.57	pCi/L	U	[NULL]	[NULL]	R	B1KBM8	15585-10-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	14391-16-3	Europium-155	-0.237	pCi/L	U	[NULL]	[NULL]	R	B1KBM8	14391-16-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	16984-48-8	Fluoride	130	ug/L	N	[NULL]	[NULL]	R	B1KBM6	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	12587-46-1	Gross alpha	0.213	pCi/L	U	[NULL]	[NULL]	R	B1KBM8	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	12587-47-2	Gross beta	712	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBM8	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-3A	9/25/2006 10:48	Y	7439-89-6	Iron	92.1	ug/L	BC	[NULL]	[NULL]	R	B1KBM5	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/25/2006 10:48	Y	7439-95-4	Magnesium	4730	ug/L	B	[NULL]	[NULL]	R	B1KBM5	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/25/2006 10:48	Y	7439-96-5	Manganese	19	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBM5	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/25/2006 10:48	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1KBM5	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	14797-55-8	Nitrate	4120	ug/L	D	[NULL]	[NULL]	R	B1KBM6	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	14797-65-0	Nitrite	13.1	ug/L	U	H	[NULL]	R	B1KBM6	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	14265-44-2	Phosphate	240	ug/L	BN	H	[NULL]	R	B1KBM6	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/25/2006 10:48	Y	7440-09-7	Potassium	3110	ug/L	BC	[NULL]	[NULL]	R	B1KBM5	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	13966-00-2	Potassium-40	-57.6	pCi/L	U	[NULL]	[NULL]	R	B1KBM8	13966-00-2	STLRL	GAMMA_GS	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	13967-48-1	Ruthenium-106	-3.37	pCi/L	U	[NULL]	[NULL]	R	B1KBM8	13967-48-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-3A	9/25/2006 10:48	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1KBM5	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/25/2006 10:48	Y	7440-23-5	Sodium	2670	ug/L	B	[NULL]	[NULL]	R	B1KBM5	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	CONDUCT	Specific Conductance	194	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KBM7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-3A	9/25/2006 10:48	Y	7440-24-6	Strontium	103	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBM5	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	9/25/2006 10:48	N	10098-97-2	Strontium-90	329	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBM8	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	14808-79-8	Sulfate	8400	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBM6	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1KBM7	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	10028-17-8	Tritium	69.6	pCi/L	U	[NULL]	[NULL]	R	B1KBM8	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
N116mArray-3A	9/25/2006 10:48	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1KBM5	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/25/2006 10:48	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1KBM5	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/25/2006 10:48	N	PH	pH Measurement	7.18	unitless	[NULL]	[NULL]	[NULL]	R	B1KBM7	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	ALKALINITY	Alkalinity	88000	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH0	ALKALINITY	WSCF	310.1_ALKALINITY	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	7440-36-0	Antimony	0.3	ug/L	U	[NULL]	[NULL]	R	B1MPH0	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	7440-38-2	Arsenic	0.574	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH0	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	7440-39-3	Barium	22.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH0	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	7440-41-7	Beryllium	0.05	ug/L	U	[NULL]	[NULL]	R	B1MPH0	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	24959-67-9	Bromide	120	ug/L	U	[NULL]	[NULL]	R	B1MPH0	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	7440-43-9	Cadmium	0.1	ug/L	U	[NULL]	[NULL]	R	B1MPH0	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	7440-70-2	Calcium	32200	ug/L	D	[NULL]	[NULL]	R	B1MPH0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	10045-97-3	Cesium-137	3.25	pCi/L	U	[NULL]	[NULL]	R	B1MPH0	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	16887-00-6	Chloride	1220	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	7440-47-3	Chromium	1.55	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH0	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	7440-48-4	Cobalt	0.409	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH0	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	10198-40-0	Cobalt-60	-2.91	pCi/L	U	[NULL]	[NULL]	R	B1MPH0	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	DO	Dissolved oxygen	8300	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	14683-23-9	Europium-152	2.52	pCi/L	U	[NULL]	[NULL]	R	B1MPH0	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	15585-10-1	Europium-154	-18.1	pCi/L	U	[NULL]	[NULL]	R	B1MPH0	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	14391-16-3	Europium-155	-2.2	pCi/L	U	[NULL]	[NULL]	R	B1MPH0	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	16984-48-8	Fluoride	35	ug/L	B	[NULL]	[NULL]	R	B1MPH0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	12587-46-1	Gross alpha	3	pCi/L	[NULL]	G	[NULL]	R	B1MPH0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	12587-47-2	Gross beta	730	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MPH0	12587-47-2	WSCF	BETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	3/14/2007 10:12	N	7439-89-6	Iron	1220	ug/L	DN	[NULL]	[NULL]	R	B1MPH0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	7439-95-4	Magnesium	4670	ug/L	D	[NULL]	[NULL]	R	B1MPH0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	7439-96-5	Manganese	32.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH0	7439-96-5	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	7440-02-0	Nickel	0.825	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH0	7440-02-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	14797-55-8	Nitrate	1450	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	14797-65-0	Nitrite	72.3	ug/L	U	[NULL]	[NULL]	R	B1MPH0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	EH	Oxidation Reduction Potential	94	mV	[NULL]	[NULL]	[NULL]	R	B1MPH0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	14265-44-2	Phosphate	460	ug/L	U	[NULL]	[NULL]	R	B1MPH0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	7440-09-7	Potassium	969	ug/L	D	[NULL]	[NULL]	R	B1MPH0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	7440-22-4	Silver	0.1	ug/L	U	[NULL]	[NULL]	R	B1MPH0	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	7440-23-5	Sodium	2170	ug/L	D	[NULL]	[NULL]	R	B1MPH0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	CONDUCT	Specific Conductance	184.1	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MPH0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	7440-24-6	Strontium	100	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH0	7440-24-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	10098-97-2	Strontium-90	1500	pCi/L	[NULL]	Y	[NULL]	R	B1MPH0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	14808-79-8	Sulfate	9480	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	TEMPERATURE	Temperature	7.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1MPH0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	10028-17-8	Tritium	13	pCi/L	U	[NULL]	[NULL]	R	B1MPH0	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	TURBIDITY	Turbidity	13.9	NTU	[NULL]	[NULL]	[NULL]	R	B1MPH0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	7440-62-2	Vanadium	2.93	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH0	7440-62-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	7440-66-6	Zinc	4.19	ug/L	C	[NULL]	[NULL]	R	B1MPH0	7440-66-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	3/14/2007 10:12	N	PH	pH Measurement	7.81	unitless	[NULL]	[NULL]	[NULL]	R	B1MPH0	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	ALKALINITY	Alkalinity	97000	ug/L	[NULL]	[NULL]	[NULL]	R	B1NW82	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	ALKALINITY	Alkalinity	94000	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV33	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-36-0	Antimony	0.3	ug/L	U	[NULL]	[NULL]	R	B1NV33	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-36-0	Antimony	89.7	ug/L	U	[NULL]	[NULL]	R	B1NW82	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-38-2	Arsenic	0.683	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV33	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-38-2	Arsenic	3.8	ug/L	U	[NULL]	[NULL]	R	B1NW82	7440-38-2	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	6/27/2007 9:45	N	7440-39-3	Barium	20.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV33	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-39-3	Barium	20.5	ug/L	B	[NULL]	[NULL]	R	B1NW82	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-41-7	Beryllium	0.05	ug/L	U	[NULL]	[NULL]	R	B1NV33	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-41-7	Beryllium	1.1	ug/L	U	[NULL]	[NULL]	R	B1NW82	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	24959-67-9	Bromide	62	ug/L	UN	[NULL]	[NULL]	R	B1NW82	24959-67-9	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	24959-67-9	Bromide	55	ug/L	B	[NULL]	[NULL]	R	B1NV33	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-43-9	Cadmium	7.1	ug/L	U	[NULL]	[NULL]	R	B1NW82	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-43-9	Cadmium	0.1	ug/L	U	[NULL]	[NULL]	R	B1NV33	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-70-2	Calcium	31200	ug/L	[NULL]	[NULL]	[NULL]	R	B1NW82	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-70-2	Calcium	32400	ug/L	D	[NULL]	[NULL]	R	B1NV33	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	10045-97-3	Cesium-137	-0.505	pCi/L	U	[NULL]	[NULL]	R	B1NV33	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	16887-00-6	Chloride	2500	ug/L	C	[NULL]	[NULL]	R	B1NW82	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	16887-00-6	Chloride	2200	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV33	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-47-3	Chromium	0.883	ug/L	C	[NULL]	[NULL]	R	B1NV33	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-47-3	Chromium	4.9	ug/L	U	[NULL]	[NULL]	R	B1NW82	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1NW82	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-48-4	Cobalt	0.134	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV33	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	10198-40-0	Cobalt-60	3.8	pCi/L	U	[NULL]	[NULL]	R	B1NV33	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	DO	Dissolved oxygen	7120	ug/L	[NULL]	[NULL]	[NULL]	R	B1NTX2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	14683-23-9	Europium-152	11.4	pCi/L	U	[NULL]	[NULL]	R	B1NV33	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	15585-10-1	Europium-154	-12.1	pCi/L	U	[NULL]	[NULL]	R	B1NV33	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	14391-16-3	Europium-155	0.075	pCi/L	U	[NULL]	[NULL]	R	B1NV33	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	16984-48-8	Fluoride	61	ug/L	B	[NULL]	[NULL]	R	B1NV33	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	16984-48-8	Fluoride	70	ug/L	BN	[NULL]	[NULL]	R	B1NW82	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	12587-46-1	Gross alpha	0.42	pCi/L	U	G	[NULL]	R	B1NV33	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	12587-47-2	Gross beta	800	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NV33	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7439-89-6	Iron	302	ug/L	CD	[NULL]	[NULL]	R	B1NV33	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	6/27/2007 9:45	N	7439-89-6	Iron	177	ug/L	[NULL]	[NULL]	[NULL]	R	B1NW82	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7439-95-4	Magnesium	4820	ug/L	D	[NULL]	[NULL]	R	B1NV33	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7439-95-4	Magnesium	5140	ug/L	B	[NULL]	[NULL]	R	B1NW82	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7439-96-5	Manganese	17.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV33	7439-96-5	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7439-96-5	Manganese	14.6	ug/L	B	[NULL]	[NULL]	R	B1NW82	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-02-0	Nickel	9.1	ug/L	U	[NULL]	[NULL]	R	B1NW82	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-02-0	Nickel	0.427	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV33	7440-02-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	14797-55-8	Nitrate	1550	ug/L	N	[NULL]	[NULL]	R	B1NW82	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	14797-55-8	Nitrate	1500	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV33	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	R	B1NV33	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	14797-65-0	Nitrite	16.4	ug/L	UN	[NULL]	[NULL]	R	B1NW82	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	EH	Oxidation Reduction Potential	80	mV	[NULL]	[NULL]	[NULL]	R	B1NTX2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	14265-44-2	Phosphate	123	ug/L	U	[NULL]	[NULL]	R	B1NV33	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	14265-44-2	Phosphate	330	ug/L	BC	[NULL]	[NULL]	R	B1NW82	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-09-7	Potassium	777	ug/L	D	[NULL]	[NULL]	R	B1NV33	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-09-7	Potassium	1630	ug/L	U	[NULL]	[NULL]	R	B1NW82	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B1NW82	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-22-4	Silver	0.1	ug/L	U	[NULL]	[NULL]	R	B1NV33	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-23-5	Sodium	2760	ug/L	D	[NULL]	[NULL]	R	B1NV33	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-23-5	Sodium	2950	ug/L	B	[NULL]	[NULL]	R	B1NW82	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	CONDUCT	Specific Conductance	200.6	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NTX2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-24-6	Strontium	108	ug/L	[NULL]	[NULL]	[NULL]	R	B1NW82	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-24-6	Strontium	107	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV33	7440-24-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	10098-97-2	Strontium-90	280	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NV33	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	14808-79-8	Sulfate	9780	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV33	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	14808-79-8	Sulfate	9600	ug/L	[NULL]	[NULL]	[NULL]	R	B1NW82	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1NTX2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	6/27/2007 9:45	N	10028-17-8	Tritium	34	pCi/L	U	[NULL]	[NULL]	R	B1NV33	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	TURBIDITY	Turbidity	1.07	NTU	[NULL]	[NULL]	[NULL]	R	B1NTX2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-62-2	Vanadium	3.05	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV33	7440-62-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-62-2	Vanadium	12.1	ug/L	U	[NULL]	[NULL]	R	B1NW82	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-66-6	Zinc	1.58	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV33	7440-66-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	7440-66-6	Zinc	19.3	ug/L	U	[NULL]	[NULL]	R	B1NW82	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/27/2007 9:45	N	PH	pH Measurement	7.2	unitless	[NULL]	[NULL]	[NULL]	R	B1NTX2	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	ALKALINITY	Alkalinity	87000	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X2	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	ALKALINITY	Alkalinity	98000	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V9	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	14596-10-2	Americium-241	1.68	pCi/L	U	[NULL]	[NULL]	R	B1P3X6	14596-10-2	TARL	GAMMA_GS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-36-0	Antimony	89.7	ug/L	UD	[NULL]	[NULL]	R	B1P3X2	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-36-0	Antimony	0.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V9	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	14234-35-6	Antimony-125	0.956	pCi/L	U	[NULL]	[NULL]	R	B1P3X6	14234-35-6	TARL	GAMMA_GS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-38-2	Arsenic	3.8	ug/L	UD	[NULL]	[NULL]	R	B1P3X2	7440-38-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-38-2	Arsenic	0.865	ug/L	E	[NULL]	[NULL]	R	B1P3V9	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-39-3	Barium	28.3	ug/L	BD	[NULL]	[NULL]	R	B1P3X2	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-39-3	Barium	23.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V9	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-41-7	Beryllium	0.05	ug/L	U	[NULL]	[NULL]	R	B1P3V9	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-41-7	Beryllium	2.1	ug/L	UD	[NULL]	[NULL]	R	B1P3X2	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	13966-02-4	Beryllium-7	4.94	pCi/L	U	[NULL]	[NULL]	R	B1P3X6	13966-02-4	TARL	GAMMA_GS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	24959-67-9	Bromide	200	ug/L	B	[NULL]	[NULL]	R	B1P3X2	24959-67-9	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	24959-67-9	Bromide	213	ug/L	B	[NULL]	[NULL]	R	B1P3V9	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-43-9	Cadmium	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3V9	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-43-9	Cadmium	7.1	ug/L	UD	[NULL]	[NULL]	R	B1P3X2	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-70-2	Calcium	32700	ug/L	D	[NULL]	[NULL]	R	B1P3X2	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-70-2	Calcium	35700	ug/L	D	[NULL]	[NULL]	R	B1P3V9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	13967-70-9	Cesium-134	-0.228	pCi/L	U	[NULL]	[NULL]	R	B1P3X6	13967-70-9	TARL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	8/8/2007 12:05	N	10045-97-3	Cesium-137	-2.39	pCi/L	U	[NULL]	[NULL]	R	B1P3V9	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	10045-97-3	Cesium-137	0.008	pCi/L	U	[NULL]	[NULL]	R	B1P3X6	10045-97-3	TARL	GAMMA_GS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	16887-00-6	Chloride	5560	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	16887-00-6	Chloride	5100	ug/L	DN	[NULL]	[NULL]	R	B1P3X2	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-47-3	Chromium	4.9	ug/L	UD	[NULL]	[NULL]	R	B1P3X2	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-47-3	Chromium	0.587	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V9	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-48-4	Cobalt	0.12	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V9	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-48-4	Cobalt	4	ug/L	UD	[NULL]	[NULL]	R	B1P3X2	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	10198-40-0	Cobalt-60	0.242	pCi/L	U	[NULL]	[NULL]	R	B1P3X6	10198-40-0	TARL	GAMMA_GS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	10198-40-0	Cobalt-60	-2.42	pCi/L	U	[NULL]	[NULL]	R	B1P3V9	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	DO	Dissolved oxygen	4440	ug/L	[NULL]	[NULL]	[NULL]	C	B1P3N5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	14683-23-9	Europium-152	7.32	pCi/L	U	[NULL]	[NULL]	R	B1P3V9	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	14683-23-9	Europium-152	0.63	pCi/L	U	[NULL]	[NULL]	R	B1P3X6	14683-23-9	TARL	GAMMA_GS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	15585-10-1	Europium-154	-1.35	pCi/L	U	[NULL]	[NULL]	R	B1P3X6	15585-10-1	TARL	GAMMA_GS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	15585-10-1	Europium-154	-11.6	pCi/L	U	[NULL]	[NULL]	R	B1P3V9	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	14391-16-3	Europium-155	-0.355	pCi/L	U	[NULL]	[NULL]	R	B1P3X6	14391-16-3	TARL	GAMMA_GS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	14391-16-3	Europium-155	2.37	pCi/L	U	[NULL]	[NULL]	R	B1P3V9	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	16984-48-8	Fluoride	73	ug/L	BN	[NULL]	[NULL]	R	B1P3X2	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	16984-48-8	Fluoride	59	ug/L	B	[NULL]	[NULL]	R	B1P3V9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	12587-46-1	Gross alpha	1.8	pCi/L	U	G	[NULL]	R	B1P3V9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	12587-47-2	Gross beta	590	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3V9	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	12587-47-2	Gross beta	805	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3X6	12587-47-2	TARL	BETA_GPC	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7439-89-6	Iron	194	ug/L	D	[NULL]	[NULL]	R	B1P3V9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7439-89-6	Iron	651	ug/L	D	[NULL]	[NULL]	R	B1P3X2	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7439-95-4	Magnesium	5330	ug/L	BD	[NULL]	[NULL]	R	B1P3X2	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7439-95-4	Magnesium	5010	ug/L	D	[NULL]	[NULL]	R	B1P3V9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7439-96-5	Manganese	11.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V9	7439-96-5	WSCF	200.8_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	8/8/2007 12:05	N	7439-96-5	Manganese	27.2	ug/L	BCD	[NULL]	[NULL]	R	B1P3X2	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-02-0	Nickel	0.34	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V9	7440-02-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-02-0	Nickel	9.1	ug/L	UD	[NULL]	[NULL]	R	B1P3X2	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	14797-55-8	Nitrate	841	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X2	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	14797-55-8	Nitrate	1020	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	14797-65-0	Nitrite	16.4	ug/L	UN	[NULL]	[NULL]	R	B1P3X2	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	R	B1P3V9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	EH	Oxidation Reduction Potential	116	mV	[NULL]	[NULL]	[NULL]	C	B1P3N5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	14265-44-2	Phosphate	123	ug/L	U	[NULL]	[NULL]	R	B1P3V9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	14265-44-2	Phosphate	520	ug/L	CN	[NULL]	[NULL]	R	B1P3X2	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-09-7	Potassium	1970	ug/L	D	[NULL]	[NULL]	R	B1P3V9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-09-7	Potassium	3270	ug/L	UD	[NULL]	[NULL]	R	B1P3X2	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	13982-63-3	Radium-226	-0.935	pCi/L	U	[NULL]	[NULL]	R	B1P3X6	13982-63-3	TARL	GAMMA_GS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	15262-20-1	Radium-228	0.828	pCi/L	U	[NULL]	[NULL]	R	B1P3X6	15262-20-1	TARL	GAMMA_GS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-22-4	Silver	3.4	ug/L	UD	[NULL]	[NULL]	R	B1P3X2	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-22-4	Silver	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3V9	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-23-5	Sodium	2770	ug/L	BD	[NULL]	[NULL]	R	B1P3X2	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-23-5	Sodium	2580	ug/L	D	[NULL]	[NULL]	R	B1P3V9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	CONDUCT	Specific Conductance	220.9	uS/cm	[NULL]	[NULL]	[NULL]	C	B1P3N5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-24-6	Strontium	113	ug/L	N	[NULL]	[NULL]	R	B1P3V9	7440-24-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-24-6	Strontium	121	ug/L	CD	[NULL]	[NULL]	R	B1P3X2	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	10098-97-2	Strontium-90	320	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3V9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	10098-97-2	Strontium-90	373	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3X6	SR-RAD	TARL	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	14808-79-8	Sulfate	10400	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	14808-79-8	Sulfate	10200	ug/L	N	[NULL]	[NULL]	R	B1P3X2	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	TEMPERATURE	Temperature	22.4	Deg C	[NULL]	[NULL]	[NULL]	C	B1P3N5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	TOC	Total organic carbon	760	ug/L	U	[NULL]	[NULL]	R	B1P3X2	TOC	STLSL	415.1_TOC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	8/8/2007 12:05	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	[NULL]	[NULL]	R	B1P3X2	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	500	ug/L	U	[NULL]	[NULL]	R	B1P3X2	TPHKEROSENE	STLSL	WTPH_DIESEL	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	10028-17-8	Tritium	100	pCi/L	U	[NULL]	[NULL]	R	B1P3V9	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	10028-17-8	Tritium	152	pCi/L	U	[NULL]	[NULL]	R	B1P3X6	10028-17-8	TARL	906.0_H3_LSC	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	15117-96-1	Uranium-235	-0.582	pCi/L	U	[NULL]	[NULL]	R	B1P3X6	15117-96-1	TARL	GAMMA_GS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-62-2	Vanadium	3.65	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3V9	7440-62-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-62-2	Vanadium	12.1	ug/L	UD	[NULL]	[NULL]	R	B1P3X2	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-66-6	Zinc	19.3	ug/L	UD	[NULL]	[NULL]	R	B1P3X2	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	7440-66-6	Zinc	0.917	ug/L	C	[NULL]	[NULL]	R	B1P3V9	7440-66-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-3A	8/8/2007 12:05	N	PH	pH Measurement	6.82	unitless	[NULL]	[NULL]	[NULL]	C	B1P3N5	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	8/14/2007 9:20	N	24959-67-9	Bromide	262	ug/L	B	[NULL]	[NULL]	R	B1P3X8	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/14/2007 9:20	N	24959-67-9	Bromide	230	ug/L	B	[NULL]	[NULL]	R	B1P3X9	24959-67-9	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/14/2007 9:20	N	16887-00-6	Chloride	5800	ug/L	DN	[NULL]	[NULL]	R	B1P3X9	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/14/2007 9:20	N	16887-00-6	Chloride	6530	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/14/2007 9:20	N	DO	Dissolved oxygen	5300	ug/L	[NULL]	[NULL]	[NULL]	C	B1P3Y0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	8/14/2007 9:20	N	16984-48-8	Fluoride	56	ug/L	B	[NULL]	[NULL]	R	B1P3X8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/14/2007 9:20	N	16984-48-8	Fluoride	54	ug/L	BN	[NULL]	[NULL]	R	B1P3X9	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/14/2007 9:20	N	14797-55-8	Nitrate	766	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/14/2007 9:20	N	14797-55-8	Nitrate	841	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X9	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/14/2007 9:20	N	14797-65-0	Nitrite	16.4	ug/L	UN	[NULL]	[NULL]	R	B1P3X9	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/14/2007 9:20	N	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	R	B1P3X8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/14/2007 9:20	N	EH	Oxidation Reduction Potential	11	mV	[NULL]	[NULL]	[NULL]	C	B1P3Y0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	8/14/2007 9:20	N	14265-44-2	Phosphate	123	ug/L	U	[NULL]	[NULL]	R	B1P3X8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/14/2007 9:20	N	14265-44-2	Phosphate	460	ug/L	BCN	[NULL]	[NULL]	R	B1P3X9	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/14/2007 9:20	N	CONDUCT	Specific Conductance	248.8	uS/cm	[NULL]	[NULL]	[NULL]	C	B1P3Y0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	8/14/2007 9:20	N	14808-79-8	Sulfate	10600	ug/L	N	[NULL]	[NULL]	R	B1P3X9	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	8/14/2007 9:20	N	14808-79-8	Sulfate	10900	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/14/2007 9:20	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	C	B1P3Y0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	8/14/2007 9:20	N	TURBIDITY	Turbidity	71.7	NTU	[NULL]	[NULL]	[NULL]	C	B1P3Y0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-3A	8/14/2007 9:20	N	PH	pH Measurement	7.32	unitless	[NULL]	[NULL]	[NULL]	C	B1P3Y0	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	11/1/2007 9:35	N	DO	Dissolved oxygen	2260	ug/L	[NULL]	[NULL]	[NULL]	R	B1PPP2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	11/1/2007 9:35	N	DO	Dissolved oxygen	2260	ug/L	[NULL]	[NULL]	[NULL]	R	B1PPP1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	11/1/2007 9:35	N	12587-47-2	Gross beta	1300	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PPP2	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-3A	11/1/2007 9:35	N	CONDUCT	Specific Conductance	363.4	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PPP1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	11/1/2007 9:35	N	CONDUCT	Specific Conductance	363.4	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PPP2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	11/1/2007 9:35	N	TEMPERATURE	Temperature	11.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1PPP2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	11/1/2007 9:35	N	TEMPERATURE	Temperature	11.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1PPP1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	11/1/2007 9:35	N	TURBIDITY	Turbidity	21.2	NTU	[NULL]	[NULL]	[NULL]	R	B1PPP1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-3A	11/1/2007 9:35	N	TURBIDITY	Turbidity	21.2	NTU	[NULL]	[NULL]	[NULL]	R	B1PPP2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-3A	11/1/2007 9:35	N	PH	pH Measurement	7.67	unitless	[NULL]	[NULL]	[NULL]	R	B1PPP2	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	11/1/2007 9:35	N	PH	pH Measurement	7.67	unitless	[NULL]	[NULL]	[NULL]	R	B1PPP1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	11/27/2007 9:58	N	DO	Dissolved oxygen	4210	ug/L	[NULL]	[NULL]	[NULL]	R	B1R147	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	11/27/2007 9:58	N	12587-47-2	Gross beta	1230	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R148	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-3A	11/27/2007 9:58	N	EH	Oxidation Reduction Potential	71	mV	[NULL]	[NULL]	[NULL]	R	B1R147	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	11/27/2007 9:58	N	CONDUCT	Specific Conductance	331	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R147	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	11/27/2007 9:58	N	TEMPERATURE	Temperature	7.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1R147	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	11/27/2007 9:58	N	TURBIDITY	Turbidity	6.02	NTU	[NULL]	[NULL]	[NULL]	R	B1R147	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-3A	11/27/2007 9:58	N	PH	pH Measurement	6.84	unitless	[NULL]	[NULL]	[NULL]	R	B1R147	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	12/17/2007 9:50	N	12587-46-1	Gross alpha	1.84	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9V8	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-3A	12/17/2007 9:50	N	12587-47-2	Gross beta	1280	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9V8	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-3A	12/17/2007 9:50	N	10098-97-2	Strontium-90	658	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9V8	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	ALKALINITY	Alkalinity	170000	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V5	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1R9V5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	12/17/2007 10:45	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1R9V4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	14234-35-6	Antimony-125	2.02	pCi/L	U	[NULL]	[NULL]	R	B1R9V5	14234-35-6	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	12/17/2007 10:45	Y	7440-39-3	Barium	33.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	7440-39-3	Barium	36.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1R9V4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1R9V5	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	13966-02-4	Beryllium-7	-36	pCi/L	U	[NULL]	[NULL]	R	B1R9V5	13966-02-4	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1R9V5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1R9V4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	7440-70-2	Calcium	65800	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	Y	7440-70-2	Calcium	64200	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	13967-70-9	Cesium-134	-1.1	pCi/L	U	[NULL]	[NULL]	R	B1R9V5	13967-70-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	10045-97-3	Cesium-137	-5.57	pCi/L	U	[NULL]	[NULL]	R	B1R9V5	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	16887-00-6	Chloride	13700	ug/L	D	[NULL]	[NULL]	R	B1R9V5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1R9V5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	Y	7440-47-3	Chromium	5.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1R9V4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1R9V5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	10198-40-0	Cobalt-60	2.9	pCi/L	U	[NULL]	[NULL]	R	B1R9V5	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	12/17/2007 10:45	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1R9V4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1R9V5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	DO	Dissolved oxygen	5330	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	14683-23-9	Europium-152	-11.2	pCi/L	U	[NULL]	[NULL]	R	B1R9V5	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	15585-10-1	Europium-154	-8.64	pCi/L	U	[NULL]	[NULL]	R	B1R9V5	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	14391-16-3	Europium-155	-13	pCi/L	U	[NULL]	[NULL]	R	B1R9V5	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	16984-48-8	Fluoride	12	ug/L	DU	[NULL]	[NULL]	R	B1R9V5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	12/17/2007 10:45	Y	7439-89-6	Iron	549	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	12/17/2007 10:45	N	7439-89-6	Iron	514	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	Y	7439-95-4	Magnesium	9760	ug/L	N	[NULL]	[NULL]	R	B1R9V4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	7439-95-4	Magnesium	9810	ug/L	N	[NULL]	[NULL]	R	B1R9V5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	7439-96-5	Manganese	12	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	Y	7439-96-5	Manganese	11	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	7440-02-0	Nickel	5.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1R9V4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	14797-55-8	Nitrate	3990	ug/L	D	[NULL]	[NULL]	R	B1R9V5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1R9V5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	EH	Oxidation Reduction Potential	-4	mV	[NULL]	[NULL]	[NULL]	R	B1R9V6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	14265-44-2	Phosphate	245	ug/L	DU	[NULL]	[NULL]	R	B1R9V5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	12/17/2007 10:45	Y	7440-09-7	Potassium	1560	ug/L	N	[NULL]	[NULL]	R	B1R9V4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	7440-09-7	Potassium	1540	ug/L	N	[NULL]	[NULL]	R	B1R9V5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	13966-00-2	Potassium-40	-66.7	pCi/L	U	[NULL]	[NULL]	R	B1R9V5	13966-00-2	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	13967-48-1	Ruthenium-106	22	pCi/L	U	[NULL]	[NULL]	R	B1R9V5	13967-48-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1R9V5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1R9V4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	7440-23-5	Sodium	3260	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	Y	7440-23-5	Sodium	3310	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	CONDUCT	Specific Conductance	360.4	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R9V6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	12/17/2007 10:45	Y	7440-24-6	Strontium	196	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	7440-24-6	Strontium	200	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	14808-79-8	Sulfate	8890	ug/L	D	[NULL]	[NULL]	R	B1R9V5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	TEMPERATURE	Temperature	3.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1R9V6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	10028-17-8	Tritium	25	pCi/L	U	[NULL]	[NULL]	R	B1R9V5	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	TURBIDITY	Turbidity	2.2	NTU	[NULL]	[NULL]	[NULL]	R	B1R9V6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1R9V5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	12/17/2007 10:45	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1R9V4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	Y	7440-66-6	Zinc	4.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1R9V5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/17/2007 10:45	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	R	B1R9V6	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	1/15/2008 8:15	N	DO	Dissolved oxygen	6490	ug/L	[NULL]	[NULL]	[NULL]	R	B1RR18	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	1/15/2008 8:15	N	12587-47-2	Gross beta	1230	pCi/L	[NULL]	[NULL]	[NULL]	R	B1RR19	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-3A	1/15/2008 8:15	N	EH	Oxidation Reduction Potential	112	mV	[NULL]	[NULL]	[NULL]	R	B1RR18	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	1/15/2008 8:15	N	CONDUCT	Specific Conductance	528	uS/cm	[NULL]	[NULL]	[NULL]	R	B1RR18	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	1/15/2008 8:15	N	TEMPERATURE	Temperature	5.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1RR18	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	1/15/2008 8:15	N	TURBIDITY	Turbidity	13.3	NTU	[NULL]	[NULL]	[NULL]	R	B1RR18	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-3A	1/15/2008 8:15	N	PH	pH Measurement	6.62	unitless	[NULL]	[NULL]	[NULL]	R	B1RR18	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	2/20/2008 8:50	N	DO	Dissolved oxygen	11050	ug/L	[NULL]	[NULL]	[NULL]	R	B1T236	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	2/20/2008 8:50	N	12587-47-2	Gross beta	1110	pCi/L	[NULL]	[NULL]	[NULL]	R	B1T237	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-3A	2/20/2008 8:50	N	EH	Oxidation Reduction Potential	-11	mV	U	[NULL]	[NULL]	R	B1T236	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	2/20/2008 8:50	N	CONDUCT	Specific Conductance	308.6	uS/cm	[NULL]	[NULL]	[NULL]	R	B1T236	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	2/20/2008 8:50	N	TEMPERATURE	Temperature	2.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1T236	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	2/20/2008 8:50	N	TURBIDITY	Turbidity	7.82	NTU	[NULL]	[NULL]	[NULL]	R	B1T236	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-3A	2/20/2008 8:50	N	PH	pH Measurement	7.69	unitless	[NULL]	[NULL]	[NULL]	R	B1T236	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	ALKALINITY	Alkalinity	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL2	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-3A	3/25/2008 10:23	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1THL1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1THL2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	14234-35-6	Antimony-125	2.87	pCi/L	U	[NULL]	[NULL]	R	B1THL2	14234-35-6	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	3/25/2008 10:23	Y	7440-39-3	Barium	23.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	7440-39-3	Barium	36.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1THL1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1THL2	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	13966-02-4	Beryllium-7	2.63	pCi/L	U	[NULL]	[NULL]	R	B1THL2	13966-02-4	WSCF	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	3/25/2008 10:23	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1THL1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1THL2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	Y	7440-70-2	Calcium	47700	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	7440-70-2	Calcium	45000	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	13967-70-9	Cesium-134	0.361	pCi/L	U	[NULL]	[NULL]	R	B1THL2	13967-70-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	10045-97-3	Cesium-137	1.43	pCi/L	U	[NULL]	[NULL]	R	B1THL2	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	16887-00-6	Chloride	1640	ug/L	D	[NULL]	[NULL]	R	B1THL2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1THL2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1THL1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1THL2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1THL1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	10198-40-0	Cobalt-60	-0.469	pCi/L	U	[NULL]	[NULL]	R	B1THL2	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	3/25/2008 10:23	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1THL1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1THL2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	DO	Dissolved oxygen	9110	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	14683-23-9	Europium-152	-15.7	pCi/L	U	[NULL]	[NULL]	R	B1THL2	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	15585-10-1	Europium-154	-11.2	pCi/L	U	[NULL]	[NULL]	R	B1THL2	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	14391-16-3	Europium-155	10.3	pCi/L	U	[NULL]	[NULL]	R	B1THL2	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	16984-48-8	Fluoride	12	ug/L	DU	[NULL]	[NULL]	R	B1THL2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	12587-46-1	Gross alpha	1.3	pCi/L	U	[NULL]	[NULL]	R	B1THL2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	12587-47-2	Gross beta	960	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THL2	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	3/25/2008 10:23	Y	7439-89-6	Iron	329	ug/L	[NULL]	Q	[NULL]	R	B1THL1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	7439-89-6	Iron	9040	ug/L	[NULL]	Q	[NULL]	R	B1THL2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	Y	7439-95-4	Magnesium	7070	ug/L	[NULL]	Q	[NULL]	R	B1THL1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	7439-95-4	Magnesium	6940	ug/L	[NULL]	Q	[NULL]	R	B1THL2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	Y	7439-96-5	Manganese	6.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	7439-96-5	Manganese	59.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	3/25/2008 10:23	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1THL2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1THL1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	14797-55-8	Nitrate	1610	ug/L	D	[NULL]	[NULL]	R	B1THL2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1THL2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	EH	Oxidation Reduction Potential	-17	mV	[NULL]	[NULL]	[NULL]	R	B1THL3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	14265-44-2	Phosphate	245	ug/L	DU	[NULL]	[NULL]	R	B1THL2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	7440-09-7	Potassium	1330	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	Y	7440-09-7	Potassium	1250	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	13966-00-2	Potassium-40	-13	pCi/L	U	[NULL]	[NULL]	R	B1THL2	13966-00-2	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	13967-48-1	Ruthenium-106	-4.64	pCi/L	U	[NULL]	[NULL]	R	B1THL2	13967-48-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1THL2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1THL1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	7440-23-5	Sodium	2810	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	Y	7440-23-5	Sodium	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	68-04-2	Sodium citrate	100	ug/L	U	[NULL]	[NULL]	R	B1THL4	68-04-2	ESL	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	CONDUCT	Specific Conductance	264	uS/cm	[NULL]	[NULL]	[NULL]	R	B1THL3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	3/25/2008 10:23	Y	7440-24-6	Strontium	134	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	7440-24-6	Strontium	132	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	10098-97-2	Strontium-90	508	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THL5	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	14808-79-8	Sulfate	10000	ug/L	D	[NULL]	[NULL]	R	B1THL2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	TEMPERATURE	Temperature	5.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1THL3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	10028-17-8	Tritium	-130	pCi/L	U	[NULL]	[NULL]	R	B1THL2	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	TURBIDITY	Turbidity	17.2	NTU	[NULL]	[NULL]	[NULL]	R	B1THL3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	7440-62-2	Vanadium	8	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	Y	7440-62-2	Vanadium	7.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1THL1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/25/2008 10:23	N	7440-66-6	Zinc	4.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	3/25/2008 10:23	N	PH	pH Measurement	8.03	unitless	[NULL]	[NULL]	[NULL]	R	B1THL3	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	5/8/2008 10:18	N	DO	Dissolved oxygen	6320	ug/L	[NULL]	[NULL]	[NULL]	R	B1V5B0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	5/8/2008 10:18	N	DO	Dissolved oxygen	6320	ug/L	[NULL]	[NULL]	[NULL]	R	B1TVP8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	5/8/2008 10:18	N	12587-47-2	Gross beta	870	pCi/L	[NULL]	[NULL]	[NULL]	R	B1V5B1	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	5/8/2008 10:18	N	12587-47-2	Gross beta	1470	pCi/L	[NULL]	Y	[NULL]	R	B1TVP9	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-3A	5/8/2008 10:18	N	EH	Oxidation Reduction Potential	-28	mV	[NULL]	[NULL]	[NULL]	R	B1TVP8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	5/8/2008 10:18	N	EH	Oxidation Reduction Potential	-28	mV	[NULL]	[NULL]	[NULL]	R	B1V5B0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	5/8/2008 10:18	N	CONDUCT	Specific Conductance	244	uS/cm	[NULL]	[NULL]	[NULL]	R	B1V5B0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	5/8/2008 10:18	N	CONDUCT	Specific Conductance	244	uS/cm	[NULL]	[NULL]	[NULL]	R	B1TVP8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	5/8/2008 10:18	N	TEMPERATURE	Temperature	11.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1TVP8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	5/8/2008 10:18	N	TEMPERATURE	Temperature	11.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1V5B0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	5/8/2008 10:18	N	TURBIDITY	Turbidity	9.14	NTU	[NULL]	[NULL]	[NULL]	R	B1V5B0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-3A	5/8/2008 10:18	N	TURBIDITY	Turbidity	9.14	NTU	[NULL]	[NULL]	[NULL]	R	B1TVP8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-3A	5/8/2008 10:18	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B1TVP8	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	5/8/2008 10:18	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B1V5B0	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	7429-90-5	Aluminum	30	ug/L	U	[NULL]	[NULL]	S	B1VJN9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1VJN9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	7440-38-2	Arsenic	50	ug/L	U	[NULL]	[NULL]	S	B1VJN9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	7440-39-3	Barium	14	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1VJN9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	7440-70-2	Calcium	28700	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	16887-00-6	Chloride	1250	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1VJN9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1VJN9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B1VJN9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	16984-48-8	Fluoride	37	ug/L	B	[NULL]	[NULL]	S	B1VJN9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	12587-46-1	Gross alpha	-1.5	pCi/L	U	[NULL]	[NULL]	S	B1VJN9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	6/3/2008 12:10	Y	12587-47-2	Gross beta	590	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VJN9	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	7439-89-6	Iron	59.7	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1VJN9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	7439-95-4	Magnesium	4260	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	7439-96-5	Manganese	16	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B1VJN9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1VJN9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	14797-55-8	Nitrate	961	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	S	B1VJN9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	14265-44-2	Phosphate	98.1	ug/L	U	[NULL]	[NULL]	S	B1VJN9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	7440-09-7	Potassium	1190	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1VJN9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	7440-23-5	Sodium	2510	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	7440-24-6	Strontium	98.8	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	14808-79-8	Sulfate	8470	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	S	B1VJN9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/3/2008 12:10	Y	7440-66-6	Zinc	21.4	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W661	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W661	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W661	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W661	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W661	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	7440-70-2	Calcium	29600	ug/L	DN	[NULL]	[NULL]	S	B1W661	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	16887-00-6	Chloride	1200	ug/L	BD	[NULL]	[NULL]	S	B1W661	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W661	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W661	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W661	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	6/29/2008 6:53	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W661	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W661	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W661	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	7439-95-4	Magnesium	3890	ug/L	D	[NULL]	[NULL]	S	B1W661	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W661	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W661	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W661	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W661	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W661	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	14265-44-2	Phosphate	981	ug/L	DU	[NULL]	[NULL]	S	B1W661	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	7440-09-7	Potassium	1200	ug/L	D	[NULL]	[NULL]	S	B1W661	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W661	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	7440-23-5	Sodium	3300	ug/L	D	[NULL]	[NULL]	S	B1W661	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	7440-24-6	Strontium	97	ug/L	D	[NULL]	[NULL]	S	B1W661	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	14808-79-8	Sulfate	7890	ug/L	BD	[NULL]	[NULL]	S	B1W661	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W661	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/29/2008 6:53	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W661	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W675	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W675	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W675	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W675	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W675	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	7440-70-2	Calcium	33600	ug/L	D	[NULL]	[NULL]	S	B1W675	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	16887-00-6	Chloride	2130	ug/L	BD	[NULL]	[NULL]	S	B1W675	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W675	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W675	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W675	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/3/2008 8:45	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W675	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	7439-89-6	Iron	157	ug/L	DN	[NULL]	[NULL]	S	B1W675	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W675	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	7439-95-4	Magnesium	4540	ug/L	D	[NULL]	[NULL]	S	B1W675	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	7439-96-5	Manganese	38	ug/L	D	[NULL]	[NULL]	S	B1W675	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W675	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W675	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W675	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W675	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	14265-44-2	Phosphate	5760	ug/L	BD	[NULL]	[NULL]	S	B1W675	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	7440-09-7	Potassium	1620	ug/L	D	[NULL]	[NULL]	S	B1W675	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1W675	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	7440-23-5	Sodium	11600	ug/L	D	[NULL]	[NULL]	S	B1W675	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	7440-24-6	Strontium	117	ug/L	D	[NULL]	[NULL]	S	B1W675	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	14808-79-8	Sulfate	7680	ug/L	BD	[NULL]	[NULL]	S	B1W675	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W675	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/3/2008 8:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W675	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWT4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWT4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWT4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	7440-39-3	Barium	26	ug/L	D	[NULL]	[NULL]	S	B1VWT4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWT4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	7440-70-2	Calcium	14700	ug/L	D	[NULL]	[NULL]	S	B1VWT4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	16887-00-6	Chloride	1100	ug/L	DU	[NULL]	[NULL]	S	B1VWT4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWT4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWT4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWT4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/4/2008 6:09	Y	DO	Dissolved oxygen	9530	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWP1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VWT4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	12587-46-1	Gross alpha	-1.5	pCi/L	U	[NULL]	[NULL]	S	B1VWP1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	12587-47-2	Gross beta	7.4	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWP1	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VWT4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWT4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	7439-95-4	Magnesium	3230	ug/L	D	[NULL]	[NULL]	S	B1VWT4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VWT4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWT4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWT4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VWT4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VWT4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	EH	Oxidation Reduction Potential	140	mV	[NULL]	[NULL]	[NULL]	S	B1VWP1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	14265-44-2	Phosphate	981	ug/L	DU	[NULL]	[NULL]	S	B1VWT4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	7440-09-7	Potassium	850	ug/L	DU	[NULL]	[NULL]	S	B1VWT4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWT4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	7440-23-5	Sodium	2770	ug/L	D	[NULL]	[NULL]	S	B1VWT4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	CONDUCT	Specific Conductance	573.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWP1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	7440-24-6	Strontium	64.2	ug/L	D	[NULL]	[NULL]	S	B1VWT4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	14808-79-8	Sulfate	6650	ug/L	BD	[NULL]	[NULL]	S	B1VWT4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWP1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWT4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWT4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/4/2008 6:09	Y	PH	pH Measurement	6.85	unitless	[NULL]	[NULL]	[NULL]	S	B1VWP1	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VX07	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VX07	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VX07	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/5/2008 7:35	Y	7440-39-3	Barium	30	ug/L	D	[NULL]	[NULL]	S	B1VX07	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VX07	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	7440-70-2	Calcium	17800	ug/L	D	[NULL]	[NULL]	S	B1VX07	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	16887-00-6	Chloride	1100	ug/L	DU	[NULL]	[NULL]	S	B1VX07	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VX07	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VX07	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VX07	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	DO	Dissolved oxygen	10220	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWY2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VX07	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	12587-46-1	Gross alpha	-0.56	pCi/L	U	[NULL]	[NULL]	S	B1VWY2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	12587-47-2	Gross beta	0.52	pCi/L	U	[NULL]	[NULL]	S	B1VWY2	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VX07	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VX07	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	7439-95-4	Magnesium	3760	ug/L	D	[NULL]	[NULL]	S	B1VX07	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VX07	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VX07	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VX07	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VX07	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VX07	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	EH	Oxidation Reduction Potential	6	mV	[NULL]	[NULL]	[NULL]	S	B1VWY2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	14265-44-2	Phosphate	981	ug/L	DU	[NULL]	[NULL]	S	B1VX07	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	7440-09-7	Potassium	850	ug/L	DU	[NULL]	[NULL]	S	B1VX07	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VX07	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	7440-23-5	Sodium	3480	ug/L	D	[NULL]	[NULL]	S	B1VX07	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	CONDUCT	Specific Conductance	228.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWY2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	7440-24-6	Strontium	75.4	ug/L	D	[NULL]	[NULL]	S	B1VX07	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	14808-79-8	Sulfate	6380	ug/L	BD	[NULL]	[NULL]	S	B1VX07	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/5/2008 7:35	Y	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWY2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VX07	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VX07	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/5/2008 7:35	Y	PH	pH Measurement	7.48	unitless	[NULL]	[NULL]	[NULL]	S	B1VWY2	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W760	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W760	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W760	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	7440-39-3	Barium	20	ug/L	D	[NULL]	[NULL]	S	B1W760	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W760	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	7440-70-2	Calcium	32800	ug/L	D	[NULL]	[NULL]	S	B1W760	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	16887-00-6	Chloride	1170	ug/L	BD	[NULL]	[NULL]	S	B1W760	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W760	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W760	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W760	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	DO	Dissolved oxygen	8130	ug/L	[NULL]	[NULL]	[NULL]	S	B1VX34	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W760	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	12587-46-1	Gross alpha	2.6	pCi/L	[NULL]	G	[NULL]	S	B1VX34	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	12587-47-2	Gross beta	510	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VX34	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W760	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W760	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	7439-95-4	Magnesium	4330	ug/L	DN	[NULL]	[NULL]	S	B1W760	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	7439-96-5	Manganese	48	ug/L	D	[NULL]	[NULL]	S	B1W760	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	7439-98-7	Molybdenum	34.8	ug/L	D	[NULL]	[NULL]	S	B1W760	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W760	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W760	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W760	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	EH	Oxidation Reduction Potential	-151	mV	[NULL]	[NULL]	[NULL]	S	B1VX34	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/6/2008 10:30	Y	14265-44-2	Phosphate	1390	ug/L	BD	[NULL]	[NULL]	S	B1W760	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	7440-09-7	Potassium	1350	ug/L	D	[NULL]	[NULL]	S	B1W760	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W760	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	7440-23-5	Sodium	3870	ug/L	D	[NULL]	[NULL]	S	B1W760	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	CONDUCT	Specific Conductance	127.7	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VX34	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	7440-24-6	Strontium	115	ug/L	D	[NULL]	[NULL]	S	B1W760	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	14808-79-8	Sulfate	6790	ug/L	BD	[NULL]	[NULL]	S	B1W760	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1VX34	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W760	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W760	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/6/2008 10:30	Y	PH	pH Measurement	8.94	unitless	[NULL]	[NULL]	[NULL]	S	B1VX34	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W786	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W786	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W786	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W786	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W786	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	7440-70-2	Calcium	32500	ug/L	D	[NULL]	[NULL]	S	B1W786	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	16887-00-6	Chloride	1100	ug/L	DU	[NULL]	[NULL]	S	B1W786	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W786	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W786	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W786	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	DO	Dissolved oxygen	7180	ug/L	[NULL]	[NULL]	[NULL]	S	B1W771	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W786	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	12587-46-1	Gross alpha	0.19	pCi/L	U	[NULL]	[NULL]	S	B1W771	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	12587-47-2	Gross beta	580	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W771	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	7439-89-6	Iron	137	ug/L	D	[NULL]	[NULL]	S	B1W786	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W786	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/7/2008 10:20	Y	7439-95-4	Magnesium	4310	ug/L	DN	[NULL]	[NULL]	S	B1W786	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W786	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W786	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W786	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W786	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W786	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	EH	Oxidation Reduction Potential	-149	mV	[NULL]	[NULL]	[NULL]	S	B1W771	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	14265-44-2	Phosphate	981	ug/L	DU	[NULL]	[NULL]	S	B1W786	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	7440-09-7	Potassium	1330	ug/L	D	[NULL]	[NULL]	S	B1W786	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W786	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	7440-23-5	Sodium	4520	ug/L	D	[NULL]	[NULL]	S	B1W786	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	CONDUCT	Specific Conductance	185.7	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W771	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	7440-24-6	Strontium	108	ug/L	D	[NULL]	[NULL]	S	B1W786	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	14808-79-8	Sulfate	6950	ug/L	BD	[NULL]	[NULL]	S	B1W786	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	S	B1W771	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W786	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W786	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/7/2008 10:20	Y	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	S	B1W771	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7F6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7F6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7F6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	7440-39-3	Barium	25	ug/L	D	[NULL]	[NULL]	S	B1W7F6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7F6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	7440-70-2	Calcium	37800	ug/L	D	[NULL]	[NULL]	S	B1W7F6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	16887-00-6	Chloride	1100	ug/L	DU	[NULL]	[NULL]	S	B1W7F6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7F6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7F6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/8/2008 9:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7F6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	DO	Dissolved oxygen	4250	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7C3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7F6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	12587-46-1	Gross alpha	1.5	pCi/L	U	[NULL]	[NULL]	S	B1W7C3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	12587-47-2	Gross beta	490	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7C3	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	7439-89-6	Iron	147	ug/L	D	[NULL]	[NULL]	S	B1W7F6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7F6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	7439-95-4	Magnesium	5020	ug/L	D	[NULL]	[NULL]	S	B1W7F6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	7439-96-5	Manganese	34	ug/L	D	[NULL]	[NULL]	S	B1W7F6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	7439-98-7	Molybdenum	34.8	ug/L	D	[NULL]	[NULL]	S	B1W7F6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7F6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7F6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7F6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	EH	Oxidation Reduction Potential	83	mV	[NULL]	[NULL]	[NULL]	S	B1W7C3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	14265-44-2	Phosphate	981	ug/L	DU	[NULL]	[NULL]	S	B1W7F6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	7440-09-7	Potassium	1610	ug/L	D	[NULL]	[NULL]	S	B1W7F6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	7440-22-4	Silver	54	ug/L	CD	[NULL]	[NULL]	S	B1W7F6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	7440-23-5	Sodium	3540	ug/L	CDN	[NULL]	[NULL]	S	B1W7F6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	CONDUCT	Specific Conductance	215	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7C3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	7440-24-6	Strontium	134	ug/L	D	[NULL]	[NULL]	S	B1W7F6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	14808-79-8	Sulfate	6580	ug/L	BD	[NULL]	[NULL]	S	B1W7F6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	TEMPERATURE	Temperature	22.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7C3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7F6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7F6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/8/2008 9:30	Y	PH	pH Measurement	7.42	unitless	[NULL]	[NULL]	[NULL]	S	B1W7C3	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W854	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W854	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/9/2008 11:40	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W854	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	7440-39-3	Barium	37	ug/L	D	[NULL]	[NULL]	S	B1W854	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W854	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	7440-70-2	Calcium	20100	ug/L	D	[NULL]	[NULL]	S	B1W854	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	16887-00-6	Chloride	1100	ug/L	DU	[NULL]	[NULL]	S	B1W854	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W854	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W854	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W854	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	DO	Dissolved oxygen	8800	ug/L	[NULL]	[NULL]	[NULL]	S	B1W839	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W854	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	12587-46-1	Gross alpha	0.37	pCi/L	U	[NULL]	[NULL]	S	B1W839	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	12587-47-2	Gross beta	1.2	pCi/L	U	[NULL]	[NULL]	S	B1W839	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W854	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W854	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	7439-95-4	Magnesium	4000	ug/L	D	[NULL]	[NULL]	S	B1W854	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W854	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W854	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W854	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W854	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W854	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	EH	Oxidation Reduction Potential	-88	mV	[NULL]	[NULL]	[NULL]	S	B1W839	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	14265-44-2	Phosphate	981	ug/L	DU	[NULL]	[NULL]	S	B1W854	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	7440-09-7	Potassium	850	ug/L	DU	[NULL]	[NULL]	S	B1W854	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	7440-22-4	Silver	25	ug/L	CD	[NULL]	[NULL]	S	B1W854	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	7440-23-5	Sodium	3020	ug/L	CDN	[NULL]	[NULL]	S	B1W854	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	CONDUCT	Specific Conductance	365.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W839	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	7440-24-6	Strontium	80.7	ug/L	D	[NULL]	[NULL]	S	B1W854	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/9/2008 11:40	Y	14808-79-8	Sulfate	6560	ug/L	BD	[NULL]	[NULL]	S	B1W854	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	S	B1W839	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W854	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W854	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/9/2008 11:40	Y	PH	pH Measurement	7.58	unitless	[NULL]	[NULL]	[NULL]	S	B1W839	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7M2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7M2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7M2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7M2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7M2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	7440-70-2	Calcium	24800	ug/L	D	[NULL]	[NULL]	S	B1W7M2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	16887-00-6	Chloride	1270	ug/L	BD	[NULL]	[NULL]	S	B1W7M2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7M2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7M2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7M2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	DO	Dissolved oxygen	8730	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7J9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7M2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	12587-46-1	Gross alpha	1.7	pCi/L	U	[NULL]	[NULL]	S	B1W7J9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	12587-47-2	Gross beta	590	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7J9	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W7M2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7M2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	7439-95-4	Magnesium	3660	ug/L	D	[NULL]	[NULL]	S	B1W7M2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W7M2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7M2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7M2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7M2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7M2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/10/2008 10:00	Y	EH	Oxidation Reduction Potential	-98	mV	[NULL]	[NULL]	[NULL]	S	B1W7J9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	14265-44-2	Phosphate	981	ug/L	DU	[NULL]	[NULL]	S	B1W7M2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	7440-09-7	Potassium	1490	ug/L	D	[NULL]	[NULL]	S	B1W7M2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7M2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	7440-23-5	Sodium	3690	ug/L	D	[NULL]	[NULL]	S	B1W7M2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	CONDUCT	Specific Conductance	1354	uS/cm	[NULL]	Y	[NULL]	S	B1W7J9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	7440-24-6	Strontium	93.1	ug/L	D	[NULL]	[NULL]	S	B1W7M2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	14808-79-8	Sulfate	7120	ug/L	BD	[NULL]	[NULL]	S	B1W7M2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7J9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7M2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7M2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/10/2008 10:00	Y	PH	pH Measurement	9.54	unitless	[NULL]	[NULL]	[NULL]	S	B1W7J9	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7T8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7T8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7T8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7T8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7T8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	7440-70-2	Calcium	29700	ug/L	DX	[NULL]	[NULL]	S	B1W7T8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	16887-00-6	Chloride	1290	ug/L	BD	[NULL]	[NULL]	S	B1W7T8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7T8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7T8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7T8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	DO	Dissolved oxygen	7490	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7P5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1W7T8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	12587-46-1	Gross alpha	2.2	pCi/L	U	G	[NULL]	S	B1W7P5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	12587-47-2	Gross beta	520	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7P5	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W7T8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/12/2008 8:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7T8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	7439-95-4	Magnesium	4300	ug/L	D	[NULL]	[NULL]	S	B1W7T8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W7T8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7T8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7T8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	14797-55-8	Nitrate	806	ug/L	BD	[NULL]	[NULL]	S	B1W7T8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1W7T8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	EH	Oxidation Reduction Potential	-45	mV	[NULL]	[NULL]	[NULL]	S	B1W7P5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	14265-44-2	Phosphate	1860	ug/L	DU	[NULL]	[NULL]	S	B1W7T8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	7440-09-7	Potassium	1530	ug/L	D	[NULL]	[NULL]	S	B1W7T8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	7440-22-4	Silver	34	ug/L	CD	[NULL]	[NULL]	S	B1W7T8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	7440-23-5	Sodium	3850	ug/L	DX	[NULL]	[NULL]	S	B1W7T8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	CONDUCT	Specific Conductance	162.7	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7P5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	7440-24-6	Strontium	111	ug/L	DN	[NULL]	[NULL]	S	B1W7T8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	14808-79-8	Sulfate	7760	ug/L	BD	[NULL]	[NULL]	S	B1W7T8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7P5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7T8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7T8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/12/2008 8:15	Y	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	S	B1W7P5	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WBH7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WBH7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WBH7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WBH7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WBH7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	7440-70-2	Calcium	31200	ug/L	DX	[NULL]	[NULL]	S	B1WBH7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	16887-00-6	Chloride	1200	ug/L	BD	[NULL]	[NULL]	S	B1WBH7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WBH7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/13/2008 0:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WBH7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WBH7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WBH7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	7439-89-6	Iron	135	ug/L	BD	[NULL]	[NULL]	S	B1WBH7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WBH7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	7439-95-4	Magnesium	4520	ug/L	D	[NULL]	[NULL]	S	B1WBH7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WBH7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WBH7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WBH7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	14797-55-8	Nitrate	1160	ug/L	BD	[NULL]	[NULL]	S	B1WBH7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WBH7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	14265-44-2	Phosphate	1860	ug/L	DU	[NULL]	[NULL]	S	B1WBH7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	7440-09-7	Potassium	1430	ug/L	BD	[NULL]	[NULL]	S	B1WBH7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WBH7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	7440-23-5	Sodium	4650	ug/L	DX	[NULL]	[NULL]	S	B1WBH7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	7440-24-6	Strontium	128	ug/L	D	[NULL]	[NULL]	S	B1WBH7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	14808-79-8	Sulfate	7620	ug/L	BD	[NULL]	[NULL]	S	B1WBH7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WBH7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/13/2008 0:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WBH7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/13/2008 13:00	Y	12587-46-1	Gross alpha	1.6	pCi/L	[NULL]	G	[NULL]	S	B1WBD2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	7/13/2008 13:00	Y	12587-47-2	Gross beta	490	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WBD2	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W884	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W884	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W884	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	7440-39-3	Barium	20	ug/L	D	[NULL]	[NULL]	S	B1W884	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W884	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	7440-70-2	Calcium	32600	ug/L	D	[NULL]	[NULL]	S	B1W884	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/14/2008 9:30	Y	16887-00-6	Chloride	1160	ug/L	BD	[NULL]	[NULL]	S	B1W884	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W884	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W884	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W884	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	DO	Dissolved oxygen	5900	ug/L	[NULL]	[NULL]	[NULL]	S	B1W869	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W884	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	12587-46-1	Gross alpha	2.3	pCi/L	U	[NULL]	[NULL]	S	B1W869	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	12587-47-2	Gross beta	580	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W869	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W884	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W884	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	7439-95-4	Magnesium	4580	ug/L	D	[NULL]	[NULL]	S	B1W884	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W884	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W884	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W884	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W884	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W884	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	EH	Oxidation Reduction Potential	-101	mV	[NULL]	[NULL]	[NULL]	S	B1W869	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	14265-44-2	Phosphate	981	ug/L	DU	[NULL]	[NULL]	S	B1W884	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	7440-09-7	Potassium	1510	ug/L	D	[NULL]	[NULL]	S	B1W884	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W884	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	7440-23-5	Sodium	4300	ug/L	D	[NULL]	[NULL]	S	B1W884	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	CONDUCT	Specific Conductance	195.1	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W869	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	7440-24-6	Strontium	120	ug/L	DN	[NULL]	[NULL]	S	B1W884	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	14808-79-8	Sulfate	7750	ug/L	BD	[NULL]	[NULL]	S	B1W884	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	TEMPERATURE	Temperature	22.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1W869	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W884	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/14/2008 9:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W884	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/14/2008 9:30	Y	PH	pH Measurement	7.48	unitless	[NULL]	[NULL]	[NULL]	S	B1W869	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W811	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W811	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W811	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	7440-39-3	Barium	31	ug/L	D	[NULL]	[NULL]	S	B1W811	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W811	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	7440-70-2	Calcium	17000	ug/L	D	[NULL]	[NULL]	S	B1W811	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	16887-00-6	Chloride	1070	ug/L	BD	[NULL]	[NULL]	S	B1W811	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W811	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W811	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W811	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	DO	Dissolved oxygen	7440	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7Y6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1W811	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	12587-46-1	Gross alpha	0.22	pCi/L	U	[NULL]	[NULL]	S	B1W7Y6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	12587-47-2	Gross beta	2.1	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7Y6	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W811	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W811	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	7439-95-4	Magnesium	3730	ug/L	D	[NULL]	[NULL]	S	B1W811	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W811	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W811	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W811	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1W811	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1W811	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	EH	Oxidation Reduction Potential	-82	mV	[NULL]	[NULL]	[NULL]	S	B1W7Y6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	14265-44-2	Phosphate	1860	ug/L	DU	[NULL]	[NULL]	S	B1W811	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	7440-09-7	Potassium	850	ug/L	DU	[NULL]	[NULL]	S	B1W811	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W811	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/17/2008 18:00	Y	7440-23-5	Sodium	3300	ug/L	DX	[NULL]	[NULL]	S	B1W811	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	CONDUCT	Specific Conductance	123.7	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7Y6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	7440-24-6	Strontium	81	ug/L	D	[NULL]	[NULL]	S	B1W811	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	14808-79-8	Sulfate	7220	ug/L	BD	[NULL]	[NULL]	S	B1W811	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	TEMPERATURE	Temperature	23.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7Y6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W811	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W811	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/17/2008 18:00	Y	PH	pH Measurement	7.25	unitless	[NULL]	[NULL]	[NULL]	S	B1W7Y6	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCF2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCF2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCF2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCF2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCF2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	7440-70-2	Calcium	34000	ug/L	D	[NULL]	[NULL]	S	B1WCF2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	16887-00-6	Chloride	1390	ug/L	BD	[NULL]	[NULL]	S	B1WCF2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCF2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCF2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCF2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	DO	Dissolved oxygen	3040	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCD1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WCF2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	12587-46-1	Gross alpha	1.03	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCD1	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	12587-47-2	Gross beta	617	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCD1	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	7439-89-6	Iron	169	ug/L	D	[NULL]	[NULL]	S	B1WCF2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCF2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	7439-95-4	Magnesium	4760	ug/L	D	[NULL]	[NULL]	S	B1WCF2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WCF2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCF2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/19/2008 7:47	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCF2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	14797-55-8	Nitrate	974	ug/L	BD	[NULL]	[NULL]	S	B1WCF2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCF2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	EH	Oxidation Reduction Potential	-142	mV	[NULL]	[NULL]	[NULL]	S	B1WCD1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	14265-44-2	Phosphate	1860	ug/L	DU	[NULL]	[NULL]	S	B1WCF2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	7440-09-7	Potassium	1440	ug/L	D	[NULL]	[NULL]	S	B1WCF2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCF2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	7440-23-5	Sodium	4290	ug/L	D	[NULL]	[NULL]	S	B1WCF2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	CONDUCT	Specific Conductance	222.6	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCD1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	7440-24-6	Strontium	142	ug/L	D	[NULL]	[NULL]	S	B1WCF2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	14808-79-8	Sulfate	8280	ug/L	BD	[NULL]	[NULL]	S	B1WCF2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCD1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCF2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCF2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/19/2008 7:47	Y	PH	pH Measurement	1.79	unitless	[NULL]	[NULL]	[NULL]	S	B1WCD1	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WC80	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WC80	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WC80	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	7440-39-3	Barium	29	ug/L	BD	[NULL]	[NULL]	S	B1WC80	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WC80	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	7440-70-2	Calcium	40200	ug/L	DX	[NULL]	[NULL]	S	B1WC80	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	16887-00-6	Chloride	1460	ug/L	BD	[NULL]	[NULL]	S	B1WC80	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WC80	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WC80	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WC80	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WC80	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	12587-46-1	Gross alpha	3.4	pCi/L	U	[NULL]	[NULL]	S	B1WC69	12587-46-1	WSCF	ALPHA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/24/2008 9:30	Y	12587-47-2	Gross beta	790	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WC69	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	7439-89-6	Iron	224	ug/L	BD	[NULL]	[NULL]	S	B1WC80	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WC80	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	7439-95-4	Magnesium	5580	ug/L	D	[NULL]	[NULL]	S	B1WC80	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	7439-96-5	Manganese	22	ug/L	BD	[NULL]	[NULL]	S	B1WC80	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WC80	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WC80	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	14797-55-8	Nitrate	1040	ug/L	BD	[NULL]	[NULL]	S	B1WC80	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WC80	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	14265-44-2	Phosphate	1860	ug/L	DU	[NULL]	[NULL]	S	B1WC80	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	7440-09-7	Potassium	1760	ug/L	BD	[NULL]	[NULL]	S	B1WC80	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	7440-22-4	Silver	28	ug/L	BCD	[NULL]	[NULL]	S	B1WC80	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	7440-23-5	Sodium	3880	ug/L	D	[NULL]	[NULL]	S	B1WC80	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	7440-24-6	Strontium	175	ug/L	D	[NULL]	[NULL]	S	B1WC80	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	14808-79-8	Sulfate	9380	ug/L	BD	[NULL]	[NULL]	S	B1WC80	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WC80	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/24/2008 9:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WC80	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLD2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLD2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLD2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	7440-39-3	Barium	22	ug/L	BD	[NULL]	[NULL]	S	B1WLD2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLD2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	7440-70-2	Calcium	40400	ug/L	DX	[NULL]	[NULL]	S	B1WLD2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	16887-00-6	Chloride	1440	ug/L	BD	[NULL]	[NULL]	S	B1WLD2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLD2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLD2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLD2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/25/2008 9:15	Y	DO	Dissolved oxygen	5560	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLB9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	DO	Dissolved oxygen	5560	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLD2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WLD2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	12587-46-1	Gross alpha	0.964	pCi/L	U	[NULL]	[NULL]	S	B1WLB9	12587-46-1	TARL	ALPHA_GPC	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	12587-47-2	Gross beta	674	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLB9	12587-47-2	TARL	BETA_GPC	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	7439-89-6	Iron	144	ug/L	BD	[NULL]	[NULL]	S	B1WLD2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLD2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	7439-95-4	Magnesium	5720	ug/L	D	[NULL]	[NULL]	S	B1WLD2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WLD2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLD2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLD2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	14797-55-8	Nitrate	1040	ug/L	BD	[NULL]	[NULL]	S	B1WLD2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLD2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	EH	Oxidation Reduction Potential	-63.1	mV	[NULL]	[NULL]	[NULL]	S	B1WLB9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	EH	Oxidation Reduction Potential	-63.1	mV	[NULL]	[NULL]	[NULL]	S	B1WLD2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	14265-44-2	Phosphate	1860	ug/L	DU	[NULL]	[NULL]	S	B1WLD2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	7440-09-7	Potassium	1690	ug/L	BD	[NULL]	[NULL]	S	B1WLD2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WLD2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	7440-23-5	Sodium	8870	ug/L	D	[NULL]	[NULL]	S	B1WLD2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	CONDUCT	Specific Conductance	242	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLB9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	CONDUCT	Specific Conductance	242	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLD2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	7440-24-6	Strontium	166	ug/L	D	[NULL]	[NULL]	S	B1WLD2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	14808-79-8	Sulfate	9720	ug/L	BD	[NULL]	[NULL]	S	B1WLD2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLB9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLD2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLD2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLD2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/25/2008 9:15	Y	PH	pH Measurement	7.71	unitless	[NULL]	[NULL]	[NULL]	S	B1WLB9	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	7/25/2008 9:15	Y	PH	pH Measurement	7.71	unitless	[NULL]	[NULL]	[NULL]	S	B1WLD2	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLM3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLM3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLM3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	7440-39-3	Barium	22	ug/L	D	[NULL]	[NULL]	S	B1WLM3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLM3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	7440-70-2	Calcium	39300	ug/L	DN	[NULL]	[NULL]	S	B1WLM3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	16887-00-6	Chloride	1550	ug/L	BD	[NULL]	[NULL]	S	B1WLM3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLM3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLM3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLM3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	DO	Dissolved oxygen	6800	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLJ8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WLM3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	12587-46-1	Gross alpha	0.402	pCi/L	U	[NULL]	[NULL]	S	B1WLJ8	12587-46-1	TARL	ALPHA_GPC	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	12587-47-2	Gross beta	638	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLJ8	12587-47-2	TARL	BETA_GPC	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WLM3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLM3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	7439-95-4	Magnesium	5160	ug/L	D	[NULL]	[NULL]	S	B1WLM3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WLM3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	7439-98-7	Molybdenum	25	ug/L	D	[NULL]	[NULL]	S	B1WLM3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLM3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	14797-55-8	Nitrate	1070	ug/L	BD	[NULL]	[NULL]	S	B1WLM3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLM3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	EH	Oxidation Reduction Potential	-235	mV	[NULL]	[NULL]	[NULL]	S	B1WLJ8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	14265-44-2	Phosphate	1860	ug/L	DU	[NULL]	[NULL]	S	B1WLM3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	7440-09-7	Potassium	1380	ug/L	D	[NULL]	[NULL]	S	B1WLM3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/26/2008 6:50	Y	7440-22-4	Silver	28	ug/L	D	[NULL]	[NULL]	S	B1WLM3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	7440-23-5	Sodium	6010	ug/L	DX	[NULL]	[NULL]	S	B1WLM3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	CONDUCT	Specific Conductance	3749	uS/cm	[NULL]	Y	[NULL]	S	B1WLJ8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	7440-24-6	Strontium	158	ug/L	D	[NULL]	[NULL]	S	B1WLM3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	14808-79-8	Sulfate	9780	ug/L	BD	[NULL]	[NULL]	S	B1WLM3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLJ8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLM3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLM3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/26/2008 6:50	Y	PH	pH Measurement	7.48	unitless	[NULL]	[NULL]	[NULL]	S	B1WLJ8	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLP5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLP5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLP5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	7440-39-3	Barium	23	ug/L	D	[NULL]	[NULL]	S	B1WLP5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLP5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	7440-70-2	Calcium	43400	ug/L	D	[NULL]	[NULL]	S	B1WLP5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	16887-00-6	Chloride	1500	ug/L	BD	[NULL]	[NULL]	S	B1WLP5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLP5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLP5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLP5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	DO	Dissolved oxygen	4580	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLN2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	DO	Dissolved oxygen	4580	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLP5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WLP5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	12587-46-1	Gross alpha	1.03	pCi/L	U	[NULL]	[NULL]	S	B1WLN2	12587-46-1	TARL	ALPHA_GPC	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	12587-47-2	Gross beta	517	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLN2	12587-47-2	TARL	BETA_GPC	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	7439-89-6	Iron	159	ug/L	D	[NULL]	[NULL]	S	B1WLP5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLP5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	7439-95-4	Magnesium	5840	ug/L	D	[NULL]	[NULL]	S	B1WLP5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/27/2008 6:02	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WLP5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLP5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLP5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	14797-55-8	Nitrate	1010	ug/L	BD	[NULL]	[NULL]	S	B1WLP5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLP5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	EH	Oxidation Reduction Potential	-240	mV	[NULL]	[NULL]	[NULL]	S	B1WLN2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	EH	Oxidation Reduction Potential	-240	mV	[NULL]	[NULL]	[NULL]	S	B1WLP5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	14265-44-2	Phosphate	1860	ug/L	DU	[NULL]	[NULL]	S	B1WLP5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	7440-09-7	Potassium	1670	ug/L	D	[NULL]	[NULL]	S	B1WLP5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WLP5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	7440-23-5	Sodium	6510	ug/L	D	[NULL]	[NULL]	S	B1WLP5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	CONDUCT	Specific Conductance	291.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLN2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	CONDUCT	Specific Conductance	291.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLP5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	7440-24-6	Strontium	170	ug/L	D	[NULL]	[NULL]	S	B1WLP5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	14808-79-8	Sulfate	9670	ug/L	BD	[NULL]	[NULL]	S	B1WLP5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLP5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLN2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLP5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLP5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	S	B1WLN2	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	7/27/2008 6:02	Y	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	S	B1WLP5	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLX9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLX9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLX9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	7440-39-3	Barium	23	ug/L	D	[NULL]	[NULL]	S	B1WLX9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLX9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	7440-70-2	Calcium	42400	ug/L	D	[NULL]	[NULL]	S	B1WLX9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/28/2008 11:55	Y	16887-00-6	Chloride	1740	ug/L	BD	[NULL]	[NULL]	S	B1WLX9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLX9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLX9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLX9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	DO	Dissolved oxygen	7780	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLX9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	DO	Dissolved oxygen	7780	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLV4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WLX9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	12587-46-1	Gross alpha	1.77	pCi/L	U	[NULL]	[NULL]	S	B1WLV4	12587-46-1	TARL	ALPHA_GPC	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	12587-47-2	Gross beta	541	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLV4	12587-47-2	TARL	BETA_GPC	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WLX9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLX9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	7439-95-4	Magnesium	5690	ug/L	D	[NULL]	[NULL]	S	B1WLX9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WLX9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLX9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLX9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	14797-55-8	Nitrate	1010	ug/L	BD	[NULL]	[NULL]	S	B1WLX9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLX9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	EH	Oxidation Reduction Potential	-254	mV	[NULL]	[NULL]	[NULL]	S	B1WLX9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	EH	Oxidation Reduction Potential	-254	mV	[NULL]	[NULL]	[NULL]	S	B1WLV4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	14265-44-2	Phosphate	1860	ug/L	DU	[NULL]	[NULL]	S	B1WLX9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	7440-09-7	Potassium	1560	ug/L	D	[NULL]	[NULL]	S	B1WLX9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WLX9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	7440-23-5	Sodium	6390	ug/L	D	[NULL]	[NULL]	S	B1WLX9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	CONDUCT	Specific Conductance	246	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLV4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	CONDUCT	Specific Conductance	246	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLX9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	7440-24-6	Strontium	164	ug/L	D	[NULL]	[NULL]	S	B1WLX9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	14808-79-8	Sulfate	9890	ug/L	BD	[NULL]	[NULL]	S	B1WLX9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/28/2008 11:55	Y	TEMPERATURE	Temperature	22.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLX9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	TEMPERATURE	Temperature	22.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLV4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLX9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLX9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	S	B1WLX9	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	7/28/2008 11:55	Y	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	S	B1WLV4	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	7429-90-5	Aluminum	300	ug/L	UD	[NULL]	[NULL]	S	B1WM11	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	7440-36-0	Antimony	300	ug/L	UD	[NULL]	[NULL]	S	B1WM11	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	7440-38-2	Arsenic	400	ug/L	UD	[NULL]	[NULL]	S	B1WM11	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	7440-39-3	Barium	29	ug/L	BD	[NULL]	[NULL]	S	B1WM11	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	7440-43-9	Cadmium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM11	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	7440-70-2	Calcium	45800	ug/L	D	[NULL]	[NULL]	S	B1WM11	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	16887-00-6	Chloride	1700	ug/L	BD	[NULL]	[NULL]	S	B1WM11	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	7440-47-3	Chromium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM11	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	7440-48-4	Cobalt	20	ug/L	UD	[NULL]	[NULL]	S	B1WM11	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	7440-50-8	Copper	30	ug/L	UD	[NULL]	[NULL]	S	B1WM11	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/29/2008 11:00	Y	DO	Dissolved oxygen	7250	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLY8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WM11	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/29/2008 11:00	Y	12587-46-1	Gross alpha	0.808	pCi/L	U	[NULL]	[NULL]	S	B1WLY8	12587-46-1	TARL	ALPHA_GPC	100-NR-2
N116mArray-3A	7/29/2008 11:00	Y	12587-47-2	Gross beta	435	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLY8	12587-47-2	TARL	BETA_GPC	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	7439-89-6	Iron	190	ug/L	BD	[NULL]	[NULL]	S	B1WM11	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	7439-92-1	Lead	200	ug/L	UD	[NULL]	[NULL]	S	B1WM11	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	7439-95-4	Magnesium	6640	ug/L	D	[NULL]	[NULL]	S	B1WM11	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	7439-96-5	Manganese	20	ug/L	UD	[NULL]	[NULL]	S	B1WM11	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	7439-98-7	Molybdenum	20	ug/L	UD	[NULL]	[NULL]	S	B1WM11	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	7440-02-0	Nickel	30	ug/L	UD	[NULL]	[NULL]	S	B1WM11	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	14797-55-8	Nitrate	1140	ug/L	BD	[NULL]	[NULL]	S	B1WM11	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/29/2008 11:00	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WM11	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/29/2008 11:00	Y	EH	Oxidation Reduction Potential	-230	mV	[NULL]	[NULL]	[NULL]	S	B1WLY8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	14265-44-2	Phosphate	1840	ug/L	UD	[NULL]	[NULL]	S	B1WM11	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	7440-09-7	Potassium	1940	ug/L	BD	[NULL]	[NULL]	S	B1WM11	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	7440-22-4	Silver	20	ug/L	UD	[NULL]	[NULL]	S	B1WM11	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	7440-23-5	Sodium	6620	ug/L	D	[NULL]	[NULL]	S	B1WM11	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/29/2008 11:00	Y	CONDUCT	Specific Conductance	215.6	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLY8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	7440-24-6	Strontium	198	ug/L	D	[NULL]	[NULL]	S	B1WM11	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	14808-79-8	Sulfate	8840	ug/L	BD	[NULL]	[NULL]	S	B1WM11	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/29/2008 11:00	Y	TEMPERATURE	Temperature	21.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLY8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	7440-62-2	Vanadium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM11	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/29/2008 11:00	N	7440-66-6	Zinc	40	ug/L	UD	[NULL]	[NULL]	S	B1WM11	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/29/2008 11:00	Y	PH	pH Measurement	7.76	unitless	[NULL]	[NULL]	[NULL]	S	B1WLY8	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	7429-90-5	Aluminum	300	ug/L	UD	[NULL]	[NULL]	S	B1WM70	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	7440-36-0	Antimony	300	ug/L	UD	[NULL]	[NULL]	S	B1WM70	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	7440-38-2	Arsenic	400	ug/L	UD	[NULL]	[NULL]	S	B1WM70	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	7440-39-3	Barium	25	ug/L	BD	[NULL]	[NULL]	S	B1WM70	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	7440-43-9	Cadmium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM70	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	7440-70-2	Calcium	48200	ug/L	D	[NULL]	[NULL]	S	B1WM70	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	16887-00-6	Chloride	1640	ug/L	BD	Z	[NULL]	S	B1WM70	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	7440-47-3	Chromium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM70	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	7440-48-4	Cobalt	20	ug/L	UD	[NULL]	[NULL]	S	B1WM70	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	7440-50-8	Copper	30	ug/L	UD	[NULL]	[NULL]	S	B1WM70	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/30/2008 9:56	Y	DO	Dissolved oxygen	6030	ug/L	[NULL]	[NULL]	[NULL]	S	B1WM45	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	16984-48-8	Fluoride	200	ug/L	UD	Z	[NULL]	S	B1WM70	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/30/2008 9:56	Y	12587-46-1	Gross alpha	0.129	pCi/L	U	[NULL]	[NULL]	S	B1WM45	12587-46-1	TARL	ALPHA_GPC	100-NR-2
N116mArray-3A	7/30/2008 9:56	Y	12587-47-2	Gross beta	440	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WM45	12587-47-2	TARL	BETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/30/2008 9:56	N	7439-89-6	Iron	181	ug/L	BD	[NULL]	[NULL]	S	B1WM70	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	7439-92-1	Lead	200	ug/L	UD	[NULL]	[NULL]	S	B1WM70	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	7439-95-4	Magnesium	6750	ug/L	D	[NULL]	[NULL]	S	B1WM70	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	7439-96-5	Manganese	20	ug/L	UD	[NULL]	[NULL]	S	B1WM70	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	7439-98-7	Molybdenum	20	ug/L	UD	[NULL]	[NULL]	S	B1WM70	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	7440-02-0	Nickel	30	ug/L	UD	[NULL]	[NULL]	S	B1WM70	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	14797-55-8	Nitrate	1320	ug/L	BD	Z	[NULL]	S	B1WM70	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	14797-65-0	Nitrite	328	ug/L	UD	Z	[NULL]	S	B1WM70	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/30/2008 9:56	Y	EH	Oxidation Reduction Potential	-92	mV	[NULL]	[NULL]	[NULL]	S	B1WM45	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	14265-44-2	Phosphate	1840	ug/L	UD	Z	[NULL]	S	B1WM70	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	7440-09-7	Potassium	1740	ug/L	BD	[NULL]	[NULL]	S	B1WM70	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	7440-22-4	Silver	50	ug/L	BD	[NULL]	[NULL]	S	B1WM70	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	7440-23-5	Sodium	6040	ug/L	D	[NULL]	[NULL]	S	B1WM70	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/30/2008 9:56	Y	CONDUCT	Specific Conductance	278.6	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WM45	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	7440-24-6	Strontium	198	ug/L	D	[NULL]	[NULL]	S	B1WM70	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	14808-79-8	Sulfate	8780	ug/L	BD	Z	[NULL]	S	B1WM70	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/30/2008 9:56	Y	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WM45	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	7440-62-2	Vanadium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM70	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/30/2008 9:56	N	7440-66-6	Zinc	40	ug/L	UD	[NULL]	[NULL]	S	B1WM70	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/30/2008 9:56	Y	PH	pH Measurement	7.16	unitless	[NULL]	[NULL]	[NULL]	S	B1WM45	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWF3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWF3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWF3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	7440-39-3	Barium	24	ug/L	D	[NULL]	[NULL]	S	B1VWF3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWF3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	7440-70-2	Calcium	45200	ug/L	D	[NULL]	[NULL]	S	B1VWF3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	16887-00-6	Chloride	1810	ug/L	BD	[NULL]	[NULL]	S	B1VWF3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	7/31/2008 10:50	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWF3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWF3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWF3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	DO	Dissolved oxygen	7460	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWB7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1VWF3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	12587-46-1	Gross alpha	0.488	pCi/L	U	[NULL]	[NULL]	S	B1VWB7	12587-46-1	TARL	ALPHA_GPC	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	12587-47-2	Gross beta	482	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWB7	12587-47-2	TARL	BETA_GPC	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VWF3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWF3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	7439-95-4	Magnesium	6060	ug/L	D	[NULL]	[NULL]	S	B1VWF3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VWF3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWF3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWF3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	14797-55-8	Nitrate	1280	ug/L	BD	[NULL]	[NULL]	S	B1VWF3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1VWF3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	EH	Oxidation Reduction Potential	-94	mV	[NULL]	[NULL]	[NULL]	S	B1VWB7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	14265-44-2	Phosphate	1860	ug/L	DU	[NULL]	[NULL]	S	B1VWF3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	7440-09-7	Potassium	1710	ug/L	D	[NULL]	[NULL]	S	B1VWF3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWF3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	7440-23-5	Sodium	5650	ug/L	D	[NULL]	[NULL]	S	B1VWF3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	CONDUCT	Specific Conductance	247.7	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWB7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	7440-24-6	Strontium	176	ug/L	D	[NULL]	[NULL]	S	B1VWF3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	14808-79-8	Sulfate	9420	ug/L	BD	[NULL]	[NULL]	S	B1VWF3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	TEMPERATURE	Temperature	20.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWB7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWF3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWF3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	7/31/2008 10:50	Y	PH	pH Measurement	7.21	unitless	[NULL]	[NULL]	[NULL]	S	B1VWB7	PH	FIELD	PH_PAPER_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	8/2/2008 9:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WN76	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WN76	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WN76	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	7440-39-3	Barium	24	ug/L	D	[NULL]	[NULL]	S	B1WN76	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WN76	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	7440-70-2	Calcium	42300	ug/L	D	[NULL]	[NULL]	S	B1WN76	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	16887-00-6	Chloride	2500	ug/L	U	[NULL]	[NULL]	S	B1WNR7	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WN76	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WN76	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WN76	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	DO	Dissolved oxygen	7350	ug/L	[NULL]	[NULL]	[NULL]	S	B1WN63	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	DO	Dissolved oxygen	7350	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNR7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	16984-48-8	Fluoride	2500	ug/L	U	[NULL]	[NULL]	S	B1WNR7	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	12587-46-1	Gross alpha	0.607	pCi/L	U	[NULL]	[NULL]	S	B1WN63	12587-46-1	TARL	ALPHA_GPC	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	12587-47-2	Gross beta	676	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WN63	12587-47-2	TARL	BETA_GPC	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	7439-89-6	Iron	174	ug/L	D	[NULL]	[NULL]	S	B1WN76	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WN76	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	7439-95-4	Magnesium	5610	ug/L	D	[NULL]	[NULL]	S	B1WN76	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WN76	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WN76	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WN76	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	14797-55-8	Nitrate	2500	ug/L	U	[NULL]	[NULL]	S	B1WNR7	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	14797-65-0	Nitrite	2500	ug/L	U	[NULL]	[NULL]	S	B1WNR7	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	EH	Oxidation Reduction Potential	-74	mV	[NULL]	[NULL]	[NULL]	S	B1WNR7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	EH	Oxidation Reduction Potential	-74	mV	[NULL]	[NULL]	[NULL]	S	B1WN63	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	14265-44-2	Phosphate	2500	ug/L	U	[NULL]	[NULL]	S	B1WNR7	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	7440-09-7	Potassium	1550	ug/L	D	[NULL]	[NULL]	S	B1WN76	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	8/2/2008 9:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WN76	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	7440-23-5	Sodium	5350	ug/L	D	[NULL]	[NULL]	S	B1WN76	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	CONDUCT	Specific Conductance	270.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNR7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	CONDUCT	Specific Conductance	270.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WN63	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	7440-24-6	Strontium	172	ug/L	D	[NULL]	[NULL]	S	B1WN76	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	14808-79-8	Sulfate	10200	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNR7	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	TEMPERATURE	Temperature	15.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNR7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	TEMPERATURE	Temperature	15.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WN63	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WN76	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WN76	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	PH	pH Measurement	7.33	unitless	[NULL]	[NULL]	[NULL]	S	B1WNR7	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	8/2/2008 9:00	Y	PH	pH Measurement	7.33	unitless	[NULL]	[NULL]	[NULL]	S	B1WN63	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WP91	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WP91	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WP91	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	7440-39-3	Barium	32	ug/L	D	[NULL]	[NULL]	S	B1WP91	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP91	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	7440-70-2	Calcium	52600	ug/L	D	[NULL]	[NULL]	S	B1WP91	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	16887-00-6	Chloride	16900	ug/L	D	[NULL]	[NULL]	S	B1WP91	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WP91	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WP91	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WP91	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	DO	Dissolved oxygen	6930	ug/L	[NULL]	[NULL]	[NULL]	S	B1WP91	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WP91	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	12587-46-1	Gross alpha	0.01	pCi/L	U	[NULL]	[NULL]	S	B1WP91	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	12587-47-2	Gross beta	950	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WP91	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	7439-89-6	Iron	328	ug/L	D	[NULL]	[NULL]	S	B1WP91	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	8/22/2008 7:35	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WP91	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	7439-95-4	Magnesium	8170	ug/L	D	[NULL]	[NULL]	S	B1WP91	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	7439-96-5	Manganese	160	ug/L	D	[NULL]	[NULL]	S	B1WP91	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WP91	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WP91	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WP91	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WP91	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	EH	Oxidation Reduction Potential	-220	mV	[NULL]	[NULL]	[NULL]	S	B1WP91	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	14265-44-2	Phosphate	1860	ug/L	DU	[NULL]	[NULL]	S	B1WP91	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	7440-09-7	Potassium	2150	ug/L	D	[NULL]	[NULL]	S	B1WP91	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WP91	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	7440-23-5	Sodium	8340	ug/L	CD	[NULL]	[NULL]	S	B1WP91	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	CONDUCT	Specific Conductance	304.1	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WP91	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	7440-24-6	Strontium	226	ug/L	D	[NULL]	[NULL]	S	B1WP91	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	14808-79-8	Sulfate	8940	ug/L	BD	[NULL]	[NULL]	S	B1WP91	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	TEMPERATURE	Temperature	15.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WP91	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WP91	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WP91	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	8/22/2008 7:35	Y	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	S	B1WP91	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WWN8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WWN8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WWN8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	7440-39-3	Barium	41	ug/L	BD	[NULL]	[NULL]	S	B1WWN8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWN8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	7440-70-2	Calcium	74400	ug/L	DN	[NULL]	[NULL]	S	B1WWN8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	16887-00-6	Chloride	106000	ug/L	D	[NULL]	[NULL]	S	B1WWL5	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WWN8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	9/2/2008 10:48	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WWN8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WWN8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWL5	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	12587-46-1	Gross alpha	0.57	pCi/L	U	[NULL]	[NULL]	S	B1WWN8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	12587-47-2	Gross beta	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWN8	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	7439-89-6	Iron	655	ug/L	D	[NULL]	[NULL]	S	B1WWN8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WWN8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	7439-95-4	Magnesium	10800	ug/L	D	[NULL]	[NULL]	S	B1WWN8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	7439-96-5	Manganese	646	ug/L	D	[NULL]	[NULL]	S	B1WWN8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WWN8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WWN8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWL5	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWL5	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	EH	Oxidation Reduction Potential	-120	mV	[NULL]	[NULL]	[NULL]	S	B1WWL5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	14265-44-2	Phosphate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWL5	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	7440-09-7	Potassium	2420	ug/L	BD	[NULL]	[NULL]	S	B1WWN8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WWN8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	7440-23-5	Sodium	7970	ug/L	D	[NULL]	[NULL]	S	B1WWN8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	CONDUCT	Specific Conductance	385.2	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWL5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	7440-24-6	Strontium	301	ug/L	D	[NULL]	[NULL]	S	B1WWN8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	14808-79-8	Sulfate	62900	ug/L	D	[NULL]	[NULL]	S	B1WWL5	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWL5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WWN8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WWN8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/2/2008 10:48	Y	PH	pH Measurement	7.95	unitless	[NULL]	[NULL]	[NULL]	S	B1WWL5	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WWK9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WWK9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	9/3/2008 10:10	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WWK9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	7440-39-3	Barium	46	ug/L	BD	[NULL]	[NULL]	S	B1WWK9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWK9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	7440-70-2	Calcium	74400	ug/L	D	[NULL]	[NULL]	S	B1WWK9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	16887-00-6	Chloride	49900	ug/L	D	[NULL]	[NULL]	S	B1WWD7	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WWK9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WWK9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WWK9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	DO	Dissolved oxygen	5820	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWD7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWD7	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	12587-46-1	Gross alpha	-0.62	pCi/L	U	[NULL]	[NULL]	S	B1WWK9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	12587-47-2	Gross beta	1400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWK9	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	7439-89-6	Iron	809	ug/L	D	[NULL]	[NULL]	S	B1WWK9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WWK9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	7439-95-4	Magnesium	11200	ug/L	D	[NULL]	[NULL]	S	B1WWK9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	7439-96-5	Manganese	710	ug/L	D	[NULL]	[NULL]	S	B1WWK9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WWK9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WWK9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWD7	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWD7	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	EH	Oxidation Reduction Potential	-135	mV	[NULL]	[NULL]	[NULL]	S	B1WWD7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	14265-44-2	Phosphate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWD7	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	7440-09-7	Potassium	2200	ug/L	BD	[NULL]	[NULL]	S	B1WWK9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WWK9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	7440-23-5	Sodium	7410	ug/L	D	[NULL]	[NULL]	S	B1WWK9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	CONDUCT	Specific Conductance	4751	uS/cm	[NULL]	Y	[NULL]	S	B1WWD7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	7440-24-6	Strontium	329	ug/L	D	[NULL]	[NULL]	S	B1WWK9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	9/3/2008 10:10	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWD7	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	TEMPERATURE	Temperature	18.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWD7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WWK9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WWK9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/3/2008 10:10	Y	PH	pH Measurement	7.64	unitless	[NULL]	[NULL]	[NULL]	S	B1WWD7	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	7429-90-5	Aluminum	52	ug/L	U	[NULL]	[NULL]	S	B1WWV4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1WWV4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	S	B1WWV4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	7440-39-3	Barium	93	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWV4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1WWV4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	7440-70-2	Calcium	178000	ug/L	D	[NULL]	[NULL]	S	B1WWV4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	16887-00-6	Chloride	97700	ug/L	D	[NULL]	[NULL]	S	B1WWT1	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1WWV4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1WWV4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1WWV4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	DO	Dissolved oxygen	2340	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWT1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWT1	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	12587-46-1	Gross alpha	-0.81	pCi/L	U	[NULL]	[NULL]	S	B1WWV4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	12587-47-2	Gross beta	3500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWV4	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	7439-89-6	Iron	1180	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWV4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1WWV4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	7439-95-4	Magnesium	22700	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWV4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	7439-96-5	Manganese	2350	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWV4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1WWV4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1WWV4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWT1	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWT1	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	9/9/2008 11:20	Y	EH	Oxidation Reduction Potential	-152	mV	[NULL]	[NULL]	[NULL]	S	B1WWT1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	14265-44-2	Phosphate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWT1	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	7440-09-7	Potassium	2800	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWV4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1WWV4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	7440-23-5	Sodium	13100	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWV4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	CONDUCT	Specific Conductance	955.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWT1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	7440-24-6	Strontium	592	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWV4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWT1	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWT1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B1WWV4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1WWV4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/9/2008 11:20	Y	PH	pH Measurement	7.68	unitless	[NULL]	[NULL]	[NULL]	S	B1WWT1	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WX58	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WX58	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WX58	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	7440-39-3	Barium	100	ug/L	D	[NULL]	[NULL]	S	B1WX58	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WX58	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	7440-70-2	Calcium	169000	ug/L	D	[NULL]	[NULL]	S	B1WX58	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	16887-00-6	Chloride	91000	ug/L	DN	[NULL]	[NULL]	S	B1WX13	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WX58	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WX58	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WX58	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	DO	Dissolved oxygen	2920	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX13	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	DO	Dissolved oxygen	2920	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX58	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1WX13	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	12587-46-1	Gross alpha	0.27	pCi/L	U	[NULL]	[NULL]	S	B1WX58	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	12587-47-2	Gross beta	3100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX58	12587-47-2	WSCF	BETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	9/21/2008 8:45	Y	7439-89-6	Iron	1050	ug/L	D	[NULL]	[NULL]	S	B1WX58	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WX58	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	7439-95-4	Magnesium	27000	ug/L	D	[NULL]	[NULL]	S	B1WX58	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	7439-96-5	Manganese	3410	ug/L	D	[NULL]	[NULL]	S	B1WX58	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WX58	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WX58	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WX13	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WX13	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	EH	Oxidation Reduction Potential	-101	mV	[NULL]	[NULL]	[NULL]	S	B1WX58	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	EH	Oxidation Reduction Potential	-101	mV	[NULL]	[NULL]	[NULL]	S	B1WX13	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	14265-44-2	Phosphate	1860	ug/L	DU	[NULL]	[NULL]	S	B1WX13	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	7440-09-7	Potassium	3560	ug/L	BD	[NULL]	[NULL]	S	B1WX58	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WX58	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	7440-23-5	Sodium	24600	ug/L	D	[NULL]	[NULL]	S	B1WX58	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	CONDUCT	Specific Conductance	922.8	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX13	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	CONDUCT	Specific Conductance	922.8	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX58	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	7440-24-6	Strontium	694	ug/L	D	[NULL]	[NULL]	S	B1WX58	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	14808-79-8	Sulfate	5290	ug/L	BD	[NULL]	[NULL]	S	B1WX13	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX58	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX13	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WX58	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WX58	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	PH	pH Measurement	6.67	unitless	[NULL]	[NULL]	[NULL]	S	B1WX13	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	9/21/2008 8:45	Y	PH	pH Measurement	6.67	unitless	[NULL]	[NULL]	[NULL]	S	B1WX58	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	7429-90-5	Aluminum	121	ug/L	B	[NULL]	[NULL]	S	B1WX76	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	7440-36-0	Antimony	60	ug/L	U	[NULL]	[NULL]	S	B1WX76	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	7440-38-2	Arsenic	80	ug/L	U	[NULL]	[NULL]	S	B1WX76	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	10/29/2008 13:48	N	7440-39-3	Barium	49.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX76	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	24959-67-9	Bromide	6120	ug/L	D	[NULL]	[NULL]	S	B1WX76	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1WX76	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	7440-70-2	Calcium	76100	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX76	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	16887-00-6	Chloride	21000	ug/L	D	[NULL]	[NULL]	S	B1WX76	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	S	B1WX76	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1WX76	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1WX76	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	DO	Dissolved oxygen	4230	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX76	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WX76	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	12587-46-1	Gross alpha	0.515	pCi/L	U	[NULL]	[NULL]	S	B1WX76	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	12587-47-2	Gross beta	1590	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX76	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	7439-89-6	Iron	325	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX76	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	7439-92-1	Lead	40	ug/L	U	[NULL]	[NULL]	S	B1WX76	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	7439-95-4	Magnesium	11700	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX76	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	7439-96-5	Manganese	1270	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX76	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	7439-98-7	Molybdenum	11.5	ug/L	B	[NULL]	[NULL]	S	B1WX76	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1WX76	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	14797-55-8	Nitrate	443	ug/L	UD	[NULL]	[NULL]	S	B1WX76	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WX76	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	EH	Oxidation Reduction Potential	-103	mV	[NULL]	[NULL]	[NULL]	S	B1WX76	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	14265-44-2	Phosphate	1840	ug/L	UD	[NULL]	[NULL]	S	B1WX76	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	7440-09-7	Potassium	2370	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX76	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1WX76	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	7440-23-5	Sodium	35400	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX76	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	CONDUCT	Specific Conductance	567.8	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX76	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	7440-24-6	Strontium	396	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX76	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	10/29/2008 13:48	N	14808-79-8	Sulfate	9020	ug/L	BD	[NULL]	[NULL]	S	B1WX76	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	TEMPERATURE	Temperature	12.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX76	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	7440-62-2	Vanadium	10	ug/L	U	[NULL]	[NULL]	S	B1WX76	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1WX76	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	10/29/2008 13:48	N	PH	pH Measurement	7.81	unitless	[NULL]	[NULL]	[NULL]	S	B1WX76	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	7429-90-5	Aluminum	100	ug/L	B	[NULL]	[NULL]	C	B1XXV7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1XXV7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1XXV7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	7440-39-3	Barium	26	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1XXV7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	7440-70-2	Calcium	42300	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	16887-00-6	Chloride	7800	ug/L	D	[NULL]	[NULL]	C	B1XXV7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1XXV7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1XXV7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	C	B1XXV7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	DO	Dissolved oxygen	4030	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	C	B1XXV7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	12587-46-1	Gross alpha	1.8	pCi/L	[NULL]	G	[NULL]	C	B1XXV7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	12587-47-2	Gross beta	870	pCi/L	[NULL]	[NULL]	[NULL]	C	B1XXV7	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	7439-89-6	Iron	210	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	C	B1XXV7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	7439-95-4	Magnesium	7120	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	7439-96-5	Manganese	769	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	7439-98-7	Molybdenum	16.5	ug/L	B	[NULL]	[NULL]	C	B1XXV7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1XXV7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	C	B1XXV7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	C	B1XXV7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	12/3/2008 10:11	N	EH	Oxidation Reduction Potential	-39	mV	[NULL]	[NULL]	[NULL]	C	B1XXV7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	14265-44-2	Phosphate	1860	ug/L	DU	[NULL]	[NULL]	C	B1XXV7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	7440-09-7	Potassium	1940	ug/L	C	[NULL]	[NULL]	C	B1XXV7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1XXV7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	7440-23-5	Sodium	26800	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	CONDUCT	Specific Conductance	292	uS/cm	[NULL]	[NULL]	[NULL]	C	B1XXV7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	7440-24-6	Strontium	256	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	14808-79-8	Sulfate	8820	ug/L	BD	[NULL]	[NULL]	C	B1XXV7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	TEMPERATURE	Temperature	8.5	Deg C	[NULL]	[NULL]	[NULL]	C	B1XXV7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	U-233/234	Uranium-233/234	0.63	pCi/L	[NULL]	[NULL]	[NULL]	C	B1XXV7	U-233/234	WSCF	UISO_IE_PRECIP_AEA	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	15117-96-1	Uranium-235	0.045	pCi/L	U	[NULL]	[NULL]	C	B1XXV7	15117-96-1	WSCF	UISO_IE_PRECIP_AEA	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	U-238	Uranium-238	0.41	pCi/L	[NULL]	[NULL]	[NULL]	C	B1XXV7	U-238	WSCF	UISO_IE_PRECIP_AEA	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1XXV7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1XXV7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/3/2008 10:11	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	C	B1XXV7	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-3A	4/30/2009 10:08	N	DO	Dissolved oxygen	2610	ug/L	[NULL]	[NULL]	[NULL]	R	B20220	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	4/30/2009 10:08	N	12587-47-2	Gross beta	1200	pCi/L	[NULL]	[NULL]	[NULL]	R	B20221	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	4/30/2009 10:08	N	EH	Oxidation Reduction Potential	-33	mV	[NULL]	[NULL]	[NULL]	R	B20220	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	4/30/2009 10:08	N	CONDUCT	Specific Conductance	298	uS/cm	[NULL]	[NULL]	[NULL]	R	B20220	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	4/30/2009 10:08	N	TEMPERATURE	Temperature	8.9	Deg C	[NULL]	[NULL]	[NULL]	R	B20220	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	4/30/2009 10:08	N	TURBIDITY	Turbidity	7.2	NTU	[NULL]	[NULL]	[NULL]	R	B20220	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-3A	4/30/2009 10:08	N	PH	pH Measurement	6.78	unitless	[NULL]	[NULL]	[NULL]	R	B20220	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	5/13/2009 12:14	N	DO	Dissolved oxygen	3220	ug/L	[NULL]	[NULL]	[NULL]	R	B20BR9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	5/13/2009 12:14	N	12587-47-2	Gross beta	1700	pCi/L	[NULL]	[NULL]	[NULL]	R	B20BT0	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	5/13/2009 12:14	N	EH	Oxidation Reduction Potential	175	mV	[NULL]	[NULL]	[NULL]	R	B20BR9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	5/13/2009 12:14	N	CONDUCT	Specific Conductance	493	uS/cm	[NULL]	[NULL]	[NULL]	R	B20BR9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	5/13/2009 12:14	N	TEMPERATURE	Temperature	12.8	Deg C	[NULL]	[NULL]	[NULL]	R	B20BR9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	5/13/2009 12:14	N	TURBIDITY	Turbidity	1.65	NTU	[NULL]	[NULL]	[NULL]	R	B20BR9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-3A	5/13/2009 12:14	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	R	B20BR9	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	ALKALINITY	Alkalinity	180000	ug/L	[NULL]	[NULL]	[NULL]	R	B20M40	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-3A	6/17/2009 11:13	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B20M39	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B20M40	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	14234-35-6	Antimony-125	15	pCi/L	U	[NULL]	[NULL]	R	B20M40	14234-35-6	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	7440-39-3	Barium	29.9	ug/L	[NULL]	[NULL]	[NULL]	R	B20M40	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	Y	7440-39-3	Barium	30.1	ug/L	[NULL]	[NULL]	[NULL]	R	B20M39	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B20M39	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B20M40	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	13966-02-4	Beryllium-7	-2.3	pCi/L	U	[NULL]	[NULL]	R	B20M40	13966-02-4	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	6/17/2009 11:13	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B20M39	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B20M40	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	7440-70-2	Calcium	36400	ug/L	[NULL]	Q	[NULL]	R	B20M40	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	Y	7440-70-2	Calcium	37500	ug/L	[NULL]	Q	[NULL]	R	B20M39	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	13967-70-9	Cesium-134	-4.1	pCi/L	U	[NULL]	[NULL]	R	B20M40	13967-70-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	10045-97-3	Cesium-137	-2.8	pCi/L	U	[NULL]	[NULL]	R	B20M40	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	16887-00-6	Chloride	2490	ug/L	D	[NULL]	[NULL]	R	B20M40	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/17/2009 11:13	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B20M39	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B20M40	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B20M40	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B20M39	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	10198-40-0	Cobalt-60	-4	pCi/L	U	[NULL]	[NULL]	R	B20M40	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B20M40	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B20M39	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	DO	Dissolved oxygen	2550	ug/L	[NULL]	[NULL]	[NULL]	R	B20M41	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	14683-23-9	Europium-152	-15	pCi/L	U	[NULL]	[NULL]	R	B20M40	14683-23-9	WSCF	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	6/17/2009 11:13	N	15585-10-1	Europium-154	14	pCi/L	U	[NULL]	[NULL]	R	B20M40	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	14391-16-3	Europium-155	-15	pCi/L	U	[NULL]	[NULL]	R	B20M40	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B20M40	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	12587-46-1	Gross alpha	-0.48	pCi/L	U	[NULL]	[NULL]	R	B20M40	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	12587-47-2	Gross beta	1100	pCi/L	[NULL]	[NULL]	[NULL]	R	B20M40	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	6/17/2009 11:13	Y	7439-89-6	Iron	194	ug/L	[NULL]	[NULL]	[NULL]	R	B20M39	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	7439-89-6	Iron	224	ug/L	[NULL]	[NULL]	[NULL]	R	B20M40	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	7439-95-4	Magnesium	6270	ug/L	[NULL]	Q	[NULL]	R	B20M40	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	Y	7439-95-4	Magnesium	6250	ug/L	[NULL]	Q	[NULL]	R	B20M39	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	7439-96-5	Manganese	842	ug/L	[NULL]	[NULL]	[NULL]	R	B20M40	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	Y	7439-96-5	Manganese	857	ug/L	[NULL]	[NULL]	[NULL]	R	B20M39	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B20M39	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B20M40	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	14797-55-8	Nitrate	274	ug/L	UD	[NULL]	[NULL]	R	B20M40	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B20M40	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	EH	Oxidation Reduction Potential	-60	mV	[NULL]	[NULL]	[NULL]	R	B20M41	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	14265-44-2	Phosphate	429	ug/L	UD	[NULL]	[NULL]	R	B20M40	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/17/2009 11:13	Y	7440-09-7	Potassium	1870	ug/L	[NULL]	[NULL]	[NULL]	R	B20M39	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	7440-09-7	Potassium	1900	ug/L	[NULL]	[NULL]	[NULL]	R	B20M40	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	13966-00-2	Potassium-40	-87	pCi/L	U	[NULL]	[NULL]	R	B20M40	13966-00-2	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	13967-48-1	Ruthenium-106	24	pCi/L	U	[NULL]	[NULL]	R	B20M40	13967-48-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B20M40	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B20M39	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	Y	7440-23-5	Sodium	28800	ug/L	[NULL]	Q	[NULL]	R	B20M39	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	7440-23-5	Sodium	29500	ug/L	[NULL]	Q	[NULL]	R	B20M40	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	CONDUCT	Specific Conductance	335	uS/cm	[NULL]	[NULL]	[NULL]	R	B20M41	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	6/17/2009 11:13	Y	7440-24-6	Strontium	138	ug/L	[NULL]	[NULL]	[NULL]	R	B20M39	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	6/17/2009 11:13	N	7440-24-6	Strontium	138	ug/L	[NULL]	[NULL]	[NULL]	R	B20M40	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	10098-97-2	Strontium-90	500	pCi/L	[NULL]	[NULL]	[NULL]	R	B20M40	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	14808-79-8	Sulfate	8350	ug/L	D	[NULL]	[NULL]	R	B20M40	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	R	B20M41	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	TURBIDITY	Turbidity	273	NTU	[NULL]	[NULL]	[NULL]	R	B20M41	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-3A	6/17/2009 11:13	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B20M39	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B20M40	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B20M40	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B20M39	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	6/17/2009 11:13	N	PH	pH Measurement	7.76	unitless	[NULL]	[NULL]	[NULL]	R	B20M41	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	7/30/2009 8:31	N	DO	Dissolved oxygen	6180	ug/L	[NULL]	[NULL]	[NULL]	R	B20XL6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	7/30/2009 8:31	N	12587-47-2	Gross beta	1100	pCi/L	[NULL]	[NULL]	[NULL]	R	B20XL7	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	7/30/2009 8:31	N	EH	Oxidation Reduction Potential	1	mV	[NULL]	[NULL]	[NULL]	R	B20XL6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	7/30/2009 8:31	N	CONDUCT	Specific Conductance	460	uS/cm	[NULL]	[NULL]	[NULL]	R	B20XL6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	7/30/2009 8:31	N	TEMPERATURE	Temperature	20.7	Deg C	[NULL]	[NULL]	[NULL]	R	B20XL6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	7/30/2009 8:31	N	TURBIDITY	Turbidity	14	NTU	[NULL]	[NULL]	[NULL]	R	B20XL6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-3A	7/30/2009 8:31	N	PH	pH Measurement	7.69	unitless	[NULL]	[NULL]	[NULL]	R	B20XL6	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	8/20/2009 17:25	N	12587-47-2	Gross beta	700	pCi/L	[NULL]	[NULL]	[NULL]	R	B21B59	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	ALKALINITY	Alkalinity	96000	ug/L	[NULL]	[NULL]	[NULL]	R	B234P4	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-3A	12/29/2009 8:31	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B235Y0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B234P4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	14234-35-6	Antimony-125	-0.971	pCi/L	U	[NULL]	[NULL]	R	B234R0	14234-35-6	TARL	GAMMALL_GS	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	7440-39-3	Barium	12.5	ug/L	B	[NULL]	[NULL]	R	B234P4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	Y	7440-39-3	Barium	12	ug/L	B	[NULL]	[NULL]	R	B235Y0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B234P4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B235Y0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	13966-02-4	Beryllium-7	14.1	pCi/L	U	[NULL]	[NULL]	R	B234R0	13966-02-4	TARL	GAMMALL_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	12/29/2009 8:31	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B234P4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B235Y0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	7440-70-2	Calcium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B234P4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	Y	7440-70-2	Calcium	15900	ug/L	[NULL]	[NULL]	[NULL]	R	B235Y0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	13967-70-9	Cesium-134	-1.3	pCi/L	U	[NULL]	[NULL]	R	B234R0	13967-70-9	TARL	GAMMALL_GS	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	10045-97-3	Cesium-137	-0.599	pCi/L	U	[NULL]	[NULL]	R	B234R0	10045-97-3	TARL	GAMMALL_GS	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	16887-00-6	Chloride	1110	ug/L	D	[NULL]	[NULL]	R	B235X8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	12/29/2009 8:31	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B235Y0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B234P4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B234P4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B235Y0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	10198-40-0	Cobalt-60	-0.0343	pCi/L	U	[NULL]	[NULL]	R	B234R0	10198-40-0	TARL	GAMMALL_GS	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B234P4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B235Y0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	DO	Dissolved oxygen	3580	ug/L	[NULL]	[NULL]	[NULL]	R	B234P3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	14683-23-9	Europium-152	-0.579	pCi/L	U	[NULL]	[NULL]	R	B234R0	14683-23-9	TARL	GAMMALL_GS	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	15585-10-1	Europium-154	2.69	pCi/L	U	[NULL]	[NULL]	R	B234R0	15585-10-1	TARL	GAMMALL_GS	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	14391-16-3	Europium-155	1	pCi/L	U	[NULL]	[NULL]	R	B234R0	14391-16-3	TARL	GAMMALL_GS	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	16984-48-8	Fluoride	92.2	ug/L	BD	[NULL]	[NULL]	R	B235X8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	12587-47-2	Gross beta	390	pCi/L	[NULL]	[NULL]	[NULL]	R	B234P4	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	7439-89-6	Iron	154	ug/L	C	[NULL]	[NULL]	R	B234P4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	Y	7439-89-6	Iron	121	ug/L	C	[NULL]	[NULL]	R	B235Y0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	Y	7439-95-4	Magnesium	2740	ug/L	[NULL]	[NULL]	[NULL]	R	B235Y0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	7439-95-4	Magnesium	2780	ug/L	[NULL]	[NULL]	[NULL]	R	B234P4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	Y	7439-96-5	Manganese	292	ug/L	[NULL]	[NULL]	[NULL]	R	B235Y0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	7439-96-5	Manganese	284	ug/L	[NULL]	[NULL]	[NULL]	R	B234P4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B235Y0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	12/29/2009 8:31	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B234P4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	14797-55-8	Nitrate	274	ug/L	UD	[NULL]	[NULL]	R	B235X8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B235X8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	EH	Oxidation Reduction Potential	-9	mV	[NULL]	[NULL]	[NULL]	R	B234P3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-3A	12/29/2009 8:31	Y	7440-09-7	Potassium	1160	ug/L	[NULL]	[NULL]	[NULL]	R	B235Y0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	7440-09-7	Potassium	1160	ug/L	[NULL]	[NULL]	[NULL]	R	B234P4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	13966-00-2	Potassium-40	-40.3	pCi/L	U	[NULL]	[NULL]	R	B234R0	13966-00-2	TARL	GAMMALL_GS	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	13967-48-1	Ruthenium-106	-7.5	pCi/L	U	[NULL]	[NULL]	R	B234R0	13967-48-1	TARL	GAMMALL_GS	100-NR-2
N116mArray-3A	12/29/2009 8:31	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B235Y0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B234P4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	7440-23-5	Sodium	28900	ug/L	[NULL]	[NULL]	[NULL]	R	B234P4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	Y	7440-23-5	Sodium	29000	ug/L	[NULL]	[NULL]	[NULL]	R	B235Y0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	CONDUCT	Specific Conductance	195	uS/cm	[NULL]	[NULL]	[NULL]	R	B234P3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	7440-24-6	Strontium	64.7	ug/L	[NULL]	[NULL]	[NULL]	R	B234P4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	Y	7440-24-6	Strontium	63.9	ug/L	[NULL]	[NULL]	[NULL]	R	B235Y0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	10098-97-2	Strontium-90	160	pCi/L	[NULL]	[NULL]	[NULL]	R	B234P4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	14808-79-8	Sulfate	10700	ug/L	D	[NULL]	[NULL]	R	B235X8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	TEMPERATURE	Temperature	5.3	Deg C	[NULL]	[NULL]	[NULL]	R	B234P3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	TURBIDITY	Turbidity	3.12	NTU	[NULL]	[NULL]	[NULL]	R	B234P3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B234P4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B235Y0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B234P4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B235Y0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	12/29/2009 8:31	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B234P3	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-3A	2/1/2010 9:07	N	12587-47-2	Gross beta	480	pCi/L	[NULL]	[NULL]	[NULL]	R	B23KH9	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	2/25/2010 9:51	N	12587-47-2	Gross beta	580	pCi/L	[NULL]	[NULL]	[NULL]	R	B23P09	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	3/8/2010 11:19	N	ALKALINITY	Alkalinity	130000	ug/L	[NULL]	[NULL]	[NULL]	R	B249V5	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	3/8/2010 11:19	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B249V4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B249V5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	Y	7440-39-3	Barium	15.7	ug/L	B	[NULL]	[NULL]	R	B249V4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	N	7440-39-3	Barium	15.4	ug/L	B	[NULL]	[NULL]	R	B249V5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B249V5	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B249V4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B249V5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B249V4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	N	7440-70-2	Calcium	20400	ug/L	[NULL]	[NULL]	[NULL]	R	B249V5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	Y	7440-70-2	Calcium	21400	ug/L	[NULL]	[NULL]	[NULL]	R	B249V4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B249V4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B249V5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B249V4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B249V5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B249V4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B249V5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	N	12587-47-2	Gross beta	590	pCi/L	[NULL]	[NULL]	[NULL]	R	B249V5	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-3A	3/8/2010 11:19	Y	7439-89-6	Iron	122	ug/L	[NULL]	[NULL]	[NULL]	R	B249V4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	N	7439-89-6	Iron	142	ug/L	[NULL]	[NULL]	[NULL]	R	B249V5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	N	7439-95-4	Magnesium	3530	ug/L	[NULL]	[NULL]	[NULL]	R	B249V5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	Y	7439-95-4	Magnesium	3800	ug/L	[NULL]	[NULL]	[NULL]	R	B249V4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	N	7439-96-5	Manganese	449	ug/L	[NULL]	[NULL]	[NULL]	R	B249V5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	Y	7439-96-5	Manganese	467	ug/L	[NULL]	[NULL]	[NULL]	R	B249V4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B249V4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B249V5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	Y	7440-09-7	Potassium	1230	ug/L	N	[NULL]	[NULL]	R	B249V4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	N	7440-09-7	Potassium	1120	ug/L	N	[NULL]	[NULL]	R	B249V5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-3A	3/8/2010 11:19	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B249V5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B249V4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	Y	7440-23-5	Sodium	30400	ug/L	[NULL]	[NULL]	[NULL]	R	B249V4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	N	7440-23-5	Sodium	27900	ug/L	[NULL]	[NULL]	[NULL]	R	B249V5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	Y	7440-24-6	Strontium	93.7	ug/L	N	[NULL]	[NULL]	R	B249V4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	N	7440-24-6	Strontium	86.6	ug/L	N	[NULL]	[NULL]	R	B249V5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	N	10098-97-2	Strontium-90	240	pCi/L	[NULL]	[NULL]	[NULL]	R	B249V5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-3A	3/8/2010 11:19	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B249V4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B249V5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B249V4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-3A	3/8/2010 11:19	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B249V5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/3/2005 0:00	N	12587-47-2	Gross beta	2080	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DM68	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-4A	8/3/2005 0:00	N	EH	Oxidation Reduction Potential	38	mV	[NULL]	[NULL]	[NULL]	S	B1DM68	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	8/3/2005 0:00	N	CONDUCT	Specific Conductance	152.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1DM68	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	8/3/2005 0:00	N	TEMPERATURE	Temperature	20.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1DM68	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	8/3/2005 0:00	N	TDS	Total dissolved solids	97600	ug/L	[NULL]	[NULL]	[NULL]	S	B1DM68	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-4A	8/3/2005 0:00	N	PH	pH Measurement	8.03	unitless	[NULL]	[NULL]	[NULL]	S	B1DM68	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	ALKALINITY	Alkalinity	72000	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYD3	ALKALINITY	ENW	2320_ALKALINITY	100-NR-2
N116mArray-4A	9/28/2005 0:00	Y	7429-90-5	Aluminum	15	ug/L	X	[NULL]	[NULL]	S	B1DYD1	7429-90-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	14234-35-6	Antimony-125	0.187	pCi/L	U	[NULL]	[NULL]	S	B1DYD0	14234-35-6	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	9/28/2005 0:00	Y	7440-38-2	Arsenic	0.595	ug/L	X	[NULL]	[NULL]	S	B1DYD1	7440-38-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-4A	9/28/2005 0:00	Y	7440-39-3	Barium	27.8	ug/L	X	[NULL]	[NULL]	S	B1DYD1	7440-39-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	13966-02-4	Beryllium-7	13.1	pCi/L	U	[NULL]	[NULL]	S	B1DYD0	13966-02-4	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	24959-67-9	Bromide	20	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYD2	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/28/2005 0:00	Y	7440-43-9	Cadmium	0.0223	ug/L	BX	[NULL]	[NULL]	S	B1DYD1	7440-43-9	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-4A	9/28/2005 0:00	Y	7440-70-2	Calcium	24762	ug/L	X	[NULL]	[NULL]	S	B1DYD1	7440-70-2	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	3812-32-6	Carbonate ion	66500	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYD2	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	9/28/2005 0:00	N	13967-70-9	Cesium-134	0.166	pCi/L	U	[NULL]	[NULL]	S	B1DYD0	13967-70-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	10045-97-3	Cesium-137	-1.93	pCi/L	U	[NULL]	[NULL]	S	B1DYD0	10045-97-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	16887-00-6	Chloride	920	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYD2	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/28/2005 0:00	Y	7440-47-3	Chromium	2.52	ug/L	X	[NULL]	[NULL]	S	B1DYD1	7440-47-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	10198-40-0	Cobalt-60	1.39	pCi/L	U	[NULL]	[NULL]	S	B1DYD0	10198-40-0	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	9/28/2005 0:00	Y	7440-50-8	Copper	0.757	ug/L	X	[NULL]	[NULL]	S	B1DYD1	7440-50-8	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	DO	Dissolved oxygen	7200	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYD0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	14683-23-9	Europium-152	-1.53	pCi/L	U	[NULL]	[NULL]	S	B1DYD0	14683-23-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	15585-10-1	Europium-154	0.0844	pCi/L	U	[NULL]	[NULL]	S	B1DYD0	15585-10-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	14391-16-3	Europium-155	2.97	pCi/L	U	[NULL]	[NULL]	S	B1DYD0	14391-16-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	16984-48-8	Fluoride	70	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYD2	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	12587-47-2	Gross beta	2260	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DYD0	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-4A	9/28/2005 0:00	Y	7439-92-1	Lead	0.028	ug/L	X	[NULL]	[NULL]	S	B1DYD1	7439-92-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-4A	9/28/2005 0:00	Y	7439-95-4	Magnesium	4244	ug/L	X	[NULL]	[NULL]	S	B1DYD1	7439-95-4	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-4A	9/28/2005 0:00	Y	7439-96-5	Manganese	1.32	ug/L	X	[NULL]	[NULL]	S	B1DYD1	7439-96-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-4A	9/28/2005 0:00	Y	7440-02-0	Nickel	0.73	ug/L	X	[NULL]	[NULL]	S	B1DYD1	7440-02-0	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	14797-55-8	Nitrate	3340	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYD2	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	EH	Oxidation Reduction Potential	214	mV	[NULL]	[NULL]	[NULL]	S	B1DYD0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	14265-44-2	Phosphate	110	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYD2	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/28/2005 0:00	Y	7440-09-7	Potassium	1247	ug/L	X	[NULL]	[NULL]	S	B1DYD1	7440-09-7	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	13966-00-2	Potassium-40	-8.4	pCi/L	U	[NULL]	[NULL]	S	B1DYD0	13966-00-2	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	13967-48-1	Ruthenium-106	-6.96	pCi/L	U	[NULL]	[NULL]	S	B1DYD0	13967-48-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	9/28/2005 0:00	Y	7782-49-2	Selenium	0.109	ug/L	BX	[NULL]	[NULL]	S	B1DYD1	7782-49-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-4A	9/28/2005 0:00	Y	7440-23-5	Sodium	2418	ug/L	X	[NULL]	[NULL]	S	B1DYD1	7440-23-5	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	CONDUCT	Specific Conductance	161	uS/cm	[NULL]	[NULL]	[NULL]	S	B1DYD0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	9/28/2005 0:00	Y	7440-24-6	Strontium	89.1	ug/L	X	[NULL]	[NULL]	S	B1DYD1	7440-24-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	10098-97-2	Strontium-90	1260	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DYD0	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	9/28/2005 0:00	N	14808-79-8	Sulfate	9710	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYD2	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	TEMPERATURE	Temperature	17.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1DYD0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	9/28/2005 0:00	Y	7440-29-1	Thorium	0.00234	ug/L	CX	[NULL]	[NULL]	S	B1DYD1	7440-29-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	TDS	Total dissolved solids	100300	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYD0	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	10028-17-8	Tritium	542	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DYD0	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
N116mArray-4A	9/28/2005 0:00	Y	7440-61-1	Uranium	0.272	ug/L	X	[NULL]	[NULL]	S	B1DYD1	7440-61-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-4A	9/28/2005 0:00	Y	7440-66-6	Zinc	3.2	ug/L	X	[NULL]	[NULL]	S	B1DYD1	7440-66-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-4A	9/28/2005 0:00	N	PH	pH Measurement	6.5	unitless	[NULL]	[NULL]	[NULL]	S	B1DYD0	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	12/27/2005 0:00	N	12587-47-2	Gross beta	1890	pCi/L	[NULL]	[NULL]	[NULL]	S	B1H3R0	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-4A	12/27/2005 0:00	N	EH	Oxidation Reduction Potential	150	mV	[NULL]	[NULL]	[NULL]	S	B1H3R0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	12/27/2005 0:00	N	CONDUCT	Specific Conductance	134	uS/cm	[NULL]	[NULL]	[NULL]	S	B1H3R0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	12/27/2005 0:00	N	TEMPERATURE	Temperature	7	Deg C	[NULL]	[NULL]	[NULL]	S	B1H3R0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	12/27/2005 0:00	N	TDS	Total dissolved solids	89000	ug/L	[NULL]	[NULL]	[NULL]	S	B1H3R0	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-4A	12/27/2005 0:00	N	PH	pH Measurement	6.2	unitless	[NULL]	[NULL]	[NULL]	S	B1H3R0	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	1/11/2006 0:00	N	DO	Dissolved oxygen	8700	ug/L	[NULL]	[NULL]	[NULL]	S	B1HB73	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	1/11/2006 0:00	N	12587-47-2	Gross beta	1870	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HB73	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-4A	1/11/2006 0:00	N	EH	Oxidation Reduction Potential	115	mV	[NULL]	[NULL]	[NULL]	S	B1HB73	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	1/11/2006 0:00	N	CONDUCT	Specific Conductance	137.9	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HB73	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	1/11/2006 0:00	N	TEMPERATURE	Temperature	7.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1HB73	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	1/11/2006 0:00	N	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	S	B1HB73	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	2/7/2006 10:35	N	DO	Dissolved oxygen	11000	ug/L	[NULL]	[NULL]	[NULL]	S	B1HL51	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	2/7/2006 10:35	N	12587-47-2	Gross beta	2660	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HL51	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-4A	2/7/2006 10:35	N	EH	Oxidation Reduction Potential	172	mV	[NULL]	[NULL]	[NULL]	S	B1HL51	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	2/7/2006 10:35	N	CONDUCT	Specific Conductance	146.9	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HL51	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	2/7/2006 10:35	N	TEMPERATURE	Temperature	3.87	Deg C	[NULL]	[NULL]	[NULL]	S	B1HL51	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	2/7/2006 10:35	N	PH	pH Measurement	7.35	unitless	[NULL]	[NULL]	[NULL]	S	B1HL51	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	3/8/2006 10:18	N	24959-67-9	Bromide	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HVB4	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	3/8/2006 10:18	Y	7440-70-2	Calcium	19390.7	ug/L	D	[NULL]	[NULL]	S	B1HVB3	7440-70-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	3/8/2006 10:18	N	3812-32-6	Carbonate ion	48300	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB4	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/8/2006 10:18	N	16887-00-6	Chloride	1090	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB4	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/8/2006 10:18	N	DO	Dissolved oxygen	9800	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV66	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	3/8/2006 10:18	N	16984-48-8	Fluoride	70	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB4	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/8/2006 10:18	N	12587-47-2	Gross beta	2080	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HV66	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-4A	3/8/2006 10:18	N	14797-55-8	Nitrate	3310	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB4	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/8/2006 10:18	N	14265-44-2	Phosphate	140	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB4	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/8/2006 10:18	Y	7440-23-5	Sodium	1600.69	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB3	7440-23-5	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	3/8/2006 10:18	N	127-09-3	Sodium acetate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HVB4	127-09-3	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/8/2006 10:18	N	68-04-2	Sodium citrate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HVB4	68-04-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/8/2006 10:18	N	141-53-7	Sodium formate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HVB4	141-53-7	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/8/2006 10:18	N	CONDUCT	Specific Conductance	136.7	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HV66	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	3/8/2006 10:18	N	14808-79-8	Sulfate	10300	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB4	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/8/2006 10:18	N	TEMPERATURE	Temperature	5.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1HV66	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	3/8/2006 10:18	Y	7440-61-1	Uranium	0.23	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB3	7440-61-1	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	3/8/2006 10:18	N	PH	pH Measurement	6.98	unitless	[NULL]	[NULL]	[NULL]	S	B1HV66	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	4/13/2006 10:00	N	DO	Dissolved oxygen	6400	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2C1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	4/13/2006 10:00	N	12587-47-2	Gross beta	1930	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J2C1	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-4A	4/13/2006 10:00	N	EH	Oxidation Reduction Potential	14	mV	[NULL]	[NULL]	[NULL]	S	B1J2C1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	4/13/2006 10:00	N	CONDUCT	Specific Conductance	166	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J2C1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	4/13/2006 10:00	N	TEMPERATURE	Temperature	7.05	Deg C	[NULL]	[NULL]	[NULL]	S	B1J2C1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	4/13/2006 10:00	N	PH	pH Measurement	7.73	unitless	[NULL]	[NULL]	[NULL]	S	B1J2C1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	5/10/2006 12:00	N	ALKALINITY	Alkalinity	78000	ug/L	[NULL]	[NULL]	[NULL]	S	B1J723	ALKALINITY	RJ LEE	2320_ALKALINITY	100-NR-2
N116mArray-4A	5/10/2006 12:00	Y	7440-38-2	Arsenic	1.18	ug/L	B	[NULL]	[NULL]	S	B1J722	7440-38-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	5/10/2006 12:00	Y	7440-39-3	Barium	28.81	ug/L	[NULL]	[NULL]	[NULL]	S	B1J722	7440-39-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	5/10/2006 12:00	N	24959-67-9	Bromide	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J721	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	5/10/2006 12:00	Y	7440-70-2	Calcium	26438.5	ug/L	D	[NULL]	[NULL]	S	B1J722	7440-70-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	5/10/2006 12:00	N	3812-32-6	Carbonate ion	61400	ug/L	[NULL]	[NULL]	[NULL]	S	B1J721	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	5/10/2006 12:00	N	16887-00-6	Chloride	1280	ug/L	[NULL]	[NULL]	[NULL]	S	B1J721	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	5/10/2006 12:00	Y	7440-47-3	Chromium	0.74	ug/L	[NULL]	[NULL]	[NULL]	S	B1J722	7440-47-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	5/10/2006 12:00	N	16984-48-8	Fluoride	70	ug/L	[NULL]	[NULL]	[NULL]	S	B1J721	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	5/10/2006 12:00	N	12587-47-2	Gross beta	1750	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J719	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-4A	5/10/2006 12:00	Y	7439-92-1	Lead	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J722	7439-92-1	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	5/10/2006 12:00	Y	7440-02-0	Nickel	1.18	ug/L	[NULL]	[NULL]	[NULL]	S	B1J722	7440-02-0	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	5/10/2006 12:00	N	14797-55-8	Nitrate	970	ug/L	[NULL]	[NULL]	[NULL]	S	B1J721	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	5/10/2006 12:00	N	EH	Oxidation Reduction Potential	53	mV	[NULL]	[NULL]	[NULL]	S	B1J719	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	5/10/2006 12:00	N	14265-44-2	Phosphate	190	ug/L	[NULL]	[NULL]	[NULL]	S	B1J721	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	5/10/2006 12:00	Y	7440-09-7	Potassium	1183	ug/L	[NULL]	[NULL]	[NULL]	S	B1J722	7440-09-7	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	5/10/2006 12:00	Y	7440-23-5	Sodium	2616.39	ug/L	[NULL]	[NULL]	[NULL]	S	B1J722	7440-23-5	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	5/10/2006 12:00	N	127-09-3	Sodium acetate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J721	127-09-3	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	5/10/2006 12:00	N	68-04-2	Sodium citrate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J721	68-04-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	5/10/2006 12:00	N	141-53-7	Sodium formate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J721	141-53-7	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	5/10/2006 12:00	N	CONDUCT	Specific Conductance	167.3	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J719	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	5/10/2006 12:00	N	14808-79-8	Sulfate	10500	ug/L	[NULL]	[NULL]	[NULL]	S	B1J721	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	5/10/2006 12:00	N	TEMPERATURE	Temperature	13.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1J719	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	5/10/2006 12:00	N	TDS	Total dissolved solids	113700	ug/L	[NULL]	[NULL]	[NULL]	S	B1J719	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-4A	5/10/2006 12:00	N	10028-17-8	Tritium	-19.1	pCi/L	U	[NULL]	[NULL]	S	B1J720	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
N116mArray-4A	5/10/2006 12:00	Y	7440-66-6	Zinc	4.6	ug/L	[NULL]	[NULL]	[NULL]	S	B1J722	7440-66-6	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	5/10/2006 12:00	N	PH	pH Measurement	7.68	unitless	[NULL]	[NULL]	[NULL]	S	B1J719	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	ALKALINITY	Alkalinity	70000	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDN9	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
N116mArray-4A	6/6/2006 12:20	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1JDN8	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	14234-35-6	Antimony-125	1.15	pCi/L	U	[NULL]	[NULL]	R	B1JDN7	14234-35-6	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	6/6/2006 12:20	Y	7440-39-3	Barium	28.2	ug/L	B	[NULL]	[NULL]	R	B1JDN8	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	6/6/2006 12:20	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1JDN8	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	13966-02-4	Beryllium-7	10.9	pCi/L	U	[NULL]	[NULL]	R	B1JDN7	13966-02-4	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	6/6/2006 12:20	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1JDN8	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/6/2006 12:20	Y	7440-70-2	Calcium	24800	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDN8	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	13967-70-9	Cesium-134	-0.235	pCi/L	U	[NULL]	[NULL]	R	B1JDN7	13967-70-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	10045-97-3	Cesium-137	1.63	pCi/L	U	[NULL]	[NULL]	R	B1JDN7	10045-97-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	16887-00-6	Chloride	920	ug/L	C	[NULL]	[NULL]	R	B1JDN9	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/6/2006 12:20	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1JDN8	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/6/2006 12:20	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1JDN8	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	10198-40-0	Cobalt-60	-0.329	pCi/L	U	[NULL]	[NULL]	R	B1JDN7	10198-40-0	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	6/6/2006 12:20	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1JDN8	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	DO	Dissolved oxygen	6900	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDN6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	14683-23-9	Europium-152	1.05	pCi/L	U	[NULL]	[NULL]	R	B1JDN7	14683-23-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	15585-10-1	Europium-154	-3.99	pCi/L	U	[NULL]	[NULL]	R	B1JDN7	15585-10-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	14391-16-3	Europium-155	3.62	pCi/L	U	[NULL]	[NULL]	R	B1JDN7	14391-16-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	16984-48-8	Fluoride	96	ug/L	B	[NULL]	[NULL]	R	B1JDN9	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	12587-46-1	Gross alpha	0.6	pCi/L	U	[NULL]	[NULL]	R	B1JDN7	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	12587-47-2	Gross beta	1970	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDN7	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-4A	6/6/2006 12:20	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1JDN8	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/6/2006 12:20	Y	7439-95-4	Magnesium	4260	ug/L	B	[NULL]	[NULL]	R	B1JDN8	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/6/2006 12:20	Y	7439-96-5	Manganese	4	ug/L	B	[NULL]	[NULL]	R	B1JDN8	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/6/2006 12:20	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1JDN8	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	14797-55-8	Nitrate	1510	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDN9	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1JDN9	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	EH	Oxidation Reduction Potential	31	mV	[NULL]	[NULL]	[NULL]	R	B1JDN6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	14265-44-2	Phosphate	310	ug/L	B	[NULL]	[NULL]	R	B1JDN9	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/6/2006 12:20	Y	7440-09-7	Potassium	1500	ug/L	U	[NULL]	[NULL]	R	B1JDN8	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	6/6/2006 12:20	N	13966-00-2	Potassium-40	4.29	pCi/L	U	[NULL]	[NULL]	R	B1JDN7	13966-00-2	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	13967-48-1	Ruthenium-106	0.722	pCi/L	U	[NULL]	[NULL]	R	B1JDN7	13967-48-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	6/6/2006 12:20	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1JDN8	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/6/2006 12:20	Y	7440-23-5	Sodium	2500	ug/L	B	[NULL]	[NULL]	R	B1JDN8	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	CONDUCT	Specific Conductance	152	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JDN6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-4A	6/6/2006 12:20	Y	7440-24-6	Strontium	100	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDN8	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	10098-97-2	Strontium-90	1030	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDN7	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	14808-79-8	Sulfate	7500	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDN9	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	TEMPERATURE	Temperature	21.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1JDN6	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	10028-17-8	Tritium	-4.58	pCi/L	U	[NULL]	[NULL]	R	B1JDN7	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
N116mArray-4A	6/6/2006 12:20	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1JDN8	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/6/2006 12:20	Y	7440-66-6	Zinc	10.5	ug/L	B	[NULL]	[NULL]	R	B1JDN8	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/6/2006 12:20	N	PH	pH Measurement	7.03	unitless	[NULL]	[NULL]	[NULL]	R	B1JDN6	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	7/20/2006 9:40	N	DO	Dissolved oxygen	7000	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK89	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	7/20/2006 9:40	N	12587-47-2	Gross beta	2110	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JK90	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-4A	7/20/2006 9:40	N	EH	Oxidation Reduction Potential	50	mV	[NULL]	[NULL]	[NULL]	R	B1JK89	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	7/20/2006 9:40	N	CONDUCT	Specific Conductance	165.3	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JK89	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-4A	7/20/2006 9:40	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1JK89	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-4A	7/20/2006 9:40	N	PH	pH Measurement	7.3	unitless	[NULL]	[NULL]	[NULL]	R	B1JK89	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	8/16/2006 9:55	N	12587-47-2	Gross beta	2150	pCi/L	[NULL]	[NULL]	[NULL]	R	B1K4H4	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	ALKALINITY	Alkalinity	141000	ug/L	[NULL]	Y	[NULL]	R	B1KBN0	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
N116mArray-4A	9/25/2006 11:15	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1KBM9	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	14234-35-6	Antimony-125	0.133	pCi/L	U	[NULL]	[NULL]	R	B1KBN2	14234-35-6	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	9/25/2006 11:15	Y	7440-39-3	Barium	29.5	ug/L	B	[NULL]	[NULL]	R	B1KBM9	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/25/2006 11:15	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1KBM9	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	13966-02-4	Beryllium-7	-3.62	pCi/L	U	[NULL]	[NULL]	R	B1KBN2	13966-02-4	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	9/25/2006 11:15	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1KBM9	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	9/25/2006 11:15	Y	7440-70-2	Calcium	29100	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBM9	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	13967-70-9	Cesium-134	0.723	pCi/L	U	[NULL]	[NULL]	R	B1KBN2	13967-70-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	10045-97-3	Cesium-137	-1.22	pCi/L	U	[NULL]	[NULL]	R	B1KBN2	10045-97-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	16887-00-6	Chloride	4300	ug/L	N	[NULL]	[NULL]	R	B1KBN0	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/25/2006 11:15	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1KBM9	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/25/2006 11:15	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1KBM9	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	10198-40-0	Cobalt-60	-0.889	pCi/L	U	[NULL]	[NULL]	R	B1KBN2	10198-40-0	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	9/25/2006 11:15	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1KBM9	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	DO	Dissolved oxygen	7700	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBN1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	14683-23-9	Europium-152	0.975	pCi/L	U	[NULL]	[NULL]	R	B1KBN2	14683-23-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	15585-10-1	Europium-154	0.497	pCi/L	U	[NULL]	[NULL]	R	B1KBN2	15585-10-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	14391-16-3	Europium-155	-2.04	pCi/L	U	[NULL]	[NULL]	R	B1KBN2	14391-16-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	16984-48-8	Fluoride	84	ug/L	BN	[NULL]	[NULL]	R	B1KBN0	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	12587-46-1	Gross alpha	0.273	pCi/L	U	[NULL]	[NULL]	R	B1KBN2	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	12587-47-2	Gross beta	2470	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBN2	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-4A	9/25/2006 11:15	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1KBM9	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/25/2006 11:15	Y	7439-95-4	Magnesium	5010	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBM9	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/25/2006 11:15	Y	7439-96-5	Manganese	4.7	ug/L	B	[NULL]	[NULL]	R	B1KBM9	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/25/2006 11:15	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1KBM9	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	14797-55-8	Nitrate	6200	ug/L	D	[NULL]	[NULL]	R	B1KBN0	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1KBN0	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	14265-44-2	Phosphate	230	ug/L	BN	[NULL]	[NULL]	R	B1KBN0	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/25/2006 11:15	Y	7440-09-7	Potassium	1500	ug/L	U	[NULL]	[NULL]	R	B1KBM9	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	13966-00-2	Potassium-40	17.3	pCi/L	U	[NULL]	[NULL]	R	B1KBN2	13966-00-2	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	13967-48-1	Ruthenium-106	0.462	pCi/L	U	[NULL]	[NULL]	R	B1KBN2	13967-48-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	9/25/2006 11:15	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1KBM9	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/25/2006 11:15	Y	7440-23-5	Sodium	2690	ug/L	B	[NULL]	[NULL]	R	B1KBM9	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	9/25/2006 11:15	N	CONDUCT	Specific Conductance	181	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KBN1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-4A	9/25/2006 11:15	Y	7440-24-6	Strontium	107	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBM9	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	10098-97-2	Strontium-90	1270	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBN2	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	14808-79-8	Sulfate	10900	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBN0	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1KBN1	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	10028-17-8	Tritium	374	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBN2	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
N116mArray-4A	9/25/2006 11:15	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1KBM9	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/25/2006 11:15	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1KBM9	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/25/2006 11:15	N	PH	pH Measurement	7.25	unitless	[NULL]	[NULL]	[NULL]	R	B1KBN1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	ALKALINITY	Alkalinity	70000	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH1	ALKALINITY	WSCF	310.1_ALKALINITY	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	ALKALINITY	Alkalinity	73000	ug/L	[NULL]	[NULL]	[NULL]	R	B1MRN9	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1MRN9	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-36-0	Antimony	0.3	ug/L	U	[NULL]	[NULL]	R	B1MPH1	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-38-2	Arsenic	29.7	ug/L	U	[NULL]	[NULL]	R	B1MRN9	7440-38-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-38-2	Arsenic	1.04	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH1	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-39-3	Barium	32.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH1	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-39-3	Barium	73.2	ug/L	B	[NULL]	[NULL]	R	B1MRN9	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-41-7	Beryllium	0.05	ug/L	U	[NULL]	[NULL]	R	B1MPH1	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1MRN9	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	24959-67-9	Bromide	4000	ug/L	[NULL]	[NULL]	[NULL]	R	B1MRN9	24959-67-9	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	24959-67-9	Bromide	4320	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH1	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-43-9	Cadmium	0.1	ug/L	U	[NULL]	[NULL]	R	B1MPH1	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1MRN9	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-70-2	Calcium	33400	ug/L	[NULL]	[NULL]	[NULL]	R	B1MRN9	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-70-2	Calcium	32400	ug/L	D	[NULL]	[NULL]	R	B1MPH1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	10045-97-3	Cesium-137	0.829	pCi/L	U	[NULL]	[NULL]	R	B1MRN6	10045-97-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	10045-97-3	Cesium-137	-3.71	pCi/L	U	[NULL]	[NULL]	R	B1MPH1	10045-97-3	WSCF	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	3/15/2007 9:06	N	16887-00-6	Chloride	11100	ug/L	D	[NULL]	[NULL]	R	B1MPH1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	16887-00-6	Chloride	9800	ug/L	C	[NULL]	[NULL]	R	B1MRN9	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-47-3	Chromium	2.62	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH1	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-47-3	Chromium	9	ug/L	B	[NULL]	[NULL]	R	B1MRN9	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1MRN9	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-48-4	Cobalt	0.449	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH1	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	10198-40-0	Cobalt-60	2.44	pCi/L	U	[NULL]	[NULL]	R	B1MPH1	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	10198-40-0	Cobalt-60	-0.491	pCi/L	U	[NULL]	[NULL]	R	B1MRN6	10198-40-0	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	DO	Dissolved oxygen	7200	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	14683-23-9	Europium-152	-0.385	pCi/L	U	[NULL]	[NULL]	R	B1MRN6	14683-23-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	14683-23-9	Europium-152	5.3	pCi/L	U	[NULL]	[NULL]	R	B1MPH1	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	15585-10-1	Europium-154	-4.92	pCi/L	U	[NULL]	[NULL]	R	B1MPH1	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	15585-10-1	Europium-154	3.3	pCi/L	U	[NULL]	[NULL]	R	B1MRN6	15585-10-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	14391-16-3	Europium-155	-6.57	pCi/L	U	[NULL]	[NULL]	R	B1MPH1	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	14391-16-3	Europium-155	2.32	pCi/L	U	[NULL]	[NULL]	R	B1MRN6	14391-16-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	16984-48-8	Fluoride	53	ug/L	B	[NULL]	[NULL]	R	B1MRN9	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	16984-48-8	Fluoride	29	ug/L	U	[NULL]	[NULL]	R	B1MPH1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	12587-46-1	Gross alpha	0.13	pCi/L	U	G	[NULL]	R	B1MPH1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	12587-47-2	Gross beta	2530	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MRN6	12587-47-2	STLRL	BETA_GPC	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	12587-47-2	Gross beta	2900	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MPH1	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7439-89-6	Iron	1630	ug/L	DN	[NULL]	[NULL]	R	B1MPH1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7439-89-6	Iron	4820	ug/L	[NULL]	[NULL]	[NULL]	R	B1MRN9	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7439-95-4	Magnesium	5340	ug/L	D	[NULL]	[NULL]	R	B1MPH1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7439-95-4	Magnesium	6720	ug/L	[NULL]	[NULL]	[NULL]	R	B1MRN9	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7439-96-5	Manganese	44.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH1	7439-96-5	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7439-96-5	Manganese	151	ug/L	[NULL]	[NULL]	[NULL]	R	B1MRN9	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1MRN9	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	3/15/2007 9:06	N	7440-02-0	Nickel	0.866	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH1	7440-02-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	14797-55-8	Nitrate	1110	ug/L	[NULL]	[NULL]	[NULL]	R	B1MRN9	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	14797-55-8	Nitrate	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1MRN9	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	14797-65-0	Nitrite	72.3	ug/L	U	[NULL]	[NULL]	R	B1MPH1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	EH	Oxidation Reduction Potential	173	mV	[NULL]	[NULL]	[NULL]	R	B1MPH1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	14265-44-2	Phosphate	460	ug/L	U	[NULL]	[NULL]	R	B1MPH1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	14265-44-2	Phosphate	360	ug/L	BC	[NULL]	[NULL]	R	B1MRN9	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-09-7	Potassium	1720	ug/L	B	[NULL]	[NULL]	R	B1MRN9	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-09-7	Potassium	909	ug/L	D	[NULL]	[NULL]	R	B1MPH1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-22-4	Silver	0.1	ug/L	U	[NULL]	[NULL]	R	B1MPH1	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1MRN9	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-23-5	Sodium	3360	ug/L	B	[NULL]	[NULL]	R	B1MRN9	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-23-5	Sodium	2410	ug/L	D	[NULL]	[NULL]	R	B1MPH1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	CONDUCT	Specific Conductance	198.9	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MPH1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-24-6	Strontium	131	ug/L	[NULL]	[NULL]	[NULL]	R	B1MRN9	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-24-6	Strontium	104	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH1	7440-24-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	10098-97-2	Strontium-90	490	pCi/L	[NULL]	Y	[NULL]	R	B1MPH1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	10098-97-2	Strontium-90	1250	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MRN6	SR-RAD	STLRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	14808-79-8	Sulfate	10100	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	14808-79-8	Sulfate	10300	ug/L	C	[NULL]	[NULL]	R	B1MRN9	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	TEMPERATURE	Temperature	7.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1MPH1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	10028-17-8	Tritium	72.9	pCi/L	U	[NULL]	[NULL]	R	B1MRN6	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	10028-17-8	Tritium	9.5	pCi/L	U	[NULL]	[NULL]	R	B1MPH1	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	TURBIDITY	Turbidity	6.6	NTU	[NULL]	[NULL]	[NULL]	R	B1MPH1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-62-2	Vanadium	1.74	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH1	7440-62-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-62-2	Vanadium	11.7	ug/L	B	[NULL]	[NULL]	R	B1MRN9	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	3/15/2007 9:06	N	7440-66-6	Zinc	57.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1MRN9	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	7440-66-6	Zinc	15.9	ug/L	C	[NULL]	[NULL]	R	B1MPH1	7440-66-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	3/15/2007 9:06	N	PH	pH Measurement	7.93	unitless	[NULL]	[NULL]	[NULL]	R	B1MPH1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	ALKALINITY	Alkalinity	93000	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV34	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	7440-36-0	Antimony	0.3	ug/L	U	[NULL]	[NULL]	R	B1NV34	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	7440-38-2	Arsenic	1.15	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV34	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	7440-39-3	Barium	36.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV34	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	7440-41-7	Beryllium	0.05	ug/L	U	[NULL]	[NULL]	R	B1NV34	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	24959-67-9	Bromide	4700	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV34	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	7440-43-9	Cadmium	0.1	ug/L	U	[NULL]	[NULL]	R	B1NV34	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	7440-70-2	Calcium	31800	ug/L	D	[NULL]	[NULL]	R	B1NV34	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	10045-97-3	Cesium-137	-4.42	pCi/L	U	[NULL]	[NULL]	R	B1NV34	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	16887-00-6	Chloride	11200	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV34	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	7440-47-3	Chromium	1.26	ug/L	C	[NULL]	[NULL]	R	B1NV34	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	7440-48-4	Cobalt	0.05	ug/L	U	[NULL]	[NULL]	R	B1NV34	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	10198-40-0	Cobalt-60	1.79	pCi/L	U	[NULL]	[NULL]	R	B1NV34	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	DO	Dissolved oxygen	4030	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV34	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	14683-23-9	Europium-152	7.77	pCi/L	U	[NULL]	[NULL]	R	B1NV34	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	15585-10-1	Europium-154	-11.8	pCi/L	U	[NULL]	[NULL]	R	B1NV34	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	14391-16-3	Europium-155	5.47	pCi/L	U	[NULL]	[NULL]	R	B1NV34	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	16984-48-8	Fluoride	45	ug/L	B	[NULL]	[NULL]	R	B1NV34	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	12587-46-1	Gross alpha	-0.57	pCi/L	U	G	[NULL]	R	B1NV34	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	12587-47-2	Gross beta	3100	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NV34	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	7439-89-6	Iron	82.6	ug/L	CD	[NULL]	[NULL]	R	B1NV34	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	7439-95-4	Magnesium	5410	ug/L	D	[NULL]	[NULL]	R	B1NV34	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	7439-96-5	Manganese	0.862	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV34	7439-96-5	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	7440-02-0	Nickel	0.336	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV34	7440-02-0	WSCF	200.8_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	6/26/2007 8:27	N	14797-55-8	Nitrate	921	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV34	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	R	B1NV34	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	EH	Oxidation Reduction Potential	132	mV	[NULL]	[NULL]	[NULL]	R	B1NV34	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	14265-44-2	Phosphate	123	ug/L	U	[NULL]	[NULL]	R	B1NV34	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	7440-09-7	Potassium	651	ug/L	D	[NULL]	[NULL]	R	B1NV34	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	7440-22-4	Silver	0.1	ug/L	U	[NULL]	[NULL]	R	B1NV34	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	7440-23-5	Sodium	2590	ug/L	D	[NULL]	[NULL]	R	B1NV34	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	CONDUCT	Specific Conductance	256.8	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NV34	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	7440-24-6	Strontium	137	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV34	7440-24-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	10098-97-2	Strontium-90	1300	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NV34	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	14808-79-8	Sulfate	8870	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV34	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	TEMPERATURE	Temperature	15.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1NV34	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	10028-17-8	Tritium	-5.9	pCi/L	U	[NULL]	[NULL]	R	B1NV34	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	TURBIDITY	Turbidity	1.1	NTU	[NULL]	[NULL]	[NULL]	R	B1NV34	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-4A	6/26/2007 8:27	N	PH	pH Measurement	6.27	unitless	[NULL]	[NULL]	[NULL]	R	B1NV34	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	ALKALINITY	Alkalinity	240000	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W0	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	7440-36-0	Antimony	0.3	ug/L	U	[NULL]	[NULL]	R	B1P3W0	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	7440-38-2	Arsenic	4.88	ug/L	E	[NULL]	[NULL]	R	B1P3W0	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	7440-39-3	Barium	90.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W0	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	7440-41-7	Beryllium	0.05	ug/L	U	[NULL]	[NULL]	R	B1P3W0	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	24959-67-9	Bromide	29700	ug/L	D	[NULL]	[NULL]	R	B1P3W0	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	7440-43-9	Cadmium	0.136	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W0	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	7440-70-2	Calcium	98800	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	10045-97-3	Cesium-137	-0.227	pCi/L	U	[NULL]	[NULL]	R	B1P3W0	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	16887-00-6	Chloride	41400	ug/L	D	[NULL]	[NULL]	R	B1P3W0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	7440-47-3	Chromium	0.5	ug/L	U	[NULL]	[NULL]	R	B1P3W0	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	7440-48-4	Cobalt	0.133	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W0	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	8/9/2007 10:55	N	10198-40-0	Cobalt-60	1.22	pCi/L	U	[NULL]	[NULL]	R	B1P3W0	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	DO	Dissolved oxygen	1780	ug/L	[NULL]	[NULL]	[NULL]	C	B1P3N6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	14683-23-9	Europium-152	0.814	pCi/L	U	[NULL]	[NULL]	R	B1P3W0	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	15585-10-1	Europium-154	7.87	pCi/L	U	[NULL]	[NULL]	R	B1P3W0	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	14391-16-3	Europium-155	14.5	pCi/L	U	[NULL]	[NULL]	R	B1P3W0	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	16984-48-8	Fluoride	21	ug/L	B	[NULL]	[NULL]	R	B1P3W0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	12587-46-1	Gross alpha	0.77	pCi/L	U	G	[NULL]	R	B1P3W0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	12587-47-2	Gross beta	7700	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W0	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	7439-89-6	Iron	51.5	ug/L	C	[NULL]	[NULL]	R	B1P3W0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	7439-95-4	Magnesium	15500	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	7439-96-5	Manganese	42.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W0	7439-96-5	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	7440-02-0	Nickel	0.96	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W0	7440-02-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	14797-55-8	Nitrate	611	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	R	B1P3W0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	EH	Oxidation Reduction Potential	111	mV	[NULL]	[NULL]	[NULL]	C	B1P3N6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	14265-44-2	Phosphate	123	ug/L	U	[NULL]	[NULL]	R	B1P3W0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	7440-09-7	Potassium	2530	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	7440-22-4	Silver	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3W0	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	7440-23-5	Sodium	7690	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	CONDUCT	Specific Conductance	605.3	uS/cm	[NULL]	[NULL]	[NULL]	C	B1P3N6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	7440-24-6	Strontium	326	ug/L	N	[NULL]	[NULL]	R	B1P3W0	7440-24-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	10098-97-2	Strontium-90	4500	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	14808-79-8	Sulfate	6470	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	TEMPERATURE	Temperature	22.9	Deg C	[NULL]	[NULL]	[NULL]	C	B1P3N6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	10028-17-8	Tritium	-21	pCi/L	U	[NULL]	[NULL]	R	B1P3W0	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	TURBIDITY	Turbidity	1.28	NTU	[NULL]	[NULL]	[NULL]	C	B1P3N6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	7440-62-2	Vanadium	1.51	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W0	7440-62-2	WSCF	200.8_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	8/9/2007 10:55	N	7440-66-6	Zinc	9.11	ug/L	C	[NULL]	[NULL]	R	B1P3W0	7440-66-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-4A	8/9/2007 10:55	N	PH	pH Measurement	7.2	unitless	[NULL]	[NULL]	[NULL]	C	B1P3N6	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	11/1/2007 10:19	N	DO	Dissolved oxygen	2620	ug/L	[NULL]	[NULL]	[NULL]	R	B1PPP3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	11/1/2007 10:19	N	12587-47-2	Gross beta	7740	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PPP4	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-4A	11/1/2007 10:19	N	CONDUCT	Specific Conductance	672	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PPP3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	11/1/2007 10:19	N	TEMPERATURE	Temperature	11.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1PPP3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	11/1/2007 10:19	N	TURBIDITY	Turbidity	2.06	NTU	[NULL]	[NULL]	[NULL]	R	B1PPP3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-4A	11/1/2007 10:19	N	PH	pH Measurement	7.56	unitless	[NULL]	[NULL]	[NULL]	R	B1PPP3	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	11/27/2007 10:30	N	DO	Dissolved oxygen	11930	ug/L	[NULL]	[NULL]	[NULL]	R	B1R149	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	11/27/2007 10:30	N	12587-47-2	Gross beta	8.1	pCi/L	[NULL]	R	[NULL]	R	B1R150	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-4A	11/27/2007 10:30	N	EH	Oxidation Reduction Potential	180	mV	[NULL]	[NULL]	[NULL]	R	B1R149	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	11/27/2007 10:30	N	CONDUCT	Specific Conductance	132	uS/cm	[NULL]	R	[NULL]	R	B1R149	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	11/27/2007 10:30	N	TEMPERATURE	Temperature	7	Deg C	[NULL]	[NULL]	[NULL]	R	B1R149	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	11/27/2007 10:30	N	TURBIDITY	Turbidity	0.91	NTU	[NULL]	[NULL]	[NULL]	R	B1R149	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-4A	11/27/2007 10:30	N	PH	pH Measurement	7.79	unitless	[NULL]	[NULL]	[NULL]	R	B1R149	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	ALKALINITY	Alkalinity	63000	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9W0	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-4A	12/11/2007 10:22	Y	7440-36-0	Antimony	34.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1R9W0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	14234-35-6	Antimony-125	5.62	pCi/L	U	[NULL]	[NULL]	R	B1R9W0	14234-35-6	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	12/11/2007 10:22	Y	7440-39-3	Barium	23.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	7440-39-3	Barium	24.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9W0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1R9W0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1R9V9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	13966-02-4	Beryllium-7	19	pCi/L	U	[NULL]	[NULL]	R	B1R9W0	13966-02-4	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	12/11/2007 10:22	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1R9V9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1R9W0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	7440-70-2	Calcium	19200	ug/L	[NULL]	Q	[NULL]	R	B1R9W0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	12/11/2007 10:22	Y	7440-70-2	Calcium	19000	ug/L	[NULL]	Q	[NULL]	R	B1R9V9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	13967-70-9	Cesium-134	0.707	pCi/L	U	[NULL]	[NULL]	R	B1R9W0	13967-70-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	10045-97-3	Cesium-137	-6.66	pCi/L	U	[NULL]	[NULL]	R	B1R9W0	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	16887-00-6	Chloride	803	ug/L	D	[NULL]	[NULL]	R	B1R9W0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1R9W0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1R9V9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1R9V9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1R9W0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	10198-40-0	Cobalt-60	-1.22	pCi/L	U	[NULL]	[NULL]	R	B1R9W0	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1R9W0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1R9V9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	DO	Dissolved oxygen	13400	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9W1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	14683-23-9	Europium-152	-5.19	pCi/L	U	[NULL]	[NULL]	R	B1R9W0	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	15585-10-1	Europium-154	0.0613	pCi/L	U	[NULL]	[NULL]	R	B1R9W0	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	14391-16-3	Europium-155	2.97	pCi/L	U	[NULL]	[NULL]	R	B1R9W0	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	16984-48-8	Fluoride	17.7	ug/L	BD	[NULL]	[NULL]	R	B1R9W0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	12587-46-1	Gross alpha	0.388	pCi/L	U	[NULL]	[NULL]	R	B1R9W3	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	12587-47-2	Gross beta	2.29	pCi/L	U	R	[NULL]	R	B1R9W3	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-4A	12/11/2007 10:22	Y	7439-89-6	Iron	9	ug/L	U	[NULL]	[NULL]	R	B1R9V9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	7439-89-6	Iron	19.1	ug/L	C	[NULL]	[NULL]	R	B1R9W0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	Y	7439-95-4	Magnesium	4100	ug/L	[NULL]	Q	[NULL]	R	B1R9V9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	7439-95-4	Magnesium	4190	ug/L	[NULL]	Q	[NULL]	R	B1R9W0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1R9V9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1R9W0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1R9V9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1R9W0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	14797-55-8	Nitrate	558	ug/L	BD	[NULL]	[NULL]	R	B1R9W0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	12/11/2007 10:22	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1R9W0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	EH	Oxidation Reduction Potential	211	mV	[NULL]	[NULL]	[NULL]	R	B1R9W1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	14265-44-2	Phosphate	245	ug/L	DU	[NULL]	[NULL]	R	B1R9W0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	7440-09-7	Potassium	552	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9W0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	Y	7440-09-7	Potassium	511	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	13966-00-2	Potassium-40	-46.8	pCi/L	U	[NULL]	[NULL]	R	B1R9W0	13966-00-2	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	13967-48-1	Ruthenium-106	-10.2	pCi/L	U	[NULL]	[NULL]	R	B1R9W0	13967-48-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1R9W0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1R9V9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	Y	7440-23-5	Sodium	1770	ug/L	[NULL]	Q	[NULL]	R	B1R9V9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	7440-23-5	Sodium	1780	ug/L	[NULL]	Q	[NULL]	R	B1R9W0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	CONDUCT	Specific Conductance	130.9	uS/cm	[NULL]	R	[NULL]	R	B1R9W1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	7440-24-6	Strontium	83.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9W0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	Y	7440-24-6	Strontium	82.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	10098-97-2	Strontium-90	0.402	pCi/L	U	R	[NULL]	R	B1R9W3	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	14808-79-8	Sulfate	8130	ug/L	D	[NULL]	[NULL]	R	B1R9W0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	TEMPERATURE	Temperature	7.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1R9W1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	10028-17-8	Tritium	14	pCi/L	U	[NULL]	[NULL]	R	B1R9W0	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	TURBIDITY	Turbidity	1.13	NTU	[NULL]	[NULL]	[NULL]	R	B1R9W1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1R9W0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1R9V9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1R9W0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	Y	7440-66-6	Zinc	5.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9V9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/11/2007 10:22	N	PH	pH Measurement	7.2	unitless	[NULL]	[NULL]	[NULL]	R	B1R9W1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	1/15/2008 8:40	N	DO	Dissolved oxygen	11900	ug/L	[NULL]	[NULL]	[NULL]	R	B1RR20	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	1/15/2008 8:40	N	12587-47-2	Gross beta	2.16	pCi/L	U	R	[NULL]	R	B1RR21	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-4A	1/15/2008 8:40	N	EH	Oxidation Reduction Potential	242	mV	[NULL]	[NULL]	[NULL]	R	B1RR20	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	1/15/2008 8:40	N	CONDUCT	Specific Conductance	235	uS/cm	[NULL]	[NULL]	[NULL]	R	B1RR20	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	1/15/2008 8:40	N	TEMPERATURE	Temperature	3.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1RR20	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	1/15/2008 8:40	N	TURBIDITY	Turbidity	1.17	NTU	[NULL]	[NULL]	[NULL]	R	B1RR20	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-4A	1/15/2008 8:40	N	PH	pH Measurement	7.03	unitless	[NULL]	[NULL]	[NULL]	R	B1RR20	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	2/20/2008 9:26	N	DO	Dissolved oxygen	13670	ug/L	[NULL]	[NULL]	[NULL]	R	B1T238	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	2/20/2008 9:26	N	EH	Oxidation Reduction Potential	131	mV	[NULL]	[NULL]	[NULL]	R	B1T238	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	2/20/2008 9:26	N	CONDUCT	Specific Conductance	151.8	uS/cm	[NULL]	[NULL]	[NULL]	R	B1T238	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	2/20/2008 9:26	N	TEMPERATURE	Temperature	2.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1T238	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	2/20/2008 9:26	N	TURBIDITY	Turbidity	1.04	NTU	[NULL]	[NULL]	[NULL]	R	B1T238	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-4A	2/20/2008 9:26	N	PH	pH Measurement	7.48	unitless	[NULL]	[NULL]	[NULL]	R	B1T238	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	ALKALINITY	Alkalinity	110000	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL7	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-4A	3/25/2008 11:22	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1THL6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1THL7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	14234-35-6	Antimony-125	-0.713	pCi/L	U	[NULL]	[NULL]	R	B1THL7	14234-35-6	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	3/25/2008 11:22	Y	7440-39-3	Barium	14.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	7440-39-3	Barium	15.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1THL6	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1THL7	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	13966-02-4	Beryllium-7	-26.2	pCi/L	U	[NULL]	[NULL]	R	B1THL7	13966-02-4	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	3/25/2008 11:22	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1THL6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1THL7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	7440-70-2	Calcium	13100	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	Y	7440-70-2	Calcium	13800	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	13967-70-9	Cesium-134	-2.65	pCi/L	U	[NULL]	[NULL]	R	B1THL7	13967-70-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	10045-97-3	Cesium-137	0.343	pCi/L	U	[NULL]	[NULL]	R	B1THL7	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	16887-00-6	Chloride	2540	ug/L	D	[NULL]	[NULL]	R	B1THL7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	7440-47-3	Chromium	5.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	3/25/2008 11:22	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1THL6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1THL7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1THL6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	10198-40-0	Cobalt-60	-3.72	pCi/L	U	[NULL]	[NULL]	R	B1THL7	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	3/25/2008 11:22	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1THL6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	7440-50-8	Copper	4.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	DO	Dissolved oxygen	5140	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	14683-23-9	Europium-152	-20.3	pCi/L	U	[NULL]	[NULL]	R	B1THL7	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	15585-10-1	Europium-154	9.98	pCi/L	U	[NULL]	[NULL]	R	B1THL7	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	14391-16-3	Europium-155	17.7	pCi/L	U	[NULL]	[NULL]	R	B1THL7	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	16984-48-8	Fluoride	153	ug/L	BD	[NULL]	[NULL]	R	B1THL7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	12587-46-1	Gross alpha	0.089	pCi/L	U	[NULL]	[NULL]	R	B1THL7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	12587-47-2	Gross beta	1400	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THL7	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	7439-89-6	Iron	213	ug/L	[NULL]	Q	[NULL]	R	B1THL7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	Y	7439-89-6	Iron	9	ug/L	U	Q	[NULL]	R	B1THL6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	7439-95-4	Magnesium	2110	ug/L	[NULL]	Q	[NULL]	R	B1THL7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	Y	7439-95-4	Magnesium	2150	ug/L	[NULL]	Q	[NULL]	R	B1THL6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	7439-96-5	Manganese	4.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1THL6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1THL7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1THL6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	14797-55-8	Nitrate	2110	ug/L	D	[NULL]	[NULL]	R	B1THL7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1THL7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	EH	Oxidation Reduction Potential	141	mV	[NULL]	[NULL]	[NULL]	R	B1THL8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	14265-44-2	Phosphate	11200	ug/L	D	[NULL]	[NULL]	R	B1THL7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	7440-09-7	Potassium	1030	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	Y	7440-09-7	Potassium	1030	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	3/25/2008 11:22	N	13966-00-2	Potassium-40	-42.3	pCi/L	U	[NULL]	[NULL]	R	B1THL7	13966-00-2	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	13967-48-1	Ruthenium-106	43.5	pCi/L	U	[NULL]	[NULL]	R	B1THL7	13967-48-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	3/25/2008 11:22	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1THL6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1THL7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	7440-23-5	Sodium	34100	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	Y	7440-23-5	Sodium	34400	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	68-04-2	Sodium citrate	100	ug/L	U	[NULL]	[NULL]	R	B1THL9	68-04-2	ESL	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	CONDUCT	Specific Conductance	218	uS/cm	[NULL]	[NULL]	[NULL]	R	B1THL8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	7440-24-6	Strontium	44.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	Y	7440-24-6	Strontium	45.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	10098-97-2	Strontium-90	672	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THM0	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	14808-79-8	Sulfate	11700	ug/L	D	[NULL]	[NULL]	R	B1THL7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	TEMPERATURE	Temperature	6.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1THL8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	10028-17-8	Tritium	14	pCi/L	U	[NULL]	[NULL]	R	B1THL7	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	TURBIDITY	Turbidity	59.7	NTU	[NULL]	[NULL]	[NULL]	R	B1THL8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-4A	3/25/2008 11:22	Y	7440-62-2	Vanadium	14.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	7440-62-2	Vanadium	14.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1THL6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	7440-66-6	Zinc	5.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1THL7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/25/2008 11:22	N	PH	pH Measurement	8.68	unitless	[NULL]	[NULL]	[NULL]	R	B1THL8	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	5/5/2008 9:42	N	DO	Dissolved oxygen	2930	ug/L	[NULL]	[NULL]	[NULL]	R	B1V5B2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	5/5/2008 9:42	N	EH	Oxidation Reduction Potential	133	mV	[NULL]	[NULL]	[NULL]	R	B1V5B2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	5/5/2008 9:42	N	CONDUCT	Specific Conductance	223	uS/cm	[NULL]	[NULL]	[NULL]	R	B1V5B2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	5/5/2008 9:42	N	TEMPERATURE	Temperature	10.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1V5B2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	5/5/2008 9:42	N	TURBIDITY	Turbidity	4.84	NTU	[NULL]	[NULL]	[NULL]	R	B1V5B2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-4A	5/5/2008 9:42	N	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	R	B1V5B2	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	5/8/2008 9:42	N	DO	Dissolved oxygen	2930	ug/L	[NULL]	[NULL]	[NULL]	R	B1TVR0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	5/8/2008 9:42	N	12587-47-2	Gross beta	620	pCi/L	[NULL]	Z	[NULL]	R	B1TVR1	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-4A	5/8/2008 9:42	N	12587-47-2	Gross beta	1400	pCi/L	[NULL]	[NULL]	[NULL]	R	B1V5B3	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	5/8/2008 9:42	N	EH	Oxidation Reduction Potential	133	mV	[NULL]	[NULL]	[NULL]	R	B1TVR0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	5/8/2008 9:42	N	CONDUCT	Specific Conductance	223	uS/cm	[NULL]	[NULL]	[NULL]	R	B1TVR0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	5/8/2008 9:42	N	TEMPERATURE	Temperature	10.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1TVR0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	5/8/2008 9:42	N	TURBIDITY	Turbidity	4.84	NTU	[NULL]	[NULL]	[NULL]	R	B1TVR0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-4A	5/8/2008 9:42	N	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	R	B1TVR0	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	7429-90-5	Aluminum	30	ug/L	U	[NULL]	[NULL]	S	B1VJN6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1VJN6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	7440-38-2	Arsenic	50	ug/L	U	[NULL]	[NULL]	S	B1VJN6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	7440-39-3	Barium	19	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1VJN6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	7440-70-2	Calcium	17700	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	16887-00-6	Chloride	1250	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	7440-47-3	Chromium	4.8	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1VJN6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B1VJN6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	16984-48-8	Fluoride	62	ug/L	B	[NULL]	[NULL]	S	B1VJN6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	12587-46-1	Gross alpha	0.81	pCi/L	U	[NULL]	[NULL]	S	B1VJN6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	12587-47-2	Gross beta	1400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VJN6	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	7439-89-6	Iron	9	ug/L	U	[NULL]	[NULL]	S	B1VJN6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1VJN6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	7439-95-4	Magnesium	3050	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1VJN6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B1VJN6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1VJN6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	14797-55-8	Nitrate	611	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	6/3/2008 11:30	Y	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	S	B1VJN6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	14265-44-2	Phosphate	2120	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	7440-09-7	Potassium	1060	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1VJN6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	7440-23-5	Sodium	10100	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	7440-24-6	Strontium	69.9	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	14808-79-8	Sulfate	8450	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	7440-62-2	Vanadium	8	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/3/2008 11:30	Y	7440-66-6	Zinc	4.6	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W636	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W636	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W636	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W636	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W636	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	7440-70-2	Calcium	17200	ug/L	D	[NULL]	[NULL]	S	B1W636	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	16887-00-6	Chloride	1110	ug/L	BD	[NULL]	[NULL]	S	B1W636	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W636	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W636	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W636	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W636	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W636	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W636	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	7439-95-4	Magnesium	2980	ug/L	DN	[NULL]	[NULL]	S	B1W636	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W636	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W636	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W636	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W636	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	6/26/2008 9:30	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W636	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	14265-44-2	Phosphate	981	ug/L	DU	[NULL]	[NULL]	S	B1W636	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	7440-09-7	Potassium	1100	ug/L	D	[NULL]	[NULL]	S	B1W636	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W636	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	7440-23-5	Sodium	8760	ug/L	D	[NULL]	[NULL]	S	B1W636	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	7440-24-6	Strontium	70.7	ug/L	D	[NULL]	[NULL]	S	B1W636	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	14808-79-8	Sulfate	7050	ug/L	BD	[NULL]	[NULL]	S	B1W636	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W636	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/26/2008 9:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W636	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W648	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W648	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W648	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	7440-39-3	Barium	22	ug/L	D	[NULL]	[NULL]	S	B1W648	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W648	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	7440-70-2	Calcium	18700	ug/L	D	[NULL]	[NULL]	S	B1W648	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	16887-00-6	Chloride	1100	ug/L	DU	[NULL]	[NULL]	S	B1W648	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W648	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W648	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W648	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W648	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W648	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W648	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	7439-95-4	Magnesium	3220	ug/L	DN	[NULL]	[NULL]	S	B1W648	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W648	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W648	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W648	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W648	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	6/28/2008 13:00	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W648	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	14265-44-2	Phosphate	1160	ug/L	BD	[NULL]	[NULL]	S	B1W648	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	7440-09-7	Potassium	975	ug/L	D	[NULL]	[NULL]	S	B1W648	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W648	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	7440-23-5	Sodium	11800	ug/L	D	[NULL]	[NULL]	S	B1W648	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	7440-24-6	Strontium	76.8	ug/L	D	[NULL]	[NULL]	S	B1W648	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	14808-79-8	Sulfate	6240	ug/L	BD	[NULL]	[NULL]	S	B1W648	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W648	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 13:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W648	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VW04	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VW04	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VW04	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	7440-39-3	Barium	21	ug/L	D	[NULL]	[NULL]	S	B1VW04	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW04	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	7440-70-2	Calcium	18500	ug/L	D	[NULL]	[NULL]	S	B1VW04	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	16887-00-6	Chloride	1100	ug/L	DU	[NULL]	[NULL]	S	B1VW04	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VW04	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VW04	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VW04	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VW04	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VW04	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VW04	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	7439-95-4	Magnesium	3070	ug/L	D	[NULL]	[NULL]	S	B1VW04	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VW04	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VW04	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VW04	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VW04	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	6/28/2008 17:44	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VW04	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	14265-44-2	Phosphate	1320	ug/L	BD	[NULL]	[NULL]	S	B1VW04	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	7440-09-7	Potassium	1090	ug/L	D	[NULL]	[NULL]	S	B1VW04	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VW04	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	7440-23-5	Sodium	13800	ug/L	D	[NULL]	[NULL]	S	B1VW04	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	7440-24-6	Strontium	73.4	ug/L	D	[NULL]	[NULL]	S	B1VW04	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	14808-79-8	Sulfate	6770	ug/L	BD	[NULL]	[NULL]	S	B1VW04	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VW04	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 17:44	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VW04	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/28/2008 18:51	Y	12587-46-1	Gross alpha	-1.5	pCi/L	U	[NULL]	[NULL]	S	B1VVY1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	6/28/2008 18:51	Y	12587-47-2	Gross beta	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVY1	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VW30	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VW30	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VW30	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW30	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW30	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	7440-70-2	Calcium	17400	ug/L	D	[NULL]	[NULL]	S	B1VW30	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	16887-00-6	Chloride	1100	ug/L	DU	[NULL]	[NULL]	S	B1VW30	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VW30	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VW30	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VW30	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	DO	Dissolved oxygen	2760	ug/L	[NULL]	[NULL]	[NULL]	S	B1VW17	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VW30	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	12587-46-1	Gross alpha	2.2	pCi/L	U	[NULL]	[NULL]	S	B1VW17	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	12587-47-2	Gross beta	1000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VW17	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VW30	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VW30	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	6/29/2008 6:43	Y	7439-95-4	Magnesium	3030	ug/L	D	[NULL]	[NULL]	S	B1VW30	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VW30	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VW30	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VW30	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VW30	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VW30	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	EH	Oxidation Reduction Potential	91	mV	[NULL]	[NULL]	[NULL]	S	B1VW17	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	14265-44-2	Phosphate	1340	ug/L	BD	[NULL]	[NULL]	S	B1VW30	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	7440-09-7	Potassium	1030	ug/L	D	[NULL]	[NULL]	S	B1VW30	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VW30	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	7440-23-5	Sodium	12000	ug/L	D	[NULL]	[NULL]	S	B1VW30	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	CONDUCT	Specific Conductance	199.2	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VW17	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	7440-24-6	Strontium	71.9	ug/L	D	[NULL]	[NULL]	S	B1VW30	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	14808-79-8	Sulfate	6400	ug/L	BD	[NULL]	[NULL]	S	B1VW30	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1VW17	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VW30	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VW30	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/29/2008 6:43	Y	PH	pH Measurement	7.43	unitless	[NULL]	[NULL]	[NULL]	S	B1VW17	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VW56	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VW56	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VW56	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	7440-39-3	Barium	20	ug/L	D	[NULL]	[NULL]	S	B1VW56	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW56	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	7440-70-2	Calcium	19400	ug/L	D	[NULL]	[NULL]	S	B1VW56	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	16887-00-6	Chloride	1100	ug/L	DU	[NULL]	[NULL]	S	B1VW56	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VW56	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VW56	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	6/30/2008 11:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VW56	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VW56	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	12587-46-1	Gross alpha	5.2	pCi/L	[NULL]	G	[NULL]	S	B1VW43	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	12587-47-2	Gross beta	920	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VW43	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VW56	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VW56	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	7439-95-4	Magnesium	3410	ug/L	D	[NULL]	[NULL]	S	B1VW56	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VW56	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VW56	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VW56	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VW56	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VW56	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	14265-44-2	Phosphate	1430	ug/L	BD	[NULL]	[NULL]	S	B1VW56	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	7440-09-7	Potassium	1170	ug/L	D	[NULL]	[NULL]	S	B1VW56	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VW56	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	7440-23-5	Sodium	14200	ug/L	D	[NULL]	[NULL]	S	B1VW56	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	7440-24-6	Strontium	76	ug/L	D	[NULL]	[NULL]	S	B1VW56	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	14808-79-8	Sulfate	6540	ug/L	BD	[NULL]	[NULL]	S	B1VW56	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VW56	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	6/30/2008 11:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VW56	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VW82	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VW82	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VW82	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	7440-39-3	Barium	20	ug/L	D	[NULL]	[NULL]	S	B1VW82	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW82	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	7440-70-2	Calcium	18300	ug/L	D	[NULL]	[NULL]	S	B1VW82	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	16887-00-6	Chloride	2450	ug/L	BD	[NULL]	[NULL]	S	B1VW82	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	7/1/2008 8:55	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VW82	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VW82	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VW82	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VW82	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	12587-46-1	Gross alpha	0.47	pCi/L	U	G	[NULL]	S	B1VW69	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	12587-47-2	Gross beta	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VW69	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	7439-89-6	Iron	125	ug/L	DNU	[NULL]	[NULL]	S	B1VW82	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VW82	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	7439-95-4	Magnesium	3120	ug/L	D	[NULL]	[NULL]	S	B1VW82	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VW82	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VW82	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VW82	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VW82	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VW82	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	14265-44-2	Phosphate	10100	ug/L	D	[NULL]	[NULL]	S	B1VW82	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	7440-09-7	Potassium	1210	ug/L	D	[NULL]	[NULL]	S	B1VW82	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	7440-22-4	Silver	37	ug/L	CDNX	[NULL]	[NULL]	S	B1VW82	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	7440-23-5	Sodium	13400	ug/L	D	[NULL]	[NULL]	S	B1VW82	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	7440-24-6	Strontium	71.1	ug/L	D	[NULL]	[NULL]	S	B1VW82	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	14808-79-8	Sulfate	6660	ug/L	BD	[NULL]	[NULL]	S	B1VW82	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VW82	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/1/2008 8:55	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VW82	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWC8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWC8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWC8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	7440-39-3	Barium	131	ug/L	D	[NULL]	[NULL]	S	B1VWC8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWC8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	7/2/2008 8:52	Y	7440-70-2	Calcium	16400	ug/L	D	[NULL]	[NULL]	S	B1VWC8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	16887-00-6	Chloride	1100	ug/L	DU	[NULL]	[NULL]	S	B1VWC8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWC8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWC8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWC8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	DO	Dissolved oxygen	6050	ug/L	[NULL]	[NULL]	[NULL]	S	B1VW95	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VWC8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	12587-46-1	Gross alpha	2.3	pCi/L	U	[NULL]	[NULL]	S	B1VW95	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	12587-47-2	Gross beta	1300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VW95	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	7439-89-6	Iron	4740	ug/L	D	[NULL]	[NULL]	S	B1VWC8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWC8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	7439-95-4	Magnesium	2810	ug/L	D	[NULL]	[NULL]	S	B1VWC8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VWC8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWC8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWC8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VWC8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VWC8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	EH	Oxidation Reduction Potential	74	mV	[NULL]	[NULL]	[NULL]	S	B1VW95	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	14265-44-2	Phosphate	1140	ug/L	BD	[NULL]	[NULL]	S	B1VWC8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	7440-09-7	Potassium	1060	ug/L	D	[NULL]	[NULL]	S	B1VWC8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWC8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	7440-23-5	Sodium	10500	ug/L	D	[NULL]	[NULL]	S	B1VWC8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	CONDUCT	Specific Conductance	140.2	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VW95	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	7440-24-6	Strontium	66.8	ug/L	D	[NULL]	[NULL]	S	B1VWC8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	14808-79-8	Sulfate	6040	ug/L	BD	[NULL]	[NULL]	S	B1VWC8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1VW95	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWC8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	7/2/2008 8:52	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWC8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/2/2008 8:52	Y	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	S	B1VW95	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWK4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWK4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWK4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWK4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWK4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	7440-70-2	Calcium	17200	ug/L	D	[NULL]	[NULL]	S	B1VWK4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	16887-00-6	Chloride	1100	ug/L	DU	[NULL]	[NULL]	S	B1VWK4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWK4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWK4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWK4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	DO	Dissolved oxygen	1770	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWH1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VWK4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	12587-46-1	Gross alpha	0.38	pCi/L	U	[NULL]	[NULL]	S	B1VWH1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	12587-47-2	Gross beta	1000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWH1	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	7439-89-6	Iron	125	ug/L	DNU	[NULL]	[NULL]	S	B1VWK4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWK4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	7439-95-4	Magnesium	2970	ug/L	D	[NULL]	[NULL]	S	B1VWK4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VWK4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWK4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWK4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VWK4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VWK4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	EH	Oxidation Reduction Potential	-50	mV	[NULL]	[NULL]	[NULL]	S	B1VWH1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	14265-44-2	Phosphate	1280	ug/L	BD	[NULL]	[NULL]	S	B1VWK4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	7440-09-7	Potassium	1290	ug/L	D	[NULL]	[NULL]	S	B1VWK4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	7/3/2008 7:55	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1VWK4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	7440-23-5	Sodium	13800	ug/L	D	[NULL]	[NULL]	S	B1VWK4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	CONDUCT	Specific Conductance	166	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWH1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	7440-24-6	Strontium	66.2	ug/L	D	[NULL]	[NULL]	S	B1VWK4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	14808-79-8	Sulfate	6480	ug/L	BD	[NULL]	[NULL]	S	B1VWK4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWH1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWK4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWK4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/3/2008 7:55	Y	PH	pH Measurement	7.37	unitless	[NULL]	[NULL]	[NULL]	S	B1VWH1	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWR0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	7440-36-0	Antimony	280	ug/L	DNU	[NULL]	[NULL]	S	B1VWR0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWR0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWR0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWR0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	7440-70-2	Calcium	17200	ug/L	DN	[NULL]	[NULL]	S	B1VWR0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	16887-00-6	Chloride	1100	ug/L	DU	[NULL]	[NULL]	S	B1VWR0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWR0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWR0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWR0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	DO	Dissolved oxygen	4860	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWM7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VWR0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	12587-46-1	Gross alpha	3	pCi/L	U	[NULL]	[NULL]	S	B1VWM7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	12587-47-2	Gross beta	1200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWM7	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VWR0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWR0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	7439-95-4	Magnesium	2870	ug/L	D	[NULL]	[NULL]	S	B1VWR0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VWR0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	7/4/2008 7:09	Y	7439-98-7	Molybdenum	25	ug/L	DNU	[NULL]	[NULL]	S	B1VWR0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWR0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VWR0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VWR0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	EH	Oxidation Reduction Potential	-15	mV	[NULL]	[NULL]	[NULL]	S	B1VWM7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	14265-44-2	Phosphate	1280	ug/L	BD	[NULL]	[NULL]	S	B1VWR0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	7440-09-7	Potassium	1140	ug/L	D	[NULL]	[NULL]	S	B1VWR0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	7440-22-4	Silver	69	ug/L	D	[NULL]	[NULL]	S	B1VWR0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	7440-23-5	Sodium	8640	ug/L	D	[NULL]	[NULL]	S	B1VWR0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	CONDUCT	Specific Conductance	228.8	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWM7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	7440-24-6	Strontium	65.7	ug/L	D	[NULL]	[NULL]	S	B1VWR0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	14808-79-8	Sulfate	7000	ug/L	BD	[NULL]	[NULL]	S	B1VWR0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWM7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWR0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWR0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/4/2008 7:09	Y	PH	pH Measurement	7.44	unitless	[NULL]	[NULL]	[NULL]	S	B1VWM7	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VX43	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VX43	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VX43	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	7440-39-3	Barium	21	ug/L	D	[NULL]	[NULL]	S	B1VX43	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VX43	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	7440-70-2	Calcium	17200	ug/L	DN	[NULL]	[NULL]	S	B1VX43	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	16887-00-6	Chloride	1130	ug/L	BD	[NULL]	[NULL]	S	B1VX43	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VX43	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VX43	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VX43	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	DO	Dissolved oxygen	4630	ug/L	[NULL]	[NULL]	[NULL]	S	B1VX20	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	7/6/2008 9:00	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VX43	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	12587-46-1	Gross alpha	0.38	pCi/L	U	[NULL]	[NULL]	S	B1VX20	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	12587-47-2	Gross beta	1200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VX20	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	7439-89-6	Iron	127	ug/L	D	[NULL]	[NULL]	S	B1VX43	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VX43	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	7439-95-4	Magnesium	12000	ug/L	D	[NULL]	[NULL]	S	B1VX43	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	7439-96-5	Manganese	4960	ug/L	D	[NULL]	[NULL]	S	B1VX43	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VX43	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VX43	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VX43	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VX43	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	EH	Oxidation Reduction Potential	-112	mV	[NULL]	[NULL]	[NULL]	S	B1VX20	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	14265-44-2	Phosphate	1460	ug/L	BD	[NULL]	[NULL]	S	B1VX43	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	7440-09-7	Potassium	5820	ug/L	D	[NULL]	[NULL]	S	B1VX43	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VX43	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	7440-23-5	Sodium	1060000	ug/L	D	[NULL]	[NULL]	S	B1VX43	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	CONDUCT	Specific Conductance	1508	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VX20	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	7440-24-6	Strontium	159	ug/L	D	[NULL]	[NULL]	S	B1VX43	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	14808-79-8	Sulfate	6160	ug/L	BD	[NULL]	[NULL]	S	B1VX43	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1VX20	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VX43	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VX43	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/6/2008 9:00	Y	PH	pH Measurement	7.17	unitless	[NULL]	[NULL]	[NULL]	S	B1VX20	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7D2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7D2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7D2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7D2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	7/8/2008 11:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7D2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	7440-70-2	Calcium	19000	ug/L	DN	[NULL]	[NULL]	S	B1W7D2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	16887-00-6	Chloride	1100	ug/L	DU	[NULL]	[NULL]	S	B1W7D2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7D2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7D2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7D2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	DO	Dissolved oxygen	4680	ug/L	[NULL]	[NULL]	[NULL]	S	B1W799	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7D2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	12587-46-1	Gross alpha	7.8	pCi/L	U	[NULL]	[NULL]	S	B1W799	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	12587-47-2	Gross beta	1200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W799	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W7D2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7D2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	7439-95-4	Magnesium	2970	ug/L	D	[NULL]	[NULL]	S	B1W7D2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W7D2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7D2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7D2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7D2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7D2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	EH	Oxidation Reduction Potential	-37	mV	[NULL]	[NULL]	[NULL]	S	B1W799	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	14265-44-2	Phosphate	981	ug/L	DU	[NULL]	[NULL]	S	B1W7D2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	7440-09-7	Potassium	884	ug/L	D	[NULL]	[NULL]	S	B1W7D2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7D2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	7440-23-5	Sodium	8340	ug/L	D	[NULL]	[NULL]	S	B1W7D2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	CONDUCT	Specific Conductance	1345	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W799	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	7440-24-6	Strontium	68.5	ug/L	D	[NULL]	[NULL]	S	B1W7D2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	14808-79-8	Sulfate	6110	ug/L	BD	[NULL]	[NULL]	S	B1W7D2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1W799	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	7/8/2008 11:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7D2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7D2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/8/2008 11:20	Y	PH	pH Measurement	7.55	unitless	[NULL]	[NULL]	[NULL]	S	B1W799	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7K8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7K8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7K8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7K8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7K8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	7440-70-2	Calcium	16400	ug/L	D	[NULL]	[NULL]	S	B1W7K8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	16887-00-6	Chloride	1100	ug/L	DU	[NULL]	[NULL]	S	B1W7K8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7K8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7K8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7K8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	DO	Dissolved oxygen	8370	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7H5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7K8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	12587-46-1	Gross alpha	1.6	pCi/L	U	[NULL]	[NULL]	S	B1W7H5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	12587-47-2	Gross beta	950	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7H5	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W7K8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7K8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	7439-95-4	Magnesium	2970	ug/L	D	[NULL]	[NULL]	S	B1W7K8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W7K8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7K8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7K8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7K8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7K8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	EH	Oxidation Reduction Potential	-94	mV	[NULL]	[NULL]	[NULL]	S	B1W7H5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	14265-44-2	Phosphate	981	ug/L	DU	[NULL]	[NULL]	S	B1W7K8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	7/10/2008 10:25	Y	7440-09-7	Potassium	1280	ug/L	D	[NULL]	[NULL]	S	B1W7K8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	7440-22-4	Silver	26	ug/L	CD	[NULL]	[NULL]	S	B1W7K8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	7440-23-5	Sodium	9220	ug/L	D	[NULL]	[NULL]	S	B1W7K8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	CONDUCT	Specific Conductance	1582	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7H5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	7440-24-6	Strontium	68.4	ug/L	D	[NULL]	[NULL]	S	B1W7K8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	14808-79-8	Sulfate	6000	ug/L	BD	[NULL]	[NULL]	S	B1W7K8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7H5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7K8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7K8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/10/2008 10:25	Y	PH	pH Measurement	7.96	unitless	[NULL]	[NULL]	[NULL]	S	B1W7H5	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7R4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7R4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7R4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7R4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7R4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	7440-70-2	Calcium	18900	ug/L	D	[NULL]	[NULL]	S	B1W7R4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	16887-00-6	Chloride	1160	ug/L	BD	[NULL]	[NULL]	S	B1W7R4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7R4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7R4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7R4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	DO	Dissolved oxygen	5020	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7N1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1W7R4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	12587-46-1	Gross alpha	1.9	pCi/L	U	[NULL]	[NULL]	S	B1W7N1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	12587-47-2	Gross beta	930	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7N1	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	7439-89-6	Iron	568	ug/L	D	[NULL]	[NULL]	S	B1W7R4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7R4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	7439-95-4	Magnesium	3130	ug/L	D	[NULL]	[NULL]	S	B1W7R4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	7/12/2008 9:15	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W7R4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7R4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7R4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1W7R4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1W7R4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	EH	Oxidation Reduction Potential	-69	mV	[NULL]	[NULL]	[NULL]	S	B1W7N1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	14265-44-2	Phosphate	1860	ug/L	DU	[NULL]	[NULL]	S	B1W7R4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	7440-09-7	Potassium	908	ug/L	D	[NULL]	[NULL]	S	B1W7R4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7R4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	7440-23-5	Sodium	10800	ug/L	DX	[NULL]	[NULL]	S	B1W7R4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	CONDUCT	Specific Conductance	153	uS/cm	[NULL]	Y	[NULL]	S	B1W7N1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	7440-24-6	Strontium	68.2	ug/L	D	[NULL]	[NULL]	S	B1W7R4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	14808-79-8	Sulfate	6120	ug/L	BD	[NULL]	[NULL]	S	B1W7R4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7N1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7R4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7R4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/12/2008 9:15	Y	PH	pH Measurement	7.67	unitless	[NULL]	[NULL]	[NULL]	S	B1W7N1	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W824	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W824	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W824	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	7440-39-3	Barium	21	ug/L	BD	[NULL]	[NULL]	S	B1W824	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	7440-43-9	Cadmium	20	ug/L	DNU	[NULL]	[NULL]	S	B1W824	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	7440-70-2	Calcium	22600	ug/L	DX	[NULL]	[NULL]	S	B1W824	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	16887-00-6	Chloride	2330	ug/L	BD	[NULL]	[NULL]	S	B1W824	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W824	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	7440-48-4	Cobalt	20	ug/L	DNU	[NULL]	[NULL]	S	B1W824	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W824	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	7/15/2008 11:30	Y	DO	Dissolved oxygen	4110	ug/L	[NULL]	[NULL]	[NULL]	S	B1W824	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1W824	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	12587-46-1	Gross alpha	0.8	pCi/L	[NULL]	G	[NULL]	S	B1W824	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	12587-47-2	Gross beta	1400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W824	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W824	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	7439-92-1	Lead	225	ug/L	DNU	[NULL]	[NULL]	S	B1W824	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	7439-95-4	Magnesium	3530	ug/L	D	[NULL]	[NULL]	S	B1W824	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	7439-96-5	Manganese	20	ug/L	DNU	[NULL]	[NULL]	S	B1W824	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W824	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	7440-02-0	Nickel	20	ug/L	DNU	[NULL]	[NULL]	S	B1W824	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	14797-55-8	Nitrate	660	ug/L	BD	[NULL]	[NULL]	S	B1W824	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1W824	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	EH	Oxidation Reduction Potential	-115	mV	[NULL]	[NULL]	[NULL]	S	B1W824	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	14265-44-2	Phosphate	4630	ug/L	BD	[NULL]	[NULL]	S	B1W824	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	7440-09-7	Potassium	1330	ug/L	BD	[NULL]	[NULL]	S	B1W824	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W824	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	7440-23-5	Sodium	20900	ug/L	DX	[NULL]	[NULL]	S	B1W824	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	CONDUCT	Specific Conductance	1861	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W824	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	7440-24-6	Strontium	93.4	ug/L	BD	[NULL]	[NULL]	S	B1W824	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	14808-79-8	Sulfate	7560	ug/L	BD	[NULL]	[NULL]	S	B1W824	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	TEMPERATURE	Temperature	20.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1W824	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W824	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	7440-66-6	Zinc	45	ug/L	DNU	[NULL]	[NULL]	S	B1W824	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/15/2008 11:30	Y	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	S	B1W824	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCW0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCW0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCW0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	7/22/2008 14:00	Y	7440-39-3	Barium	63	ug/L	BD	[NULL]	[NULL]	S	B1WCW0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	7440-43-9	Cadmium	31.2	ug/L	BD	Y	[NULL]	S	B1WCW0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	7440-70-2	Calcium	42000	ug/L	D	[NULL]	[NULL]	S	B1WCW0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	16887-00-6	Chloride	29000	ug/L	D	[NULL]	[NULL]	S	B1WCW0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCW0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	7440-48-4	Cobalt	27.9	ug/L	BD	[NULL]	[NULL]	S	B1WCW0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCW0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	DO	Dissolved oxygen	2580	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCW0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WCW0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	12587-46-1	Gross alpha	0.81	pCi/L	U	G	[NULL]	S	B1WCW0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	12587-47-2	Gross beta	3600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCW0	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	7439-89-6	Iron	170	ug/L	BD	[NULL]	[NULL]	S	B1WCW0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCW0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	7439-95-4	Magnesium	7310	ug/L	D	[NULL]	[NULL]	S	B1WCW0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	7439-96-5	Manganese	112	ug/L	D	[NULL]	[NULL]	S	B1WCW0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	7439-98-7	Molybdenum	57.6	ug/L	BD	[NULL]	[NULL]	S	B1WCW0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	7440-02-0	Nickel	29.1	ug/L	BD	[NULL]	[NULL]	S	B1WCW0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCW0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCW0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	EH	Oxidation Reduction Potential	-102	mV	[NULL]	[NULL]	[NULL]	S	B1WCW0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	14265-44-2	Phosphate	1860	ug/L	DU	[NULL]	[NULL]	S	B1WCW0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	7440-09-7	Potassium	2070	ug/L	BD	[NULL]	[NULL]	S	B1WCW0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCW0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	7440-23-5	Sodium	38000	ug/L	D	[NULL]	[NULL]	S	B1WCW0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	CONDUCT	Specific Conductance	5436	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCW0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	7440-24-6	Strontium	220	ug/L	D	[NULL]	[NULL]	S	B1WCW0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	14808-79-8	Sulfate	8350	ug/L	BD	[NULL]	[NULL]	S	B1WCW0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	7/22/2008 14:00	Y	TEMPERATURE	Temperature	24.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCW0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCW0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCW0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/22/2008 14:00	Y	PH	pH Measurement	7.2	unitless	[NULL]	[NULL]	[NULL]	S	B1WCW0	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	7429-90-5	Aluminum	300	ug/L	UD	[NULL]	[NULL]	S	B1WM22	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	7440-36-0	Antimony	300	ug/L	UD	[NULL]	[NULL]	S	B1WM22	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	7440-38-2	Arsenic	400	ug/L	UD	[NULL]	[NULL]	S	B1WM22	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	7440-39-3	Barium	115	ug/L	D	[NULL]	[NULL]	S	B1WM22	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	7440-43-9	Cadmium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM22	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	7440-70-2	Calcium	97500	ug/L	DN	[NULL]	[NULL]	S	B1WM22	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	16887-00-6	Chloride	85400	ug/L	D	[NULL]	[NULL]	S	B1WM22	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	7440-47-3	Chromium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM22	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	7440-48-4	Cobalt	20	ug/L	UD	[NULL]	[NULL]	S	B1WM22	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	7440-50-8	Copper	30	ug/L	UD	[NULL]	[NULL]	S	B1WM22	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	DO	Dissolved oxygen	1970	ug/L	[NULL]	[NULL]	[NULL]	S	B1WM22	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WM22	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	12587-46-1	Gross alpha	9.43	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WM22	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	12587-47-2	Gross beta	9620	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WM22	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	7439-89-6	Iron	175	ug/L	BD	[NULL]	[NULL]	S	B1WM22	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	7439-92-1	Lead	200	ug/L	UD	[NULL]	[NULL]	S	B1WM22	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	7439-95-4	Magnesium	16200	ug/L	D	[NULL]	[NULL]	S	B1WM22	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	7439-96-5	Manganese	2400	ug/L	D	[NULL]	[NULL]	S	B1WM22	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	7439-98-7	Molybdenum	34.7	ug/L	BD	[NULL]	[NULL]	S	B1WM22	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	7440-02-0	Nickel	30	ug/L	UD	[NULL]	[NULL]	S	B1WM22	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	14797-55-8	Nitrate	443	ug/L	UD	[NULL]	[NULL]	S	B1WM22	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WM22	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	EH	Oxidation Reduction Potential	-235	mV	[NULL]	[NULL]	[NULL]	S	B1WM22	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	7/29/2008 9:25	N	14265-44-2	Phosphate	1840	ug/L	UD	[NULL]	[NULL]	S	B1WM22	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	7440-09-7	Potassium	3080	ug/L	BD	[NULL]	[NULL]	S	B1WM22	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	7440-22-4	Silver	20	ug/L	UD	[NULL]	[NULL]	S	B1WM22	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	7440-23-5	Sodium	91100	ug/L	D	[NULL]	[NULL]	S	B1WM22	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	CONDUCT	Specific Conductance	1286	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WM22	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	7440-24-6	Strontium	446	ug/L	D	[NULL]	[NULL]	S	B1WM22	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	14808-79-8	Sulfate	6160	ug/L	BD	[NULL]	[NULL]	S	B1WM22	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	TEMPERATURE	Temperature	20.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1WM22	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	7440-62-2	Vanadium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM22	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	7440-66-6	Zinc	40	ug/L	UD	[NULL]	[NULL]	S	B1WM22	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	7/29/2008 9:25	N	PH	pH Measurement	8.04	unitless	[NULL]	[NULL]	[NULL]	S	B1WM22	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WNF9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WNF9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WNF9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNF9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNF9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	7440-70-2	Calcium	13800	ug/L	D	[NULL]	[NULL]	S	B1WNF9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	16887-00-6	Chloride	198000	ug/L	D	[NULL]	[NULL]	S	B1WNX4	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WNF9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WNF9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WNF9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	DO	Dissolved oxygen	7170	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNF9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	16984-48-8	Fluoride	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNX4	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	12587-46-1	Gross alpha	15	pCi/L	[NULL]	G	[NULL]	S	B1WNF9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	12587-47-2	Gross beta	13000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WNF9	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WNF9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WNF9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	8/6/2008 9:30	Y	7439-95-4	Magnesium	6090	ug/L	DN	[NULL]	[NULL]	S	B1WNF9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WNF9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WNF9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WNF9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	14797-55-8	Nitrate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNX4	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	14797-65-0	Nitrite	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNX4	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	EH	Oxidation Reduction Potential	-56	mV	[NULL]	[NULL]	[NULL]	S	B1WNF9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	14265-44-2	Phosphate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNX4	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	7440-09-7	Potassium	20400	ug/L	D	[NULL]	[NULL]	S	B1WNF9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WNF9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	7440-23-5	Sodium	2320000	ug/L	D	[NULL]	[NULL]	S	B1WNF9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	CONDUCT	Specific Conductance	2295	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNF9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	7440-24-6	Strontium	413	ug/L	DN	[NULL]	[NULL]	S	B1WNF9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	14808-79-8	Sulfate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNX4	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	TEMPERATURE	Temperature	22.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNF9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WNF9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WNF9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	8/6/2008 9:30	Y	PH	pH Measurement	7.71	unitless	[NULL]	[NULL]	[NULL]	S	B1WNF9	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WWK3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WWK3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WWK3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	7440-39-3	Barium	216	ug/L	D	[NULL]	[NULL]	S	B1WWK3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWK3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	7440-70-2	Calcium	108000	ug/L	D	[NULL]	[NULL]	S	B1WWK3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	16887-00-6	Chloride	93800	ug/L	D	[NULL]	[NULL]	S	B1WWD1	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WWK3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WWK3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	9/3/2008 9:55	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WWK3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	DO	Dissolved oxygen	4970	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWD1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWD1	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	12587-46-1	Gross alpha	7.5	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWK3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	12587-47-2	Gross beta	14000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWK3	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	7439-89-6	Iron	1740	ug/L	D	[NULL]	[NULL]	S	B1WWK3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WWK3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	7439-95-4	Magnesium	22000	ug/L	D	[NULL]	[NULL]	S	B1WWK3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	7439-96-5	Manganese	7030	ug/L	D	[NULL]	[NULL]	S	B1WWK3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WWK3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WWK3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWD1	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWD1	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	EH	Oxidation Reduction Potential	-139	mV	[NULL]	[NULL]	[NULL]	S	B1WWD1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	14265-44-2	Phosphate	326000	ug/L	D	[NULL]	[NULL]	S	B1WWD1	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	7440-09-7	Potassium	4120	ug/L	BD	[NULL]	[NULL]	S	B1WWK3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WWK3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	7440-23-5	Sodium	260000	ug/L	D	[NULL]	[NULL]	S	B1WWK3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	CONDUCT	Specific Conductance	1920	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWD1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	7440-24-6	Strontium	593	ug/L	D	[NULL]	[NULL]	S	B1WWK3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWD1	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	TEMPERATURE	Temperature	17.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWD1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WWK3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WWK3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/3/2008 9:55	Y	PH	pH Measurement	7.57	unitless	[NULL]	[NULL]	[NULL]	S	B1WWD1	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	7429-90-5	Aluminum	62.4	ug/L	B	[NULL]	[NULL]	S	B1WX80	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	7440-36-0	Antimony	60	ug/L	U	[NULL]	[NULL]	S	B1WX80	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	10/29/2008 14:01	N	7440-38-2	Arsenic	80	ug/L	U	[NULL]	[NULL]	S	B1WX80	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	7440-39-3	Barium	50.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX80	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	24959-67-9	Bromide	9360	ug/L	D	[NULL]	[NULL]	S	B1WX80	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1WX80	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	7440-70-2	Calcium	34400	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX80	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	16887-00-6	Chloride	29100	ug/L	D	[NULL]	[NULL]	S	B1WX80	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	S	B1WX80	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1WX80	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1WX80	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	DO	Dissolved oxygen	2490	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX80	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WX80	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	12587-46-1	Gross alpha	-1.71	pCi/L	U	[NULL]	[NULL]	S	B1WX80	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	12587-47-2	Gross beta	3440	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX80	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	7439-89-6	Iron	40.6	ug/L	B	[NULL]	[NULL]	S	B1WX80	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	7439-92-1	Lead	40	ug/L	U	[NULL]	[NULL]	S	B1WX80	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	7439-95-4	Magnesium	6880	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX80	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	7439-96-5	Manganese	1500	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX80	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	7439-98-7	Molybdenum	31.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX80	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1WX80	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	14797-55-8	Nitrate	443	ug/L	UD	[NULL]	[NULL]	S	B1WX80	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WX80	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	EH	Oxidation Reduction Potential	-39	mV	[NULL]	[NULL]	[NULL]	S	B1WX80	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	14265-44-2	Phosphate	10800	ug/L	BD	[NULL]	[NULL]	S	B1WX80	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	7440-09-7	Potassium	2070	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX80	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1WX80	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	7440-23-5	Sodium	149000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX80	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	CONDUCT	Specific Conductance	773.9	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX80	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	10/29/2008 14:01	N	7440-24-6	Strontium	220	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX80	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	14808-79-8	Sulfate	7870	ug/L	BD	[NULL]	[NULL]	S	B1WX80	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	TEMPERATURE	Temperature	13.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX80	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	7440-62-2	Vanadium	10	ug/L	U	[NULL]	[NULL]	S	B1WX80	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1WX80	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	10/29/2008 14:01	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	S	B1WX80	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	7429-90-5	Aluminum	56.5	ug/L	B	[NULL]	[NULL]	C	B1XXV8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1XXV8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1XXV8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	7440-39-3	Barium	12.8	ug/L	B	[NULL]	[NULL]	C	B1XXV8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1XXV8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	7440-70-2	Calcium	11800	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	16887-00-6	Chloride	6030	ug/L	D	[NULL]	[NULL]	C	B1XXV8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1XXV8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1XXV8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	C	B1XXV8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	DO	Dissolved oxygen	4700	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	C	B1XXV8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	12587-46-1	Gross alpha	0.73	pCi/L	U	[NULL]	[NULL]	C	B1XXV8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	12587-47-2	Gross beta	920	pCi/L	[NULL]	[NULL]	[NULL]	C	B1XXV8	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	C	B1XXV8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	C	B1XXV8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	7439-95-4	Magnesium	2890	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	7439-96-5	Manganese	12.4	ug/L	B	[NULL]	[NULL]	C	B1XXV8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	7439-98-7	Molybdenum	6.8	ug/L	B	[NULL]	[NULL]	C	B1XXV8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1XXV8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	C	B1XXV8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	12/3/2008 10:22	N	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	C	B1XXV8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	EH	Oxidation Reduction Potential	102	mV	[NULL]	[NULL]	[NULL]	C	B1XXV8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	14265-44-2	Phosphate	22400	ug/L	D	[NULL]	[NULL]	C	B1XXV8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	7440-09-7	Potassium	1500	ug/L	C	[NULL]	[NULL]	C	B1XXV8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1XXV8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	7440-23-5	Sodium	68200	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	CONDUCT	Specific Conductance	266.4	uS/cm	[NULL]	[NULL]	[NULL]	C	B1XXV8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	7440-24-6	Strontium	80.6	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXV8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	14808-79-8	Sulfate	11500	ug/L	D	[NULL]	[NULL]	C	B1XXV8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	TEMPERATURE	Temperature	9	Deg C	[NULL]	[NULL]	[NULL]	C	B1XXV8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1XXV8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1XXV8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/3/2008 10:22	N	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	C	B1XXV8	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-4A	2/11/2009 11:15	N	DO	Dissolved oxygen	5860	ug/L	[NULL]	[NULL]	[NULL]	R	B1YDW2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	2/11/2009 11:15	N	12587-47-2	Gross beta	650	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YDW3	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	2/11/2009 11:15	N	EH	Oxidation Reduction Potential	241	mV	[NULL]	[NULL]	[NULL]	R	B1YDW2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	2/11/2009 11:15	N	CONDUCT	Specific Conductance	383	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YDW2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	2/11/2009 11:15	N	TEMPERATURE	Temperature	3.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1YDW2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	2/11/2009 11:15	N	TURBIDITY	Turbidity	3.04	NTU	[NULL]	[NULL]	[NULL]	R	B1YDW2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-4A	2/11/2009 11:15	N	PH	pH Measurement	8.21	unitless	[NULL]	[NULL]	[NULL]	R	B1YDW2	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	ALKALINITY	Alkalinity	210000	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPM9	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-4A	4/2/2009 8:58	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YPM8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YPM9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	14234-35-6	Antimony-125	-2.2	pCi/L	U	[NULL]	[NULL]	R	B1YPM9	14234-35-6	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	4/2/2009 8:58	Y	7440-39-3	Barium	6.7	ug/L	B	[NULL]	[NULL]	R	B1YPM8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	7440-39-3	Barium	6.7	ug/L	B	[NULL]	[NULL]	R	B1YPM9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YPM8	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	4/2/2009 8:58	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YPM9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	13966-02-4	Beryllium-7	-17	pCi/L	U	[NULL]	[NULL]	R	B1YPM9	13966-02-4	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	4/2/2009 8:58	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YPM8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YPM9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	7440-70-2	Calcium	8760	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPM9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	Y	7440-70-2	Calcium	9210	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPM8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	13967-70-9	Cesium-134	3.2	pCi/L	U	[NULL]	[NULL]	R	B1YPM9	13967-70-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	10045-97-3	Cesium-137	-9.4	pCi/L	U	[NULL]	[NULL]	R	B1YPM9	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	16887-00-6	Chloride	7590	ug/L	D	[NULL]	[NULL]	R	B1YPM9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YPM9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YPM8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YPM8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YPM9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	10198-40-0	Cobalt-60	6	pCi/L	U	[NULL]	[NULL]	R	B1YPM9	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	4/2/2009 8:58	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YPM8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YPM9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	DO	Dissolved oxygen	2420	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPN0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	14683-23-9	Europium-152	-2.3	pCi/L	U	[NULL]	[NULL]	R	B1YPM9	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	15585-10-1	Europium-154	6.1	pCi/L	U	[NULL]	[NULL]	R	B1YPM9	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	14391-16-3	Europium-155	2.3	pCi/L	U	[NULL]	[NULL]	R	B1YPM9	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	16984-48-8	Fluoride	51	ug/L	BD	[NULL]	[NULL]	R	B1YPM9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	12587-46-1	Gross alpha	0.67	pCi/L	U	[NULL]	[NULL]	R	B1YPM9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	12587-47-2	Gross beta	850	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPM9	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	4/2/2009 8:58	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B1YPM8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B1YPM9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	Y	7439-95-4	Magnesium	2400	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPM8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	7439-95-4	Magnesium	2280	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPM9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	4/2/2009 8:58	N	7439-96-5	Manganese	7.3	ug/L	B	[NULL]	[NULL]	R	B1YPM9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	Y	7439-96-5	Manganese	10	ug/L	B	[NULL]	[NULL]	R	B1YPM8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YPM8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YPM9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	14797-55-8	Nitrate	236	ug/L	BD	[NULL]	[NULL]	R	B1YPM9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	14797-65-0	Nitrite	85.4	ug/L	UD	[NULL]	[NULL]	R	B1YPM9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	EH	Oxidation Reduction Potential	215	mV	[NULL]	[NULL]	[NULL]	R	B1YPN0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	14265-44-2	Phosphate	113000	ug/L	D	[NULL]	[NULL]	R	B1YPM9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	4/2/2009 8:58	Y	7440-09-7	Potassium	1040	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPM8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	7440-09-7	Potassium	1020	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPM9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	13966-00-2	Potassium-40	2.7	pCi/L	U	[NULL]	[NULL]	R	B1YPM9	13966-00-2	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	13967-48-1	Ruthenium-106	33	pCi/L	U	[NULL]	[NULL]	R	B1YPM9	13967-48-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YPM9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YPM8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	Y	7440-23-5	Sodium	117000	ug/L	[NULL]	Q	[NULL]	R	B1YPM8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	7440-23-5	Sodium	120000	ug/L	[NULL]	Q	[NULL]	R	B1YPM9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	CONDUCT	Specific Conductance	535	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YPN0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	4/2/2009 8:58	Y	7440-24-6	Strontium	36.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPM8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	7440-24-6	Strontium	34.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPM9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	10098-97-2	Strontium-90	470	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPM9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	14808-79-8	Sulfate	13600	ug/L	D	[NULL]	[NULL]	R	B1YPM9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	TEMPERATURE	Temperature	5.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1YPN0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	TURBIDITY	Turbidity	2.44	NTU	[NULL]	[NULL]	[NULL]	R	B1YPN0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-4A	4/2/2009 8:58	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YPM8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YPM9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YPM8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	4/2/2009 8:58	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YPM9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	4/2/2009 8:58	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B1YPN0	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	4/30/2009 9:54	N	DO	Dissolved oxygen	9730	ug/L	[NULL]	[NULL]	[NULL]	R	B20222	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	4/30/2009 9:54	N	12587-47-2	Gross beta	1200	pCi/L	[NULL]	[NULL]	[NULL]	R	B20223	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	4/30/2009 9:54	N	EH	Oxidation Reduction Potential	259	mV	[NULL]	[NULL]	[NULL]	R	B20222	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	4/30/2009 9:54	N	CONDUCT	Specific Conductance	208	uS/cm	[NULL]	[NULL]	[NULL]	R	B20222	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	4/30/2009 9:54	N	TEMPERATURE	Temperature	9.9	Deg C	[NULL]	[NULL]	[NULL]	R	B20222	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	4/30/2009 9:54	N	TURBIDITY	Turbidity	1.79	NTU	[NULL]	[NULL]	[NULL]	R	B20222	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-4A	4/30/2009 9:54	N	PH	pH Measurement	7.67	unitless	[NULL]	[NULL]	[NULL]	R	B20222	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	8/20/2009 17:38	N	12587-47-2	Gross beta	320	pCi/L	[NULL]	[NULL]	[NULL]	R	B21B60	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	ALKALINITY	Alkalinity	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B21HL3	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-4A	9/22/2009 18:16	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21HL2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21HL3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	14234-35-6	Antimony-125	-13	pCi/L	U	[NULL]	[NULL]	R	B21HL3	14234-35-6	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	7440-39-3	Barium	8.9	ug/L	B	[NULL]	[NULL]	R	B21HL3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	Y	7440-39-3	Barium	7.8	ug/L	B	[NULL]	[NULL]	R	B21HL2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21HL3	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21HL2	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	13966-02-4	Beryllium-7	-23	pCi/L	U	[NULL]	[NULL]	R	B21HL3	13966-02-4	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21HL3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21HL2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	Y	7440-70-2	Calcium	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B21HL2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	7440-70-2	Calcium	11700	ug/L	[NULL]	[NULL]	[NULL]	R	B21HL3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	13967-70-9	Cesium-134	4.3	pCi/L	U	[NULL]	[NULL]	R	B21HL3	13967-70-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	10045-97-3	Cesium-137	2.7	pCi/L	U	[NULL]	[NULL]	R	B21HL3	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	16887-00-6	Chloride	1680	ug/L	D	[NULL]	[NULL]	R	B21HL3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B21HL3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B21HL2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	9/22/2009 18:16	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21HL3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	Y	7440-48-4	Cobalt	4.9	ug/L	B	[NULL]	[NULL]	R	B21HL2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	10198-40-0	Cobalt-60	2.2	pCi/L	U	[NULL]	[NULL]	R	B21HL3	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	9/22/2009 18:16	Y	7440-50-8	Copper	5.8	ug/L	B	[NULL]	[NULL]	R	B21HL2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	7440-50-8	Copper	4	ug/L	B	[NULL]	[NULL]	R	B21HL3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	DO	Dissolved oxygen	5280	ug/L	[NULL]	[NULL]	[NULL]	R	B21HL4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	14683-23-9	Europium-152	0.6	pCi/L	U	[NULL]	[NULL]	R	B21HL3	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	15585-10-1	Europium-154	-9.7	pCi/L	U	[NULL]	[NULL]	R	B21HL3	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	14391-16-3	Europium-155	-4	pCi/L	U	[NULL]	[NULL]	R	B21HL3	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B21HL3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	12587-46-1	Gross alpha	-0.96	pCi/L	U	[NULL]	[NULL]	R	B21HL3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	12587-47-2	Gross beta	750	pCi/L	[NULL]	[NULL]	[NULL]	R	B21HL3	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	9/22/2009 18:16	Y	7439-89-6	Iron	48.1	ug/L	B	[NULL]	[NULL]	R	B21HL2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	7439-89-6	Iron	111	ug/L	[NULL]	[NULL]	[NULL]	R	B21HL3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	7439-95-4	Magnesium	2740	ug/L	[NULL]	[NULL]	[NULL]	R	B21HL3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	Y	7439-95-4	Magnesium	2820	ug/L	[NULL]	[NULL]	[NULL]	R	B21HL2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	Y	7439-96-5	Manganese	10.7	ug/L	B	[NULL]	[NULL]	R	B21HL2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	7439-96-5	Manganese	18.7	ug/L	B	[NULL]	[NULL]	R	B21HL3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21HL3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21HL2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	14797-55-8	Nitrate	2360	ug/L	D	[NULL]	[NULL]	R	B21HL3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B21HL3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	EH	Oxidation Reduction Potential	145	mV	[NULL]	[NULL]	[NULL]	R	B21HL4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	14265-44-2	Phosphate	28200	ug/L	D	[NULL]	[NULL]	R	B21HL3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/22/2009 18:16	Y	7440-09-7	Potassium	1070	ug/L	[NULL]	[NULL]	[NULL]	R	B21HL2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	7440-09-7	Potassium	1040	ug/L	[NULL]	[NULL]	[NULL]	R	B21HL3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	13966-00-2	Potassium-40	24	pCi/L	U	[NULL]	[NULL]	R	B21HL3	13966-00-2	WSCF	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	9/22/2009 18:16	N	13967-48-1	Ruthenium-106	-15	pCi/L	U	[NULL]	[NULL]	R	B21HL3	13967-48-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-4A	9/22/2009 18:16	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21HL2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21HL3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	Y	7440-23-5	Sodium	53600	ug/L	[NULL]	[NULL]	[NULL]	R	B21HL2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	7440-23-5	Sodium	51900	ug/L	[NULL]	[NULL]	[NULL]	R	B21HL3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	CONDUCT	Specific Conductance	224	uS/cm	[NULL]	[NULL]	[NULL]	R	B21HL4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	7440-24-6	Strontium	47.3	ug/L	[NULL]	[NULL]	[NULL]	R	B21HL3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	Y	7440-24-6	Strontium	48.8	ug/L	[NULL]	[NULL]	[NULL]	R	B21HL2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	10098-97-2	Strontium-90	340	pCi/L	[NULL]	[NULL]	[NULL]	R	B21HL3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	14808-79-8	Sulfate	11800	ug/L	D	[NULL]	[NULL]	R	B21HL3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	R	B21HL4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	TURBIDITY	Turbidity	8.23	NTU	[NULL]	[NULL]	[NULL]	R	B21HL4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B21HL3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B21HL2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B21HL3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B21HL2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	9/22/2009 18:16	N	PH	pH Measurement	7.94	unitless	[NULL]	[NULL]	[NULL]	R	B21HL4	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	ALKALINITY	Alkalinity	110000	ug/L	[NULL]	[NULL]	[NULL]	R	B234P6	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	ALKALINITY	Alkalinity	110000	ug/L	[NULL]	[NULL]	[NULL]	R	B236L7	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B235Y1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B236L7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B236L6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B234P6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	14234-35-6	Antimony-125	-0.739	pCi/L	U	[NULL]	[NULL]	R	B235V7	14234-35-6	TARL	GAMMALL_GS	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	14234-35-6	Antimony-125	0.913	pCi/L	U	[NULL]	[NULL]	R	B234P5	14234-35-6	TARL	GAMMALL_GS	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-39-3	Barium	7.2	ug/L	B	[NULL]	[NULL]	R	B236L7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-39-3	Barium	6.4	ug/L	B	[NULL]	[NULL]	R	B236L6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	12/20/2009 9:38	Y	7440-39-3	Barium	6.5	ug/L	B	[NULL]	[NULL]	R	B235Y1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-39-3	Barium	6.6	ug/L	B	[NULL]	[NULL]	R	B234P6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B236L7	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B236L6	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B235Y1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B234P6	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	13966-02-4	Beryllium-7	-1.2	pCi/L	U	[NULL]	[NULL]	R	B235V7	13966-02-4	TARL	GAMMALL_GS	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	13966-02-4	Beryllium-7	-0.342	pCi/L	U	[NULL]	[NULL]	R	B234P5	13966-02-4	TARL	GAMMALL_GS	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B236L6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B236L7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B235Y1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B234P6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-70-2	Calcium	11800	ug/L	[NULL]	[NULL]	[NULL]	R	B235Y1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-70-2	Calcium	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B236L6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-70-2	Calcium	11900	ug/L	[NULL]	[NULL]	[NULL]	R	B234P6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-70-2	Calcium	11300	ug/L	[NULL]	[NULL]	[NULL]	R	B236L7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	13967-70-9	Cesium-134	0.132	pCi/L	U	[NULL]	[NULL]	R	B234P5	13967-70-9	TARL	GAMMALL_GS	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	13967-70-9	Cesium-134	0.239	pCi/L	U	[NULL]	[NULL]	R	B235V7	13967-70-9	TARL	GAMMALL_GS	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	10045-97-3	Cesium-137	0.535	pCi/L	U	[NULL]	[NULL]	R	B234P5	10045-97-3	TARL	GAMMALL_GS	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	10045-97-3	Cesium-137	-0.0797	pCi/L	U	[NULL]	[NULL]	R	B235V7	10045-97-3	TARL	GAMMALL_GS	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	16887-00-6	Chloride	1910	ug/L	D	[NULL]	[NULL]	R	B235X9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	16887-00-6	Chloride	1840	ug/L	D	[NULL]	[NULL]	R	B235Y5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B236L6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B236L7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B234P6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B235Y1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B236L7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	12/20/2009 9:38	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B234P6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B236L6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B235Y1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	10198-40-0	Cobalt-60	-0.256	pCi/L	U	[NULL]	[NULL]	R	B234P5	10198-40-0	TARL	GAMMALL_GS	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	10198-40-0	Cobalt-60	0.264	pCi/L	U	[NULL]	[NULL]	R	B235V7	10198-40-0	TARL	GAMMALL_GS	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-50-8	Copper	4.3	ug/L	B	[NULL]	[NULL]	R	B234P6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-50-8	Copper	5.5	ug/L	B	[NULL]	[NULL]	R	B235Y1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B236L6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-50-8	Copper	5.9	ug/L	B	[NULL]	[NULL]	R	B236L7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	DO	Dissolved oxygen	5220	ug/L	[NULL]	[NULL]	[NULL]	R	B236L8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	14683-23-9	Europium-152	-1.08	pCi/L	U	[NULL]	[NULL]	R	B235V7	14683-23-9	TARL	GAMMALL_GS	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	14683-23-9	Europium-152	1.08	pCi/L	U	[NULL]	[NULL]	R	B234P5	14683-23-9	TARL	GAMMALL_GS	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	15585-10-1	Europium-154	0.888	pCi/L	U	[NULL]	[NULL]	R	B235V7	15585-10-1	TARL	GAMMALL_GS	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	15585-10-1	Europium-154	1.95	pCi/L	U	[NULL]	[NULL]	R	B234P5	15585-10-1	TARL	GAMMALL_GS	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	14391-16-3	Europium-155	0.718	pCi/L	U	[NULL]	[NULL]	R	B235V7	14391-16-3	TARL	GAMMALL_GS	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	14391-16-3	Europium-155	5.36	pCi/L	U	[NULL]	[NULL]	R	B234P5	14391-16-3	TARL	GAMMALL_GS	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	16984-48-8	Fluoride	104	ug/L	BD	[NULL]	[NULL]	R	B235X9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	16984-48-8	Fluoride	104	ug/L	BD	[NULL]	[NULL]	R	B235Y5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	12587-47-2	Gross beta	470	pCi/L	[NULL]	[NULL]	[NULL]	R	B236L7	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	12587-47-2	Gross beta	490	pCi/L	[NULL]	[NULL]	[NULL]	R	B234P6	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B235Y1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7439-89-6	Iron	47.2	ug/L	B	[NULL]	[NULL]	R	B236L7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7439-89-6	Iron	30.1	ug/L	B	[NULL]	[NULL]	R	B234P6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B236L6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7439-95-4	Magnesium	2840	ug/L	[NULL]	[NULL]	[NULL]	R	B236L7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7439-95-4	Magnesium	2880	ug/L	[NULL]	[NULL]	[NULL]	R	B236L6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7439-95-4	Magnesium	2750	ug/L	[NULL]	[NULL]	[NULL]	R	B234P6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	12/20/2009 9:38	Y	7439-95-4	Magnesium	2910	ug/L	[NULL]	[NULL]	[NULL]	R	B235Y1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B234P6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7439-96-5	Manganese	6.6	ug/L	B	[NULL]	[NULL]	R	B236L7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B235Y1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B236L6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B235Y1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B236L6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B234P6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B236L7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	14797-55-8	Nitrate	1110	ug/L	D	[NULL]	[NULL]	R	B235Y5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	14797-55-8	Nitrate	1120	ug/L	D	[NULL]	[NULL]	R	B235X9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	14797-65-0	Nitrite	723	ug/L	D	[NULL]	[NULL]	R	B235Y5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	14797-65-0	Nitrite	746	ug/L	D	[NULL]	[NULL]	R	B235X9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	EH	Oxidation Reduction Potential	193	mV	[NULL]	[NULL]	[NULL]	R	B236L8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-09-7	Potassium	818	ug/L	[NULL]	[NULL]	[NULL]	R	B234P6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-09-7	Potassium	821	ug/L	[NULL]	[NULL]	[NULL]	R	B236L6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-09-7	Potassium	859	ug/L	[NULL]	[NULL]	[NULL]	R	B236L7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-09-7	Potassium	857	ug/L	[NULL]	[NULL]	[NULL]	R	B235Y1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	13966-00-2	Potassium-40	-12.8	pCi/L	U	[NULL]	[NULL]	R	B235V7	13966-00-2	TARL	GAMMALL_GS	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	13966-00-2	Potassium-40	-60.7	pCi/L	U	[NULL]	[NULL]	R	B234P5	13966-00-2	TARL	GAMMALL_GS	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	13967-48-1	Ruthenium-106	-0.948	pCi/L	U	[NULL]	[NULL]	R	B235V7	13967-48-1	TARL	GAMMALL_GS	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	13967-48-1	Ruthenium-106	-3.71	pCi/L	U	[NULL]	[NULL]	R	B234P5	13967-48-1	TARL	GAMMALL_GS	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B236L7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B234P6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B236L6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B235Y1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-23-5	Sodium	46400	ug/L	[NULL]	[NULL]	[NULL]	R	B236L6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	12/20/2009 9:38	Y	7440-23-5	Sodium	48700	ug/L	[NULL]	[NULL]	[NULL]	R	B235Y1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-23-5	Sodium	47200	ug/L	[NULL]	[NULL]	[NULL]	R	B234P6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-23-5	Sodium	49300	ug/L	[NULL]	[NULL]	[NULL]	R	B236L7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	CONDUCT	Specific Conductance	319	uS/cm	[NULL]	[NULL]	[NULL]	R	B236L8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-24-6	Strontium	47.1	ug/L	[NULL]	[NULL]	[NULL]	R	B234P6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-24-6	Strontium	48.6	ug/L	[NULL]	[NULL]	[NULL]	R	B236L7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-24-6	Strontium	49.6	ug/L	[NULL]	[NULL]	[NULL]	R	B235Y1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-24-6	Strontium	49.5	ug/L	[NULL]	[NULL]	[NULL]	R	B236L6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	10098-97-2	Strontium-90	220	pCi/L	[NULL]	[NULL]	[NULL]	R	B234P6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	10098-97-2	Strontium-90	200	pCi/L	[NULL]	[NULL]	[NULL]	R	B236L7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	14808-79-8	Sulfate	11300	ug/L	D	[NULL]	[NULL]	R	B235Y5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	14808-79-8	Sulfate	11600	ug/L	D	[NULL]	[NULL]	R	B235X9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	TEMPERATURE	Temperature	7	Deg C	[NULL]	[NULL]	[NULL]	R	B236L8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	TURBIDITY	Turbidity	1.84	NTU	[NULL]	[NULL]	[NULL]	R	B236L8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-62-2	Vanadium	24	ug/L	B	[NULL]	[NULL]	R	B236L6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-62-2	Vanadium	19.1	ug/L	B	[NULL]	[NULL]	R	B234P6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-62-2	Vanadium	20.9	ug/L	B	[NULL]	[NULL]	R	B236L7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-62-2	Vanadium	24.7	ug/L	B	[NULL]	[NULL]	R	B235Y1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B236L6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B235Y1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B234P6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B236L7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	12/20/2009 9:38	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B236L8	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-4A	2/1/2010 9:24	N	12587-47-2	Gross beta	380	pCi/L	[NULL]	[NULL]	[NULL]	R	B23KJ1	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	2/25/2010 9:42	N	12587-47-2	Gross beta	500	pCi/L	[NULL]	[NULL]	[NULL]	R	B23P10	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	3/8/2010 11:59	N	ALKALINITY	Alkalinity	170000	ug/L	[NULL]	[NULL]	[NULL]	R	B249V8	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-4A	3/8/2010 11:59	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B249V8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	3/8/2010 11:59	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B249V7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	Y	7440-39-3	Barium	4	ug/L	U	[NULL]	[NULL]	R	B249V7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	N	7440-39-3	Barium	7.1	ug/L	B	[NULL]	[NULL]	R	B249V8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B249V7	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B249V8	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B249V7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B249V8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	Y	7440-70-2	Calcium	7340	ug/L	[NULL]	[NULL]	[NULL]	R	B249V7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	N	7440-70-2	Calcium	7820	ug/L	[NULL]	[NULL]	[NULL]	R	B249V8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B249V8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B249V7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B249V8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B249V7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B249V8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B249V7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	N	12587-47-2	Gross beta	620	pCi/L	[NULL]	[NULL]	[NULL]	R	B249V8	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-4A	3/8/2010 11:59	N	7439-89-6	Iron	178	ug/L	[NULL]	[NULL]	[NULL]	R	B249V8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	Y	7439-89-6	Iron	26.8	ug/L	B	[NULL]	[NULL]	R	B249V7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	Y	7439-95-4	Magnesium	1770	ug/L	[NULL]	[NULL]	[NULL]	R	B249V7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	N	7439-95-4	Magnesium	1970	ug/L	[NULL]	[NULL]	[NULL]	R	B249V8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	N	7439-96-5	Manganese	29.1	ug/L	[NULL]	[NULL]	[NULL]	R	B249V8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B249V7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B249V7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B249V8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	Y	7440-09-7	Potassium	925	ug/L	N	[NULL]	[NULL]	R	B249V7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	N	7440-09-7	Potassium	982	ug/L	N	[NULL]	[NULL]	R	B249V8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B249V7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-4A	3/8/2010 11:59	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B249V8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	Y	7440-23-5	Sodium	100000	ug/L	[NULL]	[NULL]	[NULL]	R	B249V7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	N	7440-23-5	Sodium	90900	ug/L	[NULL]	[NULL]	[NULL]	R	B249V8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	Y	7440-24-6	Strontium	31.8	ug/L	N	[NULL]	[NULL]	R	B249V7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	N	7440-24-6	Strontium	36.4	ug/L	N	[NULL]	[NULL]	R	B249V8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	N	10098-97-2	Strontium-90	280	pCi/L	[NULL]	[NULL]	[NULL]	R	B249V8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-4A	3/8/2010 11:59	Y	7440-62-2	Vanadium	20.5	ug/L	B	[NULL]	[NULL]	R	B249V7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	N	7440-62-2	Vanadium	16	ug/L	B	[NULL]	[NULL]	R	B249V8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B249V7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-4A	3/8/2010 11:59	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B249V8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/3/2005 0:00	N	12587-47-2	Gross beta	868	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DM69	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	8/3/2005 0:00	N	EH	Oxidation Reduction Potential	61	mV	[NULL]	[NULL]	[NULL]	S	B1DM69	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	8/3/2005 0:00	N	CONDUCT	Specific Conductance	171.6	uS/cm	[NULL]	[NULL]	[NULL]	S	B1DM69	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	8/3/2005 0:00	N	TEMPERATURE	Temperature	21.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1DM69	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	8/3/2005 0:00	N	TDS	Total dissolved solids	108700	ug/L	[NULL]	[NULL]	[NULL]	S	B1DM69	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-6A	8/3/2005 0:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	S	B1DM69	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	ALKALINITY	Alkalinity	66000	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYD7	ALKALINITY	ENW	2320_ALKALINITY	100-NR-2
N116mArray-6A	9/28/2005 0:00	Y	7429-90-5	Aluminum	8.47	ug/L	X	[NULL]	[NULL]	S	B1DYD5	7429-90-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	14234-35-6	Antimony-125	3.46	pCi/L	U	[NULL]	[NULL]	S	B1DYD4	14234-35-6	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	9/28/2005 0:00	Y	7440-38-2	Arsenic	0.827	ug/L	X	[NULL]	[NULL]	S	B1DYD5	7440-38-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-6A	9/28/2005 0:00	Y	7440-39-3	Barium	17.1	ug/L	X	[NULL]	[NULL]	S	B1DYD5	7440-39-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	13966-02-4	Beryllium-7	1.69	pCi/L	U	[NULL]	[NULL]	S	B1DYD4	13966-02-4	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	S	B1DYD6	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	9/28/2005 0:00	Y	7440-43-9	Cadmium	0.0255	ug/L	BX	[NULL]	[NULL]	S	B1DYD5	7440-43-9	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-6A	9/28/2005 0:00	Y	7440-70-2	Calcium	23214	ug/L	X	[NULL]	[NULL]	S	B1DYD5	7440-70-2	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	3812-32-6	Carbonate ion	61500	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYD6	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	13967-70-9	Cesium-134	0.372	pCi/L	U	[NULL]	[NULL]	S	B1DYD4	13967-70-9	STLRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	9/28/2005 0:00	N	10045-97-3	Cesium-137	-0.558	pCi/L	U	[NULL]	[NULL]	S	B1DYD4	10045-97-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	16887-00-6	Chloride	920	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYD6	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	9/28/2005 0:00	Y	7440-47-3	Chromium	0.95	ug/L	X	[NULL]	[NULL]	S	B1DYD5	7440-47-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	10198-40-0	Cobalt-60	0.131	pCi/L	U	[NULL]	[NULL]	S	B1DYD4	10198-40-0	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	9/28/2005 0:00	Y	7440-50-8	Copper	0.514	ug/L	X	[NULL]	[NULL]	S	B1DYD5	7440-50-8	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	DO	Dissolved oxygen	8900	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYD4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	14683-23-9	Europium-152	-4.39	pCi/L	U	[NULL]	[NULL]	S	B1DYD4	14683-23-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	15585-10-1	Europium-154	-3.03	pCi/L	U	[NULL]	[NULL]	S	B1DYD4	15585-10-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	14391-16-3	Europium-155	-0.0656	pCi/L	U	[NULL]	[NULL]	S	B1DYD4	14391-16-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	16984-48-8	Fluoride	70	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYD6	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	12587-47-2	Gross beta	789	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DYD4	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	9/28/2005 0:00	Y	7439-92-1	Lead	0.0625	ug/L	X	[NULL]	[NULL]	S	B1DYD5	7439-92-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-6A	9/28/2005 0:00	Y	7439-95-4	Magnesium	3756	ug/L	X	[NULL]	[NULL]	S	B1DYD5	7439-95-4	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-6A	9/28/2005 0:00	Y	7439-96-5	Manganese	1.66	ug/L	X	[NULL]	[NULL]	S	B1DYD5	7439-96-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-6A	9/28/2005 0:00	Y	7440-02-0	Nickel	0.698	ug/L	X	[NULL]	[NULL]	S	B1DYD5	7440-02-0	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	14797-55-8	Nitrate	2300	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYD6	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	EH	Oxidation Reduction Potential	168	mV	[NULL]	[NULL]	[NULL]	S	B1DYD4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	14265-44-2	Phosphate	90	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYD6	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	9/28/2005 0:00	Y	7440-09-7	Potassium	1317	ug/L	X	[NULL]	[NULL]	S	B1DYD5	7440-09-7	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	13966-00-2	Potassium-40	-15.2	pCi/L	U	[NULL]	[NULL]	S	B1DYD4	13966-00-2	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	13967-48-1	Ruthenium-106	6.12	pCi/L	U	[NULL]	[NULL]	S	B1DYD4	13967-48-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	9/28/2005 0:00	Y	7782-49-2	Selenium	0.158	ug/L	BX	[NULL]	[NULL]	S	B1DYD5	7782-49-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-6A	9/28/2005 0:00	Y	7440-23-5	Sodium	2395	ug/L	X	[NULL]	[NULL]	S	B1DYD5	7440-23-5	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	CONDUCT	Specific Conductance	150.8	uS/cm	[NULL]	[NULL]	[NULL]	S	B1DYD4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	9/28/2005 0:00	Y	7440-24-6	Strontium	88.3	ug/L	X	[NULL]	[NULL]	S	B1DYD5	7440-24-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	10098-97-2	Strontium-90	477	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DYD4	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	14808-79-8	Sulfate	10600	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYD6	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	9/28/2005 0:00	N	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1DYD4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	9/28/2005 0:00	Y	7440-29-1	Thorium	0.0186	ug/L	X	[NULL]	[NULL]	S	B1DYD5	7440-29-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	TDS	Total dissolved solids	96000	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYD4	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	10028-17-8	Tritium	29.3	pCi/L	U	[NULL]	[NULL]	S	B1DYD4	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
N116mArray-6A	9/28/2005 0:00	Y	7440-61-1	Uranium	0.239	ug/L	X	[NULL]	[NULL]	S	B1DYD5	7440-61-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-6A	9/28/2005 0:00	Y	7440-66-6	Zinc	1.87	ug/L	X	[NULL]	[NULL]	S	B1DYD5	7440-66-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-6A	9/28/2005 0:00	N	PH	pH Measurement	7.31	unitless	[NULL]	[NULL]	[NULL]	S	B1DYD4	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	12/27/2005 0:00	N	12587-47-2	Gross beta	730	pCi/L	[NULL]	[NULL]	[NULL]	S	B1H3R1	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	12/27/2005 0:00	N	EH	Oxidation Reduction Potential	95	mV	[NULL]	[NULL]	[NULL]	S	B1H3R1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	12/27/2005 0:00	N	CONDUCT	Specific Conductance	141	uS/cm	[NULL]	[NULL]	[NULL]	S	B1H3R1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	12/27/2005 0:00	N	TEMPERATURE	Temperature	6.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1H3R1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	12/27/2005 0:00	N	TDS	Total dissolved solids	94000	ug/L	[NULL]	[NULL]	[NULL]	S	B1H3R1	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-6A	12/27/2005 0:00	N	PH	pH Measurement	6.9	unitless	[NULL]	[NULL]	[NULL]	S	B1H3R1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	1/11/2006 10:30	N	DO	Dissolved oxygen	10400	ug/L	[NULL]	[NULL]	[NULL]	S	B1HB74	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	1/11/2006 10:30	N	12587-47-2	Gross beta	779	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HB74	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	1/11/2006 10:30	N	EH	Oxidation Reduction Potential	71	mV	[NULL]	[NULL]	[NULL]	S	B1HB74	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	1/11/2006 10:30	N	CONDUCT	Specific Conductance	146.6	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HB74	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	1/11/2006 10:30	N	TEMPERATURE	Temperature	6.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1HB74	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	1/11/2006 10:30	N	PH	pH Measurement	7.59	unitless	[NULL]	[NULL]	[NULL]	S	B1HB74	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	2/7/2006 13:50	N	DO	Dissolved oxygen	10300	ug/L	[NULL]	[NULL]	[NULL]	S	B1HL52	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	2/7/2006 13:50	N	12587-47-2	Gross beta	676	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HL52	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	2/7/2006 13:50	N	EH	Oxidation Reduction Potential	44	mV	[NULL]	[NULL]	[NULL]	S	B1HL52	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	2/7/2006 13:50	N	CONDUCT	Specific Conductance	149.7	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HL52	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	2/7/2006 13:50	N	TEMPERATURE	Temperature	6.18	Deg C	[NULL]	[NULL]	[NULL]	S	B1HL52	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	2/7/2006 13:50	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	S	B1HL52	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	3/8/2006 9:40	N	24959-67-9	Bromide	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HVB6	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/8/2006 9:40	Y	7440-70-2	Calcium	21155.4	ug/L	D	[NULL]	[NULL]	S	B1HVB5	7440-70-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	3/8/2006 9:40	N	3812-32-6	Carbonate ion	59900	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB6	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/8/2006 9:40	N	16887-00-6	Chloride	1110	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB6	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/8/2006 9:40	N	DO	Dissolved oxygen	9000	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV67	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	3/8/2006 9:40	N	16984-48-8	Fluoride	80	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB6	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/8/2006 9:40	N	12587-47-2	Gross beta	737	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HV67	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	3/8/2006 9:40	N	14797-55-8	Nitrate	1540	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB6	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/8/2006 9:40	N	EH	Oxidation Reduction Potential	187	mV	[NULL]	[NULL]	[NULL]	S	B1HV67	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	3/8/2006 9:40	N	14265-44-2	Phosphate	170	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB6	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/8/2006 9:40	Y	7440-23-5	Sodium	1735.99	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB5	7440-23-5	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	3/8/2006 9:40	N	127-09-3	Sodium acetate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HVB6	127-09-3	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/8/2006 9:40	N	68-04-2	Sodium citrate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HVB6	68-04-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/8/2006 9:40	N	141-53-7	Sodium formate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HVB6	141-53-7	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/8/2006 9:40	N	CONDUCT	Specific Conductance	149.7	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HV67	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	3/8/2006 9:40	N	14808-79-8	Sulfate	10200	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB6	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/8/2006 9:40	N	TEMPERATURE	Temperature	5.83	Deg C	[NULL]	[NULL]	[NULL]	S	B1HV67	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	3/8/2006 9:40	Y	7440-61-1	Uranium	0.33	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB5	7440-61-1	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	3/8/2006 9:40	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	S	B1HV67	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	4/13/2006 13:05	N	DO	Dissolved oxygen	6900	ug/L	[NULL]	[NULL]	[NULL]	S	B1J2C6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	4/13/2006 13:05	N	12587-47-2	Gross beta	857	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J2C6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	4/13/2006 13:05	N	EH	Oxidation Reduction Potential	-4	mV	[NULL]	[NULL]	[NULL]	S	B1J2C6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	4/13/2006 13:05	N	CONDUCT	Specific Conductance	176	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J2C6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	4/13/2006 13:05	N	TEMPERATURE	Temperature	9.41	Deg C	[NULL]	[NULL]	[NULL]	S	B1J2C6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	4/13/2006 13:05	N	PH	pH Measurement	7.58	unitless	[NULL]	[NULL]	[NULL]	S	B1J2C6	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	5/10/2006 12:45	N	ALKALINITY	Alkalinity	88000	ug/L	[NULL]	[NULL]	[NULL]	S	B1J728	ALKALINITY	RJ LEE	2320_ALKALINITY	100-NR-2
N116mArray-6A	5/10/2006 12:45	Y	7440-38-2	Arsenic	0.74	ug/L	B	[NULL]	[NULL]	S	B1J727	7440-38-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	5/10/2006 12:45	Y	7440-39-3	Barium	19.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1J727	7440-39-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	5/10/2006 12:45	N	24959-67-9	Bromide	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J726	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	5/10/2006 12:45	Y	7440-70-2	Calcium	29017.8	ug/L	D	[NULL]	[NULL]	S	B1J727	7440-70-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	5/10/2006 12:45	N	3812-32-6	Carbonate ion	72900	ug/L	[NULL]	[NULL]	[NULL]	S	B1J726	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	5/10/2006 12:45	N	16887-00-6	Chloride	1310	ug/L	[NULL]	[NULL]	[NULL]	S	B1J726	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	5/10/2006 12:45	Y	7440-47-3	Chromium	0.22	ug/L	B	[NULL]	[NULL]	S	B1J727	7440-47-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	5/10/2006 12:45	N	16984-48-8	Fluoride	70	ug/L	[NULL]	[NULL]	[NULL]	S	B1J726	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	5/10/2006 12:45	N	12587-47-2	Gross beta	848	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J724	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	5/10/2006 12:45	Y	7439-92-1	Lead	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J727	7439-92-1	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	5/10/2006 12:45	Y	7440-02-0	Nickel	0.82	ug/L	[NULL]	[NULL]	[NULL]	S	B1J727	7440-02-0	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	5/10/2006 12:45	N	14797-55-8	Nitrate	290	ug/L	[NULL]	[NULL]	[NULL]	S	B1J726	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	5/10/2006 12:45	N	EH	Oxidation Reduction Potential	70	mV	[NULL]	[NULL]	[NULL]	S	B1J724	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	5/10/2006 12:45	N	14265-44-2	Phosphate	160	ug/L	[NULL]	[NULL]	[NULL]	S	B1J726	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	5/10/2006 12:45	Y	7440-09-7	Potassium	1331.26	ug/L	[NULL]	[NULL]	[NULL]	S	B1J727	7440-09-7	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	5/10/2006 12:45	Y	7440-23-5	Sodium	2920.8	ug/L	[NULL]	[NULL]	[NULL]	S	B1J727	7440-23-5	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	5/10/2006 12:45	N	127-09-3	Sodium acetate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J726	127-09-3	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	5/10/2006 12:45	N	68-04-2	Sodium citrate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J726	68-04-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	5/10/2006 12:45	N	141-53-7	Sodium formate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J726	141-53-7	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	5/10/2006 12:45	N	CONDUCT	Specific Conductance	180.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J724	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	5/10/2006 12:45	N	14808-79-8	Sulfate	8080	ug/L	[NULL]	[NULL]	[NULL]	S	B1J726	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	5/10/2006 12:45	N	TEMPERATURE	Temperature	14.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1J724	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	5/10/2006 12:45	N	TDS	Total dissolved solids	119600	ug/L	[NULL]	[NULL]	[NULL]	S	B1J724	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-6A	5/10/2006 12:45	N	10028-17-8	Tritium	-98.1	pCi/L	U	[NULL]	[NULL]	S	B1J725	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
N116mArray-6A	5/10/2006 12:45	Y	7440-66-6	Zinc	14.87	ug/L	[NULL]	[NULL]	[NULL]	S	B1J727	7440-66-6	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	5/10/2006 12:45	N	PH	pH Measurement	7.65	unitless	[NULL]	[NULL]	[NULL]	S	B1J724	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	ALKALINITY	Alkalinity	80000	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDP3	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
N116mArray-6A	6/6/2006 11:20	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1JDP2	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	14234-35-6	Antimony-125	0.947	pCi/L	U	[NULL]	[NULL]	R	B1JDP1	14234-35-6	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	6/6/2006 11:20	Y	7440-39-3	Barium	20.5	ug/L	B	[NULL]	[NULL]	R	B1JDP2	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	6/6/2006 11:20	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1JDP2	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	13966-02-4	Beryllium-7	-8.06	pCi/L	U	[NULL]	[NULL]	R	B1JDP1	13966-02-4	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	6/6/2006 11:20	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1JDP2	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/6/2006 11:20	Y	7440-70-2	Calcium	26300	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDP2	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	13967-70-9	Cesium-134	-1.43	pCi/L	U	[NULL]	[NULL]	R	B1JDP1	13967-70-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	10045-97-3	Cesium-137	-0.292	pCi/L	U	[NULL]	[NULL]	R	B1JDP1	10045-97-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	16887-00-6	Chloride	910	ug/L	C	[NULL]	[NULL]	R	B1JDP3	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	6/6/2006 11:20	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1JDP2	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/6/2006 11:20	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1JDP2	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	10198-40-0	Cobalt-60	-0.135	pCi/L	U	[NULL]	[NULL]	R	B1JDP1	10198-40-0	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	6/6/2006 11:20	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1JDP2	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	DO	Dissolved oxygen	8400	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDP0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	14683-23-9	Europium-152	2.88	pCi/L	U	[NULL]	[NULL]	R	B1JDP1	14683-23-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	15585-10-1	Europium-154	1.7	pCi/L	U	[NULL]	[NULL]	R	B1JDP1	15585-10-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	14391-16-3	Europium-155	2.23	pCi/L	U	[NULL]	[NULL]	R	B1JDP1	14391-16-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	16984-48-8	Fluoride	100	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDP3	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	12587-46-1	Gross alpha	0.557	pCi/L	U	[NULL]	[NULL]	R	B1JDP1	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	12587-47-2	Gross beta	815	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDP1	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	6/6/2006 11:20	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1JDP2	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/6/2006 11:20	Y	7439-95-4	Magnesium	4260	ug/L	B	[NULL]	[NULL]	R	B1JDP2	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/6/2006 11:20	Y	7439-96-5	Manganese	30.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDP2	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/6/2006 11:20	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1JDP2	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	14797-55-8	Nitrate	336	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDP3	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1JDP3	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	EH	Oxidation Reduction Potential	46	mV	[NULL]	[NULL]	[NULL]	R	B1JDP0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	14265-44-2	Phosphate	310	ug/L	B	[NULL]	[NULL]	R	B1JDP3	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	6/6/2006 11:20	Y	7440-09-7	Potassium	1500	ug/L	U	[NULL]	[NULL]	R	B1JDP2	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	6/6/2006 11:20	N	13966-00-2	Potassium-40	-37	pCi/L	U	[NULL]	[NULL]	R	B1JDP1	13966-00-2	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	13967-48-1	Ruthenium-106	13.6	pCi/L	U	[NULL]	[NULL]	R	B1JDP1	13967-48-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	6/6/2006 11:20	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1JDP2	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/6/2006 11:20	Y	7440-23-5	Sodium	2570	ug/L	B	[NULL]	[NULL]	R	B1JDP2	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	CONDUCT	Specific Conductance	158.4	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JDP0	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-6A	6/6/2006 11:20	Y	7440-24-6	Strontium	107	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDP2	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	10098-97-2	Strontium-90	406	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDP1	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	14808-79-8	Sulfate	6300	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDP3	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B1JDP0	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	10028-17-8	Tritium	125	pCi/L	U	[NULL]	[NULL]	R	B1JDP1	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
N116mArray-6A	6/6/2006 11:20	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1JDP2	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/6/2006 11:20	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1JDP2	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/6/2006 11:20	N	PH	pH Measurement	7.11	unitless	[NULL]	[NULL]	[NULL]	R	B1JDP0	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	7/20/2006 10:30	N	DO	Dissolved oxygen	6700	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK91	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	7/20/2006 10:30	N	12587-47-2	Gross beta	745	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JK92	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	7/20/2006 10:30	N	CONDUCT	Specific Conductance	175.6	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JK91	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-6A	7/20/2006 10:30	N	TEMPERATURE	Temperature	19.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1JK91	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-6A	7/20/2006 10:30	N	PH	pH Measurement	7.17	unitless	[NULL]	[NULL]	[NULL]	R	B1JK91	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	8/16/2006 10:18	N	12587-47-2	Gross beta	822	pCi/L	[NULL]	[NULL]	[NULL]	R	B1K4H6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	ALKALINITY	Alkalinity	69000	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBN4	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
N116mArray-6A	9/25/2006 13:45	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1KBN3	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	14234-35-6	Antimony-125	1.86	pCi/L	U	[NULL]	[NULL]	R	B1KBN6	14234-35-6	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	9/25/2006 13:45	Y	7440-39-3	Barium	18.4	ug/L	B	[NULL]	[NULL]	R	B1KBN3	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/25/2006 13:45	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1KBN3	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	13966-02-4	Beryllium-7	-3.7	pCi/L	U	[NULL]	[NULL]	R	B1KBN6	13966-02-4	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	9/25/2006 13:45	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1KBN3	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/25/2006 13:45	Y	7440-70-2	Calcium	25400	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBN3	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	9/25/2006 13:45	N	13967-70-9	Cesium-134	-0.279	pCi/L	U	[NULL]	[NULL]	R	B1KBN6	13967-70-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	10045-97-3	Cesium-137	-0.41	pCi/L	U	[NULL]	[NULL]	R	B1KBN6	10045-97-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	16887-00-6	Chloride	1000	ug/L	N	[NULL]	[NULL]	R	B1KBN4	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	9/25/2006 13:45	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1KBN3	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/25/2006 13:45	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1KBN3	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	10198-40-0	Cobalt-60	-0.474	pCi/L	U	[NULL]	[NULL]	R	B1KBN6	10198-40-0	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	9/25/2006 13:45	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1KBN3	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	DO	Dissolved oxygen	7900	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBN5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	14683-23-9	Europium-152	-0.904	pCi/L	U	[NULL]	[NULL]	R	B1KBN6	14683-23-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	15585-10-1	Europium-154	1.35	pCi/L	U	[NULL]	[NULL]	R	B1KBN6	15585-10-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	14391-16-3	Europium-155	-2.3	pCi/L	U	[NULL]	[NULL]	R	B1KBN6	14391-16-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	16984-48-8	Fluoride	84	ug/L	BN	[NULL]	[NULL]	R	B1KBN4	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	12587-46-1	Gross alpha	-0.0884	pCi/L	U	[NULL]	[NULL]	R	B1KBN6	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	12587-47-2	Gross beta	817	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBN6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	9/25/2006 13:45	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1KBN3	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/25/2006 13:45	Y	7439-95-4	Magnesium	4160	ug/L	B	[NULL]	[NULL]	R	B1KBN3	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/25/2006 13:45	Y	7439-96-5	Manganese	2.5	ug/L	U	[NULL]	[NULL]	R	B1KBN3	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/25/2006 13:45	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1KBN3	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	14797-55-8	Nitrate	4160	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBN4	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1KBN4	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	EH	Oxidation Reduction Potential	232	mV	[NULL]	[NULL]	[NULL]	R	B1KBN5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	14265-44-2	Phosphate	150	ug/L	BN	[NULL]	[NULL]	R	B1KBN4	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	9/25/2006 13:45	Y	7440-09-7	Potassium	2520	ug/L	BC	[NULL]	[NULL]	R	B1KBN3	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	13966-00-2	Potassium-40	4.75	pCi/L	U	[NULL]	[NULL]	R	B1KBN6	13966-00-2	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	13967-48-1	Ruthenium-106	5.21	pCi/L	U	[NULL]	[NULL]	R	B1KBN6	13967-48-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-6A	9/25/2006 13:45	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1KBN3	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/25/2006 13:45	Y	7440-23-5	Sodium	2490	ug/L	B	[NULL]	[NULL]	R	B1KBN3	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	9/25/2006 13:45	N	CONDUCT	Specific Conductance	160	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KBN5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-6A	9/25/2006 13:45	Y	7440-24-6	Strontium	96.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBN3	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	10098-97-2	Strontium-90	415	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBN6	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	14808-79-8	Sulfate	10000	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBN4	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	TEMPERATURE	Temperature	22.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1KBN5	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	10028-17-8	Tritium	87.3	pCi/L	U	[NULL]	[NULL]	R	B1KBN6	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
N116mArray-6A	9/25/2006 13:45	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1KBN3	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/25/2006 13:45	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1KBN3	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/25/2006 13:45	N	PH	pH Measurement	7.18	unitless	[NULL]	[NULL]	[NULL]	R	B1KBN5	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	1/10/2007 14:35	N	12587-47-2	Gross beta	1220	pCi/L	[NULL]	[NULL]	[NULL]	S	B1M552	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	1/10/2007 14:35	N	CONDUCT	Specific Conductance	313	uS/cm	[NULL]	[NULL]	[NULL]	S	B1M552	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	3/13/2007 14:05	N	DO	Dissolved oxygen	13300	ug/L	[NULL]	[NULL]	[NULL]	R	B1MW52	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	3/13/2007 14:05	N	16984-48-8	Fluoride	120	ug/L	[NULL]	[NULL]	[NULL]	R	B1MW52	16984-48-8	FIELD	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/13/2007 14:05	N	EH	Oxidation Reduction Potential	173	mV	[NULL]	[NULL]	[NULL]	R	B1MW52	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	3/13/2007 14:05	N	CONDUCT	Specific Conductance	146	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MW52	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	3/13/2007 14:05	N	TEMPERATURE	Temperature	7	Deg C	[NULL]	[NULL]	[NULL]	R	B1MW52	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	3/13/2007 14:05	N	PH	pH Measurement	7.45	unitless	[NULL]	[NULL]	[NULL]	R	B1MW52	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	ALKALINITY	Alkalinity	110000	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH2	ALKALINITY	WSCF	310.1_ALKALINITY	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	7440-36-0	Antimony	0.3	ug/L	U	[NULL]	[NULL]	R	B1MPH2	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	7440-38-2	Arsenic	0.428	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH2	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	7440-39-3	Barium	20.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH2	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	7440-41-7	Beryllium	0.05	ug/L	U	[NULL]	[NULL]	R	B1MPH2	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	24959-67-9	Bromide	849	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH2	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	7440-43-9	Cadmium	0.1	ug/L	U	[NULL]	[NULL]	R	B1MPH2	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	7440-70-2	Calcium	34300	ug/L	D	[NULL]	[NULL]	R	B1MPH2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	10045-97-3	Cesium-137	-6.3	pCi/L	U	[NULL]	[NULL]	R	B1MPH2	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	16887-00-6	Chloride	4320	ug/L	D	[NULL]	[NULL]	R	B1MPH2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	3/13/2007 14:20	N	7440-47-3	Chromium	0.5	ug/L	U	[NULL]	[NULL]	R	B1MPH2	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	7440-48-4	Cobalt	0.05	ug/L	U	[NULL]	[NULL]	R	B1MPH2	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	10198-40-0	Cobalt-60	-4.97	pCi/L	U	[NULL]	[NULL]	R	B1MPH2	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	DO	Dissolved oxygen	1900	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	14683-23-9	Europium-152	2.97	pCi/L	U	[NULL]	[NULL]	R	B1MPH2	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	15585-10-1	Europium-154	-3.38	pCi/L	U	[NULL]	[NULL]	R	B1MPH2	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	14391-16-3	Europium-155	-5.89	pCi/L	U	[NULL]	[NULL]	R	B1MPH2	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	16984-48-8	Fluoride	34	ug/L	B	[NULL]	[NULL]	R	B1MPH2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	12587-46-1	Gross alpha	0.14	pCi/L	U	G	[NULL]	R	B1MPH2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	12587-47-2	Gross beta	710	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MPH2	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	7439-89-6	Iron	93.3	ug/L	DN	[NULL]	[NULL]	R	B1MPH2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	7439-95-4	Magnesium	5180	ug/L	D	[NULL]	[NULL]	R	B1MPH2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	7439-96-5	Manganese	4.97	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH2	7439-96-5	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	7440-02-0	Nickel	0.326	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH2	7440-02-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	14797-55-8	Nitrate	1650	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	14797-65-0	Nitrite	72.3	ug/L	U	[NULL]	[NULL]	R	B1MPH2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	EH	Oxidation Reduction Potential	116	mV	[NULL]	[NULL]	[NULL]	R	B1MPH2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	14265-44-2	Phosphate	460	ug/L	U	[NULL]	[NULL]	R	B1MPH2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	7440-09-7	Potassium	1300	ug/L	D	[NULL]	[NULL]	R	B1MPH2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	7440-22-4	Silver	0.1	ug/L	U	[NULL]	[NULL]	R	B1MPH2	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	7440-23-5	Sodium	11500	ug/L	D	[NULL]	[NULL]	R	B1MPH2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	CONDUCT	Specific Conductance	245	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MPH2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	7440-24-6	Strontium	116	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH2	7440-24-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	10098-97-2	Strontium-90	360	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MPH2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	14808-79-8	Sulfate	8820	ug/L	D	[NULL]	[NULL]	R	B1MPH2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	TEMPERATURE	Temperature	9.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1MPH2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	10028-17-8	Tritium	-32	pCi/L	U	[NULL]	[NULL]	R	B1MPH2	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	3/13/2007 14:20	N	TURBIDITY	Turbidity	0.32	NTU	[NULL]	[NULL]	[NULL]	R	B1MPH2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	7440-62-2	Vanadium	1.31	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH2	7440-62-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	7440-66-6	Zinc	4.02	ug/L	C	[NULL]	[NULL]	R	B1MPH2	7440-66-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	3/13/2007 14:20	N	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	R	B1MPH2	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	ALKALINITY	Alkalinity	110000	ug/L	[NULL]	[NULL]	[NULL]	R	B1NW83	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	7440-36-0	Antimony	0.3	ug/L	U	[NULL]	[NULL]	R	B1NW83	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	7440-38-2	Arsenic	1.87	ug/L	[NULL]	[NULL]	[NULL]	R	B1NW83	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	7440-39-3	Barium	25.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1NW83	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	7440-41-7	Beryllium	0.05	ug/L	U	[NULL]	[NULL]	R	B1NW83	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	24959-67-9	Bromide	744	ug/L	[NULL]	[NULL]	[NULL]	R	B1NW83	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	7440-43-9	Cadmium	0.1	ug/L	U	[NULL]	[NULL]	R	B1NW83	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	7440-70-2	Calcium	29800	ug/L	D	[NULL]	[NULL]	R	B1NW83	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	10045-97-3	Cesium-137	1.26	pCi/L	U	[NULL]	[NULL]	R	B1NW83	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	16887-00-6	Chloride	2310	ug/L	[NULL]	[NULL]	[NULL]	R	B1NW83	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	7440-47-3	Chromium	0.5	ug/L	U	[NULL]	[NULL]	R	B1NW83	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	7440-48-4	Cobalt	0.47	ug/L	[NULL]	[NULL]	[NULL]	R	B1NW83	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	10198-40-0	Cobalt-60	-0.984	pCi/L	U	[NULL]	[NULL]	R	B1NW83	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	6/26/2007 12:05	N	DO	Dissolved oxygen	6360	ug/L	[NULL]	[NULL]	[NULL]	R	B1NTX4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	14683-23-9	Europium-152	0.625	pCi/L	U	[NULL]	[NULL]	R	B1NW83	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	15585-10-1	Europium-154	0.272	pCi/L	U	[NULL]	[NULL]	R	B1NW83	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	14391-16-3	Europium-155	5.86	pCi/L	U	[NULL]	[NULL]	R	B1NW83	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	16984-48-8	Fluoride	67	ug/L	B	[NULL]	[NULL]	R	B1NW83	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	12587-46-1	Gross alpha	2	pCi/L	U	G	[NULL]	R	B1NW83	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	12587-47-2	Gross beta	1100	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NW83	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	7439-89-6	Iron	240	ug/L	CD	[NULL]	[NULL]	R	B1NW83	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	7439-95-4	Magnesium	4960	ug/L	D	[NULL]	[NULL]	R	B1NW83	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	7439-96-5	Manganese	379	ug/L	[NULL]	[NULL]	[NULL]	R	B1NW83	7439-96-5	WSCF	200.8_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	6/26/2007 12:05	Y	7440-02-0	Nickel	1.54	ug/L	[NULL]	[NULL]	[NULL]	R	B1NW83	7440-02-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	14797-55-8	Nitrate	22.1	ug/L	U	[NULL]	[NULL]	R	B1NW83	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	R	B1NW83	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	6/26/2007 12:05	N	EH	Oxidation Reduction Potential	96	mV	[NULL]	[NULL]	[NULL]	R	B1NTX4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	14265-44-2	Phosphate	386	ug/L	B	[NULL]	[NULL]	R	B1NW83	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	7440-09-7	Potassium	1650	ug/L	D	[NULL]	[NULL]	R	B1NW83	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	7440-22-4	Silver	0.1	ug/L	U	[NULL]	[NULL]	R	B1NW83	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	7440-23-5	Sodium	9360	ug/L	D	[NULL]	[NULL]	R	B1NW83	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/26/2007 12:05	N	CONDUCT	Specific Conductance	228.9	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NTX4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	7440-24-6	Strontium	118	ug/L	[NULL]	[NULL]	[NULL]	R	B1NW83	7440-24-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	10098-97-2	Strontium-90	360	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NW83	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	14808-79-8	Sulfate	7070	ug/L	[NULL]	[NULL]	[NULL]	R	B1NW83	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	6/26/2007 12:05	N	TEMPERATURE	Temperature	22.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1NTX4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	10028-17-8	Tritium	-49	pCi/L	U	[NULL]	[NULL]	R	B1NW83	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-6A	6/26/2007 12:05	N	TURBIDITY	Turbidity	0.73	NTU	[NULL]	[NULL]	[NULL]	R	B1NTX4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	7440-62-2	Vanadium	1.24	ug/L	[NULL]	[NULL]	[NULL]	R	B1NW83	7440-62-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	6/26/2007 12:05	Y	7440-66-6	Zinc	3.05	ug/L	[NULL]	[NULL]	[NULL]	R	B1NW83	7440-66-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	6/26/2007 12:05	N	PH	pH Measurement	6.75	unitless	[NULL]	[NULL]	[NULL]	R	B1NTX4	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	ALKALINITY	Alkalinity	200000	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W1	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	ALKALINITY	Alkalinity	190000	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X3	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-36-0	Antimony	0.412	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X3	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-36-0	Antimony	0.344	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W1	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-38-2	Arsenic	7.77	ug/L	E	[NULL]	[NULL]	R	B1P3X3	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-38-2	Arsenic	7.41	ug/L	E	[NULL]	[NULL]	R	B1P3W1	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-39-3	Barium	54.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W1	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-39-3	Barium	57.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X3	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-41-7	Beryllium	0.05	ug/L	U	[NULL]	[NULL]	R	B1P3X3	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	8/9/2007 13:14	N	7440-41-7	Beryllium	0.05	ug/L	U	[NULL]	[NULL]	R	B1P3W1	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	24959-67-9	Bromide	43800	ug/L	D	[NULL]	[NULL]	R	B1P3W1	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	24959-67-9	Bromide	42300	ug/L	D	[NULL]	[NULL]	R	B1P3X3	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-43-9	Cadmium	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3X3	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-43-9	Cadmium	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3W1	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-70-2	Calcium	74100	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-70-2	Calcium	73400	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	10045-97-3	Cesium-137	-5.23	pCi/L	U	[NULL]	[NULL]	R	B1P3X3	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	10045-97-3	Cesium-137	-0.432	pCi/L	U	[NULL]	[NULL]	R	B1P3W1	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	16887-00-6	Chloride	45600	ug/L	D	[NULL]	[NULL]	R	B1P3X3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	16887-00-6	Chloride	46200	ug/L	D	[NULL]	[NULL]	R	B1P3W1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-47-3	Chromium	0.5	ug/L	U	[NULL]	[NULL]	R	B1P3W1	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-47-3	Chromium	0.5	ug/L	U	[NULL]	[NULL]	R	B1P3X3	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-48-4	Cobalt	0.656	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W1	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-48-4	Cobalt	0.688	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X3	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	10198-40-0	Cobalt-60	-3.31	pCi/L	U	[NULL]	[NULL]	R	B1P3W1	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	10198-40-0	Cobalt-60	-7.48	pCi/L	U	[NULL]	[NULL]	R	B1P3X3	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	DO	Dissolved oxygen	1720	ug/L	[NULL]	[NULL]	[NULL]	C	B1P3N7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	14683-23-9	Europium-152	-3.29	pCi/L	U	[NULL]	[NULL]	R	B1P3X3	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	14683-23-9	Europium-152	0.438	pCi/L	U	[NULL]	[NULL]	R	B1P3W1	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	15585-10-1	Europium-154	-3.22	pCi/L	U	[NULL]	[NULL]	R	B1P3W1	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	15585-10-1	Europium-154	11.9	pCi/L	U	[NULL]	[NULL]	R	B1P3X3	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	14391-16-3	Europium-155	-10.8	pCi/L	U	[NULL]	[NULL]	R	B1P3W1	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	14391-16-3	Europium-155	-4.85	pCi/L	U	[NULL]	[NULL]	R	B1P3X3	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	16984-48-8	Fluoride	70	ug/L	B	[NULL]	[NULL]	R	B1P3W1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	16984-48-8	Fluoride	73	ug/L	B	[NULL]	[NULL]	R	B1P3X3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	12587-46-1	Gross alpha	2.3	pCi/L	U	G	[NULL]	R	B1P3W1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	8/9/2007 13:14	N	12587-46-1	Gross alpha	0.02	pCi/L	U	G	[NULL]	R	B1P3X3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	12587-47-2	Gross beta	2700	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W1	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	12587-47-2	Gross beta	2600	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3X3	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7439-89-6	Iron	178	ug/L	C	[NULL]	[NULL]	R	B1P3X3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7439-89-6	Iron	165	ug/L	C	[NULL]	[NULL]	R	B1P3W1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7439-95-4	Magnesium	11400	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7439-95-4	Magnesium	11300	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7439-96-5	Manganese	613	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W1	7439-96-5	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7439-96-5	Manganese	651	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X3	7439-96-5	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-02-0	Nickel	1.31	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W1	7440-02-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-02-0	Nickel	1.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X3	7440-02-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	14797-55-8	Nitrate	22.1	ug/L	U	[NULL]	[NULL]	R	B1P3X3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	14797-55-8	Nitrate	22.1	ug/L	U	[NULL]	[NULL]	R	B1P3W1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	R	B1P3W1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	R	B1P3X3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	EH	Oxidation Reduction Potential	77	mV	[NULL]	[NULL]	[NULL]	C	B1P3N7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	14265-44-2	Phosphate	583	ug/L	BN	[NULL]	[NULL]	R	B1P3W1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	14265-44-2	Phosphate	684	ug/L	BN	[NULL]	[NULL]	R	B1P3X3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-09-7	Potassium	2710	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-09-7	Potassium	2660	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-22-4	Silver	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3W1	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-22-4	Silver	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3X3	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-23-5	Sodium	19300	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-23-5	Sodium	19500	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	CONDUCT	Specific Conductance	551.1	uS/cm	[NULL]	[NULL]	[NULL]	C	B1P3N7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-24-6	Strontium	266	ug/L	N	[NULL]	[NULL]	R	B1P3X3	7440-24-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-24-6	Strontium	259	ug/L	N	[NULL]	[NULL]	R	B1P3W1	7440-24-6	WSCF	200.8_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	8/9/2007 13:14	N	10098-97-2	Strontium-90	1200	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	10098-97-2	Strontium-90	1200	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3X3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	14808-79-8	Sulfate	4190	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	14808-79-8	Sulfate	3770	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	TEMPERATURE	Temperature	24.1	Deg C	[NULL]	[NULL]	[NULL]	C	B1P3N7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	10028-17-8	Tritium	130	pCi/L	U	[NULL]	[NULL]	R	B1P3X3	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	10028-17-8	Tritium	170	pCi/L	U	[NULL]	[NULL]	R	B1P3W1	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	TURBIDITY	Turbidity	0.99	NTU	[NULL]	[NULL]	[NULL]	C	B1P3N7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-62-2	Vanadium	1.15	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3X3	7440-62-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-62-2	Vanadium	1.11	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W1	7440-62-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-66-6	Zinc	3.66	ug/L	C	[NULL]	[NULL]	R	B1P3X3	7440-66-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	7440-66-6	Zinc	3.15	ug/L	C	[NULL]	[NULL]	R	B1P3W1	7440-66-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-6A	8/9/2007 13:14	N	PH	pH Measurement	7.38	unitless	[NULL]	[NULL]	[NULL]	C	B1P3N7	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	11/1/2007 10:52	N	DO	Dissolved oxygen	2810	ug/L	[NULL]	[NULL]	[NULL]	R	B1PPP6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	11/1/2007 10:52	N	DO	Dissolved oxygen	2810	ug/L	[NULL]	[NULL]	[NULL]	R	B1PPP5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	11/1/2007 10:52	N	12587-47-2	Gross beta	1730	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PPP6	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	11/1/2007 10:52	N	CONDUCT	Specific Conductance	457	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PPP6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	11/1/2007 10:52	N	CONDUCT	Specific Conductance	457	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PPP5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	11/1/2007 10:52	N	TEMPERATURE	Temperature	12.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1PPP6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	11/1/2007 10:52	N	TEMPERATURE	Temperature	12.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1PPP5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	11/1/2007 10:52	N	TURBIDITY	Turbidity	0.27	NTU	[NULL]	[NULL]	[NULL]	R	B1PPP5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-6A	11/1/2007 10:52	N	TURBIDITY	Turbidity	0.27	NTU	[NULL]	[NULL]	[NULL]	R	B1PPP6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-6A	11/1/2007 10:52	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B1PPP6	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	11/1/2007 10:52	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B1PPP5	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	11/27/2007 10:51	N	DO	Dissolved oxygen	7090	ug/L	[NULL]	[NULL]	[NULL]	R	B1R151	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	11/27/2007 10:51	N	12587-47-2	Gross beta	556	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R152	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	11/27/2007 10:51	N	EH	Oxidation Reduction Potential	153	mV	[NULL]	[NULL]	[NULL]	R	B1R151	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	11/27/2007 10:51	N	CONDUCT	Specific Conductance	167	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R151	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	11/27/2007 10:51	N	TEMPERATURE	Temperature	6.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1R151	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	11/27/2007 10:51	N	TURBIDITY	Turbidity	0.7	NTU	[NULL]	[NULL]	[NULL]	R	B1R151	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-6A	11/27/2007 10:51	N	PH	pH Measurement	7.88	unitless	[NULL]	[NULL]	[NULL]	R	B1R151	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	ALKALINITY	Alkalinity	85000	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9W5	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-6A	12/11/2007 12:40	Y	7440-36-0	Antimony	38.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9W4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1R9W5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	14234-35-6	Antimony-125	-12.1	pCi/L	U	[NULL]	[NULL]	R	B1R9W5	14234-35-6	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	12/11/2007 12:40	Y	7440-39-3	Barium	13.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9W4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	7440-39-3	Barium	14.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9W5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1R9W5	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1R9W4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	13966-02-4	Beryllium-7	-11.4	pCi/L	U	[NULL]	[NULL]	R	B1R9W5	13966-02-4	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1R9W5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1R9W4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	7440-70-2	Calcium	18800	ug/L	[NULL]	Q	[NULL]	R	B1R9W5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	Y	7440-70-2	Calcium	18200	ug/L	[NULL]	Q	[NULL]	R	B1R9W4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	13967-70-9	Cesium-134	-2.84	pCi/L	U	[NULL]	[NULL]	R	B1R9W5	13967-70-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	10045-97-3	Cesium-137	-0.0605	pCi/L	U	[NULL]	[NULL]	R	B1R9W5	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	16887-00-6	Chloride	2170	ug/L	D	[NULL]	[NULL]	R	B1R9W5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1R9W5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	Y	7440-47-3	Chromium	4	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9W4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1R9W4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1R9W5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	10198-40-0	Cobalt-60	-0.273	pCi/L	U	[NULL]	[NULL]	R	B1R9W5	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1R9W5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1R9W4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	12/11/2007 12:40	N	DO	Dissolved oxygen	11690	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9W6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	14683-23-9	Europium-152	4.28	pCi/L	U	[NULL]	[NULL]	R	B1R9W5	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	15585-10-1	Europium-154	8.93	pCi/L	U	[NULL]	[NULL]	R	B1R9W5	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	14391-16-3	Europium-155	-1.96	pCi/L	U	[NULL]	[NULL]	R	B1R9W5	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	16984-48-8	Fluoride	58	ug/L	BD	[NULL]	[NULL]	R	B1R9W5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	12587-46-1	Gross alpha	0.361	pCi/L	U	[NULL]	[NULL]	R	B1R9W8	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	12587-47-2	Gross beta	557	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9W8	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	7439-89-6	Iron	18.2	ug/L	C	[NULL]	[NULL]	R	B1R9W5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	Y	7439-89-6	Iron	13.8	ug/L	C	[NULL]	[NULL]	R	B1R9W4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	Y	7439-95-4	Magnesium	3110	ug/L	[NULL]	Q	[NULL]	R	B1R9W4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	7439-95-4	Magnesium	3210	ug/L	[NULL]	Q	[NULL]	R	B1R9W5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1R9W4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1R9W5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1R9W4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1R9W5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	14797-55-8	Nitrate	1000	ug/L	D	[NULL]	[NULL]	R	B1R9W5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1R9W5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	EH	Oxidation Reduction Potential	204	mV	[NULL]	[NULL]	[NULL]	R	B1R9W6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	14265-44-2	Phosphate	245	ug/L	DU	[NULL]	[NULL]	R	B1R9W5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	12/11/2007 12:40	Y	7440-09-7	Potassium	837	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9W4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	7440-09-7	Potassium	866	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9W5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	13966-00-2	Potassium-40	-55.4	pCi/L	U	[NULL]	[NULL]	R	B1R9W5	13966-00-2	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	13967-48-1	Ruthenium-106	-12	pCi/L	U	[NULL]	[NULL]	R	B1R9W5	13967-48-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1R9W5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1R9W4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	Y	7440-23-5	Sodium	13200	ug/L	[NULL]	Q	[NULL]	R	B1R9W4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	7440-23-5	Sodium	13700	ug/L	[NULL]	Q	[NULL]	R	B1R9W5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	12/11/2007 12:40	N	CONDUCT	Specific Conductance	172.8	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R9W6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	12/11/2007 12:40	Y	7440-24-6	Strontium	65.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9W4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	7440-24-6	Strontium	66.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9W5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	10098-97-2	Strontium-90	311	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9W8	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	14808-79-8	Sulfate	9230	ug/L	D	[NULL]	[NULL]	R	B1R9W5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	TEMPERATURE	Temperature	7.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1R9W6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	10028-17-8	Tritium	95	pCi/L	U	[NULL]	[NULL]	R	B1R9W5	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	TURBIDITY	Turbidity	1.75	NTU	[NULL]	[NULL]	[NULL]	R	B1R9W6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1R9W5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1R9W4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1R9W5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1R9W4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/11/2007 12:40	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	B1R9W6	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	1/15/2008 9:00	N	DO	Dissolved oxygen	4800	ug/L	[NULL]	[NULL]	[NULL]	R	B1RR22	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	1/15/2008 9:00	N	12587-47-2	Gross beta	808	pCi/L	[NULL]	[NULL]	[NULL]	R	B1RR23	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	1/15/2008 9:00	N	EH	Oxidation Reduction Potential	177	mV	[NULL]	[NULL]	[NULL]	R	B1RR22	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	1/15/2008 9:00	N	CONDUCT	Specific Conductance	248.2	uS/cm	[NULL]	[NULL]	[NULL]	R	B1RR22	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	1/15/2008 9:00	N	TEMPERATURE	Temperature	3.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1RR22	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	1/15/2008 9:00	N	TURBIDITY	Turbidity	3.09	NTU	[NULL]	[NULL]	[NULL]	R	B1RR22	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-6A	1/15/2008 9:00	N	PH	pH Measurement	7.25	unitless	[NULL]	[NULL]	[NULL]	R	B1RR22	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	2/20/2008 10:24	N	DO	Dissolved oxygen	5010	ug/L	[NULL]	[NULL]	[NULL]	R	B1T240	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	2/20/2008 10:24	N	12587-47-2	Gross beta	682	pCi/L	[NULL]	[NULL]	[NULL]	R	B1T241	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	2/20/2008 10:24	N	EH	Oxidation Reduction Potential	181	mV	[NULL]	[NULL]	[NULL]	R	B1T240	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	2/20/2008 10:24	N	CONDUCT	Specific Conductance	222.5	uS/cm	[NULL]	[NULL]	[NULL]	R	B1T240	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	2/20/2008 10:24	N	TEMPERATURE	Temperature	3	Deg C	[NULL]	[NULL]	[NULL]	R	B1T240	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	2/20/2008 10:24	N	TURBIDITY	Turbidity	1.17	NTU	[NULL]	[NULL]	[NULL]	R	B1T240	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-6A	2/20/2008 10:24	N	PH	pH Measurement	7.89	unitless	[NULL]	[NULL]	[NULL]	R	B1T240	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	3/25/2008 12:03	N	ALKALINITY	Alkalinity	110000	ug/L	[NULL]	[NULL]	[NULL]	R	B1THM2	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-6A	3/25/2008 12:03	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1THM1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1THM2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	14234-35-6	Antimony-125	-6.48	pCi/L	U	[NULL]	[NULL]	R	B1THM2	14234-35-6	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	7440-39-3	Barium	14.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1THM2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	Y	7440-39-3	Barium	14.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1THM1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1THM2	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1THM1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	13966-02-4	Beryllium-7	41	pCi/L	U	[NULL]	[NULL]	R	B1THM2	13966-02-4	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	3/25/2008 12:03	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1THM1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1THM2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	7440-70-2	Calcium	19500	ug/L	[NULL]	[NULL]	[NULL]	R	B1THM2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	Y	7440-70-2	Calcium	18900	ug/L	[NULL]	[NULL]	[NULL]	R	B1THM1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	13967-70-9	Cesium-134	-1.02	pCi/L	U	[NULL]	[NULL]	R	B1THM2	13967-70-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	10045-97-3	Cesium-137	-0.524	pCi/L	U	[NULL]	[NULL]	R	B1THM2	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	16887-00-6	Chloride	4870	ug/L	D	[NULL]	[NULL]	R	B1THM2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/25/2008 12:03	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1THM1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1THM2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1THM1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1THM2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	10198-40-0	Cobalt-60	-1.75	pCi/L	U	[NULL]	[NULL]	R	B1THM2	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	3/25/2008 12:03	Y	7440-50-8	Copper	4.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1THM1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1THM2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	DO	Dissolved oxygen	4870	ug/L	[NULL]	[NULL]	[NULL]	R	B1THM3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	14683-23-9	Europium-152	0.162	pCi/L	U	[NULL]	[NULL]	R	B1THM2	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	15585-10-1	Europium-154	-2.34	pCi/L	U	[NULL]	[NULL]	R	B1THM2	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	14391-16-3	Europium-155	-13.4	pCi/L	U	[NULL]	[NULL]	R	B1THM2	14391-16-3	WSCF	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	3/25/2008 12:03	N	16984-48-8	Fluoride	155	ug/L	BD	[NULL]	[NULL]	R	B1THM2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	12587-46-1	Gross alpha	1.1	pCi/L	U	[NULL]	[NULL]	R	B1THM2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	12587-47-2	Gross beta	660	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THM2	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	7439-89-6	Iron	9	ug/L	U	Q	[NULL]	R	B1THM2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	Y	7439-89-6	Iron	9	ug/L	U	Q	[NULL]	R	B1THM1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	Y	7439-95-4	Magnesium	3200	ug/L	[NULL]	Q	[NULL]	R	B1THM1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	7439-95-4	Magnesium	3270	ug/L	[NULL]	Q	[NULL]	R	B1THM2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1THM2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1THM1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1THM1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1THM2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	14797-55-8	Nitrate	309	ug/L	BD	[NULL]	[NULL]	R	B1THM2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1THM2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	EH	Oxidation Reduction Potential	149	mV	[NULL]	[NULL]	[NULL]	R	B1THM3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	14265-44-2	Phosphate	245	ug/L	DU	[NULL]	[NULL]	R	B1THM2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	7440-09-7	Potassium	1220	ug/L	[NULL]	[NULL]	[NULL]	R	B1THM2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	Y	7440-09-7	Potassium	1170	ug/L	[NULL]	[NULL]	[NULL]	R	B1THM1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	13966-00-2	Potassium-40	-36.4	pCi/L	U	[NULL]	[NULL]	R	B1THM2	13966-00-2	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	13967-48-1	Ruthenium-106	-32.4	pCi/L	U	[NULL]	[NULL]	R	B1THM2	13967-48-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-6A	3/25/2008 12:03	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1THM1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1THM2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	Y	7440-23-5	Sodium	24600	ug/L	[NULL]	[NULL]	[NULL]	R	B1THM1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	7440-23-5	Sodium	27800	ug/L	[NULL]	[NULL]	[NULL]	R	B1THM2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	68-04-2	Sodium citrate	100	ug/L	U	[NULL]	[NULL]	R	B1THM4	68-04-2	ESL	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	CONDUCT	Specific Conductance	256	uS/cm	[NULL]	[NULL]	[NULL]	R	B1THM3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	3/25/2008 12:03	Y	7440-24-6	Strontium	67	ug/L	[NULL]	[NULL]	[NULL]	R	B1THM1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	7440-24-6	Strontium	69.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1THM2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	3/25/2008 12:03	N	10098-97-2	Strontium-90	325	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THM5	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	14808-79-8	Sulfate	13300	ug/L	D	[NULL]	[NULL]	R	B1THM2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	TEMPERATURE	Temperature	6.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1THM3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	10028-17-8	Tritium	-10	pCi/L	U	[NULL]	[NULL]	R	B1THM2	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	TURBIDITY	Turbidity	1.1	NTU	[NULL]	[NULL]	[NULL]	R	B1THM3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1THM2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1THM1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1THM2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1THM1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	3/25/2008 12:03	N	PH	pH Measurement	7.89	unitless	[NULL]	[NULL]	[NULL]	R	B1THM3	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	5/8/2008 8:57	N	DO	Dissolved oxygen	4230	ug/L	[NULL]	[NULL]	[NULL]	R	B1V5B4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	5/8/2008 8:57	N	DO	Dissolved oxygen	4230	ug/L	[NULL]	[NULL]	[NULL]	R	B1TVR2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	5/8/2008 8:57	N	12587-47-2	Gross beta	560	pCi/L	[NULL]	[NULL]	[NULL]	R	B1V5B5	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	5/8/2008 8:57	N	12587-47-2	Gross beta	947	pCi/L	[NULL]	Y	[NULL]	R	B1TVR3	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	5/8/2008 8:57	N	EH	Oxidation Reduction Potential	108	mV	[NULL]	[NULL]	[NULL]	R	B1TVR2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	5/8/2008 8:57	N	EH	Oxidation Reduction Potential	108	mV	[NULL]	[NULL]	[NULL]	R	B1V5B4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	5/8/2008 8:57	N	CONDUCT	Specific Conductance	206	uS/cm	[NULL]	[NULL]	[NULL]	R	B1V5B4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	5/8/2008 8:57	N	CONDUCT	Specific Conductance	206	uS/cm	[NULL]	[NULL]	[NULL]	R	B1TVR2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	5/8/2008 8:57	N	TEMPERATURE	Temperature	10.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1TVR2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	5/8/2008 8:57	N	TEMPERATURE	Temperature	10.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1V5B4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	5/8/2008 8:57	N	TURBIDITY	Turbidity	0.77	NTU	[NULL]	[NULL]	[NULL]	R	B1V5B4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-6A	5/8/2008 8:57	N	TURBIDITY	Turbidity	0.77	NTU	[NULL]	[NULL]	[NULL]	R	B1TVR2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-6A	5/8/2008 8:57	N	PH	pH Measurement	6.89	unitless	[NULL]	[NULL]	[NULL]	R	B1V5B4	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	5/8/2008 8:57	N	PH	pH Measurement	6.89	unitless	[NULL]	[NULL]	[NULL]	R	B1TVR2	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	7429-90-5	Aluminum	30	ug/L	U	[NULL]	[NULL]	S	B1VJN8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1VJN8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	7440-38-2	Arsenic	50	ug/L	U	[NULL]	[NULL]	S	B1VJN8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	6/3/2008 14:23	Y	7440-39-3	Barium	15	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1VJN8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	7440-70-2	Calcium	19900	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	16887-00-6	Chloride	1280	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1VJN8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1VJN8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B1VJN8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	16984-48-8	Fluoride	66	ug/L	B	[NULL]	[NULL]	S	B1VJN8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	12587-46-1	Gross alpha	-1.1	pCi/L	U	[NULL]	[NULL]	S	B1VJN8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	12587-47-2	Gross beta	560	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VJN8	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	7439-89-6	Iron	9	ug/L	U	[NULL]	[NULL]	S	B1VJN8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	7439-92-1	Lead	32	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	7439-95-4	Magnesium	3400	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	7439-96-5	Manganese	8	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B1VJN8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1VJN8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	14797-55-8	Nitrate	456	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	S	B1VJN8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	14265-44-2	Phosphate	159	ug/L	B	[NULL]	[NULL]	S	B1VJN8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	7440-09-7	Potassium	1080	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1VJN8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	7440-23-5	Sodium	6910	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	7440-24-6	Strontium	80.1	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	14808-79-8	Sulfate	7720	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	S	B1VJN8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	6/3/2008 14:23	Y	7440-66-6	Zinc	5.1	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJN8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WBH2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	7/13/2008 9:50	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WBH2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WBH2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	7440-39-3	Barium	28	ug/L	BD	[NULL]	[NULL]	S	B1WBH2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WBH2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	7440-70-2	Calcium	35400	ug/L	DX	[NULL]	[NULL]	S	B1WBH2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	16887-00-6	Chloride	8740	ug/L	D	[NULL]	[NULL]	S	B1WBH2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WBH2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WBH2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WBH2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1WBH2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	12587-46-1	Gross alpha	1.8	pCi/L	U	[NULL]	[NULL]	S	B1WBC7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	12587-47-2	Gross beta	760	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WBC7	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WBH2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WBH2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	7439-95-4	Magnesium	6170	ug/L	D	[NULL]	[NULL]	S	B1WBH2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	7439-96-5	Manganese	537	ug/L	DN	[NULL]	[NULL]	S	B1WBH2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WBH2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WBH2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WBH2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WBH2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	14265-44-2	Phosphate	3740	ug/L	BD	[NULL]	[NULL]	S	B1WBH2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	7440-09-7	Potassium	2030	ug/L	BD	[NULL]	[NULL]	S	B1WBH2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WBH2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	7440-23-5	Sodium	27300	ug/L	DX	[NULL]	[NULL]	S	B1WBH2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	7440-24-6	Strontium	169	ug/L	D	[NULL]	[NULL]	S	B1WBH2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	14808-79-8	Sulfate	5990	ug/L	BD	[NULL]	[NULL]	S	B1WBH2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/13/2008 9:50	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WBH2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	7/13/2008 9:50	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WBH2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/17/2008 14:05	Y	12587-46-1	Gross alpha	0.38	pCi/L	U	[NULL]	[NULL]	S	B1WC49	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-6A	7/17/2008 14:05	Y	12587-47-2	Gross beta	67	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WC49	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WC64	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WC64	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WC64	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WC64	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WC64	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	7440-70-2	Calcium	24700	ug/L	DX	[NULL]	[NULL]	S	B1WC64	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	16887-00-6	Chloride	9560	ug/L	DNX	[NULL]	[NULL]	S	B1WC64	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WC64	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WC64	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WC64	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WC64	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WC64	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WC64	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	7439-95-4	Magnesium	4440	ug/L	DN	[NULL]	[NULL]	S	B1WC64	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	7439-96-5	Manganese	409	ug/L	D	[NULL]	[NULL]	S	B1WC64	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WC64	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WC64	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WC64	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WC64	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	14265-44-2	Phosphate	48800	ug/L	D	[NULL]	[NULL]	S	B1WC64	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	7440-09-7	Potassium	1970	ug/L	DN	[NULL]	[NULL]	S	B1WC64	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WC64	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	7440-23-5	Sodium	61500	ug/L	DX	[NULL]	[NULL]	S	B1WC64	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	7440-24-6	Strontium	115	ug/L	DN	[NULL]	[NULL]	S	B1WC64	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	7/17/2008 18:05	Y	14808-79-8	Sulfate	7630	ug/L	BD	[NULL]	[NULL]	S	B1WC64	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WC64	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/17/2008 18:05	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WC64	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WC95	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WC95	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WC95	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	7440-39-3	Barium	23	ug/L	D	[NULL]	[NULL]	S	B1WC95	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WC95	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	7440-70-2	Calcium	12700	ug/L	D	[NULL]	[NULL]	S	B1WC95	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	16887-00-6	Chloride	1480	ug/L	BD	[NULL]	[NULL]	S	B1WC95	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WC95	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WC95	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WC95	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	DO	Dissolved oxygen	8880	ug/L	[NULL]	[NULL]	[NULL]	S	B1WC91	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WC95	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	12587-46-1	Gross alpha	0.143	pCi/L	U	[NULL]	[NULL]	S	B1WC91	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	12587-47-2	Gross beta	5.47	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WC91	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WC95	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WC95	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	7439-95-4	Magnesium	2920	ug/L	D	[NULL]	[NULL]	S	B1WC95	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WC95	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WC95	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WC95	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WC95	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WC95	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	EH	Oxidation Reduction Potential	-77	mV	[NULL]	[NULL]	[NULL]	S	B1WC91	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	14265-44-2	Phosphate	1860	ug/L	DU	[NULL]	[NULL]	S	B1WC95	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	7/18/2008 13:24	Y	7440-09-7	Potassium	850	ug/L	DU	[NULL]	[NULL]	S	B1WC95	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	7440-22-4	Silver	48	ug/L	CD	[NULL]	[NULL]	S	B1WC95	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	7440-23-5	Sodium	2650	ug/L	DX	[NULL]	[NULL]	S	B1WC95	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	CONDUCT	Specific Conductance	130.2	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WC91	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	7440-24-6	Strontium	65.2	ug/L	D	[NULL]	[NULL]	S	B1WC95	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	14808-79-8	Sulfate	6990	ug/L	BD	[NULL]	[NULL]	S	B1WC95	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	TEMPERATURE	Temperature	22.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1WC91	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WC95	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WC95	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/18/2008 13:24	Y	PH	pH Measurement	7.56	unitless	[NULL]	[NULL]	[NULL]	S	B1WC91	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WBB1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WBB1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WBB1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	7440-39-3	Barium	27	ug/L	D	[NULL]	[NULL]	S	B1WBB1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WBB1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	7440-70-2	Calcium	16600	ug/L	D	[NULL]	[NULL]	S	B1WBB1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	16887-00-6	Chloride	958	ug/L	BD	[NULL]	[NULL]	S	B1WBB1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WBB1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WBB1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WBB1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	DO	Dissolved oxygen	8910	ug/L	[NULL]	[NULL]	[NULL]	S	B1WB84	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WBB1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	12587-46-1	Gross alpha	0.39	pCi/L	U	[NULL]	[NULL]	S	B1WB84	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	12587-47-2	Gross beta	1.16	pCi/L	U	[NULL]	[NULL]	S	B1WB84	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WBB1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WBB1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	7439-95-4	Magnesium	3720	ug/L	D	[NULL]	[NULL]	S	B1WBB1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	7/19/2008 9:10	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WBB1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WBB1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WBB1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WBB1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WBB1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	EH	Oxidation Reduction Potential	-121	mV	[NULL]	[NULL]	[NULL]	S	B1WB84	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	14265-44-2	Phosphate	1860	ug/L	DU	[NULL]	[NULL]	S	B1WBB1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	7440-09-7	Potassium	850	ug/L	DU	[NULL]	[NULL]	S	B1WBB1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WBB1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	7440-23-5	Sodium	4240	ug/L	D	[NULL]	[NULL]	S	B1WBB1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	CONDUCT	Specific Conductance	131.9	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WB84	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	7440-24-6	Strontium	81.2	ug/L	D	[NULL]	[NULL]	S	B1WBB1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	14808-79-8	Sulfate	7070	ug/L	BD	[NULL]	[NULL]	S	B1WBB1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1WB84	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WBB1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WBB1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/19/2008 9:10	Y	PH	pH Measurement	8.29	unitless	[NULL]	[NULL]	[NULL]	S	B1WB84	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCK9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCK9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCK9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	7440-39-3	Barium	29	ug/L	BD	[NULL]	[NULL]	S	B1WCK9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCK9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	7440-70-2	Calcium	19800	ug/L	D	[NULL]	[NULL]	S	B1WCK9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	16887-00-6	Chloride	948	ug/L	BD	[NULL]	[NULL]	S	B1WCK9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCK9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCK9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCK9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	7/20/2008 8:48	Y	DO	Dissolved oxygen	9480	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCJ2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WCK9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	12587-46-1	Gross alpha	0.204	pCi/L	U	[NULL]	[NULL]	S	B1WCJ2	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	12587-47-2	Gross beta	0.902	pCi/L	U	[NULL]	[NULL]	S	B1WCJ2	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WCK9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCK9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	7439-95-4	Magnesium	4070	ug/L	D	[NULL]	[NULL]	S	B1WCK9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WCK9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCK9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCK9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCK9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCK9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	EH	Oxidation Reduction Potential	-86	mV	[NULL]	[NULL]	[NULL]	S	B1WCJ2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	14265-44-2	Phosphate	1860	ug/L	DU	[NULL]	[NULL]	S	B1WCK9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	7440-09-7	Potassium	850	ug/L	DU	[NULL]	[NULL]	S	B1WCK9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCK9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	7440-23-5	Sodium	3940	ug/L	DX	[NULL]	[NULL]	S	B1WCK9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	CONDUCT	Specific Conductance	134.6	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCJ2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	7440-24-6	Strontium	88.5	ug/L	BD	[NULL]	[NULL]	S	B1WCK9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	14808-79-8	Sulfate	7070	ug/L	BD	[NULL]	[NULL]	S	B1WCK9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	TEMPERATURE	Temperature	19.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCJ2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCK9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCK9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/20/2008 8:48	Y	PH	pH Measurement	7.02	unitless	[NULL]	[NULL]	[NULL]	S	B1WCJ2	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCP3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCP3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCP3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	7/21/2008 13:05	Y	7440-39-3	Barium	20	ug/L	BD	[NULL]	[NULL]	S	B1WCP3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCP3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	7440-70-2	Calcium	22700	ug/L	D	[NULL]	[NULL]	S	B1WCP3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	16887-00-6	Chloride	7090	ug/L	D	[NULL]	[NULL]	S	B1WCP3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCP3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCP3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCP3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	DO	Dissolved oxygen	2440	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCM6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WCP3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	12587-46-1	Gross alpha	1.43	pCi/L	U	[NULL]	[NULL]	S	B1WCM6	12587-46-1	TARL	ALPHA_GPC	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	12587-47-2	Gross beta	433	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCM6	12587-47-2	TARL	BETA_GPC	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	7439-89-6	Iron	211	ug/L	BCD	[NULL]	[NULL]	S	B1WCP3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCP3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	7439-95-4	Magnesium	4990	ug/L	D	[NULL]	[NULL]	S	B1WCP3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	7439-96-5	Manganese	469	ug/L	D	[NULL]	[NULL]	S	B1WCP3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCP3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCP3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCP3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCP3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	EH	Oxidation Reduction Potential	-143	mV	[NULL]	[NULL]	[NULL]	S	B1WCM6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	14265-44-2	Phosphate	33400	ug/L	D	[NULL]	[NULL]	S	B1WCP3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	7440-09-7	Potassium	2500	ug/L	BD	[NULL]	[NULL]	S	B1WCP3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCP3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	7440-23-5	Sodium	73600	ug/L	D	[NULL]	[NULL]	S	B1WCP3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	CONDUCT	Specific Conductance	365.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCM6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	7440-24-6	Strontium	122	ug/L	D	[NULL]	[NULL]	S	B1WCP3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	14808-79-8	Sulfate	6320	ug/L	BD	[NULL]	[NULL]	S	B1WCP3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	7/21/2008 13:05	Y	TEMPERATURE	Temperature	23.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCM6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCP3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCP3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/21/2008 13:05	Y	PH	pH Measurement	7.35	unitless	[NULL]	[NULL]	[NULL]	S	B1WCM6	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCV7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCV7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCV7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCV7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCV7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	7440-70-2	Calcium	29300	ug/L	DX	[NULL]	[NULL]	S	B1WCV7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	16887-00-6	Chloride	13800	ug/L	D	[NULL]	[NULL]	S	B1WCV7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCV7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCV7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCV7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	DO	Dissolved oxygen	7500	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCT0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	DO	Dissolved oxygen	7500	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCV7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WCV7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	12587-46-1	Gross alpha	1.8	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCT0	12587-46-1	TARL	ALPHA_GPC	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	12587-47-2	Gross beta	475	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCT0	12587-47-2	TARL	BETA_GPC	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	7439-89-6	Iron	263	ug/L	BD	[NULL]	[NULL]	S	B1WCV7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCV7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	7439-95-4	Magnesium	5180	ug/L	DN	[NULL]	[NULL]	S	B1WCV7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	7439-96-5	Manganese	563	ug/L	D	[NULL]	[NULL]	S	B1WCV7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCV7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCV7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCV7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCV7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	7/22/2008 12:15	Y	EH	Oxidation Reduction Potential	-134	mV	[NULL]	[NULL]	[NULL]	S	B1WCV7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	EH	Oxidation Reduction Potential	-134	mV	[NULL]	[NULL]	[NULL]	S	B1WCT0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	14265-44-2	Phosphate	45400	ug/L	D	[NULL]	[NULL]	S	B1WCV7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	7440-09-7	Potassium	2140	ug/L	D	[NULL]	[NULL]	S	B1WCV7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCV7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	7440-23-5	Sodium	91500	ug/L	DX	[NULL]	[NULL]	S	B1WCV7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	CONDUCT	Specific Conductance	3312	uS/cm	[NULL]	Y	[NULL]	S	B1WCT0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	CONDUCT	Specific Conductance	3312	uS/cm	[NULL]	Y	[NULL]	S	B1WCV7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	7440-24-6	Strontium	121	ug/L	D	[NULL]	[NULL]	S	B1WCV7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	14808-79-8	Sulfate	4920	ug/L	BD	[NULL]	[NULL]	S	B1WCV7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	TEMPERATURE	Temperature	22.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCT0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	TEMPERATURE	Temperature	22.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCV7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCV7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCV7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	PH	pH Measurement	7.24	unitless	[NULL]	[NULL]	[NULL]	S	B1WCT0	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-6A	7/22/2008 12:15	Y	PH	pH Measurement	7.24	unitless	[NULL]	[NULL]	[NULL]	S	B1WCV7	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WL70	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WL70	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WL70	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	7440-39-3	Barium	22	ug/L	D	[NULL]	[NULL]	S	B1WL70	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WL70	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	7440-70-2	Calcium	31600	ug/L	DN	[NULL]	[NULL]	S	B1WL70	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	16887-00-6	Chloride	12600	ug/L	D	[NULL]	[NULL]	S	B1WL70	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WL70	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WL70	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WL70	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	DO	Dissolved oxygen	5520	ug/L	[NULL]	[NULL]	[NULL]	S	B1WL53	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	7/23/2008 10:15	Y	DO	Dissolved oxygen	5520	ug/L	[NULL]	[NULL]	[NULL]	S	B1WL70	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WL70	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	12587-46-1	Gross alpha	1.23	pCi/L	U	[NULL]	[NULL]	S	B1WL53	12587-46-1	TARL	ALPHA_GPC	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	12587-47-2	Gross beta	580	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WL53	12587-47-2	TARL	BETA_GPC	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	7439-89-6	Iron	158	ug/L	D	[NULL]	[NULL]	S	B1WL70	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WL70	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	7439-95-4	Magnesium	5300	ug/L	DN	[NULL]	[NULL]	S	B1WL70	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	7439-96-5	Manganese	511	ug/L	D	[NULL]	[NULL]	S	B1WL70	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WL70	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WL70	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WL70	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WL70	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	EH	Oxidation Reduction Potential	-119	mV	[NULL]	[NULL]	[NULL]	S	B1WL70	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	EH	Oxidation Reduction Potential	-119	mV	[NULL]	[NULL]	[NULL]	S	B1WL53	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	14265-44-2	Phosphate	21900	ug/L	D	[NULL]	[NULL]	S	B1WL70	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	7440-09-7	Potassium	1990	ug/L	DN	[NULL]	[NULL]	S	B1WL70	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WL70	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	7440-23-5	Sodium	55800	ug/L	D	[NULL]	[NULL]	S	B1WL70	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	CONDUCT	Specific Conductance	4001	uS/cm	[NULL]	Y	[NULL]	S	B1WL70	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	CONDUCT	Specific Conductance	4001	uS/cm	[NULL]	Y	[NULL]	S	B1WL53	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	7440-24-6	Strontium	140	ug/L	DN	[NULL]	[NULL]	S	B1WL70	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	14808-79-8	Sulfate	3600	ug/L	BD	[NULL]	[NULL]	S	B1WL70	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WL53	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WL70	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WL70	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WL70	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/23/2008 10:15	Y	PH	pH Measurement	7.28	unitless	[NULL]	[NULL]	[NULL]	S	B1WL70	PH	FIELD	PH_PAPER_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	7/23/2008 10:15	Y	PH	pH Measurement	7.28	unitless	[NULL]	[NULL]	[NULL]	S	B1WL53	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLB4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLB4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLB4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	7440-39-3	Barium	31	ug/L	BD	[NULL]	[NULL]	S	B1WLB4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLB4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	7440-70-2	Calcium	52000	ug/L	DX	[NULL]	[NULL]	S	B1WLB4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	16887-00-6	Chloride	27800	ug/L	D	[NULL]	[NULL]	S	B1WLB4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLB4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLB4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLB4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	DO	Dissolved oxygen	4640	ug/L	[NULL]	[NULL]	[NULL]	S	B1WL87	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	DO	Dissolved oxygen	4640	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLB4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WLB4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	12587-46-1	Gross alpha	2.76	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WL87	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	12587-47-2	Gross beta	1310	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WL87	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	7439-89-6	Iron	172	ug/L	BD	[NULL]	[NULL]	S	B1WLB4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLB4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	7439-95-4	Magnesium	8590	ug/L	D	[NULL]	[NULL]	S	B1WLB4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	7439-96-5	Manganese	747	ug/L	D	[NULL]	[NULL]	S	B1WLB4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLB4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLB4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLB4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLB4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	EH	Oxidation Reduction Potential	-94	mV	[NULL]	[NULL]	[NULL]	S	B1WL87	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	EH	Oxidation Reduction Potential	-94	mV	[NULL]	[NULL]	[NULL]	S	B1WLB4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	14265-44-2	Phosphate	14700	ug/L	D	[NULL]	[NULL]	S	B1WLB4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	7/24/2008 11:15	Y	7440-09-7	Potassium	2650	ug/L	BD	[NULL]	[NULL]	S	B1WLB4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WLB4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	7440-23-5	Sodium	67400	ug/L	DX	[NULL]	[NULL]	S	B1WLB4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	CONDUCT	Specific Conductance	504	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLB4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	CONDUCT	Specific Conductance	504	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WL87	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	7440-24-6	Strontium	234	ug/L	D	[NULL]	[NULL]	S	B1WLB4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	14808-79-8	Sulfate	1900	ug/L	BD	[NULL]	[NULL]	S	B1WLB4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	TEMPERATURE	Temperature	22.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLB4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	TEMPERATURE	Temperature	22.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WL87	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLB4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLB4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	PH	pH Measurement	7.09	unitless	[NULL]	[NULL]	[NULL]	S	B1WLB4	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-6A	7/24/2008 11:15	Y	PH	pH Measurement	7.09	unitless	[NULL]	[NULL]	[NULL]	S	B1WL87	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLL9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLL9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLL9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	7440-39-3	Barium	30	ug/L	D	[NULL]	[NULL]	S	B1WLL9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLL9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	7440-70-2	Calcium	48800	ug/L	DN	[NULL]	[NULL]	S	B1WLL9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	16887-00-6	Chloride	28700	ug/L	D	[NULL]	[NULL]	S	B1WLL9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLL9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLL9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLL9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	DO	Dissolved oxygen	1850	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLJ4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1WLL9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	12587-46-1	Gross alpha	3.02	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLJ4	12587-46-1	TARL	ALPHA_GPC	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	12587-47-2	Gross beta	1200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLJ4	12587-47-2	TARL	BETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	7/26/2008 7:05	Y	7439-89-6	Iron	483	ug/L	D	[NULL]	[NULL]	S	B1WLL9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLL9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	7439-95-4	Magnesium	7940	ug/L	D	[NULL]	[NULL]	S	B1WLL9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	7439-96-5	Manganese	967	ug/L	D	[NULL]	[NULL]	S	B1WLL9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLL9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLL9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLL9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLL9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	EH	Oxidation Reduction Potential	-251	mV	[NULL]	[NULL]	[NULL]	S	B1WLJ4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	14265-44-2	Phosphate	48800	ug/L	DN	[NULL]	[NULL]	S	B1WLL9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	7440-09-7	Potassium	2160	ug/L	D	[NULL]	[NULL]	S	B1WLL9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WLL9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	7440-23-5	Sodium	83300	ug/L	DX	[NULL]	[NULL]	S	B1WLL9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	CONDUCT	Specific Conductance	650.7	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLJ4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	7440-24-6	Strontium	214	ug/L	D	[NULL]	[NULL]	S	B1WLL9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	14808-79-8	Sulfate	1340	ug/L	BD	[NULL]	[NULL]	S	B1WLL9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLJ4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLL9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLL9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/26/2008 7:05	Y	PH	pH Measurement	7.85	unitless	[NULL]	[NULL]	[NULL]	S	B1WLJ4	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLX5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLX5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLX5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	7440-39-3	Barium	58	ug/L	D	[NULL]	[NULL]	S	B1WLX5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLX5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	7440-70-2	Calcium	95600	ug/L	D	[NULL]	[NULL]	S	B1WLX5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	16887-00-6	Chloride	67000	ug/L	D	[NULL]	[NULL]	S	B1WLX5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	7/28/2008 9:57	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLX5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLX5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLX5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	DO	Dissolved oxygen	6780	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLX5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WLX5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	7439-89-6	Iron	769	ug/L	D	[NULL]	[NULL]	S	B1WLX5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLX5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	7439-95-4	Magnesium	16600	ug/L	D	[NULL]	[NULL]	S	B1WLX5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	7439-96-5	Manganese	2080	ug/L	D	[NULL]	[NULL]	S	B1WLX5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	7439-98-7	Molybdenum	34.3	ug/L	D	[NULL]	[NULL]	S	B1WLX5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLX5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLX5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLX5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	EH	Oxidation Reduction Potential	-244	mV	[NULL]	[NULL]	[NULL]	S	B1WLX5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	14265-44-2	Phosphate	19300	ug/L	D	[NULL]	[NULL]	S	B1WLX5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	7440-09-7	Potassium	3220	ug/L	D	[NULL]	[NULL]	S	B1WLX5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WLX5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	7440-23-5	Sodium	102000	ug/L	D	[NULL]	[NULL]	S	B1WLX5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	CONDUCT	Specific Conductance	870	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLX5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	7440-24-6	Strontium	417	ug/L	D	[NULL]	[NULL]	S	B1WLX5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WLX5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	TEMPERATURE	Temperature	21	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLX5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLX5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLX5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/28/2008 9:57	Y	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	S	B1WLX5	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-6A	7/28/2008 11:42	Y	DO	Dissolved oxygen	6780	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLV0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	7/28/2008 11:42	Y	12587-46-1	Gross alpha	3.42	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLV0	12587-46-1	TARL	ALPHA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	7/28/2008 11:42	Y	12587-47-2	Gross beta	1980	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLV0	12587-47-2	TARL	BETA_GPC	100-NR-2
N116mArray-6A	7/28/2008 11:42	Y	EH	Oxidation Reduction Potential	-244	mV	[NULL]	[NULL]	[NULL]	S	B1WLV0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	7/28/2008 11:42	Y	CONDUCT	Specific Conductance	870	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLV0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	7/28/2008 11:42	Y	TEMPERATURE	Temperature	21	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLV0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	7/28/2008 11:42	Y	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	S	B1WLV0	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	7429-90-5	Aluminum	300	ug/L	UD	[NULL]	[NULL]	S	B1WM66	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	7440-36-0	Antimony	300	ug/L	UD	[NULL]	[NULL]	S	B1WM66	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	7440-38-2	Arsenic	400	ug/L	UD	[NULL]	[NULL]	S	B1WM66	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	7440-39-3	Barium	97	ug/L	BD	[NULL]	[NULL]	S	B1WM66	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	7440-43-9	Cadmium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM66	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	7440-70-2	Calcium	159000	ug/L	D	[NULL]	[NULL]	S	B1WM66	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	16887-00-6	Chloride	101000	ug/L	D	Z	[NULL]	S	B1WM66	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	7440-47-3	Chromium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM66	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	7440-48-4	Cobalt	20	ug/L	UD	[NULL]	[NULL]	S	B1WM66	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	7440-50-8	Copper	30	ug/L	UD	[NULL]	[NULL]	S	B1WM66	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/30/2008 10:50	Y	DO	Dissolved oxygen	4970	ug/L	[NULL]	[NULL]	[NULL]	S	B1WM41	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	16984-48-8	Fluoride	200	ug/L	UD	Z	[NULL]	S	B1WM66	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/30/2008 10:50	Y	12587-46-1	Gross alpha	5.38	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WM41	12587-46-1	TARL	ALPHA_GPC	100-NR-2
N116mArray-6A	7/30/2008 10:50	Y	12587-47-2	Gross beta	3290	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WM41	12587-47-2	TARL	BETA_GPC	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	7439-89-6	Iron	693	ug/L	D	[NULL]	[NULL]	S	B1WM66	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	7439-92-1	Lead	200	ug/L	UD	[NULL]	[NULL]	S	B1WM66	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	7439-95-4	Magnesium	27100	ug/L	D	[NULL]	[NULL]	S	B1WM66	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	7439-96-5	Manganese	4320	ug/L	D	[NULL]	[NULL]	S	B1WM66	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	7439-98-7	Molybdenum	20	ug/L	UD	[NULL]	[NULL]	S	B1WM66	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	7440-02-0	Nickel	30	ug/L	UD	[NULL]	[NULL]	S	B1WM66	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	14797-55-8	Nitrate	443	ug/L	UD	Z	[NULL]	S	B1WM66	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	14797-65-0	Nitrite	328	ug/L	UD	Z	[NULL]	S	B1WM66	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	7/30/2008 10:50	Y	EH	Oxidation Reduction Potential	-86	mV	[NULL]	[NULL]	[NULL]	S	B1WM41	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	14265-44-2	Phosphate	36800	ug/L	D	Z	[NULL]	S	B1WM66	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	7440-09-7	Potassium	4370	ug/L	D	[NULL]	[NULL]	S	B1WM66	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	7440-22-4	Silver	20	ug/L	UD	[NULL]	[NULL]	S	B1WM66	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	7440-23-5	Sodium	184000	ug/L	D	[NULL]	[NULL]	S	B1WM66	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/30/2008 10:50	Y	CONDUCT	Specific Conductance	1627	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WM41	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	7440-24-6	Strontium	723	ug/L	D	[NULL]	[NULL]	S	B1WM66	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	14808-79-8	Sulfate	1000	ug/L	UD	Z	[NULL]	S	B1WM66	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	7/30/2008 10:50	Y	TEMPERATURE	Temperature	21	Deg C	[NULL]	[NULL]	[NULL]	S	B1WM41	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	7440-62-2	Vanadium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM66	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/30/2008 10:50	N	7440-66-6	Zinc	40	ug/L	UD	[NULL]	[NULL]	S	B1WM66	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	7/30/2008 10:50	Y	PH	pH Measurement	7.18	unitless	[NULL]	[NULL]	[NULL]	S	B1WM41	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WN43	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WN43	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WN43	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	7440-39-3	Barium	91	ug/L	D	[NULL]	[NULL]	S	B1WN43	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WN43	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	7440-70-2	Calcium	156000	ug/L	D	[NULL]	[NULL]	S	B1WN43	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	16887-00-6	Chloride	144000	ug/L	D	[NULL]	[NULL]	S	B1WNP1	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WN43	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WN43	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WN43	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	DO	Dissolved oxygen	6840	ug/L	[NULL]	[NULL]	[NULL]	S	B1WM79	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	16984-48-8	Fluoride	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNP1	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	12587-46-1	Gross alpha	4.21	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WM79	12587-46-1	TARL	ALPHA_GPC	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	12587-47-2	Gross beta	4840	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WM79	12587-47-2	TARL	BETA_GPC	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	7439-89-6	Iron	940	ug/L	D	[NULL]	[NULL]	S	B1WN43	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	8/1/2008 8:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WN43	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	7439-95-4	Magnesium	27600	ug/L	D	[NULL]	[NULL]	S	B1WN43	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	7439-96-5	Manganese	4230	ug/L	D	[NULL]	[NULL]	S	B1WN43	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WN43	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	7440-02-0	Nickel	28.4	ug/L	D	[NULL]	[NULL]	S	B1WN43	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	14797-55-8	Nitrate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNP1	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	14797-65-0	Nitrite	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNP1	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	EH	Oxidation Reduction Potential	-84	mV	[NULL]	[NULL]	[NULL]	S	B1WM79	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	14265-44-2	Phosphate	148000	ug/L	D	[NULL]	[NULL]	S	B1WNP1	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	7440-09-7	Potassium	3870	ug/L	D	[NULL]	[NULL]	S	B1WN43	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WN43	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	7440-23-5	Sodium	216000	ug/L	D	[NULL]	[NULL]	S	B1WN43	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	CONDUCT	Specific Conductance	1919	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WM79	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	7440-24-6	Strontium	698	ug/L	D	[NULL]	[NULL]	S	B1WN43	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	14808-79-8	Sulfate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNP1	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	TEMPERATURE	Temperature	18.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WM79	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WN43	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WN43	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/1/2008 8:20	Y	PH	pH Measurement	6.98	unitless	[NULL]	[NULL]	[NULL]	S	B1WM79	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WNM4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WNM4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WNM4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	7440-39-3	Barium	203	ug/L	D	[NULL]	[NULL]	S	B1WNM4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNM4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	7440-70-2	Calcium	215000	ug/L	DN	[NULL]	[NULL]	S	B1WNM4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	16887-00-6	Chloride	191000	ug/L	D	[NULL]	[NULL]	S	B1WP16	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	16887-00-6	Chloride	173000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WP26	16887-00-6	222-S	9056_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	8/8/2008 9:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WNM4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WNM4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WNM4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	DO	Dissolved oxygen	4450	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNM4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	16984-48-8	Fluoride	314	ug/L	U	[NULL]	[NULL]	S	B1WP26	16984-48-8	222-S	9056_ANIONS_IC	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP16	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	12587-46-1	Gross alpha	10	pCi/L	[NULL]	G	[NULL]	S	B1WNM4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	12587-47-2	Gross beta	8800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WNM4	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	7439-89-6	Iron	1070	ug/L	D	[NULL]	[NULL]	S	B1WNM4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WNM4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	7439-95-4	Magnesium	39500	ug/L	D	[NULL]	[NULL]	S	B1WNM4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	7439-96-5	Manganese	7170	ug/L	D	[NULL]	[NULL]	S	B1WNM4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WNM4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WNM4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP16	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	14797-55-8	Nitrate	826	ug/L	U	[NULL]	[NULL]	S	B1WP26	14797-55-8	222-S	9056_ANIONS_IC	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	14797-65-0	Nitrite	2040	ug/L	U	[NULL]	[NULL]	S	B1WP26	14797-65-0	222-S	9056_ANIONS_IC	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP16	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	EH	Oxidation Reduction Potential	-243	mV	[NULL]	[NULL]	[NULL]	S	B1WNM4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	14265-44-2	Phosphate	51000	ug/L	D	[NULL]	[NULL]	S	B1WP16	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	14265-44-2	Phosphate	51800	ug/L	[NULL]	[NULL]	[NULL]	S	B1WP26	14265-44-2	222-S	9056_ANIONS_IC	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	7440-09-7	Potassium	5710	ug/L	D	[NULL]	[NULL]	S	B1WNM4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WNM4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	7440-23-5	Sodium	293000	ug/L	D	[NULL]	[NULL]	S	B1WNM4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	CONDUCT	Specific Conductance	2119	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNM4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	7440-24-6	Strontium	1060	ug/L	D	[NULL]	[NULL]	S	B1WNM4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP16	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	8/8/2008 9:45	Y	14808-79-8	Sulfate	1120	ug/L	U	[NULL]	[NULL]	S	B1WP26	14808-79-8	222-S	9056_ANIONS_IC	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	TEMPERATURE	Temperature	21.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNM4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WNM4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WNM4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/8/2008 9:45	Y	PH	pH Measurement	7.69	unitless	[NULL]	[NULL]	[NULL]	S	B1WNM4	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WP49	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WP49	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WP49	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	7440-39-3	Barium	67	ug/L	D	[NULL]	[NULL]	S	B1WP49	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP49	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	7440-70-2	Calcium	77300	ug/L	DN	[NULL]	[NULL]	S	B1WP49	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	16887-00-6	Chloride	61500	ug/L	D	[NULL]	[NULL]	S	B1WP79	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WP49	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WP49	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WP49	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	DO	Dissolved oxygen	6610	ug/L	[NULL]	[NULL]	[NULL]	S	B1WP49	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP79	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	12587-46-1	Gross alpha	0.82	pCi/L	U	[NULL]	[NULL]	S	B1WP49	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	12587-47-2	Gross beta	3200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WP49	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	7439-89-6	Iron	662	ug/L	CD	[NULL]	[NULL]	S	B1WP49	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WP49	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	7439-95-4	Magnesium	12500	ug/L	D	[NULL]	[NULL]	S	B1WP49	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	7439-96-5	Manganese	2660	ug/L	D	[NULL]	[NULL]	S	B1WP49	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	7439-98-7	Molybdenum	32.3	ug/L	D	[NULL]	[NULL]	S	B1WP49	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WP49	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP79	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP79	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	8/15/2008 7:45	Y	EH	Oxidation Reduction Potential	-93	mV	[NULL]	[NULL]	[NULL]	S	B1WP49	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	14265-44-2	Phosphate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP79	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	7440-09-7	Potassium	3020	ug/L	D	[NULL]	[NULL]	S	B1WP49	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WP49	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	7440-23-5	Sodium	159000	ug/L	D	[NULL]	[NULL]	S	B1WP49	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	CONDUCT	Specific Conductance	1175	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WP49	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	7440-24-6	Strontium	365	ug/L	D	[NULL]	[NULL]	S	B1WP49	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP79	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1WP49	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WP49	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WP49	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/15/2008 7:45	Y	PH	pH Measurement	7.66	unitless	[NULL]	[NULL]	[NULL]	S	B1WP49	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WW86	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	7440-36-0	Antimony	280	ug/L	DNU	[NULL]	[NULL]	S	B1WW86	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WW86	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	7440-39-3	Barium	56	ug/L	D	[NULL]	[NULL]	S	B1WW86	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	7440-43-9	Cadmium	36.7	ug/L	D	Y	[NULL]	S	B1WW86	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	7440-70-2	Calcium	50400	ug/L	DN	[NULL]	[NULL]	S	B1WW86	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	16887-00-6	Chloride	40800	ug/L	D	[NULL]	[NULL]	S	B1WW86	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WW86	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	7440-48-4	Cobalt	39.4	ug/L	D	[NULL]	[NULL]	S	B1WW86	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WW86	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	DO	Dissolved oxygen	5880	ug/L	[NULL]	[NULL]	[NULL]	S	B1WW86	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WW86	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	12587-46-1	Gross alpha	0.52	pCi/L	U	[NULL]	[NULL]	S	B1WW86	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	12587-47-2	Gross beta	910	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WW86	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	7439-89-6	Iron	418	ug/L	CD	[NULL]	[NULL]	S	B1WW86	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	8/22/2008 9:33	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WW86	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	7439-95-4	Magnesium	8800	ug/L	D	[NULL]	[NULL]	S	B1WW86	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	7439-96-5	Manganese	1680	ug/L	D	[NULL]	[NULL]	S	B1WW86	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	7439-98-7	Molybdenum	83.6	ug/L	DN	[NULL]	[NULL]	S	B1WW86	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	7440-02-0	Nickel	32.6	ug/L	D	[NULL]	[NULL]	S	B1WW86	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WW86	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WW86	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	EH	Oxidation Reduction Potential	-227	mV	[NULL]	[NULL]	[NULL]	S	B1WW86	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	14265-44-2	Phosphate	12200	ug/L	D	[NULL]	[NULL]	S	B1WW86	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	7440-09-7	Potassium	3040	ug/L	D	[NULL]	[NULL]	S	B1WW86	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WW86	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	7440-23-5	Sodium	160000	ug/L	D	[NULL]	[NULL]	S	B1WW86	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	CONDUCT	Specific Conductance	551.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WW86	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	7440-24-6	Strontium	262	ug/L	D	[NULL]	[NULL]	S	B1WW86	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	14808-79-8	Sulfate	1920	ug/L	BD	[NULL]	[NULL]	S	B1WW86	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1WW86	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WW86	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WW86	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	8/22/2008 9:33	Y	PH	pH Measurement	8.16	unitless	[NULL]	[NULL]	[NULL]	S	B1WW86	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WWR6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WWR6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WWR6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	7440-39-3	Barium	53	ug/L	BD	[NULL]	[NULL]	S	B1WWR6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWR6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	7440-70-2	Calcium	32300	ug/L	DN	[NULL]	[NULL]	S	B1WWR6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	16887-00-6	Chloride	32200	ug/L	D	[NULL]	[NULL]	S	B1WWN3	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WWR6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	9/2/2008 8:57	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WWR6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WWR6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWN3	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	12587-46-1	Gross alpha	1.3	pCi/L	U	[NULL]	[NULL]	S	B1WWR6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	12587-47-2	Gross beta	740	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWR6	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	7439-89-6	Iron	1210	ug/L	D	[NULL]	[NULL]	S	B1WWR6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WWR6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	7439-95-4	Magnesium	5910	ug/L	D	[NULL]	[NULL]	S	B1WWR6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	7439-96-5	Manganese	1020	ug/L	D	[NULL]	[NULL]	S	B1WWR6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	7439-98-7	Molybdenum	25.6	ug/L	BD	[NULL]	[NULL]	S	B1WWR6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WWR6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWN3	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWN3	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	EH	Oxidation Reduction Potential	-1	mV	[NULL]	[NULL]	[NULL]	S	B1WWN3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	14265-44-2	Phosphate	35800	ug/L	D	[NULL]	[NULL]	S	B1WWN3	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	7440-09-7	Potassium	2270	ug/L	BD	[NULL]	[NULL]	S	B1WWR6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WWR6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	7440-23-5	Sodium	158000	ug/L	D	[NULL]	[NULL]	S	B1WWR6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	CONDUCT	Specific Conductance	855.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWN3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	7440-24-6	Strontium	162	ug/L	D	[NULL]	[NULL]	S	B1WWR6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWN3	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWN3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WWR6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WWR6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	9/2/2008 8:57	Y	PH	pH Measurement	8.21	unitless	[NULL]	[NULL]	[NULL]	S	B1WWN3	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	7429-90-5	Aluminum	50	ug/L	U	[NULL]	[NULL]	S	B1WX96	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	7440-36-0	Antimony	60	ug/L	U	[NULL]	[NULL]	S	B1WX96	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	10/29/2008 14:29	N	7440-38-2	Arsenic	80	ug/L	U	[NULL]	[NULL]	S	B1WX96	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	7440-39-3	Barium	7.1	ug/L	B	[NULL]	[NULL]	S	B1WX96	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	24959-67-9	Bromide	3660	ug/L	BD	[NULL]	[NULL]	S	B1WX96	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1WX96	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	7440-70-2	Calcium	15000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX96	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	16887-00-6	Chloride	11500	ug/L	D	[NULL]	[NULL]	S	B1WX96	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	S	B1WX96	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1WX96	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1WX96	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	DO	Dissolved oxygen	7770	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX96	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WX96	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	12587-46-1	Gross alpha	-1.27	pCi/L	U	[NULL]	[NULL]	S	B1WX96	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	12587-47-2	Gross beta	472	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX96	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	7439-89-6	Iron	54.1	ug/L	B	[NULL]	[NULL]	S	B1WX96	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	7439-92-1	Lead	40	ug/L	U	[NULL]	[NULL]	S	B1WX96	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	7439-95-4	Magnesium	2830	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX96	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	7439-96-5	Manganese	223	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX96	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1WX96	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1WX96	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	14797-55-8	Nitrate	637	ug/L	BD	[NULL]	[NULL]	S	B1WX96	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WX96	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	EH	Oxidation Reduction Potential	94	mV	[NULL]	[NULL]	[NULL]	S	B1WX96	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	14265-44-2	Phosphate	48400	ug/L	D	[NULL]	[NULL]	S	B1WX96	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	7440-09-7	Potassium	1320	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX96	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1WX96	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	7440-23-5	Sodium	87600	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX96	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	CONDUCT	Specific Conductance	467.2	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX96	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	10/29/2008 14:29	N	7440-24-6	Strontium	86.8	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX96	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	14808-79-8	Sulfate	11900	ug/L	D	[NULL]	[NULL]	S	B1WX96	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	TEMPERATURE	Temperature	14.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX96	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	7440-62-2	Vanadium	10	ug/L	U	[NULL]	[NULL]	S	B1WX96	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1WX96	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	10/29/2008 14:29	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	S	B1WX96	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	7429-90-5	Aluminum	52	ug/L	U	[NULL]	[NULL]	C	B1XXW0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1XXW0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1XXW0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	7440-39-3	Barium	6.9	ug/L	B	[NULL]	[NULL]	C	B1XXW0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1XXW0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	7440-70-2	Calcium	12300	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXW0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	16887-00-6	Chloride	5900	ug/L	D	[NULL]	[NULL]	C	B1XXW0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1XXW0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1XXW0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	C	B1XXW0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	DO	Dissolved oxygen	4870	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXW0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	C	B1XXW0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	12587-46-1	Gross alpha	0.85	pCi/L	U	[NULL]	[NULL]	C	B1XXW0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	12587-47-2	Gross beta	300	pCi/L	[NULL]	[NULL]	[NULL]	C	B1XXW0	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	C	B1XXW0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	C	B1XXW0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	7439-95-4	Magnesium	2860	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXW0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	7439-96-5	Manganese	130	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXW0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	C	B1XXW0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1XXW0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	C	B1XXW0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	12/3/2008 11:04	N	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	C	B1XXW0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	EH	Oxidation Reduction Potential	199	mV	[NULL]	[NULL]	[NULL]	C	B1XXW0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	14265-44-2	Phosphate	49700	ug/L	D	[NULL]	[NULL]	C	B1XXW0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	7440-09-7	Potassium	1300	ug/L	C	[NULL]	[NULL]	C	B1XXW0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1XXW0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	7440-23-5	Sodium	66400	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXW0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	CONDUCT	Specific Conductance	304	uS/cm	[NULL]	[NULL]	[NULL]	C	B1XXW0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	7440-24-6	Strontium	79.9	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXW0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	14808-79-8	Sulfate	11400	ug/L	D	[NULL]	[NULL]	C	B1XXW0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	TEMPERATURE	Temperature	9	Deg C	[NULL]	[NULL]	[NULL]	C	B1XXW0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1XXW0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1XXW0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	12/3/2008 11:04	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	C	B1XXW0	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-6A	1/15/2009 10:19	N	DO	Dissolved oxygen	4860	ug/L	[NULL]	[NULL]	[NULL]	R	B1Y4W6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	1/15/2009 10:19	N	12587-47-2	Gross beta	290	pCi/L	[NULL]	[NULL]	[NULL]	R	B1Y4W7	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	1/15/2009 10:19	N	EH	Oxidation Reduction Potential	83	mV	[NULL]	[NULL]	[NULL]	R	B1Y4W6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	1/15/2009 10:19	N	CONDUCT	Specific Conductance	402	uS/cm	[NULL]	[NULL]	[NULL]	R	B1Y4W6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	1/15/2009 10:19	N	TEMPERATURE	Temperature	3.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1Y4W6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	1/15/2009 10:19	N	TURBIDITY	Turbidity	0.98	NTU	[NULL]	[NULL]	[NULL]	R	B1Y4W6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-6A	1/15/2009 10:19	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	R	B1Y4W6	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	7429-90-5	Aluminum	52	ug/L	U	[NULL]	[NULL]	S	B1YLM8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1YLM8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	S	B1YLM8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	7440-39-3	Barium	7.3	ug/L	B	[NULL]	[NULL]	S	B1YLM8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1YLM8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	7440-70-2	Calcium	19100	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLM8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	16887-00-6	Chloride	8940	ug/L	D	[NULL]	[NULL]	S	B1YLM8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	2/3/2009 11:21	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1YLM8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1YLM8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1YLM8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	DO	Dissolved oxygen	6470	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLM8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	16984-48-8	Fluoride	230	ug/L	UD	[NULL]	[NULL]	S	B1YLM8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	12587-46-1	Gross alpha	-0.58	pCi/L	U	[NULL]	[NULL]	S	B1YLM8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	12587-47-2	Gross beta	490	pCi/L	[NULL]	[NULL]	[NULL]	S	B1YLM8	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	S	B1YLM8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1YLM8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	7439-95-4	Magnesium	4020	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLM8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	7439-96-5	Manganese	166	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLM8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1YLM8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1YLM8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	14797-55-8	Nitrate	3370	ug/L	BD	[NULL]	[NULL]	S	B1YLM8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	14797-65-0	Nitrite	427	ug/L	UD	[NULL]	[NULL]	S	B1YLM8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	EH	Oxidation Reduction Potential	23	mV	[NULL]	[NULL]	[NULL]	S	B1YLM8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	14265-44-2	Phosphate	60100	ug/L	D	[NULL]	[NULL]	S	B1YLM8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	7440-09-7	Potassium	1150	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLM8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1YLM8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	7440-23-5	Sodium	84200	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLM8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	CONDUCT	Specific Conductance	483	uS/cm	[NULL]	[NULL]	[NULL]	S	B1YLM8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	7440-24-6	Strontium	59.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLM8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	14808-79-8	Sulfate	14700	ug/L	D	[NULL]	[NULL]	S	B1YLM8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	TEMPERATURE	Temperature	4.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1YLM8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B1YLM8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1YLM8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-6A	2/3/2009 11:21	N	PH	pH Measurement	7.97	unitless	[NULL]	[NULL]	[NULL]	S	B1YLM8	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	2/11/2009 11:49	N	DO	Dissolved oxygen	7070	ug/L	[NULL]	[NULL]	[NULL]	R	B1YDW4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	2/11/2009 11:49	N	12587-47-2	Gross beta	330	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YDW5	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	2/11/2009 11:49	N	EH	Oxidation Reduction Potential	239	mV	[NULL]	[NULL]	[NULL]	R	B1YDW4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	2/11/2009 11:49	N	CONDUCT	Specific Conductance	307	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YDW4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	2/11/2009 11:49	N	TEMPERATURE	Temperature	4.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1YDW4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	2/11/2009 11:49	N	TURBIDITY	Turbidity	0.88	NTU	[NULL]	[NULL]	[NULL]	R	B1YDW4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-6A	2/11/2009 11:49	N	PH	pH Measurement	8.08	unitless	[NULL]	[NULL]	[NULL]	R	B1YDW4	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	4/2/2009 8:40	N	DO	Dissolved oxygen	4040	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPN1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	4/2/2009 8:40	N	12587-47-2	Gross beta	420	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPN2	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	4/2/2009 8:40	N	EH	Oxidation Reduction Potential	231	mV	[NULL]	[NULL]	[NULL]	R	B1YPN1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	4/2/2009 8:40	N	CONDUCT	Specific Conductance	510	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YPN1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	4/2/2009 8:40	N	TEMPERATURE	Temperature	5.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1YPN1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	4/2/2009 8:40	N	TURBIDITY	Turbidity	1.38	NTU	[NULL]	[NULL]	[NULL]	R	B1YPN1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-6A	4/2/2009 8:40	N	PH	pH Measurement	8.03	unitless	[NULL]	[NULL]	[NULL]	R	B1YPN1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	4/30/2009 9:22	N	DO	Dissolved oxygen	3990	ug/L	[NULL]	[NULL]	[NULL]	R	B20224	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	4/30/2009 9:22	N	12587-47-2	Gross beta	280	pCi/L	[NULL]	[NULL]	[NULL]	R	B20225	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	4/30/2009 9:22	N	EH	Oxidation Reduction Potential	229	mV	[NULL]	[NULL]	[NULL]	R	B20224	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	4/30/2009 9:22	N	CONDUCT	Specific Conductance	222	uS/cm	[NULL]	[NULL]	[NULL]	R	B20224	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	4/30/2009 9:22	N	TEMPERATURE	Temperature	8.8	Deg C	[NULL]	[NULL]	[NULL]	R	B20224	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	4/30/2009 9:22	N	TURBIDITY	Turbidity	4.43	NTU	[NULL]	[NULL]	[NULL]	R	B20224	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-6A	4/30/2009 9:22	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B20224	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	5/13/2009 12:38	N	DO	Dissolved oxygen	4850	ug/L	[NULL]	[NULL]	[NULL]	R	B20BT3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	5/13/2009 12:38	N	12587-47-2	Gross beta	320	pCi/L	[NULL]	[NULL]	[NULL]	R	B20BT4	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	5/13/2009 12:38	N	EH	Oxidation Reduction Potential	459	mV	[NULL]	[NULL]	[NULL]	R	B20BT3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	5/13/2009 12:38	N	CONDUCT	Specific Conductance	283	uS/cm	[NULL]	[NULL]	[NULL]	R	B20BT3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	5/13/2009 12:38	N	TEMPERATURE	Temperature	12.6	Deg C	[NULL]	[NULL]	[NULL]	R	B20BT3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	5/13/2009 12:38	N	TURBIDITY	Turbidity	1.55	NTU	[NULL]	[NULL]	[NULL]	R	B20BT3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-6A	5/13/2009 12:38	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B20BT3	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	6/22/2009 11:51	N	DO	Dissolved oxygen	8590	ug/L	[NULL]	[NULL]	[NULL]	R	B20M45	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	6/22/2009 11:51	N	12587-47-2	Gross beta	510	pCi/L	[NULL]	[NULL]	[NULL]	R	B20M46	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	6/22/2009 11:51	N	EH	Oxidation Reduction Potential	22	mV	[NULL]	[NULL]	[NULL]	R	B20M45	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	6/22/2009 11:51	N	CONDUCT	Specific Conductance	357	uS/cm	[NULL]	[NULL]	[NULL]	R	B20M45	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	6/22/2009 11:51	N	TEMPERATURE	Temperature	21.8	Deg C	[NULL]	[NULL]	[NULL]	R	B20M45	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	6/22/2009 11:51	N	TURBIDITY	Turbidity	0.77	NTU	[NULL]	[NULL]	[NULL]	R	B20M45	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-6A	6/22/2009 11:51	N	PH	pH Measurement	10.86	unitless	[NULL]	[NULL]	[NULL]	R	B20M45	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	7/30/2009 9:03	N	DO	Dissolved oxygen	2030	ug/L	[NULL]	[NULL]	[NULL]	R	B20XM0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	7/30/2009 9:03	N	12587-47-2	Gross beta	300	pCi/L	[NULL]	[NULL]	[NULL]	R	B20XM1	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	7/30/2009 9:03	N	EH	Oxidation Reduction Potential	50	mV	[NULL]	[NULL]	[NULL]	R	B20XM0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	7/30/2009 9:03	N	CONDUCT	Specific Conductance	480	uS/cm	[NULL]	[NULL]	[NULL]	R	B20XM0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	7/30/2009 9:03	N	TEMPERATURE	Temperature	21.6	Deg C	[NULL]	[NULL]	[NULL]	R	B20XM0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	7/30/2009 9:03	N	TURBIDITY	Turbidity	1.44	NTU	[NULL]	[NULL]	[NULL]	R	B20XM0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-6A	7/30/2009 9:03	N	PH	pH Measurement	8.22	unitless	[NULL]	[NULL]	[NULL]	R	B20XM0	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	9/22/2009 17:45	N	DO	Dissolved oxygen	5730	ug/L	[NULL]	[NULL]	[NULL]	R	B21HL5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-6A	9/22/2009 17:45	N	12587-47-2	Gross beta	190	pCi/L	[NULL]	[NULL]	[NULL]	R	B21HL6	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-6A	9/22/2009 17:45	N	EH	Oxidation Reduction Potential	113	mV	[NULL]	[NULL]	[NULL]	R	B21HL5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-6A	9/22/2009 17:45	N	CONDUCT	Specific Conductance	191	uS/cm	[NULL]	[NULL]	[NULL]	R	B21HL5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-6A	9/22/2009 17:45	N	TEMPERATURE	Temperature	21.1	Deg C	[NULL]	[NULL]	[NULL]	R	B21HL5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-6A	9/22/2009 17:45	N	TURBIDITY	Turbidity	4.68	NTU	[NULL]	[NULL]	[NULL]	R	B21HL5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-6A	9/22/2009 17:45	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B21HL5	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-6A	2/1/2010 9:57	N	12587-47-2	Gross beta	220	pCi/L	[NULL]	[NULL]	[NULL]	R	B23P14	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-7A	8/3/2005 0:00	N	12587-47-2	Gross beta	520	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DM70	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-7A	8/3/2005 0:00	N	EH	Oxidation Reduction Potential	34	mV	[NULL]	[NULL]	[NULL]	S	B1DM70	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-7A	8/3/2005 0:00	N	CONDUCT	Specific Conductance	153.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1DM70	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-7A	8/3/2005 0:00	N	TEMPERATURE	Temperature	20.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1DM70	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-7A	8/3/2005 0:00	N	TDS	Total dissolved solids	97400	ug/L	[NULL]	[NULL]	[NULL]	S	B1DM70	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-7A	8/3/2005 0:00	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	S	B1DM70	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-7A	9/28/2005 0:00	N	ALKALINITY	Alkalinity	64000	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF1	ALKALINITY	ENW	2320_ALKALINITY	100-NR-2
N116mArray-7A	9/28/2005 0:00	Y	7429-90-5	Aluminum	5.25	ug/L	X	[NULL]	[NULL]	S	B1DYD9	7429-90-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-7A	9/28/2005 0:00	Y	7440-38-2	Arsenic	0.389	ug/L	X	[NULL]	[NULL]	S	B1DYD9	7440-38-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-7A	9/28/2005 0:00	Y	7440-39-3	Barium	21	ug/L	X	[NULL]	[NULL]	S	B1DYD9	7440-39-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-7A	9/28/2005 0:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	S	B1DYF0	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	9/28/2005 0:00	Y	7440-43-9	Cadmium	0.004	ug/L	UX	[NULL]	[NULL]	S	B1DYD9	7440-43-9	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-7A	9/28/2005 0:00	Y	7440-70-2	Calcium	21522	ug/L	X	[NULL]	[NULL]	S	B1DYD9	7440-70-2	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-7A	9/28/2005 0:00	N	3812-32-6	Carbonate ion	56400	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF0	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	9/28/2005 0:00	N	16887-00-6	Chloride	940	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF0	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	9/28/2005 0:00	Y	7440-47-3	Chromium	0.462	ug/L	X	[NULL]	[NULL]	S	B1DYD9	7440-47-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-7A	9/28/2005 0:00	Y	7440-50-8	Copper	0.304	ug/L	X	[NULL]	[NULL]	S	B1DYD9	7440-50-8	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-7A	9/28/2005 0:00	N	DO	Dissolved oxygen	6900	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYD8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-7A	9/28/2005 0:00	N	16984-48-8	Fluoride	60	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF0	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	9/28/2005 0:00	N	12587-47-2	Gross beta	559	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DYD8	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-7A	9/28/2005 0:00	Y	7439-92-1	Lead	0.00647	ug/L	BX	[NULL]	[NULL]	S	B1DYD9	7439-92-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-7A	9/28/2005 0:00	Y	7439-95-4	Magnesium	3927	ug/L	X	[NULL]	[NULL]	S	B1DYD9	7439-95-4	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-7A	9/28/2005 0:00	Y	7439-96-5	Manganese	8.42	ug/L	X	[NULL]	[NULL]	S	B1DYD9	7439-96-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-7A	9/28/2005 0:00	Y	7440-02-0	Nickel	0.646	ug/L	X	[NULL]	[NULL]	S	B1DYD9	7440-02-0	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-7A	9/28/2005 0:00	N	14797-55-8	Nitrate	2420	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF0	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	9/28/2005 0:00	N	EH	Oxidation Reduction Potential	7	mV	[NULL]	[NULL]	[NULL]	S	B1DYD8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-7A	9/28/2005 0:00	N	14265-44-2	Phosphate	60	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF0	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	9/28/2005 0:00	Y	7440-09-7	Potassium	1326	ug/L	X	[NULL]	[NULL]	S	B1DYD9	7440-09-7	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-7A	9/28/2005 0:00	Y	7782-49-2	Selenium	0.136	ug/L	BX	[NULL]	[NULL]	S	B1DYD9	7782-49-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-7A	9/28/2005 0:00	Y	7440-23-5	Sodium	2348	ug/L	X	[NULL]	[NULL]	S	B1DYD9	7440-23-5	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-7A	9/28/2005 0:00	N	CONDUCT	Specific Conductance	145	uS/cm	[NULL]	[NULL]	[NULL]	S	B1DYD8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-7A	9/28/2005 0:00	Y	7440-24-6	Strontium	81	ug/L	X	[NULL]	[NULL]	S	B1DYD9	7440-24-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-7A	9/28/2005 0:00	N	10098-97-2	Strontium-90	330	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DYD8	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-7A	9/28/2005 0:00	N	14808-79-8	Sulfate	10300	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF0	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	9/28/2005 0:00	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1DYD8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-7A	9/28/2005 0:00	Y	7440-29-1	Thorium	0.0121	ug/L	X	[NULL]	[NULL]	S	B1DYD9	7440-29-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-7A	9/28/2005 0:00	N	TDS	Total dissolved solids	95000	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYD8	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-7A	9/28/2005 0:00	N	10028-17-8	Tritium	416	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DYD8	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
N116mArray-7A	9/28/2005 0:00	Y	7440-61-1	Uranium	0.155	ug/L	X	[NULL]	[NULL]	S	B1DYD9	7440-61-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-7A	9/28/2005 0:00	Y	7440-66-6	Zinc	0.6	ug/L	X	[NULL]	[NULL]	S	B1DYD9	7440-66-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-7A	9/28/2005 0:00	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	S	B1DYD8	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-7A	3/8/2006 11:35	N	24959-67-9	Bromide	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HVB8	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	3/8/2006 11:35	Y	7440-70-2	Calcium	18125.9	ug/L	D	[NULL]	[NULL]	S	B1HVB7	7440-70-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	3/8/2006 11:35	N	3812-32-6	Carbonate ion	48800	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB8	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	3/8/2006 11:35	N	16887-00-6	Chloride	1010	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB8	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	3/8/2006 11:35	N	DO	Dissolved oxygen	9300	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV68	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-7A	3/8/2006 11:35	N	16984-48-8	Fluoride	70	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB8	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	3/8/2006 11:35	N	12587-47-2	Gross beta	555	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HV68	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-7A	3/8/2006 11:35	N	14797-55-8	Nitrate	1230	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB8	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	3/8/2006 11:35	N	EH	Oxidation Reduction Potential	17	mV	[NULL]	[NULL]	[NULL]	S	B1HV68	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-7A	3/8/2006 11:35	N	14265-44-2	Phosphate	50	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB8	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	3/8/2006 11:35	Y	7440-23-5	Sodium	1634.65	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB7	7440-23-5	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	3/8/2006 11:35	N	127-09-3	Sodium acetate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HVB8	127-09-3	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	3/8/2006 11:35	N	68-04-2	Sodium citrate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HVB8	68-04-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	3/8/2006 11:35	N	141-53-7	Sodium formate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1HVB8	141-53-7	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	3/8/2006 11:35	N	CONDUCT	Specific Conductance	130.8	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HV68	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-7A	3/8/2006 11:35	N	14808-79-8	Sulfate	10100	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB8	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	3/8/2006 11:35	N	TEMPERATURE	Temperature	5.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1HV68	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-7A	3/8/2006 11:35	Y	7440-61-1	Uranium	0.17	ug/L	[NULL]	[NULL]	[NULL]	S	B1HVB7	7440-61-1	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	3/8/2006 11:35	N	PH	pH Measurement	7.37	unitless	[NULL]	[NULL]	[NULL]	S	B1HV68	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-7A	4/13/2006 12:56	N	12587-47-2	Gross beta	700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J2D1	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-7A	4/13/2006 12:56	N	EH	Oxidation Reduction Potential	147	mV	[NULL]	[NULL]	[NULL]	S	B1J2D1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-7A	4/13/2006 12:56	N	CONDUCT	Specific Conductance	145.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J2D1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-7A	4/13/2006 12:56	N	TEMPERATURE	Temperature	8.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1J2D1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-7A	4/13/2006 12:56	N	PH	pH Measurement	7.76	unitless	[NULL]	[NULL]	[NULL]	S	B1J2D1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-7A	5/10/2006 13:00	N	ALKALINITY	Alkalinity	82000	ug/L	[NULL]	[NULL]	[NULL]	S	B1J733	ALKALINITY	RJ LEE	2320_ALKALINITY	100-NR-2
N116mArray-7A	5/10/2006 13:00	Y	7440-38-2	Arsenic	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J732	7440-38-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	5/10/2006 13:00	Y	7440-39-3	Barium	24.93	ug/L	[NULL]	[NULL]	[NULL]	S	B1J732	7440-39-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	5/10/2006 13:00	N	24959-67-9	Bromide	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J731	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	5/10/2006 13:00	Y	7440-70-2	Calcium	26556	ug/L	D	[NULL]	[NULL]	S	B1J732	7440-70-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	5/10/2006 13:00	N	3812-32-6	Carbonate ion	61200	ug/L	[NULL]	[NULL]	[NULL]	S	B1J731	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	5/10/2006 13:00	N	16887-00-6	Chloride	1350	ug/L	[NULL]	[NULL]	[NULL]	S	B1J731	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	5/10/2006 13:00	Y	7440-47-3	Chromium	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J732	7440-47-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	5/10/2006 13:00	N	16984-48-8	Fluoride	70	ug/L	[NULL]	[NULL]	[NULL]	S	B1J731	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	5/10/2006 13:00	N	12587-47-2	Gross beta	766	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J729	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-7A	5/10/2006 13:00	Y	7439-92-1	Lead	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J732	7439-92-1	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	5/10/2006 13:00	Y	7440-02-0	Nickel	0.78	ug/L	[NULL]	[NULL]	[NULL]	S	B1J732	7440-02-0	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	5/10/2006 13:00	N	14797-55-8	Nitrate	1100	ug/L	[NULL]	[NULL]	[NULL]	S	B1J731	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	5/10/2006 13:00	N	EH	Oxidation Reduction Potential	-46	mV	[NULL]	[NULL]	[NULL]	S	B1J729	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-7A	5/10/2006 13:00	N	14265-44-2	Phosphate	90	ug/L	[NULL]	[NULL]	[NULL]	S	B1J731	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	5/10/2006 13:00	Y	7440-09-7	Potassium	1400.13	ug/L	[NULL]	[NULL]	[NULL]	S	B1J732	7440-09-7	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	5/10/2006 13:00	Y	7440-23-5	Sodium	2564.98	ug/L	[NULL]	[NULL]	[NULL]	S	B1J732	7440-23-5	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	5/10/2006 13:00	N	127-09-3	Sodium acetate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J731	127-09-3	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	5/10/2006 13:00	N	68-04-2	Sodium citrate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J731	68-04-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	5/10/2006 13:00	N	141-53-7	Sodium formate	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J731	141-53-7	PNL1	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-7A	5/10/2006 13:00	N	CONDUCT	Specific Conductance	169.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J729	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-7A	5/10/2006 13:00	N	14808-79-8	Sulfate	10700	ug/L	[NULL]	[NULL]	[NULL]	S	B1J731	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	5/10/2006 13:00	N	TEMPERATURE	Temperature	12.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1J729	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-7A	5/10/2006 13:00	N	TDS	Total dissolved solids	114800	ug/L	[NULL]	[NULL]	[NULL]	S	B1J729	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-7A	5/10/2006 13:00	N	10028-17-8	Tritium	55.5	pCi/L	U	[NULL]	[NULL]	S	B1J730	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
N116mArray-7A	5/10/2006 13:00	Y	7440-66-6	Zinc	1.02	ug/L	B	[NULL]	[NULL]	S	B1J732	7440-66-6	RJ LEE	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	5/10/2006 13:00	N	PH	pH Measurement	7.72	unitless	[NULL]	[NULL]	[NULL]	S	B1J729	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-7A	6/6/2006 11:10	N	DO	Dissolved oxygen	4800	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDP4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-7A	6/6/2006 11:10	N	12587-47-2	Gross beta	853	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDP5	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-7A	6/6/2006 11:10	N	EH	Oxidation Reduction Potential	0	mV	[NULL]	[NULL]	[NULL]	R	B1JDP4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-7A	6/6/2006 11:10	N	CONDUCT	Specific Conductance	182.6	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JDP4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-7A	6/6/2006 11:10	N	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1JDP4	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-7A	6/6/2006 11:10	N	PH	pH Measurement	7.35	unitless	[NULL]	[NULL]	[NULL]	R	B1JDP4	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	ALKALINITY	Alkalinity	64000	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBN8	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
N116mArray-7A	9/25/2006 14:20	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1KBN7	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	14234-35-6	Antimony-125	-1.5	pCi/L	U	[NULL]	[NULL]	R	B1KBP0	14234-35-6	STLRL	GAMMA_GS	100-NR-2
N116mArray-7A	9/25/2006 14:20	Y	7440-39-3	Barium	24.4	ug/L	B	[NULL]	[NULL]	R	B1KBN7	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-7A	9/25/2006 14:20	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1KBN7	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	13966-02-4	Beryllium-7	-7.14	pCi/L	U	[NULL]	[NULL]	R	B1KBP0	13966-02-4	STLRL	GAMMA_GS	100-NR-2
N116mArray-7A	9/25/2006 14:20	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1KBN7	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-7A	9/25/2006 14:20	Y	7440-70-2	Calcium	22500	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBN7	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	13967-70-9	Cesium-134	-0.752	pCi/L	U	[NULL]	[NULL]	R	B1KBP0	13967-70-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	10045-97-3	Cesium-137	-0.27	pCi/L	U	[NULL]	[NULL]	R	B1KBP0	10045-97-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	16887-00-6	Chloride	920	ug/L	N	[NULL]	[NULL]	R	B1KBN8	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	9/25/2006 14:20	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1KBN7	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-7A	9/25/2006 14:20	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1KBN7	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	10198-40-0	Cobalt-60	1.66	pCi/L	U	[NULL]	[NULL]	R	B1KBP0	10198-40-0	STLRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-7A	9/25/2006 14:20	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1KBN7	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	DO	Dissolved oxygen	8100	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBN9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	14683-23-9	Europium-152	-1.84	pCi/L	U	[NULL]	[NULL]	R	B1KBP0	14683-23-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	15585-10-1	Europium-154	0.32	pCi/L	U	[NULL]	[NULL]	R	B1KBP0	15585-10-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	14391-16-3	Europium-155	1.68	pCi/L	U	[NULL]	[NULL]	R	B1KBP0	14391-16-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	16984-48-8	Fluoride	78	ug/L	BN	[NULL]	[NULL]	R	B1KBN8	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	12587-46-1	Gross alpha	0.267	pCi/L	U	[NULL]	[NULL]	R	B1KBP0	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	12587-47-2	Gross beta	533	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBP0	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-7A	9/25/2006 14:20	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1KBN7	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-7A	9/25/2006 14:20	Y	7439-95-4	Magnesium	4210	ug/L	B	[NULL]	[NULL]	R	B1KBN7	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-7A	9/25/2006 14:20	Y	7439-96-5	Manganese	3.1	ug/L	B	[NULL]	[NULL]	R	B1KBN7	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-7A	9/25/2006 14:20	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1KBN7	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	14797-55-8	Nitrate	2480	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBN8	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1KBN8	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	14265-44-2	Phosphate	130	ug/L	BN	[NULL]	[NULL]	R	B1KBN8	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	9/25/2006 14:20	Y	7440-09-7	Potassium	4030	ug/L	BC	[NULL]	[NULL]	R	B1KBN7	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	13966-00-2	Potassium-40	7.81	pCi/L	U	[NULL]	[NULL]	R	B1KBP0	13966-00-2	STLRL	GAMMA_GS	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	13967-48-1	Ruthenium-106	3.87	pCi/L	U	[NULL]	[NULL]	R	B1KBP0	13967-48-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-7A	9/25/2006 14:20	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1KBN7	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-7A	9/25/2006 14:20	Y	7440-23-5	Sodium	2380	ug/L	B	[NULL]	[NULL]	R	B1KBN7	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	CONDUCT	Specific Conductance	140	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KBN9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-7A	9/25/2006 14:20	Y	7440-24-6	Strontium	91.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBN7	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	10098-97-2	Strontium-90	287	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBP0	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	14808-79-8	Sulfate	9100	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBN8	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	TEMPERATURE	Temperature	21.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1KBN9	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	10028-17-8	Tritium	-38.3	pCi/L	U	[NULL]	[NULL]	R	B1KBP0	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
N116mArray-7A	9/25/2006 14:20	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1KBN7	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-7A	9/25/2006 14:20	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1KBN7	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-7A	9/25/2006 14:20	N	PH	pH Measurement	6.97	unitless	[NULL]	[NULL]	[NULL]	R	B1KBN9	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-7A	3/14/2007 11:24	N	DO	Dissolved oxygen	8800	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-7A	3/14/2007 11:24	N	12587-46-1	Gross alpha	6.1	pCi/L	[NULL]	R	[NULL]	R	B1MPH3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-7A	3/14/2007 11:24	N	12587-47-2	Gross beta	500	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MPH3	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-7A	3/14/2007 11:24	N	EH	Oxidation Reduction Potential	186	mV	[NULL]	[NULL]	[NULL]	R	B1MPH3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-7A	3/14/2007 11:24	N	CONDUCT	Specific Conductance	148.4	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MPH3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-7A	3/14/2007 11:24	N	TEMPERATURE	Temperature	8.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1MPH3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-7A	3/14/2007 11:24	N	TURBIDITY	Turbidity	0.98	NTU	[NULL]	[NULL]	[NULL]	R	B1MPH3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-7A	3/14/2007 11:24	N	PH	pH Measurement	7.55	unitless	[NULL]	[NULL]	[NULL]	R	B1MPH3	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-7A	6/26/2007 13:15	N	DO	Dissolved oxygen	7420	ug/L	[NULL]	[NULL]	[NULL]	R	B1NTX5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-7A	6/26/2007 13:15	N	12587-46-1	Gross alpha	-0.38	pCi/L	U	G	[NULL]	R	B1NV23	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-7A	6/26/2007 13:15	N	12587-47-2	Gross beta	650	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NV23	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-7A	6/26/2007 13:15	N	EH	Oxidation Reduction Potential	61	mV	[NULL]	[NULL]	[NULL]	R	B1NTX5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-7A	6/26/2007 13:15	N	CONDUCT	Specific Conductance	160	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NTX5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-7A	6/26/2007 13:15	N	TEMPERATURE	Temperature	24.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1NTX5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-7A	6/26/2007 13:15	N	PH	pH Measurement	7.42	unitless	[NULL]	[NULL]	[NULL]	R	B1NTX5	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	ALKALINITY	Alkalinity	67000	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W2	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	7440-36-0	Antimony	0.3	ug/L	U	[NULL]	[NULL]	R	B1P3W2	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	7440-38-2	Arsenic	0.4	ug/L	U	[NULL]	[NULL]	R	B1P3W2	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	7440-39-3	Barium	25.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W2	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	7440-41-7	Beryllium	0.05	ug/L	U	[NULL]	[NULL]	R	B1P3W2	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	24959-67-9	Bromide	105	ug/L	B	[NULL]	[NULL]	R	B1P3W2	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	7440-43-9	Cadmium	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3W2	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	7440-70-2	Calcium	22500	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	10045-97-3	Cesium-137	-1.67	pCi/L	U	[NULL]	[NULL]	R	B1P3W2	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	16887-00-6	Chloride	1400	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-7A	8/9/2007 14:03	N	7440-47-3	Chromium	0.737	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W2	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	7440-48-4	Cobalt	0.082	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W2	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	10198-40-0	Cobalt-60	-1.86	pCi/L	U	[NULL]	[NULL]	R	B1P3W2	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	DO	Dissolved oxygen	8240	ug/L	[NULL]	[NULL]	[NULL]	C	B1P3N8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	14683-23-9	Europium-152	-7.17	pCi/L	U	[NULL]	[NULL]	R	B1P3W2	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	15585-10-1	Europium-154	-8.41	pCi/L	U	[NULL]	[NULL]	R	B1P3W2	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	14391-16-3	Europium-155	-20.4	pCi/L	U	[NULL]	[NULL]	R	B1P3W2	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	16984-48-8	Fluoride	37	ug/L	B	[NULL]	[NULL]	R	B1P3W2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	12587-46-1	Gross alpha	-0.37	pCi/L	U	G	[NULL]	R	B1P3W2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	12587-47-2	Gross beta	540	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W2	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	7439-89-6	Iron	122	ug/L	C	[NULL]	[NULL]	R	B1P3W2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	7439-95-4	Magnesium	3740	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	7439-96-5	Manganese	12.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W2	7439-96-5	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	7440-02-0	Nickel	0.295	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W2	7440-02-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	14797-55-8	Nitrate	3150	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	R	B1P3W2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	EH	Oxidation Reduction Potential	49	mV	[NULL]	[NULL]	[NULL]	C	B1P3N8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	14265-44-2	Phosphate	604	ug/L	BNX	[NULL]	[NULL]	R	B1P3W2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	7440-09-7	Potassium	1200	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	7440-22-4	Silver	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3W2	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	7440-23-5	Sodium	2170	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	CONDUCT	Specific Conductance	153.8	uS/cm	[NULL]	[NULL]	[NULL]	C	B1P3N8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	7440-24-6	Strontium	83.2	ug/L	N	[NULL]	[NULL]	R	B1P3W2	7440-24-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	10098-97-2	Strontium-90	240	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	14808-79-8	Sulfate	10500	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	TEMPERATURE	Temperature	24.8	Deg C	[NULL]	[NULL]	[NULL]	C	B1P3N8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	10028-17-8	Tritium	19	pCi/L	U	[NULL]	[NULL]	R	B1P3W2	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-7A	8/9/2007 14:03	N	TURBIDITY	Turbidity	0.93	NTU	[NULL]	[NULL]	[NULL]	C	B1P3N8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	7440-62-2	Vanadium	1.09	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W2	7440-62-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	7440-66-6	Zinc	0.8	ug/L	U	[NULL]	[NULL]	R	B1P3W2	7440-66-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-7A	8/9/2007 14:03	N	PH	pH Measurement	7.32	unitless	[NULL]	[NULL]	[NULL]	C	B1P3N8	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-7A	12/18/2007 10:32	N	DO	Dissolved oxygen	10070	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9W9	DO	FIELD	360.1_OXYGEN	100-NR-2
N116mArray-7A	12/18/2007 10:32	N	12587-47-2	Gross beta	541	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9X1	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-7A	12/18/2007 10:32	N	EH	Oxidation Reduction Potential	178	mV	[NULL]	[NULL]	[NULL]	R	B1R9W9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-7A	12/18/2007 10:32	N	CONDUCT	Specific Conductance	145	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R9W9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-7A	12/18/2007 10:32	N	TEMPERATURE	Temperature	4.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1R9W9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-7A	12/18/2007 10:32	N	TURBIDITY	Turbidity	6.81	NTU	[NULL]	[NULL]	[NULL]	R	B1R9W9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-7A	12/18/2007 10:32	N	PH	pH Measurement	7.15	unitless	[NULL]	[NULL]	[NULL]	R	B1R9W9	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-7A	3/26/2008 8:22	N	DO	Dissolved oxygen	8800	ug/L	[NULL]	[NULL]	[NULL]	R	B1THM6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-7A	3/26/2008 8:22	N	12587-47-2	Gross beta	629	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THM8	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-7A	3/26/2008 8:22	N	EH	Oxidation Reduction Potential	169	mV	[NULL]	[NULL]	[NULL]	R	B1THM6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-7A	3/26/2008 8:22	N	68-04-2	Sodium citrate	100	ug/L	U	[NULL]	[NULL]	R	B1THM7	68-04-2	ESL	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	3/26/2008 8:22	N	CONDUCT	Specific Conductance	157	uS/cm	[NULL]	[NULL]	[NULL]	R	B1THM6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-7A	3/26/2008 8:22	N	TEMPERATURE	Temperature	5.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1THM6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-7A	3/26/2008 8:22	N	TURBIDITY	Turbidity	2.88	NTU	[NULL]	[NULL]	[NULL]	R	B1THM6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-7A	3/26/2008 8:22	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B1THM6	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	7429-90-5	Aluminum	30	ug/L	U	[NULL]	[NULL]	S	B1VJP0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1VJP0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	7440-38-2	Arsenic	50	ug/L	U	[NULL]	[NULL]	S	B1VJP0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	7440-39-3	Barium	27	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1VJP0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	7440-70-2	Calcium	26000	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	16887-00-6	Chloride	1300	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1VJP0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-7A	6/3/2008 15:30	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1VJP0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B1VJP0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	16984-48-8	Fluoride	38	ug/L	B	[NULL]	[NULL]	S	B1VJP0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	12587-46-1	Gross alpha	-1.2	pCi/L	U	[NULL]	[NULL]	S	B1VJP0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	12587-47-2	Gross beta	610	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VJP0	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	7439-89-6	Iron	11.6	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1VJP0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	7439-95-4	Magnesium	4300	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	7439-96-5	Manganese	18	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	7439-98-7	Molybdenum	6	ug/L	C	[NULL]	[NULL]	S	B1VJP0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	7440-02-0	Nickel	4.6	ug/L	C	[NULL]	[NULL]	S	B1VJP0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	14797-55-8	Nitrate	319	ug/L	B	[NULL]	[NULL]	S	B1VJP0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	S	B1VJP0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	14265-44-2	Phosphate	98.1	ug/L	U	[NULL]	[NULL]	S	B1VJP0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	7440-09-7	Potassium	1260	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	7440-22-4	Silver	7	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	7440-23-5	Sodium	2710	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	7440-24-6	Strontium	103	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	14808-79-8	Sulfate	8920	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	S	B1VJP0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	6/3/2008 15:30	Y	7440-66-6	Zinc	4.8	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	7429-90-5	Aluminum	50	ug/L	U	[NULL]	[NULL]	S	B1XPV0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	7440-36-0	Antimony	60	ug/L	U	[NULL]	[NULL]	S	B1XPV0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	7440-38-2	Arsenic	80	ug/L	U	[NULL]	[NULL]	S	B1XPV0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	7440-39-3	Barium	22.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1XPV0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	24959-67-9	Bromide	500	ug/L	UD	[NULL]	[NULL]	S	B1XPV0	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1XPV0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-7A	10/29/2008 13:33	N	7440-70-2	Calcium	23400	ug/L	[NULL]	[NULL]	[NULL]	S	B1XPV0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	16887-00-6	Chloride	1820	ug/L	BD	[NULL]	[NULL]	S	B1XPV0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	S	B1XPV0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1XPV0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1XPV0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	DO	Dissolved oxygen	9240	ug/L	[NULL]	[NULL]	[NULL]	S	B1XPV0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1XPV0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	12587-46-1	Gross alpha	0.174	pCi/L	U	[NULL]	[NULL]	S	B1XPV0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	12587-47-2	Gross beta	597	pCi/L	[NULL]	[NULL]	[NULL]	S	B1XPV0	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	S	B1XPV0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	7439-92-1	Lead	40	ug/L	U	[NULL]	[NULL]	S	B1XPV0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	7439-95-4	Magnesium	4010	ug/L	[NULL]	[NULL]	[NULL]	S	B1XPV0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1XPV0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1XPV0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1XPV0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	14797-55-8	Nitrate	3860	ug/L	BD	[NULL]	[NULL]	S	B1XPV0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1XPV0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	EH	Oxidation Reduction Potential	127	mV	[NULL]	[NULL]	[NULL]	S	B1XPV0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	14265-44-2	Phosphate	1840	ug/L	UD	[NULL]	[NULL]	S	B1XPV0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	7440-09-7	Potassium	1200	ug/L	[NULL]	[NULL]	[NULL]	S	B1XPV0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1XPV0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	7440-23-5	Sodium	2500	ug/L	[NULL]	[NULL]	[NULL]	S	B1XPV0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	CONDUCT	Specific Conductance	154	uS/cm	[NULL]	[NULL]	[NULL]	S	B1XPV0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	7440-24-6	Strontium	136	ug/L	[NULL]	[NULL]	[NULL]	S	B1XPV0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	14808-79-8	Sulfate	11400	ug/L	D	[NULL]	[NULL]	S	B1XPV0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	TEMPERATURE	Temperature	13	Deg C	[NULL]	[NULL]	[NULL]	S	B1XPV0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	7440-62-2	Vanadium	10	ug/L	U	[NULL]	[NULL]	S	B1XPV0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-7A	10/29/2008 13:33	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1XPV0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	10/29/2008 13:33	N	PH	pH Measurement	6.03	unitless	[NULL]	Y	[NULL]	S	B1XPV0	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	7429-90-5	Aluminum	54.3	ug/L	B	[NULL]	[NULL]	C	B1XXW2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	C	B1XXW2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	C	B1XXW2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	7440-39-3	Barium	21.5	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXW2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	C	B1XXW2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	7440-70-2	Calcium	22700	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXW2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	16887-00-6	Chloride	1570	ug/L	BD	[NULL]	[NULL]	C	B1XXW2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	C	B1XXW2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	C	B1XXW2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	C	B1XXW2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	DO	Dissolved oxygen	9570	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXW2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	C	B1XXW2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	12587-46-1	Gross alpha	0.29	pCi/L	U	[NULL]	[NULL]	C	B1XXW2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	12587-47-2	Gross beta	390	pCi/L	[NULL]	[NULL]	[NULL]	C	B1XXW2	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	C	B1XXW2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	C	B1XXW2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	7439-95-4	Magnesium	4160	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXW2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	C	B1XXW2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	C	B1XXW2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	C	B1XXW2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	14797-55-8	Nitrate	3130	ug/L	BD	[NULL]	[NULL]	C	B1XXW2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	C	B1XXW2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	EH	Oxidation Reduction Potential	205	mV	[NULL]	[NULL]	[NULL]	C	B1XXW2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	14265-44-2	Phosphate	1860	ug/L	DU	[NULL]	[NULL]	C	B1XXW2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	7440-09-7	Potassium	1370	ug/L	C	[NULL]	[NULL]	C	B1XXW2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-7A	12/3/2008 11:23	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	C	B1XXW2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	7440-23-5	Sodium	2640	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXW2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	CONDUCT	Specific Conductance	144	uS/cm	[NULL]	[NULL]	[NULL]	C	B1XXW2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	7440-24-6	Strontium	136	ug/L	[NULL]	[NULL]	[NULL]	C	B1XXW2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	14808-79-8	Sulfate	11800	ug/L	D	[NULL]	[NULL]	C	B1XXW2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	TEMPERATURE	Temperature	8.7	Deg C	[NULL]	[NULL]	[NULL]	C	B1XXW2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	C	B1XXW2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	C	B1XXW2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-7A	12/3/2008 11:23	N	PH	pH Measurement	7.95	unitless	[NULL]	[NULL]	[NULL]	C	B1XXW2	PH	FIELD	PH_PAPER_FLD	100-NR-2
N116mArray-7A	4/2/2009 9:34	N	DO	Dissolved oxygen	11340	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPN3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-7A	4/2/2009 9:34	N	12587-46-1	Gross alpha	0.29	pCi/L	U	[NULL]	[NULL]	R	B1YPN4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-7A	4/2/2009 9:34	N	12587-47-2	Gross beta	750	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPN4	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-7A	4/2/2009 9:34	N	EH	Oxidation Reduction Potential	225	mV	[NULL]	[NULL]	[NULL]	R	B1YPN3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-7A	4/2/2009 9:34	N	CONDUCT	Specific Conductance	189	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YPN3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-7A	4/2/2009 9:34	N	TEMPERATURE	Temperature	6.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1YPN3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-7A	4/2/2009 9:34	N	TURBIDITY	Turbidity	1.93	NTU	[NULL]	[NULL]	[NULL]	R	B1YPN3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-7A	4/2/2009 9:34	N	PH	pH Measurement	7.56	unitless	[NULL]	[NULL]	[NULL]	R	B1YPN3	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-7A	6/23/2009 8:40	N	DO	Dissolved oxygen	2730	ug/L	[NULL]	[NULL]	[NULL]	R	B20M47	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-7A	6/23/2009 8:40	N	12587-47-2	Gross beta	810	pCi/L	[NULL]	[NULL]	[NULL]	R	B20M48	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-7A	6/23/2009 8:40	N	EH	Oxidation Reduction Potential	163	mV	[NULL]	[NULL]	[NULL]	R	B20M47	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-7A	6/23/2009 8:40	N	CONDUCT	Specific Conductance	183	uS/cm	[NULL]	[NULL]	[NULL]	R	B20M47	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-7A	6/23/2009 8:40	N	TEMPERATURE	Temperature	16	Deg C	[NULL]	[NULL]	[NULL]	R	B20M47	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-7A	6/23/2009 8:40	N	TURBIDITY	Turbidity	2.1	NTU	[NULL]	[NULL]	[NULL]	R	B20M47	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-7A	6/23/2009 8:40	N	PH	pH Measurement	8.16	unitless	[NULL]	[NULL]	[NULL]	R	B20M47	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-7A	9/22/2009 18:47	N	DO	Dissolved oxygen	7620	ug/L	[NULL]	[NULL]	[NULL]	R	B21HL7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-7A	9/22/2009 18:47	N	12587-47-2	Gross beta	590	pCi/L	[NULL]	[NULL]	[NULL]	R	B21HL8	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-7A	9/22/2009 18:47	N	EH	Oxidation Reduction Potential	128	mV	[NULL]	[NULL]	[NULL]	R	B21HL7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-7A	9/22/2009 18:47	N	CONDUCT	Specific Conductance	156	uS/cm	[NULL]	[NULL]	[NULL]	R	B21HL7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-7A	9/22/2009 18:47	N	TEMPERATURE	Temperature	24.8	Deg C	[NULL]	[NULL]	[NULL]	R	B21HL7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-7A	9/22/2009 18:47	N	TURBIDITY	Turbidity	4.09	NTU	[NULL]	[NULL]	[NULL]	R	B21HL7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-7A	9/22/2009 18:47	N	PH	pH Measurement	8.95	unitless	[NULL]	[NULL]	[NULL]	R	B21HL7	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8.5A	3/8/2006 9:35	N	12587-47-2	Gross beta	89.2	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HV74	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-8.5A	3/8/2006 9:35	N	CONDUCT	Specific Conductance	148.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HV74	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-8.5A	3/8/2006 9:35	N	TEMPERATURE	Temperature	5.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1HV74	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-8.5A	3/8/2006 9:35	N	TDS	Total dissolved solids	99500	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV74	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-8.5A	3/8/2006 9:35	N	PH	pH Measurement	8.26	unitless	[NULL]	[NULL]	[NULL]	S	B1HV74	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8.5A	4/13/2006 13:20	N	12587-47-2	Gross beta	103	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J2F8	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-8.5A	4/13/2006 13:20	N	EH	Oxidation Reduction Potential	109	mV	[NULL]	[NULL]	[NULL]	S	B1J2F8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8.5A	4/13/2006 13:20	N	CONDUCT	Specific Conductance	158	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J2F8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-8.5A	4/13/2006 13:20	N	TEMPERATURE	Temperature	10.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1J2F8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-8.5A	4/13/2006 13:20	N	PH	pH Measurement	7.63	unitless	[NULL]	[NULL]	[NULL]	S	B1J2F8	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8.5A	5/10/2006 13:25	N	12587-47-2	Gross beta	130	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J746	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-8.5A	5/10/2006 13:25	N	EH	Oxidation Reduction Potential	-37	mV	[NULL]	[NULL]	[NULL]	S	B1J746	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8.5A	5/10/2006 13:25	N	CONDUCT	Specific Conductance	184.3	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J746	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-8.5A	5/10/2006 13:25	N	TEMPERATURE	Temperature	15.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1J746	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-8.5A	5/10/2006 13:25	N	TDS	Total dissolved solids	124900	ug/L	[NULL]	[NULL]	[NULL]	S	B1J746	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-8.5A	5/10/2006 13:25	N	10028-17-8	Tritium	-23.4	pCi/L	U	[NULL]	[NULL]	S	B1J747	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
N116mArray-8.5A	5/10/2006 13:25	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	S	B1J746	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8.5A	6/23/2009 9:09	N	DO	Dissolved oxygen	2020	ug/L	[NULL]	[NULL]	[NULL]	R	B20M49	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-8.5A	6/23/2009 9:09	N	12587-47-2	Gross beta	180	pCi/L	[NULL]	[NULL]	[NULL]	R	B20M50	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-8.5A	6/23/2009 9:09	N	EH	Oxidation Reduction Potential	165	mV	[NULL]	[NULL]	[NULL]	R	B20M49	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8.5A	6/23/2009 9:09	N	CONDUCT	Specific Conductance	192	uS/cm	[NULL]	[NULL]	[NULL]	R	B20M49	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-8.5A	6/23/2009 9:09	N	TEMPERATURE	Temperature	15.9	Deg C	[NULL]	[NULL]	[NULL]	R	B20M49	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-8.5A	6/23/2009 9:09	N	TURBIDITY	Turbidity	0.87	NTU	[NULL]	[NULL]	[NULL]	R	B20M49	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-8.5A	6/23/2009 9:09	N	PH	pH Measurement	7.62	unitless	[NULL]	[NULL]	[NULL]	R	B20M49	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8.5A	9/24/2009 18:15	N	DO	Dissolved oxygen	7640	ug/L	[NULL]	[NULL]	[NULL]	R	B21HL9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-8.5A	9/24/2009 18:15	N	12587-47-2	Gross beta	130	pCi/L	[NULL]	[NULL]	[NULL]	R	B21HM0	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-8.5A	9/24/2009 18:15	N	EH	Oxidation Reduction Potential	133	mV	[NULL]	[NULL]	[NULL]	R	B21HL9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8.5A	9/24/2009 18:15	N	CONDUCT	Specific Conductance	142	uS/cm	[NULL]	[NULL]	[NULL]	R	B21HL9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-8.5A	9/24/2009 18:15	N	TEMPERATURE	Temperature	30.5	Deg C	[NULL]	[NULL]	[NULL]	R	B21HL9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-8.5A	9/24/2009 18:15	N	TURBIDITY	Turbidity	0.81	NTU	[NULL]	[NULL]	[NULL]	R	B21HL9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-8.5A	9/24/2009 18:15	N	PH	pH Measurement	8.32	unitless	[NULL]	[NULL]	[NULL]	R	B21HL9	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8A	8/3/2005 14:00	N	12587-47-2	Gross beta	5.59	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DM71	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-8A	8/3/2005 14:00	N	EH	Oxidation Reduction Potential	15	mV	[NULL]	[NULL]	[NULL]	S	B1DM71	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8A	8/3/2005 14:00	N	CONDUCT	Specific Conductance	148.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1DM71	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-8A	8/3/2005 14:00	N	TEMPERATURE	Temperature	20.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1DM71	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-8A	8/3/2005 14:00	N	TDS	Total dissolved solids	95600	ug/L	[NULL]	[NULL]	[NULL]	S	B1DM71	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-8A	8/3/2005 14:00	N	PH	pH Measurement	7.97	unitless	[NULL]	[NULL]	[NULL]	S	B1DM71	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8A	9/28/2005 0:00	N	ALKALINITY	Alkalinity	61000	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF5	ALKALINITY	ENW	2320_ALKALINITY	100-NR-2
N116mArray-8A	9/28/2005 0:00	Y	7429-90-5	Aluminum	8.8	ug/L	X	[NULL]	[NULL]	S	B1DYF3	7429-90-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-8A	9/28/2005 0:00	Y	7440-38-2	Arsenic	0.312	ug/L	X	[NULL]	[NULL]	S	B1DYF3	7440-38-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-8A	9/28/2005 0:00	Y	7440-39-3	Barium	20.7	ug/L	X	[NULL]	[NULL]	S	B1DYF3	7440-39-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-8A	9/28/2005 0:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	S	B1DYF4	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	9/28/2005 0:00	Y	7440-43-9	Cadmium	0.004	ug/L	UX	[NULL]	[NULL]	S	B1DYF3	7440-43-9	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-8A	9/28/2005 0:00	Y	7440-70-2	Calcium	21569	ug/L	X	[NULL]	[NULL]	S	B1DYF3	7440-70-2	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-8A	9/28/2005 0:00	N	3812-32-6	Carbonate ion	56800	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF4	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	9/28/2005 0:00	N	16887-00-6	Chloride	950	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF4	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	9/28/2005 0:00	Y	7440-47-3	Chromium	0.483	ug/L	X	[NULL]	[NULL]	S	B1DYF3	7440-47-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-8A	9/28/2005 0:00	Y	7440-50-8	Copper	0.382	ug/L	X	[NULL]	[NULL]	S	B1DYF3	7440-50-8	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-8A	9/28/2005 0:00	N	DO	Dissolved oxygen	7600	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-8A	9/28/2005 0:00	N	16984-48-8	Fluoride	70	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF4	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-8A	9/28/2005 0:00	N	12587-47-2	Gross beta	-0.00141	pCi/L	U	[NULL]	[NULL]	S	B1DYF2	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-8A	9/28/2005 0:00	Y	7439-92-1	Lead	0.00796	ug/L	BX	[NULL]	[NULL]	S	B1DYF3	7439-92-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-8A	9/28/2005 0:00	Y	7439-95-4	Magnesium	3755	ug/L	X	[NULL]	[NULL]	S	B1DYF3	7439-95-4	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-8A	9/28/2005 0:00	Y	7439-96-5	Manganese	4.2	ug/L	X	[NULL]	[NULL]	S	B1DYF3	7439-96-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-8A	9/28/2005 0:00	Y	7440-02-0	Nickel	0.674	ug/L	X	[NULL]	[NULL]	S	B1DYF3	7440-02-0	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-8A	9/28/2005 0:00	N	14797-55-8	Nitrate	2350	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF4	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	9/28/2005 0:00	N	EH	Oxidation Reduction Potential	45	mV	[NULL]	[NULL]	[NULL]	S	B1DYF2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8A	9/28/2005 0:00	N	14265-44-2	Phosphate	30	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF4	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	9/28/2005 0:00	Y	7440-09-7	Potassium	1386	ug/L	X	[NULL]	[NULL]	S	B1DYF3	7440-09-7	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-8A	9/28/2005 0:00	Y	7782-49-2	Selenium	0.104	ug/L	BX	[NULL]	[NULL]	S	B1DYF3	7782-49-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-8A	9/28/2005 0:00	Y	7440-23-5	Sodium	2398	ug/L	X	[NULL]	[NULL]	S	B1DYF3	7440-23-5	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-8A	9/28/2005 0:00	N	CONDUCT	Specific Conductance	144	uS/cm	[NULL]	[NULL]	[NULL]	S	B1DYF2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-8A	9/28/2005 0:00	Y	7440-24-6	Strontium	91.6	ug/L	X	[NULL]	[NULL]	S	B1DYF3	7440-24-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-8A	9/28/2005 0:00	N	10098-97-2	Strontium-90	0.0364	pCi/L	U	[NULL]	[NULL]	S	B1DYF2	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-8A	9/28/2005 0:00	N	14808-79-8	Sulfate	10000	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF4	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	9/28/2005 0:00	N	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1DYF2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-8A	9/28/2005 0:00	Y	7440-29-1	Thorium	0.0094	ug/L	X	[NULL]	[NULL]	S	B1DYF3	7440-29-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-8A	9/28/2005 0:00	N	TDS	Total dissolved solids	94000	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF2	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-8A	9/28/2005 0:00	N	10028-17-8	Tritium	12	pCi/L	U	[NULL]	[NULL]	S	B1DYF2	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
N116mArray-8A	9/28/2005 0:00	Y	7440-61-1	Uranium	0.111	ug/L	X	[NULL]	[NULL]	S	B1DYF3	7440-61-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-8A	9/28/2005 0:00	Y	7440-66-6	Zinc	0.656	ug/L	X	[NULL]	[NULL]	S	B1DYF3	7440-66-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-8A	9/28/2005 0:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	S	B1DYF2	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8A	2/7/2006 14:30	N	DO	Dissolved oxygen	10000	ug/L	[NULL]	[NULL]	[NULL]	S	B1HL53	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-8A	2/7/2006 14:30	N	12587-47-2	Gross beta	2.41	pCi/L	U	[NULL]	[NULL]	S	B1HL53	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-8A	2/7/2006 14:30	N	EH	Oxidation Reduction Potential	-64	mV	[NULL]	[NULL]	[NULL]	S	B1HL53	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8A	2/7/2006 14:30	N	CONDUCT	Specific Conductance	134.8	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HL53	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-8A	2/7/2006 14:30	N	TEMPERATURE	Temperature	6.89	Deg C	[NULL]	[NULL]	[NULL]	S	B1HL53	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-8A	2/7/2006 14:30	N	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	S	B1HL53	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8A	3/8/2006 9:30	N	12587-47-2	Gross beta	2.21	pCi/L	U	[NULL]	[NULL]	S	B1HV69	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-8A	3/8/2006 9:30	N	CONDUCT	Specific Conductance	137.3	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HV69	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-8A	3/8/2006 9:30	N	TEMPERATURE	Temperature	5.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1HV69	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-8A	3/8/2006 9:30	N	TDS	Total dissolved solids	91300	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV69	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-8A	3/8/2006 9:30	N	PH	pH Measurement	8.5	unitless	[NULL]	[NULL]	[NULL]	S	B1HV69	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8A	4/13/2006 13:05	N	12587-47-2	Gross beta	0.169	pCi/L	U	[NULL]	[NULL]	S	B1J2D6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-8A	4/13/2006 13:05	N	EH	Oxidation Reduction Potential	38	mV	[NULL]	[NULL]	[NULL]	S	B1J2D6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8A	4/13/2006 13:05	N	CONDUCT	Specific Conductance	168.1	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J2D6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-8A	4/13/2006 13:05	N	TEMPERATURE	Temperature	9.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1J2D6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-8A	4/13/2006 13:05	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	S	B1J2D6	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8A	5/10/2006 13:15	N	12587-47-2	Gross beta	2.31	pCi/L	U	[NULL]	[NULL]	S	B1J734	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-8A	5/10/2006 13:15	N	EH	Oxidation Reduction Potential	-72	mV	[NULL]	[NULL]	[NULL]	S	B1J734	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8A	5/10/2006 13:15	N	CONDUCT	Specific Conductance	184	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J734	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-8A	5/10/2006 13:15	N	TEMPERATURE	Temperature	15.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1J734	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-8A	5/10/2006 13:15	N	TDS	Total dissolved solids	125600	ug/L	[NULL]	[NULL]	[NULL]	S	B1J734	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-8A	5/10/2006 13:15	N	10028-17-8	Tritium	-57.2	pCi/L	U	[NULL]	[NULL]	S	B1J735	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
N116mArray-8A	5/10/2006 13:15	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	S	B1J734	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8A	6/6/2006 11:00	N	DO	Dissolved oxygen	7300	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDP6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-8A	6/6/2006 11:00	N	12587-47-2	Gross beta	3.39	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDP7	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-8A	6/6/2006 11:00	N	EH	Oxidation Reduction Potential	-69	mV	[NULL]	[NULL]	[NULL]	R	B1JDP6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8A	6/6/2006 11:00	N	CONDUCT	Specific Conductance	175.5	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JDP6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-8A	6/6/2006 11:00	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1JDP6	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-8A	6/6/2006 11:00	N	PH	pH Measurement	7.22	unitless	[NULL]	[NULL]	[NULL]	R	B1JDP6	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	ALKALINITY	Alkalinity	60000	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBP2	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
N116mArray-8A	9/26/2006 11:25	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1KBP1	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	14234-35-6	Antimony-125	-1.62	pCi/L	U	[NULL]	[NULL]	R	B1KBP4	14234-35-6	STLRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-8A	9/26/2006 11:25	Y	7440-39-3	Barium	22.9	ug/L	B	[NULL]	[NULL]	R	B1KBP1	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-8A	9/26/2006 11:25	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1KBP1	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	13966-02-4	Beryllium-7	4.91	pCi/L	U	[NULL]	[NULL]	R	B1KBP4	13966-02-4	STLRL	GAMMA_GS	100-NR-2
N116mArray-8A	9/26/2006 11:25	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1KBP1	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-8A	9/26/2006 11:25	Y	7440-70-2	Calcium	22800	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBP1	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	13967-70-9	Cesium-134	0.368	pCi/L	U	[NULL]	[NULL]	R	B1KBP4	13967-70-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	10045-97-3	Cesium-137	-2.04	pCi/L	U	[NULL]	[NULL]	R	B1KBP4	10045-97-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	16887-00-6	Chloride	930	ug/L	N	[NULL]	[NULL]	R	B1KBP2	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	9/26/2006 11:25	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1KBP1	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-8A	9/26/2006 11:25	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1KBP1	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	10198-40-0	Cobalt-60	0.765	pCi/L	U	[NULL]	[NULL]	R	B1KBP4	10198-40-0	STLRL	GAMMA_GS	100-NR-2
N116mArray-8A	9/26/2006 11:25	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1KBP1	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	DO	Dissolved oxygen	8600	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBP3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	14683-23-9	Europium-152	-1.48	pCi/L	U	[NULL]	[NULL]	R	B1KBP4	14683-23-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	15585-10-1	Europium-154	1.4	pCi/L	U	[NULL]	[NULL]	R	B1KBP4	15585-10-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	14391-16-3	Europium-155	-0.642	pCi/L	U	[NULL]	[NULL]	R	B1KBP4	14391-16-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	16984-48-8	Fluoride	90	ug/L	BN	[NULL]	[NULL]	R	B1KBP2	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	12587-46-1	Gross alpha	0.253	pCi/L	U	[NULL]	[NULL]	R	B1KBP4	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	12587-47-2	Gross beta	82.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBP4	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-8A	9/26/2006 11:25	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1KBP1	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-8A	9/26/2006 11:25	Y	7439-95-4	Magnesium	4270	ug/L	B	[NULL]	[NULL]	R	B1KBP1	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-8A	9/26/2006 11:25	Y	7439-96-5	Manganese	2.7	ug/L	B	[NULL]	[NULL]	R	B1KBP1	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-8A	9/26/2006 11:25	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1KBP1	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	14797-55-8	Nitrate	3360	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBP2	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1KBP2	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	EH	Oxidation Reduction Potential	179	mV	[NULL]	[NULL]	[NULL]	R	B1KBP3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	14265-44-2	Phosphate	100	ug/L	UN	[NULL]	[NULL]	R	B1KBP2	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-8A	9/26/2006 11:25	Y	7440-09-7	Potassium	1780	ug/L	BC	[NULL]	[NULL]	R	B1KBP1	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	13966-00-2	Potassium-40	-47.5	pCi/L	U	[NULL]	[NULL]	R	B1KBP4	13966-00-2	STLRL	GAMMA_GS	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	13967-48-1	Ruthenium-106	2.92	pCi/L	U	[NULL]	[NULL]	R	B1KBP4	13967-48-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-8A	9/26/2006 11:25	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1KBP1	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-8A	9/26/2006 11:25	Y	7440-23-5	Sodium	2330	ug/L	B	[NULL]	[NULL]	R	B1KBP1	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	CONDUCT	Specific Conductance	145.1	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KBP3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-8A	9/26/2006 11:25	Y	7440-24-6	Strontium	94.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBP1	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	10098-97-2	Strontium-90	47.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBP4	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	14808-79-8	Sulfate	9400	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBP2	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	TEMPERATURE	Temperature	21.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1KBP3	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	10028-17-8	Tritium	76.7	pCi/L	U	[NULL]	[NULL]	R	B1KBP4	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
N116mArray-8A	9/26/2006 11:25	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1KBP1	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-8A	9/26/2006 11:25	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1KBP1	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-8A	9/26/2006 11:25	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	R	B1KBP3	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8A	3/14/2007 11:50	N	DO	Dissolved oxygen	7900	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-8A	3/14/2007 11:50	N	12587-46-1	Gross alpha	0.054	pCi/L	U	[NULL]	[NULL]	R	B1MPH4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-8A	3/14/2007 11:50	N	12587-47-2	Gross beta	4.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MPH4	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-8A	3/14/2007 11:50	N	EH	Oxidation Reduction Potential	150	mV	[NULL]	[NULL]	[NULL]	R	B1MPH4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8A	3/14/2007 11:50	N	CONDUCT	Specific Conductance	133.1	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MPH4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-8A	3/14/2007 11:50	N	TEMPERATURE	Temperature	14.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1MPH4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-8A	3/14/2007 11:50	N	TURBIDITY	Turbidity	1.67	NTU	[NULL]	[NULL]	[NULL]	R	B1MPH4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-8A	3/14/2007 11:50	N	PH	pH Measurement	7.64	unitless	[NULL]	[NULL]	[NULL]	R	B1MPH4	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8A	6/26/2007 13:35	N	DO	Dissolved oxygen	5640	ug/L	[NULL]	[NULL]	[NULL]	R	B1NV24	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-8A	6/26/2007 13:35	N	12587-46-1	Gross alpha	-0.25	pCi/L	U	[NULL]	[NULL]	R	B1NV24	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-8A	6/26/2007 13:35	N	12587-47-2	Gross beta	5.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NV24	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-8A	6/26/2007 13:35	N	EH	Oxidation Reduction Potential	80	mV	[NULL]	[NULL]	[NULL]	R	B1NV24	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8A	6/26/2007 13:35	N	CONDUCT	Specific Conductance	183.4	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NV24	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-8A	6/26/2007 13:35	N	TEMPERATURE	Temperature	22.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1NV24	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-8A	6/26/2007 13:35	N	TURBIDITY	Turbidity	2.09	NTU	[NULL]	[NULL]	[NULL]	R	B1NV24	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-8A	6/26/2007 13:35	N	PH	pH Measurement	7.13	unitless	[NULL]	[NULL]	[NULL]	R	B1NV24	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	ALKALINITY	Alkalinity	69000	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W3	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	7440-36-0	Antimony	0.358	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W3	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	7440-38-2	Arsenic	0.4	ug/L	U	[NULL]	[NULL]	R	B1P3W3	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	7440-39-3	Barium	20.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W3	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	7440-41-7	Beryllium	0.05	ug/L	U	[NULL]	[NULL]	R	B1P3W3	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	24959-67-9	Bromide	30	ug/L	U	[NULL]	[NULL]	R	B1P3W3	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	7440-43-9	Cadmium	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3W3	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	7440-70-2	Calcium	21800	ug/L	D	[NULL]	[NULL]	R	B1P3W3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	10045-97-3	Cesium-137	1.02	pCi/L	U	[NULL]	[NULL]	R	B1P3W3	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	16887-00-6	Chloride	1180	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	7440-47-3	Chromium	0.505	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W3	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	7440-48-4	Cobalt	0.056	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W3	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	10198-40-0	Cobalt-60	-0.092	pCi/L	U	[NULL]	[NULL]	R	B1P3W3	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	DO	Dissolved oxygen	8530	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	DO	Dissolved oxygen	8530	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3N9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	14683-23-9	Europium-152	4.34	pCi/L	U	[NULL]	[NULL]	R	B1P3W3	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	15585-10-1	Europium-154	-5.35	pCi/L	U	[NULL]	[NULL]	R	B1P3W3	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	14391-16-3	Europium-155	12.6	pCi/L	U	[NULL]	[NULL]	R	B1P3W3	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	16984-48-8	Fluoride	64	ug/L	B	[NULL]	[NULL]	R	B1P3W3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	12587-46-1	Gross alpha	0.17	pCi/L	U	[NULL]	[NULL]	R	B1P3W3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	12587-47-2	Gross beta	2.8	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W3	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	7439-89-6	Iron	188	ug/L	D	[NULL]	[NULL]	R	B1P3W3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	7439-95-4	Magnesium	3620	ug/L	D	[NULL]	[NULL]	R	B1P3W3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	7439-96-5	Manganese	11.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W3	7439-96-5	WSCF	200.8_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-8A	8/13/2007 12:00	N	7440-02-0	Nickel	0.27	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W3	7440-02-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	14797-55-8	Nitrate	2550	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	R	B1P3W3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	EH	Oxidation Reduction Potential	59	mV	[NULL]	[NULL]	[NULL]	R	B1P3W3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	EH	Oxidation Reduction Potential	59	mV	[NULL]	[NULL]	[NULL]	R	B1P3N9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	14265-44-2	Phosphate	123	ug/L	U	[NULL]	[NULL]	R	B1P3W3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	7440-09-7	Potassium	2030	ug/L	D	[NULL]	[NULL]	R	B1P3W3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	7440-22-4	Silver	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3W3	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	7440-23-5	Sodium	2160	ug/L	D	[NULL]	[NULL]	R	B1P3W3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	CONDUCT	Specific Conductance	155.4	uS/cm	[NULL]	[NULL]	[NULL]	R	B1P3N9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	CONDUCT	Specific Conductance	155.4	uS/cm	[NULL]	[NULL]	[NULL]	R	B1P3W3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	7440-24-6	Strontium	92.4	ug/L	N	[NULL]	[NULL]	R	B1P3W3	7440-24-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	10098-97-2	Strontium-90	4.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	14808-79-8	Sulfate	9820	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	TEMPERATURE	Temperature	21.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1P3N9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	TEMPERATURE	Temperature	21.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1P3W3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	10028-17-8	Tritium	110	pCi/L	U	[NULL]	[NULL]	R	B1P3W3	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	TURBIDITY	Turbidity	1.41	NTU	[NULL]	[NULL]	[NULL]	R	B1P3W3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	TURBIDITY	Turbidity	1.41	NTU	[NULL]	[NULL]	[NULL]	R	B1P3N9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	7440-62-2	Vanadium	1.11	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W3	7440-62-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	7440-66-6	Zinc	0.8	ug/L	U	[NULL]	[NULL]	R	B1P3W3	7440-66-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	PH	pH Measurement	6.95	unitless	[NULL]	[NULL]	[NULL]	R	B1P3W3	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8A	8/13/2007 12:00	N	PH	pH Measurement	6.95	unitless	[NULL]	[NULL]	[NULL]	R	B1P3N9	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8A	12/14/2007 9:45	N	DO	Dissolved oxygen	12040	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9X2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-8A	12/14/2007 9:45	N	12587-47-2	Gross beta	2.08	pCi/L	U	[NULL]	[NULL]	R	B1R9X3	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-8A	12/14/2007 9:45	N	EH	Oxidation Reduction Potential	147	mV	[NULL]	[NULL]	[NULL]	R	B1R9X2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8A	12/14/2007 9:45	N	CONDUCT	Specific Conductance	135	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R9X2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-8A	12/14/2007 9:45	N	TEMPERATURE	Temperature	7.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1R9X2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-8A	12/14/2007 9:45	N	TURBIDITY	Turbidity	1.3	NTU	[NULL]	[NULL]	[NULL]	R	B1R9X2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-8A	12/14/2007 9:45	N	PH	pH Measurement	7.72	unitless	[NULL]	[NULL]	[NULL]	R	B1R9X2	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8A	3/26/2008 8:53	N	DO	Dissolved oxygen	10250	ug/L	[NULL]	[NULL]	[NULL]	R	B1THM9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-8A	3/26/2008 8:53	N	12587-47-2	Gross beta	3.32	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THN0	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-8A	3/26/2008 8:53	N	EH	Oxidation Reduction Potential	107	mV	[NULL]	[NULL]	[NULL]	R	B1THM9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8A	3/26/2008 8:53	N	CONDUCT	Specific Conductance	147	uS/cm	[NULL]	[NULL]	[NULL]	R	B1THM9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-8A	3/26/2008 8:53	N	TEMPERATURE	Temperature	6	Deg C	[NULL]	[NULL]	[NULL]	R	B1THM9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-8A	3/26/2008 8:53	N	TURBIDITY	Turbidity	3.47	NTU	[NULL]	[NULL]	[NULL]	R	B1THM9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-8A	3/26/2008 8:53	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B1THM9	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8A	6/23/2008 10:08	N	DO	Dissolved oxygen	3500	ug/L	[NULL]	[NULL]	[NULL]	R	B1VJW4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-8A	6/23/2008 10:08	N	12587-47-2	Gross beta	2.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B1VJW4	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-8A	6/23/2008 10:08	N	EH	Oxidation Reduction Potential	166	mV	[NULL]	[NULL]	[NULL]	R	B1VJW4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8A	6/23/2008 10:08	N	CONDUCT	Specific Conductance	156	uS/cm	[NULL]	[NULL]	[NULL]	R	B1VJW4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-8A	6/23/2008 10:08	N	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1VJW4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-8A	6/23/2008 10:08	N	TURBIDITY	Turbidity	0.93	NTU	[NULL]	[NULL]	[NULL]	R	B1VJW4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-8A	6/23/2008 10:08	N	PH	pH Measurement	7.81	unitless	[NULL]	[NULL]	[NULL]	R	B1VJW4	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8A	1/12/2009 12:40	N	DO	Dissolved oxygen	9840	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWY2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-8A	1/12/2009 12:40	N	12587-47-2	Gross beta	1800	pCi/L	[NULL]	Y	[NULL]	R	B1XWY3	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-8A	1/12/2009 12:40	N	EH	Oxidation Reduction Potential	170	mV	[NULL]	[NULL]	[NULL]	R	B1XWY2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8A	1/12/2009 12:40	N	CONDUCT	Specific Conductance	137	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWY2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-8A	1/12/2009 12:40	N	TEMPERATURE	Temperature	10.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWY2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-8A	1/12/2009 12:40	N	TURBIDITY	Turbidity	2.74	NTU	[NULL]	[NULL]	[NULL]	R	B1XWY2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-8A	1/12/2009 12:40	N	PH	pH Measurement	7.66	unitless	[NULL]	[NULL]	[NULL]	R	B1XWY2	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8A	4/2/2009 9:47	N	ALKALINITY	Alkalinity	61000	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPN8	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-8A	4/2/2009 9:47	N	16887-00-6	Chloride	1530	ug/L	D	[NULL]	[NULL]	R	B1YPN8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	4/2/2009 9:47	N	DO	Dissolved oxygen	9980	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPN7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-8A	4/2/2009 9:47	N	16984-48-8	Fluoride	46	ug/L	UD	[NULL]	[NULL]	R	B1YPN8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	4/2/2009 9:47	N	12587-46-1	Gross alpha	0.22	pCi/L	U	[NULL]	[NULL]	R	B1YPN8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-8A	4/2/2009 9:47	N	12587-47-2	Gross beta	1.7	pCi/L	U	[NULL]	[NULL]	R	B1YPN8	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-8A	4/2/2009 9:47	N	14797-55-8	Nitrate	4300	ug/L	D	[NULL]	[NULL]	R	B1YPN8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	4/2/2009 9:47	N	14797-65-0	Nitrite	85.4	ug/L	UD	[NULL]	[NULL]	R	B1YPN8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	4/2/2009 9:47	N	EH	Oxidation Reduction Potential	121	mV	[NULL]	[NULL]	[NULL]	R	B1YPN7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8A	4/2/2009 9:47	N	14265-44-2	Phosphate	368	ug/L	UD	[NULL]	[NULL]	R	B1YPN8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	4/2/2009 9:47	N	CONDUCT	Specific Conductance	146	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YPN7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-8A	4/2/2009 9:47	N	14808-79-8	Sulfate	9850	ug/L	D	[NULL]	[NULL]	R	B1YPN8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	4/2/2009 9:47	N	TEMPERATURE	Temperature	7	Deg C	[NULL]	[NULL]	[NULL]	R	B1YPN7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-8A	4/2/2009 9:47	N	TURBIDITY	Turbidity	1.16	NTU	[NULL]	[NULL]	[NULL]	R	B1YPN7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-8A	4/2/2009 9:47	N	PH	pH Measurement	7.91	unitless	[NULL]	[NULL]	[NULL]	R	B1YPN7	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8A	6/23/2009 8:59	N	DO	Dissolved oxygen	2060	ug/L	[NULL]	[NULL]	[NULL]	R	B20M51	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-8A	6/23/2009 8:59	N	12587-47-2	Gross beta	3.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B20M52	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-8A	6/23/2009 8:59	N	EH	Oxidation Reduction Potential	151	mV	[NULL]	[NULL]	[NULL]	R	B20M51	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8A	6/23/2009 8:59	N	CONDUCT	Specific Conductance	179	uS/cm	[NULL]	[NULL]	[NULL]	R	B20M51	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-8A	6/23/2009 8:59	N	TEMPERATURE	Temperature	16	Deg C	[NULL]	[NULL]	[NULL]	R	B20M51	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-8A	6/23/2009 8:59	N	TURBIDITY	Turbidity	3.86	NTU	[NULL]	[NULL]	[NULL]	R	B20M51	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-8A	6/23/2009 8:59	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B20M51	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8A	9/24/2009 18:40	N	DO	Dissolved oxygen	7860	ug/L	[NULL]	[NULL]	[NULL]	R	B21HM1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-8A	9/24/2009 18:40	N	12587-47-2	Gross beta	6.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B21HM2	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-8A	9/24/2009 18:40	N	EH	Oxidation Reduction Potential	157	mV	[NULL]	[NULL]	[NULL]	R	B21HM1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8A	9/24/2009 18:40	N	CONDUCT	Specific Conductance	137	uS/cm	[NULL]	[NULL]	[NULL]	R	B21HM1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-8A	9/24/2009 18:40	N	TEMPERATURE	Temperature	22.3	Deg C	[NULL]	[NULL]	[NULL]	R	B21HM1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-8A	9/24/2009 18:40	N	TURBIDITY	Turbidity	2.04	NTU	[NULL]	[NULL]	[NULL]	R	B21HM1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-8A	9/24/2009 18:40	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B21HM1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	ALKALINITY	Alkalinity	59000	ug/L	[NULL]	[NULL]	[NULL]	R	B237F8	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-8A	12/19/2009 9:50	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B237F8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B237F7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	Y	7440-39-3	Barium	16	ug/L	B	[NULL]	[NULL]	R	B237F7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	7440-39-3	Barium	73.6	ug/L	[NULL]	[NULL]	[NULL]	R	B237F8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B237F7	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B237F8	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B237F8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B237F7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	Y	7440-70-2	Calcium	21500	ug/L	[NULL]	[NULL]	[NULL]	R	B237F7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	7440-70-2	Calcium	71800	ug/L	[NULL]	[NULL]	[NULL]	R	B237F8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	16887-00-6	Chloride	1080	ug/L	D	[NULL]	[NULL]	R	B237F6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	12/19/2009 9:50	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B237F7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B237F8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B237F7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B237F8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B237F7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B237F8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	DO	Dissolved oxygen	9820	ug/L	[NULL]	[NULL]	[NULL]	R	B237F5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B237F6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	12587-47-2	Gross beta	3.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B237F8	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	7439-89-6	Iron	88.3	ug/L	B	[NULL]	[NULL]	R	B237F8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	Y	7439-89-6	Iron	49.7	ug/L	B	[NULL]	[NULL]	R	B237F7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	7439-95-4	Magnesium	14600	ug/L	[NULL]	[NULL]	[NULL]	R	B237F8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	Y	7439-95-4	Magnesium	4040	ug/L	[NULL]	[NULL]	[NULL]	R	B237F7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B237F8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	Y	7439-96-5	Manganese	7.2	ug/L	B	[NULL]	[NULL]	R	B237F7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B237F8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-8A	12/19/2009 9:50	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B237F7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	14797-55-8	Nitrate	969	ug/L	D	[NULL]	[NULL]	R	B237F6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B237F6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	EH	Oxidation Reduction Potential	60	mV	[NULL]	[NULL]	[NULL]	R	B237F5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-8A	12/19/2009 9:50	Y	7440-09-7	Potassium	1030	ug/L	[NULL]	[NULL]	[NULL]	R	B237F7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	7440-09-7	Potassium	5970	ug/L	[NULL]	[NULL]	[NULL]	R	B237F8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B237F8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B237F7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	Y	7440-23-5	Sodium	2300	ug/L	[NULL]	[NULL]	[NULL]	R	B237F7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	7440-23-5	Sodium	92100	ug/L	[NULL]	[NULL]	[NULL]	R	B237F8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	CONDUCT	Specific Conductance	140	uS/cm	[NULL]	[NULL]	[NULL]	R	B237F5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-8A	12/19/2009 9:50	Y	7440-24-6	Strontium	90.4	ug/L	[NULL]	[NULL]	[NULL]	R	B237F7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	7440-24-6	Strontium	409	ug/L	[NULL]	[NULL]	[NULL]	R	B237F8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	10098-97-2	Strontium-90	-2	pCi/L	U	[NULL]	[NULL]	R	B237F8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	14808-79-8	Sulfate	10400	ug/L	D	[NULL]	[NULL]	R	B237F6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	TEMPERATURE	Temperature	6.7	Deg C	[NULL]	[NULL]	[NULL]	R	B237F5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	TURBIDITY	Turbidity	1.95	NTU	[NULL]	[NULL]	[NULL]	R	B237F5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-8A	12/19/2009 9:50	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B237F7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	7440-62-2	Vanadium	13.1	ug/L	B	[NULL]	[NULL]	R	B237F8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B237F7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B237F8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-8A	12/19/2009 9:50	N	PH	pH Measurement	7.64	unitless	[NULL]	[NULL]	[NULL]	R	B237F5	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-8A	3/8/2010 12:45	N	12587-47-2	Gross beta	2.9	pCi/L	[NULL]	[NULL]	[NULL]	R	B249W8	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-9A	8/3/2005 14:10	N	12587-47-2	Gross beta	253	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DM72	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-9A	8/3/2005 14:10	N	EH	Oxidation Reduction Potential	32	mV	[NULL]	[NULL]	[NULL]	S	B1DM72	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-9A	8/3/2005 14:10	N	CONDUCT	Specific Conductance	162.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1DM72	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-9A	8/3/2005 14:10	N	TEMPERATURE	Temperature	25.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1DM72	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-9A	8/3/2005 14:10	N	TDS	Total dissolved solids	100600	ug/L	[NULL]	[NULL]	[NULL]	S	B1DM72	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-9A	8/3/2005 14:10	N	PH	pH Measurement	7.69	unitless	[NULL]	[NULL]	[NULL]	S	B1DM72	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-9A	9/28/2005 0:00	N	ALKALINITY	Alkalinity	56000	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF9	ALKALINITY	ENW	2320_ALKALINITY	100-NR-2
N116mArray-9A	9/28/2005 0:00	Y	7429-90-5	Aluminum	5.29	ug/L	X	[NULL]	[NULL]	S	B1DYF7	7429-90-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-9A	9/28/2005 0:00	Y	7440-38-2	Arsenic	0.233	ug/L	X	[NULL]	[NULL]	S	B1DYF7	7440-38-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-9A	9/28/2005 0:00	Y	7440-39-3	Barium	19.1	ug/L	X	[NULL]	[NULL]	S	B1DYF7	7440-39-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-9A	9/28/2005 0:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	S	B1DYF8	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	9/28/2005 0:00	Y	7440-43-9	Cadmium	0.00591	ug/L	BX	[NULL]	[NULL]	S	B1DYF7	7440-43-9	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-9A	9/28/2005 0:00	Y	7440-70-2	Calcium	18655	ug/L	X	[NULL]	[NULL]	S	B1DYF7	7440-70-2	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-9A	9/28/2005 0:00	N	3812-32-6	Carbonate ion	48400	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF8	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	9/28/2005 0:00	N	16887-00-6	Chloride	930	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF8	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	9/28/2005 0:00	Y	7440-47-3	Chromium	0.746	ug/L	X	[NULL]	[NULL]	S	B1DYF7	7440-47-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-9A	9/28/2005 0:00	Y	7440-50-8	Copper	0.683	ug/L	X	[NULL]	[NULL]	S	B1DYF7	7440-50-8	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-9A	9/28/2005 0:00	N	DO	Dissolved oxygen	7800	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-9A	9/28/2005 0:00	N	16984-48-8	Fluoride	60	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF8	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	9/28/2005 0:00	N	12587-47-2	Gross beta	224	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DYF6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-9A	9/28/2005 0:00	Y	7439-92-1	Lead	0.00666	ug/L	BX	[NULL]	[NULL]	S	B1DYF7	7439-92-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-9A	9/28/2005 0:00	Y	7439-95-4	Magnesium	3844	ug/L	X	[NULL]	[NULL]	S	B1DYF7	7439-95-4	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-9A	9/28/2005 0:00	Y	7439-96-5	Manganese	2.26	ug/L	X	[NULL]	[NULL]	S	B1DYF7	7439-96-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-9A	9/28/2005 0:00	Y	7440-02-0	Nickel	0.712	ug/L	X	[NULL]	[NULL]	S	B1DYF7	7440-02-0	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-9A	9/28/2005 0:00	N	14797-55-8	Nitrate	2800	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF8	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	9/28/2005 0:00	N	EH	Oxidation Reduction Potential	47	mV	[NULL]	[NULL]	[NULL]	S	B1DYF6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-9A	9/28/2005 0:00	N	14265-44-2	Phosphate	40	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF8	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	9/28/2005 0:00	Y	7440-09-7	Potassium	1076	ug/L	X	[NULL]	[NULL]	S	B1DYF7	7440-09-7	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-9A	9/28/2005 0:00	Y	7782-49-2	Selenium	0.177	ug/L	BX	[NULL]	[NULL]	S	B1DYF7	7782-49-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-9A	9/28/2005 0:00	Y	7440-23-5	Sodium	2348	ug/L	X	[NULL]	[NULL]	S	B1DYF7	7440-23-5	SEQUIM	200.7_METALS_ICP	100-NR-2
N116mArray-9A	9/28/2005 0:00	N	CONDUCT	Specific Conductance	132	uS/cm	[NULL]	[NULL]	[NULL]	S	B1DYF6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-9A	9/28/2005 0:00	Y	7440-24-6	Strontium	78.2	ug/L	X	[NULL]	[NULL]	S	B1DYF7	7440-24-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-9A	9/28/2005 0:00	N	10098-97-2	Strontium-90	127	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DYF6	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-9A	9/28/2005 0:00	N	14808-79-8	Sulfate	10400	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF8	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	9/28/2005 0:00	N	TEMPERATURE	Temperature	16	Deg C	[NULL]	[NULL]	[NULL]	S	B1DYF6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-9A	9/28/2005 0:00	Y	7440-29-1	Thorium	0.00636	ug/L	X	[NULL]	[NULL]	S	B1DYF7	7440-29-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-9A	9/28/2005 0:00	N	TDS	Total dissolved solids	8600	ug/L	[NULL]	[NULL]	[NULL]	S	B1DYF6	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-9A	9/28/2005 0:00	N	10028-17-8	Tritium	47.2	pCi/L	U	[NULL]	[NULL]	S	B1DYF6	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
N116mArray-9A	9/28/2005 0:00	Y	7440-61-1	Uranium	0.0394	ug/L	X	[NULL]	[NULL]	S	B1DYF7	7440-61-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-9A	9/28/2005 0:00	Y	7440-66-6	Zinc	0.737	ug/L	X	[NULL]	[NULL]	S	B1DYF7	7440-66-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
N116mArray-9A	9/28/2005 0:00	N	PH	pH Measurement	7.71	unitless	[NULL]	[NULL]	[NULL]	S	B1DYF6	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-9A	1/11/2006 0:00	N	DO	Dissolved oxygen	9800	ug/L	[NULL]	[NULL]	[NULL]	S	B1HB75	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-9A	1/11/2006 0:00	N	12587-47-2	Gross beta	250	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HB75	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-9A	1/11/2006 0:00	N	EH	Oxidation Reduction Potential	54	mV	[NULL]	[NULL]	[NULL]	S	B1HB75	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-9A	1/11/2006 0:00	N	CONDUCT	Specific Conductance	130.2	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HB75	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-9A	1/11/2006 0:00	N	TEMPERATURE	Temperature	7.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1HB75	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-9A	1/11/2006 0:00	N	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	S	B1HB75	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-9A	2/7/2006 14:40	N	DO	Dissolved oxygen	10000	ug/L	[NULL]	[NULL]	[NULL]	S	B1HL54	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-9A	2/7/2006 14:40	N	12587-47-2	Gross beta	211	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HL54	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-9A	2/7/2006 14:40	N	EH	Oxidation Reduction Potential	14	mV	[NULL]	[NULL]	[NULL]	S	B1HL54	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-9A	2/7/2006 14:40	N	CONDUCT	Specific Conductance	134.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HL54	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-9A	2/7/2006 14:40	N	TEMPERATURE	Temperature	7.79	Deg C	[NULL]	[NULL]	[NULL]	S	B1HL54	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-9A	2/7/2006 14:40	N	PH	pH Measurement	8.01	unitless	[NULL]	[NULL]	[NULL]	S	B1HL54	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-9A	3/8/2006 9:40	N	12587-47-2	Gross beta	224	pCi/L	[NULL]	[NULL]	[NULL]	S	B1HV70	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-9A	3/8/2006 9:40	N	CONDUCT	Specific Conductance	141.3	uS/cm	[NULL]	[NULL]	[NULL]	S	B1HV70	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-9A	3/8/2006 9:40	N	TEMPERATURE	Temperature	5.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1HV70	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-9A	3/8/2006 9:40	N	TDS	Total dissolved solids	94600	ug/L	[NULL]	[NULL]	[NULL]	S	B1HV70	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-9A	3/8/2006 9:40	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	S	B1HV70	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-9A	4/13/2006 13:23	N	12587-47-2	Gross beta	259	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J2D8	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-9A	4/13/2006 13:23	N	EH	Oxidation Reduction Potential	110	mV	[NULL]	[NULL]	[NULL]	S	B1J2D8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-9A	4/13/2006 13:23	N	CONDUCT	Specific Conductance	149.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J2D8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-9A	4/13/2006 13:23	N	TEMPERATURE	Temperature	9.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1J2D8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-9A	4/13/2006 13:23	N	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	S	B1J2D8	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-9A	5/10/2006 13:40	N	12587-47-2	Gross beta	295	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J736	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-9A	5/10/2006 13:40	N	EH	Oxidation Reduction Potential	32	mV	[NULL]	[NULL]	[NULL]	S	B1J736	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-9A	5/10/2006 13:40	N	CONDUCT	Specific Conductance	155.6	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J736	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-9A	5/10/2006 13:40	N	TEMPERATURE	Temperature	14.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1J736	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-9A	5/10/2006 13:40	N	TDS	Total dissolved solids	104600	ug/L	[NULL]	[NULL]	[NULL]	S	B1J736	TDS	FIELD	TDS_FLD	100-NR-2
N116mArray-9A	5/10/2006 13:40	N	10028-17-8	Tritium	-58.8	pCi/L	U	[NULL]	[NULL]	S	B1J737	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
N116mArray-9A	5/10/2006 13:40	N	PH	pH Measurement	7.84	unitless	[NULL]	[NULL]	[NULL]	S	B1J736	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-9A	6/6/2006 10:20	N	DO	Dissolved oxygen	7800	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDP8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-9A	6/6/2006 10:20	N	12587-47-2	Gross beta	295	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDP9	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-9A	6/6/2006 10:20	N	EH	Oxidation Reduction Potential	8	mV	[NULL]	[NULL]	[NULL]	R	B1JDP8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-9A	6/6/2006 10:20	N	CONDUCT	Specific Conductance	152.1	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JDP8	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
N116mArray-9A	6/6/2006 10:20	N	TEMPERATURE	Temperature	18.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1JDP8	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-9A	6/6/2006 10:20	N	PH	pH Measurement	7.25	unitless	[NULL]	[NULL]	[NULL]	R	B1JDP8	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	ALKALINITY	Alkalinity	46000	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBP6	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
N116mArray-9A	9/26/2006 10:40	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1KBP5	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	14234-35-6	Antimony-125	0.339	pCi/L	U	[NULL]	[NULL]	R	B1KBP8	14234-35-6	STLRL	GAMMA_GS	100-NR-2
N116mArray-9A	9/26/2006 10:40	Y	7440-39-3	Barium	17.2	ug/L	B	[NULL]	[NULL]	R	B1KBP5	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-9A	9/26/2006 10:40	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1KBP5	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	13966-02-4	Beryllium-7	-2.25	pCi/L	U	[NULL]	[NULL]	R	B1KBP8	13966-02-4	STLRL	GAMMA_GS	100-NR-2
N116mArray-9A	9/26/2006 10:40	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1KBP5	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-9A	9/26/2006 10:40	Y	7440-70-2	Calcium	17800	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBP5	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	13967-70-9	Cesium-134	0.425	pCi/L	U	[NULL]	[NULL]	R	B1KBP8	13967-70-9	STLRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-9A	9/26/2006 10:40	N	10045-97-3	Cesium-137	1.88	pCi/L	U	[NULL]	[NULL]	R	B1KBP8	10045-97-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	16887-00-6	Chloride	920	ug/L	N	[NULL]	[NULL]	R	B1KBP6	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	9/26/2006 10:40	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1KBP5	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-9A	9/26/2006 10:40	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1KBP5	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	10198-40-0	Cobalt-60	0.87	pCi/L	U	[NULL]	[NULL]	R	B1KBP8	10198-40-0	STLRL	GAMMA_GS	100-NR-2
N116mArray-9A	9/26/2006 10:40	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1KBP5	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	DO	Dissolved oxygen	8600	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBP7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	14683-23-9	Europium-152	0.795	pCi/L	U	[NULL]	[NULL]	R	B1KBP8	14683-23-9	STLRL	GAMMA_GS	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	15585-10-1	Europium-154	-2.76	pCi/L	U	[NULL]	[NULL]	R	B1KBP8	15585-10-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	14391-16-3	Europium-155	-1.82	pCi/L	U	[NULL]	[NULL]	R	B1KBP8	14391-16-3	STLRL	GAMMA_GS	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	16984-48-8	Fluoride	90	ug/L	BN	[NULL]	[NULL]	R	B1KBP6	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	12587-46-1	Gross alpha	0.279	pCi/L	U	[NULL]	[NULL]	R	B1KBP8	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	12587-47-2	Gross beta	232	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBP8	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-9A	9/26/2006 10:40	Y	7439-89-6	Iron	31.4	ug/L	BC	[NULL]	[NULL]	R	B1KBP5	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-9A	9/26/2006 10:40	Y	7439-95-4	Magnesium	3780	ug/L	B	[NULL]	[NULL]	R	B1KBP5	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-9A	9/26/2006 10:40	Y	7439-96-5	Manganese	2.5	ug/L	U	[NULL]	[NULL]	R	B1KBP5	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-9A	9/26/2006 10:40	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1KBP5	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	14797-55-8	Nitrate	3450	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBP6	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1KBP6	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	EH	Oxidation Reduction Potential	74	mV	[NULL]	[NULL]	[NULL]	R	B1KBP7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	14265-44-2	Phosphate	100	ug/L	UN	[NULL]	[NULL]	R	B1KBP6	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	9/26/2006 10:40	Y	7440-09-7	Potassium	2870	ug/L	BC	[NULL]	[NULL]	R	B1KBP5	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	13966-00-2	Potassium-40	8.96	pCi/L	U	[NULL]	[NULL]	R	B1KBP8	13966-00-2	STLRL	GAMMA_GS	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	13967-48-1	Ruthenium-106	-0.722	pCi/L	U	[NULL]	[NULL]	R	B1KBP8	13967-48-1	STLRL	GAMMA_GS	100-NR-2
N116mArray-9A	9/26/2006 10:40	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1KBP5	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-9A	9/26/2006 10:40	Y	7440-23-5	Sodium	2180	ug/L	B	[NULL]	[NULL]	R	B1KBP5	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	CONDUCT	Specific Conductance	127.1	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KBP7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-9A	9/26/2006 10:40	Y	7440-24-6	Strontium	75.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBP5	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	10098-97-2	Strontium-90	120	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBP8	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	14808-79-8	Sulfate	9700	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBP6	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1KBP7	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	10028-17-8	Tritium	205	pCi/L	U	[NULL]	[NULL]	R	B1KBP8	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
N116mArray-9A	9/26/2006 10:40	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1KBP5	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-9A	9/26/2006 10:40	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1KBP5	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
N116mArray-9A	9/26/2006 10:40	N	PH	pH Measurement	7.84	unitless	[NULL]	[NULL]	[NULL]	R	B1KBP7	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-9A	3/14/2007 12:38	N	DO	Dissolved oxygen	9000	ug/L	[NULL]	[NULL]	[NULL]	R	B1MPH5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-9A	3/14/2007 12:38	N	12587-46-1	Gross alpha	2	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MPH5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-9A	3/14/2007 12:38	N	12587-47-2	Gross beta	250	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MPH5	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-9A	3/14/2007 12:38	N	EH	Oxidation Reduction Potential	173	mV	[NULL]	[NULL]	[NULL]	R	B1MPH5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-9A	3/14/2007 12:38	N	CONDUCT	Specific Conductance	143	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MPH5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-9A	3/14/2007 12:38	N	TEMPERATURE	Temperature	14.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1MPH5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-9A	3/14/2007 12:38	N	TURBIDITY	Turbidity	2.89	NTU	[NULL]	[NULL]	[NULL]	R	B1MPH5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-9A	3/14/2007 12:38	N	PH	pH Measurement	7.73	unitless	[NULL]	[NULL]	[NULL]	R	B1MPH5	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-9A	6/26/2007 14:00	N	DO	Dissolved oxygen	3540	ug/L	[NULL]	[NULL]	[NULL]	R	B1NTX7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-9A	6/26/2007 14:00	N	12587-46-1	Gross alpha	1.4	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NV25	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-9A	6/26/2007 14:00	N	12587-47-2	Gross beta	300	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NV25	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-9A	6/26/2007 14:00	N	EH	Oxidation Reduction Potential	76	mV	[NULL]	[NULL]	[NULL]	R	B1NTX7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-9A	6/26/2007 14:00	N	CONDUCT	Specific Conductance	158.5	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NTX7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-9A	6/26/2007 14:00	N	TEMPERATURE	Temperature	20.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1NTX7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-9A	6/26/2007 14:00	N	TURBIDITY	Turbidity	1.31	NTU	[NULL]	[NULL]	[NULL]	R	B1NTX7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-9A	6/26/2007 14:00	N	PH	pH Measurement	7.01	unitless	[NULL]	[NULL]	[NULL]	R	B1NTX7	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	ALKALINITY	Alkalinity	68000	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W4	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	7440-36-0	Antimony	0.3	ug/L	U	[NULL]	[NULL]	R	B1P3W4	7440-36-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	7440-38-2	Arsenic	0.4	ug/L	U	[NULL]	[NULL]	R	B1P3W4	7440-38-2	WSCF	200.8_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-9A	8/13/2007 12:25	N	7440-39-3	Barium	26.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W4	7440-39-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	7440-41-7	Beryllium	0.05	ug/L	U	[NULL]	[NULL]	R	B1P3W4	7440-41-7	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	24959-67-9	Bromide	30	ug/L	U	[NULL]	[NULL]	R	B1P3W4	24959-67-9	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	7440-43-9	Cadmium	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3W4	7440-43-9	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	7440-70-2	Calcium	20800	ug/L	D	[NULL]	[NULL]	R	B1P3W4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	10045-97-3	Cesium-137	-1.4	pCi/L	U	[NULL]	[NULL]	R	B1P3W4	10045-97-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	16887-00-6	Chloride	985	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	7440-47-3	Chromium	1.11	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W4	7440-47-3	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	7440-48-4	Cobalt	0.297	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W4	7440-48-4	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	10198-40-0	Cobalt-60	1.87	pCi/L	U	[NULL]	[NULL]	R	B1P3W4	10198-40-0	WSCF	GAMMA_GS	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	DO	Dissolved oxygen	8100	ug/L	[NULL]	[NULL]	[NULL]	C	B1P3P0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	14683-23-9	Europium-152	1.72	pCi/L	U	[NULL]	[NULL]	R	B1P3W4	14683-23-9	WSCF	GAMMA_GS	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	15585-10-1	Europium-154	13.9	pCi/L	U	[NULL]	[NULL]	R	B1P3W4	15585-10-1	WSCF	GAMMA_GS	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	14391-16-3	Europium-155	3.6	pCi/L	U	[NULL]	[NULL]	R	B1P3W4	14391-16-3	WSCF	GAMMA_GS	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	16984-48-8	Fluoride	48	ug/L	B	[NULL]	[NULL]	R	B1P3W4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	12587-46-1	Gross alpha	0.89	pCi/L	U	[NULL]	[NULL]	R	B1P3W4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	12587-47-2	Gross beta	240	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W4	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	7439-89-6	Iron	691	ug/L	D	[NULL]	[NULL]	R	B1P3W4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	7439-95-4	Magnesium	4100	ug/L	D	[NULL]	[NULL]	R	B1P3W4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	7439-96-5	Manganese	27.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W4	7439-96-5	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	7440-02-0	Nickel	1.04	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W4	7440-02-0	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	14797-55-8	Nitrate	2470	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	R	B1P3W4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	EH	Oxidation Reduction Potential	53	mV	[NULL]	[NULL]	[NULL]	C	B1P3P0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	14265-44-2	Phosphate	123	ug/L	U	[NULL]	[NULL]	R	B1P3W4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	7440-09-7	Potassium	1160	ug/L	D	[NULL]	[NULL]	R	B1P3W4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	7440-22-4	Silver	0.1	ug/L	U	[NULL]	[NULL]	R	B1P3W4	7440-22-4	WSCF	200.8_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-9A	8/13/2007 12:25	N	7440-23-5	Sodium	2010	ug/L	D	[NULL]	[NULL]	R	B1P3W4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	CONDUCT	Specific Conductance	149	uS/cm	[NULL]	[NULL]	[NULL]	C	B1P3P0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	7440-24-6	Strontium	84.6	ug/L	N	[NULL]	[NULL]	R	B1P3W4	7440-24-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	10098-97-2	Strontium-90	140	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P3W4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	14808-79-8	Sulfate	9760	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	TEMPERATURE	Temperature	24.9	Deg C	[NULL]	[NULL]	[NULL]	C	B1P3P0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	10028-17-8	Tritium	-24	pCi/L	U	[NULL]	[NULL]	R	B1P3W4	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	TURBIDITY	Turbidity	0.92	NTU	[NULL]	[NULL]	[NULL]	C	B1P3P0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	7440-62-2	Vanadium	1.76	ug/L	[NULL]	[NULL]	[NULL]	R	B1P3W4	7440-62-2	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	7440-66-6	Zinc	1.48	ug/L	C	[NULL]	[NULL]	R	B1P3W4	7440-66-6	WSCF	200.8_METALS_ICPMS	100-NR-2
N116mArray-9A	8/13/2007 12:25	N	PH	pH Measurement	7.46	unitless	[NULL]	[NULL]	[NULL]	C	B1P3P0	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-9A	12/14/2007 10:21	N	DO	Dissolved oxygen	12900	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9X4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-9A	12/14/2007 10:21	N	12587-47-2	Gross beta	255	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9X5	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-9A	12/14/2007 10:21	N	EH	Oxidation Reduction Potential	167	mV	[NULL]	[NULL]	[NULL]	R	B1R9X4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-9A	12/14/2007 10:21	N	CONDUCT	Specific Conductance	133	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R9X4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-9A	12/14/2007 10:21	N	TEMPERATURE	Temperature	7.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1R9X4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-9A	12/14/2007 10:21	N	TURBIDITY	Turbidity	3.42	NTU	[NULL]	[NULL]	[NULL]	R	B1R9X4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-9A	12/14/2007 10:21	N	PH	pH Measurement	7.3	unitless	[NULL]	[NULL]	[NULL]	R	B1R9X4	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-9A	3/26/2008 9:16	N	DO	Dissolved oxygen	11350	ug/L	[NULL]	[NULL]	[NULL]	R	B1THN1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-9A	3/26/2008 9:16	N	12587-47-2	Gross beta	113	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THN2	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
N116mArray-9A	3/26/2008 9:16	N	EH	Oxidation Reduction Potential	129	mV	[NULL]	[NULL]	[NULL]	R	B1THN1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-9A	3/26/2008 9:16	N	CONDUCT	Specific Conductance	151	uS/cm	[NULL]	[NULL]	[NULL]	R	B1THN1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-9A	3/26/2008 9:16	N	TEMPERATURE	Temperature	6	Deg C	[NULL]	[NULL]	[NULL]	R	B1THN1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-9A	3/26/2008 9:16	N	TURBIDITY	Turbidity	0.75	NTU	[NULL]	[NULL]	[NULL]	R	B1THN1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-9A	3/26/2008 9:16	N	PH	pH Measurement	8.19	unitless	[NULL]	[NULL]	[NULL]	R	B1THN1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-9A	6/23/2008 10:22	N	12587-47-2	Gross beta	47	pCi/L	[NULL]	[NULL]	[NULL]	R	B1VJW6	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-9A	1/12/2009 12:22	N	DO	Dissolved oxygen	11950	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWY4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-9A	1/12/2009 12:22	N	12587-47-2	Gross beta	10	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XWY5	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-9A	1/12/2009 12:22	N	EH	Oxidation Reduction Potential	252	mV	[NULL]	[NULL]	[NULL]	R	B1XWY4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-9A	1/12/2009 12:22	N	CONDUCT	Specific Conductance	143	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWY4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-9A	1/12/2009 12:22	N	TEMPERATURE	Temperature	7.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWY4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-9A	1/12/2009 12:22	N	TURBIDITY	Turbidity	0.83	NTU	[NULL]	[NULL]	[NULL]	R	B1XWY4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-9A	1/12/2009 12:22	N	PH	pH Measurement	8.52	unitless	[NULL]	[NULL]	[NULL]	R	B1XWY4	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	ALKALINITY	Alkalinity	62000	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPP0	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YPP0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YPN9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	Y	7440-39-3	Barium	18.9	ug/L	B	[NULL]	[NULL]	R	B1YPN9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	7440-39-3	Barium	17.2	ug/L	B	[NULL]	[NULL]	R	B1YPP0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YPN9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YPP0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YPP0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YPN9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	Y	7440-70-2	Calcium	25200	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPN9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	7440-70-2	Calcium	24700	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPP0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	16887-00-6	Chloride	1430	ug/L	D	[NULL]	[NULL]	R	B1YPP0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	4/2/2009 10:31	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YPN9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YPP0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	Y	7440-48-4	Cobalt	4.5	ug/L	B	[NULL]	[NULL]	R	B1YPN9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YPP0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YPN9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YPP0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	DO	Dissolved oxygen	10520	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPP1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	16984-48-8	Fluoride	46	ug/L	UD	[NULL]	[NULL]	R	B1YPP0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	12587-46-1	Gross alpha	0.57	pCi/L	U	[NULL]	[NULL]	R	B1YPP0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-9A	4/2/2009 10:31	N	12587-47-2	Gross beta	420	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPP0	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	7439-89-6	Iron	44.7	ug/L	B	[NULL]	[NULL]	R	B1YPP0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	Y	7439-89-6	Iron	47.4	ug/L	B	[NULL]	[NULL]	R	B1YPN9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	Y	7439-95-4	Magnesium	5480	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPN9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	7439-95-4	Magnesium	5400	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPP0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	Y	7439-96-5	Manganese	5.9	ug/L	B	[NULL]	[NULL]	R	B1YPN9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1YPP0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YPN9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YPP0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	14797-55-8	Nitrate	15400	ug/L	D	[NULL]	[NULL]	R	B1YPP0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	14797-65-0	Nitrite	85.4	ug/L	UD	[NULL]	[NULL]	R	B1YPP0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	EH	Oxidation Reduction Potential	107	mV	[NULL]	[NULL]	[NULL]	R	B1YPP1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	14265-44-2	Phosphate	368	ug/L	UD	[NULL]	[NULL]	R	B1YPP0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	4/2/2009 10:31	Y	7440-09-7	Potassium	895	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPN9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	7440-09-7	Potassium	847	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPP0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YPN9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YPP0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	Y	7440-23-5	Sodium	2350	ug/L	[NULL]	Q	[NULL]	R	B1YPN9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	7440-23-5	Sodium	2350	ug/L	[NULL]	Q	[NULL]	R	B1YPP0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	CONDUCT	Specific Conductance	162	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YPP1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	7440-24-6	Strontium	96.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPP0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	Y	7440-24-6	Strontium	99.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPN9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	10098-97-2	Strontium-90	180	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPP0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	14808-79-8	Sulfate	10300	ug/L	D	[NULL]	[NULL]	R	B1YPP0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	TEMPERATURE	Temperature	9.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1YPP1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	TURBIDITY	Turbidity	0.53	NTU	[NULL]	[NULL]	[NULL]	R	B1YPP1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-9A	4/2/2009 10:31	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YPN9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-9A	4/2/2009 10:31	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YPP0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YPP0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YPN9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	4/2/2009 10:31	N	PH	pH Measurement	7.67	unitless	[NULL]	[NULL]	[NULL]	R	B1YPP1	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-9A	6/23/2009 9:27	N	DO	Dissolved oxygen	4600	ug/L	[NULL]	[NULL]	[NULL]	R	B20M81	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-9A	6/23/2009 9:27	N	EH	Oxidation Reduction Potential	134	mV	[NULL]	[NULL]	[NULL]	R	B20M81	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-9A	6/23/2009 9:27	N	CONDUCT	Specific Conductance	132	uS/cm	[NULL]	[NULL]	[NULL]	R	B20M81	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-9A	6/23/2009 9:27	N	TEMPERATURE	Temperature	15.6	Deg C	[NULL]	[NULL]	[NULL]	R	B20M81	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-9A	6/23/2009 9:27	N	TURBIDITY	Turbidity	1.59	NTU	[NULL]	[NULL]	[NULL]	R	B20M81	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-9A	6/23/2009 9:27	N	PH	pH Measurement	7.66	unitless	[NULL]	[NULL]	[NULL]	R	B20M81	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-9A	9/24/2009 17:55	N	DO	Dissolved oxygen	8440	ug/L	[NULL]	[NULL]	[NULL]	R	B21HR6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-9A	9/24/2009 17:55	N	EH	Oxidation Reduction Potential	194	mV	[NULL]	[NULL]	[NULL]	R	B21HR6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-9A	9/24/2009 17:55	N	CONDUCT	Specific Conductance	121	uS/cm	[NULL]	[NULL]	[NULL]	R	B21HR6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-9A	9/24/2009 17:55	N	TEMPERATURE	Temperature	21.3	Deg C	[NULL]	[NULL]	[NULL]	R	B21HR6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-9A	9/24/2009 17:55	N	TURBIDITY	Turbidity	7.74	NTU	[NULL]	Y	[NULL]	R	B21HR6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-9A	9/24/2009 17:55	N	PH	pH Measurement	7.57	unitless	[NULL]	[NULL]	[NULL]	R	B21HR6	PH	FIELD	PH_ELECT_FLD	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	ALKALINITY	Alkalinity	57000	ug/L	[NULL]	[NULL]	[NULL]	R	B237H2	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B237H2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B237H1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	7440-39-3	Barium	15.8	ug/L	B	[NULL]	[NULL]	R	B237H2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	Y	7440-39-3	Barium	15.4	ug/L	B	[NULL]	[NULL]	R	B237H1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B237H2	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B237H1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B237H2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B237H1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	Y	7440-70-2	Calcium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B237H1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	7440-70-2	Calcium	19900	ug/L	[NULL]	[NULL]	[NULL]	R	B237H2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-9A	12/18/2009 9:43	N	16887-00-6	Chloride	1010	ug/L	D	[NULL]	[NULL]	R	B237H0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B237H2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B237H1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B237H2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B237H1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B237H2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B237H1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	DO	Dissolved oxygen	10610	ug/L	[NULL]	[NULL]	[NULL]	R	B237F9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B237H0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	12587-47-2	Gross beta	340	pCi/L	[NULL]	F	[NULL]	R	B237H2	12587-47-2	WSCF	BETA_GPC	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	7439-89-6	Iron	79.3	ug/L	B	[NULL]	[NULL]	R	B237H2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	Y	7439-89-6	Iron	35.5	ug/L	B	[NULL]	[NULL]	R	B237H1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	Y	7439-95-4	Magnesium	4470	ug/L	[NULL]	[NULL]	[NULL]	R	B237H1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	7439-95-4	Magnesium	4500	ug/L	[NULL]	[NULL]	[NULL]	R	B237H2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B237H2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B237H1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B237H2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B237H1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	14797-55-8	Nitrate	1070	ug/L	D	[NULL]	[NULL]	R	B237H0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B237H0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	EH	Oxidation Reduction Potential	126	mV	[NULL]	[NULL]	[NULL]	R	B237F9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	7440-09-7	Potassium	854	ug/L	[NULL]	[NULL]	[NULL]	R	B237H2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	Y	7440-09-7	Potassium	863	ug/L	[NULL]	[NULL]	[NULL]	R	B237H1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B237H2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B237H1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	7440-23-5	Sodium	2200	ug/L	[NULL]	[NULL]	[NULL]	R	B237H2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	Y	7440-23-5	Sodium	2310	ug/L	[NULL]	[NULL]	[NULL]	R	B237H1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
N116mArray-9A	12/18/2009 9:43	N	CONDUCT	Specific Conductance	135	uS/cm	[NULL]	[NULL]	[NULL]	R	B237F9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	7440-24-6	Strontium	81.1	ug/L	[NULL]	[NULL]	[NULL]	R	B237H2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	Y	7440-24-6	Strontium	82.6	ug/L	[NULL]	[NULL]	[NULL]	R	B237H1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	10098-97-2	Strontium-90	170	pCi/L	[NULL]	[NULL]	[NULL]	R	B237H2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	14808-79-8	Sulfate	10200	ug/L	D	[NULL]	[NULL]	R	B237H0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	TEMPERATURE	Temperature	6.7	Deg C	[NULL]	[NULL]	[NULL]	R	B237F9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	TURBIDITY	Turbidity	1.08	NTU	[NULL]	[NULL]	[NULL]	R	B237F9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
N116mArray-9A	12/18/2009 9:43	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B237H1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B237H2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B237H2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B237H1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
N116mArray-9A	12/18/2009 9:43	N	PH	pH Measurement	6.96	unitless	[NULL]	[NULL]	[NULL]	R	B237F9	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-168cm	4/9/2004 0:00	Y	7429-90-5	Aluminum	18	ug/L	X	[NULL]	[NULL]	S	B19124	7429-90-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	4/9/2004 0:00	Y	7440-38-2	Arsenic	0.378	ug/L	X	[NULL]	[NULL]	S	B19124	7440-38-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	4/9/2004 0:00	Y	7440-39-3	Barium	46.6	ug/L	X	[NULL]	[NULL]	S	B19124	7440-39-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	4/9/2004 0:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	S	B19123	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	4/9/2004 0:00	Y	7440-43-9	Cadmium	0.0291	ug/L	BX	[NULL]	[NULL]	S	B19124	7440-43-9	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	4/9/2004 0:00	N	16887-00-6	Chloride	1020	ug/L	[NULL]	[NULL]	[NULL]	S	B19123	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	4/9/2004 0:00	Y	7440-47-3	Chromium	0.02	ug/L	UX	[NULL]	[NULL]	S	B19124	7440-47-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	4/9/2004 0:00	N	16984-48-8	Fluoride	110	ug/L	[NULL]	[NULL]	[NULL]	S	B19123	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	4/9/2004 0:00	Y	7439-92-1	Lead	0.0382	ug/L	X	[NULL]	[NULL]	S	B19124	7439-92-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	4/9/2004 0:00	Y	7439-96-5	Manganese	0.651	ug/L	CX	RY	[NULL]	S	B19124	7439-96-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	4/9/2004 0:00	Y	7440-02-0	Nickel	1.75	ug/L	CX	[NULL]	[NULL]	S	B19124	7440-02-0	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	4/9/2004 0:00	N	14797-55-8	Nitrate	2320	ug/L	[NULL]	[NULL]	[NULL]	S	B19123	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	4/9/2004 0:00	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	S	B19123	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	4/9/2004 0:00	Y	7782-49-2	Selenium	0.169	ug/L	BXC	[NULL]	[NULL]	S	B19124	7782-49-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	4/9/2004 0:00	Y	7440-22-4	Silver	0.004	ug/L	UX	[NULL]	[NULL]	S	B19124	7440-22-4	SEQUIM	1638_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-168cm	4/9/2004 0:00	N	14808-79-8	Sulfate	9440	ug/L	[NULL]	[NULL]	[NULL]	S	B19123	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	4/9/2004 0:00	Y	7440-29-1	Thorium	0.1	ug/L	UX	[NULL]	[NULL]	S	B19124	7440-29-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	4/9/2004 0:00	Y	7440-61-1	Uranium	0.0898	ug/L	X	[NULL]	[NULL]	S	B19124	7440-61-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	4/9/2004 0:00	Y	7440-66-6	Zinc	39.4	ug/L	X	RY	[NULL]	S	B19124	7440-66-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	ALKALINITY	Alkalinity	83000	ug/L	[NULL]	[NULL]	[NULL]	S	B19H91	ALKALINITY	ENW	2320_ALKALINITY	100-NR-2
NS-2A-168cm	6/9/2004 0:00	Y	7429-90-5	Aluminum	12.1	ug/L	X	[NULL]	[NULL]	S	B19H89	7429-90-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	14234-35-6	Antimony-125	-0.243	pCi/L	U	[NULL]	[NULL]	S	B19H88	14234-35-6	STLRL	GAMMA_GS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	Y	7440-38-2	Arsenic	0.696	ug/L	X	[NULL]	[NULL]	S	B19H89	7440-38-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	Y	7440-39-3	Barium	30.1	ug/L	X	[NULL]	[NULL]	S	B19H89	7440-39-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	13966-02-4	Beryllium-7	12.8	pCi/L	U	[NULL]	[NULL]	S	B19H88	13966-02-4	STLRL	GAMMA_GS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	71-52-3	Bicarbonate	77000	ug/L	[NULL]	[NULL]	[NULL]	S	B19H91	71-52-3	ENW	2320_BICARBONATE	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	S	B19H90	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	6/9/2004 0:00	Y	7440-43-9	Cadmium	0.0166	ug/L	BX	[NULL]	[NULL]	S	B19H89	7440-43-9	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	Y	7440-70-2	Calcium	27169	ug/L	X	[NULL]	[NULL]	S	B19H89	7440-70-2	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	3812-32-6	Carbonate ion	56800	ug/L	[NULL]	[NULL]	[NULL]	S	B19H90	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	3812-32-6	Carbonate ion	10000	ug/L	U	[NULL]	[NULL]	S	B19H91	3812-32-6	ENW	2320_CARBONATE	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	13967-70-9	Cesium-134	-1.51	pCi/L	U	[NULL]	[NULL]	S	B19H88	13967-70-9	STLRL	GAMMA_GS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	10045-97-3	Cesium-137	0.0603	pCi/L	U	[NULL]	[NULL]	S	B19H88	10045-97-3	STLRL	GAMMA_GS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	16887-00-6	Chloride	1140	ug/L	[NULL]	[NULL]	[NULL]	S	B19H90	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	6/9/2004 0:00	Y	7440-47-3	Chromium	0.791	ug/L	CX	[NULL]	[NULL]	S	B19H89	7440-47-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	10198-40-0	Cobalt-60	1.19	pCi/L	U	[NULL]	[NULL]	S	B19H88	10198-40-0	STLRL	GAMMA_GS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	DO	Dissolved oxygen	2200	ug/L	[NULL]	[NULL]	[NULL]	S	B19H88	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	DO	Dissolved oxygen	2200	ug/L	[NULL]	[NULL]	[NULL]	S	B19H90	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	DO	Dissolved oxygen	2200	ug/L	[NULL]	[NULL]	[NULL]	S	B19H91	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-168cm	6/9/2004 0:00	Y	DO	Dissolved oxygen	2200	ug/L	[NULL]	[NULL]	[NULL]	S	B19H89	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	14683-23-9	Europium-152	4.4	pCi/L	U	[NULL]	[NULL]	S	B19H88	14683-23-9	STLRL	GAMMA_GS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	15585-10-1	Europium-154	3.39	pCi/L	U	[NULL]	[NULL]	S	B19H88	15585-10-1	STLRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-168cm	6/9/2004 0:00	N	14391-16-3	Europium-155	-2.17	pCi/L	U	[NULL]	[NULL]	S	B19H88	14391-16-3	STLRL	GAMMA_GS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	16984-48-8	Fluoride	100	ug/L	[NULL]	[NULL]	[NULL]	S	B19H90	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	12587-46-1	Gross alpha	4.69	pCi/L	U	[NULL]	[NULL]	S	B19H88	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	12587-47-2	Gross beta	799	pCi/L	[NULL]	[NULL]	[NULL]	S	B19H88	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	6/9/2004 0:00	Y	7439-92-1	Lead	0.0517	ug/L	X	[NULL]	[NULL]	S	B19H89	7439-92-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	Y	7439-95-4	Magnesium	3916	ug/L	X	[NULL]	[NULL]	S	B19H89	7439-95-4	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-168cm	6/9/2004 0:00	Y	7439-96-5	Manganese	219	ug/L	CX	RY	[NULL]	S	B19H89	7439-96-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	Y	7440-02-0	Nickel	0.667	ug/L	X	[NULL]	[NULL]	S	B19H89	7440-02-0	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	14797-55-8	Nitrate	1060	ug/L	[NULL]	[NULL]	[NULL]	S	B19H90	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	EH	Oxidation Reduction Potential	518	mV	[NULL]	[NULL]	[NULL]	S	B19H88	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	EH	Oxidation Reduction Potential	518	mV	[NULL]	[NULL]	[NULL]	S	B19H91	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	EH	Oxidation Reduction Potential	518	mV	[NULL]	[NULL]	[NULL]	S	B19H90	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	6/9/2004 0:00	Y	EH	Oxidation Reduction Potential	518	mV	[NULL]	[NULL]	[NULL]	S	B19H89	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	14265-44-2	Phosphate	50	ug/L	[NULL]	[NULL]	[NULL]	S	B19H90	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	6/9/2004 0:00	Y	7440-09-7	Potassium	1210	ug/L	X	[NULL]	[NULL]	S	B19H89	7440-09-7	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	13966-00-2	Potassium-40	-46	pCi/L	U	[NULL]	[NULL]	S	B19H88	13966-00-2	STLRL	GAMMA_GS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	13967-48-1	Ruthenium-106	-4.15	pCi/L	U	[NULL]	[NULL]	S	B19H88	13967-48-1	STLRL	GAMMA_GS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	Y	7782-49-2	Selenium	0.0778	ug/L	BCX	[NULL]	[NULL]	S	B19H89	7782-49-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	Y	7440-23-5	Sodium	2835	ug/L	CX	[NULL]	[NULL]	S	B19H89	7440-23-5	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-168cm	6/9/2004 0:00	Y	CONDUCT	Specific Conductance	163.3	uS/cm	[NULL]	[NULL]	[NULL]	S	B19H89	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	CONDUCT	Specific Conductance	163.3	uS/cm	[NULL]	[NULL]	[NULL]	S	B19H88	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	CONDUCT	Specific Conductance	163.3	uS/cm	[NULL]	[NULL]	[NULL]	S	B19H90	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	CONDUCT	Specific Conductance	163.3	uS/cm	[NULL]	[NULL]	[NULL]	S	B19H91	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
NS-2A-168cm	6/9/2004 0:00	Y	7440-24-6	Strontium	100	ug/L	X	[NULL]	[NULL]	S	B19H89	7440-24-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	10098-97-2	Strontium-90	423	pCi/L	[NULL]	[NULL]	[NULL]	S	B19H88	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	14808-79-8	Sulfate	9050	ug/L	[NULL]	[NULL]	[NULL]	S	B19H90	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	TEMPERATURE	Temperature	12.7	Deg C	[NULL]	[NULL]	[NULL]	S	B19H88	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-168cm	6/9/2004 0:00	N	TEMPERATURE	Temperature	12.7	Deg C	[NULL]	[NULL]	[NULL]	S	B19H91	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	TEMPERATURE	Temperature	12.7	Deg C	[NULL]	[NULL]	[NULL]	S	B19H90	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-168cm	6/9/2004 0:00	Y	TEMPERATURE	Temperature	12.7	Deg C	[NULL]	[NULL]	[NULL]	S	B19H89	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-168cm	6/9/2004 0:00	Y	7440-29-1	Thorium	0.0139	ug/L	CX	[NULL]	[NULL]	S	B19H89	7440-29-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	10028-17-8	Tritium	-5.86	pCi/L	U	[NULL]	[NULL]	S	B19H88	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
NS-2A-168cm	6/9/2004 0:00	Y	7440-61-1	Uranium	0.493	ug/L	X	[NULL]	[NULL]	S	B19H89	7440-61-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	Y	7440-66-6	Zinc	226	ug/L	X	RY	[NULL]	S	B19H89	7440-66-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	PH	pH Measurement	7.77	unitless	[NULL]	[NULL]	[NULL]	S	B19H91	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	PH	pH Measurement	7.77	unitless	[NULL]	[NULL]	[NULL]	S	B19H88	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-168cm	6/9/2004 0:00	N	PH	pH Measurement	7.77	unitless	[NULL]	[NULL]	[NULL]	S	B19H90	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-168cm	6/9/2004 0:00	Y	PH	pH Measurement	7.77	unitless	[NULL]	[NULL]	[NULL]	S	B19H89	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-168cm	8/16/2004 0:00	N	DO	Dissolved oxygen	5600	ug/L	[NULL]	[NULL]	[NULL]	S	B1B4N8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-168cm	8/16/2004 0:00	N	12587-47-2	Gross beta	797	pCi/L	[NULL]	[NULL]	[NULL]	S	B1B4N8	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	8/16/2004 0:00	N	CONDUCT	Specific Conductance	137	uS/cm	[NULL]	[NULL]	[NULL]	S	B1B4N8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
NS-2A-168cm	8/16/2004 0:00	N	TEMPERATURE	Temperature	21	Deg C	[NULL]	[NULL]	[NULL]	S	B1B4N8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	ALKALINITY	Alkalinity	72000	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC79	ALKALINITY	ENW	2320_ALKALINITY	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	7429-90-5	Aluminum	869	ug/L	X	[NULL]	[NULL]	S	B1BC77	7429-90-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	14234-35-6	Antimony-125	-0.00921	pCi/L	U	[NULL]	[NULL]	S	B1BC76	14234-35-6	STLRL	GAMMA_GS	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	7440-38-2	Arsenic	0.859	ug/L	X	[NULL]	[NULL]	S	B1BC77	7440-38-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	7440-39-3	Barium	41.6	ug/L	X	[NULL]	[NULL]	S	B1BC77	7440-39-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	13966-02-4	Beryllium-7	13.4	pCi/L	U	[NULL]	[NULL]	S	B1BC76	13966-02-4	STLRL	GAMMA_GS	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	71-52-3	Bicarbonate	72000	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC79	71-52-3	ENW	2320_BICARBONATE	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	S	B1BC78	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	7440-43-9	Cadmium	0.0932	ug/L	X	[NULL]	[NULL]	S	B1BC77	7440-43-9	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	7440-70-2	Calcium	24279	ug/L	X	[NULL]	[NULL]	S	B1BC77	7440-70-2	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	3812-32-6	Carbonate ion	50300	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC78	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	13967-70-9	Cesium-134	-0.932	pCi/L	U	[NULL]	[NULL]	S	B1BC76	13967-70-9	STLRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-168cm	9/25/2004 0:00	N	10045-97-3	Cesium-137	-0.606	pCi/L	U	[NULL]	[NULL]	S	B1BC76	10045-97-3	STLRL	GAMMA_GS	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	16887-00-6	Chloride	2250	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC78	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	7440-47-3	Chromium	4.39	ug/L	X	[NULL]	[NULL]	S	B1BC77	7440-47-3	SEQUIM	1639_METALS_GFAA	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	10198-40-0	Cobalt-60	1.49	pCi/L	U	[NULL]	[NULL]	S	B1BC76	10198-40-0	STLRL	GAMMA_GS	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	DO	Dissolved oxygen	8400	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC76	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	14683-23-9	Europium-152	-0.15	pCi/L	U	[NULL]	[NULL]	S	B1BC76	14683-23-9	STLRL	GAMMA_GS	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	15585-10-1	Europium-154	-1.07	pCi/L	U	[NULL]	[NULL]	S	B1BC76	15585-10-1	STLRL	GAMMA_GS	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	14391-16-3	Europium-155	2.22	pCi/L	U	[NULL]	[NULL]	S	B1BC76	14391-16-3	STLRL	GAMMA_GS	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	16984-48-8	Fluoride	90	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC78	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	12587-46-1	Gross alpha	1.64	pCi/L	[NULL]	[NULL]	[NULL]	S	B1BC76	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	12587-47-2	Gross beta	563	pCi/L	[NULL]	[NULL]	[NULL]	S	B1BC76	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	7439-92-1	Lead	4.71	ug/L	X	[NULL]	[NULL]	S	B1BC77	7439-92-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	7439-95-4	Magnesium	4227	ug/L	X	[NULL]	[NULL]	S	B1BC77	7439-95-4	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	7439-96-5	Manganese	132	ug/L	X	RY	[NULL]	S	B1BC77	7439-96-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	7439-98-7	Molybdenum	0.589	ug/L	X	[NULL]	[NULL]	S	B1BC77	7439-98-7	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	7440-02-0	Nickel	3.33	ug/L	X	[NULL]	[NULL]	S	B1BC77	7440-02-0	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	14797-55-8	Nitrate	5520	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC78	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	EH	Oxidation Reduction Potential	146	mV	[NULL]	[NULL]	[NULL]	S	B1BC76	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	14265-44-2	Phosphate	50	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC78	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	7440-09-7	Potassium	1508	ug/L	X	[NULL]	[NULL]	S	B1BC77	7440-09-7	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	13966-00-2	Potassium-40	-29	pCi/L	U	[NULL]	[NULL]	S	B1BC76	13966-00-2	STLRL	GAMMA_GS	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	13967-48-1	Ruthenium-106	-0.0371	pCi/L	U	[NULL]	[NULL]	S	B1BC76	13967-48-1	STLRL	GAMMA_GS	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	7782-49-2	Selenium	0.144	ug/L	X	[NULL]	[NULL]	S	B1BC77	7782-49-2	SEQUIM	7742_SE_HAA	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	7440-22-4	Silver	0.0132	ug/L	BCX	[NULL]	[NULL]	S	B1BC77	7440-22-4	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	7440-23-5	Sodium	2759	ug/L	X	[NULL]	[NULL]	S	B1BC77	7440-23-5	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	CONDUCT	Specific Conductance	161.1	uS/cm	[NULL]	[NULL]	[NULL]	S	B1BC76	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	7440-24-6	Strontium	113	ug/L	X	[NULL]	[NULL]	S	B1BC77	7440-24-6	SEQUIM	1638_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-168cm	9/25/2004 0:00	N	10098-97-2	Strontium-90	355	pCi/L	[NULL]	[NULL]	[NULL]	S	B1BC76	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	14808-79-8	Sulfate	10500	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC78	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1BC76	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	7440-28-0	Thallium	0.0195	ug/L	BX	[NULL]	[NULL]	S	B1BC77	7440-28-0	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	7440-29-1	Thorium	0.247	ug/L	X	[NULL]	[NULL]	S	B1BC77	7440-29-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	10028-17-8	Tritium	30.7	pCi/L	U	[NULL]	[NULL]	S	B1BC76	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	7440-61-1	Uranium	0.467	ug/L	X	[NULL]	[NULL]	S	B1BC77	7440-61-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	7440-66-6	Zinc	1160	ug/L	X	RY	[NULL]	S	B1BC77	7440-66-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/25/2004 0:00	N	PH	pH Measurement	7.85	unitless	[NULL]	[NULL]	[NULL]	S	B1BC76	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-168cm	10/29/2004 11:18	N	DO	Dissolved oxygen	11000	ug/L	[NULL]	[NULL]	[NULL]	R	B1BCL8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-168cm	10/29/2004 11:18	N	12587-47-2	Gross beta	698	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BCL8	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	10/29/2004 11:18	N	EH	Oxidation Reduction Potential	104	mV	[NULL]	[NULL]	[NULL]	R	B1BCL8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	10/29/2004 11:18	N	CONDUCT	Specific Conductance	162	uS/cm	[NULL]	[NULL]	[NULL]	R	B1BCL8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
NS-2A-168cm	10/29/2004 11:18	N	TEMPERATURE	Temperature	14.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1BCL8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-168cm	10/29/2004 11:18	N	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	R	B1BCL8	PH	FIELD	9040_PH	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	ALKALINITY	Alkalinity	64000	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTH4	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
NS-2A-168cm	12/15/2004 13:20	Y	7429-90-5	Aluminum	45.5	ug/L	U	[NULL]	[NULL]	R	B1BTH3	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/15/2004 13:20	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1BTH3	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	14234-35-6	Antimony-125	3.45	pCi/L	U	[NULL]	[NULL]	R	B1BTH5	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	12/15/2004 13:20	Y	7440-39-3	Barium	23.3	ug/L	B	[NULL]	[NULL]	R	B1BTH3	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/15/2004 13:20	Y	7440-41-7	Beryllium	0.29	ug/L	U	[NULL]	[NULL]	R	B1BTH3	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	13966-02-4	Beryllium-7	-12.1	pCi/L	U	[NULL]	[NULL]	R	B1BTH5	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	12/15/2004 13:20	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1BTH3	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/15/2004 13:20	Y	7440-70-2	Calcium	23500	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTH3	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	13967-70-9	Cesium-134	-3.22	pCi/L	U	[NULL]	[NULL]	R	B1BTH5	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	10045-97-3	Cesium-137	-9.64	pCi/L	U	[NULL]	[NULL]	R	B1BTH5	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	16887-00-6	Chloride	980	ug/L	C	[NULL]	[NULL]	R	B1BTH4	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-168cm	12/15/2004 13:20	Y	7440-47-3	Chromium	3.3	ug/L	U	[NULL]	[NULL]	R	B1BTH3	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/15/2004 13:20	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1BTH3	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	10198-40-0	Cobalt-60	-0.881	pCi/L	U	[NULL]	[NULL]	R	B1BTH5	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	12/15/2004 13:20	Y	7440-50-8	Copper	5.2	ug/L	BC	[NULL]	[NULL]	R	B1BTH3	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	DO	Dissolved oxygen	8520	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTH4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	14683-23-9	Europium-152	-9.26	pCi/L	U	[NULL]	[NULL]	R	B1BTH5	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	15585-10-1	Europium-154	10.6	pCi/L	U	[NULL]	[NULL]	R	B1BTH5	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	14391-16-3	Europium-155	7.23	pCi/L	U	[NULL]	[NULL]	R	B1BTH5	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	16984-48-8	Fluoride	38	ug/L	B	[NULL]	[NULL]	R	B1BTH4	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	12587-46-1	Gross alpha	0.463	pCi/L	U	[NULL]	[NULL]	R	B1BTH5	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	12587-47-2	Gross beta	625	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BTH5	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	12/15/2004 13:20	Y	7439-89-6	Iron	23.5	ug/L	B	R	[NULL]	R	B1BTH3	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/15/2004 13:20	Y	7439-95-4	Magnesium	3620	ug/L	B	[NULL]	[NULL]	R	B1BTH3	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/15/2004 13:20	Y	7439-96-5	Manganese	44.7	ug/L	[NULL]	R	[NULL]	R	B1BTH3	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/15/2004 13:20	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1BTH3	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	14797-55-8	Nitrate	2080	ug/L	[NULL]	H	[NULL]	R	B1BTH4	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	14797-65-0	Nitrite	13.1	ug/L	UN	H	[NULL]	R	B1BTH4	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	EH	Oxidation Reduction Potential	92	mV	[NULL]	[NULL]	[NULL]	R	B1BTH4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	12/15/2004 13:20	Y	7440-09-7	Potassium	1950	ug/L	U	[NULL]	[NULL]	R	B1BTH3	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	13966-00-2	Potassium-40	-76	pCi/L	U	[NULL]	[NULL]	R	B1BTH5	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	13967-48-1	Ruthenium-106	-47.6	pCi/L	U	[NULL]	[NULL]	R	B1BTH5	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	12/15/2004 13:20	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1BTH3	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/15/2004 13:20	Y	7440-23-5	Sodium	2630	ug/L	B	[NULL]	[NULL]	R	B1BTH3	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	CONDUCT	Specific Conductance	146.4	uS/cm	[NULL]	[NULL]	[NULL]	R	B1BTH4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
NS-2A-168cm	12/15/2004 13:20	Y	7440-24-6	Strontium	106	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTH3	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	10098-97-2	Strontium-90	316	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BTH5	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	14808-79-8	Sulfate	9200	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTH4	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-168cm	12/15/2004 13:20	N	TEMPERATURE	Temperature	10.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1BTH4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	10028-17-8	Tritium	-144	pCi/L	U	[NULL]	[NULL]	R	B1BTH5	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
NS-2A-168cm	12/15/2004 13:20	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	B1BTH3	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/15/2004 13:20	Y	7440-66-6	Zinc	118	ug/L	C	R	[NULL]	R	B1BTH3	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/15/2004 13:20	N	PH	pH Measurement	7.67	unitless	[NULL]	[NULL]	[NULL]	R	B1BTH4	PH	FIELD	9040_PH	100-NR-2
NS-2A-168cm	1/20/2005 15:30	N	12587-47-2	Gross beta	645	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BXK1	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	1/20/2005 15:30	N	EH	Oxidation Reduction Potential	54	mV	[NULL]	[NULL]	[NULL]	R	B1BXK1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	1/20/2005 15:30	N	CONDUCT	Specific Conductance	144.8	uS/cm	[NULL]	[NULL]	[NULL]	R	B1BXK1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
NS-2A-168cm	1/20/2005 15:30	N	TEMPERATURE	Temperature	8	Deg C	[NULL]	[NULL]	[NULL]	R	B1BXK1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-168cm	1/20/2005 15:30	N	PH	pH Measurement	8.08	unitless	[NULL]	[NULL]	[NULL]	R	B1BXK1	PH	FIELD	9040_PH	100-NR-2
NS-2A-168cm	2/18/2005 14:25	N	DO	Dissolved oxygen	3100	ug/L	[NULL]	[NULL]	[NULL]	R	B1C5C1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-168cm	2/18/2005 14:25	N	12587-47-2	Gross beta	629	pCi/L	[NULL]	[NULL]	[NULL]	R	B1C5C1	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	2/18/2005 14:25	N	EH	Oxidation Reduction Potential	130	mV	[NULL]	[NULL]	[NULL]	R	B1C5C1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	2/18/2005 14:25	N	CONDUCT	Specific Conductance	129	uS/cm	[NULL]	[NULL]	[NULL]	R	B1C5C1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
NS-2A-168cm	2/18/2005 14:25	N	TEMPERATURE	Temperature	8	Deg C	[NULL]	[NULL]	[NULL]	R	B1C5C1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-168cm	2/18/2005 14:25	N	PH	pH Measurement	8.21	unitless	[NULL]	[NULL]	[NULL]	R	B1C5C1	PH	FIELD	9040_PH	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	ALKALINITY	Alkalinity	62000	ug/L	[NULL]	[NULL]	[NULL]	R	B1CB11	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
NS-2A-168cm	3/18/2005 10:20	Y	7429-90-5	Aluminum	45.5	ug/L	U	[NULL]	[NULL]	R	B1CB10	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/18/2005 10:20	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1CB10	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	14234-35-6	Antimony-125	-1.25	pCi/L	U	[NULL]	[NULL]	R	B1CB12	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	3/18/2005 10:20	Y	7440-39-3	Barium	23.7	ug/L	B	[NULL]	[NULL]	R	B1CB10	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/18/2005 10:20	Y	7440-41-7	Beryllium	0.29	ug/L	U	[NULL]	[NULL]	R	B1CB10	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	13966-02-4	Beryllium-7	-28.3	pCi/L	U	[NULL]	[NULL]	R	B1CB12	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	3/18/2005 10:20	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1CB10	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/18/2005 10:20	Y	7440-70-2	Calcium	24300	ug/L	[NULL]	[NULL]	[NULL]	R	B1CB10	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	13967-70-9	Cesium-134	0.707	pCi/L	U	[NULL]	[NULL]	R	B1CB12	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	10045-97-3	Cesium-137	1.22	pCi/L	U	[NULL]	[NULL]	R	B1CB12	10045-97-3	STLRL	GAMMALL_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-168cm	3/18/2005 10:20	N	16887-00-6	Chloride	1000	ug/L	C	[NULL]	[NULL]	R	B1CB11	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	3/18/2005 10:20	Y	7440-47-3	Chromium	3.3	ug/L	U	[NULL]	[NULL]	R	B1CB10	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/18/2005 10:20	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1CB10	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	10198-40-0	Cobalt-60	0.75	pCi/L	U	[NULL]	[NULL]	R	B1CB12	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	3/18/2005 10:20	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1CB10	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	DO	Dissolved oxygen	9670	ug/L	[NULL]	[NULL]	[NULL]	R	B1CB11	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	14683-23-9	Europium-152	-1.62	pCi/L	U	[NULL]	[NULL]	R	B1CB12	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	15585-10-1	Europium-154	2.36	pCi/L	U	[NULL]	[NULL]	R	B1CB12	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	14391-16-3	Europium-155	1.84	pCi/L	U	[NULL]	[NULL]	R	B1CB12	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	16984-48-8	Fluoride	20	ug/L	B	[NULL]	[NULL]	R	B1CB11	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	12587-46-1	Gross alpha	0.612	pCi/L	U	[NULL]	[NULL]	R	B1CB12	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	12587-47-2	Gross beta	603	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CB12	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	3/18/2005 10:20	Y	7439-89-6	Iron	24.7	ug/L	B	R	[NULL]	R	B1CB10	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/18/2005 10:20	Y	7439-95-4	Magnesium	3890	ug/L	B	[NULL]	[NULL]	R	B1CB10	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/18/2005 10:20	Y	7439-96-5	Manganese	38.2	ug/L	[NULL]	R	[NULL]	R	B1CB10	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/18/2005 10:20	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1CB10	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	14797-55-8	Nitrate	2350	ug/L	N	H	[NULL]	R	B1CB11	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	14797-65-0	Nitrite	13.1	ug/L	U	H	[NULL]	R	B1CB11	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	EH	Oxidation Reduction Potential	174	mV	[NULL]	[NULL]	[NULL]	R	B1CB11	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	3/18/2005 10:20	Y	7440-09-7	Potassium	1950	ug/L	U	[NULL]	[NULL]	R	B1CB10	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	13966-00-2	Potassium-40	-23.7	pCi/L	U	[NULL]	[NULL]	R	B1CB12	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	13967-48-1	Ruthenium-106	-0.151	pCi/L	U	[NULL]	[NULL]	R	B1CB12	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	3/18/2005 10:20	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1CB10	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/18/2005 10:20	Y	7440-23-5	Sodium	2780	ug/L	B	[NULL]	[NULL]	R	B1CB10	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	CONDUCT	Specific Conductance	154.3	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CB11	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
NS-2A-168cm	3/18/2005 10:20	Y	7440-24-6	Strontium	122	ug/L	[NULL]	[NULL]	[NULL]	R	B1CB10	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	10098-97-2	Strontium-90	323	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CB12	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-168cm	3/18/2005 10:20	N	14808-79-8	Sulfate	9200	ug/L	[NULL]	[NULL]	[NULL]	R	B1CB11	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	TEMPERATURE	Temperature	9.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1CB11	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	10028-17-8	Tritium	-72.1	pCi/L	U	[NULL]	[NULL]	R	B1CB12	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
NS-2A-168cm	3/18/2005 10:20	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	B1CB10	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/18/2005 10:20	Y	7440-66-6	Zinc	111	ug/L	C	R	[NULL]	R	B1CB10	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/18/2005 10:20	N	PH	pH Measurement	6.94	unitless	[NULL]	[NULL]	[NULL]	R	B1CB11	PH	FIELD	9040_PH	100-NR-2
NS-2A-168cm	4/19/2005 15:20	N	DO	Dissolved oxygen	8760	ug/L	[NULL]	[NULL]	[NULL]	R	B1CHY6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-168cm	4/19/2005 15:20	N	12587-47-2	Gross beta	560	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CHY6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	4/19/2005 15:20	N	EH	Oxidation Reduction Potential	111	mV	[NULL]	[NULL]	[NULL]	R	B1CHY6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	4/19/2005 15:20	N	CONDUCT	Specific Conductance	157	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CHY6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
NS-2A-168cm	4/19/2005 15:20	N	TEMPERATURE	Temperature	14.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1CHY6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-168cm	4/19/2005 15:20	N	PH	pH Measurement	8.12	unitless	[NULL]	[NULL]	[NULL]	R	B1CHY6	PH	FIELD	9040_PH	100-NR-2
NS-2A-168cm	5/16/2005 15:25	N	DO	Dissolved oxygen	6030	ug/L	[NULL]	[NULL]	[NULL]	R	B1CRV4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-168cm	5/16/2005 15:25	N	12587-47-2	Gross beta	611	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CRV4	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	5/16/2005 15:25	N	EH	Oxidation Reduction Potential	-9	mV	[NULL]	[NULL]	[NULL]	R	B1CRV4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	5/16/2005 15:25	N	CONDUCT	Specific Conductance	149	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CRV4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
NS-2A-168cm	5/16/2005 15:25	N	TEMPERATURE	Temperature	13	Deg C	[NULL]	[NULL]	[NULL]	R	B1CRV4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-168cm	5/16/2005 15:25	N	PH	pH Measurement	8.01	unitless	[NULL]	[NULL]	[NULL]	R	B1CRV4	PH	FIELD	9040_PH	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	ALKALINITY	Alkalinity	70400	ug/L	[NULL]	[NULL]	[NULL]	R	B1D166	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
NS-2A-168cm	6/10/2005 16:35	Y	7429-90-5	Aluminum	28.4	ug/L	B	[NULL]	[NULL]	R	B1D165	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	6/10/2005 16:35	Y	7440-36-0	Antimony	23	ug/L	U	[NULL]	[NULL]	R	B1D165	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	14234-35-6	Antimony-125	1.9	pCi/L	U	[NULL]	[NULL]	R	B1D167	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	6/10/2005 16:35	Y	7440-39-3	Barium	22.6	ug/L	B	[NULL]	[NULL]	R	B1D165	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	6/10/2005 16:35	Y	7440-41-7	Beryllium	0.18	ug/L	U	[NULL]	[NULL]	R	B1D165	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	13966-02-4	Beryllium-7	-12.9	pCi/L	U	[NULL]	[NULL]	R	B1D167	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	6/10/2005 16:35	Y	7440-43-9	Cadmium	0.86	ug/L	U	[NULL]	[NULL]	R	B1D165	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	6/10/2005 16:35	Y	7440-70-2	Calcium	24700	ug/L	C	[NULL]	[NULL]	R	B1D165	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-168cm	6/10/2005 16:35	N	13967-70-9	Cesium-134	0.0622	pCi/L	U	[NULL]	[NULL]	R	B1D167	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	10045-97-3	Cesium-137	0.517	pCi/L	U	[NULL]	[NULL]	R	B1D167	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	16887-00-6	Chloride	1200	ug/L	[NULL]	[NULL]	[NULL]	R	B1D166	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	6/10/2005 16:35	Y	7440-47-3	Chromium	1.9	ug/L	U	[NULL]	[NULL]	R	B1D165	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	6/10/2005 16:35	Y	7440-48-4	Cobalt	1.7	ug/L	U	[NULL]	[NULL]	R	B1D165	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	10198-40-0	Cobalt-60	1	pCi/L	U	[NULL]	[NULL]	R	B1D167	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	6/10/2005 16:35	Y	7440-50-8	Copper	4.3	ug/L	U	[NULL]	[NULL]	R	B1D165	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	DO	Dissolved oxygen	4850	ug/L	[NULL]	[NULL]	[NULL]	R	B1D166	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	14683-23-9	Europium-152	1.35	pCi/L	U	[NULL]	[NULL]	R	B1D167	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	15585-10-1	Europium-154	-1.21	pCi/L	U	[NULL]	[NULL]	R	B1D167	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	14391-16-3	Europium-155	1.7	pCi/L	U	[NULL]	[NULL]	R	B1D167	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	16984-48-8	Fluoride	38	ug/L	B	[NULL]	[NULL]	R	B1D166	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	12587-46-1	Gross alpha	0.77	pCi/L	U	[NULL]	[NULL]	R	B1D167	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	12587-47-2	Gross beta	647	pCi/L	[NULL]	[NULL]	[NULL]	R	B1D167	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	6/10/2005 16:35	Y	7439-89-6	Iron	49.6	ug/L	B	R	[NULL]	R	B1D165	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	6/10/2005 16:35	Y	7439-95-4	Magnesium	3970	ug/L	B	[NULL]	[NULL]	R	B1D165	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	6/10/2005 16:35	Y	7439-96-5	Manganese	52.4	ug/L	[NULL]	R	[NULL]	R	B1D165	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	6/10/2005 16:35	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1D165	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	14797-55-8	Nitrate	1460	ug/L	[NULL]	H	[NULL]	R	B1D166	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	14797-65-0	Nitrite	72.3	ug/L	N	H	[NULL]	R	B1D166	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	EH	Oxidation Reduction Potential	105	mV	[NULL]	[NULL]	[NULL]	R	B1D166	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	6/10/2005 16:35	Y	7440-09-7	Potassium	1610	ug/L	U	[NULL]	[NULL]	R	B1D165	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	13966-00-2	Potassium-40	-15.2	pCi/L	U	[NULL]	[NULL]	R	B1D167	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	13967-48-1	Ruthenium-106	1.73	pCi/L	U	[NULL]	[NULL]	R	B1D167	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	6/10/2005 16:35	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B1D165	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	6/10/2005 16:35	Y	7440-23-5	Sodium	2640	ug/L	B	[NULL]	[NULL]	R	B1D165	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	CONDUCT	Specific Conductance	158	uS/cm	[NULL]	[NULL]	[NULL]	R	B1D166	CONDUCT	FIELD	9050_CONDUCT	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-168cm	6/10/2005 16:35	Y	7440-24-6	Strontium	116	ug/L	[NULL]	[NULL]	[NULL]	R	B1D165	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	10098-97-2	Strontium-90	355	pCi/L	[NULL]	[NULL]	[NULL]	R	B1D167	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	14808-79-8	Sulfate	9000	ug/L	[NULL]	[NULL]	[NULL]	R	B1D166	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1D166	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	10028-17-8	Tritium	-18.4	pCi/L	U	[NULL]	[NULL]	R	B1D167	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
NS-2A-168cm	6/10/2005 16:35	Y	7440-62-2	Vanadium	1.4	ug/L	U	[NULL]	[NULL]	R	B1D165	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	6/10/2005 16:35	Y	7440-66-6	Zinc	167	ug/L	C	R	[NULL]	R	B1D165	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	6/10/2005 16:35	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	R	B1D166	PH	FIELD	9040_PH	100-NR-2
NS-2A-168cm	7/18/2005 15:00	N	DO	Dissolved oxygen	6050	ug/L	[NULL]	[NULL]	[NULL]	R	B1DC02	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-168cm	7/18/2005 15:00	N	12587-47-2	Gross beta	600	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DC02	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	7/18/2005 15:00	N	EH	Oxidation Reduction Potential	74	mV	[NULL]	[NULL]	[NULL]	R	B1DC02	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	7/18/2005 15:00	N	CONDUCT	Specific Conductance	153.8	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DC02	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
NS-2A-168cm	7/18/2005 15:00	N	TEMPERATURE	Temperature	21.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1DC02	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-168cm	7/18/2005 15:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	B1DC02	PH	FIELD	9040_PH	100-NR-2
NS-2A-168cm	8/23/2005 14:10	N	12587-47-2	Gross beta	520	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DK54	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	8/23/2005 14:10	N	EH	Oxidation Reduction Potential	118	mV	[NULL]	[NULL]	[NULL]	R	B1DK54	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	8/23/2005 14:10	N	CONDUCT	Specific Conductance	167	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DK54	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
NS-2A-168cm	8/23/2005 14:10	N	TEMPERATURE	Temperature	24.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1DK54	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-168cm	8/23/2005 14:10	N	PH	pH Measurement	6.7	unitless	[NULL]	[NULL]	[NULL]	R	B1DK54	PH	FIELD	9040_PH	100-NR-2
NS-2A-168cm	9/28/2005 0:00	N	ALKALINITY	Alkalinity	72000	ug/L	[NULL]	[NULL]	[NULL]	S	B1DY61	ALKALINITY	ENW	2320_ALKALINITY	100-NR-2
NS-2A-168cm	9/28/2005 0:00	Y	7429-90-5	Aluminum	5.82	ug/L	X	[NULL]	[NULL]	S	B1DY59	7429-90-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/28/2005 0:00	Y	7440-38-2	Arsenic	0.651	ug/L	X	[NULL]	[NULL]	S	B1DY59	7440-38-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/28/2005 0:00	Y	7440-39-3	Barium	24.2	ug/L	X	[NULL]	[NULL]	S	B1DY59	7440-39-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/28/2005 0:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	S	B1DY60	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	9/28/2005 0:00	Y	7440-43-9	Cadmium	0.0149	ug/L	BX	[NULL]	[NULL]	S	B1DY59	7440-43-9	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/28/2005 0:00	Y	7440-70-2	Calcium	23755	ug/L	X	[NULL]	[NULL]	S	B1DY59	7440-70-2	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-168cm	9/28/2005 0:00	N	3812-32-6	Carbonate ion	68800	ug/L	[NULL]	[NULL]	[NULL]	S	B1DY60	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-168cm	9/28/2005 0:00	N	16887-00-6	Chloride	920	ug/L	[NULL]	[NULL]	[NULL]	S	B1DY60	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	9/28/2005 0:00	Y	7440-47-3	Chromium	1.61	ug/L	X	[NULL]	[NULL]	S	B1DY59	7440-47-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/28/2005 0:00	Y	7440-50-8	Copper	1.65	ug/L	X	[NULL]	[NULL]	S	B1DY59	7440-50-8	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/28/2005 0:00	N	DO	Dissolved oxygen	8200	ug/L	[NULL]	[NULL]	[NULL]	S	B1DY58	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-168cm	9/28/2005 0:00	N	16984-48-8	Fluoride	70	ug/L	[NULL]	[NULL]	[NULL]	S	B1DY60	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	9/28/2005 0:00	N	12587-47-2	Gross beta	609	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DY58	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	9/28/2005 0:00	Y	7439-92-1	Lead	0.272	ug/L	X	[NULL]	[NULL]	S	B1DY59	7439-92-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/28/2005 0:00	Y	7439-95-4	Magnesium	4046	ug/L	X	[NULL]	[NULL]	S	B1DY59	7439-95-4	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-168cm	9/28/2005 0:00	Y	7439-96-5	Manganese	24.2	ug/L	X	RY	[NULL]	S	B1DY59	7439-96-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/28/2005 0:00	Y	7440-02-0	Nickel	0.648	ug/L	X	[NULL]	[NULL]	S	B1DY59	7440-02-0	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/28/2005 0:00	N	14797-55-8	Nitrate	2430	ug/L	[NULL]	[NULL]	[NULL]	S	B1DY60	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	9/28/2005 0:00	N	EH	Oxidation Reduction Potential	136	mV	[NULL]	[NULL]	[NULL]	S	B1DY58	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	9/28/2005 0:00	N	14265-44-2	Phosphate	80	ug/L	[NULL]	[NULL]	[NULL]	S	B1DY60	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	9/28/2005 0:00	Y	7440-09-7	Potassium	1343	ug/L	X	[NULL]	[NULL]	S	B1DY59	7440-09-7	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-168cm	9/28/2005 0:00	Y	7782-49-2	Selenium	0.232	ug/L	BX	[NULL]	[NULL]	S	B1DY59	7782-49-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/28/2005 0:00	Y	7440-23-5	Sodium	2542	ug/L	X	[NULL]	[NULL]	S	B1DY59	7440-23-5	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-168cm	9/28/2005 0:00	N	CONDUCT	Specific Conductance	156.7	uS/cm	[NULL]	[NULL]	[NULL]	S	B1DY58	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
NS-2A-168cm	9/28/2005 0:00	Y	7440-24-6	Strontium	105	ug/L	X	[NULL]	[NULL]	S	B1DY59	7440-24-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/28/2005 0:00	N	10098-97-2	Strontium-90	321	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DY58	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
NS-2A-168cm	9/28/2005 0:00	N	14808-79-8	Sulfate	8690	ug/L	[NULL]	[NULL]	[NULL]	S	B1DY60	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	9/28/2005 0:00	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1DY58	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-168cm	9/28/2005 0:00	Y	7440-29-1	Thorium	0.00145	ug/L	CX	[NULL]	[NULL]	S	B1DY59	7440-29-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/28/2005 0:00	N	TDS	Total dissolved solids	100600	ug/L	[NULL]	[NULL]	[NULL]	S	B1DY58	TDS	FIELD	TDS_FLD	100-NR-2
NS-2A-168cm	9/28/2005 0:00	N	10028-17-8	Tritium	585	pCi/L	[NULL]	[NULL]	[NULL]	S	B1DY58	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
NS-2A-168cm	9/28/2005 0:00	Y	7440-61-1	Uranium	0.272	ug/L	X	[NULL]	[NULL]	S	B1DY59	7440-61-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/28/2005 0:00	Y	7440-66-6	Zinc	143	ug/L	X	RY	[NULL]	S	B1DY59	7440-66-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-168cm	9/28/2005 0:00	N	PH	pH Measurement	7.04	unitless	[NULL]	[NULL]	[NULL]	S	B1DY58	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-168cm	10/7/2005 14:30	N	ALKALINITY	Alkalinity	68000	ug/L	[NULL]	[NULL]	[NULL]	R	B1DTN3	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
NS-2A-168cm	10/7/2005 14:30	Y	7429-90-5	Aluminum	17.1	ug/L	B	[NULL]	[NULL]	R	B1DTN2	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	10/7/2005 14:30	Y	7440-36-0	Antimony	23	ug/L	U	[NULL]	[NULL]	R	B1DTN2	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	10/7/2005 14:30	Y	7440-39-3	Barium	27.6	ug/L	B	[NULL]	[NULL]	R	B1DTN2	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	10/7/2005 14:30	Y	7440-41-7	Beryllium	0.18	ug/L	U	[NULL]	[NULL]	R	B1DTN2	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	10/7/2005 14:30	Y	7440-43-9	Cadmium	0.86	ug/L	U	[NULL]	[NULL]	R	B1DTN2	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	10/7/2005 14:30	Y	7440-70-2	Calcium	25300	ug/L	C	[NULL]	[NULL]	R	B1DTN2	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	10/7/2005 14:30	N	16887-00-6	Chloride	920	ug/L	C	[NULL]	[NULL]	R	B1DTN3	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	10/7/2005 14:30	Y	7440-47-3	Chromium	1.9	ug/L	U	[NULL]	[NULL]	R	B1DTN2	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	10/7/2005 14:30	Y	7440-48-4	Cobalt	2.9	ug/L	B	[NULL]	[NULL]	R	B1DTN2	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	10/7/2005 14:30	Y	7440-50-8	Copper	4.3	ug/L	U	[NULL]	[NULL]	R	B1DTN2	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	10/7/2005 14:30	N	DO	Dissolved oxygen	6700	ug/L	[NULL]	[NULL]	[NULL]	R	B1DTN4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-168cm	10/7/2005 14:30	N	16984-48-8	Fluoride	47	ug/L	B	[NULL]	[NULL]	R	B1DTN3	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	10/7/2005 14:30	N	12587-46-1	Gross alpha	0.67	pCi/L	U	[NULL]	[NULL]	R	B1DTN5	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	10/7/2005 14:30	N	12587-47-2	Gross beta	613	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DTN5	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	10/7/2005 14:30	Y	7439-89-6	Iron	20.8	ug/L	B	R	[NULL]	R	B1DTN2	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	10/7/2005 14:30	Y	7439-95-4	Magnesium	4110	ug/L	B	[NULL]	[NULL]	R	B1DTN2	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	10/7/2005 14:30	Y	7439-96-5	Manganese	21.3	ug/L	[NULL]	R	[NULL]	R	B1DTN2	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	10/7/2005 14:30	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1DTN2	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	10/7/2005 14:30	N	14797-55-8	Nitrate	1860	ug/L	N	H	[NULL]	R	B1DTN3	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	10/7/2005 14:30	N	14797-65-0	Nitrite	125	ug/L	[NULL]	H	[NULL]	R	B1DTN3	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	10/7/2005 14:30	N	EH	Oxidation Reduction Potential	156	mV	[NULL]	[NULL]	[NULL]	R	B1DTN4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	10/7/2005 14:30	Y	7440-09-7	Potassium	1610	ug/L	U	[NULL]	[NULL]	R	B1DTN2	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	10/7/2005 14:30	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B1DTN2	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	10/7/2005 14:30	Y	7440-23-5	Sodium	2540	ug/L	B	[NULL]	[NULL]	R	B1DTN2	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	10/7/2005 14:30	N	CONDUCT	Specific Conductance	160	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DTN4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
NS-2A-168cm	10/7/2005 14:30	Y	7440-24-6	Strontium	127	ug/L	[NULL]	[NULL]	[NULL]	R	B1DTN2	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-168cm	10/7/2005 14:30	N	10098-97-2	Strontium-90	345	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DTN5	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
NS-2A-168cm	10/7/2005 14:30	N	14808-79-8	Sulfate	7700	ug/L	[NULL]	[NULL]	[NULL]	R	B1DTN3	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	10/7/2005 14:30	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1DTN4	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
NS-2A-168cm	10/7/2005 14:30	N	10028-17-8	Tritium	258	pCi/L	U	[NULL]	[NULL]	R	B1DTN5	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
NS-2A-168cm	10/7/2005 14:30	Y	7440-62-2	Vanadium	2.1	ug/L	B	[NULL]	[NULL]	R	B1DTN2	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	10/7/2005 14:30	Y	7440-66-6	Zinc	114	ug/L	C	R	[NULL]	R	B1DTN2	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	10/7/2005 14:30	N	PH	pH Measurement	7.13	unitless	[NULL]	[NULL]	[NULL]	R	B1DTN4	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-168cm	11/1/2005 14:20	N	DO	Dissolved oxygen	7100	ug/L	[NULL]	[NULL]	[NULL]	R	B1F8J2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-168cm	11/1/2005 14:20	N	12587-47-2	Gross beta	615	pCi/L	[NULL]	[NULL]	[NULL]	R	B1F8J3	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	11/1/2005 14:20	N	EH	Oxidation Reduction Potential	37	mV	[NULL]	[NULL]	[NULL]	R	B1F8J2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	11/1/2005 14:20	N	CONDUCT	Specific Conductance	156	uS/cm	[NULL]	[NULL]	[NULL]	R	B1F8J2	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
NS-2A-168cm	11/1/2005 14:20	N	TEMPERATURE	Temperature	14.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1F8J2	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
NS-2A-168cm	11/1/2005 14:20	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B1F8J2	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	ALKALINITY	Alkalinity	65000	ug/L	[NULL]	[NULL]	[NULL]	R	B1FVL4	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	7440-36-0	Antimony	23	ug/L	U	[NULL]	[NULL]	R	B1FVL3	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	14234-35-6	Antimony-125	-0.657	pCi/L	U	[NULL]	[NULL]	R	B1FVL6	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	7440-39-3	Barium	32.9	ug/L	B	[NULL]	[NULL]	R	B1FVL3	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	7440-41-7	Beryllium	0.18	ug/L	U	[NULL]	[NULL]	R	B1FVL3	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	13966-02-4	Beryllium-7	-1.16	pCi/L	U	[NULL]	[NULL]	R	B1FVL6	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	7440-43-9	Cadmium	0.86	ug/L	U	[NULL]	[NULL]	R	B1FVL3	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	7440-70-2	Calcium	23400	ug/L	[NULL]	[NULL]	[NULL]	R	B1FVL3	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	13967-70-9	Cesium-134	1.95	pCi/L	U	[NULL]	[NULL]	R	B1FVL6	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	10045-97-3	Cesium-137	1.28	pCi/L	U	[NULL]	[NULL]	R	B1FVL6	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	16887-00-6	Chloride	970	ug/L	[NULL]	[NULL]	[NULL]	R	B1FVL4	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	7440-47-3	Chromium	3	ug/L	B	[NULL]	[NULL]	R	B1FVL3	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	7440-48-4	Cobalt	1.7	ug/L	U	[NULL]	[NULL]	R	B1FVL3	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	10198-40-0	Cobalt-60	2.02	pCi/L	U	[NULL]	[NULL]	R	B1FVL6	10198-40-0	STLRL	GAMMALL_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-168cm	12/27/2005 12:25	N	7440-50-8	Copper	16.6	ug/L	B	[NULL]	[NULL]	R	B1FVL3	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	15585-10-1	Europium-154	0.193	pCi/L	U	[NULL]	[NULL]	R	B1FVL6	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	14391-16-3	Europium-155	-0.585	pCi/L	U	[NULL]	[NULL]	R	B1FVL6	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	16984-48-8	Fluoride	37	ug/L	B	[NULL]	[NULL]	R	B1FVL4	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	12587-46-1	Gross alpha	0.384	pCi/L	U	[NULL]	[NULL]	R	B1FVL6	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	12587-47-2	Gross beta	551	pCi/L	[NULL]	[NULL]	[NULL]	R	B1FVL6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	7439-89-6	Iron	1440	ug/L	[NULL]	R	[NULL]	R	B1FVL3	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	7439-95-4	Magnesium	4210	ug/L	B	[NULL]	[NULL]	R	B1FVL3	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	7439-96-5	Manganese	53.7	ug/L	[NULL]	R	[NULL]	R	B1FVL3	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1FVL3	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	14797-55-8	Nitrate	1950	ug/L	[NULL]	[NULL]	[NULL]	R	B1FVL4	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	14797-65-0	Nitrite	20	ug/L	U	[NULL]	[NULL]	R	B1FVL4	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	7440-09-7	Potassium	1610	ug/L	U	[NULL]	[NULL]	R	B1FVL3	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	13966-00-2	Potassium-40	0.496	pCi/L	U	[NULL]	[NULL]	R	B1FVL6	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	13967-48-1	Ruthenium-106	5.39	pCi/L	U	[NULL]	[NULL]	R	B1FVL6	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B1FVL3	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	7440-23-5	Sodium	2520	ug/L	B	[NULL]	[NULL]	R	B1FVL3	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	CONDUCT	Specific Conductance	150	uS/cm	[NULL]	[NULL]	[NULL]	R	B1FVL5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	7440-24-6	Strontium	122	ug/L	[NULL]	[NULL]	[NULL]	R	B1FVL3	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	10098-97-2	Strontium-90	319	pCi/L	[NULL]	[NULL]	[NULL]	R	B1FVL6	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	14808-79-8	Sulfate	10000	ug/L	C	[NULL]	[NULL]	R	B1FVL4	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	TEMPERATURE	Temperature	10.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1FVL5	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	10028-17-8	Tritium	112	pCi/L	U	[NULL]	[NULL]	R	B1FVL6	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	7440-62-2	Vanadium	3.2	ug/L	B	[NULL]	[NULL]	R	B1FVL3	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	7440-66-6	Zinc	1170	ug/L	C	R	[NULL]	R	B1FVL3	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	12/27/2005 12:25	N	PH	pH Measurement	8.5	unitless	[NULL]	[NULL]	[NULL]	R	B1FVL5	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-168cm	1/11/2006 12:10	N	DO	Dissolved oxygen	6100	ug/L	[NULL]	[NULL]	[NULL]	R	B1H6F1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-168cm	1/11/2006 12:10	N	12587-47-2	Gross beta	504	pCi/L	[NULL]	[NULL]	[NULL]	R	B1H6F2	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	1/11/2006 12:10	N	EH	Oxidation Reduction Potential	-45	mV	[NULL]	[NULL]	[NULL]	R	B1H6F1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	1/11/2006 12:10	N	CONDUCT	Specific Conductance	144.7	uS/cm	[NULL]	[NULL]	[NULL]	R	B1H6F1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
NS-2A-168cm	1/11/2006 12:10	N	TEMPERATURE	Temperature	9.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1H6F1	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
NS-2A-168cm	1/11/2006 12:10	N	PH	pH Measurement	8.31	unitless	[NULL]	[NULL]	[NULL]	R	B1H6F1	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-168cm	2/7/2006 10:50	N	DO	Dissolved oxygen	8800	ug/L	[NULL]	[NULL]	[NULL]	R	B1HJJ2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-168cm	2/7/2006 10:50	N	12587-47-2	Gross beta	559	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HJJ3	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	2/7/2006 10:50	N	EH	Oxidation Reduction Potential	139	mV	[NULL]	[NULL]	[NULL]	R	B1HJJ2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	2/7/2006 10:50	N	CONDUCT	Specific Conductance	140.3	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HJJ2	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
NS-2A-168cm	2/7/2006 10:50	N	TEMPERATURE	Temperature	6.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1HJJ2	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
NS-2A-168cm	2/7/2006 10:50	N	PH	pH Measurement	7.61	unitless	[NULL]	[NULL]	[NULL]	R	B1HJJ2	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	ALKALINITY	Alkalinity	66000	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPM0	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
NS-2A-168cm	3/8/2006 10:30	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1HPL9	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	14234-35-6	Antimony-125	-3.67	pCi/L	U	[NULL]	[NULL]	R	B1HPL8	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	3/8/2006 10:30	Y	7440-39-3	Barium	22.1	ug/L	B	[NULL]	[NULL]	R	B1HPL9	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/8/2006 10:30	Y	7440-41-7	Beryllium	0.6	ug/L	BC	[NULL]	[NULL]	R	B1HPL9	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	13966-02-4	Beryllium-7	-22.4	pCi/L	U	[NULL]	[NULL]	R	B1HPL8	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	3/8/2006 10:30	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1HPL9	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/8/2006 10:30	Y	7440-70-2	Calcium	23300	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPL9	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	13967-70-9	Cesium-134	-0.461	pCi/L	U	[NULL]	[NULL]	R	B1HPL8	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	10045-97-3	Cesium-137	-0.536	pCi/L	U	[NULL]	[NULL]	R	B1HPL8	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	16887-00-6	Chloride	990	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPM0	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	3/8/2006 10:30	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1HPL9	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/8/2006 10:30	Y	7440-48-4	Cobalt	2.6	ug/L	U	[NULL]	[NULL]	R	B1HPL9	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	10198-40-0	Cobalt-60	-0.366	pCi/L	U	[NULL]	[NULL]	R	B1HPL8	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	3/8/2006 10:30	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1HPL9	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	DO	Dissolved oxygen	8200	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPL7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-168cm	3/8/2006 10:30	N	14683-23-9	Europium-152	0.628	pCi/L	U	[NULL]	[NULL]	R	B1HPL8	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	15585-10-1	Europium-154	0.868	pCi/L	U	[NULL]	[NULL]	R	B1HPL8	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	14391-16-3	Europium-155	1.61	pCi/L	U	[NULL]	[NULL]	R	B1HPL8	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	16984-48-8	Fluoride	13	ug/L	B	[NULL]	[NULL]	R	B1HPM0	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	12587-46-1	Gross alpha	0.565	pCi/L	U	[NULL]	[NULL]	R	B1HPL8	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	12587-47-2	Gross beta	512	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HPL8	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	3/8/2006 10:30	Y	7439-89-6	Iron	25	ug/L	U	R	[NULL]	R	B1HPL9	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/8/2006 10:30	Y	7439-95-4	Magnesium	3810	ug/L	B	[NULL]	[NULL]	R	B1HPL9	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/8/2006 10:30	Y	7439-96-5	Manganese	26.6	ug/L	[NULL]	R	[NULL]	R	B1HPL9	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/8/2006 10:30	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1HPL9	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	14797-55-8	Nitrate	1640	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPM0	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	14797-65-0	Nitrite	20	ug/L	UN	[NULL]	[NULL]	R	B1HPM0	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	3/8/2006 10:30	Y	7440-09-7	Potassium	1500	ug/L	U	[NULL]	[NULL]	R	B1HPL9	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	13966-00-2	Potassium-40	21.2	pCi/L	U	[NULL]	[NULL]	R	B1HPL8	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	13967-48-1	Ruthenium-106	-10.2	pCi/L	U	[NULL]	[NULL]	R	B1HPL8	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
NS-2A-168cm	3/8/2006 10:30	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1HPL9	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/8/2006 10:30	Y	7440-23-5	Sodium	2390	ug/L	B	[NULL]	[NULL]	R	B1HPL9	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	CONDUCT	Specific Conductance	138.5	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HPL7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
NS-2A-168cm	3/8/2006 10:30	Y	7440-24-6	Strontium	113	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPL9	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	10098-97-2	Strontium-90	306	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HPL8	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	14808-79-8	Sulfate	9500	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPM0	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	TEMPERATURE	Temperature	7.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1HPL7	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	10028-17-8	Tritium	62.5	pCi/L	U	[NULL]	[NULL]	R	B1HPL8	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
NS-2A-168cm	3/8/2006 10:30	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1HPL9	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/8/2006 10:30	Y	7440-66-6	Zinc	178	ug/L	C	R	[NULL]	R	B1HPL9	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-168cm	3/8/2006 10:30	N	PH	pH Measurement	7.58	unitless	[NULL]	[NULL]	[NULL]	R	B1HPL7	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-168cm	4/13/2006 10:40	N	DO	Dissolved oxygen	8700	ug/L	[NULL]	[NULL]	[NULL]	R	B1HXH4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-168cm	4/13/2006 10:40	N	12587-47-2	Gross beta	579	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HXH5	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	4/13/2006 10:40	N	EH	Oxidation Reduction Potential	-1	mV	[NULL]	[NULL]	[NULL]	R	B1HXH4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	4/13/2006 10:40	N	CONDUCT	Specific Conductance	146.4	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HXH4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
NS-2A-168cm	4/13/2006 10:40	N	TEMPERATURE	Temperature	8.19	Deg C	[NULL]	[NULL]	[NULL]	R	B1HXH4	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
NS-2A-168cm	4/13/2006 10:40	N	PH	pH Measurement	8.14	unitless	[NULL]	[NULL]	[NULL]	R	B1HXH4	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-168cm	5/10/2006 13:25	Y	7440-38-2	Arsenic	0.96	ug/L	B	[NULL]	[NULL]	S	B1J6R9	7440-38-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
NS-2A-168cm	5/10/2006 13:25	Y	7440-39-3	Barium	27.03	ug/L	[NULL]	[NULL]	[NULL]	S	B1J6R9	7440-39-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
NS-2A-168cm	5/10/2006 13:25	Y	7440-70-2	Calcium	26482.8	ug/L	D	[NULL]	[NULL]	S	B1J6R9	7440-70-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
NS-2A-168cm	5/10/2006 13:25	Y	7440-47-3	Chromium	0.45	ug/L	B	[NULL]	[NULL]	S	B1J6R9	7440-47-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
NS-2A-168cm	5/10/2006 13:25	N	DO	Dissolved oxygen	4100	ug/L	[NULL]	[NULL]	[NULL]	S	B1J6R7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-168cm	5/10/2006 13:25	N	DO	Dissolved oxygen	4100	ug/L	[NULL]	[NULL]	[NULL]	R	B1J391	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-168cm	5/10/2006 13:25	N	12587-47-2	Gross beta	720	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J6R7	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	5/10/2006 13:25	N	12587-47-2	Gross beta	699	pCi/L	[NULL]	[NULL]	[NULL]	R	B1J392	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-168cm	5/10/2006 13:25	Y	7439-92-1	Lead	0.09	ug/L	B	[NULL]	[NULL]	S	B1J6R9	7439-92-1	RJ LEE	200.8_METALS_ICPMS	100-NR-2
NS-2A-168cm	5/10/2006 13:25	Y	7440-02-0	Nickel	0.7	ug/L	[NULL]	[NULL]	[NULL]	S	B1J6R9	7440-02-0	RJ LEE	200.8_METALS_ICPMS	100-NR-2
NS-2A-168cm	5/10/2006 13:25	N	EH	Oxidation Reduction Potential	30	mV	[NULL]	[NULL]	[NULL]	R	B1J391	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	5/10/2006 13:25	N	EH	Oxidation Reduction Potential	30	mV	[NULL]	[NULL]	[NULL]	S	B1J6R7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-168cm	5/10/2006 13:25	Y	7440-09-7	Potassium	1494.19	ug/L	[NULL]	[NULL]	[NULL]	S	B1J6R9	7440-09-7	RJ LEE	200.8_METALS_ICPMS	100-NR-2
NS-2A-168cm	5/10/2006 13:25	Y	7440-23-5	Sodium	2853.51	ug/L	[NULL]	[NULL]	[NULL]	S	B1J6R9	7440-23-5	RJ LEE	200.8_METALS_ICPMS	100-NR-2
NS-2A-168cm	5/10/2006 13:25	N	CONDUCT	Specific Conductance	174.7	uS/cm	[NULL]	[NULL]	[NULL]	R	B1J391	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
NS-2A-168cm	5/10/2006 13:25	N	CONDUCT	Specific Conductance	174.7	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J6R7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
NS-2A-168cm	5/10/2006 13:25	N	TEMPERATURE	Temperature	12.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1J6R7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-168cm	5/10/2006 13:25	N	TEMPERATURE	Temperature	12.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1J391	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
NS-2A-168cm	5/10/2006 13:25	N	10028-17-8	Tritium	16.7	pCi/L	U	[NULL]	[NULL]	S	B1J6R8	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
NS-2A-168cm	5/10/2006 13:25	Y	7440-66-6	Zinc	175.66	ug/L	D	R	[NULL]	S	B1J6R9	7440-66-6	RJ LEE	200.8_METALS_ICPMS	100-NR-2
NS-2A-168cm	5/10/2006 13:25	N	PH	pH Measurement	8.16	unitless	[NULL]	[NULL]	[NULL]	S	B1J6R7	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-168cm	5/10/2006 13:25	N	PH	pH Measurement	8.16	unitless	[NULL]	[NULL]	[NULL]	R	B1J391	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-23cm	4/9/2004 0:00	Y	7429-90-5	Aluminum	52.6	ug/L	X	[NULL]	[NULL]	S	B19122	7429-90-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	4/9/2004 0:00	Y	7440-38-2	Arsenic	0.604	ug/L	X	[NULL]	[NULL]	S	B19122	7440-38-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	4/9/2004 0:00	Y	7440-39-3	Barium	23.3	ug/L	X	[NULL]	[NULL]	S	B19122	7440-39-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	4/9/2004 0:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	S	B19121	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	4/9/2004 0:00	Y	7440-43-9	Cadmium	0.0739	ug/L	X	[NULL]	[NULL]	S	B19122	7440-43-9	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	4/9/2004 0:00	N	16887-00-6	Chloride	1140	ug/L	[NULL]	[NULL]	[NULL]	S	B19121	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	4/9/2004 0:00	Y	7440-47-3	Chromium	0.544	ug/L	X	[NULL]	[NULL]	S	B19122	7440-47-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	4/9/2004 0:00	N	16984-48-8	Fluoride	70	ug/L	[NULL]	[NULL]	[NULL]	S	B19121	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	4/9/2004 0:00	Y	7439-92-1	Lead	0.0787	ug/L	X	[NULL]	[NULL]	S	B19122	7439-92-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	4/9/2004 0:00	Y	7439-96-5	Manganese	62.4	ug/L	CX	RY	[NULL]	S	B19122	7439-96-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	4/9/2004 0:00	Y	7440-02-0	Nickel	1.07	ug/L	CX	[NULL]	[NULL]	S	B19122	7440-02-0	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	4/9/2004 0:00	N	14797-55-8	Nitrate	1060	ug/L	[NULL]	[NULL]	[NULL]	S	B19121	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	4/9/2004 0:00	N	14265-44-2	Phosphate	50	ug/L	[NULL]	[NULL]	[NULL]	S	B19121	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	4/9/2004 0:00	Y	7782-49-2	Selenium	0.181	ug/L	BXC	[NULL]	[NULL]	S	B19122	7782-49-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	4/9/2004 0:00	Y	7440-22-4	Silver	0.004	ug/L	UX	[NULL]	[NULL]	S	B19122	7440-22-4	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	4/9/2004 0:00	N	14808-79-8	Sulfate	9720	ug/L	[NULL]	[NULL]	[NULL]	S	B19121	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	4/9/2004 0:00	Y	7440-29-1	Thorium	0.1	ug/L	UX	[NULL]	[NULL]	S	B19122	7440-29-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	4/9/2004 0:00	Y	7440-61-1	Uranium	0.497	ug/L	X	[NULL]	[NULL]	S	B19122	7440-61-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	4/9/2004 0:00	Y	7440-66-6	Zinc	688	ug/L	X	RY	[NULL]	S	B19122	7440-66-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	ALKALINITY	Alkalinity	77000	ug/L	[NULL]	[NULL]	[NULL]	S	B19H19	ALKALINITY	ENW	2320_ALKALINITY	100-NR-2
NS-2A-23cm	6/9/2004 0:00	Y	7429-90-5	Aluminum	2.98	ug/L	X	[NULL]	[NULL]	S	B19H17	7429-90-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	14234-35-6	Antimony-125	-6.39	pCi/L	U	[NULL]	[NULL]	S	B19H16	14234-35-6	STLRL	GAMMA_GS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	Y	7440-38-2	Arsenic	0.749	ug/L	X	[NULL]	[NULL]	S	B19H17	7440-38-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	Y	7440-39-3	Barium	28.8	ug/L	X	[NULL]	[NULL]	S	B19H17	7440-39-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	13966-02-4	Beryllium-7	10.7	pCi/L	U	[NULL]	[NULL]	S	B19H16	13966-02-4	STLRL	GAMMA_GS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	24959-67-9	Bromide	10	ug/L	[NULL]	[NULL]	[NULL]	S	B19H18	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	6/9/2004 0:00	Y	7440-43-9	Cadmium	0.0502	ug/L	BX	[NULL]	[NULL]	S	B19H17	7440-43-9	SEQUIM	1638_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-23cm	6/9/2004 0:00	Y	7440-70-2	Calcium	24540	ug/L	X	[NULL]	[NULL]	S	B19H17	7440-70-2	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	3812-32-6	Carbonate ion	59300	ug/L	[NULL]	[NULL]	[NULL]	S	B19H18	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	13967-70-9	Cesium-134	0.159	pCi/L	U	[NULL]	[NULL]	S	B19H16	13967-70-9	STLRL	GAMMA_GS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	10045-97-3	Cesium-137	0.593	pCi/L	U	[NULL]	[NULL]	S	B19H16	10045-97-3	STLRL	GAMMA_GS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	16887-00-6	Chloride	1200	ug/L	[NULL]	[NULL]	[NULL]	S	B19H18	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	6/9/2004 0:00	Y	7440-47-3	Chromium	0.409	ug/L	CX	[NULL]	[NULL]	S	B19H17	7440-47-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	10198-40-0	Cobalt-60	0.219	pCi/L	U	[NULL]	[NULL]	S	B19H16	10198-40-0	STLRL	GAMMA_GS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	DO	Dissolved oxygen	4840	ug/L	[NULL]	[NULL]	[NULL]	S	B19H19	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	DO	Dissolved oxygen	4840	ug/L	[NULL]	[NULL]	[NULL]	S	B19H18	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-23cm	6/9/2004 0:00	Y	DO	Dissolved oxygen	4840	ug/L	[NULL]	[NULL]	[NULL]	S	B19H17	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	DO	Dissolved oxygen	4840	ug/L	[NULL]	[NULL]	[NULL]	S	B19H16	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	14683-23-9	Europium-152	-6.69	pCi/L	U	[NULL]	[NULL]	S	B19H16	14683-23-9	STLRL	GAMMA_GS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	15585-10-1	Europium-154	0.461	pCi/L	U	[NULL]	[NULL]	S	B19H16	15585-10-1	STLRL	GAMMA_GS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	14391-16-3	Europium-155	-0.327	pCi/L	U	[NULL]	[NULL]	S	B19H16	14391-16-3	STLRL	GAMMA_GS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	16984-48-8	Fluoride	80	ug/L	[NULL]	[NULL]	[NULL]	S	B19H18	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	12587-46-1	Gross alpha	2.09	pCi/L	U	[NULL]	[NULL]	S	B19H16	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	12587-47-2	Gross beta	1290	pCi/L	[NULL]	[NULL]	[NULL]	S	B19H16	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	6/9/2004 0:00	Y	7439-92-1	Lead	0.0721	ug/L	X	[NULL]	[NULL]	S	B19H17	7439-92-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	Y	7439-95-4	Magnesium	4802	ug/L	X	[NULL]	[NULL]	S	B19H17	7439-95-4	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-23cm	6/9/2004 0:00	Y	7439-96-5	Manganese	207	ug/L	CX	RY	[NULL]	S	B19H17	7439-96-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	Y	7440-02-0	Nickel	0.561	ug/L	X	[NULL]	[NULL]	S	B19H17	7440-02-0	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	14797-55-8	Nitrate	450	ug/L	[NULL]	[NULL]	[NULL]	S	B19H18	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	EH	Oxidation Reduction Potential	639	mV	[NULL]	[NULL]	[NULL]	S	B19H19	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-23cm	6/9/2004 0:00	Y	EH	Oxidation Reduction Potential	639	mV	[NULL]	[NULL]	[NULL]	S	B19H17	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	EH	Oxidation Reduction Potential	639	mV	[NULL]	[NULL]	[NULL]	S	B19H16	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	EH	Oxidation Reduction Potential	639	mV	[NULL]	[NULL]	[NULL]	S	B19H18	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	14265-44-2	Phosphate	50	ug/L	[NULL]	[NULL]	[NULL]	S	B19H18	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-23cm	6/9/2004 0:00	Y	7440-09-7	Potassium	1105	ug/L	X	[NULL]	[NULL]	S	B19H17	7440-09-7	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	13966-00-2	Potassium-40	-27	pCi/L	U	[NULL]	[NULL]	S	B19H16	13966-00-2	STLRL	GAMMA_GS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	13967-48-1	Ruthenium-106	18	pCi/L	U	[NULL]	[NULL]	S	B19H16	13967-48-1	STLRL	GAMMA_GS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	Y	7782-49-2	Selenium	0.0495	ug/L	BCX	[NULL]	[NULL]	S	B19H17	7782-49-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	Y	7440-23-5	Sodium	2632	ug/L	CX	[NULL]	[NULL]	S	B19H17	7440-23-5	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-23cm	6/9/2004 0:00	Y	CONDUCT	Specific Conductance	159.8	uS/cm	[NULL]	[NULL]	[NULL]	S	B19H17	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	CONDUCT	Specific Conductance	159.8	uS/cm	[NULL]	[NULL]	[NULL]	S	B19H19	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	CONDUCT	Specific Conductance	159.8	uS/cm	[NULL]	[NULL]	[NULL]	S	B19H16	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	CONDUCT	Specific Conductance	159.8	uS/cm	[NULL]	[NULL]	[NULL]	S	B19H18	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
NS-2A-23cm	6/9/2004 0:00	Y	7440-24-6	Strontium	94.7	ug/L	X	[NULL]	[NULL]	S	B19H17	7440-24-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	10098-97-2	Strontium-90	611	pCi/L	[NULL]	[NULL]	[NULL]	S	B19H16	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	14808-79-8	Sulfate	8070	ug/L	[NULL]	[NULL]	[NULL]	S	B19H18	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	6/9/2004 0:00	Y	TEMPERATURE	Temperature	14.1	Deg C	[NULL]	[NULL]	[NULL]	S	B19H17	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	TEMPERATURE	Temperature	14.1	Deg C	[NULL]	[NULL]	[NULL]	S	B19H19	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	TEMPERATURE	Temperature	14.1	Deg C	[NULL]	[NULL]	[NULL]	S	B19H16	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	TEMPERATURE	Temperature	14.1	Deg C	[NULL]	[NULL]	[NULL]	S	B19H18	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-23cm	6/9/2004 0:00	Y	7440-29-1	Thorium	0.0224	ug/L	CX	[NULL]	[NULL]	S	B19H17	7440-29-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	10028-17-8	Tritium	-33.6	pCi/L	U	[NULL]	[NULL]	S	B19H16	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
NS-2A-23cm	6/9/2004 0:00	Y	7440-61-1	Uranium	0.592	ug/L	X	[NULL]	[NULL]	S	B19H17	7440-61-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	Y	7440-66-6	Zinc	306	ug/L	X	RY	[NULL]	S	B19H17	7440-66-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	PH	pH Measurement	6.98	unitless	[NULL]	[NULL]	[NULL]	S	B19H16	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	PH	pH Measurement	6.98	unitless	[NULL]	[NULL]	[NULL]	S	B19H18	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-23cm	6/9/2004 0:00	Y	PH	pH Measurement	6.98	unitless	[NULL]	[NULL]	[NULL]	S	B19H17	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-23cm	6/9/2004 0:00	N	PH	pH Measurement	6.98	unitless	[NULL]	[NULL]	[NULL]	S	B19H19	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-23cm	8/16/2004 0:00	N	DO	Dissolved oxygen	5300	ug/L	[NULL]	[NULL]	[NULL]	S	B1B4N7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-23cm	8/16/2004 0:00	N	12587-47-2	Gross beta	1920	pCi/L	[NULL]	[NULL]	[NULL]	S	B1B4N7	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	8/16/2004 0:00	N	CONDUCT	Specific Conductance	164	uS/cm	[NULL]	[NULL]	[NULL]	S	B1B4N7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-23cm	8/16/2004 0:00	N	TEMPERATURE	Temperature	24	Deg C	[NULL]	[NULL]	[NULL]	S	B1B4N7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	ALKALINITY	Alkalinity	74000	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC75	ALKALINITY	ENW	2320_ALKALINITY	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	7429-90-5	Aluminum	19.5	ug/L	X	[NULL]	[NULL]	S	B1BC73	7429-90-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	14234-35-6	Antimony-125	0	pCi/L	U	[NULL]	[NULL]	S	B1BC72	14234-35-6	STLRL	GAMMA_GS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	7440-38-2	Arsenic	0.618	ug/L	X	[NULL]	[NULL]	S	B1BC73	7440-38-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	7440-39-3	Barium	28.4	ug/L	X	[NULL]	[NULL]	S	B1BC73	7440-39-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	13966-02-4	Beryllium-7	2.12	pCi/L	U	[NULL]	[NULL]	S	B1BC72	13966-02-4	STLRL	GAMMA_GS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	71-52-3	Bicarbonate	74000	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC75	71-52-3	ENW	2320_BICARBONATE	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	S	B1BC74	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	7440-43-9	Cadmium	0.049	ug/L	BX	[NULL]	[NULL]	S	B1BC73	7440-43-9	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	7440-70-2	Calcium	23605	ug/L	X	[NULL]	[NULL]	S	B1BC73	7440-70-2	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	3812-32-6	Carbonate ion	49100	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC74	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	13967-70-9	Cesium-134	1.65	pCi/L	U	[NULL]	[NULL]	S	B1BC72	13967-70-9	STLRL	GAMMA_GS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	10045-97-3	Cesium-137	0.0781	pCi/L	U	[NULL]	[NULL]	S	B1BC72	10045-97-3	STLRL	GAMMA_GS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	16887-00-6	Chloride	2100	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC74	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	7440-47-3	Chromium	1.72	ug/L	X	[NULL]	[NULL]	S	B1BC73	7440-47-3	SEQUIM	1639_METALS_GFAA	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	10198-40-0	Cobalt-60	1.14	pCi/L	U	[NULL]	[NULL]	S	B1BC72	10198-40-0	STLRL	GAMMA_GS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	DO	Dissolved oxygen	7400	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC72	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	14683-23-9	Europium-152	-4.48	pCi/L	U	[NULL]	[NULL]	S	B1BC72	14683-23-9	STLRL	GAMMA_GS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	15585-10-1	Europium-154	-4.55	pCi/L	U	[NULL]	[NULL]	S	B1BC72	15585-10-1	STLRL	GAMMA_GS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	14391-16-3	Europium-155	2.1	pCi/L	U	[NULL]	[NULL]	S	B1BC72	14391-16-3	STLRL	GAMMA_GS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	16984-48-8	Fluoride	90	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC74	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	12587-46-1	Gross alpha	0.383	pCi/L	U	[NULL]	[NULL]	S	B1BC72	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	12587-47-2	Gross beta	1830	pCi/L	[NULL]	[NULL]	[NULL]	S	B1BC72	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	7439-92-1	Lead	0.378	ug/L	X	[NULL]	[NULL]	S	B1BC73	7439-92-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	7439-95-4	Magnesium	4268	ug/L	X	[NULL]	[NULL]	S	B1BC73	7439-95-4	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	7439-96-5	Manganese	33.1	ug/L	X	RY	[NULL]	S	B1BC73	7439-96-5	SEQUIM	1638_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-23cm	9/25/2004 0:00	N	7439-98-7	Molybdenum	0.599	ug/L	X	[NULL]	[NULL]	S	B1BC73	7439-98-7	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	7440-02-0	Nickel	0.865	ug/L	X	[NULL]	[NULL]	S	B1BC73	7440-02-0	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	14797-55-8	Nitrate	3380	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC74	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	EH	Oxidation Reduction Potential	174	mV	[NULL]	[NULL]	[NULL]	S	B1BC72	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	14265-44-2	Phosphate	50	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC74	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	7440-09-7	Potassium	968	ug/L	X	[NULL]	[NULL]	S	B1BC73	7440-09-7	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	13966-00-2	Potassium-40	-17.6	pCi/L	U	[NULL]	[NULL]	S	B1BC72	13966-00-2	STLRL	GAMMA_GS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	13967-48-1	Ruthenium-106	3.29	pCi/L	U	[NULL]	[NULL]	S	B1BC72	13967-48-1	STLRL	GAMMA_GS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	7782-49-2	Selenium	0.0957	ug/L	X	[NULL]	[NULL]	S	B1BC73	7782-49-2	SEQUIM	7742_SE_HAA	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	7440-22-4	Silver	0.00212	ug/L	BCX	[NULL]	[NULL]	S	B1BC73	7440-22-4	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	7440-23-5	Sodium	2296	ug/L	X	[NULL]	[NULL]	S	B1BC73	7440-23-5	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	CONDUCT	Specific Conductance	162.8	uS/cm	[NULL]	[NULL]	[NULL]	S	B1BC72	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	7440-24-6	Strontium	96.8	ug/L	X	[NULL]	[NULL]	S	B1BC73	7440-24-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	10098-97-2	Strontium-90	798	pCi/L	[NULL]	[NULL]	[NULL]	S	B1BC72	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	14808-79-8	Sulfate	11600	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC74	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	S	B1BC72	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	7440-28-0	Thallium	0.0128	ug/L	BX	[NULL]	[NULL]	S	B1BC73	7440-28-0	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	7440-29-1	Thorium	0.00464	ug/L	CX	[NULL]	[NULL]	S	B1BC73	7440-29-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	10028-17-8	Tritium	115	pCi/L	U	[NULL]	[NULL]	S	B1BC72	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	7440-61-1	Uranium	0.362	ug/L	X	[NULL]	[NULL]	S	B1BC73	7440-61-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	7440-66-6	Zinc	333	ug/L	X	RY	[NULL]	S	B1BC73	7440-66-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-23cm	9/25/2004 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	S	B1BC72	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-23cm	10/29/2004 11:30	N	DO	Dissolved oxygen	9500	ug/L	[NULL]	[NULL]	[NULL]	R	B1BCL9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-23cm	10/29/2004 11:30	N	12587-47-2	Gross beta	2200	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BCL9	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	10/29/2004 11:30	N	EH	Oxidation Reduction Potential	106	mV	[NULL]	[NULL]	[NULL]	R	B1BCL9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-23cm	10/29/2004 11:30	N	CONDUCT	Specific Conductance	183.4	uS/cm	[NULL]	[NULL]	[NULL]	R	B1BCL9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
NS-2A-23cm	10/29/2004 11:30	N	TEMPERATURE	Temperature	13.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1BCL9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-23cm	10/29/2004 11:30	N	PH	pH Measurement	7.46	unitless	[NULL]	[NULL]	[NULL]	R	B1BCL9	PH	FIELD	9040_PH	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	ALKALINITY	Alkalinity	73000	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTH7	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
NS-2A-23cm	12/15/2004 13:55	Y	7429-90-5	Aluminum	45.5	ug/L	U	[NULL]	[NULL]	R	B1BTH6	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/15/2004 13:55	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1BTH6	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	14234-35-6	Antimony-125	9.34	pCi/L	U	[NULL]	[NULL]	R	B1BTH8	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	12/15/2004 13:55	Y	7440-39-3	Barium	21.2	ug/L	B	[NULL]	[NULL]	R	B1BTH6	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/15/2004 13:55	Y	7440-41-7	Beryllium	0.29	ug/L	U	[NULL]	[NULL]	R	B1BTH6	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	13966-02-4	Beryllium-7	47.3	pCi/L	U	[NULL]	[NULL]	R	B1BTH8	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	12/15/2004 13:55	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1BTH6	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/15/2004 13:55	Y	7440-70-2	Calcium	21800	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTH6	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	13967-70-9	Cesium-134	-2.87	pCi/L	U	[NULL]	[NULL]	R	B1BTH8	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	10045-97-3	Cesium-137	0.317	pCi/L	U	[NULL]	[NULL]	R	B1BTH8	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	16887-00-6	Chloride	1000	ug/L	C	[NULL]	[NULL]	R	B1BTH7	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	12/15/2004 13:55	Y	7440-47-3	Chromium	3.4	ug/L	B	[NULL]	[NULL]	R	B1BTH6	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/15/2004 13:55	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1BTH6	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	10198-40-0	Cobalt-60	-2.78	pCi/L	U	[NULL]	[NULL]	R	B1BTH8	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	12/15/2004 13:55	Y	7440-50-8	Copper	3.6	ug/L	BC	[NULL]	[NULL]	R	B1BTH6	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	DO	Dissolved oxygen	11700	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTH7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	14683-23-9	Europium-152	6.75	pCi/L	U	[NULL]	[NULL]	R	B1BTH8	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	15585-10-1	Europium-154	9.62	pCi/L	U	[NULL]	[NULL]	R	B1BTH8	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	14391-16-3	Europium-155	6.03	pCi/L	U	[NULL]	[NULL]	R	B1BTH8	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	16984-48-8	Fluoride	19	ug/L	B	[NULL]	[NULL]	R	B1BTH7	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	12587-46-1	Gross alpha	0.698	pCi/L	U	[NULL]	[NULL]	R	B1BTH8	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	12587-47-2	Gross beta	1410	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BTH8	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	12/15/2004 13:55	Y	7439-89-6	Iron	11.4	ug/L	B	R	[NULL]	R	B1BTH6	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/15/2004 13:55	Y	7439-95-4	Magnesium	3910	ug/L	B	[NULL]	[NULL]	R	B1BTH6	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/15/2004 13:55	Y	7439-96-5	Manganese	34.6	ug/L	[NULL]	R	[NULL]	R	B1BTH6	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-23cm	12/15/2004 13:55	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1BTH6	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	14797-55-8	Nitrate	841	ug/L	[NULL]	H	[NULL]	R	B1BTH7	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	14797-65-0	Nitrite	13.1	ug/L	UN	H	[NULL]	R	B1BTH7	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	EH	Oxidation Reduction Potential	147	mV	[NULL]	[NULL]	[NULL]	R	B1BTH7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-23cm	12/15/2004 13:55	Y	7440-09-7	Potassium	1950	ug/L	U	[NULL]	[NULL]	R	B1BTH6	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	13966-00-2	Potassium-40	368	pCi/L	[NULL]	Y	[NULL]	R	B1BTH8	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	13967-48-1	Ruthenium-106	23.1	pCi/L	U	[NULL]	[NULL]	R	B1BTH8	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	12/15/2004 13:55	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1BTH6	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/15/2004 13:55	Y	7440-23-5	Sodium	2290	ug/L	B	[NULL]	[NULL]	R	B1BTH6	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	CONDUCT	Specific Conductance	142.8	uS/cm	[NULL]	[NULL]	[NULL]	R	B1BTH7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
NS-2A-23cm	12/15/2004 13:55	Y	7440-24-6	Strontium	84.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTH6	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	10098-97-2	Strontium-90	783	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BTH8	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	14808-79-8	Sulfate	8600	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTH7	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	TEMPERATURE	Temperature	8.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1BTH7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	10028-17-8	Tritium	-294	pCi/L	U	[NULL]	[NULL]	R	B1BTH8	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
NS-2A-23cm	12/15/2004 13:55	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	B1BTH6	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/15/2004 13:55	Y	7440-66-6	Zinc	385	ug/L	C	R	[NULL]	R	B1BTH6	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/15/2004 13:55	N	PH	pH Measurement	7.17	unitless	[NULL]	[NULL]	[NULL]	R	B1BTH7	PH	FIELD	9040_PH	100-NR-2
NS-2A-23cm	1/20/2005 15:40	N	12587-47-2	Gross beta	1500	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BXK8	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	1/20/2005 15:40	N	EH	Oxidation Reduction Potential	56	mV	[NULL]	[NULL]	[NULL]	R	B1BXK8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-23cm	1/20/2005 15:40	N	CONDUCT	Specific Conductance	145.3	uS/cm	[NULL]	[NULL]	[NULL]	R	B1BXK8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
NS-2A-23cm	1/20/2005 15:40	N	TEMPERATURE	Temperature	5.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1BXK8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-23cm	1/20/2005 15:40	N	PH	pH Measurement	8.42	unitless	[NULL]	[NULL]	[NULL]	R	B1BXK8	PH	FIELD	9040_PH	100-NR-2
NS-2A-23cm	2/18/2005 14:10	N	DO	Dissolved oxygen	4500	ug/L	[NULL]	[NULL]	[NULL]	R	B1C5C2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-23cm	2/18/2005 14:10	N	12587-47-2	Gross beta	1490	pCi/L	[NULL]	[NULL]	[NULL]	R	B1C5C2	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	2/18/2005 14:10	N	EH	Oxidation Reduction Potential	116	mV	[NULL]	[NULL]	[NULL]	R	B1C5C2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-23cm	2/18/2005 14:10	N	CONDUCT	Specific Conductance	155	uS/cm	[NULL]	[NULL]	[NULL]	R	B1C5C2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-23cm	2/18/2005 14:10	N	TEMPERATURE	Temperature	6	Deg C	[NULL]	[NULL]	[NULL]	R	B1C5C2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-23cm	2/18/2005 14:10	N	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	R	B1C5C2	PH	FIELD	9040_PH	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	ALKALINITY	Alkalinity	66000	ug/L	[NULL]	[NULL]	[NULL]	R	B1CB14	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
NS-2A-23cm	3/18/2005 10:00	Y	7429-90-5	Aluminum	45.5	ug/L	U	[NULL]	[NULL]	R	B1CB13	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/18/2005 10:00	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1CB13	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	14234-35-6	Antimony-125	-6.1	pCi/L	U	[NULL]	[NULL]	R	B1CB15	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	3/18/2005 10:00	Y	7440-39-3	Barium	26.5	ug/L	B	[NULL]	[NULL]	R	B1CB13	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/18/2005 10:00	Y	7440-41-7	Beryllium	0.29	ug/L	U	[NULL]	[NULL]	R	B1CB13	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	13966-02-4	Beryllium-7	41.1	pCi/L	U	[NULL]	[NULL]	R	B1CB15	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	3/18/2005 10:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1CB13	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/18/2005 10:00	Y	7440-70-2	Calcium	22100	ug/L	[NULL]	[NULL]	[NULL]	R	B1CB13	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	13967-70-9	Cesium-134	0.929	pCi/L	U	[NULL]	[NULL]	R	B1CB15	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	10045-97-3	Cesium-137	1.3	pCi/L	U	[NULL]	[NULL]	R	B1CB15	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	16887-00-6	Chloride	1100	ug/L	C	[NULL]	[NULL]	R	B1CB14	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	3/18/2005 10:00	Y	7440-47-3	Chromium	3.3	ug/L	U	[NULL]	[NULL]	R	B1CB13	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/18/2005 10:00	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1CB13	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	10198-40-0	Cobalt-60	0.809	pCi/L	U	[NULL]	[NULL]	R	B1CB15	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	3/18/2005 10:00	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1CB13	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	DO	Dissolved oxygen	9930	ug/L	[NULL]	[NULL]	[NULL]	R	B1CB14	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	14683-23-9	Europium-152	6.17	pCi/L	U	[NULL]	[NULL]	R	B1CB15	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	15585-10-1	Europium-154	1.55	pCi/L	U	[NULL]	[NULL]	R	B1CB15	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	14391-16-3	Europium-155	-2.68	pCi/L	U	[NULL]	[NULL]	R	B1CB15	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	16984-48-8	Fluoride	10	ug/L	U	[NULL]	[NULL]	R	B1CB14	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	12587-46-1	Gross alpha	0.57	pCi/L	U	[NULL]	[NULL]	R	B1CB15	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	12587-47-2	Gross beta	1490	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CB15	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	3/18/2005 10:00	Y	7439-89-6	Iron	19.2	ug/L	B	R	[NULL]	R	B1CB13	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/18/2005 10:00	Y	7439-95-4	Magnesium	3920	ug/L	B	[NULL]	[NULL]	R	B1CB13	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-23cm	3/18/2005 10:00	Y	7439-96-5	Manganese	77.5	ug/L	[NULL]	R	[NULL]	R	B1CB13	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/18/2005 10:00	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1CB13	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	14797-55-8	Nitrate	3590	ug/L	N	H	[NULL]	R	B1CB14	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	14797-65-0	Nitrite	13.1	ug/L	U	H	[NULL]	R	B1CB14	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	EH	Oxidation Reduction Potential	235	mV	[NULL]	[NULL]	[NULL]	R	B1CB14	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-23cm	3/18/2005 10:00	Y	7440-09-7	Potassium	1950	ug/L	U	[NULL]	[NULL]	R	B1CB13	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	13966-00-2	Potassium-40	-24.3	pCi/L	U	[NULL]	[NULL]	R	B1CB15	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	13967-48-1	Ruthenium-106	-14.3	pCi/L	U	[NULL]	[NULL]	R	B1CB15	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	3/18/2005 10:00	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1CB13	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/18/2005 10:00	Y	7440-23-5	Sodium	2330	ug/L	B	[NULL]	[NULL]	R	B1CB13	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	CONDUCT	Specific Conductance	144.9	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CB14	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
NS-2A-23cm	3/18/2005 10:00	Y	7440-24-6	Strontium	97.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1CB13	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	10098-97-2	Strontium-90	1520	pCi/L	[NULL]	Y	[NULL]	R	B1CB15	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	14808-79-8	Sulfate	8900	ug/L	[NULL]	[NULL]	[NULL]	R	B1CB14	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	TEMPERATURE	Temperature	7.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1CB14	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	10028-17-8	Tritium	-21.4	pCi/L	U	[NULL]	[NULL]	R	B1CB15	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
NS-2A-23cm	3/18/2005 10:00	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	B1CB13	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/18/2005 10:00	Y	7440-66-6	Zinc	868	ug/L	C	R	[NULL]	R	B1CB13	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/18/2005 10:00	N	PH	pH Measurement	7.65	unitless	[NULL]	[NULL]	[NULL]	R	B1CB14	PH	FIELD	9040_PH	100-NR-2
NS-2A-23cm	4/19/2005 15:30	N	DO	Dissolved oxygen	6000	ug/L	[NULL]	[NULL]	[NULL]	R	B1CHY7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-23cm	4/19/2005 15:30	N	12587-47-2	Gross beta	1700	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CHY7	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	4/19/2005 15:30	N	EH	Oxidation Reduction Potential	214	mV	[NULL]	[NULL]	[NULL]	R	B1CHY7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-23cm	4/19/2005 15:30	N	CONDUCT	Specific Conductance	145.6	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CHY7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
NS-2A-23cm	4/19/2005 15:30	N	TEMPERATURE	Temperature	11.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1CHY7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-23cm	4/19/2005 15:30	N	PH	pH Measurement	6.97	unitless	[NULL]	[NULL]	[NULL]	R	B1CHY7	PH	FIELD	9040_PH	100-NR-2
NS-2A-23cm	5/16/2005 15:05	N	DO	Dissolved oxygen	4720	ug/L	[NULL]	[NULL]	[NULL]	R	B1CRV5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-23cm	5/16/2005 15:05	N	12587-47-2	Gross beta	1480	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CRV5	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-23cm	5/16/2005 15:05	N	EH	Oxidation Reduction Potential	63	mV	[NULL]	[NULL]	[NULL]	R	B1CRV5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-23cm	5/16/2005 15:05	N	CONDUCT	Specific Conductance	161.4	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CRV5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
NS-2A-23cm	5/16/2005 15:05	N	TEMPERATURE	Temperature	13.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1CRV5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-23cm	5/16/2005 15:05	N	PH	pH Measurement	7.47	unitless	[NULL]	[NULL]	[NULL]	R	B1CRV5	PH	FIELD	9040_PH	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	ALKALINITY	Alkalinity	93000	ug/L	[NULL]	[NULL]	[NULL]	R	B1D163	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	14234-35-6	Antimony-125	2.64	pCi/L	U	[NULL]	[NULL]	R	B1D164	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	13966-02-4	Beryllium-7	-28.3	pCi/L	U	[NULL]	[NULL]	R	B1D164	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	13967-70-9	Cesium-134	1.88	pCi/L	U	[NULL]	[NULL]	R	B1D164	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	10045-97-3	Cesium-137	0.00042	pCi/L	U	[NULL]	[NULL]	R	B1D164	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	16887-00-6	Chloride	1100	ug/L	[NULL]	[NULL]	[NULL]	R	B1D163	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	10198-40-0	Cobalt-60	-0.782	pCi/L	U	[NULL]	[NULL]	R	B1D164	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	DO	Dissolved oxygen	4720	ug/L	[NULL]	[NULL]	[NULL]	R	B1D163	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	14683-23-9	Europium-152	-1.02	pCi/L	U	[NULL]	[NULL]	R	B1D164	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	15585-10-1	Europium-154	-0.923	pCi/L	U	[NULL]	[NULL]	R	B1D164	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	14391-16-3	Europium-155	2.72	pCi/L	U	[NULL]	[NULL]	R	B1D164	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	16984-48-8	Fluoride	38	ug/L	B	[NULL]	[NULL]	R	B1D163	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	12587-46-1	Gross alpha	0.0863	pCi/L	U	[NULL]	[NULL]	R	B1D164	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	12587-47-2	Gross beta	1650	pCi/L	[NULL]	[NULL]	[NULL]	R	B1D164	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	14797-55-8	Nitrate	487	ug/L	[NULL]	H	[NULL]	R	B1D163	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	14797-65-0	Nitrite	20	ug/L	UN	H	[NULL]	R	B1D163	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	EH	Oxidation Reduction Potential	219	mV	[NULL]	[NULL]	[NULL]	R	B1D163	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	13966-00-2	Potassium-40	-8.22	pCi/L	U	[NULL]	[NULL]	R	B1D164	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	13967-48-1	Ruthenium-106	-10.3	pCi/L	U	[NULL]	[NULL]	R	B1D164	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	CONDUCT	Specific Conductance	155.7	uS/cm	[NULL]	[NULL]	[NULL]	R	B1D163	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	10098-97-2	Strontium-90	940	pCi/L	[NULL]	[NULL]	[NULL]	R	B1D164	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	14808-79-8	Sulfate	7700	ug/L	[NULL]	[NULL]	[NULL]	R	B1D163	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1D163	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-23cm	6/10/2005 17:00	N	10028-17-8	Tritium	49.2	pCi/L	U	[NULL]	[NULL]	R	B1D164	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
NS-2A-23cm	6/10/2005 17:00	N	PH	pH Measurement	7.18	unitless	[NULL]	[NULL]	[NULL]	R	B1D163	PH	FIELD	9040_PH	100-NR-2
NS-2A-23cm	6/10/2005 17:30	Y	7429-90-5	Aluminum	20.1	ug/L	B	[NULL]	[NULL]	R	B1D162	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	6/10/2005 17:30	Y	7440-36-0	Antimony	23	ug/L	U	[NULL]	[NULL]	R	B1D162	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	6/10/2005 17:30	Y	7440-39-3	Barium	32.6	ug/L	B	[NULL]	[NULL]	R	B1D162	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	6/10/2005 17:30	Y	7440-41-7	Beryllium	0.18	ug/L	U	[NULL]	[NULL]	R	B1D162	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	6/10/2005 17:30	Y	7440-43-9	Cadmium	0.86	ug/L	U	[NULL]	[NULL]	R	B1D162	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	6/10/2005 17:30	Y	7440-70-2	Calcium	24000	ug/L	C	[NULL]	[NULL]	R	B1D162	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	6/10/2005 17:30	Y	7440-47-3	Chromium	1.9	ug/L	U	[NULL]	[NULL]	R	B1D162	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	6/10/2005 17:30	Y	7440-48-4	Cobalt	1.7	ug/L	U	[NULL]	[NULL]	R	B1D162	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	6/10/2005 17:30	Y	7440-50-8	Copper	4.3	ug/L	U	[NULL]	[NULL]	R	B1D162	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	6/10/2005 17:30	Y	7439-89-6	Iron	24.2	ug/L	B	R	[NULL]	R	B1D162	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	6/10/2005 17:30	Y	7439-95-4	Magnesium	4250	ug/L	B	[NULL]	[NULL]	R	B1D162	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	6/10/2005 17:30	Y	7439-96-5	Manganese	102	ug/L	[NULL]	R	[NULL]	R	B1D162	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	6/10/2005 17:30	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1D162	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	6/10/2005 17:30	Y	7440-09-7	Potassium	1610	ug/L	U	[NULL]	[NULL]	R	B1D162	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	6/10/2005 17:30	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B1D162	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	6/10/2005 17:30	Y	7440-23-5	Sodium	2550	ug/L	B	[NULL]	[NULL]	R	B1D162	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	6/10/2005 17:30	Y	7440-24-6	Strontium	105	ug/L	[NULL]	[NULL]	[NULL]	R	B1D162	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	6/10/2005 17:30	Y	7440-62-2	Vanadium	1.4	ug/L	U	[NULL]	[NULL]	R	B1D162	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	6/10/2005 17:30	Y	7440-66-6	Zinc	952	ug/L	C	R	[NULL]	R	B1D162	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	7/18/2005 15:10	N	DO	Dissolved oxygen	6550	ug/L	[NULL]	[NULL]	[NULL]	R	B1DC03	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-23cm	7/18/2005 15:10	N	12587-47-2	Gross beta	1950	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DC03	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	7/18/2005 15:10	N	EH	Oxidation Reduction Potential	91	mV	[NULL]	[NULL]	[NULL]	R	B1DC03	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-23cm	7/18/2005 15:10	N	CONDUCT	Specific Conductance	169.9	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DC03	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
NS-2A-23cm	7/18/2005 15:10	N	TEMPERATURE	Temperature	22.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1DC03	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-23cm	7/18/2005 15:10	N	PH	pH Measurement	7.22	unitless	[NULL]	[NULL]	[NULL]	R	B1DC03	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-23cm	8/23/2005 14:30	N	12587-47-2	Gross beta	1930	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DK55	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	8/23/2005 14:30	N	EH	Oxidation Reduction Potential	-530	mV	[NULL]	[NULL]	[NULL]	R	B1DK55	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-23cm	8/23/2005 14:30	N	CONDUCT	Specific Conductance	162	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DK55	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
NS-2A-23cm	8/23/2005 14:30	N	TEMPERATURE	Temperature	22.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1DK55	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-23cm	8/23/2005 14:30	N	PH	pH Measurement	7.2	unitless	[NULL]	[NULL]	[NULL]	R	B1DK55	PH	FIELD	9040_PH	100-NR-2
NS-2A-23cm	10/7/2005 14:35	N	ALKALINITY	Alkalinity	66000	ug/L	[NULL]	[NULL]	[NULL]	R	B1DTN7	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
NS-2A-23cm	10/7/2005 14:35	Y	7429-90-5	Aluminum	16.6	ug/L	U	[NULL]	[NULL]	R	B1DTN6	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	10/7/2005 14:35	Y	7440-36-0	Antimony	23	ug/L	U	[NULL]	[NULL]	R	B1DTN6	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	10/7/2005 14:35	Y	7440-39-3	Barium	39.7	ug/L	B	[NULL]	[NULL]	R	B1DTN6	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	10/7/2005 14:35	Y	7440-41-7	Beryllium	0.18	ug/L	U	[NULL]	[NULL]	R	B1DTN6	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	10/7/2005 14:35	Y	7440-43-9	Cadmium	0.86	ug/L	U	[NULL]	[NULL]	R	B1DTN6	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	10/7/2005 14:35	Y	7440-70-2	Calcium	25400	ug/L	C	[NULL]	[NULL]	R	B1DTN6	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	10/7/2005 14:35	N	16887-00-6	Chloride	900	ug/L	C	[NULL]	[NULL]	R	B1DTN7	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	10/7/2005 14:35	Y	7440-47-3	Chromium	1.9	ug/L	U	[NULL]	[NULL]	R	B1DTN6	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	10/7/2005 14:35	Y	7440-48-4	Cobalt	2.4	ug/L	B	[NULL]	[NULL]	R	B1DTN6	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	10/7/2005 14:35	Y	7440-50-8	Copper	4.3	ug/L	U	[NULL]	[NULL]	R	B1DTN6	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	10/7/2005 14:35	N	DO	Dissolved oxygen	5400	ug/L	[NULL]	[NULL]	[NULL]	R	B1DTN8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-23cm	10/7/2005 14:35	N	16984-48-8	Fluoride	31	ug/L	B	[NULL]	[NULL]	R	B1DTN7	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	10/7/2005 14:35	N	12587-46-1	Gross alpha	0.0829	pCi/L	U	[NULL]	[NULL]	R	B1DTN9	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	10/7/2005 14:35	N	12587-47-2	Gross beta	1560	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DTN9	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	10/7/2005 14:35	Y	7439-89-6	Iron	30.4	ug/L	B	R	[NULL]	R	B1DTN6	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	10/7/2005 14:35	Y	7439-95-4	Magnesium	4670	ug/L	B	[NULL]	[NULL]	R	B1DTN6	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	10/7/2005 14:35	Y	7439-96-5	Manganese	29.5	ug/L	[NULL]	R	[NULL]	R	B1DTN6	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	10/7/2005 14:35	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1DTN6	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	10/7/2005 14:35	N	14797-55-8	Nitrate	1020	ug/L	N	H	[NULL]	R	B1DTN7	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	10/7/2005 14:35	N	14797-65-0	Nitrite	20	ug/L	U	H	[NULL]	R	B1DTN7	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	10/7/2005 14:35	N	EH	Oxidation Reduction Potential	126	mV	[NULL]	[NULL]	[NULL]	R	B1DTN8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-23cm	10/7/2005 14:35	Y	7440-09-7	Potassium	1610	ug/L	U	[NULL]	[NULL]	R	B1DTN6	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	10/7/2005 14:35	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B1DTN6	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	10/7/2005 14:35	Y	7440-23-5	Sodium	2310	ug/L	B	[NULL]	[NULL]	R	B1DTN6	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	10/7/2005 14:35	N	CONDUCT	Specific Conductance	163.5	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DTN8	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
NS-2A-23cm	10/7/2005 14:35	Y	7440-24-6	Strontium	123	ug/L	[NULL]	[NULL]	[NULL]	R	B1DTN6	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	10/7/2005 14:35	N	10098-97-2	Strontium-90	803	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DTN9	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
NS-2A-23cm	10/7/2005 14:35	N	14808-79-8	Sulfate	9500	ug/L	[NULL]	[NULL]	[NULL]	R	B1DTN7	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	10/7/2005 14:35	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1DTN8	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
NS-2A-23cm	10/7/2005 14:35	N	10028-17-8	Tritium	394	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DTN9	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
NS-2A-23cm	10/7/2005 14:35	Y	7440-62-2	Vanadium	1.4	ug/L	U	[NULL]	[NULL]	R	B1DTN6	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	10/7/2005 14:35	Y	7440-66-6	Zinc	901	ug/L	C	R	[NULL]	R	B1DTN6	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	10/7/2005 14:35	N	PH	pH Measurement	7.1	unitless	[NULL]	[NULL]	[NULL]	R	B1DTN8	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-23cm	11/1/2005 14:05	N	DO	Dissolved oxygen	6300	ug/L	[NULL]	[NULL]	[NULL]	R	B1F8J4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-23cm	11/1/2005 14:05	N	12587-47-2	Gross beta	1310	pCi/L	[NULL]	[NULL]	[NULL]	R	B1F8J5	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	11/1/2005 14:05	N	EH	Oxidation Reduction Potential	-14	mV	[NULL]	[NULL]	[NULL]	R	B1F8J4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-23cm	11/1/2005 14:05	N	CONDUCT	Specific Conductance	152	uS/cm	[NULL]	[NULL]	[NULL]	R	B1F8J4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
NS-2A-23cm	11/1/2005 14:05	N	TEMPERATURE	Temperature	13.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1F8J4	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
NS-2A-23cm	11/1/2005 14:05	N	PH	pH Measurement	7.2	unitless	[NULL]	[NULL]	[NULL]	R	B1F8J4	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	ALKALINITY	Alkalinity	56000	ug/L	[NULL]	[NULL]	[NULL]	R	B1FVF4	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	7440-36-0	Antimony	23	ug/L	U	[NULL]	[NULL]	R	B1FVF3	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	14234-35-6	Antimony-125	-5.48	pCi/L	U	[NULL]	[NULL]	R	B1FVF6	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	7440-39-3	Barium	32.4	ug/L	B	[NULL]	[NULL]	R	B1FVF3	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	7440-41-7	Beryllium	0.18	ug/L	U	[NULL]	[NULL]	R	B1FVF3	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	13966-02-4	Beryllium-7	48.6	pCi/L	U	[NULL]	[NULL]	R	B1FVF6	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	7440-43-9	Cadmium	0.86	ug/L	U	[NULL]	[NULL]	R	B1FVF3	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	7440-70-2	Calcium	21700	ug/L	[NULL]	[NULL]	[NULL]	R	B1FVF3	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	13967-70-9	Cesium-134	1.44	pCi/L	U	[NULL]	[NULL]	R	B1FVF6	13967-70-9	STLRL	GAMMALL_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-23cm	12/27/2005 12:00	N	10045-97-3	Cesium-137	-2.8	pCi/L	U	[NULL]	[NULL]	R	B1FVF6	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	16887-00-6	Chloride	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B1FVF4	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	7440-47-3	Chromium	1.9	ug/L	U	[NULL]	[NULL]	R	B1FVF3	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	7440-48-4	Cobalt	1.7	ug/L	U	[NULL]	[NULL]	R	B1FVF3	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	10198-40-0	Cobalt-60	2.21	pCi/L	U	[NULL]	[NULL]	R	B1FVF6	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	7440-50-8	Copper	4.3	ug/L	U	[NULL]	[NULL]	R	B1FVF3	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	15585-10-1	Europium-154	-2.58	pCi/L	U	[NULL]	[NULL]	R	B1FVF6	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	14391-16-3	Europium-155	4.3	pCi/L	U	[NULL]	[NULL]	R	B1FVF6	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	16984-48-8	Fluoride	39	ug/L	B	[NULL]	[NULL]	R	B1FVF4	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	12587-46-1	Gross alpha	0.64	pCi/L	U	[NULL]	[NULL]	R	B1FVF6	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	12587-47-2	Gross beta	1450	pCi/L	[NULL]	[NULL]	[NULL]	R	B1FVF6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	7439-89-6	Iron	28.7	ug/L	B	R	[NULL]	R	B1FVF3	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	7439-95-4	Magnesium	3990	ug/L	B	[NULL]	[NULL]	R	B1FVF3	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	7439-96-5	Manganese	21	ug/L	[NULL]	R	[NULL]	R	B1FVF3	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1FVF3	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	14797-55-8	Nitrate	1590	ug/L	[NULL]	[NULL]	[NULL]	R	B1FVF4	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	14797-65-0	Nitrite	20	ug/L	U	[NULL]	[NULL]	R	B1FVF4	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	7440-09-7	Potassium	1610	ug/L	U	[NULL]	[NULL]	R	B1FVF3	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	13966-00-2	Potassium-40	-87.9	pCi/L	U	[NULL]	[NULL]	R	B1FVF6	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	13967-48-1	Ruthenium-106	22	pCi/L	U	[NULL]	[NULL]	R	B1FVF6	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B1FVF3	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	7440-23-5	Sodium	2080	ug/L	B	[NULL]	[NULL]	R	B1FVF3	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	CONDUCT	Specific Conductance	141	uS/cm	[NULL]	[NULL]	[NULL]	R	B1FVF5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	7440-24-6	Strontium	99.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1FVF3	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	10098-97-2	Strontium-90	821	pCi/L	[NULL]	[NULL]	[NULL]	R	B1FVF6	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	14808-79-8	Sulfate	10000	ug/L	C	[NULL]	[NULL]	R	B1FVF4	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	TEMPERATURE	Temperature	7.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1FVF5	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-23cm	12/27/2005 12:00	N	10028-17-8	Tritium	59.9	pCi/L	U	[NULL]	[NULL]	R	B1FVF6	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	7440-62-2	Vanadium	1.4	ug/L	U	[NULL]	[NULL]	R	B1FVF3	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	7440-66-6	Zinc	1600	ug/L	C	R	[NULL]	R	B1FVF3	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	12/27/2005 12:00	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	B1FVF5	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-23cm	1/11/2006 12:20	N	DO	Dissolved oxygen	3400	ug/L	[NULL]	[NULL]	[NULL]	R	B1H6F3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-23cm	1/11/2006 12:20	N	12587-47-2	Gross beta	1560	pCi/L	[NULL]	[NULL]	[NULL]	R	B1H6F4	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	1/11/2006 12:20	N	EH	Oxidation Reduction Potential	84	mV	[NULL]	[NULL]	[NULL]	R	B1H6F3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-23cm	1/11/2006 12:20	N	CONDUCT	Specific Conductance	146.3	uS/cm	[NULL]	[NULL]	[NULL]	R	B1H6F3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
NS-2A-23cm	1/11/2006 12:20	N	TEMPERATURE	Temperature	6.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1H6F3	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
NS-2A-23cm	1/11/2006 12:20	N	PH	pH Measurement	7.89	unitless	[NULL]	[NULL]	[NULL]	R	B1H6F3	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-23cm	2/7/2006 11:05	N	DO	Dissolved oxygen	8400	ug/L	[NULL]	[NULL]	[NULL]	R	B1HJJ4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-23cm	2/7/2006 11:05	N	12587-47-2	Gross beta	1490	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HJJ5	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	2/7/2006 11:05	N	EH	Oxidation Reduction Potential	108	mV	[NULL]	[NULL]	[NULL]	R	B1HJJ4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-23cm	2/7/2006 11:05	N	CONDUCT	Specific Conductance	151.6	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HJJ4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
NS-2A-23cm	2/7/2006 11:05	N	TEMPERATURE	Temperature	4.61	Deg C	[NULL]	[NULL]	[NULL]	R	B1HJJ4	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
NS-2A-23cm	2/7/2006 11:05	N	PH	pH Measurement	7.61	unitless	[NULL]	[NULL]	[NULL]	R	B1HJJ4	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	ALKALINITY	Alkalinity	68000	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPM4	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
NS-2A-23cm	3/8/2006 11:00	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1HPM3	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	14234-35-6	Antimony-125	2.3	pCi/L	U	[NULL]	[NULL]	R	B1HPM2	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	3/8/2006 11:00	Y	7440-39-3	Barium	30.9	ug/L	B	[NULL]	[NULL]	R	B1HPM3	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/8/2006 11:00	Y	7440-41-7	Beryllium	0.58	ug/L	BC	[NULL]	[NULL]	R	B1HPM3	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	13966-02-4	Beryllium-7	18.7	pCi/L	U	[NULL]	[NULL]	R	B1HPM2	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	3/8/2006 11:00	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1HPM3	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/8/2006 11:00	Y	7440-70-2	Calcium	22300	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPM3	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	13967-70-9	Cesium-134	-0.411	pCi/L	U	[NULL]	[NULL]	R	B1HPM2	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	10045-97-3	Cesium-137	0.564	pCi/L	U	[NULL]	[NULL]	R	B1HPM2	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	16887-00-6	Chloride	1200	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPM4	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-23cm	3/8/2006 11:00	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1HPM3	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/8/2006 11:00	Y	7440-48-4	Cobalt	2.6	ug/L	U	[NULL]	[NULL]	R	B1HPM3	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	10198-40-0	Cobalt-60	-0.0596	pCi/L	U	[NULL]	[NULL]	R	B1HPM2	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	3/8/2006 11:00	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1HPM3	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	DO	Dissolved oxygen	9200	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPM1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	14683-23-9	Europium-152	-1.29	pCi/L	U	[NULL]	[NULL]	R	B1HPM2	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	15585-10-1	Europium-154	-0.0362	pCi/L	U	[NULL]	[NULL]	R	B1HPM2	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	14391-16-3	Europium-155	-0.774	pCi/L	U	[NULL]	[NULL]	R	B1HPM2	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	16984-48-8	Fluoride	5.1	ug/L	U	[NULL]	[NULL]	R	B1HPM4	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	12587-46-1	Gross alpha	0.344	pCi/L	U	[NULL]	[NULL]	R	B1HPM2	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	12587-47-2	Gross beta	1210	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HPM2	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	3/8/2006 11:00	Y	7439-89-6	Iron	25	ug/L	U	R	[NULL]	R	B1HPM3	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/8/2006 11:00	Y	7439-95-4	Magnesium	4100	ug/L	B	[NULL]	[NULL]	R	B1HPM3	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/8/2006 11:00	Y	7439-96-5	Manganese	11.8	ug/L	B	R	[NULL]	R	B1HPM3	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/8/2006 11:00	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1HPM3	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	14797-55-8	Nitrate	4430	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPM4	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	14797-65-0	Nitrite	20	ug/L	UN	[NULL]	[NULL]	R	B1HPM4	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	3/8/2006 11:00	Y	7440-09-7	Potassium	1500	ug/L	U	[NULL]	[NULL]	R	B1HPM3	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	13966-00-2	Potassium-40	1.3	pCi/L	U	[NULL]	[NULL]	R	B1HPM2	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	13967-48-1	Ruthenium-106	14.8	pCi/L	U	[NULL]	[NULL]	R	B1HPM2	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
NS-2A-23cm	3/8/2006 11:00	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1HPM3	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/8/2006 11:00	Y	7440-23-5	Sodium	2340	ug/L	B	[NULL]	[NULL]	R	B1HPM3	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	CONDUCT	Specific Conductance	139	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HPM1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
NS-2A-23cm	3/8/2006 11:00	Y	7440-24-6	Strontium	100	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPM3	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	10098-97-2	Strontium-90	759	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HPM2	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	14808-79-8	Sulfate	10000	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPM4	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	TEMPERATURE	Temperature	5.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1HPM1	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-23cm	3/8/2006 11:00	N	10028-17-8	Tritium	136	pCi/L	U	[NULL]	[NULL]	R	B1HPM2	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
NS-2A-23cm	3/8/2006 11:00	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1HPM3	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/8/2006 11:00	Y	7440-66-6	Zinc	1480	ug/L	C	R	[NULL]	R	B1HPM3	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-23cm	3/8/2006 11:00	N	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	R	B1HPM1	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-23cm	4/13/2006 11:00	N	DO	Dissolved oxygen	3200	ug/L	[NULL]	[NULL]	[NULL]	R	B1HXH6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-23cm	4/13/2006 11:00	N	12587-47-2	Gross beta	2080	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HXH7	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	4/13/2006 11:00	N	EH	Oxidation Reduction Potential	46	mV	[NULL]	[NULL]	[NULL]	R	B1HXH6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-23cm	4/13/2006 11:00	N	CONDUCT	Specific Conductance	186.8	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HXH6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
NS-2A-23cm	4/13/2006 11:00	N	TEMPERATURE	Temperature	7.13	Deg C	[NULL]	[NULL]	[NULL]	R	B1HXH6	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
NS-2A-23cm	4/13/2006 11:00	N	PH	pH Measurement	7.27	unitless	[NULL]	[NULL]	[NULL]	R	B1HXH6	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-23cm	5/10/2006 13:20	Y	7440-38-2	Arsenic	1.2	ug/L	[NULL]	[NULL]	[NULL]	S	B1J6R6	7440-38-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
NS-2A-23cm	5/10/2006 13:20	Y	7440-39-3	Barium	37.83	ug/L	[NULL]	[NULL]	[NULL]	S	B1J6R6	7440-39-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
NS-2A-23cm	5/10/2006 13:20	Y	7440-70-2	Calcium	26421	ug/L	D	[NULL]	[NULL]	S	B1J6R6	7440-70-2	RJ LEE	200.8_METALS_ICPMS	100-NR-2
NS-2A-23cm	5/10/2006 13:20	Y	7440-47-3	Chromium	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J6R6	7440-47-3	RJ LEE	200.8_METALS_ICPMS	100-NR-2
NS-2A-23cm	5/10/2006 13:20	N	DO	Dissolved oxygen	5300	ug/L	[NULL]	[NULL]	[NULL]	R	B1J393	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-23cm	5/10/2006 13:20	N	DO	Dissolved oxygen	5300	ug/L	[NULL]	[NULL]	[NULL]	S	B1J6R4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-23cm	5/10/2006 13:20	N	12587-47-2	Gross beta	1560	pCi/L	[NULL]	[NULL]	[NULL]	R	B1J394	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	5/10/2006 13:20	N	12587-47-2	Gross beta	1810	pCi/L	[NULL]	[NULL]	[NULL]	S	B1J6R4	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-23cm	5/10/2006 13:20	Y	7439-92-1	Lead	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J6R6	7439-92-1	RJ LEE	200.8_METALS_ICPMS	100-NR-2
NS-2A-23cm	5/10/2006 13:20	Y	7440-02-0	Nickel	[NULL]	ug/L	U	[NULL]	[NULL]	S	B1J6R6	7440-02-0	RJ LEE	200.8_METALS_ICPMS	100-NR-2
NS-2A-23cm	5/10/2006 13:20	N	EH	Oxidation Reduction Potential	25	mV	[NULL]	[NULL]	[NULL]	R	B1J393	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-23cm	5/10/2006 13:20	N	EH	Oxidation Reduction Potential	25	mV	[NULL]	[NULL]	[NULL]	S	B1J6R4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-23cm	5/10/2006 13:20	Y	7440-09-7	Potassium	1257.7	ug/L	[NULL]	[NULL]	[NULL]	S	B1J6R6	7440-09-7	RJ LEE	200.8_METALS_ICPMS	100-NR-2
NS-2A-23cm	5/10/2006 13:20	Y	7440-23-5	Sodium	2604.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1J6R6	7440-23-5	RJ LEE	200.8_METALS_ICPMS	100-NR-2
NS-2A-23cm	5/10/2006 13:20	N	CONDUCT	Specific Conductance	183.6	uS/cm	[NULL]	[NULL]	[NULL]	R	B1J393	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
NS-2A-23cm	5/10/2006 13:20	N	CONDUCT	Specific Conductance	183.6	uS/cm	[NULL]	[NULL]	[NULL]	S	B1J6R4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
NS-2A-23cm	5/10/2006 13:20	N	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1J393	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-23cm	5/10/2006 13:20	N	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1J6R4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-23cm	5/10/2006 13:20	N	10028-17-8	Tritium	-28	pCi/L	U	[NULL]	[NULL]	S	B1J6R5	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
NS-2A-23cm	5/10/2006 13:20	Y	7440-66-6	Zinc	2436.13	ug/L	D	R	[NULL]	S	B1J6R6	7440-66-6	RJ LEE	200.8_METALS_ICPMS	100-NR-2
NS-2A-23cm	5/10/2006 13:20	N	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	R	B1J393	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-23cm	5/10/2006 13:20	N	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	S	B1J6R4	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-87cm	4/9/2004 0:00	Y	7429-90-5	Aluminum	14.5	ug/L	X	[NULL]	[NULL]	S	B19118	7429-90-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	14234-35-6	Antimony-125	3.29	pCi/L	U	[NULL]	[NULL]	S	B19117	14234-35-6	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	Y	7440-38-2	Arsenic	0.473	ug/L	X	[NULL]	[NULL]	S	B19118	7440-38-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	Y	7440-39-3	Barium	21.3	ug/L	X	[NULL]	[NULL]	S	B19118	7440-39-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	13966-02-4	Beryllium-7	10.4	pCi/L	U	[NULL]	[NULL]	S	B19117	13966-02-4	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	S	B19117	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-87cm	4/9/2004 0:00	Y	7440-43-9	Cadmium	0.00908	ug/L	BX	[NULL]	[NULL]	S	B19118	7440-43-9	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	13967-70-9	Cesium-134	-0.0324	pCi/L	U	[NULL]	[NULL]	S	B19117	13967-70-9	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	10045-97-3	Cesium-137	0.0905	pCi/L	U	[NULL]	[NULL]	S	B19117	10045-97-3	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	16887-00-6	Chloride	940	ug/L	[NULL]	[NULL]	[NULL]	S	B19117	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-87cm	4/9/2004 0:00	Y	7440-47-3	Chromium	0.436	ug/L	X	[NULL]	[NULL]	S	B19118	7440-47-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	10198-40-0	Cobalt-60	1.02	pCi/L	U	[NULL]	[NULL]	S	B19117	10198-40-0	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	14683-23-9	Europium-152	1.15	pCi/L	U	[NULL]	[NULL]	S	B19117	14683-23-9	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	15585-10-1	Europium-154	1.64	pCi/L	U	[NULL]	[NULL]	S	B19117	15585-10-1	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	14391-16-3	Europium-155	0.0748	pCi/L	U	[NULL]	[NULL]	S	B19117	14391-16-3	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	16984-48-8	Fluoride	70	ug/L	[NULL]	[NULL]	[NULL]	S	B19117	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	12587-46-1	Gross alpha	1.2	pCi/L	U	[NULL]	[NULL]	S	B19117	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	12587-47-2	Gross beta	2930	pCi/L	[NULL]	[NULL]	[NULL]	S	B19117	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-87cm	4/9/2004 0:00	Y	7439-92-1	Lead	0.0619	ug/L	X	[NULL]	[NULL]	S	B19118	7439-92-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	Y	7439-96-5	Manganese	44.7	ug/L	CX	RY	[NULL]	S	B19118	7439-96-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	Y	7440-02-0	Nickel	0.869	ug/L	CX	[NULL]	[NULL]	S	B19118	7440-02-0	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	14797-55-8	Nitrate	1670	ug/L	[NULL]	[NULL]	[NULL]	S	B19117	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-87cm	4/9/2004 0:00	Y	EH	Oxidation Reduction Potential	151	mV	[NULL]	[NULL]	[NULL]	S	B19118	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	EH	Oxidation Reduction Potential	151	mV	[NULL]	[NULL]	[NULL]	S	B19117	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	14265-44-2	Phosphate	160	ug/L	[NULL]	[NULL]	[NULL]	S	B19117	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	13966-00-2	Potassium-40	-25.2	pCi/L	U	[NULL]	[NULL]	S	B19117	13966-00-2	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	13967-48-1	Ruthenium-106	-0.4	pCi/L	U	[NULL]	[NULL]	S	B19117	13967-48-1	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	Y	7782-49-2	Selenium	0.191	ug/L	BXC	[NULL]	[NULL]	S	B19118	7782-49-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	Y	7440-22-4	Silver	0.004	ug/L	UX	[NULL]	[NULL]	S	B19118	7440-22-4	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	CONDUCT	Specific Conductance	138	uS/cm	[NULL]	[NULL]	[NULL]	S	B19117	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
NS-2A-87cm	4/9/2004 0:00	Y	CONDUCT	Specific Conductance	138	uS/cm	[NULL]	[NULL]	[NULL]	S	B19118	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	10098-97-2	Strontium-90	1340	pCi/L	[NULL]	[NULL]	[NULL]	S	B19117	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	14808-79-8	Sulfate	9560	ug/L	[NULL]	[NULL]	[NULL]	S	B19117	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-87cm	4/9/2004 0:00	Y	7440-29-1	Thorium	0.1	ug/L	UX	[NULL]	[NULL]	S	B19118	7440-29-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	10028-17-8	Tritium	-6.13	pCi/L	U	[NULL]	[NULL]	S	B19117	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
NS-2A-87cm	4/9/2004 0:00	Y	7440-61-1	Uranium	0.261	ug/L	X	[NULL]	[NULL]	S	B19118	7440-61-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	Y	7440-66-6	Zinc	372	ug/L	X	RY	[NULL]	S	B19118	7440-66-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	4/9/2004 0:00	Y	PH	pH Measurement	6.6	unitless	[NULL]	[NULL]	[NULL]	S	B19118	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-87cm	4/9/2004 0:00	N	PH	pH Measurement	6.6	unitless	[NULL]	[NULL]	[NULL]	S	B19117	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	ALKALINITY	Alkalinity	72000	ug/L	[NULL]	[NULL]	[NULL]	S	B19H83	ALKALINITY	ENW	2320_ALKALINITY	100-NR-2
NS-2A-87cm	6/9/2004 0:00	Y	7429-90-5	Aluminum	5.79	ug/L	X	[NULL]	[NULL]	S	B19H81	7429-90-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	14234-35-6	Antimony-125	0.14	pCi/L	U	[NULL]	[NULL]	S	B19H80	14234-35-6	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	6/9/2004 0:00	Y	7440-38-2	Arsenic	0.605	ug/L	X	[NULL]	[NULL]	S	B19H81	7440-38-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	6/9/2004 0:00	Y	7440-39-3	Barium	23.1	ug/L	X	[NULL]	[NULL]	S	B19H81	7440-39-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	13966-02-4	Beryllium-7	-0.272	pCi/L	U	[NULL]	[NULL]	S	B19H80	13966-02-4	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	S	B19H82	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-87cm	6/9/2004 0:00	Y	7440-43-9	Cadmium	0.00631	ug/L	BX	[NULL]	[NULL]	S	B19H81	7440-43-9	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	6/9/2004 0:00	Y	7440-70-2	Calcium	24738	ug/L	X	[NULL]	[NULL]	S	B19H81	7440-70-2	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	3812-32-6	Carbonate ion	59500	ug/L	[NULL]	[NULL]	[NULL]	S	B19H82	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-87cm	6/9/2004 0:00	N	13967-70-9	Cesium-134	1.58	pCi/L	U	[NULL]	[NULL]	S	B19H80	13967-70-9	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	10045-97-3	Cesium-137	0.531	pCi/L	U	[NULL]	[NULL]	S	B19H80	10045-97-3	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	16887-00-6	Chloride	1130	ug/L	[NULL]	[NULL]	[NULL]	S	B19H82	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-87cm	6/9/2004 0:00	Y	7440-47-3	Chromium	1.85	ug/L	CX	[NULL]	[NULL]	S	B19H81	7440-47-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	10198-40-0	Cobalt-60	1.14	pCi/L	U	[NULL]	[NULL]	S	B19H80	10198-40-0	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	DO	Dissolved oxygen	5750	ug/L	[NULL]	[NULL]	[NULL]	S	B19H83	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-87cm	6/9/2004 0:00	Y	DO	Dissolved oxygen	5750	ug/L	[NULL]	[NULL]	[NULL]	S	B19H81	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	DO	Dissolved oxygen	5750	ug/L	[NULL]	[NULL]	[NULL]	S	B19H80	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	DO	Dissolved oxygen	5750	ug/L	[NULL]	[NULL]	[NULL]	S	B19H82	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	14683-23-9	Europium-152	2.41	pCi/L	U	[NULL]	[NULL]	S	B19H80	14683-23-9	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	15585-10-1	Europium-154	-0.532	pCi/L	U	[NULL]	[NULL]	S	B19H80	15585-10-1	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	14391-16-3	Europium-155	0.639	pCi/L	U	[NULL]	[NULL]	S	B19H80	14391-16-3	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	16984-48-8	Fluoride	70	ug/L	[NULL]	[NULL]	[NULL]	S	B19H82	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	12587-46-1	Gross alpha	1.16	pCi/L	U	[NULL]	[NULL]	S	B19H80	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	12587-47-2	Gross beta	2920	pCi/L	[NULL]	[NULL]	[NULL]	S	B19H80	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-87cm	6/9/2004 0:00	Y	7439-92-1	Lead	0.0837	ug/L	X	[NULL]	[NULL]	S	B19H81	7439-92-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	6/9/2004 0:00	Y	7439-95-4	Magnesium	4331	ug/L	X	[NULL]	[NULL]	S	B19H81	7439-95-4	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-87cm	6/9/2004 0:00	Y	7439-96-5	Manganese	7.87	ug/L	CX	RY	[NULL]	S	B19H81	7439-96-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	6/9/2004 0:00	Y	7440-02-0	Nickel	0.176	ug/L	X	[NULL]	[NULL]	S	B19H81	7440-02-0	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	14797-55-8	Nitrate	3960	ug/L	[NULL]	[NULL]	[NULL]	S	B19H82	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	EH	Oxidation Reduction Potential	500	mV	[NULL]	[NULL]	[NULL]	S	B19H83	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	EH	Oxidation Reduction Potential	500	mV	[NULL]	[NULL]	[NULL]	S	B19H82	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	EH	Oxidation Reduction Potential	500	mV	[NULL]	[NULL]	[NULL]	S	B19H80	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-87cm	6/9/2004 0:00	Y	EH	Oxidation Reduction Potential	500	mV	[NULL]	[NULL]	[NULL]	S	B19H81	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	14265-44-2	Phosphate	110	ug/L	[NULL]	[NULL]	[NULL]	S	B19H82	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-87cm	6/9/2004 0:00	Y	7440-09-7	Potassium	1111	ug/L	X	[NULL]	[NULL]	S	B19H81	7440-09-7	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	13966-00-2	Potassium-40	24.3	pCi/L	U	[NULL]	[NULL]	S	B19H80	13966-00-2	STLRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-87cm	6/9/2004 0:00	N	13967-48-1	Ruthenium-106	-4.52	pCi/L	U	[NULL]	[NULL]	S	B19H80	13967-48-1	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	6/9/2004 0:00	Y	7782-49-2	Selenium	0.131	ug/L	BCX	[NULL]	[NULL]	S	B19H81	7782-49-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	6/9/2004 0:00	Y	7440-23-5	Sodium	2504	ug/L	CX	[NULL]	[NULL]	S	B19H81	7440-23-5	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	CONDUCT	Specific Conductance	162.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B19H82	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
NS-2A-87cm	6/9/2004 0:00	Y	CONDUCT	Specific Conductance	162.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B19H81	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	CONDUCT	Specific Conductance	162.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B19H80	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	CONDUCT	Specific Conductance	162.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B19H83	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
NS-2A-87cm	6/9/2004 0:00	Y	7440-24-6	Strontium	84.6	ug/L	X	[NULL]	[NULL]	S	B19H81	7440-24-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	10098-97-2	Strontium-90	1500	pCi/L	[NULL]	[NULL]	[NULL]	S	B19H80	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	14808-79-8	Sulfate	9860	ug/L	[NULL]	[NULL]	[NULL]	S	B19H82	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	TEMPERATURE	Temperature	13.3	Deg C	[NULL]	[NULL]	[NULL]	S	B19H83	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	TEMPERATURE	Temperature	13.3	Deg C	[NULL]	[NULL]	[NULL]	S	B19H80	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-87cm	6/9/2004 0:00	Y	TEMPERATURE	Temperature	13.3	Deg C	[NULL]	[NULL]	[NULL]	S	B19H81	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	TEMPERATURE	Temperature	13.3	Deg C	[NULL]	[NULL]	[NULL]	S	B19H82	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-87cm	6/9/2004 0:00	Y	7440-29-1	Thorium	0.0185	ug/L	CX	[NULL]	[NULL]	S	B19H81	7440-29-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	10028-17-8	Tritium	-16.1	pCi/L	U	[NULL]	[NULL]	S	B19H80	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
NS-2A-87cm	6/9/2004 0:00	Y	7440-61-1	Uranium	0.432	ug/L	X	[NULL]	[NULL]	S	B19H81	7440-61-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	6/9/2004 0:00	Y	7440-66-6	Zinc	170	ug/L	X	RY	[NULL]	S	B19H81	7440-66-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	PH	pH Measurement	7.07	unitless	[NULL]	[NULL]	[NULL]	S	B19H80	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-87cm	6/9/2004 0:00	Y	PH	pH Measurement	7.07	unitless	[NULL]	[NULL]	[NULL]	S	B19H81	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	PH	pH Measurement	7.07	unitless	[NULL]	[NULL]	[NULL]	S	B19H82	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-87cm	6/9/2004 0:00	N	PH	pH Measurement	7.07	unitless	[NULL]	[NULL]	[NULL]	S	B19H83	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-87cm	8/16/2004 0:00	N	DO	Dissolved oxygen	6600	ug/L	[NULL]	[NULL]	[NULL]	S	B1B4N5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-87cm	8/16/2004 0:00	N	12587-47-2	Gross beta	2760	pCi/L	[NULL]	[NULL]	[NULL]	S	B1B4N5	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-87cm	8/16/2004 0:00	N	CONDUCT	Specific Conductance	158	uS/cm	[NULL]	[NULL]	[NULL]	S	B1B4N5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
NS-2A-87cm	8/16/2004 0:00	N	TEMPERATURE	Temperature	21	Deg C	[NULL]	[NULL]	[NULL]	S	B1B4N5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	ALKALINITY	Alkalinity	71000	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC67	ALKALINITY	ENW	2320_ALKALINITY	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-87cm	9/25/2004 0:00	N	7429-90-5	Aluminum	196	ug/L	X	[NULL]	[NULL]	S	B1BC65	7429-90-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	14234-35-6	Antimony-125	6.61	pCi/L	U	[NULL]	[NULL]	S	B1BC64	14234-35-6	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	7440-38-2	Arsenic	0.639	ug/L	X	[NULL]	[NULL]	S	B1BC65	7440-38-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	7440-39-3	Barium	28.9	ug/L	X	[NULL]	[NULL]	S	B1BC65	7440-39-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	13966-02-4	Beryllium-7	6.38	pCi/L	U	[NULL]	[NULL]	S	B1BC64	13966-02-4	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	71-52-3	Bicarbonate	71000	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC67	71-52-3	ENW	2320_BICARBONATE	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	S	B1BC66	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	7440-43-9	Cadmium	0.0127	ug/L	BX	[NULL]	[NULL]	S	B1BC65	7440-43-9	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	7440-70-2	Calcium	23384	ug/L	X	[NULL]	[NULL]	S	B1BC65	7440-70-2	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	3812-32-6	Carbonate ion	49900	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC66	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	13967-70-9	Cesium-134	1.59	pCi/L	U	[NULL]	[NULL]	S	B1BC64	13967-70-9	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	10045-97-3	Cesium-137	0.146	pCi/L	U	[NULL]	[NULL]	S	B1BC64	10045-97-3	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	16887-00-6	Chloride	2210	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC66	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	7440-47-3	Chromium	2.85	ug/L	X	[NULL]	[NULL]	S	B1BC65	7440-47-3	SEQUIM	1639_METALS_GFAA	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	10198-40-0	Cobalt-60	-0.742	pCi/L	U	[NULL]	[NULL]	S	B1BC64	10198-40-0	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	DO	Dissolved oxygen	8400	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC64	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	14683-23-9	Europium-152	-3.8	pCi/L	U	[NULL]	[NULL]	S	B1BC64	14683-23-9	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	15585-10-1	Europium-154	-8.71	pCi/L	U	[NULL]	[NULL]	S	B1BC64	15585-10-1	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	14391-16-3	Europium-155	-6.12	pCi/L	U	[NULL]	[NULL]	S	B1BC64	14391-16-3	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	16984-48-8	Fluoride	90	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC66	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	12587-46-1	Gross alpha	0.544	pCi/L	U	[NULL]	[NULL]	S	B1BC64	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	12587-47-2	Gross beta	2680	pCi/L	[NULL]	[NULL]	[NULL]	S	B1BC64	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	7439-92-1	Lead	1.22	ug/L	X	[NULL]	[NULL]	S	B1BC65	7439-92-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	7439-95-4	Magnesium	4104	ug/L	X	[NULL]	[NULL]	S	B1BC65	7439-95-4	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	7439-96-5	Manganese	35.8	ug/L	X	RY	[NULL]	S	B1BC65	7439-96-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	7439-98-7	Molybdenum	0.441	ug/L	X	[NULL]	[NULL]	S	B1BC65	7439-98-7	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	7440-02-0	Nickel	1.46	ug/L	X	[NULL]	[NULL]	S	B1BC65	7440-02-0	SEQUIM	1638_METALS_ICPMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-87cm	9/25/2004 0:00	N	14797-55-8	Nitrate	6880	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC66	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	EH	Oxidation Reduction Potential	169	mV	[NULL]	[NULL]	[NULL]	S	B1BC64	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	14265-44-2	Phosphate	90	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC66	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	7440-09-7	Potassium	1102	ug/L	X	[NULL]	[NULL]	S	B1BC65	7440-09-7	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	13966-00-2	Potassium-40	-3.2	pCi/L	U	[NULL]	[NULL]	S	B1BC64	13966-00-2	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	13967-48-1	Ruthenium-106	7.15	pCi/L	U	[NULL]	[NULL]	S	B1BC64	13967-48-1	STLRL	GAMMA_GS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	7782-49-2	Selenium	0.168	ug/L	X	[NULL]	[NULL]	S	B1BC65	7782-49-2	SEQUIM	7742_SE_HAA	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	7440-22-4	Silver	0.00404	ug/L	BCX	[NULL]	[NULL]	S	B1BC65	7440-22-4	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	7440-23-5	Sodium	2458	ug/L	X	[NULL]	[NULL]	S	B1BC65	7440-23-5	SEQUIM	200.7_METALS_ICP	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	CONDUCT	Specific Conductance	160.3	uS/cm	[NULL]	[NULL]	[NULL]	S	B1BC64	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	7440-24-6	Strontium	86	ug/L	X	[NULL]	[NULL]	S	B1BC65	7440-24-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	10098-97-2	Strontium-90	1350	pCi/L	[NULL]	[NULL]	[NULL]	S	B1BC64	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	14808-79-8	Sulfate	10900	ug/L	[NULL]	[NULL]	[NULL]	S	B1BC66	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	S	B1BC64	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	7440-28-0	Thallium	0.00683	ug/L	BX	[NULL]	[NULL]	S	B1BC65	7440-28-0	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	7440-29-1	Thorium	0.047	ug/L	X	[NULL]	[NULL]	S	B1BC65	7440-29-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	10028-17-8	Tritium	38.5	pCi/L	U	[NULL]	[NULL]	S	B1BC64	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	7440-61-1	Uranium	0.321	ug/L	X	[NULL]	[NULL]	S	B1BC65	7440-61-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	7440-66-6	Zinc	443	ug/L	X	RY	[NULL]	S	B1BC65	7440-66-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
NS-2A-87cm	9/25/2004 0:00	N	PH	pH Measurement	7.44	unitless	[NULL]	[NULL]	[NULL]	S	B1BC64	PH	FIELD	PH_ELECT_FLD	100-NR-2
NS-2A-87cm	10/29/2004 11:28	N	DO	Dissolved oxygen	9100	ug/L	[NULL]	[NULL]	[NULL]	R	B1BCM0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-87cm	10/29/2004 11:28	N	12587-47-2	Gross beta	2540	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BCM0	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-87cm	10/29/2004 11:28	N	EH	Oxidation Reduction Potential	136	mV	[NULL]	[NULL]	[NULL]	R	B1BCM0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-87cm	10/29/2004 11:28	N	CONDUCT	Specific Conductance	153	uS/cm	[NULL]	[NULL]	[NULL]	R	B1BCM0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
NS-2A-87cm	10/29/2004 11:28	N	TEMPERATURE	Temperature	14.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1BCM0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-87cm	10/29/2004 11:28	N	PH	pH Measurement	7.36	unitless	[NULL]	[NULL]	[NULL]	R	B1BCM0	PH	FIELD	9040_PH	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	ALKALINITY	Alkalinity	58000	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTJ0	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-87cm	12/15/2004 13:42	Y	7429-90-5	Aluminum	659	ug/L	[NULL]	Y	[NULL]	R	B1BTH9	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-87cm	12/15/2004 13:42	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1BTH9	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	14234-35-6	Antimony-125	-3.37	pCi/L	U	[NULL]	[NULL]	R	B1BTJ1	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
NS-2A-87cm	12/15/2004 13:42	Y	7440-39-3	Barium	27.1	ug/L	B	[NULL]	[NULL]	R	B1BTH9	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-87cm	12/15/2004 13:42	Y	7440-41-7	Beryllium	0.29	ug/L	U	[NULL]	[NULL]	R	B1BTH9	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	13966-02-4	Beryllium-7	41.6	pCi/L	U	[NULL]	[NULL]	R	B1BTJ1	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
NS-2A-87cm	12/15/2004 13:42	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1BTH9	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-87cm	12/15/2004 13:42	Y	7440-70-2	Calcium	24300	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTH9	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	13967-70-9	Cesium-134	-3.01	pCi/L	U	[NULL]	[NULL]	R	B1BTJ1	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	10045-97-3	Cesium-137	2.12	pCi/L	U	[NULL]	[NULL]	R	B1BTJ1	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	16887-00-6	Chloride	840	ug/L	C	[NULL]	[NULL]	R	B1BTJ0	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-87cm	12/15/2004 13:42	Y	7440-47-3	Chromium	3.3	ug/L	U	[NULL]	[NULL]	R	B1BTH9	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-87cm	12/15/2004 13:42	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1BTH9	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	10198-40-0	Cobalt-60	0.349	pCi/L	U	[NULL]	[NULL]	R	B1BTJ1	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
NS-2A-87cm	12/15/2004 13:42	Y	7440-50-8	Copper	4	ug/L	BC	[NULL]	[NULL]	R	B1BTH9	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	DO	Dissolved oxygen	10400	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTJ0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	14683-23-9	Europium-152	-1.27	pCi/L	U	[NULL]	[NULL]	R	B1BTJ1	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	15585-10-1	Europium-154	4.03	pCi/L	U	[NULL]	[NULL]	R	B1BTJ1	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	14391-16-3	Europium-155	1.57	pCi/L	U	[NULL]	[NULL]	R	B1BTJ1	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	16984-48-8	Fluoride	26	ug/L	B	[NULL]	[NULL]	R	B1BTJ0	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	12587-46-1	Gross alpha	0.312	pCi/L	U	[NULL]	[NULL]	R	B1BTJ1	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	12587-47-2	Gross beta	2100	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BTJ1	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-87cm	12/15/2004 13:42	Y	7439-89-6	Iron	23.4	ug/L	B	R	[NULL]	R	B1BTH9	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-87cm	12/15/2004 13:42	Y	7439-95-4	Magnesium	4040	ug/L	B	[NULL]	[NULL]	R	B1BTH9	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-87cm	12/15/2004 13:42	Y	7439-96-5	Manganese	26.7	ug/L	[NULL]	R	[NULL]	R	B1BTH9	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-87cm	12/15/2004 13:42	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1BTH9	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	14797-55-8	Nitrate	1280	ug/L	[NULL]	H	[NULL]	R	B1BTJ0	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
NS-2A-87cm	12/15/2004 13:42	N	14797-65-0	Nitrite	13.1	ug/L	UN	H	[NULL]	R	B1BTJ0	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	EH	Oxidation Reduction Potential	132	mV	[NULL]	[NULL]	[NULL]	R	B1BTJ0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-87cm	12/15/2004 13:42	Y	7440-09-7	Potassium	1950	ug/L	U	[NULL]	[NULL]	R	B1BTH9	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	13966-00-2	Potassium-40	41.6	pCi/L	U	[NULL]	[NULL]	R	B1BTJ1	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	13967-48-1	Ruthenium-106	10.7	pCi/L	U	[NULL]	[NULL]	R	B1BTJ1	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
NS-2A-87cm	12/15/2004 13:42	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1BTH9	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-87cm	12/15/2004 13:42	Y	7440-23-5	Sodium	2400	ug/L	B	[NULL]	[NULL]	R	B1BTH9	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	CONDUCT	Specific Conductance	134.8	uS/cm	[NULL]	[NULL]	[NULL]	R	B1BTJ0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
NS-2A-87cm	12/15/2004 13:42	Y	7440-24-6	Strontium	79	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTH9	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	10098-97-2	Strontium-90	1180	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BTJ1	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	14808-79-8	Sulfate	9100	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTJ0	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	TEMPERATURE	Temperature	10.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1BTJ0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	10028-17-8	Tritium	-1.12	pCi/L	U	[NULL]	[NULL]	R	B1BTJ1	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
NS-2A-87cm	12/15/2004 13:42	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	B1BTH9	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-87cm	12/15/2004 13:42	Y	7440-66-6	Zinc	371	ug/L	C	R	[NULL]	R	B1BTH9	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
NS-2A-87cm	12/15/2004 13:42	N	PH	pH Measurement	7.07	unitless	[NULL]	[NULL]	[NULL]	R	B1BTJ0	PH	FIELD	9040_PH	100-NR-2
NS-2A-87cm	1/20/2005 15:50	N	12587-47-2	Gross beta	2250	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BXK2	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-87cm	1/20/2005 15:50	N	EH	Oxidation Reduction Potential	82	mV	[NULL]	[NULL]	[NULL]	R	B1BXK2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-87cm	1/20/2005 15:50	N	CONDUCT	Specific Conductance	136	uS/cm	[NULL]	[NULL]	[NULL]	R	B1BXK2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
NS-2A-87cm	1/20/2005 15:50	N	TEMPERATURE	Temperature	7.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1BXK2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-87cm	1/20/2005 15:50	N	PH	pH Measurement	7.49	unitless	[NULL]	[NULL]	[NULL]	R	B1BXK2	PH	FIELD	9040_PH	100-NR-2
NS-2A-87cm	2/18/2005 14:15	N	DO	Dissolved oxygen	7600	ug/L	[NULL]	[NULL]	[NULL]	R	B1C5C3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
NS-2A-87cm	2/18/2005 14:15	N	12587-47-2	Gross beta	2250	pCi/L	[NULL]	[NULL]	[NULL]	R	B1C5C3	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
NS-2A-87cm	2/18/2005 14:15	N	EH	Oxidation Reduction Potential	144	mV	[NULL]	[NULL]	[NULL]	R	B1C5C3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
NS-2A-87cm	2/18/2005 14:15	N	CONDUCT	Specific Conductance	132	uS/cm	[NULL]	[NULL]	[NULL]	R	B1C5C3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
NS-2A-87cm	2/18/2005 14:15	N	TEMPERATURE	Temperature	7.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1C5C3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
NS-2A-87cm	2/18/2005 14:15	N	PH	pH Measurement	7.54	unitless	[NULL]	[NULL]	[NULL]	R	B1C5C3	PH	FIELD	9040_PH	100-NR-2