

SAF-RC-212
100-IU-2 & 100-IU-6 Miscellaneous
Restoration Sites Near 100-F –
Other
FINAL DATA PACKAGE

COMPLETE COPY OF DATA PACKAGE TO:

Kathy Wendt

H4-21

KW 4/21/11
INITIAL/DATE

COMMENTS:

SDG D1109613

SAF-RC-212

Rad only


Chem only

Rad & Chem

Complete

Partial

Sample Location: 100-IU-2&6 600-300 Area 6





Report Identification Number: D1109613
 Subcontract Number: S003827A00
 Name of Industrial Hygienist: Gwen Whatley / Debbie Gothard / Ken Way
 Laboratory Identification Number: DCHM *RC 212 SD 4/14/11*
 SAF#: ~~RC-001~~ / RC-212-001
 Sample Receipt Date: 04/06/2011

Sample Information

Sample Date	Customer Sample Number	Laboratory Sample Number	Method	Analytical Batch Identification	Sample Matrix
04/04/2011	J1H1K4	1109613001	NIOSH 9002	64653	Bulk

I certify that this electronic image and all hardcopies produced from this image accurately represent the data and are in compliance with the contract specific requirements, both technically and for completeness, other than the conditions detailed above or in the sample data package narrative. Release, by submission through email, the data contained in this electronic image and the computer-readable EDD (as applicable), has been authorized by the laboratory Manager or the Manager's designee.

Name: Peter P. Steen
 Title: Chemist
 Date: April 13, 2011



Report Identification Number: D1109613
Subcontract Number: S003827A00
Name of Industrial Hygienist: Gwen Whatley / Debbie Gothard / Ken Way
Laboratory Identification Number: DCHM
SAF#: RC-001 / RC-212-001
Sample Receipt Date: 04/06/2011

General Workorder Information: There is one sample in workorder 1109607, one sample in workorder 1109609, one sample in workorder 1109612, one sample in workorder 1109613, one sample in workorder 1109615, one sample in workorder 1109616, three samples in workorder 1109617, and three samples in workorder 1109743 which were analyzed for asbestos in bulk material. No problems were encountered with the receipt of these samples.

Method Summary: All samples were examined for homogeneity. Non-homogeneous samples were ground to ensure homogeneity. Distinct layers were analyzed separately. The samples were prepared and examined for asbestos fibers utilizing the procedures outlined in NIOSH method 9002 (4th edition). A polarizing light microscope equipped with a 10x and a 16x eyepiece was used for the analysis. The area percentage of asbestos was estimated microscopically by a visual estimation of the fibers with a length-to-width aspect ratio of 3:1 or greater. If present, asbestos identities were confirmed with the appropriate refractive index oils applying dispersion staining techniques.

Sample Preparation: All samples were prepared in accordance with NIOSH method 9002 (4th edition).

Initial and Continuing Calibration Verification Analysis: N/A

Initial and Continuing Calibration Blank Analysis: N/A

Method Blank Analysis: N/A

Dilution(s): N/A.

Laboratory Control Sample and Duplicate Analysis: One Laboratory Control Sample (LCS) was prepared and analyzed with the sample batch. The results were within the control limit of +/- one reporting range.

Replicate Analysis: Two samples were replicated with this analysis batch.

Flagging Codes: None

Nonconformance/Corrective Action Report (NC/CAR): N/A

Sample Calculation: Sample results are reported by a visual estimation of the area percentage of asbestos. If necessary, a gravimetric ashing procedure may be used to remove certain non-asbestos material



from the sample: a percentage calculation is used to correct for the removal of the non-asbestos material.

Miscellaneous Comments:

- 1109607001: Blackish, granular soil.
- 1109609001: Brown, granular soil.
- 1109612001: Tan, granular soil.
- 1109613001: White, powdery/fibrous material.
- 1109615001: Gray, granular soil.
- 1109616001: Gray, granular soil.
- 1109617001: Brown, granular soil.
- 1109617002: Brown, granular soil.
- 1109617003: Brown, granular soil.
- 1109743001: Brown, granular soil.
- 1109743002: Brown, granular soil.
- 1109743003: Brown, granular soil.



Results

Report Identification Number: D1109613
 Subcontract Number: S003827A00
 Name of Industrial Hygienist: Gwen Whatley / Debbie Gothard / Ken Way
 Laboratory Identification Number: DCHM
 SAF#: RC-001 / RC-212-001
 Sample Receipt Date: 04/06/2011

Customer Sample Number	Laboratory Sample Number	Date Analyzed	Chrysotile %	Amosite %	Crocidolite %
J1H1K4	1109613001	04/13/2011	<1 U	<1 U	<1 U
Required Detection Limit (RDL)			1	1	1

Customer Sample Number	Laboratory Sample Number	Date Analyzed	Actinolite/Tr emolite %	Anthophyllit e %
J1H1K4	1109613001	04/13/2011	<1 U	<1 U
Required Detection Limit (RDL)			1	1

U - Parameter not detected above LOD
 J - Parameter between LOD and RDL
 ** - Not provided or unable to calculate
 NA - Not Applicable



QC Summary

Report Identification Number: D1109613
 Subcontract Number: S003827A00
 Name of Industrial Hygienist: Gwen Whatley / Debbie Gothard / Ken Way
 Laboratory Identification Number: DCHM
 SAF: RC-001 / RC-212-001
 Sample Receipt Date: 04/06/2011

Batch ID: 64653

QC Sample ID	QC Type	Analyte	Units	Result	Target
QC107804	LCS	Amosite	%per sample	50%	65%
QC107804	LCSD	Amosite	%per sample	60%	65%
QC107804	LCS	Chrysotile	%per sample	5%	10%
QC107804	LCSD	Chrysotile	%per sample	10%	10%

MB - Method Blank

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MSD - Matrix Spike Duplicate

LD - Laboratory Duplicate

NA - Not Applicable

ND - Parameter not detected above LOD

LCS, LCSD Percent Rec. = (Result / Target) * 100.0

MS, MSD Percent Rec. = ((Result - Parent) / Target) * 100.0

LCS, LCSD Relative Percent Diff. = ((|LCS - LCSD|) / ((LCS + LCSD)/2.0)) * 100.

MS, MSD Relative Percent Diff. = ((|MS - MSD|) / ((MS + MSD)/2.0)) * 100.

LD Relative Percent Diff. = ((|Parent - LD|) / ((Parent + LD)/2.0)) * 100

