1222772

HNF-EP-0182
Revision 307

Waste Tank Summary Report for Month Ending October 31, 2013

Prepared for the U.S. Department of Energy
Assistant Secretary for Environmental Management

Contractor for the U.S. Department of Energy
Office of River Protection under Contract DE-AC27-08RV14800

P. O. Box 850
Richland, Washington 99352



S.2.3
S.2.4

DOCUMENT RELEASE FORM

(1) Document Number:	HNF-EP-0182	(2) Revision Number: 307	(3) Effective Date: 10/31/2013
(4) Document Type:	☐ Digital Image ☐ Hard copy ☒ PDF ☐ Video	(a) Number of pages (including the DRF) or number of digital images	50
(5) Release Type	☐ New ☐ Cancel	☐ Page Change	☒ Complete Revision
(6) Document Title:	Waste Tank Summary Report for Month Ending October 31,2013	(7) USQ No.: R- ☒ N/A RPP-27195 USQ Evaluator Sign/Date	
(8) Change/Release Description:	Complete Revision - Tables and text updated each month to reflect revised status.		
(9) Change Justification:	DOE-ORP requires this document to be revised and issued monthly.		

(10) Associated Structure, System, and Component (SSC) and Building Number:	(a) Structure Location: N/A		(c) Building Number: N/A	(e) Project Number: N/A
	(b) System Designator: N/A		(d) Equipment ID Number (EIN): N/A	
(11) Impacted Documents:	(a) Document Type	(b) Document Number	(c) Document Revision	
	N/A	N/A	N/A	

(12) Approvals:

(a) Author (Print/Sign): M. J. Rodgers Date: 12/31/13

(b) Reviewer (Optional, Print/Sign):

J. S. Schofield Date: 12/31/13 Date:

Date: Date:

Date: Date:

(c) Responsible Manager – (Print/Sign): J. G. Reynolds Date: 12/31/13

(13) Distribution:

(a) Name	(b) MSIN	(a) Name	(b) MSIN
See pages Distr-1 thru			
Distr-4 for complete			
distribution list			

Release Stamp

DATE: Jan 08, 2014 HANFORD RELEASE

(14) Clearance	(a) Cleared for Public Release	(b) Restricted Information?	(c) Restriction Type:
	☒ Yes ☐ No	☐ Yes ☒ No	

(15) Clearance Review (Print/Sign): APPROVED By Julia Raymer at 8:15 am, Jan 08, 2014 Date:

WASTE TANK SUMMARY REPORT FOR MONTH ENDING OCTOBER 31, 2013

M. J. Rodgers

WASHINGTON RIVER PROTECTION SOLUTIONS
Richland, WA 99352
U.S. Department of Energy Contract DE-AC27-08RV14800

EDT/ECN: DRF UC: N/A
Cost Center: 2KL00 Charge Code: 200691
B&R Code: N/A Total Pages: 50

Key Words: MONTHLY REPORT, WASTE TANK SUMMARY

Abstract: See page 7 (Purpose and Summary)

TRADEMARK DISCLAIMER. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors.

APPROVED
By Julia Raymer at 8:15 am, Jan 08, 2014
Release Approval Date

DATE:
Jan 08, 2014
HANFORD RELEASE
Release Stamp

Approved For Public Release

Tank Operations Contractor (TOC) **RECORD OF REVISION**	(1) Document Number: **HNF-EP-0182**	Page 1

(2) Title:

WASTE TANK SUMMARY REPORT FOR MONTH ENDING OCTOBER 31, 2013

Change Control Record

(3) Revision	(4) Description of Change – Replace, Add, and Delete Pages	Authorized for Release	
		(5) Author. (print/sign/date)	(6) Resp. Mgr. (print/sign/date)
153	EDT-631372	BM Hanlon	JS Garfield
307 RS	Incorporation of DRF (Full Revision)	MJ Rodgers 12/31/13	JG Reynolds 12/31/13

HNF-EP-0182
Revision 307

Waste Tank Summary Report for Month Ending October 31, 2013

M. J. Rodgers
Washington River Protection Solutions

Date Published
December 2013

Prepared for the U.S. Department of Energy
Assistant Secretary for Environmental Management

Contractor for the U.S. Department of Energy
Office of River Protection under Contract DE-AC27-08RV14800

P. O. Box 850
Richland, Washington

Approved for Public Release; Further Dissemination Unlimited

TRADEMARK DISCLAIMER

Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency therein or its contractors or subcontractors.

This report has been reproduced from the best available copy.
Available in paper copy.

Printed in the United States of America

CONTENTS

ACRONYMS

DCRT	Double-Contained Receiver Tank
DIL	Drainable Interstitial Liquid
DLR	Drainable Liquid Remaining
DST	Double-Shell Tank
Gal	Gallon
GPM	Gallons Per Minute
ILL	Interstitial Liquid Level
Kgal	Kilogallons
IP	Intrusion Prevention
IS	Interim Stabilized
MT	Manual Tape
ENRAF	ENRAF Corporation (surface level measurement devices)
OSD	Operating Specifications Document
SACS	Surveillance Analysis Computer System
SST	Single-Shell Tank
TMACS	Tank Monitor and Control System
TPA	Hanford Federal Facility Agreement and Consent Order, "Washington State Department of Ecology, U.S. Environmental Protection Agency, and U.S. Department of Energy," as amended (Tri-Party Agreement)
TWINS	Tank Waste Information Network System
WRPS	Washington River Protection Solutions, LLC.

GLOSSARY

General

Characterization - Characterization is understanding the Hanford tank waste chemical, physical, and radiological properties to the extent necessary to ensure safe storage and interim operation, and ultimate disposition of the waste.

Drainable Interstitial Liquid (DIL) - Drainable Interstitial Liquid is calculated based on saltcake and sludge volumes and calculated porosity values. Interstitial liquid is the liquid that fills the interstitial spaces of the solid waste. The sum of the interstitial liquid contained in saltcake and sludge minus an adjustment for capillary height is the initial volume of DIL. Interstitial liquid that is not held in place by capillary forces will, therefore, migrate or move with gravity.

Supernatant Liquid - The liquid above the solids or in large liquid pools covered by floating solids in waste storage tanks.

Total Waste - For purposes of this document, solids volume (sludge and saltcake including liquids) plus supernatant liquid.

Interim Stabilization (Single-Shell Tanks only)

Interim Stabilized (IS) - A tank which contains less than 50 Kilogallons of drainable interstitial liquid and less than 5 Kilogallons of supernatant. If the tank was jet pumped to achieve interim stabilization, then the jet pump flow or saltwell screen inflow must also have been at or below 0.05 gpm before interim stabilization criteria are met.

Jet Pump - The centrifugal pump and jet assembly used to pump the interstitial liquid from the saltwell screen into the pump pit, nominally a 40-foot elevation rise. Pumping rates vary from 0.05 to about 4 gpm.

Saltwell Screen - The saltwell system is a 10-inch diameter saltwell casing consisting of a stainless steel saltwell screen welded to a Schedule 40 carbon steel pipe. The casing and screen are to be inserted into the 12-inch tank riser located in the pump pit. The stainless steel screen portion of the system extends through the tank waste to near the bottom of the tank.

Retrieval/Closure (Single-Shell Tanks only)

Closure (C) - Final closure of the operable units (tank farms) shall be defined as regulatory approval of completion of closure actions and commencement of post-closure actions. For the purposes of this agreement (Hanford Federal Facility Agreement and Consent Order Change Control Form, Change Number M-45-02-03), all units located within the boundary of each tank farm will be closed in accordance with Washington Administrative Code 173-303-610.

Retrieval (R) - The process of removing, to the maximum extent practical, all the waste from a given underground storage tank. The retrieval process is selected specific to each tank and accounts for the waste type stored and the access and support systems available. Per OSD-T-151-00031 a tank is officially in "retrieval status" if one of two conditions is meet: either waste has been physically removed from the tank by retrieval operations, or preparations for retrieval operations are directly responsible for rendering the leak or intrusion monitoring instrument "out of service".

Tank Integrity

Assumed Leaker - The integrity classification of a waste storage tank for which surveillance data indicate a loss of liquid to the environment attributed to a breach of integrity.

Assumed Leaker – Primary Tank – The integrity classification of a double-shell waste storage tank for which surveillance data indicate a loss of liquid attributed to a breach of primary tank integrity.

Sound - The integrity classification of a waste storage tank for which surveillance data indicate no loss of liquid attributed to a breach of integrity.[1]

Surveillance Instrumentation

Annulus - The annulus is the space between the inner and outer shells in double-shell tanks only. Drain channels in the insulating and/or supporting concrete carry any leakage to the annulus space where ENRAFs are installed. The ENRAFs are the primary means of leak detection for all DSTs. The Leak Detection System may not be replaced by, but may be supplemented by, the operation of an annulus ventilation system Continuous Air Monitor (CAM).

Drywells - Historically, the drywells were monitored with gross gamma radiation logging tools as part of a secondary leak monitoring system. In some cases, neutron probes were used to monitor moisture in the soil as a function of well depth, which could be indicative of tank leakage. The routine gross gamma logging data were stored electronically from 1974 through 1994; a program was initiated in 1995 to log each of the available drywells in each tank farm with a spectral gamma logging system. The spectral gamma logging system provides quantitative values for gamma-emitting radionuclides. The baseline spectral gamma logging database is available electronically. The terms "Drywells" and "Boreholes" are used interchangeably.

ENRAF 854 ATG Level Detector - The ENRAF gauge, fabricated by Honeywell, determines waste level by detecting variations in the weight of a displacer suspended in the tank waste. ENRAFs transmit digital level data to TMACS via an ENRAF Computer Interface Unit (CIU). The CIU allows fully remote communication with the gauge, minimizing tank farm entry.

Laterals - Laterals are horizontal drywells positioned 8 to 10 feet under single-shell waste storage tanks, 3 per tank, to detect radionuclides in the soil which could be indicative of tank leakage. These drywells can be monitored by radiation detection probes. Laterals are located only in A and SX farms. There are currently no functioning laterals and no plan to prepare them for use.

Liquid Observation Well (LOW) - In-tank liquid observation wells are used for monitoring the ILL in single-shell tanks. The wells are usually constructed of fiberglass or TEFZEL®[2]-reinforced epoxy-polyester resin. A few LOWs are constructed of steel. Gamma and neutron probes are used to monitor changes in the ILL, and can indicate intrusions or leakage by increases or decreases in the ILL. The OSD-T-151-00031 identifies which LOWs are designated as the primary monitoring device in the SSTs. All of the SST LOWs are monitored quarterly. Two LOWs installed in DSTs SY-102 and AW-103 are used for special, rather than routine, surveillance purposes only.

Surface Levels - The surface level measurements in all waste storage tanks are monitored by manual probes or ENRAFs, and recorded and transmitted via the Surveillance Analysis Computer System.

---

[1] Definition of *Assumed Leaker – Primary Tank* and modified definition of *Assumed Leaker* were proposed in Letter WRPS-1204634, *Contract Number DE-AC27-08RV1480 – Washington River Protection Solutions LLC Tank 241-AY-102 Primary Tank Leak Integrity Change from Sound to Assumed Leaker, and Double-Shell Waste Tank Leak Integrity Definitions*, dated November 13, 2012. The definitions have been adopted effective with publication of HNF-EP-0182, Rev. 295, pending concurrence by the U.S. Department of Energy Office of River Protection. Any subsequent change to the tank leak integrity definitions will be described in the HNF-EP-0182 revision for the month that the change was made.

[2] TEFZEL® is a trademark of E. I. du Pont de Nemours & Company, Wilmington, Delaware.

1.0 PURPOSE AND SCOPE

This report is the official inventory for radioactive waste stored in underground tanks in the 200 Areas at the Hanford Site. Data that depict the status of stored radioactive waste and tank vessel integrity are contained within the report. This report provides data on each of the existing 177 large underground waste storage tanks and smaller miscellaneous underground storage tanks and special surveillance facilities, and supplemental information regarding tank surveillance anomalies and ongoing investigations. This report is intended to meet the requirement of U.S. Department of Energy Order 435.1 (DOE-HQ, August 28, 2001, Radioactive Waste Management, U.S. Department of Energy-Washington, D.C.) requiring the reporting of waste inventories and space utilization for the Hanford Site Tank Farm tanks.

Table 1-1 summarizes double-shell and single-shell tank information available in subsequent detailed tables, and identifies changes in tank and waste status that have occurred during the report period. All footnotes and references can be located in section 6.0.

Table 1-1. Waste Tank Summary
September 30, 2013

	1 year ago	1 mo. ago	Current	
Double Shell Tanks	27	27	27	Sound DSTs
	1	1	1	DSTs with Primary Tank Leak
	0	0	0	DSTs with Secondary Tank Leak
	32.1	32.3	32.3	DST Storage Capacity (Mgal)
	26.1	26.7	26.7	Waste Stored in DSTs (Mgal)
	3.6	3.2	3.1	Available DST Storage Space (Mgal)
Single-Shell Tanks	82	86	86	Sound SSTs
	67	63	63	Assumed Leaker SSTs
	0	1	1	SSTs with Known Active Leaks
	29.4	29.2	29.2	Total Waste Stored in SSTs (Mgal)
	6[1] 2[2]	10[1] 1[2]	10[1] 2[2]	Retrieval Operations Complete, Approved[1] and Not Approved[2]
	4	4	3	SSTs in Retrieval[3]
	0	20	20	SSTs in Level Increase Evaluation[4]
	0	19	19	SSTs in Level Decrease Evaluation[5]
	2	2	2	SSTs in Formal Leak Assessment

Abbreviations:
DST double-shell tank
MGAL million gallons
SST single-shell tank

1.1 DESCRIPTION OF CHANGES

Available DST Storage Space: Retrieval of 241-C farm tanks during the month of October added 66 kilogallons to the Double Shell Tanks, in addition to typical condensation and evaporation in the tanks, resulting in a change in total available space from 3,187 kilogallons to 3,127 kilogallons.

Retrieval Operations Complete and Not Approved; SSTS's in Retrieval: 241-C-110 declared "Retrieved completed" on October 30, in letter WRPS-13004353 – *CONTRACT NUMBER DE-AC27-08RV14800 – WASHINGTON RIVER PROTECTION SOLUTIONS LLC COMPLETION OF PERFORMANCE BASED INCENTIVE 2.13 FEE BEARING MILESTONE PBI-2.13.1, COMPLETE HEEL RETRIEVAL OF TANK 241-C-110 – REQUEST FOR INCREMENTAL FEE APPROVAL*

2.0 WASTE TANK STATUS

Table 2-1. Waste Tank Status

Double-Shell Tanks (DST)	28 double-shell	10/1986 - date last DST tank was completed
Single-Shell Tanks (SST)	149 single-shell	1966 - date last SST tank was completed
Assumed Leaking Tanks	63 single-shell 1 double-shell	
Sound Tanks	27 double-shell 86 single-shell	
Interim Stabilized Tanks (IS)	149 single-shell	05/2010 - date last IS occurred
Retrieval in Progress or Completed	15 single-shell	See Table 2-2
Misc. Underground Storage Tanks (MUST) and Special Surveillance Facilities	10 Tanks East Area 7 Tanks West Area	03/2001 - last date a tank was added or removed from MUST list
Inactive Misc. Underground Storage Tanks (IMUST) and Special Surveillance Facilities	18 Tanks East Area 25 Tanks West Area	11/2001 - last date a tank was added or removed from IMUST list (7)

2.1 WASTE TANK STATUS HIGHLIGHTS

Table 2-2. Single-Shell Tanks in Retrieval Status

Tank Number	Status	Comments	Nominal Volume of Remaining Waste (8)	Reference
241-C-101	Complete	Declared "Retrieved to Limit of First and Second Retrieval Technologies," September 25, 2013	5.0 kgal	(9)
241-C-102	In Construction	-	316 kgal	(10)
241-C-103	Complete	Declared "Retrieval Completed," August 23, 2006	2528 gallons	(11)
241-C-104	Complete	Declared "Retrieval Completed" August 17, 2012	1428 gallons	(12)
241-C-105	In Construction	-	132 kgal	(13)
241-C-106	Complete	Declared "Retrieval Completed," December 31, 2003	2770 gallons	(14)
241-C-107	Ongoing	Retrieval in progress – retrieval initiated September 26, 2011	31.2 kgal	(15)
241-C-108	Complete	Declared "Retrieved to Limit of Modified Sluicing Technology" March 22, 2012	3.0 kgal	(16)
241-C-109	Complete	Declared "Retrieved to Limit of Modified Sluicing Technology" September 12, 2012	1210 gallons	(17)
241-C-110	Complete	Declared "Retrieval completed," October 30, 2013	1776 gallons	(18)
241-C-111	Ongoing	Retrieval in progress – retrieval initiated September 14, 2010	32.2 kgal	(19)
241-C-112	Complete	Declared "Retrieved to Limit of Modified Sluicing Technology," April 18, 2012	33.6 kgal	(20)
241-C-201	Complete	Declared "Retrieval Completed," March 23, 2006	144 gallons	(21)
241-C-202	Complete	Declared "Retrieval Completed," August 11, 2005	147 gallons	(22)
241-C-203	Complete	Declared "Retrieval Completed," March 24, 2005	139 gallons	(23)
241-C-204	Complete	Declared "Retrieval Completed," December 11, 2006	134 gallons	(24)
241-S-112	Complete	Declared "Retrieval Completed," March 2, 2007	2389 gallons	(25)

Hanford Federal Facility Agreement and Consent Order (HFFACO) Milestone M-46-21

The U.S. Department of Energy sent a letter (05-TPD-115) to the Department of Ecology on December 15, 2005 stating that the HFFACO Milestone M-46-21 has been completed. The milestone includes completing implementation of double-shell tank space optimization study recommendations and creating sufficient double-shell tank storage to accommodate retrieval and closure demonstrations at tanks C-104, C-106, S-102, S-103, S-105, S-106, and S-112. TPA Change Package M-45-04-01 substantially changed the tank retrieval sequence to eliminate retrieval of S-103, S-105 and S-106. The DST space-saving measures of M-46-21 provide sufficient space to support retrieval of the C farm tanks that are to be retrieved in lieu of S-103, S-105 and S-106.

Tank Leak Volume Estimates

In *Waste Tank Summary Report for Month Ending September 30, 2005*, HNF-EP-0182, Rev. 210, the leak volume estimates were revised per *Tank Farm Vadose Zone Contamination Volume Estimates*, RPP-23405, Rev. 1. The Washington State Department of Ecology has submitted comments on *Tank Farm Vadose Zone Contamination Volume Estimates* and until these comments have been resolved, the previous leak volume estimates have been reinstated.

Subsequent to issuance of RPP-23405, the U.S. Department of Energy and the Washington State Department of Ecology agreed on a process to update leak volume estimates and the conclusions presented in RPP-23405 (DOE-ORP 06-TPD-059). Pursuant to that commitment, RPP-32681, Rev. 1, *Process to Assess Tank Farm Leaks in Support of Retrieval and Closure Planning* established the process to develop estimates of tank farm leak loss inventories. The process is used to assess the source of tank farm leaks when necessary to support tank waste retrieval technology selections, and re-assess and update volume estimates and inventories for previously identified tank leaks. If the results suggest a change to the tank's integrity classification, the Tank Leak Assessment Process TFC-ENG-CHEM-D-42 would be invoked. The bases for revisions to leak volume estimates or for changes to tank integrity resulting from this activity are footnoted after table 4-3.

DST Space Gains

OSD-T-151-00007 *Operating Specification for Double-Shell Storage Tanks,* has updated the operating limits in the double-shell tanks. Per RPP-CALC-33163 Rev. 0 and RPP-13019 Rev. 0, all tank farms currently assume the Maximum Operating Limit, which results in space gains of 437 Kgal.

This page intentionally left blank.

3.0 DOUBLE-SHELL TANKS MONTHLY SUMMARY TABLES

Table 3-1. Inventory and Status by Tanks - Double-Shell Tanks

All volume data obtained from Tank Waste Information Network System (TWINS)

					Waste Volumes			
Tank	Tank Integrity	Tank Level (inches)	Total Waste (Kgal)	Available Space (Kgal)	Supernatant Liquid (Kgal)	Sludge (Kgal)	Saltcake (Kgal)	Solids Volume Update
241-AN TANK FARM STATUS								
AN-101	SOUND	291	799	361	374	394	31	09/12/13
AN-102	SOUND	390	1072	88	918	0	154	05/21/06
AN-103	SOUND	350	963	197	477	0	486	09/30/09
AN-104	SOUND	382	1051	109	608	0	443	07/01/02
AN-105	SOUND	410	1128	32	592	0	536	09/24/09
AN-106	SOUND	264	727	433	271	439	17	10/16/13
AN-107	SOUND	392	1079	81	838	0	241	04/01/10
7 TANKS - TOTAL			6819	1301	4078	833	1908	
241-AP TANK FARM STATUS								
AP-101	SOUND	450	1236	21	1203	0	33	07/01/11
AP-102	SOUND	415	1140	20	1112	28	0	07/01/07
AP-103	SOUND	448	1233	24	1181	0	52	10/01/08
AP-104	SOUND	194	534	626	434	0	100	07/01/11
AP-105	SOUND	453	1246	11	1141	0	105	10/01/07
AP-106	SOUND	411	1131	29	1131	0	0	10/17/02
AP-107	SOUND	160	441	719	441	0	0	04/02/08
AP-108	SOUND	451	1241	16	1129	0	112	07/01/08
8 TANKS - TOTAL			8202	1466	7772	28	402	
241-AW TANK FARM STATUS								
AW-101	SOUND	412	1132	28	736	0	396	01/31/03
AW-102	SOUND	315	867	293	815	52	0	04/01/10
AW-103	SOUND	394	1082	78	762	280	40	03/03/09
AW-104	SOUND	384	1057	103	803	97	157	01/01/08
AW-105	SOUND	147	403	757	155	248	0	03/03/09
AW-106	SOUND	414	1137	23	873	0	264	10/01/11
6 TANKS - TOTAL			5678	1282	4144	677	857	
241-AY TANK FARM STATUS								
AY-101	SOUND	359	986	32	881	105	0	01/05/09
AY-102	ASMD LKR - PRI TNK	294	809	209	658	151	0	01/06/09
2 TANKS - TOTAL			1795	241	1539	256	0	
241-AZ TANK FARM STATUS								
AZ-101	SOUND	305	838	180	786	52	0	09/11/08
AZ-102	SOUND	361	992	26	887	105	0	11/01/08
2 TANKS - TOTAL			1830	206	1673	157	0	
241-SY TANK FARM STATUS								
SY-101	SOUND	406	1117	43	862	0	255	04/01/08
SY-102	SOUND	205	563	597	364	199	0	10/01/10
SY-103	SOUND	267	734	426	380	0	354	09/25/13
3 TANKS - TOTAL			2414	1066	1606	199	609	

Notes:
1 Kgal differences are the result of computer rounding.
Supernatant + Sludge (includes liquid) + Saltcake (includes liquid) = Total Waste.
Available Space Volumes include restricted space.
Tanks AN-103, AN-104, AN-105, AW-101, SY-101 and SY-103 contain retained gas in the saltcake.
Solids Volume Update lists the last verified date when the Sludge or Saltcake volume in the tank changed or was measured for changes.

Table 3-2. Double-Shell Tank Space Allocation, Inventory and Waste Receipts (all volumes in Kilogallons)

TOTAL DST CAPACITY	
TOTAL=	32,300 kgal

TOTAL DST WASTE INVENTORY	
INVENTORY ON 10/31/13	26,738 kgal
INVENTORY ON 09/30/13	26,686 kgal
CHANGE =	52 kgal

ALLOCATION OF REMAINING DST SPACE	
TOTAL DST CAPACITY (*) =	32,300 kgal
WASTE INVENTORY =	-26,738 kgal
RESTRICTED USAGE SPACE (**) =	-1,170 kgal
EMERGENCY SPACE ALLOCATION (***) =	-1,265 kgal
AVAILABLE SPACE =	3,127 kgal

(*) Assumes Maximum Operating Limits per OSD-T-151-00007: AN, AW, SY farms = 422", AP farm = 422", except AP-101, AP-103, AP-105 and AP-108 = 458"; AY, AZ farms = 370". Volumes at maximum operating limit from RPP-CALC-33163 Rev. 0 and RPP-13019 Rev. 0.

(**) Restricted space associated with flammable gas Waste Group A and tanks controlled for waste feed delivery per Feed Control List, HNF-SD-WM-OCD-015, Tank Farms Waste Transfer Compatibility report. These tanks are: AN-102, -103, -104, -105, -107; AW-101; AY-102; and SY-103.

(***) Includes 1265 Kilogallons emergency space allocation per HNF-3484 Rev. 10 and emergency WTP returns per 24950-WTP-ICD-MG-019, Rev. 4, ICD 19 - Interface Control Document for Waste Feed.

OCTOBER DST WASTE RECEIPTS					
FACILITY GENERATIONS		OTHER GAINS ASSOCIATED WITH		OTHER LOSSES ASSOCIATED WITH	
TANK FARMS	0 kgal	AZ-301 CONDENSATE	7 kgal	242-A EVAPORATOR WVR (a)	0 kgal
242-A EVAPORATOR	0 kgal	INSTRUMENTATION (b)	0 kgal	INSTRUMENTATION (b)	3 kgal
C-110 RETRIEVAL	66 kgal	MISCELLANEOUS (c)	0 kgal	MISCELLANEOUS (c)	0 kgal
		THERMAL EXPANSION (d)	0 kgal	WASTE EVAPORATION	18 kgal
TOTAL =	66 kgal	TOTAL=	7 kgal	TOTAL=	21 kgal

(a) 242-A EVAPORATOR WVR is total (before flush) waste volume reduction for 242-A Evaporator
(b) Adjustments due to instrumentation recalibrations and/or instrument flushing
(c) Adjustments for gas retention and release from Waste Group A tanks
(d) Adjustments for thermal expansion of liquids inside tanks
(e) A negative value for a retrieval number indicates the net total of retrieval and pumping of supernatant liquid back into the SST for soak of hard-heel solids

DST NET WASTE INVENTORY CHANGE					
DATE	FACILITY GENERATION	GAINS	REDUCTIONS	NET WASTE VOLUME CHANGE	TOTAL DST WASTE INVENTORY
10/13	66 kgal	7 kgal	21 kgal	52 kgal	26,738 kgal

4.0 SINGLE SHELL TANKS MONTHLY SUMMARY TABLES

4.1

Table 4-1. Inventory and Status by Tanks - Single-Shell Tanks

All volume data obtained from Tank Waste Information Network System (TWINS)

				Waste Volumes (26)							
Tank Number	Tank Integrity	Tank Status	Total Waste (Kgal)	Super-natant Liquid (Kgal)	Drainable Interstitial Liquid (Kgal)	Pumped this Month (Kgal)	Total Pumped (Kgal)	Drainable Liquid Remaining (Kgal)	Sludge (Kgal)	Salt-cake (Kgal)	Solids Volume Update
241-A TANK FARM STATUS											
A-101	SOUND	IS/IP(27)	320	0	37	0	543	37	3	317	06/30/04
A-102	SOUND	IS	40	3	9	0	40	12	0	37	01/31/03
A-103	SOUND (28)	IS/IP	378	4	86	0	111	90	2	372	07/01/05
A-104	ASMD LKR	IS/IP	28	0	0	0	0	0	28	0	01/27/78
A-105	ASMD LKR	IS/IP	37	0	0	0	0	0	37	0	10/31/00
A-106	SOUND	IS/IP	79	0	9	0	0	9	50	29	01/01/02
6 TANKS - TOTAL			882	7					120	755	
241-AX TANK FARM STATUS											
AX-101	SOUND	IS	358	0	44	0	369	44	3	355	12/31/03
AX-102	ASMD LKR	IS/IP	30	0	0	0	13	0	6	24	01/01/02
AX-103	SOUND	IS/IP	107	0	22	0	0	22	8	99	09/30/03
AX-104	ASMD LKR	IS/IP	7	0	0	0	0	0	7	0	01/01/02
4 TANKS - TOTAL			502	0					24	478	
241-B TANK FARM STATUS											
B-101	ASMD LKR	IS/IP	109	0	20	0	0	20	28	81	01/01/02
B-102	SOUND	IS/IP	32	4	7	0	0	11	0	28	06/30/99
B-103	ASMD LKR	IS/IP	56	0	10	0	0	10	1	55	01/01/02
B-104	SOUND	IS/IP	374	0	45	0	0	45	309	65	01/01/02
B-105	ASMD LKR	IS/IP	290	0	20	0	0	20	28	262	01/01/02
B-106	SOUND	IS/IP	123	1	8	0	0	9	122	0	12/31/03
B-107	ASMD LKR	IS/IP	161	0	23	0	0	23	86	75	01/01/02
B-108	SOUND	IS/IP	92	0	19	0	0	19	27	65	06/30/04
B-109	SOUND	IS/IP	126	0	23	0	0	23	50	76	10/01/05
B-110	ASMD LKR	IS/IP	245	1	27	0	0	28	244	0	01/01/02
B-111	ASMD LKR	IS/IP	242	1	23	0	0	24	241	0	01/01/02
B-112	ASMD LKR	IS/IP	35	3	2	0	0	5	15	17	01/01/02
B-201	ASMD LKR	IS/IP	29	0	5	0	0	5	29	0	07/01/04
B-202	SOUND	IS/IP	28	0	4	0	0	4	28	0	07/01/04
B-203	ASMD LKR	IS/IP	50	1	5	0	0	6	49	0	07/01/04
B-204	ASMD LKR	IS/IP	50	1	5	0	0	6	49	0	07/01/05
16 TANKS - TOTAL			2042	12					1306	724	
241-BX TANK FARM STATUS											
BX-101	ASMD LKR	IS/IP	48	0	4	0	0	4	48	0	01/01/02
BX-102	ASMD LKR	IS/IP	79	0	0	0	0	0	79	0	06/30/04
BX-103	SOUND	IS/IP	75	13	4	0	0	17	62	0	01/01/83
BX-104	SOUND	IS/IP	100	3	4	0	17	7	97	0	01/01/02
BX-105	SOUND	IS/IP	72	5	4	0	15	9	42	25	01/01/05
BX-106	SOUND	IS/IP	38	0	4	0	14	4	10	28	01/01/05
BX-107	SOUND	IS/IP	347	0	37	0	23	37	347	0	09/18/90
BX-108	ASMD LKR	IS/IP	31	0	4	0	0	4	31	0	01/31/01
BX-109	SOUND	IS/IP	193	0	25	0	8	25	193	0	09/17/90
BX-110	ASMD LKR	IS/IP	214	1	35	0	2	36	65	148	08/25/05
BX-111	ASMD LKR	IS/IP	188	0	6	0	117	6	32	156	08/25/05
BX-112	SOUND	IS/IP	164	1	9	0	4	10	163	0	01/01/02
12 TANKS - TOTAL			1549	23					1169	357	

Table 4-1. Inventory and Status by Tanks - Single-Shell Tanks

All volume data obtained from Tank Waste Information Network System (TWINS)

				Waste Volumes (26)							
Tank Number	Tank Integrity	Tank Status	Total Waste (Kgal)	Super-natant Liquid (Kgal)	Drainable Interstitial Liquid (Kgal)	Pumped this Month (Kgal)	Total Pumped (Kgal)	Drainable Liquid Remaining (Kgal)	Sludge (Kgal)	Salt-cake (Kgal)	Solids Volume Update
241-BY TANK FARM STATUS											
BY-101	SOUND	IS/IP	370	0	24	0	36	24	37	333	01/01/02
BY-102	SOUND	IS	278	0	40	0	159	40	0	278	08/25/05
BY-103	ASMD LKR	IS	414	0	55	0	96	55	9	405	07/01/05
BY-104	SOUND	IS/IP	405	0	44	0	330	44	46	359	01/01/02
BY-105	ASMD LKR	IS	481	0	47	0	45	47	48	433	03/31/03
BY-106	ASMD LKR	IS	430	0	37	0	99	37	32	398	12/31/03
BY-107	ASMD LKR	IS/IP	271	0	42	0	56	42	15	256	07/01/05
BY-108	ASMD LKR	IS/IP	222	0	33	0	28	33	40	182	01/01/02
BY-109	SOUND	IS	287	0	37	0	157	37	24	263	06/30/04
BY-110	SOUND	IS/IP	366	0	20	0	213	20	43	323	01/01/02
BY-111	SOUND	IS/IP	402	0	14	0	313	14	0	402	08/25/05
BY-112	SOUND	IS/IP	286	0	24	0	116	24	2	284	03/31/02
12 TANKS - TOTAL			4212	0					296	3916	
241-C TANK FARM STATUS											
C-101	ASMD LKR	RC	5	Retrieved to the limit of first and second retrieval technologies 9/25/13 – See Footnote (9)					4	0	09/12/13
C-102	SOUND	IS/IP	319	3	62	0	47	62	316	0	09/30/95
C-103	SOUND	RC	3	Retrieval Completed 08/26/06 – See Footnote (11)					2	0	08/26/06
C-104	SOUND	RC	2	Retrieval Completed 08/17/12 – See Footnote (12)					1	0	08/17/12
C-105	ASMD LKR (29)	IS	132	0	10	0	0	10	132	0	02/29/00
C-106	SOUND	RC	3	Retrieval Completed 12/31/03 – See Footnote (14)					3	0	02/26/04
C-107	SOUND	R	35	Retrieval in progress – See Footnote (15)					27	0	07/05/13
C-108	SOUND	RC	3	Retrieved to Limit of Modified Sluicing Technology 3/22/12 – See Footnote (16)					3	0	01/01/13
C-109	SOUND	RC	1	Retrieved to Limit of Modified Sluicing Technology 9/12/12 – See Footnote (17)					1	0	09/12/12
C-110	SOUND (30)	R	2	Retrieval Completed 10/30/13– See Footnote (18)					1	0	10/21/13
C-111	SOUND (31)	R	32	Retrieval in progress – See Footnote (19)					32	0	06/30/04
C-112	SOUND	R	34	Retrieved to Limit of Modified Sluicing Technology 4/18/12 – See Footnote (20)					34	0	04/18/12
C-201	ASMD LKR	RC	0	Retrieval Completed 03/23/06 – See Footnote (21)					0	0	04/27/06
C-202	ASMD LKR	RC	0	Retrieval Completed 08/11/05 – See Footnote (22)					0	0	08/11/05
C-203	ASMD LKR	RC	0	Retrieval Completed 03/24/05 – See Footnote (23)					0	0	3/24/05
C-204	ASMD LKR	RC	0	Retrieval Completed 12/11/06 – See Footnote (24					0	0	12/13/06
16 TANKS - TOTAL			571	14					556	0	
241-S TANK FARM STATUS											
S-101	SOUND	IS	352	0	45	0	67	45	235	117	04/30/04
S-102	SOUND	IS (32)	93	2	5	0	0	8	22	69	10/01/10
S-103	SOUND	IS (33)	237	1	45	0	24	46	9	227	06/30/04
S-104	ASMD LKR	IS/IP (27)	288	0	49	0	0	49	132	156	12/20/84
S-105	SOUND	IS/IP (33)	406	0	42	0	114	42	2	404	01/01/02
S-106	SOUND	IS (33)	455	0	26	0	204	26	0	455	02/28/01
S-107	SOUND	IS	358	0	42	0	83	42	320	38	02/26/04
S-108	SOUND	IS	550	0	4	0	200	4	5	545	01/01/02
S-109	SOUND	IS	533	0	16	0	34	16	13	520	07/01/04
S-110	SOUND	IS	389	0	30	0	203	30	96	293	07/01/04
S-111	SOUND	IS (27)	401	0	42	0	100	42	76	325	07/01/04
S-112	SOUND	RC	2	Retrieval Completed 03/02/07 – See Footnote (25)				0	2	0	03/02/07
12 TANKS - TOTAL			4064	3					912	3149	

Table 4-1. Inventory and Status by Tanks - Single-Shell Tanks

All volume data obtained from Tank Waste Information Network System (TWINS)

				Waste Volumes (26)							
Tank Number	Tank Integrity	Tank Status	Total Waste (Kgal)	Super-natant Liquid (Kgal)	Drainable Interstitial Liquid (Kgal)	Pumped this Month (Kgal)	Total Pumped (Kgal)	Drainable Liquid Remaining (Kgal)	Sludge (Kgal)	Salt-cake (Kgal)	Solids Volume Update
241-SX TANK FARM STATUS											
SX-101	SOUND	IS	420	0	44	0	33	45	144	276	06/30/04
SX-102	SOUND	IS	342	0	37	0	98	37	55	287	08/31/04
SX-103	SOUND	IS	509	0	40	0	134	40	78	431	09/30/03
SX-104	SOUND (34)	IS/IP	446	0	48	0	231	48	136	310	04/30/00
SX-105	SOUND	IS	375	0	39	0	153	39	63	312	12/31/02
SX-106	SOUND	IS	396	0	37	0	148	37	0	396	01/31/03
SX-107	ASMD LKR	IS/IP	94	0	7	0	0	7	94	0	07/01/04
SX-108	ASMD LKR	IS/IP	74	0	0	0	0	0	74	0	06/30/04
SX-109	ASMD LKR	IS/IP	241	0	0	0	0	0	66	175	07/01/04
SX-110	SOUND (35)	IS/IP	56	0	0	0	0	0	49	7	07/01/04
SX-111	ASMD LKR	IS/IP	115	0	11	0	0	11	97	18	07/01/04
SX-112	ASMD LKR	IS/IP	75	0	6	0	0	6	75	0	07/01/04
SX-113	ASMD LKR	IS/IP	19	0	0	0	0	0	19	0	01/01/02
SX-114	ASMD LKR	IS/IP	155	0	30	0	0	30	126	29	07/01/04
SX-115	ASMD LKR	IS/IP	4	0	0	0	0	0	4	0	01/01/02
15 TANKS - TOTAL			3321	0					1080	2241	
241-T TANK FARM STATUS											
T-101	ASMD LKR	IS	99	0	16	0	25	16	37	62	06/30/04
T-102	SOUND	IS/IP	32	13	3	0	0	16	19	0	08/31/84
T-103	ASMD LKR	IS/IP	27	4	4	0	0	8	23	0	10/01/04
T-104	SOUND	IS	317	0	31	0	150	31	317	0	11/30/99
T-105	SOUND	IS/IP	98	0	5	0	0	5	98	0	05/29/87
T-106	ASMD LKR	IS/IP	22	0	0	0	0	0	22	0	01/01/01
T-107	ASMD LKR	IS	173	0	34	0	11	34	173	0	05/31/96
T-108	ASMD LKR	IS/IP	16	0	4	0	0	4	5	11	01/01/01
T-109	ASMD LKR	IS/IP	62	0	11	0	0	11	0	62	01/01/02
T-110	SOUND	IS	370	1	48	0	50	49	369	0	03/31/02
T-111	ASMD LKR	IS	447	0	38	0	10	38	447	0	01/01/02
T-112	SOUND	IS/IP	67	7	4	0	0	11	60	0	04/28/82
T-201	SOUND	IS/IP	30	2	4	0	0	6	28	0	07/01/04
T-202	SOUND	IS/IP	20	0	3	0	0	3	20	0	07/01/04
T-203	SOUND	IS/IP	36	0	5	0	0	5	36	0	07/01/04
T-204	SOUND	IS/IP	36	0	5	0	0	5	36	0	07/01/04
16 TANKS - TOTAL			1852	27					1690	135	
241-TX TANK FARM STATUS											
TX-101	SOUND	IS/IP	87	0	7	0	0	7	74	13	10/01/11
TX-102	SOUND	IS/IP	217	0	27	0	94	27	2	215	03/31/03
TX-103	SOUND	IS/IP	145	0	18	0	68	18	0	145	01/01/02
TX-104	SOUND	IS/IP	69	2	9	0	4	11	34	33	06/30/04
TX-105	ASMD LKR	IS/IP	571	0	25	0	122	25	11	560	10/01/11
TX-106	SOUND	IS/IP	348	0	37	0	135	37	5	343	03/31/02
TX-107	ASMD LKR	IS/IP	30	0	7	0	0	7	0	30	01/31/03
TX-108	SOUND	IS/IP	127	0	8	0	14	8	6	121	06/30/04
TX-109	SOUND	IS/IP	359	0	6	0	72	6	359	0	10/01/11
TX-110	ASMD LKR	IS/IP	467	0	14	0	115	14	37	430	01/01/02
TX-111	SOUND	IS/IP	364	0	10	0	98	10	43	321	06/30/04
TX-112	SOUND	IS/IP	634	0	26	0	94	26	0	634	01/01/02
TX-113	ASMD LKR	IS/IP	638	0	18	0	19	18	93	545	06/30/04
TX-114	ASMD LKR	IS/IP	532	0	17	0	104	17	4	528	01/01/02
TX-115	ASMD LKR	IS/IP	553	0	25	0	99	25	8	545	06/30/04
TX-116	ASMD LKR	IS/IP	599	0	21	0	24	21	66	533	04/30/03
TX-117	ASMD LKR	IS/IP	626	0	10	0	54	10	29	597	04/01/11
TX-118	SOUND	IS/IP	247	0	31	0	89	31	0	247	06/30/04
18 TANKS - TOTAL			6613	2					771	5840	

Table 4-1. Inventory and Status by Tanks - Single-Shell Tanks

All volume data obtained from Tank Waste Information Network System (TWINS)

				Waste Volumes (26)							
Tank Number	Tank Integrity	Tank Status	Total Waste (Kgal)	Super-natant Liquid (Kgal)	Drainable Interstitial Liquid (Kgal)	Pumped this Month (Kgal)	Total Pumped (Kgal)	Drainable Liquid Remaining (Kgal)	Sludge (Kgal)	Salt-cake (Kgal)	Solids Volume Update
241-TY TANK FARM STATUS											
TY-101	ASMD LKR	IS/IP	118	0	2	0	8	2	72	46	04/01/08
TY-102	SOUND	IS/IP	69	0	13	0	7	13	0	69	01/01/02
TY-103	ASMD LKR	IS/IP	154	0	23	0	12	23	103	51	06/30/04
TY-104	ASMD LKR	IS/IP	44	1	4	0	0	5	43	0	03/31/02
TY-105	ASMD LKR	IS/IP	231	0	12	0	4	12	231	0	04/28/82
TY-106	ASMD LKR	IS/IP	16	0	1	0	0	1	16	0	01/01/02
6 TANKS - TOTALS			632	1					465	166	
241-U TANK FARM STATUS											
U-101	ASMD LKR	IS/IP	23	0	4	0	0	4	23	0	06/30/04
U-102	SOUND	IS	327	1	37	0	87	38	43	283	12/31/02
U-103	SOUND	IS	417	1	33	0	99	34	11	405	01/01/05
U-104	ASMD LKR	IS/IP	54	0	0	0	0	0	54	0	01/01/02
U-105	SOUND	IS	353	0	44	0	88	44	32	321	03/30/01
U-106	SOUND	IS	170	2	36	0	39	39	0	168	06/30/04
U-107	SOUND	IS	294	0	32	0	135	32	15	279	12/31/03
U-108	SOUND	IS	434	0	46	0	115	46	29	405	09/30/04
U-109	SOUND	IS	401	0	47	0	78	47	35	366	04/30/02
U-110	ASMD LKR	IS	176	0	16	0	0	16	176	0	01/01/02
U-111	SOUND	IS	222	0	31	0	86	31	26	196	08/31/03
U-112	ASMD LKR	IS/IP	45	0	4	0	0	4	45	0	02/10/84
U-201	SOUND	IS/IP	4	1	1	0	0	2	3	0	06/30/03
U-202	SOUND	IS/IP	4	1	0	0	0	1	3	0	06/30/03
U-203	SOUND	IS/IP	3	1	0	0	0	1	2	0	06/30/03
U-204	SOUND	IS/IP	3	1	0	0	0	1	2	0	06/30/03
16 TANKS - TOTALS			2930	8					499	2423	

Note: +/- 1 Kgal difference in volumes is due to rounding.
Tank farm totals do not include volumes from tanks in retrieval

Tank Integrity:
ASMD LKR – Assumed Leaker
ASMD LKR PRI TNK – Assumed Leaker – Primary Tank
SOUND – Sound Tank

Tank Status:
IS – Interim Stabilized
IP – Intrusion Prevention
R – Tank in Retrieval
RC – Tank Retrieval Completed

4.1 INTERIM STABILIZATION STATUS

The following table includes the interim stabilization status for the 149 SSTs. Footnotes to the table can be found in section 6.1.

Table 4-2. Single-Shell Tanks Interim Stabilization Status

Tank Number	Interim Stabilization Date (36)	Interim Stabilization Method	Tank Number	Interim Stabilization Date (36)	Interim Stabilization Method
A-101	11/13	JET (41)	BY-107	07/79	JET
A-102	08/89	SN	BY-108	02/85	JET
A-103	06/88	AR (39)	BY-109	07/97	JET
A-104	09/78	AR (40)	BY-110	01/85	JET
A-105	07/79	AR	BY-111	01/85	JET
A-106	08/82	AR	BY-112	06/84	JET
AX-101	06/13	JET (41)	C-101	Retrieved to limit of technology 9/25/13	
AX-102	09/88	SN	C-102	09/95	JET (37)
AX-103	08/87	AR	C-103	Retrieval Completed 8/26/06(41)	
AX-104	08/81	AR	C-104	Retrieval Completed 8/17/12	
B-101	03/81	SN	C-105	10/95	AR
B-102	08/85	SN	C-106	Retrieval Completed 12/31/03	
B-103	02/85	SN	C-107	09/95	JET
B-104	06/85	SN	C-108	Retrieved to limit of technology 3/22/12	
B-105	12/84	AR	C-109	Retrieved to limit of technology 9/12/12	
B-106	03/85	SN	C-110	Retrieval completed10/30/13	
B-107	03/85	SN	C-111	03/84	SN
B-108	05/85	SN	C-112	Retrieved to limit of technology 4/18/12	
B-109	04/85	SN	C-201	Retrieval Completed 03/23/06	
B-110	12/84	AR	C-202	Retrieval Completed 08/11/05	
B-111	06/85	SN	C-203	Retrieval Completed 03/24/05	
B-112	05/85	SN	C-204	Retrieval Completed 12/11/06	
B-201	08/81	AR (40)	S-101	12/13	JET (41)
B-202	05/85	AR (38)	S-102	05/13	AR (41, 42)
B-203	06/84	AR	S-103	04/00	JET (41)
B-204	06/84	AR	S-104	12/84	AR
BX-101	09/78	AR (40)	S-105	09/88	JET
BX-102	11/78	AR	S-106	02/13	JET (41)
BX-103	11/83	AR (37, 40)	S-107	08/13	JET (41)
BX-104	09/89	SN	S-108	12/96	JET
BX-105	03/81	SN	S-109	06/13	JET (41)
BX-106	07/95	SN	S-110	01/97	JET
BX-107	09/90	JET	S-111	05/13	Jet (41)
BX-108	07/79	SN	S-112	Retrieval Completed 3/2/07 (41)	
BX-109	08/90	JET	SX-101	08/13	JET (41)
BX-110	08/85	SN	SX-102	08/13	JET (41)
BX-111	03/95	JET	SX-103	05/13	JET (41)
BX-112	09/90	JET	SX-104	04/00	JET (41)
BY-101	05/84	JET	SX-105	08/13	JET (41)
BY-102	04/95	JET	SX-106	05/00	JET (41)
BY-103	11/97	JET (37)	SX-107	10/79	AR
BY-104	01/85	JET	SX-108	08/79	AR
BY-105	03/13	JET (41)	SX-109	05/81	AR
BY-106	12/13	JET (41)	SX-110	08/79	AR

Table 4-2. Single-Shell Tanks Interim Stabilization Status

Tank Number	Interim Stabilization Date (36)	Interim Stabilization Method	Tank Number	Interim Stabilization Date (36)	Interim Stabilization Method
SX-111	07/79	SN	TX-111	04/83	JET
SX-112	07/79	AR	TX-112	04/83	JET
SX-113	11/78	AR	TX-113	04/83	JET
SX-114	07/79	AR	TX-114	04/83	JET
SX-115	09/78	AR (40)	TX-115	09/83	JET
T-101	04/93	SN	TX-116	04/83	JET
T-102	03/81	AR (37, 40)	TX-117	03/83	JET
T-103	11/83	AR	TX-118	04/83	JET
T-104	11/99	JET (41)	TY-101	04/83	JET
T-105	06/87	AR	TY-102	09/79	AR
T-106	08/81	AR	TY-103	02/83	JET
T-107	05/96	AR	TY-104	11/83	AR
T-108	11/78	AR	TY-105	02/83	JET
T-109	12/84	AR	TY-106	11/78	AR
T-110	01/00	JET (41)	U-101	09/79	AR
T-111	02/95	JET	U-102	06/13	JET (41)
T-112	03/81	AR (37, 40)	U-103	09/00	JET (41)
T-201	04/81	AR (40)	U-104	10/78	AR
T-202	08/81	AR	U-105	03/13	JET (41)
T-203	04/81	AR	U-106	03/13	JET (41)
T-204	08/81	AR	U-107	10/13	JET (41)
TX-101	02/84	AR	U-108	03/13	JET (41)
TX-102	04/83	JET	U-109	04/13	JET (41)
TX-103	08/83	JET	U-110	12/84	AR
TX-104	09/79	SN	U-111	06/13	JET (41)
TX-105	04/83	JET	U-112	09/79	AR
TX-106	06/83	JET	U-201	08/79	AR
TX-107	10/79	AR	U-202	08/79	SN
TX-108	03/83	JET	U-203	08/79	AR
TX-109	04/83	JET	U-204	08/79	SN
TX-110	04/83	JET			

Table 4-2 Legend:

AR	Administratively Interim Stabilized
JET	Saltwell Jet Pumped to Remove Drainable Interstitial Liquid
SN	Supernatant Pumped (Non-Jet Pumped)

Interim Stabilized Single-Shell Tanks	149
Total Single-Shell Tanks	149

4.2 LEAK VOLUME ESTIMATES

The following table includes the most recent officially published estimates of leak volumes for the DST and SSTs which have known or suspected leaks. Entries crossed off the table are tanks which were assumed to have leaked but are now evaluated as sound. They are included solely for historical purposes. Footnotes to the table can be found in section 6.1, while references can be located in section 6.2.

Table 4-3. Tank Leak Volume Estimates

Tank Number	Assumed Leaker (45)	Estimated Leak Volume Gallons (44)	Interim Stabilized (51)	Leak Estimate	
				Updated	Reference
~~241-A-103 (56)~~	~~1987~~	~~5500 (49)~~	~~06/88~~	~~1987~~	~~(j)~~
241-A-104 (56)	1975	500 to 2500	09/78	1983	(a)(p)
241-A-105 (43)(56)	1963	10000 to 270000	07/79	1991	(b)(c)
241-AX-102 (56)	1988	3000 (49)	09/88	1989	(h)
241-AX-104 (56)	1977	-- (48)	08/81	1989	(g)
241-AY-102 (59)	2012	190 to 520 (59)	N/A	N/A	N/A
241-B-101	1974	-- (48)	03/81	1989	(g)
241-B-103	1978	-- (48)	02/85	1989	(g)
241-B-105	1978	-- (48)	12/84	1989	(g)
241-B-107	1980	8000 (49)	03/85	1986	(d)(f)
241-B-110	1981	10000 (49)	03/85	1986	(d)(f)
241-B-111	1978	-- (48)	06/85	1989	(g)
241-B-112	1978	2000	05/85	1989	(g)
241-B-201	1980	1200 (49)	08/81	1984	(e)(f)
241-B-203	1983	300 (49)	06/84	1986	(d)
241-B-204	1984	400 (49)	06/84	1989	(g)
241-BX-101	1972	-- (48)	09/78	1989	(g)
241-BX-102	1971	70000	11/78	1986	(d)
241-BX-108	1974	2500	07/79	1986	(d)
241-BX-110	1976	-- (48)	08/85	1989	(g)
241-BX-111	1984 (11)	-- (48)	03/95	1993	(g)
241-BY-103	1973	<5000	11/97	1983	(a)
241-BY-105	1984	-- (48)	03/03	1989	(g)
241-BY-106	1984	-- (48)	N/A	1989	(g)
241-BY-107	1984	15100 (49)	07/79	1989	(g)
241-BY-108	1972	<5000	02/85	1983	(a)
241-C-101 (55)	1980	20000 (49)(50)	11/83	1986	(d)(f)
241-C-105	2013 (60)	<2000 (55)	10/95	2010	(t)
~~241-C-110 (55)~~	~~1984~~	~~2000~~	~~05/95~~	~~1989~~	~~(g)~~
~~241-C-111 (55)~~	~~1968~~	~~5500 (49)~~	~~03/84~~	~~1989~~	~~(g)~~
241-C-201 (46)	1988	550	03/82	1987	(i)
241-C-202 (46)	1988	450	08/81	1987	(i)
241-C-203	1984	400 (49)	03/82	1986	(d)
241-C-204 (46)	1988	350	09/82	1987	(i)
241-S-104	1968	24000 (49)	12/84	1989	(g)
~~241-SX-104 (57)~~	~~1988~~	~~6000 (49)~~	~~04/00~~	~~1988~~	~~(k)~~
241-SX-107 (57)	1964	<5000	10/79	1983	(a)
241-SX-108 (47)(54)(57)	1962	2400 to 35000	08/79	1991	(l)(p)(s)
241-SX-109 (47)(54)(57)	1965	<10000	05/81	1992	(m)(s)
~~241-SX-110 (57)~~	~~1976~~	~~5500 (49)~~	~~08/79~~	~~1989~~	~~(f)(g)~~
241-SX-111 (54)(57)	1974	500 to 2000	07/79	1986	(d)(s)

Table 4-3. Tank Leak Volume Estimates

Tank Number	Assumed Leaker (45)	Estimated Leak Volume Gallons (44)	Interim Stabilized (51)	Leak Estimate	
				Updated	Reference
241-SX-112 (54)(57)	1969	30000	07/79	1986	(d)(s)
241-SX-113 (57)	1962	15000	11/78	1986	(d)
241-SX-114 (57)	1972	-- (48)	07/79	1989	(g)
241-SX-115 (57)	1965	50000	09/78	1992	(n)
241-T-101	1992	7500 (49)	04/93	1992	(o)
241-T-103	1974	<1000 (49)	11/83	1989	(g)
241-T-106	1973	115000 (49)	08/81	1986	(d)(f)
241-T-107	1984	-- (48)	05/96	1989	(g)
241-T-108	1974	<1000 (49)	11/78	1980	(f)
241-T-109	1974	<1000 (49)	12/84	1989	(g)
241-T-111	1979, 1994 (52)	<3100 (49)	02/95	1994	(f)(r)(u)
241-TX-105	1977	-- (48)	04/83	1989	(g)
241-TX-107 (47)	1984	2500	10/79	1986	(d)
241-TX-110	1977	-- (48)	04/83	1989	(g)
241-TX-113	1974	-- (48)	04/83	1989	(g)
241-TX-114	1974	-- (48)	04/83	1989	(g)
241-TX-115	1977	-- (48)	09/83	1989	(g)
241-TX-116	1977	-- (48)	04/83	1989	(g)
241-TX-117	1977	-- (48)	03/83	1989	(g)
241-TY-101(58)	1973	<1000 (49)	04/83	1980	(f)
241-TY-103(58)	1973	3000	02/83	1986	(d)
241-TY-104(58)	1981	1400 (49)	11/83	1986	(d)
241-TY-105(58)	1960	35000	02/83	1986	(d)
241-TY-106(58)	1959	20000	11/78	1986	(d)
241-U-101	1959	30000	09/79	1986	(d)
241-U-104	1961	55000	10/78	1986	(d)
241-U-110	1975	5000 to 8100 (49)	12/84	1986	(d)(f)(p)
241-U-112	1980	8500 (49)	09/79	1986	(d)(f)
64 Tanks					

5.0 MISCELLANEOUS UNDERGROUND STORAGE TANKS AND SPECIAL SURVEILLANCE FACILITIES

Table 5-1. East and West Area Miscellaneous Underground Storage Tanks and Special Surveillance Facilities (61).

Facility	Location	Receives Waste From:	Waste (Gallons)	Monitored By:	Remarks
EAST AREA					
204-AR	W of A Farm Complex	Liquid waste from 100-Area, 300-Area Rail and Truck Tankers	290	SACS/WTF/Manual	Out of service (69)
209-E-TK-111	209 E Bldg.	Decon Catch Tank	Unknown	NM	Removed from service 1988
241-A-302-A	A Farm	A-151 DB	661	SACS/ENRAF/TMACS	
241-A-302-B	A Farm	A-152 DB	6265	SACS/MT	Isolated 1985, Project B-138, Interim Stabilized 1990, rain intrusion
241-AX-151 (5 tanks)	N. of PUREX	PUREX	Unknown	NM	Isolated 1985 (68)
241-AX-152	AX Farm	AX-152 DB	26	SACS/MT	Declared Assumed Leaker, pumped to AY-102, 03/2001 (77)
241-AZ-151	AZ Farm	AZ-702 Condensate	1399	SACS/ENRAF/TMACS	Out-of-service 6/05. Isolated 6/06. (M-48-07)
241-AZ-154	AZ Farm		25	Zip Cord	Not monitored after 05/06
241-AZ-301 (71)	AZ Farm	AZ-702 Condensate	N/A	SACS/ENRAF/TMACS	Volume changes daily - pumped to AY-101 as needed
241-B-301-B	B Farm	B-151, 152, 153, 252 DB	22250	NM	Isolated 1985 (62)
241-B-302-B	B Farm	B-154 DB	4930	NM	Isolated 1985 (62)
241-BX-302-A	BX Farm	BR-152, BX-153, BXR-152, BYR-152 DB	840	NM	Isolated 1985 (62)
241-BX-302-B	BX Farm	BX-154 DB	1040	NM	Isolated 1985 (62)
241-BX-302-C	BX Farm	BX-155 DB	870	NM	Isolated 1985 (62)
241-BY-ITS2-TK 1	BY Farm	Vapor condenser	Unknown	NM	Isolated
241-BY-ITS2-TK 2	BY Farm	Heater Flush Tank	Unknown	NM	Stabilized 1977
241-C-301-C	C Farm	C-151, 152, 153, 252 DB	10470	NM	Isolated 1985 (62)
241-ER-311	B Plant	ER-151, ER-152 DB	Unknown	SACS/ENRAF/Manual	Declared Assumed Leaker 3/2006 (63)
241-ER-311A	SW of B Plant	ER-151 DB	Empty	NM	Abandoned in place 1954
244-AR Vault / TK-244-AR-001	A Complex	241-A and 241-AX farms	854	SACS/WTF/Manual	Stabilized 8/03 (72)
244-AR Vault / Sump-AR-001	A Complex	241-A and 241-AX farms	2	SACS/WTF/Manual	Stabilized 8/03 (72)
244-AR Vault / TK-244-AR-002	A Complex	241-A and 241-AX farms	2274	SACS/WTF/Manual	Stabilized 8/03 (72)
244-AR Vault / Sump-AR-002	A Complex	241-A and 241-AX farms	2	SACS/WTF/Manual	Stabilized 8/03 (72)
244-AR Vault / TK-244-AR-003	A Complex	241-A and 241-AX farms	227	SACS/WTF/Manual	Stabilized 8/03 (72)
244-AR Vault / Sump-AR-003	A Complex	241-A and 241-AX farms	2	SACS/WTF/Manual	Stabilized 8/03 (72)
244-AR Vault / TK-244-AR-004	A Complex	241-A and 241-AX farms	94	SACS/WTF/Manual	Stabilized 8/03 (72)

Table 5-1. East and West Area Miscellaneous Underground Storage Tanks and Special Surveillance Facilities (61).

Facility	Location	Receives Waste From:	Waste (Gallons)	Monitored By:	Remarks
244-A-TK/SMP	A Complex	DCRT - Receives from several farms	4670	SACS/WTF/MCS	WTF - Receives transfers and is pumped as needed
244-BX-TK/SMP	BX Complex		10970	SACS/MT	Out of Service 6/05. Isolated 6/06 (M-48-07)
241-A-350	A Farm	Collects drainage	460	SACS/WTF/MCS	WTF (uncorrected), pumped as needed
241-A-417	A Farm		1176	SACS/WTF/Manual	WTF
244-BXR Vault / TK-BXR-001	BX Farm	241-BX Farm and diversion boxes	7200	NM	Interim Stabilized 11/84 (73)
244-BXR-Vault / BXR-001 Sump	BX Farm	241-BX Farm and diversion boxes	15	NM	Interim Stabilized 11/84 (73)
244-BXR Vault / TK-BXR-002	BX Farm	241-BX Farm and diversion boxes	2180	NM	Interim Stabilized 02/85 (73)
244-BXR-Vault / BXR-002 Sump	BX Farm	241-BX Farm and diversion boxes	2235	NM	Interim Stabilized 02/85 (73)
244-BXR Vault / TK-BXR-003	BX Farm	241-BX Farm and diversion boxes	1810	NM	Interim Stabilized 02/85 (73)
244-BXR-Vault / BXR-003 Sump	BX Farm	241-BX Farm and diversion boxes	8329	NM	Interim Stabilized 02/85 (73)
244-BXR Vault / TK-BXR-011	BX Farm	241-BX Farm and diversion boxes	7100	NM	Interim Stabilized 02/85 (73)
244-BXR-Vault / BXR-011 Sump	BX Farm	241-BX Farm and diversion boxes	11625	NM	Interim Stabilized 02/85 (73)
244-CR-Vault/ SUMP-CR-011	C Farm	-	13	NM	(70)
244-CR Vault/TK-CR-011	C Farm	-	3990	NM	(70)
244-CR-Vault/ SUMP-CR-001	C Farm	-	22	NM	(70)
244-CR Vault/ TK-CR-001	C Farm	-	3351	SACS/ENRAF/Manual	(70)
244-CR-Vault/ SUMP-CR-002	C Farm	-	11	NM	(70)
244-CR Vault/ TK-CR-002	C Farm	-	773	NM	(70)
244-CR-Vault/ SUMP-CR-003	C Farm	-	17	NM	(70)
244-CR Vault/ TK-CR-003	C Farm	Former 241-C Tank Farm Saltwell Receiver Tank	2146	SACS/ZIP CORD/Manual	Zip cord installed; MT removed; more accurate conversion table used (70)
WEST AREA					
213-W-TK-1	E. of 213-W Compactor Facility	Water Retention Tank	Unknown	NM	Contains only water
231-W-151-001	N. of Z Plant	231-Z Floor drains	Unknown	NM	Inactive, last data 1974
231-W-151-002	N. of Z Plant	231-Z Floor drains	Unknown	NM	Inactive, last data 1974
240-S-302	S Plant	240-S-151-DB	1660		Assumed Leaker, EPDR 85-04 (64)

Table 5-1. East and West Area Miscellaneous Underground Storage Tanks and Special Surveillance Facilities (61).

Facility	Location	Receives Waste From:	Waste (Gallons)	Monitored By:	Remarks
241-S-302A	S Farm	241-S-151-DB	0		Assumed Leaker TF-EFS-90-042
	Partially filled with grout 2/91, determined to be an Assumed Leaker after leak test. No surface level or intrusion readings obtainable. S-304 (active) replaced S-302				
241-S-302B	SX Farm	S Encasements	Empty	NM	Isolated 1985 (62)
241-S-304	S Farm	S-151 DB	1	SACS/ENRAF/Manual	Sump not alarming
241-SX-302	SX Farm	SX-151 DB, 151 TB	Unknown	NM	Isolated 1987
241-T-301	T Farm	DB T-151, 151, 153, 252	Unknown	NM	Isolated 1985 (T-301-B)
241-TX-302	TX Farm	TX-153 DB	Unknown	NM	Isolated 1985 (62)
241-TX-302B	E. of TX Farm	TX-155 DB	3312	SACS/ENRAF/TMACS	New ENRAF installed 9/02
241-TX-302-B(R)	E. of TX Farm	TX-155 DB	Unknown	NM	Isolated, replaced TX-302-B
241-TX-302C	T Plant	TX-154 DB	194	SACS/ENRAF/TMACS	
241-TX-302-X-B	TX Farm	TX Encasements	Unknown	NM	Isolated 1985 (62)
241-TY-302A	TY Farm	TX-153 DB	Unknown	NM	Isolated 1985 (62)
241-TY-302B	TY Farm	TY Encasements	Empty	NM	Isolated 1985 (62)
241-U-301B	U Farm	U-151, 152, 153, 252 DB	1438	SACS/ENRAF/Manual	Pumped to SY-101, 12/03
241-UX-302A	U Plant	UX-154	100	SACS/ENRAF/Manual	Catch Tank pumped in August 2012 (65)
241-Z-8	E. of Z Plant	Recuplex waste	Unknown	NM	Isolated, 1974, 1975
242-S TK C-100	242-S	Process Condensate	Unknown	NM	Process condensate receiver during 242-S Evaporator operation
242-T-135	T Evaporator	T Evaporator	Unknown	NM	Isolated (76)
242-TA-R1	T Evaporator	Z Plant waste	Unknown	NM	Isolated (75)
243-S-TK-1	NW of S Farm	Personnel Decon. Facility	Empty	NM	Isolated
244-S-TK/SMP	S Farm	From SSTs for transfer to SY-102	3955	SACS/WTF/Manual	WTF. Out of Service 6/05. Isolated 6/06. (TPA M-48-07)
244-TXR Vault/ Tank TK-TXR-001	TX Farm	Transfer lines, TXR-151 DB	4700	NM	Interim Stabilized, MT removed 1984 (62)
244-TXR Vault/ Sump TXR-001	TX Farm	Tank TK-TXR-001	11	NM	Interim Stabilized, MT removed 1984 (62)
244-TXR Vault/ Tank TK-TXR-002	TX Farm	Transfer lines	2945	NM	Interim Stabilized, MT removed 1984 (62)
244-TXR Vault/ Sump TXR-002	TX Farm	Tank TK-TXR-002	15	NM	Interim Stabilized, MT removed 1984 (62)
244-TXR Vault/ Tank TK-TXR-003	TX Farm	Transfer lines	6460	NM	Interim Stabilized, MT removed 1984 (62)
244-TXR Vault/ Sump TXR-003	TX Farm	Tank TK-TXR-003	27	NM	Interim Stabilized, MT removed 1984 (62)
244-TX-TK/SMP	TX Farm		7043	SACS/ENRAF	Received from 241-Z, tank D-5, 11/04
244-U –TK/SMP	U Farm	-	Unknown	NM	Never placed in service. Isolated 06/30/2006. May contain up to 10,000 gallons leak test raw water.

Table 5-1. East and West Area Miscellaneous Underground Storage Tanks and Special Surveillance Facilities (61).

Facility	Location	Receives Waste From:	Waste (Gallons)	Monitored By:	Remarks
244-UR Vault / Tank 244-UR-001	U Farm	Tank, Sump and Cell	2242	NM	Stabilized in November 1984 (74)
244-UR Vault/ UR-001 Sump	U Farm	Tank 244-UR-001	2112	NM	Stabilized in November 1983 (74)
244-UR Vault / Tank 244-UR-002	U Farm	Tank, Sump and Cell	2874	NM	Stabilized in July 1985 (74)
244-UR Vault / UR-002 Sump	U Farm	Tank 244-UR-002	40.25	NM	Stabilized in July 1985 (74)
244-UR Vault / Tank 244-UR-003	U Farm	Tank, Sump and Cell	1568	NM	Stabilized in July 1985 (74)
244-UR-Vault / UR-003 Sump	U Farm	Tank 244-UR-003	2008	NM	Stabilized in July 1985 (74)
244-UR Vault / Tank 244-UR-004	U Farm	Nitric Acid Storage	Empty	NM	(74)
241-EW-151 Vent Station Catch Tank		Cross Site Transfer Line	499	SACS/MT	MT. Rain intrusion, 1/03 (66)

Table 5-1 Legend:

DB, TB	Diversion Box, Transfer Box
DCRT	Double-Contained Receiver Tank
ENRAF, MT	Surface Level Measurement Devices
MCS	Monitor and Control System
Manual	Not connected to any automated system
MT	Manual Tape
NM	Not Monitored
O/S	Out of Service
SACS	Surveillance Automated Control System
TK, SMP	Tank, Sump
WTF	Weight Factor (can be recorded as WTF, WTF [uncorrected] or CWF [uncorrected])

6.0 REFERENCES

This section contains all references and footnotes for the tables in this report, consolidated in one location. The attached tables contains the reference number, information, and location of the reference.

6.1 REPORT FOOTNOTES

The following table includes all footnotes for the tables found in sections 1 through 5 of this report. When a footnote is referenced multiple times, the location column shows each table referencing the footnote.

Table 6-1: Waste Tank Summary Report Footnotes

Reference:		Location:
(1)	Retrieval Operations Complete, Approved – tanks have active retrieval operations completed; report or practicability evaluation has been approved by Ecology. [C-103, C-104, C-106, C-108, C-109, C-201, C-202, C-203, C-204, S-112]	Table 1-1
(2)	Retrieval Operations Complete, Not Approved – tanks have active retrieval operations completed; report or practicability evaluation is pending approval. [C-101, C-110]	Table 1-1
(3)	SSTs In Retrieval –tanks with active bulk or heel retrieval operations in progress or awaiting heel retrieval. [C-107, C-111, C-112]	Table 1-1
(4)	SSTs in Level Increase Evaluation – tanks being evaluated for waste level increase per RPP-PLAN-55112, September 2012 Single-Shell Tank Waste Level Increase Evaluation Plan, Rev. 1	Table 1-1
(5)	SSTs in Level Decrease Evaluation – tanks being evaluated for waste level decrease per RPP-PLAN-55113, March 2013 Single-Shell Tank Waste Level Decrease Evaluation Plan, Rev. 1	Table 1-1
(6)	RPP-ASMT-53793, Rev. 0, *Tank 241-AY-102 Leak Assessment Report* states that tank 241-AY-102 was declared an "Assumed Leaker – Primary Tank" on October 19, 2012, due to the results of a leak assessment performed upon discovery of waste material in the tank's annulus space. The U. S. Department of Energy Office of River Protection was notified of the intention to change the tank's leak integrity classification in letter WRPS-1204634, Contract Number DE-AC27-08RV1480 – *Washington River Protection Solutions LLC Tank 241-AY-102 Primary Tank Leak Integrity Change from Sound to Assumed Leaker, and Double-Shell Waste Tank Leak Integrity Definitions*, dated November 13, 2012.	Table 2-1
(7)	Inactive Miscellaneous Underground Storage Tanks (IMUST) reflect those tanks traditionally managed by Washington River Protection Solutions, LLC (WRPS). Assignment of long term stewardship responsibility has not been determined in some cases.	Table 2-1
(8)	Nominal volume of waste inventory is the best estimate of residual volume. Retrieval Data Reports also provide 95% upper confidence level volume as the bounding estimate of remaining waste.	Table 2-2
(9)	C-101 Nominal Waste Volume: Total waste 4,995 gallons (RPP-CALC-56434, Rev 0, *Post Retrieval Camera/CAD Modeling System Waste Volume Estimate for Tank 241-C-101*)	Table 2-2
(10)	RPP-RPT-43029 Rev. 1, *2009 Auto-TCR for Tank 241-C-102.*	Table 2-2
(11)	C-103 Nominal Waste Volume: Total waste 2,529 gallons; sludge 2282 gallons; supernatant 247 gallons (RPP-RPT-33060 Rev. 0 *Demonstration Retrieval Data Report for Single-Shell Tank 241-C-103*).	Table 2-2
(12)	C-104 Nominal Waste Volume: Total waste 1,428 gallons of sludge/saltcake (RPP-RPT-53367, Rev. 0 *Single-Shell Tank 241-C-104 Hard Heel Retrieval Completion Report.*)	Table 2-2

(13)	RPP-RPT-43032, Rev 0, *2009 Auto-TCR for Tank 241-C-105.*	Table 2-2
(14)	C-106 Nominal Waste Volume: Total waste 2,771 gallons; sludge 2,686 gallons; supernatant 85 gallons (RPP-20577 Rev. 0 *Stage 2 Retrieval Data Report for Single-Shell Tank 241-C-106*).	Tables 2-2, 4-1
(15)	C-107 Volume Estimate: Total waste 31,219 gallons remaining at the end of July 2013, based on a Retrieval & Closure engineer's email dated 7/15/2013, listing approximately 30,835 gallons in the tank, and an additional 384 gallons of flush water added on 7/23/13.	Tables 2-2, 4-1
(16)	C-108: Nominal Waste Volume: Total waste: 2,968 gallons (RPP-CALC-54266 Rev. 0 *Post-Hard Heel Retrieval Camera/CAD Modeling System Waste Volume Estimate for Tank 241-C-108*).	Tables 2-2, 4-1
(17)	C-109: Nominal Waste Volume: Total waste: 1,210 gallons (RPP-RPT-53486, Rev. 0 *Single Shell Tank 241-C-109 Hard Heel Retrieval Completion Report*).	Tables 2-2, 4-1
(18)	C;-110 Nominal Waste Volume: Total waste 1,776 gallons (RPP-CALC-56399, Rev 0, Post-Hard Heel Retrieval Camera/CAD Modeling System Waste Volume Estimate for Tank 241-C-110.	Tables 2-2, 4-1
(19)	C-111 Volume Estimate: Total waste 32,170 gallons remaining at the end of November 2010, according to a Retrieval & Closure status report email dated 12/14/2010.	Tables 2-2, 4-1
(20)	C-112 Nominal Waste Volume: Total waste 33,600 gallons (RPP-RPT-52480 Rev 0, *Retrieval Completion Report for Modified Sluicing of Tank 241-C-112*).	Tables 2-2, 4-1
(21)	C-201 Nominal Waste Volume: Total waste 144 gallons; sludge 142 gallons; supernatant 2 gallons (RPP-29441 Rev. 0 *Post-Retrieval Waste Volume Determination for Single-Shell Tank 241-C-201*).	Tables 2-2, 4-1
(22)	C-202 Nominal Waste Volume: Total waste 147 gallons; sludge 145 gallons; supernatant 2 gallons (RPP-RPT-29095 Rev. 0 *Demonstration Retrieval Data Report for Single-Shell Tank 241-C-202*).	Tables 2-2, 4-1
(23)	C-203 Nominal Waste Volume: Total waste 139 gallons; sludge 126 gallons; supernatant 13 gallons (RPP-RPT-26475 Rev. 1 *Demonstration Retrieval Data Report for Single-Shell Tank 241-C-203*).	Tables 2-2, 4-1
(24)	C-204 Nominal Waste Volume: Total waste 137 gallons; sludge 134 gallons; supernatant 3 gallons (RPP-RPT-34062 Rev. 0 *Demonstration Retrieval Data Report for Single-Shell Tank 241-C-204*).	Tables 2-2, 4-1
(25)	S-112 Nominal Waste Volume: Total waste 2,387 gallons; sludge/saltcake 2263 gallons; supernatant 124 gallons (RRP-RPT-35112 Rev 0 *Retrieval Data Report for Single-Shell Tank 241-S-112*).	Tables 2-2, 4-1
(26)	For some tanks, a volume difference exists between estimates published in HNF-SD-RE-TI-178, Rev. 9, *Single-Shell Tank Interim Stabilization Record*, 2005, and later TWINS estimates. TWINS estimates are reported in Table 4-1	Table 4-1
(27)	Tank A-101 contains retained gas in saltcake; tanks S-102, S-111, U-103, and U-109 contain retained gas in saltcake and sludge.	Table 4-1
(28)	Status of A-103 changed from Assumed Leaker to Sound per RPP-ASMT-42278.	Table 4-1
(29)	Status of C-105 changed from Sound to Assumed Leaker per RPP-ASMT-46452.	Table 4-1
(30)	Status of C-110 changed from Assumed Leaker to Sound per RPP-ASMT-38219.	Table 4-1
(31)	Status of C-111 changed from Assumed Leaker to Sound per RPP-ASMT-39155.	Table 4-1

(32)	Retrieval operations began in Tank S-102 on December 16, 2004, and were suspended in July 2007. Actions were subsequently taken to reduce the remaining liquid volume to below interim stabilization criteria. A letter was submitted to DOE on June 1, 2010, that stated Tank S-102 again met interim stabilization criteria (WRPS-1000772 R1, *Contract Number DE-AC27-08RV14800 – Washington River Protection Solutions LLC Transmittal of the Single-Shell Tank Interim Stabilization Evaluation Report for Tank 241-S-102*).	Table 4-1
(33)	Hanford Federal Facility Agreement and Consent Order (signed August 2004) modified Milestone M-45-00C (Change Order M-45-04-01) changed the regulatory requirements for retrieval of waste in tanks S-103, S-105, and S-106. "Retrieval" status in these tanks is thereby rescinded.	Table 4-1
(34)	Status of SX-104 changed from Assumed Leaker to Sound per RPP-ASMT-48138.	Table 4-1
(35)	Status of SX-110 changed from Assumed Leaker to Sound per RPP-ASMT-47140.	Table 4-1
(36)	These dates indicate when the tanks were actually interim stabilized. In some cases, the official interim stabilization documents were issued at a later date.	Table 4-2
(37)	Although tanks 241-BX-103, T-102, and T-112 met the interim stabilization administrative procedure at the time they were stabilized, they no longer meet the updated administrative procedure. The tanks were re-evaluated in 1996 and a letter was issued to DOE-RL recommending that no further pumping be performed on these tanks, based on an economic evaluation. In February 2000, it was determined that five tanks no longer met the stabilization criteria (241-BX-103, T-102, and T-112 exceed the supernatant criterion, and BY-103 and C-102 exceed the Drainable Interstitial Liquid [DIL]criterion).	Table 4-2
(38)	An intrusion investigation was completed on tank 241-B-202 in 1996 and it was determined that this tank no longer meets the updated administrative procedure for 200 series tanks.	Table 4-2
(39)	Tank 241-A-103 met interim stabilization criteria when it was stabilized in 1988, using 3.5% solids porosity determined from 1986 core samples. In 2001 a review of the composition of the core samples determined that the majority of solids in tank 241-A-103 were saltcake rather than sludge. In 2005 the DIL and DLR calculations were updated with a new tank average saltcake porosity of 0.24 and a new tank average sludge porosity of 0.17 (HNF-2978, Updated Pumpable Liquid Volume Estimates and Jet Pumping Durations for Interim Stabilization of Remaining SSTs). Using a capillary height of 6 inches for saltcake, the revised DIL volume is 86 kgal and the DLR is 90 kgal. Tank 241-A-103 therefore no longer meets the Interim Stabilization Drainable Interstitial Liquid criterion.	Table 4-2
(40)	Original interim stabilization data are missing on four tanks: 241-B-201, T-102, T-112, and T-201. In February 2001, three additional tanks were added to those missing stabilization data: 241-A-104, BX-101, and SX-115.	Table 4-2
(41)	One of 29 single-shell tanks incorporated in Consent Decree CT-99-5076-EFS, dated September 29, 1999. Correspondence of Interim Stabilization completion notices for the single-shell tanks are provided in Table 6-3. Stabilized waste descriptions are provided in HNF-EP-0182, Revision 247.	Table 4-2
(42)	Retrieval operations began in Tank S-102 on December 16, 2004, and were suspended in July 2007. Actions were subsequently taken to reduce the remaining liquid volume to below interim stabilization criteria. A letter was submitted to DOE on June 1, 2010, that stated Tank S-102 again met interim stabilization criteria. WRPS-1000772 R1, Contract Number DE-AC27-08RV14800 – Washington River Protection Solutions LLC Transmittal of the Single-Shell Tank Interim Stabilization Evaluation Report for Tank 241-S-102.	Table 4-2

(43) Current estimates [see Reference (b) in Table 6-3] are that 610 Kilogallons of cooling water was added to tank A-105 from November 1970 to December 1978 to aid in evaporative cooling. In accordance with Dangerous Waste Regulations [Washington Administrative Code 173-303-070 (2)(a)(ii), as amended, Washington State Department of Ecology, 1990, Olympia, Washington], any of this cooling water that has been added and subsequently leaked from the tank must be classified as a waste and should be included in the total leak volume. In August 1991, the leak volume estimate for this tank was updated in accordance with the WAC regulations. Previous estimates excluded the cooling water leaks from the total leak volume estimates because the waste content (concentration) in the cooling water which leaked should be much less than the original liquid waste in the tank (the sludge is relatively insoluble). The total leak volume estimate in this report (10 to 277 Kilogallons) is based on the following (see References): Table 4-3

a Reference (b) in Table 6-3 contains an estimate of 5 to 15 Kilogallons for the initial leak prior to August 1968.
Reference (b) in Table 6-3 contains an estimate of 5 to 30 Kilogallons for the leak while the tank was being sluiced from August 1968 to November 1970.
Reference (b) in Table 6-3 contains an estimate of 610 Kilogallons of cooling water added to the tank from November 1970 to December 1978, but it was estimated that the leakage was small during this period. This reference contains the statement "Sufficient heat was generated in the tank to evaporate most, and perhaps nearly all, of this water." This results in a low estimate of zero gallons leakage from November 1970 to December 1978.

b Reference (c) in Table 6-3 contains an estimate that 378 to 410 Kilogallons evaporated out of the tank from November 1970 to December 1978. Subtracting the minimum evaporation estimate from the cooling water added estimate provides a range from 0 to 232 Kilogallons of cooling water leakage from November 1970 to December 1978.

	Low Estimate	High Estimate
Prior to August 1968	5,000	15,000
August 1968 to November 1970	5,000	30,000
November 1970 to December 1978	0	232,000
Totals	10,000	277,000

(44) Tank leak volume estimates presented here are being updated as a result of tank leak volume assessments and review of tanks for retrieval/closure consideration. Tank leak volume estimates presented here do not include (with some exceptions), such things as: (a) cooling/raw water leaks, (b) intrusions (rain infiltration) and subsequent leaks, (c) leaks inside the tank farm but not through the tank liner (surface leaks, pipeline leaks, leaks at the joint for the overflow or fill lines, etc.), and (d) leaks from catch tanks, diversion boxes, encasements, etc. Table 4-3

(45) In many cases, a leak was suspected long before it was identified or confirmed. For example, Reference (d) shows that tank U-104 was suspected of leaking in 1956. The leak was confirmed in 1961. This report lists the "assumed leaker" date of 1961. Using present standards, tank U-104 would have been declared an assumed leaker in 1956. In 1984, the criteria designations of "suspected leaker," "questionable integrity," "confirmed leaker," "declared leaker," and "borderline and dormant" were merged into one category now reported as "assumed leaker." See Reference (f) for explanation of when, how long, and how fast some of the tanks leaked. Table 4-3

(46) The leak volume estimate date for these tanks is before the declared leaker date because the tank was in a suspected leaker or questionable integrity status; however, a leak volume had been estimated prior to the tank being reclassified. Table 4-3

(47) The increasing radiation levels in drywells and laterals associated with these three tanks could be indicating continuing leak or movement of existing radionuclides in the soil. There is no conclusive way to confirm these observations. (There are currently no functioning laterals and no plan to prepare them for use). Table 4-3

(48) Methods were used to estimate the leak volumes from these 19 tanks based on the assumption that their cumulative leakage is approximately the same as for 18 of the 24 tanks identified in footnote (9). For more details see Reference (g). The total leak volume estimate for these tanks is 150 Kilogallons (rounded to the nearest Kilogallon), for an average of approximately 8 Kilogallons for each of 19 tanks. Table 4-3

(49) Leak volume estimate is based solely on observed liquid level decreases in these tanks. This is considered to be the most accurate method for estimating leak volumes. Table 4-3

(50) Tank C-101 experienced a liquid level decrease in the late 1960s and was taken out of service and pumped to a minimum heel in December 1969. In 1970, the tank was classified as a "questionable integrity" tank. Liquid level data show decreases in level throughout the 1970s and the tank was saltwell pumped during the 1970s, ending in April 1979. The tank was reclassified as a "confirmed leaker" in January 1980. See References (p) and (q); refer to Reference (q) for information on the potential for there to have been leaks from other C-farm tanks (specifically, C-102, C-103, and C-109). Table 4-3

(51) These dates indicate when the tanks were declared to be interim stabilized. In some cases, the official interim stabilization documents were issued at a later date. Also, in some cases, the field work associated with interim stabilization was completed at an earlier date. Table 4-3

(52) Tank T-111 was declared an "assumed re-leaker" on February 28, 1994, due to a decreasing trend in surface level measurement. This tank was pumped, and interim stabilization completed on February 22, 1995. In RPP-RPT-54964, Rev. 0, Evaluation of Tank 241-T-111 Level Data and In-Tank Video Inspection, it was estimated that from 1995 to April 1, 2013, tank 241-T-111 leaked between 1,000 and 3,900 gallons, with the most probable leak volume being approximately 2100 gallons. The value reported in Table 4-3 sums the <1000 gallons reported in 1994 with the approximately 2100 gallons reported in 2013. Table 4-3

(53) Tank BX-111 was declared an "assumed re-leaker" in April 1993. Preparations for pumping were delayed, following an administrative hold placed on all tank farm operations in August 1993. Pumping resumed and the tank was declared interim stabilized on March 15, 1995. Table 4-3

(54) The leak volume and curie release estimates on tanks SX-108, SX-109, SX-111, and SX-112 have been re-evaluated using a Historical Leak Model [see Reference (s)]. In general, the model estimates are much higher than the values listed in the table, both for volume and curies released. The values listed in the table do not reflect this revised estimate because, "In particular, it is worth emphasizing that this report was never meant to be a definitive update for the leak baseline at the Hanford Site. It was rather meant to be an attempt to view the issue of leak inventories with a new and different methodology." (This quote is from the first page of the referenced report). Table 4-3

(55) Leak from Tank C-101 was re-assessed in RPP-ENV-33418 Rev. 1 *Hanford C-Farm Leak Assessments Report: 241-C-101, 241-C-110, 241-C-111, 241-C-105, and Unplanned Waste Releases*. Revised leak volume presented in the report have not yet been adopted in Table 4-3. Table 4-3

(56) Leaks from Tanks A-104, A-105, AX-102, and AX-104 were re-assessed in RPP-ENV-37956 Rev. 1, *Hanford A and AX Farm Leak Assessments Report:241-A-103, 241-A-104, 241-A-105, 241-AX-102, 241-AX-104 and Unplanned Waste Releases*. Revised leak volumes presented in the report have not yet been adopted pending completion of formal leak assessments of tanks AX-102 and AX-104 using the TFC-ENG-CHEM-D-42 Tank Leak Assessment Process. Table 4-3

(57) Leaks from Tanks SX-107, SX-108, SX-109, SX-111, SX-112, SX-113, SX-114, and SX-115 were re-assessed in RPP-ENV-39658 Rev. 0, *Hanford SX-Farm Leak Assessments Report*. Revised leak volumes presented in the report have not yet been adopted in Table 4-3. Table 4-3

(58)	Leaks from Tanks TY-101, TY-103, TY-104, TY-105, and TY-106 were re-assessed in RPP-RPT-42296 Rev. 0, *Hanford TY-Farm Leak Assessments Report.* Revised leak volumes presented in the report have not been adopted pending completion of a formal leak assessment of tank TY-101 using the TFC-ENG-CHEM-D-42 Tank Leak Assessment Process.	Table 4-3
(59)	RPP-ASMT-53793, Rev 0, *Tank 241-AY-102 Leak Assessment Report* states that at the time of publication, the leak volume was estimated to be between 190 to 520 gallons. A significant portion of the liquid has evaporated, leaving about 20 to 50 gallons of drying waste in the tank annulus space.	Table 4-3
(60)	A reevaluation of the Tank C-105 leak integrity using the TFC-ENG-CHEM-D-42 Tank leak Assessment Process was completed in May 2010, concluding that a leak from the tank could not be ruled out by the evidence from recently completed Direct Push C7469 and other available data, and recommending that the leak integrity status be revised to "Assumed Leaker." The estimated leak volume was < 2,000 gallons. RPP-ASMT-46452, Rev. 0 *Tank 241-C-105 Leak Assessment Completion Report.*	Table 4-3
(61)	Table 5-1 reflects Miscellaneous Underground Storage Tanks and Special Surveillance Facilities that have traditionally been managed by the tank farms operating contractor, based on WHC-SD-WM-TI-356, Waste Storage and Leak Detection Criteria, Rev. 0, September 30, 1988. Assignment of long term stewardship responsibility has not been determined in some cases.	Table 5-1
(62)	The volumes reported in the table for the 244-TXR Vault tanks and sumps are documented in RPP-RPT-42231, *Summary of Twenty-Five Miscellaneous Tanks Associated with the Single-Shell Tank System.*	Table 5-1
(63)	A leak assessment was performed because of the 0.5 inch liquid level decrease between early October 2005 and January 31, 2006. The leak assessment concluded that a tank leak was the most likely explanation for the level trend. The leak assessment report was issued on March 17, 2006. RPP-RPT-29163, Rev. 0, *Tank 241-ER-311 Leak Assessment Report.* Solids volume in the tank is not known. Sample activities conducted during November, 1999 concluded that there were approximately 7 to 9" of solids beneath the east riser and no solids beneath the west riser (HNF-5985 Rev. 0 ER-311 *Flammable Gas Response and Findings*). The remaining liquid in the tank was evaporated to dryness between October 13, 2006 and February 15, 2007. A subsequent video inspection on March 17, 2007 indicated no remaining free liquid was present (07-TOD-026).	Table 5-1
(64)	A leak assessment was performed because of a steady, predictable liquid level decrease of ~ 0.33 inches/year since the early 1980's. The tank was designated as an "Assumed Leaker" in 1985, but had no record of a formal leak assessment. The leak assessment report was issued on October 10, 2007 (RPP-ASMT-35057, Rev. 0, *Tank 240-S-302 Leak Assessment Report*). A total of 6,265 gallons of supernatant was pumped from the tank between September 21, 2008 and September 28, 2008. A solids level of 14.12 inches (1,361 gallons) was measured with ENRAF™ densitometer on September 9, 2008. A post-pumping visual inspection showed a small 1 foot wide by 10 feet long pool of liquid centered beneath the pump, corresponding to less than 6 gallons of free liquid. The remaining volume is estimated to be 1,360 to 1,660 gallons, based on ENRAF and densitometer readings in different risers, and assuming that the solids are level across the tank.	Table 5-1

(65) A leak assessment was performed because of the 0.7 inch level decrease between January 2004 and February 2006. The leak assessment concluded that a tank leak was the most likely explanation for the level trend. The leak assessment report was issued on May 12, 2006. RPP-RPT-29711, Rev. 0, *Tank 241-UX-302A Leak Assessment Report.* Pumping of the remaining free liquid from the tank was completed October 25, 2006 (06-TOD-090). An estimated 75 to 110 gallons of sludge, and 10 gallons of free liquid remain in the tank (RPP-RPT-31779 Rev. 0 *241-UX-302A Catch Tank Liquid Mitigation Completion Report*). The tank was pumped again in August 27, 2009, removing an estimated 270 gallons of free liquid. An estimated 80 gallons of sludge and less than 40 gallons of liquid remained in the tank (RPP-RPT-42789 Rev 0, *Completion of Removal of Pumpable Liquid From 241-UX-302A*). Following additional liquid intrusion, the tank was pumped from June 21 to August 7 of 2012, removing an estimated 724 gallons of free liquid. No report has been issued, but the work package (TFC-WO-11-5930 WCN-2) and ENRAF liquid level readings estimate that approximately 95-100 gallons of sludge and liquid remain in the tank. The estimate of 100 gallons is reported in the table. Table 5-1

(66) A leak assessment was performed because of a 1.25 inch liquid level decrease between July, 2006 and November, 2006. The leak assessment concluded that the level decrease was the result of evaporation from an operating exhauster connected to tank 241-ER-311. This was confirmed when the exhauster was shut down and the liquid level stabilized. The tank remains classified as a "sound" tank. The leak assessment report was issued on June 25, 2007. RPP-ASMT-33741, Rev. 0, *241-EW-151 Leak Assessment Report.* Table 5-1

(67) Following stabilization, the remaining volume of liquid in the tanks and sumps was estimated to total no more than 659 gallons; the volume of sludge <100 gallons (RPP-12051, Rev. 0, *244-AR Vault Interim Stabilization Completion Report*). Table 5-1

(68) 241-AX-151 consists of four 50 gallon diverter tanks (Tanks D – G) located in individual cells and the ~12,200 gallon capacity 241-AX-151-CT catch tank (stainless steel lined concrete vault and sump) receiving drainage from the pump pit and the four cells. Table 5-1

(69) 204-AR Customer Waste Unloading Facility includes a 1,500 gal catch tank enclosed in an stainless steel lined pit and pit sump; combined capacity of the catch tank and pit are 4,550 gallons (WHC-SC-WM-SAR-040 Rev. 1). Table 5-1

(70) 244-CR Vault contains two 40,000 gallon tanks CR-011 and CR-001, and two 15,000 gallon tanks CR-002 and CR-003 in individual cells. The contents of the 244-CR Vault cells were pumped to tank 241-C-104 during retrieval of tank 241-C-104. Pumping was completed on March 10, 2010 (RPP-RPT-45845, *Completion of Pumpable Liquids Removal from 244-CR Vault*). The completion letter was sent to the Office of River Protection on April 28, 2010 (WRPS-1000848, *Contract Number DE-AC27-08RV14800 – Washington River Protection Solutions LLC Completion Of Performance Based Incentive 1.5, Fee Bearing Milestone 1.5.1, Remove Liquids From The Secondary Containment Of The 244-CR Vault – Request For Incremental Fee Approval*). Tank volumes from RPP-RPT-24257, *244-CR Vault Liquid Level Assessment and Video Inspection Completion Report.* Following WRPS-PER-2012-0724, quarterly monitoring of tank CR-001 was implemented in April of 2013 by installation of an ENRAF monitoring device; volume is derived from zip cord measurements as converted from RPP-CALC-24129, Rev 0. Table 5-1

(71) AZ-301 is an active part of the DST system. Table 5-1

(72) 244-AR Vault was interim stabilized in 2003, and the stabilization efforts were documented in RPP-12051, *244-AR Vault Interim Stabilization Report.* The waste volumes reported in the table are taken from that report. The tanks and cell sumps in the 244-AR Vault are monitored quarterly for signs of intrusion. Table 5-1

(73) The volumes reported in the table for the 244-BXR Vault tanks and sumps are documented in RPP-RPT-42231, *Summary of Twenty-Five Miscellaneous Tanks Associated with the Single-Shell Tank System.* Table 5-1

(74) The volumes reported in the table for the 244-UR Vault tanks and sumps are documented in RPP-RPT-42231, *Summary of Twenty-Five Miscellaneous Tanks Associated with the Single-Shell Tank System.* Records in the Waste Information Data System (WIDS) indicate that Tank 244-UR-004 did not contain radioactive material. It was used to stage nitric acid to the other 244-UR vault tanks during the Uranium Recovery Process in the 1950's. Table 5-1

(75) On August 1, 2002, a video surveillance at the 242-TA receiver vault revealed that catch tank TA-R1 was floating off its foundation due to liquid at a depth of approximately 10 feet in the vault. It was observed that associated piping was damaged. Approximately 7,000 gallons of liquid had accumulated in the vault. Pumping the liquid from the vault and resealing the cover plate to prevent further intrusion were completed November 26, 2003. Remaining liquid volume in the vault was not reported (Occurrence Report RP-CHG-TANKFARM-2002-0083, *Video Surveillance Reveals Catch Tank TA-R1 Floating Off Of Its Foundation*). Table 5-1

(76) Video surveillance of 242-T-135 was prompted by the discovery of approximately 7,000 gallons of water in the 242-TA receiver vault on August 1, 2002. There was no report of water present (Occurrence Report RP-CHG-TANKFARM-2002-0083, *Video Surveillance Reveals Catch Tank TA-R1 Floating Off Of Its Foundation*). Table 5-1

(77) Removed from service 03/23/2001 (Occurrence Report RP-CHG-TANKFARM-2001-0014, *Catch Tank 152-AX Was Identified as a Potential Leaking Tank, May 18, 2001*). Table 5-1

6.2 TANK LEAK VOLUME ESTIMATES REFERENCES

Table 6-2: Waste Tank Summary Report References

Reference:		Location:
(a)	Murthy, K. S., et al., June 1983, *Assessment of Single-Shell Tank Residual Liquid Issues at Hanford Site, Washington*, PNL-4688, Pacific Northwest Laboratory, Richland, Washington	Table 4-3
(b)	WHC, 1991a, *Tank 241-A-105 Leak Assessment*, WHC-MR-0264, Westinghouse Hanford Company, Richland, Washington	Table 4-3
(c)	WHC, 1991b, *Tank 241-A-105 Evaporation Estimate 1970 Through 1978*, WHC EP 0410, Westinghouse Hanford Company, Richland, Washington	Table 4-3
(d)	Smith, D. A., January 1986, *Single-Shell Tank Isolation Safety Analysis Report*, SD-WM-SAR-006, Rev. 1, Rockwell Hanford Operations, Richland, Washington	Table 4-3
(e)	McCann, D. C., and T. S. Vail, September 1984, *Waste Status Summary*, RHO RE SR 14, Rockwell Hanford Operations, Richland, Washington	Table 4-3
(f)	Catlin, R. J., March 1980, *Assessment of the Surveillance Program of the High-Level Waste Storage Tanks at Hanford*, Office of Environmental Compliance and Review, for the U.S. Department of Energy, Washington D.C.	Table 4-3
(g)	Baumhardt, R. J., May 15, 1989, Letter to R. E. Gerton, U.S. Department of Energy-Richland Operations Office, *Single-Shell Tank Leak Volumes*, 8901832B R1, Westinghouse Hanford Company, Richland, Washington; and Jensen, L. and Merril, J.A., March 28, 1989, Internal Letter to R.E. Raymond, *Estimation of Single Shell Tank Leak Volumes*, 12710-89-042, Westinghouse Hanford Company, Richland, Washington	Table 4-3
(h)	WHC, 1990a, *Occurrence Report, Surface Level Measurement Decrease in Single-Shell Tank 241-AX-102*, WHC-UO-89-023-TF-05, Westinghouse Hanford Company, Richland, Washington	Table 4-3
(i)	Groth, D. R., July 1, 1987, Internal Memorandum to R. J. Baumhardt, *Liquid Level Losses in Tanks 241-C-201, -202 and -204*, 65950-87-517, Westinghouse Hanford Company, Richland, Washington	Table 4-3
(j)	(Note deleted)	
(k)	(Note deleted)	
(l)	WHC, 1992a, *Tank 241-SX-108 Leak Assessment*, WHC-MR-0300, Westinghouse Hanford Company, Richland, Washington	Table 4-3
(m)	WHC, 1992b, *Tank 241-SX-109 Leak Assessment*, WHC-MR-0301, Westinghouse Hanford Company, Richland, Washington	Table 4-3
(n)	WHC, 1992c, *Tank 241-SX-115 Leak Assessment*, WHC-MR-0302, Westinghouse Hanford Company, Richland, Washington	Table 4-3
(o)	WHC, 1992d, *Occurrence Report, Apparent Decrease in Liquid Level in Single Shell Underground Storage Tank 241-T-101, Leak Suspected; Investigation Continuing*, RL-WHC-TANKFARM-1992-0073, Westinghouse Hanford Company, Richland, Washington	Table 4-3
(p)	WHC,1990b, *A History of the 200 Area Tank Farms*, WHC-MR-0132, Westinghouse Hanford Company, Richland, Washington	Table 4-3
(q)	WHC, 1993, *Assessment of Unsaturated Zone Radionuclide Contamination Around Single-*	Table 4-3

Shell Tanks 241-C-105 and 241-C-106, WHC-SD-EN-TI-185, Rev OA, Westinghouse Hanford Company, Richland, Washington

(r) WHC, 1994, Occurrence Report, *Apparent Liquid Level Decrease in Single Shell Underground Storage Tank 241-T-111; Declared an Assumed Re-Leaker*, RL-WHC-TANKFARM-1994-0009, Westinghouse Hanford Company, Richland, Washington — Table 4-3

(s) HNF, 1998, Agnew, S. F., and R. A. Corbin, August 1998, *Analysis of SX Farm Leak Histories - Historical Leak Model* (HLM), HNF-3233, Rev. 0, Los Alamos National Laboratory, Los Alamos, New Mexico — Table 4-3

(t) RPP-ASMT-46452, Rev. 0, *Tank 241-C-105 Leak Assessment Report*, Washington River Protection Solutions, Richland, Washington. — Table 4-3

(u) D. J. Washenfelder, July 25, 2013, *Evaluation of Tank 241-T-111 Level Data and In-Tank Video Inspection*, RPP-RPT-54964, Rev 1, Washington River Protection Solutions, LLC, Richland, Washington. — Table 4-3

6.3 INTERIM STABILIZATION CORRESPONDENCE

Twenty-nine single-shell tanks were incorporated in Consent Decree CT-99-5076-EFS, dated September 29, 1999. Correspondence information of Interim Stabilization completion notices for the single-shell tanks are provided in the following table.

Table 6-3: Interim Stabilization Correspondence

Tank	Contractor Letter No.	Notification Letter Date	USDOE/ORP Letter No.	Notification Letter Date
A-101	CH2M-0302326.2	06/30/2004	04-TOD-040	07/01/2004
AX-101	CH2M-0302326.1	01/19/2004	03-TOD-047	07/09/2003
BY-105	CH2M-0301258	03/25/2003	03-TPD-041	04/28/2003
BY-106	CH2M-0304871.1	06/30/2005	05-TOD-049	07/06/2005
C-103	CH2M-0300891.1	08/13/2003	03-TOD-058	08/21/2003
S-101	CH2M-0304870.1	04/30/2004	04-TOD-033	05/10/2004
S-102	CH2M-0502948 CH2M-0502948 R1 WRPS-1000772 R1	09/29/2005 12/20/2005 06/01/2010	06-TOD-020	03/31/2006
S-103	CHG-0001990	04/18/2000	00-OSD-086	07/31/2000
S-106	CHG-0100762	02/12/2001	01-OPD-019	03/06/2001
S-107	CH2M-0303283.1	02/04/2004	04-TOD-017	03/17/2004
S-109	CHG-0103192	06/16/2001	01-OMD-008	07/11/2001
S-111	CH2M-0303290.4 CH2M-0303290.5	05/26/2005 06/09/2005	05-TOD-041	06/10/2005
S-112	CH2M-0403993 CH2M-0403993.1	12/27/2004 06/29/2005	05-TOD-050	07/06/2005
SX-101	CH2M-0300345.2	08/22/2003	03-TOD-066	09/04/2003
SX-102	CH2M-0303290.3	08/04/2004	04-TOD-058	08/12/2004
SX-103	CH2M-0204339.1	06/13/2003	03-TOD-042	06/30/2003
SX-104	CHG-0001991	04/26/2000	00-OSD-086	07/31/2000
SX-105	CHG-0203745	08/20/2002	02-OMD-066	09/12/2002
SX-106	CHG-0002454	05/05/2000	00-OSD-086	07/31/2000
T-104	LMHC-9958640	11/19/1999	00-ORL-034	03/14/2000
T-110	CHG-0059091	01/27/2000	00-ORL-034	03/14/2000
U-102	CHG-0202901	06/28/2002	01-OMD-037 02-OMD-066	09/27/2001 09/12/2002
U-103	CHG-0004512	09/11/2000	00-OSD-134	10/31/2000
U-105	CHG-0003827.1	04/05/2001	01-OPD-047	05/17/2001
U-106	CHG-0100083.1	03/28/2001	01-OPD-038	04/06/2001
U-107	CH2M-0303290.2	01/19/2004	04-TOD-004	01/29/2004
U-108	CH2M-0400855.1	09/08/2004	04-TOD-065	09/14/2004
U-109	CHG-0202630	06/20/2002	01-OMD-037	09/27/2001
U-111	CH2M-0302576	07/14/2003	03-TOD-051	07/30/2003

APPENDIX A - TANK CONFIGURATION AND FACILITIES CHARTS

Figure A-1. Underground Waste Storage Tank Configurations



Figure A-2. Double-Shell Tank Instrumentation Configuration



Figure A-3. Single-Shell Tank Instrumentation Configuration



200 East Tank Waste Contents

A-Tank Farm- Constructed 1953-1955
6 @ 1,000 Kgal Tank Capacity, Single-Shell

Tank	Sludge (Kgal)	Saltcake (Kgal)	Supernatant (Kgal)
241-A-101	3	317	0
241-A-102	0	37	3
241-A-103 ■	2	372	4
241-A-104 ■	28	0	0
241-A-105 ■	37	0	0
241-A-106	50	29	0



AN-Tank Farm- Constructed 1977-1980
7 @ 1,160 Kgal Tank Capacity, Double-Shell

Tank	Sludge (Kgal)	Saltcake (Kgal)	Supernatant (Kgal)
241-AN-101	394	31	374
241-AN-102	0	154	918
241-AN-103	0	486	477
241-AN-104	0	443	608
241-AN-105	0	536	592
241-AN-106	439	17	271
241-AN-107	0	241	838



AP-Tank Farm- Constructed 1982-1986
6 @ 1,160 Kgal Tank Capacity, Double-Shell
2 @ 1,257 Kgal Tank Capacity, Double-Shell

Tank	Sludge (Kgal)	Saltcake (Kgal)	Supernatant (Kgal)
241-AP-101	0	0	1112
241-AP-102	28	0	1053
241-AP-103	0	52	1185
241-AP-104	0	18	430
241-AP-105	0	105	1032
241-AP-106	0	0	1136
241-AP-107	0	0	1106
241-AP-108	0	112	1132



AW-Tank Farm- Constructed 1976-1980
6 @ 1,160 Kgal Tank Capacity, Double-Shell

Tank	Sludge (Kgal)	Saltcake (Kgal)	Supernatant (Kgal)
241-AW-101	0	396	736
241-AW-102	52	0	815
241-AW-103	280	40	762
241-AW-104	97	157	803
241-AW-105	248	0	155
241-AW-106	0	264	873



AX-Tank Farm- Constructed 1963-1965
4 @ 1,000 Kgal Tank Capacity, Single-Shell

Tank	Sludge (Kgal)	Saltcake (Kgal)	Supernatant (Kgal)
241-AX-101	3	355	0
241-AX-102 ■	6	24	0
241-AX-103	8	99	0
241-AX-104 ■	7	0	0



AY-Tank Farm- Constructed 1968-1970
2 @ 1,018 Kgal Tank Capacity, Double-Shell

Tank	Sludge (Kgal)	Saltcake (Kgal)	Supernatant (Kgal)
241-AY-101	105	0	881
241-AY-102 ■	151	0	658



AZ-Tank Farm- Constructed 1970-1974
2 @ 1,018 Kgal Tank Capacity, Double-Shell

Tank	Sludge (Kgal)	Saltcake (Kgal)	Supernatant (Kgal)
241-AZ-101	52	0	786
241-AZ-102	105	0	887



B-Tank Farm- Constructed 1943-1944
12 @ 530 Kgal Tank Capacity, Single-Shell
4 @ 55 Kgal Tank Capacity, Single-Shell

Tank	Sludge (Kgal)	Saltcake (Kgal)	Supernatant (Kgal)
241-B-101 ■	28	81	0
241-B-102	0	28	4
241-B-103 ■	1	55	0
241-B-104	309	65	0
241-B-105 ■	28	262	0
241-B-106	122	0	1
241-B-107 ■	86	75	0
241-B-108	27	65	0
241-B-109	50	76	0
241-B-110 ■	244	0	1
241-B-111 ■	241	0	1
241-B-112 ■	15	17	3
241-B-201 ■	29	0	0
241-B-202	28	0	0
241-B-203 ■	49	0	1
241-B-204 ■	49	0	1



BX- Tank Farm- Constructed 1946-1947
12 @ 530 Kgal Tank Capacity, Single-Shell

Tank	Sludge (Kgal)	Saltcake (Kgal)	Supernatant (Kgal)
241-BX-101 ■	48	0	0
241-BX-102 ■	79	0	0
241-BX-103	62	0	13
241-BX-104	97	0	3
241-BX-105	42	25	5
241-BX-106	10	28	0
241-BX-107	347	0	0
241-BX-108 ■	31	0	0
241-BX-109	193	0	0
241-BX-110 ■	65	148	1
241-BX-111 ■	32	156	0
241-BX-112	163	0	1



BY-Tank Farm- Constructed 1948-1949
12 @ 758 Kgal Tank Capacity, Single-Shell

Tank	Sludge (Kgal)	Saltcake (Kgal)	Supernatant (Kgal)
241-BY-101	37	333	0
241-BY-102	0	278	0
241-BY-103 ■	9	405	0
241-BY-104	46	359	0
241-BY-105 ■	48	433	0
241-BY-106 ■	32	398	0
241-BY-107 ■	15	256	0
241-BY-108 ■	40	182	0
241-BY-109	24	263	0
241-BY-110	43	323	0
241-BY-111	0	402	0
241-BY-112	2	284	0



C-Tank Farm- Constructed 1943-1944
12 @ 530 Kgal Tank Capacity, Single-Shell
4 @ 55 Kgal Tank Capacity, Single-Shell

Tank	Sludge (Kgal)	Saltcake (Kgal)	Supernatant (Kgal)
241-C-101 ■	4	0	1
241-C-102	316	0	3
241-C-103	2	0	0
241-C-104	1	0	1
241-C-105	132	0	0
241-C-106	3	0	0
241-C-107	27	0	8
241-C-108	3	0	0
241-C-109	1	0	0
241-C-110 ■	1	0	1
241-C-111 ■	32	0	0
241-C-112	34	0	0
241-C-201 ■	0	0	0
241-C-202 ■	0	0	0
241-C-203 ■	0	0	0
241-C-204 ■	0	0	0



LEGEND: Sludge | Saltcake | Supernatant | Available Space | Assumed/Confirmed Leaker ■

M. J. Rodgers
Data Derived From Waste Tank Summary Report Dated 10/31/2013
\\AP012\CHARDOCS\All By Staff Member\Rodgers\Tank Figures\200 East Tank Profile 103113.pdf

washingtonriver protectionsolutions

Figure A-4

HNF-EP-0182, Rev. 307

200 West Tank Waste Contents

S-Tank Farm- Constructed 1950-1951

12 @ 758 Kgal Tank Capacity, Single-Shell

Kgal

Tank	Sludge	Saltcake	Supernatant
241-S-101	235	117	0
241-S-102	22	69	2
241-S-103	9	227	1
241-S-104 ■	132	156	0
241-S-105	2	404	0
241-S-106	0	455	0
241-S-107	320	38	0
241-S-108	5	545	0
241-S-109	13	520	0
241-S-110	96	293	0
241-S-111	76	325	0
241-S-112	2	0	0



SX-Tank Farm- Constructed 1953-1955

15 @ 1,000 Kgal Tank Capacity, Single-Shell

Kgal

Tank	Sludge	Saltcake	Supernatant
241-SX-101	144	276	0
241-SX-102	55	287	0
241-SX-103	78	431	0
241-SX-104 ■	136	310	0
241-SX-105	63	312	0
241-SX-106	0	396	0
241-SX-107 ■	94	0	0
241-SX-108 ■	74	0	0
241-SX-109 ■	66	175	0
241-SX-110 ■	49	7	0
241-SX-111 ■	97	18	0
241-SX-112 ■	75	0	0
241-SX-113 ■	19	0	0
241-SX-114 ■	126	29	0
241-SX-115 ■	4	0	0



SY-Tank Farm- Constructed 1974-1976

3 @ 1,160 Kgal Tank Capacity, Double-Shell

Kgal

Tank	Sludge	Saltcake	Supernatant
241-SY-101	0	255	862
241-SY-102	199	11	364
241-SY-103	0	354	380



T-Tank Farm- Constructed 1943-1944

12 @ 530 Kgal Tank Capacity, Single-Shell

4 @ 55 Kgal Tank Capacity, Single-Shell

Kgal

Tank	Sludge	Saltcake	Supernatant
241-T-101 ■	37	62	0
241-T-102	19	0	13
241-T-103 ■	23	0	4
241-T-104	317	0	0
241-T-105	98	0	0
241-T-106 ■	22	0	0
241-T-107 ■	173	0	0
241-T-108 ■	5	11	0
241-T-109 ■	0	62	0
241-T-110	369	0	1
241-T-111 ■	447	0	0
241-T-112	60	0	7
241-T-201	28	0	2
241-T-202	20	0	0
241-T-203	36	0	0
241-T-204	36	0	0



TX-Tank Farm- Constructed 1947-1948

18 @ 758 Kgal Tank Capacity, Single-Shell

Kgal

Tank	Sludge	Saltcake	Supernatant
241-TX-101	74	13	0
241-TX-102	2	215	0
241-TX-103	0	145	0
241-TX-104	34	33	2
241-TX-105 ■	11	560	0
241-TX-106	5	343	0
241-TX-107 ■	0	30	0
241-TX-108	6	121	0
241-TX-109	359	0	0
241-TX-110 ■	37	430	0
241-TX-111	43	321	0
241-TX-112	0	634	0
241-TX-113 ■	93	545	0
241-TX-114 ■	4	528	0
241-TX-115 ■	8	545	0
241-TX-116 ■	66	533	0
241-TX-117 ■	29	597	0
241-TX-118	0	247	0



TY-Tank Farm- Constructed 1951-1952

6 @ 758 Kgal Tank Capacity, Single-Shell

Kgal

Tank	Sludge	Saltcake	Supernatant
241-TY-101 ■	72	46	0
241-TY-102	0	69	0
241-TY-103 ■	103	51	0
241-TY-104 ■	43	0	1
241-TY-105 ■	231	0	0
241-TY-106 ■	16	0	0



U-Tank Farm- Constructed 1943-1944

12 @ 530 Kgal Tank Capacity, Single-Shell

4 @ 55 Kgal Tank Capacity, Single-Shell

Kgal

Tank	Sludge	Saltcake	Supernatant
241-U-101 ■	23	0	0
241-U-102	43	283	1
241-U-103	11	405	1
241-U-104 ■	54	0	0
241-U-105	32	321	0
241-U-106	0	168	2
241-U-107	15	279	0
241-U-108	29	405	0
241-U-109	35	366	0
241-U-110 ■	176	0	0
241-U-111	26	196	0
241-U-112 ■	45	0	0
241-U-201	3	0	1
241-U-202	3	0	1
241-U-203	2	0	1
241-U-204	2	0	1



LEGEND

Sludge | Saltcake | Supernatant | Available Space | Assumed/Confirmed Leaker ■

M. J. Rodgers

Data Derived From Waste Tank Summary Report Dated 10/31/2013

washington river protection solutions

\\AP012\CHARDOCS\All By Staff Member\Rodgers\Tank Figures\200 West Tank Profile 103113.pdf

Figure A-5

DISTRIBUTION LIST

Number of copies

OFFSITE - USA

2 hard copies

Congress of the United States
U.S. Senate
717 Hart Senate Building
Washington D.C. 20510

Senator Ron Wyden

U.S. House of Representatives
1203 Longworth House Office Building
Washington D. C. 20515

Congressman Richard "Doc" Hastings, 4th District
Atten: Jeff Markey

U.S. Department of Energy-Headquarters

1 electronic only — Nicholas P. Machara
nicholas.machara@em.doe.gov

1 electronic only — Jim Poppiti
james.poppiti@em.doe.gov

1 electronic only — T. A. Shrader
todd.shrader@hq,doe.gov

1 hard copy

Washington State Department of Health
Office of Radiation Protection
309 Bradley Boulevard, Suite 201
Richland, WA, 99352

1 hard copy

Oregon Department of Energy
Nuclear Safety Division
625 Marion St. NE
Salem, OR 97301-3737

Dirk Dunning, P.E.

TRI-CITIES:

1 hard copy	**Tri-City Herald** Annette Carey 333 West Canal Dr. Kennewick, WA 99336
1 hard copy	Robert J. Cash 114 Somerset St. Richland, WA 99354-1966
1 hard copy	Richard Welty 409 S. 41st Ave W. Richland, WA 99353-5005

ONSITE

2 hard copies	**Government Accountability Office**	
	N. K. Kinter-Meyer	A1-80
	J. T. Larson	A1-80
1 hard copy	**U.S. Defense Nuclear Facilities Safety Board**	
	R. G. Quirk	S7-04
1 hard copies	**U.S. Environmental Protection Agency**	
	D. A. Faulk	B1-46
1 hard copy	**S. M. Stoller Corporation**	
	P. D. Henwood	B2-62
	U.S. Department of Energy	
1 electronic only	S. M. Braswell	H6-60
1 electronic only	M. E. Burandt	H6-60
1 electronic only	J. E. Cheadle	H6-60
1 hard copy	T. W. Fletcher	H6-60
1 electronic only	R. L. Frink	H6-60
1 electronic only	J F Grindstaff	H6-60
1 electronic only	B. A. Harkins	H6-60
1 electronic only	K L Higgins	H6-60
1 electronic only	D. H. Irby	H6-60
1 electronic only	J. M. Johnson	H6-60
1 electronic only	C. J. Kemp	H6-60
1 electronic only	R. J. Koll	H6-60
1 electronic only	D. L. Noyes	H6-60
1 electronic only	S. H. Pfaff	H6-60
1 electronic only	K. W. Smith	H6-60
1 electronic only	B. J. Stickney	H6-60
1 electronic only	W. B. Scott	H6-60
1 electronic only	J. Shuen	H6-60
1 electronic only	D M Smith	H6-60
1 hard copy	G. D. Trenchard	H6-60
1 hard copy	Reading Room (P.H. McCormick)	H2-53

	Washington River Protection Solutions	
1 elecronic Only	J. L. Castleberry	R3-26
1 electronic only	W. C. Clark	H6-63
1 electronic only	M. L. Farner	R1-08
1 electronic only	L. A. Fort	H6-13
1 electronic only	J. E. Geary	R3-26
1 electronic only	R. E. Gregory	S7-68
1 electronic only	J. N. Holloway	H6-04
1 electronic only	D. J. Houghton	R2-58
1 electronic only	N. W. Kirch	R2-58
1 electronic only	D. B. Little	R2-58
1 electronic only	R. C. Mallory	R3-47
1 electronic only	A. G. Miskho	H6-14
2 hard copies	R. J. Moore	S3-95
1 electronic only	L. D. Olson	H6-63
1 electronic only	M. S. Ornstein	R3-47
1 electronic only	J. G. Reynolds	B1-55
1 electronic only	R. T. Roxburgh	H6-04
1 electronic only	T. L. Sams	R2-52
1 electronic only	S. A. Saunders	B1-55
1 electronic only	M. J. Sheridan	R1-02
1 electronic only	J. C. Turknett	R1-07
1 electronic only	J. A. Voogd	R1-51
1 electronic only	R. E. Wilkinson	S5-07
1 hard copy	WFO Shift Office	S5-15
1 hard copy	Environmental Data Mgmt Center	H6-08

	Washington State Department of Ecology	
5 hard copies	M. L. Hendrickson	H0-57
	J. J. Lyon	H0-57
	N. H. Uziemblo	H0-57
	K. J. Wold	H0-57
	Library	H0-57