

START 9513383.2278

Meeting Minutes Transmittal - Approved

Unit Managers' Meeting
218 E-8 Borrow Pit Demolition Site Closure Plan
2440 Stevens Center Place, Room 1200
Richland, Washington

Meeting Held June 15, 1995
From 8:30 to 9:30 a.m.

The undersigned indicate by their signatures that these meeting minutes reflect the actual occurrences of the above dated Unit Managers Meeting.

Ellen Mattlin Date: 8/15/95
Ellen M. Mattlin, Unit Manager, RL

NOT PRESENT

Date: _____
Daniel L. Duncan, RCRA Program Manager, EPA Region 10

Fenggang Ma Date: 8/15/95
Fenggang Ma, Unit Manager, Washington State Department of Ecology

218 E-8 Borrow Pit Demolition Site Closure Plan, WHC Concurrence

Fred A. Ruck III Date: 8/15/95
Fred A. Ruck III, Contractor Representative, WHC

Purpose: Discuss Permitting Process

Meeting Minutes are attached. The minutes are comprised of the following:

- Attachment 1 - Agenda
- Attachment 2 - Summary of Discussion and Commitments/Agreements
- Attachment 3 - Attendance List
- Attachment 4 - Action Items
- Attachment 5 - Draft Data Evaluation Report



9513383.2279

Attachment 1

Unit Managers' Meeting
218 E-8 Borrow Pit Demolition Site Closure Plan
2440 Stevens Center Place, Room 1200
Richland, Washington

Meeting Held June 15, 1995
From 8:30 to 9:30 a.m.

Agenda

1. Approval of Past UMM Minutes
2. Status Action Items
-No open action items
3. Status Closure Activities
-Revision
-Data Evaluation
4. New Business
-Open Discussion
5. Set Next Meeting Date

Unit Managers' Meeting
218 E-8 Borrow Pit Demolition Site Closure Plan
2440 Stevens Center Place, Room 1200
Richland, Washington

Meeting Held June 15, 1995
From 8:30 to 9:30 a.m.

Summary of Discussion and Commitments/Agreements

1. Approval of Past UMM Minutes

April 25, 1995 Unit Managers' Meeting Minutes was reviewed and signed by the Unit Managers.

2. Status Action Items:

-No Open Action Items

There was no discussion.

3. Status Closure Activities:

-Status NOD Comments (On Schedule)

WHC (D. M. Korematsu-Olund) stated that the data evaluation report for the 218 E-8 is at RL for concurrence and should be officially transmitted to Ecology soon. WHC (D. M. Korematsu-Olund) handed Ecology a draft copy of the data evaluation report (see attachment 5).

WHC (D. M. Korematsu-Olund) stated that a contract is being finalized to get an independent professional engineer (PE) on board to certify the closure plan activities. Ecology (F. Ma) asked if the same PE will be used for all three closures. WHC (R. K. Bhatia) stated the same PE would work on all three demolition sites. Ecology (F. Ma) inquired if the PE was from an outside company. WHC (R. K. Bhatia) stated that the contract will be with Golder Associates, using the same PE that certified 2727-S closure plan.

4. New business:

-Open discussion
No new business.

5. Set new meeting date:

The next Unit Managers Meeting was scheduled for August 15, 1995, 8:30-10:00 a.m. in Richland, WA.

9513383.2282

Attachment 4

Unit Managers' Meeting
218 E-8 Borrow Pit Demolition Site Closure Plan
2440 Stevens Center Place, Room 1200
Richland, Washington

Meeting Held June 15, 1995
From 8:30 to 9:30 a.m.

Action Items

Action Item #

Description

6-15-95:1

No Action Items

9513383.2283

Attachment 5

Unit Managers' Meeting
218 E-8 Borrow Pit Demolition Site Closure Plan
2440 Stevens Center Place, Room 1200
Richland, Washington

Meeting Held June 15, 1995
From 8:30 to 9:30 a.m.

Draft Data Evaluation Report

JUN 12 1995
35 Section 21

9513383.2284
ENGINEERING DATA TRANSMITTAL

41629

Page 1 of 1
1. EDT No 612120

2. To: (Receiving Organization) Distribution	3. From: (Originating Organization) RCRA Unit Closures	4. Related EDT No.: NA
5. Proj./Prog./Dept./Div.: 01821	6. Cog. Engr.: D. M. Korematsu-Olund	7. Purchase Order No.: NA
8. Originator Remarks: This report summarizes the sampling activities and the analytical results obtained during soil characterization at the 218 E-8 Borrow Pit Demolition Site.		9. Equip./Component No.: NA
11. Receiver Remarks:		10. System/Bldg./Facility: NA
		12. Major Assm. Dwg. No.: NA
		13. Permit/Permit Application No.: NA
		14. Required Response Date: NA

15. DATA TRANSMITTED					(F)	(G)	(H)	(I)
(A) Item No.	(B) Document/Drawing No.	(C) Sheet No.	(D) Rev. No.	(E) Title or Description of Data Transmitted	Approval Designator	Reason for Transmittal	Originator Disposition	Receiver Disposition
1	WHC-SD-EN-TI-300		0	218 E-8 Borrow Pit Demolition Site Clean Closure Soil Evaluation Report	NA	2	1	

16. KEY			
Approval Designator (F)	Reason for Transmittal (G)		Disposition (H) & (I)
E, S, Q, D or N/A (see WHC-CM-3-5, Sec. 12.7)	1. Approval 2. Release 3. Information	4. Review 5. Post-Review 6. Dist. (Receipt Acknow. Required)	1. Approved 2. Approved w/comment 3. Disapproved w/comment 4. Reviewed no/comment 5. Reviewed w/comment 6. Receipt acknowledged

17. SIGNATURE/DISTRIBUTION (See Approval Designator for required signatures)											
(G)	(H)	(J) Name (K) Signature (L) Date (M) MSIN				(J) Name (K) Signature (L) Date (M) MSIN				(G)	(H)
Reason	Disp.									Reason	Disp.
1	1	Cog. Eng. D.M. Korematsu-Olund <i>[Signature]</i> 6/12/95 H6-23				OSTI (2) <i>[Signature]</i> 6/12/95 H6-23				3	
1	1	Cog. Mgr. F.A. Ruck III <i>[Signature]</i> 6/12/95 H6-23				Central Files (orig. +1) <i>[Signature]</i> 6/12/95 H6-23				3	
		QA									
		Safety									
		Env.									

18. D. M. Korematsu-Olund <i>[Signature]</i> 6/12/95 Signature of EDT Originator	19. D. M. Korematsu-Olund <i>[Signature]</i> 6/12/95 Authorized Representative for Receiving Organization	20. F. A. Ruck III <i>[Signature]</i> 6/12/95 Cognizant Manager	21. DOE APPROVAL (if required) Ctrl. No. <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/comments <input type="checkbox"/> Disapproved w/comments
---	--	--	---

RELEASE AUTHORIZATION

Document Number: WHC-SD-EN-TI-300, Rev. 0

Document Title: 218 E-8 Borrow Pit Demolition Site Clean Closure
Soil Evaluation Report

Release Date: 06/09/95

**This document was reviewed following the
procedures described in WHC-CM-3-4 and is:**

APPROVED FOR PUBLIC RELEASE

WHC Information Release Administration Specialist:

V. L. Birkland

V.L. Birkland

6/9/95

TRADEMARK DISCLAIMER. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors.

This report has been reproduced from the best available copy. Available in paper copy and microfiche. Printed in the United States of America. Available to the U.S. Department of Energy and its contractors from:

U.S. Department of Energy
Office of Scientific and Technical Information (OSTI)
P.O. Box 62
Oak Ridge, TN 37831
Telephone: (615) 576-8401

Available to the public from:

U.S. Department of Commerce
National Technical Information Service (NTIS)
5285 Port Royal Road
Springfield, VA 22161
Telephone: (703) 487-4650

SUPPORTING DOCUMENT

1. Total Pages 24

2. Title

218 E-8 Borrow Pit Demolition Site Clean Closure
Soil Evaluation Report.

3. Number

WHC-SD-EN-TI-300

4. Rev No.

0

5. Key Words

Soil Evaluation, 218 E-8 Borrow Pit, Demolition
Site, RCRA Closure

6. Author

Name: D. M. Korematsu-Olund

D. M. Korematsu-Olund
Signature

Organization/Charge Code 01821/A5GF1

7. Abstract

This report summarizes the sampling activities undertaken and the analytical results obtained in a soil sampling and analyses study performed for the 218 E-8 Borrow Pit Demolition Site (218 E-8 Demolition Site). The 218 E-8 Demolition Site is identified as a Resource Conservation and Recovery Act (RCRA) treatment unit that will be closed in accordance with the applicable laws and regulations.

No constituents of concern were found in concentrations indicating contamination of the soil by 218 E-8 Demolition Site activities.

8. RELEASE STAMP

OFFICIAL RELEASE
BY WFO
DATE JUN 12 1995
35 Station 21

CONTENTS

1		
2		
3		
4	1.0 INTRODUCTION	1
5	1.1 PURPOSE AND SCOPE	1
6	1.2 SUMMARY OF RESULTS	1
7	1.3 TREATMENT UNIT INFORMATION	2
8		
9	2.0 SAMPLING	2
10	2.1 SAMPLE LOCATIONS	2
11	2.2 SAMPLE COLLECTION	3
12	2.3 QUALITY CONTROL SAMPLES	3
13		
14	3.0 PERFORMANCE STANDARDS	4
15	3.1 BACKGROUND LEVELS	4
16	3.2 HEALTH-BASED LEVELS	5
17		
18	4.0 ANALYSES	5
19	4.1 ORGANIC ANALYSES	6
20	4.2 INORGANIC ANALYSES	6
21		
22	5.0 DATA VALIDATION	6
23		
24	6.0 DATA EVALUATION	8
25	6.1 ORGANICS	8
26	6.2 INORGANICS	9
27		
28	7.0 CONCLUSIONS	9
29		
30	8.0 REFERENCES	11

FIGURES

31		
32		
33		
34		
35		
36		
37		
38	1. 200 East Area	F1
39	2. Layout of 218 E-8 Demolition Site Closure Area	F2
40	3. 218 E-8 Demolition Site Closure Area, Sampling Locations,	
41	and Sample Intervals	F3
42	4. Sample Analyses Form 94-329	F4
43		

TABLES

44		
45		
46		
47		
48		
49	1. Routine and Quality Control Samples	T1
50	2. 218 E-8 Demolition Site Results, Semi-Volatile Organics Analysis . . .	T2
51	3. 218 E-8 Borrow Pit Demolition Site Soil Results, General Chemistry	
52	Analysis	T3

9513383.2288

WHC-SD-EN-TI-300, Rev. 0

1
2
3
4
5

This page intentionally left blank.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51

218 E-8 BORROW PIT DEMOLITION SITE CLEAN CLOSURE SOIL EVALUATION REPORT

1.0 INTRODUCTION

1.1 PURPOSE AND SCOPE

The purpose of this report is to describe the soil sampling performed at the 218 E-8 Borrow Pit Demolition Site (218 E-8 Demolition Site) and to present the analytical results of the verified soil samples and compare these results to clean closure criteria.

The scope of this report is the evaluation of the analyte concentrations for the nine samples taken to represent the unit soil. This report does not describe analytical methodology, nor does it provide raw analytical data or the sampling validation report. A description of the sampling plan is presented in the 218 E-8 Demolition Site closure plan (DOE-RL 1994a). The sampling plan was discussed and agreed to by all parties during the Data Quality Objective (DQO) meeting held May 24, 1994. All analytical data were validated according to *Data Validation Procedures for Chemical Analysis* (WHC 1993). The laboratory data package and data validation report have been transmitted to Ecology as the regulatory lead for closure of this unit (DOE-RL 1994c).

The 218 E-8 Demolition Site is a *Resource Conservation and Recovery Act* (RCRA) of 1976 treatment unit located in the 200 East Area of the Hanford Site. A single demolition event in November 1984 occurred at the 218 E-8 Demolition Site. This demolition event was a form of thermal treatment for discarded explosive chemical products. Because it will no longer be used for this thermal activity, the unit will be closed. Soil sampling of the 218 E-8 Demolition Site for the purposes of clean closure occurred in July 1994 in accordance with the 218 E-8 Demolition Site Closure Plan, Revision 1 (DOE-RL 1994a).

1.2 SUMMARY OF RESULTS

To meet the criteria for clean closure of the 218 E-8 Demolition Site, analytical results must verify that the concentration of all detonation activity residues is at or below action levels. Action levels are defined as levels above the Hanford Site soil background threshold levels identified in *Hanford Site Background: Part 1, Soil Background for Nonradioactive Analytes* (DOE-RL 1994b) and the Model Toxics Control Act (MTCA) (WAC 173-340) Method B residential levels. No constituents of concern were found in concentrations indicating contamination of the soil at the 218 E-8 Demolition Site (i.e., concentrations above action levels).

Regulator acceptance of the findings presented in this report will qualify the treatment unit for clean closure in accordance with *Washington*

1 *Administrative Code (WAC) 173-303-610, "Dangerous Waste Regulations,"* without
2 further sampling or soil removal and/or decontamination.
3
4

5 1.3 TREATMENT UNIT INFORMATION 6

7 The 218 E-8 Demolition Site closure area is located in the northeast
8 portion of the 200 East Area, as shown in Figure 1. The closure area occupies
9 an area 20 feet (6 meters) by 20 feet (6 meters) square. It is located within
10 a multi-use borrow pit area, as shown in Figure 2. The entire multi-use
11 borrow pit area is approximately 600 feet (180 meters) by 900 feet
12 (270 meters) in size with a gravelly, sparsely vegetated landscape.
13

14 In November 1984, a demolition event consisting of a single explosion
15 occurred at the 218 E-8 Demolition Site. Discarded explosive chemical
16 products (DOE-RL 1994a) were placed in a shallow depression, 6 to 12 inches
17 (15 to 30 centimeters) deep, dug expressly for the demolition activity. The
18 discarded explosive chemical products were detonated in their original metal
19 and glass containers. Conventional explosives (i.e., nitroglycerin dynamite
20 and detonating cord) were placed around and on top of the chemical containers.
21 After the detonation event, the area was inspected to confirm that no intact
22 chemicals or containers remained.
23
24
25

26 2.0 SAMPLING 27

28 Soil sampling was performed on July 12, 1994, as specified in the
29 sampling and analysis plan (SAP) provided in the 218 E-8 Demolition Site
30 Closure Plan (DOE-RL 1994a). Nine samples were collected (8 samples and
31 1 collocated duplicate). Two blank samples were included during sampling:
32 a trip blank and an equipment blank. The trip blank is used to test for
33 contamination due to sample handling. The equipment blank is used to
34 determine whether decontamination of sampling equipment is adequate.
35
36
37

38 2.1 SAMPLE LOCATIONS 39

40 The sample locations and the intervals are shown in Figure 3. The nine
41 soil samples were taken within a 5.5-foot (1.7-meter)-radius centered around
42 the blasting pit. Before sampling, the blasting pit was reconstructed by
43 removing wind-blown sand to create a 6-inch (15 centimeter)-deep, 3-foot
44 (91-centimeter) diameter hole (original diameter 1.5 feet [46 centimeters]).
45 Sample intervals within the reconstructed crater (Figure 3, shaded area) were
46 based on the configuration of the reconstructed crater. All nine sample
47 locations were authoritatively selected to ensure comprehensive coverage in
48 the inner radius of the pit and to account for the effects of prevailing wind
49 patterns on the pit. The collocated duplicate sample was taken at the center
50 of the crater at an interval of 0 to 6 inches (0 to 15 centimeters).
51
52

2.2 SAMPLE COLLECTION

The nine samples required by the closure plan were assigned Hanford Environmental Information System (HEIS) (WHC 1990) numbers BOCBN1, BOCBN2, and BOC961 through BOC969 (Figure 3). The trip blank sample was numbered BOCBN2 and the equipment blank sample was numbered BOC964.

Engineering support personnel used hand tools (i.e., stainless steel spoon and bowl) to obtain the soil samples in accordance with information provided in Figure 3. Sampling depth ranged from 0 to 18 inches (0 to 46 centimeters). Samples were collected for offsite laboratory analyses per SW-846 as requested on the Sample Analysis Form 94-329 (Figure 4). The sampling equipment was decontaminated in the 1706 KE Laboratory in accordance with Environmental Investigation Instruction 5.5, "Laboratory Cleaning of RCRA/CERCLA Sampling Equipment" (WHC 1988). A complete set of decontaminated equipment was provided for each sample. All sampling equipment was later returned to the 1706 KE Laboratory for decontamination.

Because samples going offsite are required to show a certificate of nondangerous radioactivity, additional aliquots were taken for total activity readings. These aliquots were transported to the 222-S Laboratory on the following day, July 13, 1994. The evaluation of the total activity results allowed release of the samples for offsite transfer on July 14, 1994. All samples were packaged, handled, and shipped in accordance with WHC Environmental Investigations Instructions (WHC 1988). All samples were cooled to 4 °Celsius during storage and transportation to the offsite laboratory. Samples are listed in Table 1.

2.3 QUALITY CONTROL SAMPLES

Figure 3 summarizes sample identification, location, and QC designation.

A duplicate sample (BOC953) was taken at the location of sample BOC952. The sample number BOC952 and the collocated duplicate were taken from the center of the crater at an interval of 0 to 6 inches (0 to 15 centimeters). Duplicate samples are collected as close as possible to the same point in space and time; however, they are stored in separate containers and analyzed independently. Duplicates are used to estimate the precision of the sampling process.

Trip blanks are used when samples are taken for volatile organics analysis. The trip blank for this study consisted of clean sand that was placed in a sample bottle in an uncontaminated area. The trip blank was subjected to the same handling as the routine samples and was analyzed to determine if contamination originated from the sample container or transportation and storage procedures. The trip blank was submitted to the analytical laboratory with the routine samples.

Equipment blanks consist of clean sand poured over or through the sampling device after decontamination; these blanks are collected in a sample bottle and transported to the laboratory for analysis. Equipment blanks test

1 for residual contamination from inadequate decontamination of the sampling
2 equipment at the 1706 KE Facility. One equipment blank was collected after
3 the sampling event was completed.
4
5
6

7 3.0 PERFORMANCE STANDARDS 8 9

10 The performance standards, or action levels, for soils are defined in the
11 218 E-8 Demolition Site closure plan (DOE-RL 1994a), Chapter 6, Section 6.1.
12 To meet action levels for clean closure, analytical results must verify that
13 potentially dangerous waste constituents treated at the unit are not present
14 in concentrations above these levels. Action levels are defined as levels
15 above the Hanford Site soil background threshold levels identified in *Hanford*
16 *Site Background: Part 1, Soil Background for Nonradioactive Analytes*
17 (DOE-RL 1994b) and *Model Toxics Control Act* (MTCA) (WAC 173-340) Method B
18 levels. If analysis determines that concentration are above both guidelines,
19 a phase two investigation will be developed. Additional information on the
20 Hanford Site Background threshold levels is provided in Section 3.1 and is
21 listed in Tables 2 and 3. Information on MTCA Method B health-based levels is
22 provided in Section 3.2 and calculations are described in *Model Toxics Control*
23 *Act* (MTCA) [WAC 173-340-740 (3)(a)(iii)] Method B. In this report, the
24 analytical results have been evaluated and compared with action levels to
25 verify that the concentration of all detonation activity residues is at or
26 below action levels.
27
28

29 3.1 BACKGROUND LEVELS 30

31 The background action levels used in this report are based on a sitewide
32 approach to determining background levels and were developed as an alternative
33 to local unit-based background determinations at the Hanford Site
34 (DOE-RL 1994b). Using local background for each treatment, storage, and/or
35 disposal (TSD) unit can lead to different definitions of contamination and
36 different assessments of remediation goals and risk for various TSD units.
37 The Hanford Site Background approach is based on the premise that (1) the
38 waste management units are located on or in a common sequence of vadose zone
39 sediments, and (2) the basic characteristics that control the chemical
40 composition of these sediments are similar throughout the Hanford Site. The
41 range of natural soil compositions is used to establish a single set of soil
42 background data. Use of the Hanford Site Background for environmental
43 restoration on the Hanford Site is technically preferable to the use of the
44 unit-based background because the former more accurately represents the
45 natural variability in soil composition and also provides a more consistent
46 and efficient basis for evaluating contamination in soil.
47

48 The Hanford Site Background threshold levels are summarized in Tables 2
49 and 3. The background threshold is the concentration level defining the upper
50 limit of the background population. Background thresholds are based on a
51 tolerance interval approach. The calculated threshold levels depend on the
52 confidence interval and percentile used in the calculation. The

1 WAC 173-340-708(11)(d) specifies a tolerance coefficient of 95 percent and a
2 coverage of 95 percent. The Hanford Site Background threshold levels are
3 based on this 95/95 confidence interval. Statistical calculations are
4 described in the source document (DOE-RL 1994b).

7 3.2 HEALTH-BASED LEVELS

9 The health-based action levels used in this report are based on
10 calculations from the equations, risk levels, and exposure assumptions found
11 in the MTCA Method B [WAC 173-340-740 (3)(a)(iii)]. For noncarcinogens, the
12 principal variable is the reference dose. The reference dose, as defined in
13 the Environmental Protection Agency's (EPA) *Integrated Risk Information System*
14 (IRIS) database (EPA 1995), is an estimate of a daily exposure to the human
15 population that likely is to be without an appreciable risk of deleterious
16 effects during a lifetime. For carcinogens, the cancer slope factor is the
17 basis for determining human health effects; it is a measurement of the risk
18 per unit dose. The reference dose and the cancer slope factor are chemical-
19 specific and are obtained from IRIS. If not available in IRIS, secondary
20 sources for these toxicity values include the Ecology Cleanup Levels and Risk
21 Calculation database (Ecology 1995) and EPA Health Effects Assessment Summary
22 Tables (EPA 1994).

26 4.0 ANALYSES

29 All samples were analyzed for volatile organic compounds (VOC),
30 detonation residues, anions, and total nitrogen. Semi-volatile organic
31 compound (Semi-VOC) analysis was performed on selected samples (Figure 3).
32 Semi-VOCs are not part of the inventory of known discarded explosive chemical
33 products that were detonated at the 218 E-8 Demolition Site, nor are they
34 listed on the inventory of known detonation materials used at the
35 218 E-8 Demolition Site. However, during the DQO meeting, all parties agreed
36 to analyze a limited number of samples for semi-VOC for informational
37 purposes.

39 All samples were sent to IT-Quanterra Laboratory in Knoxville, Tennessee,
40 for analysis. Table 1 lists the analytical methods for 218 E-8 Demolition
41 Site soils. Anions and total nitrogen results are grouped together in the
42 data package "General Chemistry" and will be discussed in this report under
43 the subtitle of "Inorganic Compounds." Each analyte group, except
44 nitroexplosives and VOCs, has a concentration comparison table that lists and
45 identifies chemical concentrations (see Tables 2 and 3). All known
46 nitroexplosives and VOCs data were reported as undetected. No further
47 evaluation will be presented for these undetected analytes.

49 All analytical data were validated according to *Data Validation*
50 *Procedures for Chemical Analysis* (WHC 1993) (refer to Section 5.0).

4.1 ORGANIC ANALYSES

Samples were analyzed for VOCs and semi-VOCs, including standard target analytes and Appendix IX VOCs and semi-VOCs, using gas chromatography/mass spectroscopy (GS/MS), which is based on EPA SW-846 methods 8240 and 8270. Any unidentified compounds were subjected to a computer-generated library search and mass spectral interpretation. Those unidentified analytes that generally correlate with known compound spectra are listed as tentatively identified compounds (TICs). The volatile organic analysis was performed by purge and trap with capillary column on a GC/MS. All samples were analyzed and all analytes were reported as undetected. Matrix spike and matrix duplicate samples were analyzed for sample BOC961 and met all QC method specified limits.

The semi-VOC analysis was performed by direct injection of sample extract on a capillary column on a GC/MS. The samples did not contain any Appendix IX compounds. Matrix spike and matrix spike duplicate were analyzed for sample BOC961 and passed all QC criteria.

4.2 INORGANIC ANALYSES

Samples were analyzed for the following inorganic analytes: fluoride, chloride, phosphate, sulfate, nitrate, and nitrite. The EPA Method 300 (EPA 1993) was used to determine the fluoride, chloride, phosphate, and sulfate concentrations. The EPA Method 353.2 (EPA 1993) was used to determine the nitrate/nitrite concentrations. It should be noted that EPA Method 300 (EPA 1993) reports values for nitrate and nitrite and these are included in the validation data package (DOE-RL 1994c). However, for the purpose of this report, only the results from Method 353.2 (EPA 1993) will be used as agreed to during the DQO process.

5.0 DATA VALIDATION

Data validation was performed by Golder Associates Inc. (GAI), in accordance with Level D as defined in *Data Validation Procedures for Chemical Analysis* (WHC 1993). Level D validation includes evaluation and qualification of results based on analytical holding times, method blank results, matrix spikes and duplicates, surrogate recoveries, and analytical method blanks.

The criteria and limits for the validation procedures are listed in the source document. Results of the data validators' review of the QC applied in this sampling event were transmitted to the regulators with the validated data packages (DOE-RL 1994c).

The data validation procedure establishes the following qualifiers and definitions to describe the associated data:

- 1 U Indicates the compound or analyte was analyzed for and not detected
2 in the sample.
3
- 4 UJ Indicates the compound or analyte was analyzed for and not detected
5 in the sample. Because of a quality control deficiency identified
6 during data validation, the associated quantitation limit is an
7 estimate. These data are useable for decision-making purposes.
8
- 9 J Indicates the compound or analyte was analyzed for and detected.
10 The associated concentration is an estimate by the laboratory
11 because it is below the method detection limit. These data are
12 usable for decision-making purposes.
13
- 14 JN Indicates a tentatively identified compounds (TIC) that has been
15 determined to be valid in terms of identification and quantitation.
16
- 17 UR Indicates the compound or analyte was analyzed for and not detected
18 in the sample. As a result of a major quality control deficiency
19 identified during data validation, the associated data have been
20 qualified as unusable for decision-making purposes.
21
- 22 R Indicates the compound or analyte was analyzed for and detected. As
23 a result of a major quality control deficiency identified during
24 data validation, the concentration reported has been qualified as
25 unusable. The associated data should be considered unusable for
26 decision-making purposes.
27
- 28 B For organic data, indicates that the analyte was detected in both
29 the sample and the associated blank. For inorganic data, indicates
30 that the analyte concentration is less than the contract required
31 detection limit, but greater than the instrument detection limits.
32

33 All TICs reported during the organics analyses are deemed as estimated
34 and presumptive and are qualified as estimated during the data validation
35 process (WHC 1993).
36

37 Some discrepancies were noted in the validation of the laboratory data
38 resulting in the data being qualified. The qualifiers are listed in Tables 2
39 and 3. The following qualifiers were applied to the data as described and
40 required in the data validation guidelines (WHC 1993):
41

- 42 • For the volatile organic analysis (VOA), methylene chloride and
43 acetone were detected in the laboratory blank. This resulted in some
44 data being qualified as non-detect (U).
45
- 46 • For general chemistry analyses (anions), the holding times for some
47 phosphate results were exceeded and the applicable results were
48 qualified as estimated (J) or rejected (R). However, this is due to
49 applying holding times established for water samples to these soil
50 samples. There are currently no holding times established for soil
51 samples.
52

- 1 • For chloride, sample spike recovery was slightly below control limits
2 and the applicable results were qualified as estimated (J).
- 3
- 4 • No deficiencies were noted for the semi-VOA and nitroexplosives data.
- 5

6 Additional information on the above noted laboratory discrepancies can be
7 found in the data validation packages (DOE-RL 1994c).

10 6.0 DATA EVALUATION

11
12
13
14 The closure plan proposed comparing concentrations in soil of
15 constituents of concern to health-based action levels. Analytical results
16 below the detection limits are not considered to signify contamination. The
17 samples will be considered clean with respect to that analyte. The health-
18 based action levels will be based on MTCA Method B or Hanford Site Background
19 threshold levels for soil. Any analyte found in concentrations greater than
20 this health-based level will require further evaluation.

21 22 23 6.1 ORGANICS

24
25 No VOCs were reported. For the semi-volatiles analyses, discussed below,
26 all of the compounds found can be dismissed due to their low concentrations or
27 their status as common laboratory contaminants.

28
29 Phthalate compounds were identified in two samples including the
30 equipment blank (BOC962, BOC964). According to data validation guidelines,
31 these are common laboratory contaminants when detected in concentrations less
32 than 4,000 parts per billion in soil samples. Because all values were below
33 this limit, all phthalate compounds are being dismissed as attributable to
34 laboratory contaminants.

35
36 There are no Hanford Site Background threshold levels or MTCA, Method B
37 levels or practical quantitative level (PQL) for TICs. TICs are purely a
38 qualitative measure of whether or not a compound is detected, the result is
39 strictly estimated. The TICs found in this study are not an EPA listed
40 hazardous substance (40 CFR 261) nor are they WAC dangerous waste constituents
41 having a waste designation level (WAC 173-303). No toxicity (oral reference
42 dose) information or carcinogenicity (cancer potency factor) information is
43 available from the EPA. Because TICs have no established action levels or
44 bearing on dangerous waste regulations and are present at such low
45 concentration levels, they are considered to be below a level of concern.

46
47 The field duplicate sample BOC962 contained TICs (identified in Table 2)
48 that were not found in the original sample (number BOC961). No constituents,
49 except a phthalate, were detected in the duplicate. Compounds not found in
50 both the original and duplicate samples do not show reproducibility and,
51 therefore, are dismissed as anomalies.

1 TICs identified as hexanoic acid, hexadecanoic acid, and 2-methoxy-2-
2 propoxy propane were found in the equipment blank in low concentrations and
3 can be attributed to, and dismissed as, equipment contamination.
4

5 In sample number BOC963, one TIC was identified as pentacosane at
6 260 parts per billion. Pentacosane is a long single chain hydrocarbon
7 categorized as a wax bi-product. It is not subject to the dangerous waste
8 regulations and is present at such low concentration levels that it is
9 considered to be below a level of concern.
10

11 A TIC identified as 2,6-dimethyl-heptadecane was detected in sample
12 numbers BOC961, BOC962, and BOC963 in the 100 parts per billions range. The
13 2,6-dimethyl-heptadecane is not subject to the dangerous waste regulations and
14 is present at such low concentration levels that it is considered to be below
15 a level of concern.
16

17 18 6.2 INORGANICS 19

20 No nitroexplosives were reported. The anions analyses are summarized in
21 Table 3. Chloride and phosphate results that were qualified with a J indicate
22 that the data are estimated but considered usable for decision-making purposes
23 through data validation. Anion analyses reported above the laboratory
24 instrumentation detection limits were compared to MTCA, Method B and/or
25 Hanford Site Background threshold levels (DOE-RL 1994b). Fluoride, chloride,
26 phosphate, sulfate, and nitrite-nitrate concentrations were all found to be
27 below action levels indicating no contamination present. Chloride and sulfate
28 were detected in the equipment blank indicating that the source was from the
29 sampling equipment.
30

31 32 33 7.0 CONCLUSIONS 34 35

36 The sampling and analysis activities identified few analyte
37 concentrations above detection. No volatile organic compounds or
38 nitroexplosives were detected. When MTCA, Method B and Hanford Site
39 Background threshold levels were available, all analytes were below action
40 levels. Of the semi-VOCs for which no action levels were available, all were
41 TICs whose concentrations were below quantitation limits. The semi-VOC
42 detections were dismissed for any one of the following reasons:
43

- 44 • low concentrations
- 45
- 46 • attributed to common laboratory contaminates
- 47
- 48 • contamination by equipment
- 49
- 50 • constituents were not hazardous substances or dangerous waste
51 constituents.
52

1 All inorganic concentrations are below MTCA, Method B and/or Hanford Site
2 Background threshold levels, indicating no inorganic contamination is present
3 at the 218 E-8 Demolition Site.
4


5 In summary, the analytical results for the 218 E-8 Demolition Site soils
6 meet the criteria for clean closure verifying that the concentration of all
7 detonation activity residues are below action levels. No constituents of
8 concern were found in concentrations indicating contamination of the soil at
9 the 218 E-8 Demolition Site (i.e., concentrations above action levels).
10 Consequently, under the provisions of WAC 173-303-610, this RCRA unit
11 qualifies for clean closure.

8.0 REFERENCES

- 1
2
3
4 DOE-RL, 1994a, *218 E-8 Borrow Pit Demolition Site Closure Plan*, DOE/RL-92-53,
5 Rev. 1, U.S. Department of Energy, Richland Operations Office, Richland,
6 Washington.
7
- 8 DOE-RL, 1994b, *Hanford Site Background: Part 1, Soil Background for*
9 *Nonradioactive Analytes*, DOE/RL-92-24, Rev. 2, U.S. Department of Energy,
10 Richland Operations Office, Richland, Washington.
11
- 12 DOE-RL, 1994c, Letter J. D. Bauer, RL; to D. L. Lundstrom, Ecology; and
13 D. R. Sherwood, EPA, "Submittal of Validated Data for the 218 E-8 Borrow
14 Pit Demolition Site Soil Sampling and 200 West Area Ash Pit Demolition
15 Site Soil Sampling," dated November 7, 1994, 95-PCA-043, U.S. Department
16 of Energy, Richland Operations Office, Richland, Washington.
17
- 18 Ecology, EPA, and DOE, 1994, *Hanford Federal Facility Agreement and Consent*
19 *Order*, 2 vols., Washington State Department of Ecology,
20 U.S. Environmental Protection Agency, and U.S. Department of Energy,
21 Olympia, Washington.
22
- 23 Ecology, 1994, *Guidance for Clean Closure of Dangerous Waste Facilities*,
24 August 1994, Publication #94-111, Washington State Department of Ecology,
25 Olympia, Washington.
26
- 27 Ecology, 1995, *Model Toxic Control Act Cleanup Levels and Risk Calculations*
28 *Update*, Publication #94-145, Washington State Department of Ecology,
29 Olympia, Washington.
30
- 31 EPA, 1986, *Test Methods for the Evaluation of Solid Waste: Physical/Chemical*
32 *Methods*, SW-846, as amended, U.S. Environmental Protection Agency,
33 Washington, D.C.
34
- 35 EPA, 1993, *Methods for Chemical Analysis of Water and Waste*, EMSL-Ci,
36 EPA-600/4-79-020, Revised March 1993, U.S. Environmental Protection
37 Agency, Washington, D.C.
38
- 39 EPA, 1994, *Health Effects Assessment Summary Tables*, U.S. Environmental
40 Protection Agency, Washington, D.C.
41
- 42 EPA, 1995, *Integrated Risk Information System*, (online information system,
43 updated periodically) Environmental Criteria and Assessment Office,
44 U.S. Environmental Protection Agency, Cincinnati, Ohio.
45
- 46 *Resource Conservation and Recovery Act of 1976*, 42 USC 6901 et seq.
47
- 48 WAC 173-303, "Dangerous Waste Regulations," *Washington Administrative Code*,
49 as amended.
50
- 51 WAC 173-340, "The Model Toxics Control Act Cleanup Regulations," *Washington*
52 *Administrative Code*, as amended.

- 1 WHC, 1988, *Environmental Investigations and Site Characterization Manual*,
2 WHC-CM-7-7, Westinghouse Hanford Company, Richland, Washington.
3
- 4 WHC, 1993, *Data Validation Procedures for Chemical Analyses*,
5 WHC-SD-EN-SPP-002, Rev. 2, Westinghouse Hanford Company, Richland,
6 Washington.
7
- 8 40 CFR 260, "Hazardous Waste Management System-General," *Code of Federal*
9 *Regulations*, as amended.
10
- 11 40 CFR 261, "Identification and Listing of Hazardous Waste," *Code of Federal*
12 *Regulations*, as amended.
13
- 14 40 CFR 262, "Standards Applicable to Generators of Hazardous Waste," *Code of*
15 *Federal Regulations*, as amended.
16
- 17 40 CFR 263, "Standards Applicable to Transporters of Hazardous Waste," *Code of*
18 *Federal Regulations*, as amended.
19
- 20 40 CFR 264, "Standards for Owners and Operators of Hazardous Waste Treatment,
21 Storage, and Disposal Facilities," *Code of Federal Regulations*, as
22 amended.
23
- 24 40 CFR 264, Subpart F (Sections 90 through 101), 1992 "Releases from Solid
25 Waste Management Units," *Code of Federal Regulations*, as amended.
26
- 27 40 CFR 264, Subpart X (Sections 600 through 603), "Miscellaneous Units," *Code*
28 *of Federal Regulations*, as amended.
29
- 30 40 CFR 265, "Interim Status Standards for Owners and Operators of Hazardous
31 Waste Treatment, Storage, and Disposal Facilities," *Code of Federal*
32 *Regulations*, as amended.
33
- 34 40 CFR 266, "Standards for the Management of Specific Hazardous Wastes and
35 Specific Hazardous Waste Management Facilities," *Code of Federal*
36 *Regulations*, as amended.
37
- 38 40 CFR 267, "Interim Standards for Owners and Operators of New Hazardous Waste
39 Land Disposal Facilities," *Code of Federal Regulations*, as amended.
40
- 41 40 CFR 268, "Land Disposal Restrictions," *Code of Federal Regulations*,
42 as amended.
43
- 44 40 CFR 270, "EPA Administered Permit Programs: The Hazardous Waste Permit
45 Program," *Code of Federal Regulations*, as amended.

Figure 1. 200 East Area.







Figure 2. Layout of 218 E-8 Demolition Site Closure Area.

218 E-8 Borrow Pit Demolition Site



Field QC Samples

- BOC962 - 1 Duplicate (Located at Center 0-6 in.)
- BOC964 - 1 Equipment Blank (Clean Silica Sand)
- BOCBN2 - 1 Trip Blank (Clean Silica Sand)

Environmental Characterization Samples → 8

Crater



H9405002.2

Figure 3. 218 E-8 Demolition Site Closure Area, Sampling Locations, and Sample Intervals.

Figure 4. Sample Analyses Form 94-329.

OFFICE OF SAMPLE MANAGEMENT FIELD SAMPLING REQUIREMENTS				94-329 SAF Number
Requirements are for IT				
REV 0				06/27/94
PARAMETER/ ANALYSIS	ANALYTICAL METHODS	CONTAINER ¹ / VOLUME	PRESERVATION	HOLDING TIME
1. VOA	8240 Appendix IX	Gs [*] 125 ml	Cool 4°C	7 Days
2. Semi-VOA	8270 Appendix IX	aG 125 ml	Cool 4°C	14 Days ²
3. Detonation Residue	8330	aG 125 ml	Cool 4°C	14 Days ²
4. Anions - F, Cl, SO, - PO ₄ , NO ₃ , NO ₂	EPA 300.0	G 125 ml	Cool 4°C	28 Days 48 Hours
5. NO ₂ - NO ₃	EPA 353.1	P/G 125 ml	Cool 4°C	28 Days
6. ICP Metals AA Metals - Arsenic - Lead - Selenium - Mercury	6010 7060 7421 7740 7471	G 125 ml	Cool 4°C	6 Months 6 Months 6 Months 28 Days
7. Activity Scan (IT)	Lab Specific	G/P 40 ml	Cool 4°C	ASAP
8. Rod Screen (222-S)	Lab Specific	G/P small vial (at least 1 g)	None	ASAP

¹ Container Types:

P = Plastic (Polyethylene)
 G = Glass
 Gs = Glass w/septum cap
 GW = Glass/wide mouth jar
 Gs* = Glass w/septum cap--
 No head space in container

PW = Plastic (Polyethylene)/wide mouth jar
 PP = Polypropylene
 aG = Amber Glass
 T = Fluorocarbon Resins
 aGs = Amber Glass w/septum cap
 aGs* = Amber Glass w/septum cap
 No head space in container

² 7 Days for Extraction, 40 Days for Analysis³ 14 Days for Extraction, 40 Days for Analysis

Table 1. Routine and Quality Control Samples.

Sample number	Constituent Analysis ^a	Analytical Method
BOC961	VOC, Semi-VOC, Detonation residue, Anions, TN	SW-846:8240, 8270, 8330 ^b EPA 300.0, 353 ^c
BOC962 Duplicate	VOC, Semi-VOC, Detonation residue, Anions, TN	SW-846:8240, 8270, 8330 EPA 300.0, 353
BOC963	VOC, Semi-VOC, Detonation residue, Anions, TN	SW-846:8240, 8270, 8330 EPA 300.0, 353
BOC964 Equipment Blank	VOC, Semi-VOC, Detonation residue, Anions, TN	SW-846:8240, 8270, 8330 EPA 300.0, 353
BOC965	VOC, Detonation residue, Anions, TN	SW-846:8240, 8330 EPA 300.0, 353
BOC966	VOC, Detonation residue, Anions, TN	SW-846:8240, 8330 EPA 300.0, 353
BOC967	VOC, Detonation residue, Anions, TN	SW-846:8240, 8330 EPA 300.0, 353
BOC968	VOC, Detonation residue, Anions, TN	SW-846:8240, 8330 EPA 300.0, 353
BOC969	VOC, Detonation residue, Anions, TN	SW-846:8240, 8330 EPA 300.0, 353
BOCBN1	VOC, Detonation residue, Anions, TN	SW-846:8240, 8330 EPA 300.0, 353
BOCBN2 Trip Blank	VOC	SW-846:8240

NOTE: All samples submitted to IT-Quanterra, Knoxville, Tenn.

TN = nitrate-nitrite

^a Sample locations and analytical requirements in Figure 3 and 4.

^b EPA 1986.

^c EPA 1993.

950612.1343

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31

Table 2. 218 E-8 Demolition Site Results, Semi-Volatile Organics Analysis.

Sample number	Name of Constituent	CAS ^a	Qualifiers	Concentration $\mu\text{g}/\text{kg}$	MTCA Method B Cleanup Level ^b $\mu\text{g}/\text{kg}$	Hanford Site Soil Background 95/95 threshold $\mu\text{g}/\text{kg}$	Hanford Site Background Maximum Conc. $\mu\text{g}/\text{kg}$
BOC961	TIC: 2,6,-Dimethyl-Heptadecane	54105-67-8	JN	140.00	NA	NA	NA
BOC962 Duplicate	Di-N-Butylphthalate TIC: 2,6,-Dimethyl-Heptadecane Hexadecanoic Acid 4,7-Dimethylundecane Pentadecane Octacosane	84-74-2 54105-67-8 57-10-3 17301-32-5 629-62-9 630-02-4	J JN JN JN JN JN	100.00 92.0 130.0 78.00 75.00 220.0	8000.0 NA NA NA NA NA	NA NA NA NA NA NA	NA NA NA NA NA NA
BOC963	TIC: 2,6,-Dimethyl-Heptadecane Pentacosane	54105-67-8 629-99-2	JN JN	87.00 260.0	NA NA	NA NA	NA NA
BOC964 equip blank	Di-N-Butylphthalate Bis(2-ethylhexyl)phthalate TIC: Hexanoic Acid Hexadecanoic Acid 2-methoxy-2-propoxy propane	84-74-2 117-81-7 142-62-1 57-10-3	J BJ JN JN J	78.0 61.0 77.00 180.0 2100.0	8000.0 71.0 NA NA NA	NA NA NA NA NA	NA NA NA NA NA

$\mu\text{g}/\text{kg}$ = microgram/kilogram (parts per billion)

NA = not available

J = Indicates the compound or analyte was analyzed for and detected. The associated concentration is an estimate, by the laboratory because it is below the method detection limit.

JN = Tentatively identified compounds (TICs) were reported in the samples and deemed estimated and presumptive

BJ = For organic data, indicates that the compound was detected in both the sample and the associated method blank. The associated concentration is estimated.

^a = Chemical Abstract Services

^b = Calculation found in Model Toxic Control Act (173-340-740)

Note: MTCA, Method B, use the lowest of the two cleanup levels, cancer or noncancer-based, for implementation in closure plans.

9513383.2306
WHC-SD-EN-TI-296, Rev. 0

950620.0948

T3.1

Table 3. 218 E-8 Borrow Pit Demolition Site Soil Results, General Chemistry Analysis.
(sheet 1 of 2)

Sample number	Name of Constituent	Qualifiers	Concentration mg/kg	MTC A Method B Cleanup Levels ^a mg/kg	Hanford Site Soil Background 95/95 threshold ^b mg/kg	Hanford Site Soil Background Maximum Conc. ^b mg/kg
BOC961	Fluoride Chloride Phosphate Sulfate Nitrate+Nitrite	J J	0.70 0.90 1.60 2.50 0.81	4800.0 NA NA NA 130000+8000=138000	13.00 783.0 12.70 931.0 208.0*	73.30 1480.0 225.0 12600.0 906.0*
BOC962 Duplicate	Fluoride Chloride Phosphate Sulfate Nitrate+Nitrite	J J	0.80 0.90 1.40 2.50 0.72	4800.0 NA NA NA 130000+8000=138000	13.00 783.0 12.70 931.0 208.0*	73.30 1480.0 225.0 12600.0 906.0*
BOC963	Fluoride Chloride Phosphate Sulfate Nitrate+Nitrite	J J	0.80 2.00 2.50 4.50 4.60	4800.0 NA NA NA 130000+8000=138000	13.00 783.0 12.70 931.0 208.0*	73.30 1480.0 225.0 12600.0 906.0*
BOC964 equip blank	Fluoride Chloride Phosphate Sulfate Nitrate+Nitrite	U J UR	0.40 2.20 1.00 2.90 0.88	4800.0 NA NA NA 130000+8000=138000	13.00 783.0 12.70 931.0 208.0*	73.30 1480.0 225.0 12600.0 906.0*
BOC965	Fluoride Chloride Phosphate Sulfate Nitrate+Nitrite	J J	0.60 1.40 1.20 2.50 0.55	4800.0 NA NA NA 130000+8000=138000	13.00 783.0 12.70 931.0 208.0*	73.30 1480.0 225.0 12600.0 906.0*
BOC966	Fluoride Chloride Phosphate Sulfate Nitrate+Nitrite	U J J	0.40 0.80 1.70 3.30 1.30	4800.0 NA NA NA 130000+8000=138000	13.00 783.0 12.70 931.0 208.0*	73.30 1480.0 225.0 12600.0 906.0*
BOC967	Fluoride Chloride Phosphate Sulfate Nitrate+Nitrite	J J	0.40 0.90 1.60 3.20 1.40	4800.0 NA NA NA 130000+8000=138000	13.00 783.0 12.70 931.0 208.0*	73.30 1480.0 225.0 12600.0 906.0*
BOC968	Fluoride Chloride Phosphate Sulfate Nitrate+Nitrite	J J	0.40 1.00 1.80 3.30 2.60	4800.0 NA NA NA 130000+8000=138000	13.00 783.0 12.70 931.0 208.0*	73.30 1480.0 225.0 12600.0 906.0*

9513383.2307
MHC-SD-EN-TI-296, Rev. 0

950620.0948

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

Table 3. 218 E-8 Borrow Pit Demolition Site Soil Results, General Chemistry Analysis.
(sheet 1 of 2)

Sample number	Name of Constituent	Qualifiers	Concentration mg/kg	MTCA Method B Cleanup Levels ^a mg/kg	Hanford Site Soil Background 95/95 threshold ^d mg/kg	Hanford Site Soil Background Maximum Conc. ^b mg/kg
B0C961	Fluoride	J	0.70	4800.0	13.00	73.30
	Chloride	J	0.90	NA	783.0	1480.0
	Phosphate	J	1.60	NA	12.70	225.0
	Sulfate	J	2.50	NA	931.0	12600.0
	Nitrate+Nitrite	J	0.81	130000+8000=138000	208.0*	906.0*
B0C962 Duplicate	Fluoride	J	0.80	4800.0	13.00	73.30
	Chloride	J	0.90	NA	783.0	1480.0
	Phosphate	J	1.40	NA	12.70	225.0
	Sulfate	J	2.50	NA	931.0	12600.0
	Nitrate+Nitrite	J	0.72	130000+8000=138000	208.0*	906.0*
B0C963	Fluoride	J	0.80	4800.0	13.00	73.30
	Chloride	J	2.00	NA	783.0	1480.0
	Phosphate	J	2.50	NA	12.70	225.0
	Sulfate	J	4.50	NA	931.0	12600.0
	Nitrate+Nitrite	J	4.60	130000+8000=138000	208.0*	906.0*
B0C964 equip blank	Fluoride	U	0.40	4800.0	13.00	73.30
	Chloride	J	2.20	NA	783.0	1480.0
	Phosphate	UR	1.00	NA	12.70	225.0
	Sulfate	UR	2.90	NA	931.0	12600.0
	Nitrate+Nitrite	UR	0.88	130000+8000=138000	208.0*	906.0*
B0C965	Fluoride	J	0.60	4800.0	13.00	73.30
	Chloride	J	1.40	NA	783.0	1480.0
	Phosphate	J	1.20	NA	12.70	225.0
	Sulfate	J	2.50	NA	931.0	12600.0
	Nitrate+Nitrite	J	0.55	130000+8000=138000	208.0*	906.0*
B0C966	Fluoride	U	0.40	4800.0	13.00	73.30
	Chloride	J	0.80	NA	783.0	1480.0
	Phosphate	J	1.70	NA	12.70	225.0
	Sulfate	J	3.30	NA	931.0	12600.0
	Nitrate+Nitrite	J	1.30	130000+8000=138000	208.0*	906.0*
B0C967	Fluoride	J	0.40	4800.0	13.00	73.30
	Chloride	J	0.90	NA	783.0	1480.0
	Phosphate	J	1.60	NA	12.70	225.0
	Sulfate	J	3.20	NA	931.0	12600.0
	Nitrate+Nitrite	J	1.40	130000+8000=138000	208.0*	906.0*
B0C968	Fluoride	J	0.40	4800.0	13.00	73.30
	Chloride	J	1.00	NA	783.0	1480.0
	Phosphate	J	1.80	NA	12.70	225.0
	Sulfate	J	3.30	NA	931.0	12600.0
	Nitrate+Nitrite	J	2.60	130000+8000=138000	208.0*	906.0*

9513383.2308
 WHC-SD-EN-TI-296, Rev. 0

DISTRIBUTION

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27U.S. Department of Energy -
Richland Operations OfficeE.M. Mattlin (2) A5-15
J.J. Waring S7-55GSSCJ.K. Bartz R3-82
P.J. Macbeth R3-82Westinghouse Hanford CompanyR.E. Bolls T3-04
D.M. Korematsu-Olund (5) H6-23
R.D. Pierce T3-04
F.A. Ruck, III H6-23
Central Files (2) L8-04
Unclassified Document
Control A4-65
OSTI (2) A3-36

Distribution

J. K. Bartz	GSSC	R3-82
R. E. Bolls	WHC	T3-04
F. T. Calapristi	WHC	B2-35
R. M. Carosino	RL	A4-52
D. L. Duncan	EPA-Seattle	HW-106
D. M. Korematsu-Olund	WHC	H6-23
F. Ma	Ecology	N1-05
P. J. Macbeth	MACTEC	R3-82
P. J. Mackey	WHC	B3-15
E. M. Mattlin	RL	A5-15
R. D. Pierce	WHC	T3-04
S. M. Price	WHC	H6-23
M. R. Romsos	WHC	T3-04
F. A. Ruck III	WHC	H6-23
J. J. Waring	RL	S7-55
Field File Custodian	WHC	H6-08
GHL/RCRA File	WHC	H6-23

ADMINISTRATIVE RECORD: 218 E-8 Borrow Pit Demolition Site Closure Plan, T-2-1
[Care of EDMC, WHC (H6-08)]

Washington State Department of Ecology Nuclear and Mixed Waste Hanford File,
P.O. Box 47600, Olympia, Washington 98504-7600

Environmental Protection Agency Region 10, Seattle, Washington 98101,
(Record Center)-Mail Stop HW-074

Please send comments on distribution list to D. M. Korematsu-Olund (H6-23),
376-2628.