

START ENGINEERING CHANGE NOTICE

1. ECN 186923

Page 1 of 3

Proj.
ECN

2. ECN Category (mark one) <input checked="" type="checkbox"/> Supplemental <input type="checkbox"/> Direct Revision <input type="checkbox"/> Change ECN <input type="checkbox"/> Temporary <input type="checkbox"/> Standby <input type="checkbox"/> Supersedeure <input type="checkbox"/> Cancel/Void	3. Originator's Name, Organization, MSIN, and Telephone No. R. E. Bolls, Env. Eng. & SARs, N3-13, 6-4350		4. Date 11/18/92
	5. Project Title/No./Work Order No. 216-T-1 Laboratory Wastewater Stream Sampling and Analysis Plan	6. Bldg./Sys./Fac. No. T-Plant	7. Impact Level 1EQE PAB 3EQ 12/30/92
8. Document Numbers Changed by this ECN (includes sheet no. and rev.) WHC-SD-WM-PLN-036, Rev. 1		9. Related ECN No(s). 17001	10. Related PD No.
11a. Modification Work <input type="checkbox"/> Yes (fill out Blk. 11b) <input checked="" type="checkbox"/> No (NA Blks. 11b, 11c, 11d)	11b. Work Package No. N/A	11c. Modification Work Complete N/A Cog. Engineer Signature & Date	11d. Restored to Original Condition (Temp. or Standby ECN only) N/A Cog. Engineer Signature & Date

6490-6416116

12. Description of Change
 Major Changes Include:

- EPA and Ecology comment incorporation
- WHC comment incorporation, including update QAPP reference



13a. Justification (mark one)	Criteria Change <input checked="" type="checkbox"/>	Design Improvement <input type="checkbox"/>	Environmental <input type="checkbox"/>
As-Found <input type="checkbox"/>	Facilitate Const. <input type="checkbox"/>	Const. Error/Omission <input type="checkbox"/>	Design Error/Omission <input type="checkbox"/>

13b. Justification Details
 Revision of this document is needed to reflect final comments received from EPA, Ecology, and WHC organizations

14. Distribution (include name, MSIN, and no. of copies) Refer to Distribution List	RELEASE STAMP OFFICIAL RELEASE 42 BY WHC DATE JAN 04 1993 Stall
--	---

ENGINEERING CHANGE NOTICE

3

1. ECN (use no. from pg. 1)

Page 2 of 2-0448 186923

15. Design Verification Required <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	16. Cost Impact <table style="width: 100%;"> <tr> <td style="width: 50%; text-align: center;">ENGINEERING</td> <td style="width: 50%; text-align: center;">CONSTRUCTION</td> </tr> <tr> <td>Additional <input type="checkbox"/> \$</td> <td>Additional <input type="checkbox"/> \$</td> </tr> <tr> <td>Savings <input type="checkbox"/> \$</td> <td>Savings <input type="checkbox"/> \$</td> </tr> </table>	ENGINEERING	CONSTRUCTION	Additional <input type="checkbox"/> \$	Additional <input type="checkbox"/> \$	Savings <input type="checkbox"/> \$	Savings <input type="checkbox"/> \$	17. Schedule Impact (days) Improvement <input type="checkbox"/> Delay <input type="checkbox"/>
ENGINEERING	CONSTRUCTION							
Additional <input type="checkbox"/> \$	Additional <input type="checkbox"/> \$							
Savings <input type="checkbox"/> \$	Savings <input type="checkbox"/> \$							

18. Change Impact Review: Indicate the related documents (other than the engineering documents identified on Side 1) that will be affected by the change described in Block 12. Enter the affected document number in Block 19.

SDD/DD	[]	Seismic/Stress Analysis	[]	Tank Calibration Manual	[]
Functional Design Criteria	[]	Stress/Design Report	[]	Health Physics Procedure	[]
Operating Specification	[]	Interface Control Drawing	[]	Spare Multiple Unit Listing	[]
Criticality Specification	[]	Calibration Procedure	[]	Test Procedures/Specification	[]
Conceptual Design Report	[]	Installation Procedure	[]	Component Index	[]
Equipment Spec.	[]	Maintenance Procedure	[]	ASME Coded Item	[]
Const. Spec.	[]	Engineering Procedure	[]	Human Factor Consideration	[]
Procurement Spec.	[]	Operating instruction	[]	Computer Software	[]
Vendor Information	[]	Operating Procedure	[]	Electric Circuit Schedule	[]
OM Manual	[]	Operational Safety Requirement	[]	ICRS Procedure	[]
FSAR/SAR	[]	IEFD Drawing	[]	Process Control Manual/Plan	[]
Safety Equipment List	[]	Cell Arrangement Drawing	[]	Process Flow Chart	[]
Radiation Work Permit	[]	Essential Material Specification	[]	Purchase Requisition	[]
Environmental Impact Statement	[]	Fac. Proc. Samp. Schedule	[]		[]
Environmental Report	[]	Inspection Plan	[]		[]
Environmental Permit	[]	Inventory Adjustment Request	[]		[]

19. Other Affected Documents: (NOTE: Documents listed below will not be revised by this ECN.) Signatures below indicate that the signing organization has been notified of other affected documents listed below.

Document Number/Revision	Document Number/Revision	Document Number/Revision
--------------------------	--------------------------	--------------------------

20. Approvals

Signature	Date	Signature	Date
OPERATIONS AND ENGINEERING		ARCHITECT-ENGINEER	
Cog Engineer <i>P. Halls</i>	<u>11-18-92</u>	PE	_____
Cog. Mgr. <i>R. H. ...</i>	<u>11-18-92</u>	QA	_____
QA <i>M.S. Cahman</i>	<u>11-19-92</u>	Safety	_____
Safety	_____	Design	_____
Security	_____	Environ.	_____
Environ. <i>Shidick</i>	<u>11-19-92</u>	Other Sampling Mobile Labs	<u>11/19/92</u>
Projects/Programs	_____	<i>Frankette ... for CA Morrison-Beyer</i>	_____
Tank Waste Remediation System	_____		_____
Facilities Operations <i>Ray ...</i>	<u>11/19/92</u>	DEPARTMENT OF ENERGY	_____
Restoration & Remediation	_____	Signature or Letter No.	_____
Operations & Support Services	_____		_____
IRM	_____	ADDITIONAL	_____
Other	_____		_____

9413149-0680

ENGINEERING CHANGE NOTICE

3 - 3 1. ECN (use no. from pg. 1)
 Page 2 of 2 ²⁵⁸ 186923

15. Design Verification Required <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	16. Cost Impact <table style="width: 100%;"> <tr> <th colspan="2" style="text-align: center;">ENGINEERING</th> <th colspan="2" style="text-align: center;">CONSTRUCTION</th> </tr> <tr> <td style="width: 50%;">Additional</td> <td style="width: 50%; text-align: right;"><input type="checkbox"/> \$</td> <td style="width: 50%;">Additional</td> <td style="width: 50%; text-align: right;"><input type="checkbox"/> \$</td> </tr> <tr> <td>Savings</td> <td style="text-align: right;"><input type="checkbox"/> \$</td> <td>Savings</td> <td style="text-align: right;"><input type="checkbox"/> \$</td> </tr> </table>	ENGINEERING		CONSTRUCTION		Additional	<input type="checkbox"/> \$	Additional	<input type="checkbox"/> \$	Savings	<input type="checkbox"/> \$	Savings	<input type="checkbox"/> \$	17. Schedule Impact (days) Improvement <input type="checkbox"/> Delay <input type="checkbox"/>
ENGINEERING		CONSTRUCTION												
Additional	<input type="checkbox"/> \$	Additional	<input type="checkbox"/> \$											
Savings	<input type="checkbox"/> \$	Savings	<input type="checkbox"/> \$											

18. Change Impact Review: Indicate the related documents (other than the engineering documents identified on Side 1) that will be affected by the change described in Block 12. Enter the affected document number in Block 19.

SDO/DD	<input type="checkbox"/>	Seismic/Stress Analysis	<input type="checkbox"/>	Tank Calibration Manual	<input type="checkbox"/>
Functional Design Criteria	<input type="checkbox"/>	Stress/Design Report	<input type="checkbox"/>	Health Physics Procedure	<input type="checkbox"/>
Operating Specification	<input type="checkbox"/>	Interface Control Drawing	<input type="checkbox"/>	Spares Multiple Unit Listing	<input type="checkbox"/>
Criticality Specification	<input type="checkbox"/>	Calibration Procedure	<input type="checkbox"/>	Test Procedures/Specification	<input type="checkbox"/>
Conceptual Design Report	<input type="checkbox"/>	Installation Procedure	<input type="checkbox"/>	Component Index	<input type="checkbox"/>
Equipment Spec.	<input type="checkbox"/>	Maintenance Procedure	<input type="checkbox"/>	ASME Coded Item	<input type="checkbox"/>
Const. Spec.	<input type="checkbox"/>	Engineering Procedure	<input type="checkbox"/>	Human Factor Consideration	<input type="checkbox"/>
Procurement Spec.	<input type="checkbox"/>	Operating Instruction	<input type="checkbox"/>	Computer Software	<input type="checkbox"/>
Vendor Information	<input type="checkbox"/>	Operating Procedure	<input type="checkbox"/>	Electric Circuit Schedule	<input type="checkbox"/>
OM Manual	<input type="checkbox"/>	Operational Safety Requirement	<input type="checkbox"/>	ICRS Procedure	<input type="checkbox"/>
FSAR/SAR	<input type="checkbox"/>	IEFD Drawing	<input type="checkbox"/>	Process Control Manual/Plan	<input type="checkbox"/>
Safety Equipment List	<input type="checkbox"/>	Cell Arrangement Drawing	<input type="checkbox"/>	Process Flow Chart	<input type="checkbox"/>
Radiation Work Permit	<input type="checkbox"/>	Essential Material Specification	<input type="checkbox"/>	Purchase Requisition	<input type="checkbox"/>
Environmental Impact Statement	<input type="checkbox"/>	Fac. Proc. Samp. Schedule	<input type="checkbox"/>		<input type="checkbox"/>
Environmental Report	<input type="checkbox"/>	Inspection Plan	<input type="checkbox"/>		<input type="checkbox"/>
Environmental Permit	<input type="checkbox"/>	Inventory Adjustment Request	<input type="checkbox"/>		<input type="checkbox"/>

19. Other Affected Documents: (NOTE: Documents listed below will not be revised by this ECN.) Signatures below indicate that the signing organization has been notified of other affected documents listed below.

Document Number/Revision	Document Number/Revision	Document Number/Revision

20. Approvals

Signature	Date	Signature	Date
OPERATIONS AND ENGINEERING		ARCHITECT-ENGINEER	
Cog Engineer <i>Pe Puller</i>	<u>11-10-92</u>	PE	_____
Cog. Mgr. <i>RJA</i>	<u>11-15-92</u>	QA	_____
QA	_____	Safety	_____
Safety	_____	Design	_____
Security	_____	Environ.	_____
Environ.	_____	Other	_____
Projects/Programs	_____		_____
Tank Waste Remediation System	_____		_____
Facilities Operations	_____	DEPARTMENT OF ENERGY	_____
Restoration & Remediation	_____	Signature or Letter No.	_____
Operations & Support Services	_____		_____
IRM	_____	ADDITIONAL	_____
Other	_____		_____
Process Engineering <i>W. J. ...</i>	<u>11/20/92</u>		_____
OSM <i>... delivers</i>	<u>11/20/92</u>		_____

9413149.0681

THIS PAGE INTENTIONALLY

LEFT BLANK

11/4/92

Date Received: 11/20/92

INFORMATION RELEASE REQUEST

Reference: WHC-CM-3-6

Complete for all Types of Release

<input type="checkbox"/> Speech or Presentation <input type="checkbox"/> Full Paper (Check only one suffix) <input type="checkbox"/> Summary <input type="checkbox"/> Abstract <input type="checkbox"/> Visual Aid		<input type="checkbox"/> Reference <input checked="" type="checkbox"/> Technical Report <input type="checkbox"/> Thesis or Dissertation <input type="checkbox"/> Manual <input type="checkbox"/> Brochure/Flier <input type="checkbox"/> Software/Databases	ID Number (include revision, volume, etc.) WHC-SD-WM-PLN-036, Rev. 2 List attachments.
<input type="checkbox"/> Speakers Bureau <input type="checkbox"/> Poster Session <input type="checkbox"/> Videotape	<input type="checkbox"/> Controlled Document <input type="checkbox"/> Other	Date Release Required <p style="text-align: right;">11/30/92</p>	

Title: T-Plant Facility 216-T-1 Laboratory Wastewater Stream Sampling and Analysis Plan	Unclassified Category: UC-	Impact Level: 3/E Q
--	-----------------------------------	----------------------------

New or novel (patentable) subject matter? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes If "Yes", has disclosure been submitted by WHC or other company? <input type="checkbox"/> No <input type="checkbox"/> Yes Disclosure No(s):	Information received from others in confidence, such as proprietary data, trade secrets, and/or inventions? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Identify)
Copyrights? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes If "Yes", has written permission been granted? <input type="checkbox"/> No <input type="checkbox"/> Yes (Attach Permission)	Trademarks? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Identify)

Complete for Speech or Presentation

Title of Conference or Meeting	Group or Society Sponsoring
Date(s) of Conference or Meeting	City/State
Will proceedings be published?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Will material be handed out?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Title of Journal	

CHECKLIST FOR SIGNATORIES

Review Required per WHC-CM-3-4	Yes	No	Reviewer - Signature Indicates Approval	Name (printed)	Signature	Date
Classification/Unclassified Controlled Nuclear Information	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
Patent - General Counsel	<input checked="" type="checkbox"/>	<input type="checkbox"/>		S. W. Berglin	<i>[Signature]</i>	11/20/92
Legal - General Counsel	<input checked="" type="checkbox"/>	<input type="checkbox"/>		S. W. Berglin	<i>[Signature]</i>	
Applied Technology/Export Controlled Information or International Program	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
WHC Program/Project	<input checked="" type="checkbox"/>	<input type="checkbox"/>		D. R. Speer	<i>[Signature]</i>	11/20/92
Communications	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
RL Program/Project	<input checked="" type="checkbox"/>	<input type="checkbox"/>		J. M. Hennig	<i>[Signature]</i>	11/23/92
Publication Services	<input checked="" type="checkbox"/>	<input type="checkbox"/>		J. D. Hudspeth	<i>[Signature]</i>	11/20/92
Other Program/Project	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				

Information conforms to all applicable requirements. The above information is certified to be correct.

References Available to Intended Audience	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Transmit to DOE-HQ/Office of Scientific and Technical Information	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Author/Requestor (Printed/Signature)	Date	
R. E. Bolls <i>[Signature]</i>	11-18-92	

Intended Audience	<input type="checkbox"/> Internal <input type="checkbox"/> Sponsor <input checked="" type="checkbox"/> External
Responsible Manager (Printed/Signature)	Date
R. D. Pierce <i>[Signature]</i>	11/19/92

INFORMATION RELEASE ADMINISTRATION APPROVAL STAMP

Stamp is required before release. Release is contingent upon resolution of mandatory comments.



Date Cancelled | Date Disapproved

28907615146

e-146 12/10/92

**THIS PAGE INTENTIONALLY
LEFT BLANK**

SUPPORTING DOCUMENT

Total Pages 56

2. Title

T-Plant Facility 216-T-1 Laboratory Wastewater Stream Sampling and Analysis Plan

3. Number

WHC-SD-WM-PLN-036

4. Rev No.

2

5. Key Words

Sampling, Analysis, QAPP, liquid effluent stream

6. Author

Name: R. E. Bolls

Signature

Organization/Charge Code 87350/A2094

APPROVED FOR PUBLIC RELEASE

U. Birkland 11/25/92

7. Abstract

This document presents the second revised T-Plant Facility 216-T-1 Laboratory Wastewater Stream Sampling and Analysis Plan (SAP), which incorporates EPA, Ecology, and recent WHC comments. The plan provides a thorough description of the facility, and identifies the responsible organizations for sampling. In addition, the plan identifies the sampling location, frequency, schedule, equipment and procedures, along with the sample analysis and handling processes utilized at T-Plant to obtain a liquid effluent sample from the 216-T-1 stream.

8. PURPOSE AND USE OF DOCUMENT - This document was prepared for use within the U.S. Department of Energy and its contractors. It is to be used only to perform, direct, or integrate work under U.S. Department of Energy contracts. This document is not approved for public release until reviewed.

PATENT STATUS - This document copy, since it is transmitted in advance of patent clearance, is made available in confidence solely for use in performance of work under contracts with the U.S. Department of Energy. This document is not to be published nor its contents otherwise disseminated or used for purposes other than specified above before patent approval for such release or use has been secured, upon request, from the Patent Counsel, U.S. Department of Energy Field Office, Richland, WA.

DISCLAIMER - This Report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

10. RELEASE STAMP

OFFICIAL RELEASE 42
BY WHC
DATE JAN 04 1993

Sta 11

9. Impact Level *1EQe Rab 12/2/92* 3EQ

6890-616-116

WHE-SD-WM-PLN-036, Rev 2

TRADEMARK DISCLAIMER

Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors.

This report has been reproduced from the best available copy.

Printed in the United States of America

DISCLM-4.CHP (1-81)

1800-641946

**THIS PAGE INTENTIONALLY
LEFT BLANK**

**T-PLANT FACILITY
216-T-1 LABORATORY
WASTEWATER STREAM
SAMPLING AND ANALYSIS PLAN**

Originally Prepared For:

*Westinghouse Hanford Company
P. O. Box 1970
Richland, WA 99352*

By:

*Science Applications International Corporation
1845 Terminal Drive
Richland, WA 99352*

Revised By:

Westinghouse Hanford Company

November 30, 1992

9413149.0686

THIS PAGE INTENTIONALLY
LEFT BLANK

TABLE OF CONTENTS

ABBREVIATIONS & ACRONYMS iv

LIST OF FIGURES vi

LIST OF TABLES vii

1.0 SAMPLING OBJECTIVES 1

 1.1 Introduction 1

 1.2 Liquid Effluent Sampling Program Objectives 2

 1.3 Sampling and Analysis Plan Objectives 3

 1.4 Rationale for Sampling Objectives 3

2.0 SITE BACKGROUND 6

 2.1 T-Plant Facility 6

 2.1.1 Buildings, Structures and Ancillary Facilities 6

 2.1.2 Head-End Process History 8

 2.1.3 Identification and Characterization of Potential Source Terms 8

 2.1.4 216-T-1 Ditch 11

 2.2 Contributors to the 216-T-1 Laboratory Wastewater Stream 11

 2.2.1 Upper Floor Sumps 14

 2.2.2 Heating and Ventilation System 14

 2.2.3 Basement Laboratory Sump 17

 2.2.4 Welder Cooling Water 17

 2.2.5 First Floor Aerosol Sampling Water 17

 2.2.6 Waste Tank TK-1 17

 2.2.7 Process Cell Sump 17

 2.2.8 Control Room Floor Drains 17

3.0 RESPONSIBILITIES 18

4.0 SAMPLING LOCATION AND FREQUENCY 22

 4.1 Sampling Location 22

 4.2 Sampling Frequency and Schedule 22

5.0 SAMPLE IDENTIFICATION 26

 5.1 Protocol Sample Labeling 26

 5.2 Routine Effluent Sample Labeling 26

6.0 SAMPLING EQUIPMENT AND PROCEDURES 27

2000-01-16

6.1 Protocol Samples 27

6.2 Routine Effluent Samples 28

7.0 SAMPLE HANDLING AND ANALYSIS 30

 7.1 Protocol Sample Analysis 30

 7.2 Protocol Sample Handling 34

 7.3 Routine Effluent Samples 36

 7.4 Comparison of 216-T-1 Laboratory and 216-T-4 Wastewater Streams
 Analytes 36

8.0 REFERENCES 37

APPENDIX A

SAMPLING PERFORMED FOR
RCRA ANALYSIS A-1

9415149-0688

ABBREVIATIONS & ACRONYMS

AMU	AQUEOUS MAKEUP
ASTM	AMERICAN SOCIETY FOR TESTING AND MATERIALS
BCE	B PLANT CHEMICAL SEWER
CBC	B PLANT COOLING WATER
CERCLA	COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION & LIABILITY ACT
CFR	CODE OF FEDERAL REGULATIONS
COC	CHAIN OF CUSTODY
COD	CHEMICAL OXYGEN DEMAND
DOE	U.S. DEPARTMENT OF ENERGY
DOT	DEPARTMENT OF TRANSPORTATION
DQO	DATA QUALITY OBJECTIVE
DST	DOUBLE SHELL TANKS
Ecology	WASHINGTON STATE DEPARTMENT OF ECOLOGY
ECWS	EMERGENCY COOLING WATER SYSTEM
EDMC	ENVIRONMENTAL DATA MANAGEMENT CENTER
EDTA	ETHYLENEDIAMINETETRAACETIC ACID
EMO	ENVIRONMENTAL MANAGEMENT OPERATIONS
EPA	U.S. ENVIRONMENTAL PROTECTION AGENCY
ESQA	ENVIRONMENT, SAFETY, AND QUALITY ASSURANCE (WHC)
ETP	EFFLUENT TREATMENT PROGRAMS (WHC)
gpm	GALLONS PER MINUTE
HEIS	HANFORD ENVIRONMENTAL INFORMATION SYSTEM
HPLC	HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY
HPT	HEALTH PHYSICS TECHNICIAN
HVAC	HEATING, VENTILATION, AND AIR CONDITIONING
ICP	INDUCTIVELY COUPLED PLASMA
LEMIS	LIQUID EFFLUENT MONITORING INFORMATION SYSTEM
MCL	MAXIMUM CONTAMINANT LEVEL
MCLG	MAXIMUM CONTAMINANT LEVEL GOAL
MSDS	MATERIAL SAFETY DATA SHEET
NCR	NONCONFORMANCE REPORT
OSM	OFFICE OF SAMPLING AND MANAGEMENT (WHC)
PCB	POLYCHLORINATED BIPHENYL
psi	POUNDS PER SQUARE INCH
QA	QUALITY ASSURANCE
QAPjP	QUALITY ASSURANCE PROJECT PLAN
QAPP	QUALITY ASSURANCE PROGRAM PLAN
QC	QUALITY CONTROL
RCRA	RESOURCE CONSERVATION AND RECOVERY ACT

ABBREVIATIONS & ACRONYMS (CONT.)

SAP	SAMPLING AND ANALYSIS PLAN
S&ML	SAMPLING AND MOBILE LABORATORIES (WHC)
SD	SUPPORTING DOCUMENT
SDWS	SECONDARY DRINKING WATER STANDARDS
SML	SAMPLING AND MOBILE LABORATORY
SOW	STATEMENT OF WORK
TDS	TOTAL DISSOLVED SOLIDS
TFEE	TANK FARMS ENVIRONMENTAL ENGINEERING
TOC	TOTAL ORGANIC CARBON
TOX	TOTAL ORGANIC HALOGENS
TPA	TRI-PARTY AGREEMENT
VOA	VOLATILE ORGANIC ANALYSIS
WAC	WASHINGTON ADMINISTRATIVE CODE
WESF	WASTE ENCAPSULATION AND STORAGE FACILITY
WHC	WESTINGHOUSE HANFORD COMPANY
WM	WASTE MANAGEMENT (WHC)

9413149.0690

LIST OF FIGURES

Figure 2-1. Location of T-Plant Buildings and Ancillary Structures
in 200 West Area 7

Figure 2-2. Flow Paths for Contributors to the 216-T-1 Ditch 13

Figure 4-1. Piping Diagram for Liquid Effluents Discharged to the
216-T-1 Laboratory Wastewater Stream 23

1697-649246
94349-0691

LIST OF TABLES

Table 2-1. Summary of Active Laboratory Wastewater Stream Contributors 15

Table 4-1. Potential Routine Effluent Samples, Analytes,
and Procedures 25

Table 6-1. Supporting Procedures for Sample Analysis
Plan Protocol Sampling Activities 29

Table 7-1. Analytes of Interest for 216-T-1 Laboratory Wastewater Stream Effluent . . . 31

Table 7-2. Additional Analytes of Interest for 216-T-1 Laboratory
Wastewater Stream Effluent 33

5413149.0692

T-PLANT FACILITY 216-T-1 LABORATORY WASTEWATER STREAM SAMPLING AND ANALYSIS PLAN

1.0 SAMPLING OBJECTIVES

1.1 Introduction

This report is the second sampling and analysis plan (SAP) prepared for liquid effluents discharged from operations at the T-Plant Facility. The first SAP prepared covered the 216-T-4 Wastewater Stream, which constitutes the majority of the liquid effluents from the facility. This SAP covers the 216-T-1 Laboratory Wastewater Stream, which is composed entirely of liquid effluents resulting from operations in the Head-End of the 221-T Building.

Section 13.1.4 of the May 21, 1991 proposed amendments to the Hanford Federal Facility Agreement and Consent Order, known as the Tri-Party Agreement (Ecology et al. 1989), requires that a SAP be prepared for each of the thirty-three liquid effluent streams that are actively discharged at the Hanford Site. One of these streams is the 216-T-1 Laboratory Wastewater Stream discharged to the 216-T-1 Ditch. The SAP for the 216-T-1 Wastewater Stream is presently identified as Tri-Party Agreement Milestone M-17-42A. A SAP is a document that can be amended by agreement among the U. S. Department of Energy (DOE), the Environmental Protection Agency (EPA), and the Washington State Department of Ecology (Ecology). Any amendment to this document can be considered a Tri-Party Agreement Class III change.

A liquid effluent sampling program, which includes the SAP, has been established by Westinghouse Hanford Company (Westinghouse Hanford) to minimize the potential adverse effects on the environment of liquid effluent discharge to a soil column as a result of operations at the Hanford Site. As required by the Tri-Party Agreement Amendments, the sampling program will "provide a representative sampling of wastes discharged to the soil column, accounting for variations in volumes and contaminant concentrations due to operational practices, and considering all of the parameters known or suspected to be associated with each liquid effluent stream, influence of operational practice, raw water characteristics, and process knowledge." In general, a SAP documents the methods and frequency of sampling and the requirements for analysis to determine the constituents of a liquid effluent stream. The SAP includes the sampling methods necessary to meet the requirements for confirmatory measurements of negligible releases.

The sampling and analysis effort includes the collection of samples, their transport to an analytical laboratory, performance of analytical tests, and data reduction. The sampling program also involves quality assurance and quality control practices to ensure data traceability and acceptability. The quality assurance and quality control practices common to

the sampling and analysis plans to be prepared for all 33 streams are presented in the Liquid Effluent Sampling Quality Assurance Program Plan, WHC-SD-WM-QAPP-011, Rev. 2A, (Sommer 1992). The quality assurance program plan (QAPP) describes the means selected to implement the overall QA program requirements. The QAPP is intended to ensure that procedures, plans, and instructions are implemented and appropriate for the control of sampling activities that comply with DOE, EPA, and Ecology requirements.

This SAP has been developed in accordance with the Liquid Effluent Sampling QAPP and program objectives and guidance. This plan provides a method for obtaining a representative sample of the constituents of the T-Plant Facility 216-T-1 Laboratory Wastewater Stream. The method considers the fluctuation of constituent concentration, flow rate, raw water characteristics, and process knowledge. All known or suspected constituents associated with the wastewater stream have been identified. This plan also includes an implementation schedule that addresses the frequency of sampling as well as the Quality Assurance details regarding sample collection, transport, analysis, and data reporting required in the Liquid Effluent Sampling QAPP.

This SAP for the 216-T-1 Laboratory Wastewater Stream supports efforts to characterize and designate the constituents of the liquid. Rationale for designating the Stream is discussed in Section 1.4. The objectives of the sampling program are also given in Section 1. Process knowledge and facility descriptions are presented in Section 2; the text along with illustrations and tables that summarize the stream composition and handling methods will give a broad view of the 216-T-1 Laboratory Wastewater Stream sources and disposition. The rest of the report, Sections 3 through 7, specifies the sampling schedules and protocols that make up the sampling program.

Objectives have been established for the liquid effluent sampling program and specific to the T-Plant Facility 216-T-1 Laboratory Wastewater Stream Sampling and Analysis Plan.

1.2 Liquid Effluent Sampling Program Objectives

Objectives have been established to support the liquid effluent sampling program, which is designed to minimize the potential adverse effects on the environment of liquid effluent discharge to a soil column as a result of operations at the Hanford Site. The objectives for the program are:

1. Confirm the analyte concentration data reported in the stream specific reports and the conclusion that the stream does not contain dangerous waste as defined in Washington Administrative Code (WAC) 173-303, "Dangerous Waste Regulations", as amended.

2. Provide solid waste loading data to support development of wastewater treatment projects and groundwater remediation studies.
3. Provide historical data for the Washington Administrative Code (WAC) 173-240 engineering reports and (WAC) 173-216 waste discharge permit applications.
4. Provide sufficient data on chemical and radiological constituents to accurately calculate loading and rate of migration to support the assessment of impacts of continued discharge.
5. Supply sufficient data for All Known Available and Reasonable Treatment (or comparable Best Available Treatment) evaluations and liquid effluent treatment system design.

1.3 Sampling and Analysis Plan Objectives

The sampling objectives for this SAP were based on several guidance documents and program issues. The sampling and analysis plan for the T-Plant Facility 216-T-1 Wastewater Stream has been prepared to meet the following objectives:

1. Obtain several sets of known quality data to develop a long term sampling plan.
2. Provide sufficient data to verify a non-dangerous waste designation for the liquid effluent stream.
3. Provide quality assurance requirements specific to the liquid effluent stream not covered by the QAPP, as necessary.

1.4 Rationale for Sampling Objectives

The 216-T-1 Ditch receives a relatively innocuous liquid discharge. At present, the principal contributor to the wastewater stream is steam condensate and cooling water and storm water drainage. These contributors, which are described in Section 2.2, are expected to contain little or no radioactive and/or hazardous materials. In addition, administrative procedures and engineering barriers have been adopted at the T-Plant Facility to limit the entry of these materials into the 216-T-1 Laboratory Wastewater Stream. A potential for radioactive contamination in the wastestream exists based on process knowledge of the testing programs conducted in the Head-End and the presence of systems and components in (radiologically) Controlled Areas.

A sampling and analysis plan for the 216-T-1 Laboratory Wastewater Stream is required under the Tri-Party Agreement and Consent Order No. DE91-NM-177 (Ecology 1991). The 216-T-1 Laboratory Wastewater Stream is scheduled for inclusion in Project W-049H, which will result in the discontinued use of the 216-T-1 Ditch and cessation of discharge to (ground) soil column by June 1995.

Although the 216-T-1 Laboratory Wastewater Stream is not currently scheduled for permitting under Ecology's WAC 173-216, Project W-049H is scheduled for a WAC 173-216 Discharge Permit application to be submitted by September 1994 (Ecology 1991). Project W-049H is expected to receive the liquid effluent associated with this stream upon completion of the project. The Tri-Party Agreement requires that a groundwater impact assessment be performed for the 216-T-1 Laboratory Wastewater Stream according to the methodology prepared to satisfy Milestone M-17-13. If the assessment supports resumption of disposal to the ground, a WAC 173-216 Discharge Permit would be required. The ultimate disposal option selected will affect the permitting activities and the selection of analytes of interest. Perhaps because of these uncertainties, it is important to clearly state the rationale for this sampling and analysis plan approach including the selection of the analytes of interest.

Section 9 of the Consent Order, "Sampling and Analysis Plans", provides specific guidance on the selection of appropriate analytes of interest. The order states that during SAP preparation, "the contaminant analysis requirements shall consider operational practices, raw water characteristics, process chemical additions, process knowledge, and all known or suspected constituents associated with each wastewater streams." The major objective of the analyses is to provide data to confirm that the liquid effluents currently disposed to the 216-T-1 Ditch do not constitute a dangerous hazardous waste according to the classifications of WAC 173-303, specifically WAC 173-303-140, "Land Disposal Restrictions." In addition, the data will support engineering evaluations of BAT/AKART required under Ecology's WAC 173-240.

Many of the analytes of interest for the stream have been determined based primarily on historical uses of the Head-End, documented process knowledge, and inventories of waste regulated under the Superfund Amendment and Reauthorization Act (SARA). Selection of the analytes of interest is described in detail in Section 7.1 of this report. Although information on the characteristics of the 216-T-1 Laboratory Wastewater Stream are presented in the T-Plant Laboratory Wastewater Stream-Specific Report, WHC-EP-0342 Addendum 32 (Jeppson 1990), the report has not been approved by Ecology or EPA. It is unlikely that the report, which includes a wastewater stream designation, will be approved in the future. For this reason, determination of the analytes of interest and other sampling parameters for the 216-T-1 Laboratory Wastewater Stream have not been based solely on this stream-specific report. It is noteworthy, however, that a positive indication of a contaminant

~~as presented in the stream-specific report was used as justification for the contaminant to be included on the list of analytes of interest.~~

Additional analytes of interest have been included for analysis for the 216-T-1 Laboratory Wastewater Stream based on a strategy similar to that used to determine a wastewater stream designation for a liquid discharge found in Ecology's Dangerous Waste Regulations, WAC 173-303, and associated referenced regulations by EPA in 40 CFR Parts 264 and 268. EPA's "Ground-Water Monitoring List," 40 CFR Part 264, Appendix IX, produces a lengthy list of constituents that are to be considered when developing a constituent list of analytes of interest for groundwater monitoring. Appendix IX is not meant to provide a mandatory analytical list and wholesale application of the appendix appears to be inappropriate for "end of pipe" monitoring of liquid effluent not regulated under the Resource Conservation & Recovery Act (RCRA). Therefore, the comprehensive list of the analytes of interest in Section 7.1 has considered the analytes in Appendix IX, but the final list does not include all of the groundwater monitoring table as outlined in Appendix IX because the applicable regulations do not require that the analyses include the entire Appendix IX list. The screening analyses presented in this SAP are in accordance with the applicable regulations and will be adequate to ensure identification of potential contaminants. Analytes of interest have been selected that have been detected previously, are considered a potential contributor based on process knowledge, is included in a chemical inventory or stored in an area that could drain into the 216-T-1 Laboratory Wastewater Stream, or could provide information for calculation of soil loading or migration.

2.0 SITE BACKGROUND

This section contains descriptions of the portions of the T-Plant Facility that have liquid effluents discharged to the 216-T-1 Laboratory Wastewater Stream. This description includes a discussion of T-Plant buildings, structures and facilities, and physical contributors to the stream. Section 2.1 includes information on past and current activities that impacted discharges to the stream. Section 2.2 provides a detailed description of past and current individual contributors to the stream.

2.1 T-Plant Facility

8409 611916
940319 0608

The T-Plant Facility is located in the 200 West Area of the Hanford Site, which is located in the south-central region of Washington State. The T-Plant Facility is managed for the U.S. Department of Energy (DOE) by the Westinghouse Hanford Company. The facility and ancillary systems (Figure 3-1) serve as the primary decontamination facility for the Hanford Site. At present, liquid effluents associated with the decontamination mission are routed to wastewater streams other than the 216-T-1 Laboratory Wastewater Stream. In the past, liquid effluents routed to the 216-T-1 Laboratory Wastewater Stream, including those from operations in the Head-End of the 221-T Building, were two sets of light-water reactor (LWR) experiments conducted from October 1989 to March 1990. Liquid effluents included cooling water, steam condensate, process solutions, and roof and floor drains associated with these tests.

2.1.1 Buildings, Structures and Ancillary Facilities

The original buildings at T-Plant were constructed in the mid-1940s to extract plutonium from production reactor fuel. The plant continued to perform this function until it was deactivated in 1956. Most of its original process equipment was subsequently removed. In 1957, T-Plant was placed in service as a beta-gamma decontamination facility and as a support complex for experiments and other operations requiring containment or isolation. It currently functions primarily as a decontamination facility (Hinckley 1985).

The T-Plant Facility consists of two primary decontamination buildings: 221-T and 2706-T. Building 221-T, which was built during 1943 and 1944, provides services in radioactive decontamination, reclamation, and decommissioning of process equipment contaminated with fission products and other highly-contaminated pieces of equipment. The Head-End of the 221-T Building has served as the site of experimental operations and testing. The area includes numerous storage and waste tanks and test vessels. Effluents from the 221-T Building Head-End activities flow 90 m through an underground pipe to the 216-T-1 Ditch. No liquid effluents from the 2706-T Building are discharged to the 216-T-1 Laboratory Wastewater Stream.

9413149.0699






Figure 2-1. Location of T-Plant Buildings and Ancillary Structures in 200 West Area

The 221-T Building Head-End consists of a canyon area that extends from the basement floor to the roof. The Head-End includes a four-story test vessel and numerous liquid storage and collection tanks for experiments. The Head-End canyon area has several deck levels and a parapet wall. Four floor levels adjacent to the canyon house an electrical switchgear room, a chemistry laboratory, office areas, a change room, a lunch room, a control room, an instrument shop, a maintenance shop, and storage areas.

2.1.2 Head-End Process History

9413149-0700

The processes in the Head-End of the 221-T Building have varied during the history of T-Plant. Initially the Head-End was used to process spent fuel from production reactors. The wastes discharged to the 216-T-1 Ditch from this process were documented in 1976 in an unpublished Atlantic Richfield Hanford Company (ARHCO) report. These wastes were predominantly cooling water and steam condensate from the spent fuel dissolution process. They were discharged from 1945 (at the start of facility operations) to 1956. When the dissolution equipment was removed from the 221-T Building Head-End in 1956, efforts were made to remove and/or stabilize the radioactive contamination in the facility. A testing program was then established for testing with iodine and radioactive cesium in a new containment vessel fabricated in place in the old dissolver cells and canyon. This modified facility also was referred to as the Containment System Test Facility (CSTF). This work was started in 1964 and completed in 1969 by the Pacific Northwest Laboratory (PNL). A test was conducted with radioactive cobalt during this time. In 1972, a vacuum fractionator was built and testing began. In 1976, testing was completed and the vacuum fractionator was removed. This work was performed by ARHCO. Between 1976 and 1985, Westinghouse Hanford conducted liquid-metal reactor safety tests in the CSTF with nonradioactive sodium, lithium, and sodium iodide. These tests consisted of sodium and lithium pool reaction, spray reaction, and aerosol behavior tests. Between 1985 and 1990, Westinghouse Hanford conducted LWR tests using nonradioactive cesium, manganese, zinc, lithium sulfate, iodine, and hydrogen iodide. Several related tests were conducted using nonradioactive lithium and lithium-lead alloy in support of the fusion safety program during this same time period. Since March 1990, there have been no tests or operations performed in the Head-End. In general, current activities in the Head-End are associated with cleanup including equipment removal.

2.1.3 Identification and Characterization of Potential Source Terms

The liquid-metal reactor safety tests conducted in the Head-End of the 221-T Building between 1978 and 1985 generated reacted sodium, lithium, and sodium iodide that dissolved in water and discharged to the 216-T-1 Ditch. If radioactive as a result of residual contamination from previous activities, the wastewater was transferred to the 221-T Building, Cell 5, for sampling and pH adjustment, then transferred to tank farm double-shell tanks for waste storage and eventual processing through waste evaporators. Unreacted metals were

transferred to the 105-DR Reactor Facility for disposal. The determining conditions for routing the solutions were: the pH of the solution, the need for caustic solution to neutralize decontamination solutions used elsewhere in the 221-T Building, and/or the presence of radioactive material. If radioactive material was detected, the pH was in excess of 12.5, or if the caustic solution was needed for neutralization, the procedure allowed for the solution to be transferred to the 221-T radioactive waste tank system. Once in this tank system, the solution was then transferred to the double shell tanks at the 200 West Tank Farms for storage pending final treatment and disposal. However, if no radioactive material was detected, the liquid was then discharged to the 216-T-1 Ditch. No solutions accumulated that had a pH of less than 2. Quantities of alkali metals also were discharged to the 216-T-1 Ditch.

941314920701
10705413116

Between 1985 and 1990, the LWR tests were conducted using nonradioactive cesium, manganese, zinc, lithium sulfate, iodine, and hydrogen. Several related tests were conducted using nonradioactive lithium and lithium-lead alloy in support of the fusion safety program during this same period. The process wastewater discharged to the 216-T-1 Ditch during these test programs consisted of cooling water, steam condensate, and some of the 221-T Building Head-End waste solutions. Head-End wastewater to the 216-T-1 Ditch was divided into two parts for the purpose of wastewater characterization (Jeppson 1990). These two parts, which together comprised the 216-T-1 Laboratory Wastewater Stream, were designated Wastewater 1 Stream for plasma torch operation and Wastewater 2 Stream for plasma torch standby. The used lithium-lead alloy was packaged after completion of the tests and shipped offsite as solid waste.

The Wastewater 1 Stream time period was defined as the time it took cooling water to flow around the plasma torch tip. This cooling-water flow period was about 24 hours for each of two sets of experiments conducted during the 6-month designation period. The plasma torch was operated to generate manganese aerosol in the aerosol-mixing vessel. The torch generated aerosol for about 1 h for each set of experiments conducted. Other cooling water and steam condensate flows contributed to the Wastewater 1 Stream.

No process chemicals were discharged intentionally in the Wastewater 1 Stream with the plasma torch operating; however, some process chemicals were discharged accidentally. The liquid volume discharge for Wastewater 1 Stream was about 250 ℓ /min or a total of $11 \times 10^6 \ell$ for tests conducted between 1985 and 1990. The Wastewater 1 Stream flows were estimated to extend for one to two days for each set of LWR tests. The process concentration of constituents was expected to be the same as those for sanitary water because the Wastewater 1 Stream was composed primarily of cooling water with some steam condensate. Variability of the Wastewater 1 Stream was considered very minor.

The Wastewater 2 Stream consisted of process cooling water and steam condensate flows for the time period when there was no cooling-water flow to the plasma torch. Process wash solutions were also discharged on a batch basis as part of the Wastewater 2 Stream. The Wastewater 2 Stream duration consisted of the 6-month designation time period minus the 48 hours for plasma torch cooling water flow (Wastewater 1 Stream).

The total process chemicals discharged as Wastewater 2 Stream from the Head-End for disposal in the 216-T-1 Ditch between 1985 and 1990 were cesium (33.5 kg), manganese (less than 24.0 kg), iodine (3.6 kg), potassium (7.0 kg), zinc (less than 18.5 kg), lithium (47.0 kg), sulfate (325.0 kg), phosphate (33.6 kg), sodium (120.0 kg), borate (124 kg), and ethylenediaminetetraacetic acetate (600.0 kg). The Wastewater 2 Stream consists mainly of the heating-and-ventilation cooling water flow with some steam condensate and process solution flow. Between December 1985 and March 1990, the total Wastewater 2 Stream volume was estimated to be an average of about 20 l/min for a total of 5.4×10^7 l. This process evaluation resulted in an average concentration of cesium (620 parts per billion [ppb]), manganese (33 ppb), iodine (67 ppb), potassium (130 ppb), zinc (19 ppb), sodium (2.2 ppm), borate (2.3 ppm), and ethylenediaminetetraacetic acetate (11.1 ppm). Variability of the Wastewater 2 Stream concentrations of process chemicals has been significant in the past. The solutions containing the process chemicals were pumped within one hour to the stream on a batch basis. The process batches accumulated and were discharged after each test. An average of one test every two months was typical. No process solution batches were identified for discharge to Wastewater 2 Stream after fiscal year (FY) 1990.

Recent test activities include two sets of LWR experiments that were conducted from October 1989 through March 1990. Cooling water, steam condensate, process solutions, and roof and floor wastewater drains associated with these tests and the building operating functions were discharged to the 216-T-1 Ditch during these 6 months.

No testing or operations have been conducted in the 221-T Building Head-End since March 1990. The 221-T Building Head-End may continue to be used for office space, and the heating and ventilation systems are expected to remain in operation. Steam condensate and cooling water associated with the building heating and air conditioning, along with floor wash water, are the only regular liquid effluents expected to be generated and discharged to the 216-T-1 Ditch. There is no intention to discard chemical inventory to the wastewater stream for disposal. Any future test or equipment-washing solutions will be evaluated using process information and chemical analyses. The decision to discharge solution to the 216-T-1 Ditch or ship the solution to hazardous waste disposal will be made based upon the results of these analyses.

2.1.4 216-T-1 Ditch

The 216-T-1 Laboratory Wastewater Stream, which is commonly referred to as the Head-End process laboratory wastewater or process sewer flow, discharges to the 216-T-1 Ditch. The 216-T-1 Ditch is labeled on a concrete marker as the "216-T-1 Crib" and is located north of the 221-T Building Head-End (NE end). Contributors to the 216-T-1 Laboratory Wastewater Stream discharge into a common wastewater pipe. This wastewater pipe extends underground approximately 90 m from the building to the discharge point outfall into the 216-T-1 Ditch. During a physical observation of the ditch, it was estimated that the ditch is approximately 1,000 ft long, 30 ft wide at the top and 6 ft wide at the bottom with an average depth of 4 ft and side slope of 1:1.5. The ditch was dug in May 1972 and is presently overgrown with grasses and small plants or shrubs. Disposal of effluents in the 216-T-1 Ditch is by evaporation and absorption into the soil.

The future content of liquid effluents that would be discharged to the 216-T-1 Ditch is uncertain. As documented previously, the nature of the experiments in the 221-T Building Head-End determines the constituents of the waste stream. Currently, there are no effluent monitors for flowrate or constituents for this effluent stream since there are no experimental activities conducted there. In the past, process batch solutions from experimental operations in the Head-End were collected in holding tanks and sampled for pH. If they met discharge criteria, they were discharged into the 216-T-1 Ditch. As previously stated, no new discharges are planned for the 216-T-1 Ditch. If future activities result in effluents to the 216-T-1 Ditch, a review of monitoring requirements would be required.

2.2 Contributors to the 216-T-1 Laboratory Wastewater Stream


Specific contributors to the 216-T-1 Laboratory Wastewater Stream can be grouped according to the 8 process sewer lines from the 221-T Building Head-End that connect to the 6-in.-diameter main header for discharge to the 216-T-1 Ditch. These process sewer lines are from the 1) upper floor sumps, 2) heating and ventilation system, 3) basement laboratory sump, 4) welder cooling water, 5) first floor aerosol sampling water, 6) waste Tank TK-1, 7) process cell sump, and 8) control room floor drains. Figure 3-2 demonstrates the flow of the individual contributors to each of the process sewer lines and indicates those contributors that are considered routine and potential. Based on previous operations in and the current configuration of the 221-T Building Head-End, there are 39 contributors of liquid effluent to the 8 process sewer lines. Of the identified contributors, 7 contribute routinely, 8 are potential contributors, and the remainder are considered inactive. Three process water flows, three steam condensate flows, and flow from the roof drain are the routine contributors. The three process water flows are the second floor cooling water, third floor cooling water, and third floor compressed air condensate. Potential contributors include flows from five floor or safety shower drains, two sinks, and one large wash pad. This SAP for the 216-T-1 Laboratory Wastewater Stream is based principally on previous operations. These operations

9415149.0703

ceased in March 1990. Future liquid effluent discharges will be evaluated based upon process information and chemical analyses. The decision to discharge to the 216-T-1 Ditch or ship the solutions to hazardous waste disposal sites will be made based upon the results of these analyses.

Table 2-1 provides information on contributor status, potential contaminants, and stream handling for the four process sewer lines that have routine or potential contributors to the 216-T-1 Laboratory Wastewater Stream. These four process sewer lines are the 1) upper

9413149.0704



WEC-SD-WM-PI-N-036, REV. 2

Figure 2-2. Flow Paths for Contributors to the 216-T-1 Ditch

9413149.0706

floor sumps, 2) heating and ventilation system, 3) basement laboratory sump, and 4) control room floor drains. The other four process sewer lines previously identified have no contributors that are considered routine or potential contributors. Individual contributors are identified for each process sewer line. The remaining four process sewer lines were not included because the individual contributors are inactive. Table 2-1 also identifies the contributor status (routine or potential) and the potential contaminants (hazardous, radioactive, or none). The Stream Handling/Rate of Discharge column describes the flow path of each individual contributor, flow rate estimates for each sewer process line, and the composition of the source (raw or sanitary water). There are no effluent monitors that measure flow rate or constituents for any of these wastestreams. The information provided in Table 2-1 is an estimate based primarily on process knowledge. The following sections provide specific information on each of the process sewer lines.

2.2.1 Upper Floor Sumps

Liquid from three areas contributes to the process sewer line identified as the upper floor sumps. These three areas are the 1) second floor sump, 2) third floor sump, and 3) roof drain. The second floor sump collects liquids from 12 contributors. These are the second floor wash pad, second floor sink, Venturi scrubber, fibrous filter, Tank TK-6, Tank TK-7, Tank TK-202, aerosol mixing vessel, submerged gravel scrubber (SGS), nozzles cooling water, controls cooling water, and floor drains. The second floor wash pad, sink, and floor drain are potential contributors; all other second-floor contributors are considered inactive.

The third floor sump collects liquid from five contributors. These are the compressed air condensate, shower drain, demineralized water tank drain, two resin drains, and floor drain. The compressed air condensate is a routine contributor. The shower and floor drains are potential contributors; the other contributors are considered inactive.

Liquid collected by the roof drain flows into the upper floor sump process sewer line. This contributor is considered routine, although it is clearly weather-dependent.

2.2.2 Heating and Ventilation System

The liquid effluents contributing to the heating and ventilation system process sewer line are generated from two areas. These are the 1) second floor and 2) third floor. Two contributors, steam condensate and cooling water, are on the second floor. Two contributors, steam condensate and cooling water, are on the third floor. All four of these contributors are considered routine.

Table 2-1. Summary of Active Laboratory Wastewater Stream Contributors

Source	Contributor Status	Potential Contaminants	Stream Handling/ Rate of Discharge*
Upper Floor Sumps			<ul style="list-style-type: none"> • Flow rate = $3.35E-3$ gal/min • Raw water effluent
Wash Pad	Potential contributor	Potential for radioactive contamination	Waste collects in second floor sump before discharge to 216-T-1 Ditch
Sink	Potential contributor	Potential for radioactive contamination	
Floor Drain	Potential contributor	Potential for radioactive contamination	
Roof Drain	Routine contributor	Potential for radioactive contamination	Waste collects in upper floor sump process sewer line before discharge to 216-T-1 Ditch
Compressed Air Condensate	Routine contributor	Potential for radioactive contamination due to location in Controlled Area	Waste collects in third floor sump before discharge to 216-T-1 Ditch
Shower Drain	Potential contributor	Potential for radioactive contamination	
Floor Drain	Potential contributor	Potential for radioactive contamination	
Heating and Ventilation System			<ul style="list-style-type: none"> • Sanitary water through swamp cooler flowrate = $3.5E-2$ gal/min • Raw water supplied for steam • Total flow rate = $3.5E-2$ gal/min
Third Floor Steam Condensate	Routine contributor	Potential for radioactive contamination due to location in Controlled Area	Waste is routed to heating and ventilation process sewer line before discharge to 216-T-1 Ditch
Third Floor Cooling Water	Routine contributor	Potential for radioactive contamination	

9416149.0707

Table 2-1. Summary of Active Laboratory Wastewater Stream Contributors (cont.)

Source	Contributor Status	Potential Contaminants	Stream Handling/ Rate of Discharge*
Second Floor Steam Condensate	Routine contributor	Potential for radioactive contamination due to location in Controlled Area	Waste is routed to heating and ventilation process sewer line before discharge to 216-T-1 Ditch
Second Floor Cooling Water	Routine contributor	Potential for radioactive contamination	
Basement Laboratory Sump			<ul style="list-style-type: none"> • Flow rate = 1.4E-3 gal/min • Raw water effluent
Steam Line Condensate	Routine contributor	Potential for radioactive contamination due to location in Controlled Area	Waste is routed to the basement laboratory sump process sewer before discharge to 216-T-1 Ditch
Floor Drain	Potential contributor	Potential for radioactive contamination	
Sink	Potential contributor	Potential for radioactive contamination	
Control Room			<ul style="list-style-type: none"> • Flow rate = 1.4E-3 gal/min • Raw water effluent
Control Room Floor Drains	Potential contributor	Potential for radioactive contamination	Discharge to 216-T-1 Ditch

* Estimated flow rates are based upon a total annual flow divided by 526,000 minutes (1 year).

9413149.0700

2.2.3 Basement Laboratory Sump

The process sewer line resulting from the basement laboratory sump collects liquid from six contributors. These are Hood Number 1, Hood Number 2, exchanger condensate, steam line condensate, floor drain, and sink. The floor drain is considered routine; all others are considered infrequent but potential.

2.2.4 Welder Cooling Water

Liquid effluent resulting from the cooling water used during welding operations is collected in a separate process sewer line. This contributor is considered inactive.

2.2.5 First Floor Aerosol Sampling Water

Water from the first floor aerosol sampling is collected in a separate process sewer line for discharge to the 216-T-1 laboratory wastewater stream. The liquid effluent is considered an inactive contributor.

2.2.6 Waste Tank TK-1

Four contributors generate liquid effluent collected in the waste Tank TK-1 process sewer line. These contributors are process water, pump lubricant water, steam condensate, and the large Tank TK-1 vessel drain. All of these contributors are considered inactive.

2.2.7 Process Cell Sump

Liquid effluent is collected from three contributors in the process cell sump process sewer line for discharge to the 216-T-1 Laboratory Wastewater Stream. These contributors are cooling water, steam condensate, and the floor drain. All of these contributors are inactive.

2.2.8 Control Room Floor Drains

Liquid collected in the control room floor drains is discharged through a separate process sewer line to the 216-T-1 Laboratory Wastewater Stream. There are two floor drains on the control room floor. This contributor is considered an infrequent but potential contributor.

3.0 RESPONSIBILITIES

The WHC Effluent Treatment Programs group will act as Project Manager for the overall sampling program and will act as a liaison between T-Plant and the regulators. The T-Plant Facility Manager is responsible for the sampling and analysis of the wastewater generated by the facility. In this regard, the facility manager (or designee) is responsible for:

- The completion and accuracy of this Sampling and Analysis Plan.
- Proper execution of the Sampling and Analysis Plan.
- Confirming the proper 216-T-1 Laboratory Wastewater Stream waste designation.

The following assignments are made to assist the facility manager in the execution of his or her responsibilities.

The T-Plant Facility Manager (or designee) will act as the Sampling Task Leader as defined in WHC-SD-WM-QAPP-011 and is responsible for:

- Evaluating final data packages against data quality objectives (DQO) set for these samples.
- Overseeing the sampling activities. Specific tasks include: ensuring the correct sample point is used; assisting with sampling team; ensuring facility safety guidelines are not compromised; arranging for appropriate equipment; initiating scheduling of operators and health physics technicians (HPTs) and providing trained personnel for sampling; reviewing data logs; and ensuring all field activities are done according to approved written procedures.
- Assisting with the wastewater stream designation process.
- Reporting data results and maintaining a data file containing this Sampling and Analysis Plan, copies of sampling logs, wastewater flow records, analytical data packages, and resulting reports.
- Developing, initiating, and tracking corrective actions (if needed).
- Initiate scheduling of operators and health physics technicians (HPTs) required for sampling.

0170 6415146

- Prepare a data file on weekly composites and maintain file as quality records.

The Office of Sample Management or Project Manager's designee (OSM/designee) is responsible for:

- Identifying and approving the contract laboratory to perform chemical analysis for this sampling and analysis plan.
- Monitoring the contract laboratory for quality performance.
- Acting as an interface between the facility manager and the contract laboratory.
- Receiving laboratory data packages.
- Verifying that all laboratory results requested are received to ensure they are complete.
- Validating contract laboratory data packages.

The Sampling and Mobile Laboratories is responsible for:

- Providing trained samplers for protocol sampling activities. One sampler shall have a WHC Certificate of Qualification from the Sampling and Mobile Laboratories group.
- Packaging protocol samples for shipment.
- Preparing the T-Plant protocol sampling and packaging procedure.
- Documenting sampling activities in a log book.
- Transporting protocol samples to laboratory or shipping center.
- Initiating a proper chain of custody (COC) for each sample.
- Ensuring copies of field logs and other sampling data sheets are forwarded to the Sampling Task Leader.

9416149.071

The T-Plant Quality Assurance organization shall be responsible for:

- Providing surveillance of the protocol sampling program.

All protocol samples will be performed according to approved written procedures which have been based upon desk instruction T032 A-01 450 F, "Sampling Performed for RCRA Analysis" (Appendix A), and will comply with the requirements of "Test Methods for Evaluating Solid Waste," EPA SW-846, latest revision. The sampling team members shall have training in environmental sampling as documented by Sampling and Mobile Laboratories.

The sampler shall make a written record of the sampling as required by procedure EII 1.5 (WHC-CM-7-7). The data shall include the sample number, time, date, location, and observations as a minimum. Copies of the written record shall be submitted to the T-Plant Sampling Task Leader. Originals will remain in controlled notebooks assigned to the Westinghouse Hanford Sampling and Mobile Laboratory (S&ML) personnel.

The chain of custody form will be initiated at the time of sample collection and shall be transferred with each protocol sample. A copy of the COC form, Sample Analysis Request, and applicable shipping papers are then forwarded to OSM. When the contracted laboratory's custodian receives the samples, he/she will complete the Westinghouse Hanford COC form and provide a copy to OSM. Completed chain of custody forms for protocol samples are maintained as quality records. OSM personnel will arrange for an approved onsite or offsite laboratory to do the analysis which must meet the criteria of this Sample and Analysis Plan and the Liquid Effluent Sampling QAPP. As stated in Section 9.2 of the QAPP, validation of protocol samples during the stage one sampling effort will be performed by OSM to "Level C" in accordance with Section 2.0, "Data Validation for RCRA Analyses," of WHC-CM-5-3, Sample Management and Administration (WHC 1990a), or by another qualified organization using the same or equivalent procedures. The results obtained during the stage one sampling will be evaluated and validation of samples may be reduced to "Level B or A" validation in subsequent years if appropriate. OSM will forward a copy of the data to T-Plant Sampling Task Leader and will be responsible for ensuring that the validated data is transmitted to the EDMC who then prepares the data for public release.

Protocol sampling will be performed by the S&ML in accordance with approved written procedures as discussed above. S&ML samplers are responsible for all phases of protocol sampling including sample preservation, collection, storage, and shipment.

T-Plant Operational Health Physics technicians will survey and release the sample containers per WHC-CM-4-10, Section 11.0 (WHC 1988a). Westinghouse Hanford S&ML personnel will deliver the radionuclide screening samples, taken at each sampling point to classify the total activity of the samples for shipping purposes, to the 222-S Laboratory.

Sampling personnel are responsible for packaging the samples, preparing papers to ship the samples to the analytical laboratory, and delivering the samples to Westinghouse Hanford shipping after total activity screening has been completed by 222-S Laboratory personnel. Handling and shipping of the samples will be performed in compliance with the requirements of Environmental Investigation Instruction 5.11, "Sample Packaging and Shipping."

In addition to protocol sampling, routine effluent samples are obtained from the wastewater stream by HPTs as directed by Effluent Emission Monitoring. Process sampling is completed by Westinghouse Hanford staff who are trained to procedure WHC-IP-0692, Section 11.03.02 (WHC 1990b) and WHC-CM-7-4, Section 9 (WHC 1988b). These procedures describe sampling procedures including the taking of duplicate samples and COC requirements. The sampling and laboratory analysis methods currently used are not covered by the requirements of this SAP.

9413149.0713

**THIS PAGE INTENTIONALLY
LEFT BLANK**

4.0 SAMPLING LOCATION AND FREQUENCY

4.1 Sampling Location


Protocol and routine samples shall be taken from the inlet to the 216-T-1 Ditch. Figure 5-1 shows the outflow from the 221-T Building Head-End to the 216-T-1 Ditch. This inlet was selected as the sampling location to ensure that the sample includes all effluent contributors to the discharge to the 216-T-1 Ditch and is representative of the entire stream.

4.2 Sampling Frequency and Schedule

Protocol samples shall be obtained at least twice a year for the first two years following approval of this Plan. In addition, protocol samples shall be obtained on the raw water supply system. These samples are to be analyzed for chemical constituents selected from Appendix A of the QAPP that are of concern for designating dangerous waste characteristics and for preparation of Discharge Permits. Chemical analytes that are not found will be eliminated from the list of analytes in future protocol samples. Chemical analytes found in both the effluent and raw water at equivalent concentration levels will also be eliminated from the list of analytes. Chemical analytes found to be added by Plant operations with significant measurable quantities shall be included in the list of analytes for the existing routine monitoring sampling program. The analyses performed on these samples are discussed in Section 7.0. Explanation of the rationale for the frequency and scheduling of samples is given below.

Presently, the regular liquid effluents are primarily steam condensate and cooling water associated with the building air conditioning and heating. There are no known hazardous or toxic materials being added to the effluent as a result of routine operations. The basic assumption is that the composition of the effluent is essentially constant over time. There is, however, a potential for variation in the flow (amount) during the year. This is because the flow rate is partially dependent upon the amount of steam being used and the corresponding volume of steam condensate generated and partially dependent on the rainfall. In the colder months of the year (November-March), the volume of condensate is greater than in the warmer months of the year (April-October). Thus, it was decided that a stratified random sampling methodology, as discussed in Chapter 9 of SW-846 (EPA, Latest Edition), was appropriate.

The sampling procedure will be designed to ensure representative samples and will comply with SW-846 (EPA, Latest Edition) sampling and analytical protocol. This protocol requires that a sufficient number of samples be taken, in a random manner, over a sufficient time period to



2000000.17

Figure 4-1: Piping Diagram for Liquid Effluents Discharged to the 216-T-1 Laboratory Wastewater Stream

9413149-0715

characterize the variability or uniformity of the stream. Grab samples will be collected on a random time basis. The sampling will be randomized by randomly choosing one of the workdays of the period to be sampled. The process is repeated to select a second sample date.

Quality Control (QC) samples will be taken during each sampling event as defined in the sampling procedure and Section 10 of the QAPP. A sample of the T-Plant sanitary and raw water supply (the major components of the effluent stream) also will be taken during each protocol sampling event and analyzed for the full set of analytes listed in Section 7.0. The duplicate samples, blanks, and other QC samples will be evaluated per Section 2 of WHC-CM-5-3, or by another qualified organization using the same or equivalent procedures. The sanitary and raw water samples will provide information on initial water quality for water used in T-Plant processes and allow assessment of the impact of T-Plant uses on the water quality.

Due to the inconsistent nature of the flow rate of the liquid effluents from the 221-T Building Head-End, the flow may at times diminish to an insufficient level for sampling. In this case, adherence to the above described sampling frequency and schedule may not be possible. Modifications to the sampling frequency and schedule may be made to coincide with the sampling event with the availability of discharge.

Routine effluent sampling will be performed only if effluent volumes significantly increase and/or test activities in the 221-T Building Head-End facility resume. Presently, the flow rates into the 216-T-1 Ditch are not sufficient to enable routine sampling. If routine sampling is initiated, it shall comply with Westinghouse Hanford Procedure WHC-IP-0692, "Collection of Surface Water Samples" at a frequency and schedule as listed in Table 4-1.

Table 4-1. Potential Routine Effluent Samples, Analytes, and Procedures

Analysis	Frequency/Schedule*	WHC Procedure
pH	Weekly	WHC-CM-7-4, Sec 4 & 9; LA-212-102
TOC	Weekly	WHC-CM-7-4, Sec 4 & 9; LA-344-105
temperature	Weekly	WHC-CM-7-4, Sec 4 & 9; WHC-IP-0692
conductivity	Weekly	WHC-CM-7-4, Sec 4 & 9; LA-512-104
gross alpha (filt)	Monthly (composite of weekly samples)	WHC-CM-7-4, Sec 4 & 9; LA-508-113
gross alpha (solids)	Monthly (composite of weekly samples)	WHC-CM-7-4, Sec 4 & 9; LA-508-113
gross beta (filt)	Monthly (composite of weekly samples)	WHC-CM-7-4, Sec 4 & 9; LA-508-113
gross beta (solids)	Monthly (composite of weekly samples)	WHC-CM-7-4, Sec 4 & 9; LA-508-113
gamma (filt)	Monthly (composite of weekly samples)	WHC-CM-7-4, Sec 4 & 9; LA-548-121
gamma (solid)	Monthly (composite of weekly samples)	WHC-CM-7-4, Sec 4 & 9; LA-548-121
Strontium (filt)	Monthly (composite of weekly samples)	WHC-CM-7-4, Sec 4 & 9; LA-220-103
Strontium (solid)	Monthly (composite of weekly samples)	WHC-CM-7-4, Sec 4 & 9; LA-220-103
Nitrate	Quarterly	WHC-CM-7-4, Sec 4 & 9; LA-553-101
Tritium	Quarterly	WHC-CM-7-4, Sec 4 & 9; LA-218-111

* May be modified to coincide with availability of discharge.

243149-0217

5.0 SAMPLE IDENTIFICATION

5.1 Protocol Sample Labeling

Labels for protocol samples shall be furnished by the sampling team from the S&ML Unit. The labels will require the following information to be recorded by a member from the sampling team: identification of the sampler; a unique sample identification number; date and time the sample was collected; the place the sample was collected; the stream identification; preservative added; and the analyses to be performed on the sample. In addition, each bottle shall be identified with the bottle lot number and individual bottle number. OSM makes sampling numbers available through the Hanford Environmental Information System (HEIS) for S&ML who then take the numbers and directly assign a number to the sample bottle.

5.2 Routine Effluent Sample Labeling

A unique sample number, assigned by OSM/designee, shall be provided for each sample. Currently, the routine monitoring samples drawn by the Westinghouse Hanford Site Surveillance/Health and Safety Group are labeled with a preprinted stick-on label that contains the following information: sample type, sample location, sample name, sample analyses, sampling date, a space for the sampling time, charge code, and authorization initials. The HPTs fill in the sample time and temperature of sample at the time of sampling. The information on the label is described in WHC-IP-0692, Section 11.03.02 and WHC-CM-7-4, Section 4.7, "Sample Containers and Labels" (WHC 1988b).

6.0 SAMPLING EQUIPMENT AND PROCEDURES

6.1 Protocol Samples

A. Equipment

Samples may be obtained at the discharge location by using a dipper apparatus as described in Volume 2, Chapter 9 of SW-846 (EPA, Latest Edition).

Preventive maintenance on protocol sampling equipment will be performed by the S&ML Unit as required. Preventive maintenance will consist of 1) keeping on hand the appropriate bottles and sampling apparatus (dipper) to obtain the samples discussed below and in Section 7.0 and 2) ensuring that sampling equipment has been prepared according to EII 5.5, "1706 KE Laboratory Decontamination of RCRA/CERCLA Sampling Equipment."

No flow monitoring equipment is used for this wastewater stream (all flow rates provided in this report are estimates) and there is no power or moving equipment used in the sampling, thus the spare parts list will consist of maintaining 10 or more extra bottles of each type listed in the paragraph below (a through j).

Sample bottles shall be new, commercially available, certified, precleaned containers. The sample volumes and number of containers are prescribed by the contract analytical laboratory and are subject to change; however, representative examples for the analytes of interest are provided in Section 7.0, Tables 7-1 and 7-2 and the final selection is expected to be similar. The following are examples of some of the bottle types and preservatives that could be used based upon RCRA SW-846 sampling methodologies, however, the QAPP shall serve as the final authority when selecting a specific bottle type and/or preservative.

- a. 125 ml plastic container, no preservative for Ion Chromatography of anions (Cl^- , NO_3^- , SO_4^{2-} , F^-) and pH determination
- b. 1000 ml plastic container, pH < 2 by nitric acid preservative for metals determined by method 6010. A second 500-ml container preserved as above for mercury by method 7470
- c. 250 ml plastic container, pH < 2 by sulfuric acid preservative for Total Organic Carbon (TOC)
- d. 250 ml glass container with a tetrafluoroethylene lined septum cap, pH < 2 by sulfuric acid preservative for Total Organic Halogens (TOX). Containers for Total Organic Halogens shall be filled without bubble formation and without leaving a head space

- e. 125 ml glass container for Total Dissolved Solids (TDS)
- f. 125 ml glass container, pH < 2 with sulfuric acid preservative for ammonia
- g. 1 liter plastic container, pH < 2 with nitric acid, for gross alpha and beta
- h. 1 liter plastic container, pH < 2 with nitric acid, for gamma, radium, uranium
- i. 1 liter plastic container, pH > 9 with zinc acetate and sodium hydroxide for H₂S
- j. 40 ml brown glass vial with a tetrafluoroethylene lined septum cap, 0.008% Na₂S₂O₃ for volatile organic compounds (VOC)

B. Procedures

The protocol sampling procedures have been discussed in Section 3.0 and are summarized in Table 6-1. These documents are based on recommended practices found in SW-846, Volume 2, Chapter 9 (EPA, Latest Edition).

Corrective Action requirements are those identified in Section 14.0, "Corrective Actions" of the Liquid Effluent Sampling QAPP. Document control will meet the requirements of WHC-CM-4-2, "Quality Assurance Manual", Section QR 6.0 (WHC 1988c).

6.2 Routine Effluent Samples

If routine sampling is initiated by Westinghouse Hanford, the effluent samples will be collected by technicians from the Site Surveillance/Health and Safety Group trained to Westinghouse Hanford Procedure WHC-IP-0692, "Collection of Surface Water Samples." The wastewater stream sample shall consist of two 1-liter aliquots.

The collected samples will be labeled with a sample tag containing the information discussed in Section 5.2. The samples will then be taken to the designated onsite laboratory for analysis via the methods listed in Table 4-1.

A Data Sheet will be filled out at the time of sampling and contains date, time, and the sampler's initials (WHC 1990b). The completed Data Sheet will be delivered to the 222-S Laboratory, who in turn sends the documentation and results to Effluent Emission Monitoring (EEM). The data sheet will be filed by EEM with the completed analytical results from the laboratory. Data that have been validated will be incorporated into quarterly and annual reports by EEM.

Table 6-1. Supporting Procedures for Sample Analysis
Plan Protocol Sampling Activities

	Procedure/Section Number	Source Document
Field Logbooks	1.5	WHC-CM-7-7
Indoctrination, Training & Qualification	1.7	WHC-CM-7-7
Administration of Radiation Surveys	2.3	WHC-CM-7-7
Chain of Custody	5.1	WHC-CM-7-7
Field Documentation of Drilling, Well Development, and Sampling Equipment	5.4	WHC-CM-7-7
1706 KE Laboratory Decontamination of RCRA/CERCLA Sampling Equipment	5.5	WHC-CM-7-7
Sample Packaging and Shipping	5.11	WHC-CM-7-7
Onsite Packaging Systems	II.2.7	WHC-CM-2-14
Offsite Packaging Systems	II.2.8	WHC-CM-2-14
Onsite Routine Radioactive Shipments	IV.1.4	WHC-CM-2-14
Offsite Shipping Procedures	IV.3.0	WHC-CM-2-14
Sampling Performed for RCRA Analysis (Desk Instruction)	T032 A-01 450 F	Appendix A
Data Validation for RCRA Analysis	2.0	WHC-CM-5-3
Control and Storage of Radioactive Materials and Equipment	11.0	WHC-CM-4-10

941349.0721

7.0 SAMPLE HANDLING AND ANALYSIS

7.1 Protocol Sample Analysis

Protocol samples will be analyzed for the constituents identified in Tables 7-1 and 7-2 to confirm that the wastewater stream is not hazardous. The analytes and screening analyses chosen were based on constituents known or suspected to be associated with the wastewater stream and were determined after review of constituents detected during past characterization activities (including sampling results), assessment of process knowledge, and evaluation of chemicals stored in the plant (WHC 1991c, WHC 1989, Jeppson 1990). Based on the process knowledge discussed in the previous chapters, it was decided that some of the waste characterization tests would not be required. These include ignitability and reactivity.

Any analyte that had been detected in previous sampling or was considered a potential routine contributor to the wastewater stream was further considered. Any detected constituent or screening analysis that gave a positive result and was regulated by WAC 173-303 and/or 40 CFR Part 268 was included in the list of analytes. The indicated analyses include barium, cadmium, lead, mercury, nickel, acetone, 2-chloronaphthalene, methylene chloride, pH and TOX.

A second group of analytes was chosen to assist in the objective of providing data for calculation of soil loading and migration. These analytes are those listed in EPA's Primary and Secondary Drinking Water Standards (40 CFR Parts 141 and 143; EPA 1985a and b) and although they are not applicable to this wastewater stream, they supply target concentration limits and an indication of water quality being released.

A third group of analytes has no regulatory reference, but these analytes have been detected in the 216-T-1 Laboratory Wastewater Stream effluent and are included for purposes of providing data for calculation of soil loading. The TOC analysis was added, because when considered together with the other data that will be generated, it provided a means to detect potential upsets or changes in the wastewater stream. The constituents from these three groups are listed in Table 7-1.

A fourth group of analytes was chosen in order to provide an additional level of assurance that the wastewater stream characterization performed in WHC-EP-0342, Addendum 32, (Jeppson 1990) was valid. This fourth group of analytes is listed in Table 7-2 and includes the following:

- Any constituent not included in Table 7-1 that is present in the SARA chemical inventory for 221-T Building Head-End and/or is stored or used in an area from which a drain goes to the 216-T-1 Laboratory Wastewater Stream.

Table 7-1. Analytes of Interest for 216-T-1 Laboratory Wastewater Stream Effluent

Analysis Name	Regulatory Reference	Analytical Procedure	Container	Container Size (ml)	Preservatives	Holding Time
Aluminum	1,2	6010 ⁶	P,G	1000	HNO ₃ to pH <2	6 mo
Barium	1,3,4	6010	P,G	1000	HNO ₃ to pH <2	6 mo
Boron	-	6010	P,G	1000	HNO ₃ to pH <2	6 mo
Cadmium	1,3,4	6010	P,G	1000	HNO ₃ to pH <2	6 mo
Calcium	-	6010	P,G	1000	HNO ₃ to pH <2	6 mo
Copper	1,2	6010	P,G	1000	HNO ₃ to pH <2	6 mo
Iron	2	6010	P,G	1000	HNO ₃ to pH <2	6 mo
Lead	1,3,4	6010	P,G	1000	HNO ₃ to pH <2	6 mo
Lithium	-	6010	P,G	1000	HNO ₃ to pH <2	6 mo
Magnesium	-	6010	P,G	1000	HNO ₃ to pH <2	6 mo
Manganese	2	6010	P,G	1000	HNO ₃ to pH <2	6 mo
Mercury	1,3	7470	P,G	500	HNO ₃ to pH <2	28 d
Nickel	3,4	6010	P,G	1000	HNO ₃ to pH <2	6 mo
Potassium	-	6010	P,G	1000	HNO ₃ to pH <2	6 mo
Silicon	-	6010	P,G	1000	HNO ₃ to pH <2	6 mo
Sodium	-	6010	P,G	1000	HNO ₃ to pH <2	6 mo
Strontium	-	6010	P,G	1000	HNO ₃ to pH <2	6 mo
Vanadium	-	6010	P,G	1000	HNO ₃ to pH <2	6 mo
Zinc	2,5 (as sulfate)	6010	P,G	1000	HNO ₃ to pH <2	6 mo
pH	2,4	150.1	P,G	125	none	ASAP ¹³
TOC	-	9060 ⁶	P,G	250	Cool to 4°C, HCL or H ₂ SO ₄ to pH <2	28 d
TOX	4	9020 ⁶	G ¹¹	250	cool to 4°C, H ₂ SO ₄ to pH <2	7 d
TDS	2	160.1 ⁷	P,G	125	cool 4°C	48 hrs ¹³
Iodide	-	345.1	P,G	100	none	NA
Chloride	2	300.0 ⁸	P,G	125	none	28 d
Fluoride	1,2	300.0	P	125	none	28 d

9113149.0723

Table 7-1. Analytes of Interest for 216-T-1 Laboratory Wastewater Stream Effluent (cont.)

Analysis Name	Regulatory Reference	Analytical Procedure	Container	Container Size (ml)	Preservatives	Holding Time
Sulfate	2,5	300.0	P,G	125	cool 4°C	28 d
Nitrate	1	300.0	P,G	125	cool 4°C	48 h ¹³
Ammonia	5	350.1	P,G	250	cool 4°C H ₂ SO ₄ to pH <2	28 d
Acetone	3,4	8240 ^{6,14}	P,G	40 ¹¹	cool 4°C, 0.008% Na ₂ S ₂ O ₃	14 d
2-Chloro-naphthalene	3,4	8270 ^{6,14}	P,G	1000	cool 4°C, 0.008% Na ₂ S ₂ O ₃	7 d ¹²
Methylene Chloride	3,4	8240 ^{6,14}	P,G	40 ¹¹	cool 4°C, 0.008% Na ₂ S ₂ O ₃	14 d
Chloroform (Trichloromethane)	1,3,4,5	8240 ^{6,14}	P,G	40 ¹¹	cool 4°C, 0.008% Na ₂ S ₂ O ₃	14 d
Gross Alpha	1	9310 ⁶	P,G	1000	HNO ₃ to pH <2	6 mo
Gross Beta	1	9310	P,G	1000	HNO ₃ to pH <2	6 mo
Gamma	1	901.1 ⁹	P,G	1000	HNO ₃ to pH <2	6 mo
Radium (total alpha emitting)	1	9315 ⁶	P,G	1000	HNO ₃ to pH <2	6 mo
Uranium	5 (as nitrate)	00.07 ¹⁰	P,G	1000	HNO ₃ to pH <2	6 mo

P = Plastic

G = Glass

¹ 40 CFR Part 141, National Primary Drinking Water Regulations (EPA)

² 40 CFR Part 143, National Secondary Drinking Water Regulations (EPA)

³ 40 CFR Part 268, Land Disposal Restrictions (EPA)

⁴ WAC 173-303, Dangerous Waste Regulations (Washington State)

⁵ 40 CFR Part 302, Designation, Reportable Quantities and Notification

⁶ Test Methods for Evaluating Solid Wastes, SW-846, Third Edition, US EPA/Office of Solid Waste and Emergency Response, 1986.

⁷ EPA-600/4-79-020, Methods for the Chemical Analysis of Water and Wastes, US EPA, EMSL, 1979.

⁸ EPA-600/4-84-017, The Determination of Inorganic Anions in Water by Ion Chromatography, US EPA, 1984.

⁹ EPA-600/4-80-032, Prescribed Procedures for Measurement of Radioactivity in Drinking Water, US EPA, 1980.

¹⁰ EPA-520/5-84-006, Eastern Environmental Radiation Facility (EERF) Radiochemistry Procedures Manual, US EPA, 1984.

¹¹ Tetrafluoroethylene lined cap required.

¹² 7 days to extract, 40 days after extraction.

¹³ For analyses with short holding times, onsite analyses may be required.

¹⁴ For the first year's testing, the entire target compound list of the SW-846 Method will be requested as well as tentatively identified compound (TIC) reporting.

Table 7-2. Additional Analytes of Interest for 216-T-1 Laboratory Wastewater Stream Effluent

Analysis Name	Regulatory Reference	Analytical Procedure	Container	Container Size (ml)	Preservatives	Holding Time
Ag	2,3,4	6010 ⁶	P,G	1000	HNO ₃ to pH <2	6 mo
Zr	—	6010	P,G	1000	HNO ₃ to pH <2	6 mo
Ti	—	6010	P,G	1000	HNO ₃ to pH <2	6 mo
VOCs ⁹ Benzene Toluene 1,1,1-Trichloroethane Vinyl Chloride 2-Butanone (MEK)	1,3,4,5	8240 ⁶	G ⁸	40 ⁸	cool to 4°C 0.008% Na ₂ S ₂ O ₃	14 d

P = Plastic

G = Glass

¹ 40 CFR Part 141, National Primary Drinking Water Regulations (EPA)

² 40 CFR Part 143, National Secondary Drinking Water Regulations (EPA)

³ 40 CFR Part 268, Land Disposal Restrictions (EPA)

⁴ WAC 173-303, Dangerous Waste Regulations (Washington State)

⁵ 40 CFR Part 302, Designation, Reportable Quantities and Notification

⁶ Test Methods for Evaluating Solid Wastes, SW-846 (EPA, Latest Edition)

⁷ EPA-600/4-84-017, The Determination of Inorganic Anions in Water by Ion Chromatography, US EPA, 1984.

⁸ Tetrafluoroethylene lined septum cap required.

⁹ For the first year's testing the entire target compound list of the SW-846 method 8240 will be requested as well as tentatively identified compound (TIC) reporting.

- Any constituent not included in Table 7-1 but reported in the process data section of WHC-EP-0342 (Jeppson 1990). These constituents were identified in analyses of 200 West Area sanitary water or in "like" sanitary water and steam condensate wastestreams as those of the T-Plant Head-End Facility.

- 2-Butanone (MEK), which was found in a blank sample associated with the sampling reported in WHC-EP-0342 (Jeppson 1990).— It is most likely that this compound was a result of contamination during sampling or analysis; however, it will be analyzed for during the first year's sampling.

Methanol and butanol were identified as potential trace analytes of interest; however, they would only be regulated if they were of sufficiently high quantity to cause the effluent to fail an ignitability criteria. There is no significant probability of this occurring, thus they are not analyzed for.

9/13/99 0725

The analyses proposed in Tables 7-1 and 7-2 provide a means to detect the individual constituents of interest. The inclusion of a number of screening analyses (pH, TOC, TDS, TOX) will also provide a warning if there were to be a failure of engineered or administrative barriers. In addition, samples submitted for semi-volatile (Method 8270) and volatile (Method 8240) testing during the first year will request a complete analysis of all target compounds listed for the method, as well as Tentatively Identified Compound (TIC) reporting. It is anticipated that the analytes and analyses proposed in Table 7-2 will be performed twice during the first two years. If the results confirm that certain analytes are absent, these analyses will be dropped during future sampling activities.

Detection limits for the various constituents and screening analyses shall be consistent with the limits given in each applicable reference procedure.

The methods chosen and listed in Tables 7-1 and 7-2 for protocol samples are for the most part those called out in WHC-SD-WM-QAPP-011. In the case of the anions (Cl^- , F^- , SO_4^{2-} , NO_3^-) the use of ion chromatography EPA Method 300.0 (EPA 1984b) was chosen since it allows all anions to be determined from one sample via one measurement versus four different analyses. In addition, the methods cited for these analytes in the QAPP use various hazardous chemicals for the analysis, including mercury, barium, sulfuric acid, brucine, and diazomethane. Ion chromatography is an established methodology available in most analytical service laboratories and typically uses a benign carbonate buffer system for these analyses. When performing analyses via EPA Method 300.0, the detection limits, precision, and accuracy requirements shall be in accordance to the limits identified in the Methods for Chemical Analysis of Water and Wastes, EPA-600/4-79-020 manual (1983 Revision).

7.2 Protocol Sample Handling

The handling and preparation of samples will comply with the procedures discussed in Section 4.0 and found in the Environmental Investigations and Site Characterization Manual, WHC-CM-7-7. A COC form will be filled out and will accompany each protocol sample. A sample may consist of several containers. The COC will account for each container. The preparation of either a single or a group of samples for shipment to a laboratory shall comply with the Procedure EII 5.11, "Sample Packaging and Shipping," and supporting procedures listed in Table 7-1.

A COC form will be initiated at the time of sample collection and will accompany each sample. Once the sample has been drawn, it must be in the physical control or view of the custodian, locked in an area where it cannot be tampered with, or prepared for shipping with tamper-proof tape applied. Physical control includes being in the sight of the custodian, being in a room that will signal an alarm when entered, or locked in a cabinet. When more than one person is involved in sampling, one person shall be designated and only that person signs as sampler. This person is the custodian until the samples are transferred to another

location, group, or sampler, and shall sign when releasing the samples to the designated receiver. The sampling procedure will contain a copy of the COC form to be used. A private carrier used to transport the samples and COC documentation shall be bonded.

Field notes will be kept by sampling personnel that identify date, time, weather conditions, plant operational status, and any other relevant information from each sampling event. Field notes will be completed per guidance in Section 6.0 of the Liquid Effluent Sampling QAPP and EII 1.5, "Field Logbooks" (Table 7-1).

The approved laboratory shall designate a sample custodian and a designated alternate responsible for receiving all samples. The sample custodian or his alternate shall sign and date all appropriate receiving documents at the time of receipt and at the same time initiate an internal COC form using documented procedures. A continuous COC will be maintained from the time of sampling until final disposition of all samples.

Analytical procedures for protocol samples shall meet the quality assurance requirements of SW-846 (EPA, Latest Edition). The statement of work for completing the analysis shall require the approved laboratories to have existing standard operating procedures and to submit any changes in their procedures during the contract term to the OSM/designee for approval. The approved laboratory procedures shall describe quality control, calibration, data reduction, verification, and reporting in sufficient detail to ensure compliance with the Liquid Effluent Sampling QAPP.

The protocol samples will be routed to an approved Westinghouse Hanford participant contractor or subcontractor laboratory for analysis consistent with SW-846 requirements. The data will be considered representative when at least 90 percent of the data points meet the established requirements in the laboratory contract for precision and accuracy. The established limits for accuracy and precision shall be consistent with SW-846 (or other applicable procedure) requirements. QC sample results will be reviewed against the laboratory or method specific acceptance criteria for accuracy and precision. Accuracy and precision acceptance criteria will be equal to or better than $\pm 25\%$ (Sommer 1992). Data which does not meet this objective will be reviewed to determine whether the data can be used or whether corrective action should be taken. If necessary, corrective action will consist of repeating the sampling and analysis activity. Corrective action methods are as discussed in Section 14.0 of the Liquid Effluent Sampling QAPP (Sommer 1992). All data will be sent to the Westinghouse Hanford Environmental Data Management Center (EDMC) for transmittal to the regulators. Data which is not acceptable should be flagged to identify its status. The data will be part of the administrative record for Tri-Party Agreement milestones.

Copies of the sampling field notes and analytical data will be maintained by the Sampling Task Leader as quality records. Copies of the Sample Analysis Request Form, Chain of Custody, activity screening results, and shipping papers are forwarded to OSM/designee as discussed in Section 3.0. The original shipping papers accompany the

7220-6115-116

sample. Copies of the Sample Analysis Request Form and Chain of Custody are returned to OSM/designee from the laboratory after the samples are received. The original shipping papers are kept by the laboratory with the copies maintained by OSM/designee.

7.3 Routine Effluent Samples

If routine sampling is implemented, the handling of the samples shall be according to the Westinghouse Hanford Procedure WHC-IP-0692, "Collection of Surface Water Samples." This procedure describes how the samples are prepared and labeled, how information is logged, and how samples are transferred between the sampler and the laboratory. The procedure requires the use of COC and tamper evident tape.

The proposed analyses and frequency of analyses performed on the routine wastewater stream samples are discussed in Section 4.0. An onsite service laboratory, currently the 222-S Laboratory, will perform the analysis using current approved procedures and quality assurance requirements. The data sheets from the service laboratory will be retained by Effluent Emission Monitoring.

7.4 Comparison of 216-T-1 Laboratory and 216-T-4 Wastewater Streams Analytes

Discussions with T-Plant staff indicate that the effluent presently being discharged to the 216-T-1 Ditch may be rerouted to combine with streams charged to the 216-T-4 Ditch. In the event that the effluents from the T-Plant Head-End facility are rerouted to the 216-T-4 Ditch, the two SAPs will be combined. Analytes of interest in the two SAPs were compared, and any constituent reported in Tables 7-1 and 7-2 of this plan for the 216-T-1 Laboratory Wastewater Stream, but not identified in the 216-T-4 Wastewater Stream SAP as an analyte of interest, is listed below.

- Lead
- Nickel
- Vanadium
- Chloroform
- Benzene
- Vinyl Chloride
- 2-Butanone
- Toluene
- 2-Chloronaphthalene.

THIS PAGE INTENTIONALLY

LEFT BLANK

8.0 REFERENCES

Ecology. 1991. Consent Order No. DE 91-NM-177. Washington State Department of Ecology, Olympia, WA.

Ecology. 1990. Washington State Discharge Permit Program. Washington Administrative Codes, Chapter 173-216, Washington State Department of Ecology, Olympia, WA.

Ecology. 1990. Engineering Reports for Washington State Discharge Permits. Washington Administrative Codes, Chapter 173-240, Washington State Department of Ecology, Olympia, WA.

Ecology. 1990. Dangerous Waste Regulations. Washington Administrative Codes, Chapter 173-303-080, 090, 100, Washington State Department of Ecology, Olympia, WA.

Ecology, EPA, and DOE. 1989. Hanford Federal Facility Agreement and Consent Order. Washington State Department of Ecology, Olympia, WA.

EPA. 1987. Land Disposal Restrictions. Title 40, Code of Federal Regulations, Part 268 as amended, U. S. Environmental Protection Agency, Washington DC.

EPA. Latest Edition Test Methods for Evaluating Solid Waste. Physical/Chemical Methods, SW-846, 3rd edition, Nov. 1990, Update I, U. S. Environmental Protection Agency, Washington DC.

EPA. 1985a. National Primary Drinking Water Standards. Title 40, Code of Federal Regulations, Part 141 as amended, U. S. Environmental Protection Agency, Washington DC.

EPA. 1985b. National Secondary Drinking Water Standards. Title 40, Code of Federal Regulations, Part 143 as amended, U. S. Environmental Protection Agency, Washington DC.

EPA. 1985c. EPA Designation, Reportable Quantities, and Notification Requirements for Hazardous Substances Under CERCLA. Title 40, Code of Federal Regulations, Part 302 as amended, U. S. Environmental Protection Agency, Washington DC.

EPA. 1984a. Eastern Environmental Radiation Facility (EERF) Radiochemistry Procedures Manual. EPA-520/5-84-006, U. S. Environmental Protection Agency, Washington DC.

EPA. 1984b. The Determination of Inorganic Ions in Water by Ion Chromatography. EPA-600/4-84-017, U. S. Environmental Protection Agency, Washington DC.

EPA. 1980. Prescribed Procedures for Measurement of Radioactivity in Drinking Water. EPA-600/4-80-032, U. S. Environmental Protection Agency, Washington DC.

6270-6413-116

EPA. 1979. Methods for the Chemical Analysis of Water and Wastes. EPA-600/4-79-020, U. S. Environmental Protection Agency, Washington DC.

Hinckley, J. P. 1985. T-Plant Safety Analysis Report. SD-CP-SAR-007, Rev. 0, Chemical Processing Safety Analysis Group Rockwell International, Rockwell Hanford Operations, Richland, WA.

Jeppson, D. W. 1990. T-Plant Laboratory Wastewater Stream-Specific Report. WHC-EP-0342, Addendum 32, Westinghouse Hanford Company, Richland, WA.

Moeller, M. P. and G. F. Martin. 1991. Facility Effluent Monitoring Plan for the T-Plant Facility. WHC-EP-0481, Submitted to Westinghouse Hanford Company, Richland, WA.

Sommer, D. J. 1992. Liquid Effluent Sampling Quality Assurance Program Plan. WHC-SD-WM-QAPP-011, Rev. 2A, Westinghouse Hanford Company, Richland, WA.

WHC. 1991. WIDS Database Field Definitions & Data. WHC-MR-0056, Rev. 1, Technology Data Management, Westinghouse Hanford Company, Richland, WA.

WHC. 1991a. Hazardous Material Packaging and Shipping. WHC-CM-2-14, Westinghouse Hanford Company, Richland, WA.

WHC. 1990a. Sample Management and Administration. WHC-CM-5-3, Westinghouse Hanford Company, Richland, WA.

WHC. 1990b. Collection of Surface Water Samples. WHC-IP-0692, Westinghouse Hanford Company, Richland, WA.

WHC. 1989. Waste Stream Characterization Report. WHC-EP-0287, Westinghouse Hanford Company, Richland, WA.

WHC. 1989. Environmental Investigations and Site Characterization Manual. WHC-CM-7-7, Westinghouse Hanford Company, Richland, WA.

WHC. 1988a. Radiation Protection. WHC-CM-4-10, Westinghouse Hanford Company, Richland, WA.

WHC. 1988b. Operational Environmental Monitoring. WHC-CM-7-4, Westinghouse Hanford Company, Richland, WA.

WHC. 1988c. Quality Assurance Manual. WHC-CM-4-2, Rev. 0, Westinghouse Hanford Company, Richland, WA.

9413149-0730

9413149.0731

APPENDIX A
SAMPLING PERFORMED FOR
RCRA ANALYSIS

**THIS PAGE INTENTIONALLY
LEFT BLANK.**

PROCESS LABORATORIES AND
TECHNOLOGY (PLT)

Section
Page
Effective Date
Organization

TO12 A-01 450 F
Page 1 of 9
July 6, 1990
Waste Sampling and
Monitoring (WS&M)

DESK INSTRUCTIONS

TITLE:

Approved by

SAMPLING PERFORMED FOR RCRA
ANALYSIS

WS&M Manager, PLT Manager



PURPOSE - This desk instruction defines the criteria and methodology to be used by Waste Sampling and Monitoring personnel when sampling materials for analyses performed in compliance with the Resource Conservation and Recovery Act of 1976 (RCRA) protocol. This instruction also includes criteria for sample custody and transport of samples to an assigned laboratory for analyses.

APPLICABILITY - The use of this desk instruction is limited to those sampling situations in which RCRA compliance is needed, and safe radiation levels and personnel trained in the necessary procedures are all present. This desk instruction is intended for use specifically while taking samples of process liquid effluents, containerized liquids, soil and water for hazardous waste characterization.

SAFETY - Sampling will be performed inside process buildings and in the field where unusual personnel hazards may be encountered. Environments in each facility may be different from one sampling time to the next. An operator(s) assigned to the facility and a Health Physics Technician (HPT) from the facility will be available as required each time sampling is performed. The radiation level will be established and the radiation level of the sample to be taken will be estimated prior to sampling. Direct contact with the samples during handling operations will be required. Therefore, care must be exercised to minimize radiation exposure to the sampling team as much as possible and in all cases avoid unacceptable radiation levels.

Radiation levels of samples taken will have dose levels established by the HPT covering the job. The dose levels must be within acceptable limits of the laboratory before the sample is to be delivered for analyses. Sample containers will be verified to have no measurable radionuclide contamination detectable.

Radiological conditions, Radiation Work Procedures, dress requirements, job safety items, and other pertinent procedures will be discussed with the cognizant field contact prior to sampling.

9118149-0252

DESK INSTRUCTIONS

SAMPLING PERFORMED FOR RCRA ANALYSES

Section T012 A-01 450 F
 Page 2 of 9
 Effective Date July 6, 1990
 Organization Waste Sampling and Monitoring (WS&M)

Samples will be transported to both onsite and offsite laboratories for analysis. Special requirements for transport of hazardous materials (radiological and chemical) apply to each situation. The following provides definition of onsite and offsite shipments per MRP 5.20.

Offsite Shipment — A shipment intended for transport outside the project boundary (south of the 1100 Area) or to any licensee other than Pacific Northwest Laboratory in the 1000 Area. Shipments to U.S. Testing and Advanced Nuclear Fuels are offsite shipments.

Onsite Shipment — A shipment which is transported wholly within the Hanford Site boundaries between U.S. Department of Energy contractors.

1. Inter-area Shipment — A movement between Hanford Site Security Areas (e.g., 300, 200W, 200E, 100N, etc.).
2. Intra-area Shipment — A movement between buildings within a security area (e.g., 300, 200W, 200E, 100N, etc.) but not within the confinement boundaries of a building or facility.

Pre-Job Planning

1. Verify that a Sampling Authorization Form (SAF) has been completed and approved.
2. Verify sampling schedule with the Manager, Waste Sampling and Monitoring.
3. Initiate Chain-of-Custody
 - Record the following information on the Chain-of-Custody form:
 - Chain-of-Custody number
 - Cognizant individual from Office of Sample Management (OSM)
 - Sample location
 - Sample analysis and identification information from SAF including volume of sample
 - SAF number
4. If known hazardous constituents will be sampled a Hazardous Material Shipping Record (HMSR) may be required. Verify HMSR requirements and special hazardous materials packaging requirements on SAF, notify and schedule Transportation Logistics for sampling activities if a HMSR is required.

2413149, 0735

DESK INSTRUCTIONS	Section	T032 A-01 450 F
	Page	3 of 9
SAMPLING PERFORMED FOR RCRA ANALYSES	Effective Date	July 6, 1990
	Organization	Waste Sampling and Monitoring (WS&M)

5. Equipment/Supplies Preparation

- Assemble equipment and supplies as specified on SAF.
- If samples are to be transported to offsite laboratories a special sample must be taken for radionuclide analysis. Prepare sample container for use in special radionuclide analysis.
- Withdraw sample containers specified on SAF from secured storage area.
- Verify sample containers have statements of certification to meet Environmental Protection Agency (EPA) Standards (Protocol A, B, or C as appropriate for sample being taken) for cleanliness.
- Prepare a label and a seal for each sample container.
- Prepare trip blank, equipment blanks, and splits/duplicate bottles as specified on SAF.
- Add preservatives to sample bottles as specified on SAF.
- Prepare ice chest(s).

6. Notebook Documentation

- Sampling Point and Methods: This description must be precise and in sufficient detail that the sampling point can be relocated by another person solely from the written description. Also, photographs of the sampling point with visible points of reference are aids but can not be considered legal evidence. Method of sampling should include reference to meeting the intent of the SW-846 sampling method (e.g., dip sampler, etc.). Deviations from standard methods must be descriptive and the reason for the deviations recorded.
- Sample Identification: Each container filled will be identified in the notebook with a description of the container and the analyses to be performed. Record the precise time and date of sampling. Record description of sample, color, multiple phases, soils, liquid, etc.
- Transportation: Record the method of transportation vehicle number, and destination of the samples. Include holding overnight while radionuclide content is being determined.

DESK INSTRUCTIONS

SAMPLING PERFORMED FOR RCRA ANALYSES

Section Page

T032 A-01 450 F 4 of 9

Effective Date Organization

July 6, 1990 Waste Sampling and Monitoring (WS&M)

- Record all sample survey information.
- Names of Other Participating in the Sampling: Include HPT's, operators, engineers, etc.
- Comments: This section is used to denote any deviations from expected sampling method or sampling operation. Observations made concerning anomalies (e.g., surrounding environment, plugged or inoperable sample valves, newly installed sample system) may be important in interpretation of data quality.
- Signatures: All samplers sign and date each page of notebook entries. All changes must be initialed.
- References: Record the Chain-of-Custody number in the notebook. Any applicable references to other documents (e.g., field notebooks, sampling plans, etc.) should be included.

Sampling

1. Review sampling activities, job requirements, and safety considerations with field contact.
2. Have HPT survey sampling area for radiation and contamination levels as required at the location.
3. Perform sampling and field analysis per approved SAF and appropriate EPA protocol.
4. Bring collected samples out of the sample collection area.
5. Have sample containers monitored for smearable contamination.
6. If smearable contamination is greater than 2200 dpm/100 cm² beta-gamma or 200 dpm/200 cm² alpha, and sample is not for volatile organics, decontaminate container or transfer sample to clean bottle and repeat Steps 5 & 6.
7. If sample is for volatile organics and smearable contamination is greater than 2200 dpm/100 cm² beta-gamma or 220 dpm/100 cm² alpha, decontaminate or resample.
8. Place tamper indicating seal on sample bottles.
9. Bag samples in plastic bags.

913149-0745
910-611116

DESK INSTRUCTIONS

SAMPLING PERFORMED FOR RCRA ANALYSES

Section
Page

T032 A-01 450 F
5 of 9

Effective Date
Organization

July 6, 1990
Waste Sampling and Monitoring (WS&M)

10. Place samples in ice chests. Verify that sufficient ice is present to keep samples cold until they are delivered to the laboratory.

Chain-of-Custody Documentation

Record the following on the Chain-of-Custody form:

- Sample Collection Data: Print name, mailing address and phone number of person(s) performing the sampling, date and time sample is collected.
- Ice Chest No.: Record ice chest number or write NA if not applicable.
- Field Logbook and Page No.: Record WHC-N-book number and page number.
- SAF No.: Record number from Sampling Authorization Form.
- Remarks: In certain cases, additional information on sample location or other comments may be helpful in data interpretation or evaluation. Enter all appropriate information as desired.
- Bill of Lading No.: Record offsite shipping paper numbers (i.e., HMSR, RSR, etc.). Shipping papers are required for offsite shipping. Record HMSR number in HMSR log book.
- Method of Shipment: Enter mode of transport and vehicle number.
- Shipped To: Enter the name of the laboratory and individual destined to receive the samples. Include address and phone number. Record this information on HMSR and offsite RSR.
- Chain of Possession: The sampler upon transferring custody of the sample to another individual will sign (printed and signature) in the "Relinquished by" block. The receiver will verify sample integrity (check evidence tags and/or inventory containers) and sign (printed and signature) in the "Received by" block and date/time the transfer was made. This step is repeated each time the sample changes custody.
- Original copy of Chain-of-Custody remains with the sample. A copy of the Chain-of-Custody form is to be made and sent to the Office of Sample Management.

9415119-0736

DESK INSTRUCTIONS

Section

T032 A-01 450 F

Page

6 of 9

SAMPLING PERFORMED FOR RC2A

Effective Date

July 6, 1990

ANALYSES

Organization

Waste Sampling and
Monitoring (WS&M)

Onsite Sample Shipment (Table 1)

Note: A HNSR may be required. See Step 4 in Pre-Job Planning section. If sample is destined for an offsite laboratory, see Offsite Sample Shipment section.

1. Place evidence tape (signed and dated by sampler) on ice chest.
2. Have HPT survey and obtain dose rate on each ice chest.
3. If sample is from a designated and approved non-radioactive exempt facility area no radioactive survey and RSR are required for shipment to onsite facilities.
4. If radiation level is $<.5$ μ r/hr sample is to be transported with routine RSR.
5. If off-normal conditions are found, such as: sample form is different than specified on SAF, pH <2 or >12.5 , and/or organics. Contact Manager, Waste Sampling and Monitoring before transporting samples.
6. If radiation level is $>.5$ μ r/hr sample must be transported by a non-routine RSR. Contact Transportation Logistics to prepare necessary RSR prior to sample movement from sampling site.

Offsite Sample Shipment (Table 2)

Notes: A HNSR may be required. See Step 4 in Pre-Job Planning section.

The special sample identified in Step 5 in the Pre-Job Planning section is required to establish radiological information for offsite shipments. This sample is transported to the 222-S Laboratory in its own proper shipping container and with a unique Chain-of-Custody.

1. Place evidence tape (signed and dated by sampler) on ice chest.
2. If sample is from a designated and approved non-radioactive area/exempt facility no radioactive survey or RSR are required for transport to 100 Area for shipping.
3. If sample is from other than a designated non-radioactive area, have an HPT survey and obtain contact dose rate (222-S sample and

DESK INSTRUCTIONS

SAMPLING PERFORMED FOR RCRA ANALYSES

Section TO32 A-01 450 F
 Page 7 of 9
 Effective Date July 6, 1990
 Organization Waste Sampling and Monitoring (WSM)

4. If radiation level is <0.5 mR/hr, samples is to be transported with routine RSR to 222-S.
5. If off-normal conditions are found, such as: sample form is different than specified on SAF, pH <2 or >12.5, and/or organics. Contact Manager, Waste Sampling and Monitoring before transporting samples.
6. If radiation level is >.5 mR/hr, samples must be transported by a non-routine RSR. Contact Transportation Logistics to prepare the necessary RSR prior to sample movement to 222-S.
7. Have manager assure that 222-S radiological information is available.
8. Contact Transportation Logistics to prepare necessary RSR for to sample shipment from 222-S.

9413149.0728

DESK INSTRUCTIONS

SAMPLING PERFORMED FOR RCRA ANALYSES

Section

Page

Effective Date

Organization

TO32 A-01 450 F

8 of 9

July 6, 1990

Waste Sampling and Monitoring (WS&M)

TABLE 1

ONSITE SHIPPING REQUIREMENTS

	Non-radiation	<.5 m ²	>.5 m ²
Non-Hazardous Material	Nothing	Routine RSR	Non-Routine RSR
Hazardous Material	HMSR	Non-Routine RSR	Non-Routine RSR

9113149.0739

DESK INSTRUCTIONS

Section

T032 A-01 450 F

Page

9 of 9

SAMPLING PERFORMED FOR RCRA
ANALYSES

Effective Date

July 6, 1990

Organization

Waste Sampling and
Monitoring (WS&M)

TABLE 2

OFFSITE SHIPPING REQUIREMENTS

	Non-Radiation	Radioactive
Non-Hazardous Material	Release	Offsite RSR
Hazardous Material	UMSR	UMSR Offsite RSR

9413149.0740

**THIS PAGE INTENTIONALLY
LEFT BLANK**