



0063932

Department of Energy
Richland Operations Office
P.O. Box 550
Richland, Washington 99352

DEC 20 2004

RECEIVED
MAR 07 2005

EDMC

05-AMCP-0100

Mr. Richard I. Smith P.E.
1520 W. Ninth Avenue
Kennewick, Washington 99336

Dear Mr. Smith:

RESPONSE TO COMMENTS ON THE ENGINEERING EVALUATION/COST ANALYSIS (EE/CA) FOR THE REMOVAL OF THE CONTAMINATED WASTE RECOVERY PROCESS FACILITY, BUILDING 232-Z AT THE PLUTONIUM FINISHING PLANT (PFP)

63931

Thank you for submitting comments on the Engineering Evaluation/Cost Analysis (EE/CA) for the Removal of the Contaminated Waste Recovery Process Facility, Building 232-Z. The agencies appreciate the time and effort you took to provide input on this document.

Your comments are incorporated in the enclosed Comment and Response document. They were considered in the development of the Action Memorandum, which is also enclosed. The Action Memorandum, with the Responsiveness Summary and Comment-Response documents, is available at <http://www2.hanford.gov/arpir/>.

63935
63936
63100

If you have any questions, please contact Stacy Charboneau, of my staff, on (509) 373-3841, stacy_1_charboneau@rl.gov, or Rick Bond of the State of Washington Department of Ecology on (509) 736-3007, fbon461@ecy.wa.gov.

Sincerely,

Matthew S. McCormick, Assistant Manager
for the Central Plateau

AMCP:WCW

Attachment

cc w/o attach:

- F. W. Bond, Ecology
- N. Ceto, EPA Region 10
- D. A. Faulk, EPA Region 10
- K. A. Hadley, FHI
- A. M. Hopkins, FHI
- S. E. Killoy, Polestar

- S. H. Norton, FHI
- L. Oates, EQM
- C. J. Simiele, FHI
- D. S. Takasumi, FHI
- B. K. Wise, FHI