



0063934

Department of Energy
Richland Operations Office
P.O. Box 550
Richland, Washington 99352

05-AMCP-0099

DEC 20 2004

Ms. Nancy N. Kroening
123 E. Calavar Road
Phoenix, Arizona 85022

Dear Ms. Kroening:

RESPONSE TO COMMENTS ON THE ENGINEERING EVALUATION/COST ANALYSIS (EE/CA) FOR THE REMOVAL OF THE CONTAMINATED WASTE RECOVERY PROCESS FACILITY, BUILDING 232-Z AT THE PLUTONIUM FINISHING PLANT (PFP)

63933

Thank you for submitting comments on the Engineering Evaluation/Cost Analysis (EE/CA) for the Removal of the Contaminated Waste Recovery Process Facility, Building 232-Z. The agencies appreciate the time and effort you took to provide input on this document.

63935

63936

Your comments are incorporated in the enclosed Comment and Response document. They were considered in the development of the Action Memorandum, which is also enclosed. The Action Memorandum, with the Responsiveness Summary and Comment-Response documents, is available at <http://www2.hanford.gov/arpir/>.

63100

If you have any questions, please contact Stacy Charboneau of my staff on (509) 373-3841, stacy_1_charboneau@rl.gov, or Rick Bond of the State of Washington Department of Ecology on (509) 736-3007, fbon461@ecy.wa.gov.

Sincerely,

Matthew S. McCormick, Assistant Manager
of the Central Plateau

AMCP:WCW

Attachment

- cc w/o attach:
- F. W. Bond, Ecology
- N. Ceto, EPA Region 10
- D. A. Faulk, EPA Region 10
- K. A. Hadley, FHI
- A. M. Hopkins, FHI
- S. E. Killoy, Polestar
- S. H. Norton, FHI
- L. Oates, EQM
- C. J. Simiele, FHI
- D. S. Takasumi, FHI
- B. K. Wise, FHI

RECEIVED
MAR 07 2005

EDMC