



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 10 HANFORD PROJECT OFFICE
712 SWIFT BOULEVARD, SUITE 5
RICHLAND, WASHINGTON 99352

September 9, 1998

James Rasmussen, Director
Environmental Assurance, Permits, and Policy Division
U.S. Department of Energy
P.O. Box 550, A5-15
Richland, Washington 99352

Re: Sampling and Analysis Plan for Tank 241-Z-361

RECEIVED
FEB 07 2000

Dear Mr. Rasmussen:

EDMC

The U.S. Environmental Protection Agency (EPA) has completed its review of the Sampling and Analysis Plan (SAP) for Tank 241-Z-361 and have found two items that require correction.

51818

The action limit for carbon tetrachloride specified on table I-7 is incorrect. The value should be based on the reportable quantity of 10 pounds instead of the 20 pounds as specified for small quantity emission rates of toxic air pollutants in WAC 173-460-080.

Appendix A, Section 9.0 also requires revision. The SAP must define the minimum detectable activity or concentration requirement established consistent with release requirements and the filter medium.

In discussions with your staff it was agreed that change pages were the appropriate mechanism to incorporate these revisions rather than reissuing the entire document. Upon receipt of these changes by EPA this letter will constitute approval of the SAP for Tank 241-Z-361.

If you have any questions feel free to contact me at (509) 376-8631.

Sincerely,

Dennis Faulk
EPA Project Manager

cc: Duane Bogen, B&W
Suzanne Clarke, DOE
Gail Laws, DOH
Jerry Leitch, EPA
Dan Ogg, DNFSB
Oliver Wang, Ecology
Administrative Record (200-PW-1)