



0065336

Department of Energy
Richland Operations Office
P.O. Box 550
Richland, Washington 99352

05-AMCP-0259

MAY 27 2005

Mr. Todd Martin, Chair
Hanford Advisory Board
713 Jadwin, Suite 4
Richland, Washington 99352

RECEIVED
JUN 13 2005
EDMC

Dear Mr. Martin:

HANFORD ADVISORY BOARD ADVICE #168 – PROPOSED PLAN FOR REMEDIATION
OF THE 221-U FACILITY

The U.S. Department of Energy would like to thank the Board for its January 28, 2005, advice on the proposed plan for the remediation of Hanford's 221-U Facility. We are continuing to evaluate your comments and will continue to work with the Hanford Advisory Board. Your specific comments will be addressed in detail in the comment-response document.

Thank you again for your advice. We appreciate the Board's interest and time it devoted to the 221-U Facility project. If you have questions, please contact me, or your staff may contact Matt McCormick, Assistant Manager for the Central Plateau, on (509) 373-9971.

Sincerely,

Keith A. Klein
Manager

AMCP:FMR

cc: G. Bohnee, NPT
N. Ceto, EPA
L. J. Cusack, Ecology
S. Harris, CTUIR
R. Jim, YN
E. J. Murphy-Fitch, FHI
K. Niles, ODOE
M. A. Wilson, Ecology
B. K. Wise, FHI
Administrative Record
Environmental Portal