



0055290

ERS 01-604

STATE OF WASHINGTON
DEPARTMENT OF HEALTH
DIVISION OF RADIATION PROTECTION
7171 Cleanwater Lane, Bldg. 5 • P.O. Box 47827 • Olympia, Washington 98504-7827
TDD Relay 1-800-833-6388

June 25, 2001

Dennis Faulk
Environmental Protection Agency
712 Swift Blvd., Suite 5
Richland WA 99352

Dear Mr. Faulk:

We reviewed Draft A of the *Engineering Evaluation/ Cost Analysis for the 105-B Reactor Facility*. The preferred alternative, Alternative Three: Hazards Mitigation for Public Access, was reviewed to assure precautions were in place to meet the state's regulations for radioactive airborne emissions and for radiation exposure to members of the public. The document considers and addresses the state regulations in WAC 246-247 regarding radioactive airborne emissions, in particular during S&M and D&D activities. It also addresses dose limits for members of the public in a manner that meets both federal and state requirements.

We concur with choosing Alternative Three as the interim removal action for the next 10 years allowing continued public access to an historical facility, allowing a future choice of permanently preserving B-Reactor and creating a museum, while ensuring the air emissions and public exposures meet all State regulations and remain within acceptable public health and safety limits.

Sincerely,

Debra McBaugh, CHP, Head
Environmental Radiation

RECEIVED
AUG 14 2001
EDMC

cc: Chris Smith, DOE-RL
Todd Martin, Chair, HAB
Madeleine Brown
John Erickson
Al Conklin
Susan May

