

# START



0021633

Incoming:9203011

STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

Mail Stop PV-11 • Olympia, Washington 98504-8711 • (206) 459-6000

May 11, 1992

Mr. Ron D. Izatt  
United States Department of Energy  
P.O. Box 550  
Richland, WA 99352

Re: 244-AR Vault Cooling Water Sampling and Analysis Plan

Dear Mr. Izatt:

I have reviewed the 244-AR Vault Sampling and Analysis Plan, WHC-SD-WM-EV-076 Revision 1. I have the following comments:

1. When referring to SW-846 please state "as amended".
2. Be certain that the container list on pages 13 and 14 conform to 40 CFR 136.3.
3. Provide some mechanism for measuring discharge from this facility.

If you have any questions about this letter, please call me at (206) 438-7558.

Sincerely,

Gary Anderson, P.E.  
Environmental Engineer 3  
Nuclear and Mixed Waste Management Program

GA:jw

- cc: Dan Duncan, EPA  
J.M.Hennig, DOE  
R.M.Hiegel, DOE  
David Jansen, Ecology  
Toby Michelena, Ecology  
Dave Nylander, Ecology  
Rick Oldham, WHC  
J.E. Rasmussen, DOE  
Doug Sherwood, EPA  
T. Veneziano, WHC



92126541845



# CORRESPONDENCE DISTRIBUTION COVERSHEET

Author: Gary Anderson, Ecology      Addressee: R. D. Izatt, RL      Correspondence No.: Incoming:9203011

Subject: 244-AR VAULT COOLING WATER SAMPLING AND ANALYSIS PLAN

## INTERNAL DISTRIBUTION

Approval	Date	Name	Location	w/att
		Correspondence Control	A3-01	
		President's Office	B3-01	
		M. C. Arntzen Jr	L4-56	
		G. T. Berlin	R1-51	
		W. R. Brown	B2-19	
		G. D. Carpenter	B2-16	
		C. K. DiSibio	B3-03	
		R. A. Dodd	R2-95	
		J. A. Eacker	R1-51	
		D. L. Flyckt	R3-45	
		C. J. Geier	B2-19	
		D. L. Halgren	R1-51	
		D. P. Hughes	R3-30	
		O. M. Jaka	R3-08	
		R. J. Landon	B2-19	
		R. E. Lerch, Assignee	B2-35	
		C. M. Loll	R1-51	
		M. D. Long	S5-03	
		P. J. Mackey	B3-15	
		H. E. McGuire, Level 1	B3-63	
		D. M. Nguyen	R1-48	
		S. M. Price	H4-57	
		R. W. Oldham	H4-57	
		R. T. Stordeur	R3-45	
		J. D. Williams	R1-48	
		EDMC	H4-22	
		EPS/File/LB	H4-57	

9 2 1 2 6 5 4 1 8 4 6