DISCOVERY SITE EVALUATION CHECKLIST

1. WIDS Site Code/Subsite Code: 200-W-260-PL-B

2. Prepared and Reviewed By:

WIDS Analyst:

Print First and Last Name	Signature	Date
Christine R. Webb	Christine R. Webb	5/1/2019

WIDS Regulatory SME:

Print First and Last Name	Signature	Date
Fred Ruck III	Fred Ruck III	5/6/19

3. Comment:

This inactive pipeline fed an open percolation pond (200-W-237)from 217-T, near T-Plant. The 217-T building was a fire suppression test facility. This segment of pipe is in the T-Plant Balance of West 8 (BOW-8) SQUID.

4. Is the site a Solid Waste Management Unit?	Yes	No
Any discernible location at the Facility where solid wastes have been placed at any time, irrespective of whether the location was intended for the management of solid or dangerous waste, and includes any area at the Facility at which solid wastes have been routinely and systematically released *(for example through spills)*, and includes dangerous waste treatment, storage, and disposal units.	☒	☐

5. Does the site need to be addressed under a regulatory program? Check the first item that applies.

General Description *(see TPA-MP-14 for definitions)*	Unit Category	Classification	Check Here
Site specifically exempted from WIDS based on section 2.0 if TPA-MP-14	Not Applicable	Not Accepted	☐
Permitted RCRA TSD that will be addressed under a RCRA/CERCLA Coordination	RCRA/CERCLA Coordination TSD	Accepted	☐
Permitted RCRA TSD	RCRA TSD	Accepted	☐
Waste site that will be addressed as part of the closure of a RCRA TSD	RCRA TSD Related	Accepted	☐
Waste disposal unit or unplanned release unit where radioactive or dangerous waste is present or possibly present	CERCLA Remedial/Removal Action	Accepted	☒
Inert waste or limited purpose landfill *(WAC 173-350-410 or WAC 173-350-400)*	Inert Waste or Limited Purpose Landfill	Accepted	☐
Solid waste landfill *(WAC 173-350)*	Solid Waste Landfill	Accepted	☐
Petroleum UST or contaminated soil from a petroleum UST leak *(WAC 173-360)*	Petroleum UST	Accepted	☐
Underground injection well that received non-contaminated effluent *(e.g., storm water runoff, steam condensate, air conditioner condensate) (WAC 246-272 or WAC 246-272B)*	Septic	Accepted	☐

DISCOVERY SITE EVALUATION CHECKLIST (Continued)

5. Does the site need to be addressed under a regulatory program? Check the first item that applies.

6. Assign the site to an operable unit or waste management area. *(write "Not Applicable" if neither applies)* — 200-IS-1 ~~(TBD)~~ FARIII 11/25/19

7. Ecology and EPA Approvals:

Ecology Project Manager:

Print First and Last Name	Signature	Date
John Temple	[signature]	11/8/19

EPA Project Manager:

Print First and Last Name	Signature	Date
Craig Cameron	Craig Cameron	11/15/19

8. Are any other activities needed or desired at the site? Only answer if no items in question 5 were checked. Check the first item that applies.

General Description *(see TPA-MP-14 for definitions)*	Unit Category	Classification	Check Here
A location where remediation is not needed, but debris removal or other miscellaneous restoration activities may be performed	Miscellaneous Restoration	Accepted	☐
A location where no remediation, miscellaneous restoration, permit closure, or other physical *(e.g., waste site remediation)* or administrative *(e.g., permit closure)* activity is needed	Not Applicable	Not Accepted	☐

9. DOE Approval: RFF

DOE Federal Project Director:

Print First and Last Name	Signature	Date
Mark French	M J French	11/3/19