RECEIVED NOVEMBER 11, 2008

0080183

Fluor Hanford
WSCF Analytical Lab
P.O. Box 1000
Richland, Washington 99352
Telephone 373-7495
Telefax 372-0456

FLUOR®

M4W41-SLF-08-1240

November 11, 2008

Mr. M. A. Neely, Manager
Analytical Services
CH2M HILL Plateau Remediation Contract
1933 Jadwin MSIN B6-06
Richland, WA 99352

Dear Mike:

FINAL RESULTS FOR SAMPLE DELIVERY GROUP WSCF20082082 – SAF NUMBER F08-086

Reference: (1) Memorandum of Agreement #MOA-FH-CHPRC-2008, Rev. 0, for the Performance & Payment of Services, dated October 1, 2008

(2) HNF-SD-CD-QAPP-017, Rev. 9, Waste Sampling & Characterization Facility Quality Assurance Plan

This letter contains the following attachments for sample delivery group WSCF20082082:

- Cover Sheet (Attachment 1)
- Narrative (Attachment 2)
- Analytical Results (Attachment 3)
- Sample Receipt Information (Attachment 4)

Very truly yours,

S. L. Fitzgerald
WSCF Analytical Lab

SLF/grf

Attachments 4

cc: w/Attachments

T. F. Dale	S3-30	J. E. Trechter	S3-30
A. J. Kopriva	S3-30	S. J. Trent	B6-06
H. K. Meznarich	S3-30	File/LB	
P. D. Mix	S3-30		

RECEIVED
FEB 0 3 2009
EDMC

M4W41-SLF-08-1240

ATTACHMENT 1

COVER SHEET

Consisting of 2 pages
Including cover page

WSCF SAF NUMBER CROSS REFERENCE

Group#: WSCF20082082
Data Deliverable Date: 10-nov-2008
Data Deliverable: Cover Sheet

SAF#	Sample ID	WSCF#	Matrix
F08-086	B1TRD8	W08GR03901	WATER
	B1TRF0	W08GR03902	WATER
	B1TRJ0	W08GR03903	WATER
	B1TRJ2	W08GR03904	WATER
	B1TRK2	W08GR03905	WATER
	B1TRK4	W08GR03906	WATER

M4W41-SLF-08-1240

ATTACHMENT 2

NARRATIVE

Consisting of 4 pages
Including cover page

Introduction

Six (6) S&GRP samples were received at the WSCF Laboratory on September 25, 2008. These samples were analyzed for the analytes indicated on the attached copy of the chain of custody (COC) form in accordance with the *Memorandum of Agreement (MOA-FH-CHPRC-2008, Rev. 0)*, referenced in the cover letter.

The narrative (Attachment 2) will address sample characteristics, analyses requested and general information in performance of the analytical methods. A Data Summary Report (Attachment 3) includes analytical results, a comment report detailing method abnormalities, tentatively identified peaks if applicable, method references, and Laboratory QC information as applicable. Copies of the chain of custody and sample receipt documentation are included as Attachment 4.

Per authorization given by Dana Widrig via email on September 26, 2008, the WSCF laboratory filtered samples B1TRK2 and B1TRK4 before analysis by 6010 (ICP).

It should be noted that the attached chain of custody was stamped "ICED" by the WSCF Laboratory Sample Custodian during sample receiving, indicating the presence of ice in the sample container.

Analytical Methodology for Requested Analyses

Refer to *WSCF Method References Report,* pages 14 through 16, for a complete listing of approved analytical methods.

Inorganic Comments

Anions – The hold time requirement for this analysis was met. A Duplicate, Matrix Spike, Matrix Spike Duplicate, Blank and Laboratory Control Sample were analyzed with this delivery group. See page 21 for QC details. Analytical Note(s):

- Duplicate, Matrix Spike and Matrix Spike Duplicate were analyzed on sample# B1TRF0 (SDG# 20082082, SAF# F08-086).
- Sample results were D flagged if dilution(s) were required.
- Sample results that were less than the reportable limit, however greater than the method detection limit, were B flagged.

All QC controls are within the established limits.

ICP-AES Metals – The hold time requirement for this analysis was met. A Matrix Spike, Matrix Spike Duplicate, Blank and Laboratory Control Sample were analyzed with this delivery group. See pages 22 through 25 for QC details. Analytical Note(s):

- Matrix Spikes and Matrix Spike Duplicates were analyzed on sample# B1TRJ7 (SDG# 20082053, SAF# F08-086) and B1TRD5 (SDG# 20082068, SAF# F08-086).

- Sample results less than 5X the method detection limit, were B flagged.

All QC controls are within the established limits.

ICP-MS Metals – The hold time requirement for this analysis was met. A Matrix Spike, Matrix Spike Duplicate, Blank and Laboratory Control Sample were analyzed with this delivery group. See page 26 for QC details. Analytical Note(s):

- Matrix Spikes and Matrix Spike Duplicates were analyzed on samples B1WYD1 and B1WYC5 (SDG# 20082000).

All QC controls are within the established limits.

Organic Comments

VOA – The hold time requirement for this analysis was met. A Matrix Spike, Matrix Spike Duplicate, Blank and Laboratory Control Sample, were analyzed with this delivery group. See pages 32 through 34 for QC details. Analytical Note(s):

- Matrix Spike and Matrix Spike Duplicate were analyzed on sample# B1WPH1 (SDG# 20082044, SAF# F08-146).

All QC controls are within the established limits.

Rad Chem – There are no hold times associated with WSCF's radiochemical methods. A Duplicate, Matrix Spike, Matrix Spike Duplicate, Blank and Laboratory Control Sample were analyzed with this delivery group. See pages 37 through 43 for QC details. Analytical Note(s):

- Gross Alpha & Beta: Duplicate QC was analyzed on sample# B1TRD8 (SDG# 20082082, SAF# F08-086).

- Neptunium by AEA: Matrix Spike, Matrix Spike Duplicate and Duplicate were analyzed on sample# B1TRD8, (SDG# 20082082, SAF# F08-086). Neptunium LCS: The Neptunium recovery was slightly less than the established laboratory limit of 80% at 74.6%. No flags issued.

- Sr 89/90 and 85 (tracer): Duplicate QC was analyzed on sample# B1WPF3 (SDG# 20082048, SAF# F08-146).

- TC-99 by LSC: Matrix Spike and Duplicate were analyzed on sample# B1X5P9 (SDG# 20082021, SAF# F08-149).

- Tritium Analysis by LSC: Matrix Spike and Duplicate were analyzed on sample# B1WPV6 (SDG# 20082062, SAF# F08-154).

- Uranium Isotopic by AEA: Duplicate QC was analyzed on sample# B1TRD5 (SDG# 20082068, SAF# F08-086). Tracer recovery for sample# B1TRF0 slightly exceeded established laboratory limits. No flags issued.

All other QC controls are within the established limits.

I certify that this data package is in compliance with the MOA, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Analytical Manager and Client Services as verified by the following signatures.

Scot L. Fitzgerald
WSCF Analytical Laboratory Manager

Andrew Kopriva
WSCF Client Services

M4W41-SLF-08-1240

ATTACHMENT 3

ANALYTICAL RESULTS

Consisting of 37 pages
Including cover page

WSCF
ANALYTICAL RESULTS REPORT

for

Groundwater Remediation Program

Richland, WA 99354

Attention: Steve Trent

Analytical: S. Fitzgerald 11/11/08

Client Services: P.D. Mix 11/11/2008

All results are reported on an "as received" basis unless otherwise noted in the comment section.

This information is intended for the use of the addressee only. If the reader of this report is not the intended recipient or is not authorized by the recipient to receive the report, you are hereby notified that any dissemination, distribution or copying of this report is strictly prohibited. If you have received this report in error, please notify WSCF Laboratory immediately by telephone at (509) 373-7020 or (509) 531-8004. Information designation of this report is the responsibility of the customer.

Contract#: FH-EIS-2003-MEM-001
Report#: WSCF20082082
Report Date: 10-nov-2008
Report WGPP/ver. 5.2
Groundwater Remediation Program

w13qlog v4.2 10-nov-2008 13:22:39

Department: Inorganic

W13q Worklist/Batch/QC Report for Group# WSCF20082082

WL#	S#	Batch	QC#	Tray Type	Sample#	Test
38227	2	38631	43062	BLANK		Anions by Ion Chromatography
38227	10	38631	43062	BLANK		Anions by Ion Chromatography
38227	3	38631	43062	LCS		Anions by Ion Chromatography
38227	4	38631	43062	SAMPLE	W08GR03901	Anions by Ion Chromatography
38227	6	38631	43062	DUP	W08GR03902	Anions by Ion Chromatography
38227	7	38631	43062	MS	W08GR03902	Anions by Ion Chromatography
38227	8	38631	43062	MSD	W08GR03902	Anions by Ion Chromatography
38227	5	38631	43062	SAMPLE	W08GR03902	Anions by Ion Chromatography
38227	8	38631	43062	SPK-RPD	W08GR03902	Anions by Ion Chromatography
38252	1	38674	43150	BLANK		ICP Metals Analysis, Grd H20 P
38252	2	38674	43150	LCS		ICP Metals Analysis, Grd H20 P
38252	4	38674	43150	MS	W08GR03859	ICP Metals Analysis, Grd H20 P
38252	5	38674	43150	MSD	W08GR03859	ICP Metals Analysis, Grd H20 P
38252	5	38674	43150	SPK-RPD	W08GR03859	ICP Metals Analysis, Grd H20 P
38252	8	38674	43150	SAMPLE	W08GR03905	ICP Metals Analysis, Grd H20 P
38252	9	38674	43150	SAMPLE	W08GR03906	ICP Metals Analysis, Grd H20 P
38353	1	38774	43240	BLANK		ICP-200.8 MS All possible meta
38353	2	38774	43240	BLANK		ICP-200.8 MS All possible meta
38353	3	38774	43240	LCS		ICP-200.8 MS All possible meta
38353	4	38774	43240	LCS		ICP-200.8 MS All possible meta
38353	34	38774	43240	SAMPLE	W08GR03901	ICP-200.8 MS All possible meta
38353	35	38774	43240	SAMPLE	W08GR03902	ICP-200.8 MS All possible meta
38353	36	38774	43240	SAMPLE	W08GR03905	ICP-200.8 MS All possible meta
38353	37	38774	43240	SAMPLE	W08GR03906	ICP-200.8 MS All possible meta
38353	6	38774	43240	MS	W08P004427	ICP-200.8 MS All possible meta
38353	7	38774	43240	MSD	W08P004427	ICP-200.8 MS All possible meta
38353	7	38774	43240	SPK-RPD	W08P004427	ICP-200.8 MS All possible meta
38353	9	38774	43240	MS	W08P004429	ICP-200.8 MS All possible meta
38353	10	38774	43240	MSD	W08P004429	ICP-200.8 MS All possible meta
38353	10	38774	43240	SPK-RPD	W08P004429	ICP-200.8 MS All possible meta
38336	1	38728	43253	BLANK		ICP Metals Analysis, Grd H20 P
38336	2	38728	43253	LCS		ICP Metals Analysis, Grd H20 P
38336	4	38728	43253	MS	W08GR03895	ICP Metals Analysis, Grd H20 P
38336	5	38728	43253	MSD	W08GR03895	ICP Metals Analysis, Grd H20 P
38336	5	38728	43253	SPK-RPD	W08GR03895	ICP Metals Analysis, Grd H20 P
38336	7	38728	43253	SAMPLE	W08GR03901	ICP Metals Analysis, Grd H20 P
38336	8	38728	43253	SAMPLE	W08GR03902	ICP Metals Analysis, Grd H20 P

w13qlog v4.2 10-nov-2008 13:22:39

Department: Organic

W13q Worklist/Batch/QC Report for Group# WSCF20082082

WL#	S#	Batch	QC#	Tray Type	Sample#	Test
			43421	BLANK		VOA Ground Water Protection
			43421	LCS		VOA Ground Water Protection
			43421	MS	W08GR03851	VOA Ground Water Protection
			43421	MSD	W08GR03851	VOA Ground Water Protection
			43421	SPK-RPD	W08GR03851	VOA Ground Water Protection
			43421	SAMPLE	W08GR03901	VOA Ground Water Protection
			43421	SURR	W08GR03901	VOA Ground Water Protection
			43421	SAMPLE	W08GR03902	VOA Ground Water Protection
			43421	SURR	W08GR03902	VOA Ground Water Protection
			43421	SAMPLE	W08GR03903	VOA Ground Water Protection
			43421	SURR	W08GR03903	VOA Ground Water Protection
			43421	SAMPLE	W08GR03904	VOA Ground Water Protection
			43421	SURR	W08GR03904	VOA Ground Water Protection

w13qlog v4.2 10-nov-2008 13:22:39

Department: Radiochemistry

W13q Worklist/Batch/QC Report for Group# WSCF20082082

WL#	S#	Batch	QC#	Tray Type	Sample#	Test
38268	1	38689	43186	BLANK		TC99 by Liquid Scin.
38268	2	38689	43186	LCS		TC99 by Liquid Scin.
38268	4	38689	43186	DUP	W08GR03784	TC99 by Liquid Scin.
38268	3	38689	43186	MS	W08GR03784	TC99 by Liquid Scin.
38268	16	38689	43186	SAMPLE	W08GR03901	TC99 by Liquid Scin.
38268	17	38689	43186	SAMPLE	W08GR03902	TC99 by Liquid Scin.
38346	1	38767	43265	BLANK		Strontium 89/90
38346	2	38767	43265	LCS		Strontium 89/90
38346	3	38767	43265	DUP	W08GR03856	Strontium 89/90
38346	14	38767	43265	SAMPLE	W08GR03901	Strontium 89/90
38346	15	38767	43265	SURR	W08GR03901	Strontium 89/90
38346	16	38767	43265	SAMPLE	W08GR03902	Strontium 89/90
38346	17	38767	43265	SURR	W08GR03902	Strontium 89/90
38418	1	38840	43332	BLANK		Gross Alpha on Alpha Plateau
38418	2	38840	43332	LCS		Gross Alpha on Alpha Plateau
38418	3	38840	43332	DUP	W08GR03901	Gross Alpha on Alpha Plateau
38418	4	38840	43332	SAMPLE	W08GR03901	Gross Alpha on Alpha Plateau
38418	5	38840	43332	SAMPLE	W08GR03902	Gross Alpha on Alpha Plateau
38410	1	38832	43333	BLANK		Gross Alpha/Gross Beta (AB32)
38410	2	38832	43333	LCS		Gross Alpha/Gross Beta (AB32)
38410	3	38832	43333	DUP	W08GR03901	Gross Alpha/Gross Beta (AB32)
38410	4	38832	43333	SAMPLE	W08GR03901	Gross Alpha/Gross Beta (AB32)
38410	5	38832	43333	SAMPLE	W08GR03902	Gross Alpha/Gross Beta (AB32)
38264	1	38685	43354	BLANK		Tritium by Liq Sct column prep
38264	2	38685	43354	LCS		Tritium by Liq Sct column prep
38264	4	38685	43354	DUP	W08GR03864	Tritium by Liq Sct column prep
38264	3	38685	43354	MS	W08GR03864	Tritium by Liq Sct column prep
38264	7	38685	43354	SAMPLE	W08GR03901	Tritium by Liq Sct column prep
38264	8	38685	43354	SAMPLE	W08GR03902	Tritium by Liq Sct column prep
38492	1	38913	43410	BLANK		Neptunium by AEA
38492	2	38913	43410	LCS		Neptunium by AEA
38492	3	38913	43410	DUP	W08GR03901	Neptunium by AEA
38492	5	38913	43410	MS	W08GR03901	Neptunium by AEA
38492	6	38913	43410	MSD	W08GR03901	Neptunium by AEA
38492	4	38913	43410	SAMPLE	W08GR03901	Neptunium by AEA
38492	6	38913	43410	SPK-RPD	W08GR03901	Neptunium by AEA
38492	8	38913	43410	MS	W08GR03902	Neptunium by AEA
38492	7	38913	43410	SAMPLE	W08GR03902	Neptunium by AEA
38492	10	38913	43410	MS	W08GR03910	Neptunium by AEA
38492	12	38913	43410	MS	W08GR03915	Neptunium by AEA
38505	1	38926	43436	BLANK		Uranium Isotopics by AEA
38505	2	38926	43436	LCS		Uranium Isotopics by AEA
38505	3	38926	43436	DUP	W08GR03895	Uranium Isotopics by AEA
38505	10	38926	43436	SAMPLE	W08GR03901	Uranium Isotopics by AEA
38505	11	38926	43436	SURR	W08GR03901	Uranium Isotopics by AEA
38505	12	38926	43436	SAMPLE	W08GR03902	Uranium Isotopics by AEA

38505 13 38926 43436 SURR W08GR03902 Uranium Isotopics by AEA

WSCF
METHOD REFERENCES REPORT

Department: Inorganic

The results provided in this report were generated using the following WSCF Laboratory procedures. For your convenience, this table provides a listing of the regulatory or industry methods that are referenced by each of these WSCF procedures. Please note that the most recent version of the regulatory or industry method is listed here even though the WSCF procedure may reference an older version of the method. Also, a reference to a regulatory or industry method here does not necessarily indicate a verbatim implementation of that method.

LA-505-411	LA-505-411: ELEMENTAL ANALYSIS BY INDUCTIVELY COUPLED PLASMA ATOMIC EMISSION SPE	
	HEIS 6010_METALS_ICP	Inductively Coupled Plasma-Atomic Emmision Spectrometry
LA-505-412	LA-505-412: DETERMINATION OF TRACE ELEMENTS IN WATERS AND WASTES BY INDUCTIVELY	
	EPA-600/R-94-111 200.8	DETERMINATION OF TRACE ELEMENTS IN WATERS AND WASTES BY INDUCTIVELY COUPLED PLAS
	HEIS 200.8_METALS_ICPMS	Inductively Coupled Plasma - Mass Spectrometry
	HEIS RADISOTOPES_ICPMS	Radioisotopes by ICP/MS
LA-533-410	LA-533-410: ANION ANALYSIS BY ION CHROMATOGRAPHY	
	EPA-600/R-94-111 300.0	DETERMINATION OF INORGANIC ANIONS BY ION CHROMATOGRAPHY
	HEIS 300.0_ANIONS_IC	Determination of Inorganic Anions by Ion Chromatography

Note: A complete list of WSCF analytical procedures and referenced regulatory or industry methods is available online at http://www2.rl.gov/phmc/as-dol.

WSCF
METHOD REFERENCES REPORT

Department: Organic

The results provided in this report were generated using the following WSCF Laboratory procedures. For your convenience, this table provides a listing of the regulatory or industry methods that are referenced by each of these WSCF procedures. Please note that the most recent version of the regulatory or industry method is listed here even though the WSCF procedure may reference an older version of the method. Also, a reference to a regulatory or industry method here does not necessarily indicate a verbatim implementation of that method.

LA-523-455	LA-523-455: VOLATILE SAMPLE ANALYSIS BY SW-846	
	EPA SW-846 8000B	DETERMINATIVE CHROMATOGRAPHIC SEPARATIONS
	EPA SW-846 8260B	VOLATILE ORGANIC COMPOUNDS BY GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)
	HEIS 8260_VOA_GCMS	Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)

Note: A complete list of WSCF analytical procedures and referenced regulatory or industry methods is available online at http://www2.rl.gov/phmc/as-dol.

WSCF
METHOD REFERENCES REPORT

Department: Radiochemistry

The results provided in this report were generated using the following WSCF Laboratory procedures. For your convenience, this table provides a listing of the regulatory or industry methods that are referenced by each of these WSCF procedures. Please note that the most recent version of the regulatory or industry method is listed here even though the WSCF procedure may reference an older version of the method. Also, a reference to a regulatory or industry method here does not necessarily indicate a verbatim implementation of that method.

LA-508-415 LA-508-415: OPERATION OF THE PROTEAN 2-INCH ALPHA/BETA COUNTING SYSTEM FOR GROSS

HEIS	**ALPHA_GPC**	GROSS ALPHA GPC
HEIS	**BETA_GPC**	GROSS BETA GPC
HEIS	**SRTOT_SEP_PRECIP_GP**	Strontium 89/90

LA-508-421 LA-508-421: OPERATION OF THE TRI-CARB MODEL 2500TR LIQUID SCINTILLATION ANALYZER

HEIS	**ALPHA_LSC**	A/B Liquid Scintilillation
HEIS	**BETA_LSC**	A/B Liquid Scintilallation
HEIS	**TC99_3MDSK_LSC**	TC99 by Liquid Scintillation
HEIS	**TRITIUM_EIE_LSC**	Tritium Liquid Scintillation

LA-508-471 LA-508-471: ALPHA ENERGY ANALYZER DATA ACQUISITION AND SYSTEM CHECKOUT USING ALP

HEIS	**PUISO_IE_PRECIP_AEA**	Plutonium by Alpha Energy Analysis
HEIS	**RAISO_AEA**	Radium-226

Note: A complete list of WSCF analytical procedures and referenced regulatory or industry methods is available online at http://www2.rl.gov/phmc/as-dol.

WSCF
ANALYTICAL RESULTS REPORT

Attention: Steve Trent
SAF Number: F08-086
Sample # W08GR03901
Client ID: B1TRD8 GPP WSCF TRENT **Matrix:** WATER

Group #: WSCF20082082
Department: Inorganic
Sampled: 09/25/08
Received: 09/25/08

Test Performed	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
Anions by Ion Chromatography											
Fluoride	16984-48-8	LA-533-410	B	0.0726	mg/L			1.00	0.023		09/25/08
Nitrogen in Nitrite	NO2-N	LA-533-410	U	< 0.0128	mg/L			1.00	0.013		09/25/08
Nitrogen in Nitrate	NO3-N	LA-533-410	D	6.42	mg/L			10.00	0.12		09/25/08
ICP Metals Analysis, Grd H20 P Prep											**10/07/08**
ICP Metals Analysis, Grd H20 P											
Manganese	7439-96-5	LA-505-411		25.0	ug/L			1.00	4.0		10/08/08
Nickel	7440-02-0	LA-505-411	U	< 4.00	ug/L			1.00	4.0		10/08/08
Antimony	7440-36-0	LA-505-411	U	< 56.0	ug/L			1.00	56		10/08/08
Cadmium	7440-43-9	LA-505-411	U	< 4.00	ug/L			1.00	4.0		10/08/08
Chromium	7440-47-3	LA-505-411	U	< 13.0	ug/L			1.00	13		10/08/08
Vanadium	7440-62-2	LA-505-411	U	< 12.0	ug/L			1.00	12		10/08/08
Zinc	7440-66-6	LA-505-411	U	< 9.00	ug/L			1.00	9.0		10/08/08
Lead	7439-92-1	LA-505-411	U	< 45.0	ug/L			1.00	45		10/08/08
Thallium	7440-28-0	LA-505-411	U	< 36.0	ug/L			1.00	36		10/08/08
Arsenic	7440-38-2	LA-505-411	U	< 78.0	ug/L			1.00	78		10/08/08
ICP-200.8 MS All possible meta Prep											**10/07/08**
ICP-200.8 MS All possible meta											
Uranium	7440-61-1	LA-505-412		1.01	ug/L			1.00	0.0500		10/08/08

MDL = Minimum Detection Limit
RQ = Result Qualifier
TP Err = Total Propagated Error
DF = Dilution Factor

B - The analyte < the RDL but > = the IDL/MDL (inorg)
U - Analyzed for but not detected above limiting criteria(inorg)
U - Analyzed for but not detected above limiting criteria.(org)

D - Analyte was identified at a secondary dilution factor
U - Analyzed for but not detected above limiting criteria.

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols

WSCF
ANALYTICAL RESULTS REPORT

Attention: Steve Trent
SAF Number: F08-086
Sample # W08GR03902
Client ID: B1TRF0 GPP TRENT WSCF
Matrix: WATER

Group #: WSCF20082082
Department: Inorganic
Sampled: 09/25/08
Received: 09/25/08

Test Performed	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
Anions by Ion Chromatography											
Fluoride	16984-48-8	LA-533-410	B	0.0732	mg/L			1.00	0.023		09/25/08
Nitrogen in Nitrite	NO2-N	LA-533-410	U	< 0.0128	mg/L			1.00	0.013		09/25/08
Nitrogen in Nitrate	NO3-N	LA-533-410		1.52	mg/L			1.00	0.012		09/25/08
ICP Metals Analysis, Grd H20 P Prep											**10/07/08**
ICP Metals Analysis, Grd H20 P											
Manganese	7439-96-5	LA-505-411		47.0	ug/L			1.00	4.0		10/08/08
Nickel	7440-02-0	LA-505-411	U	< 4.00	ug/L			1.00	4.0		10/08/08
Antimony	7440-36-0	LA-505-411	U	< 56.0	ug/L			1.00	56		10/08/08
Cadmium	7440-43-9	LA-505-411	U	< 4.00	ug/L			1.00	4.0		10/08/08
Chromium	7440-47-3	LA-505-411	U	< 13.0	ug/L			1.00	13		10/08/08
Vanadium	7440-62-2	LA-505-411	U	< 12.0	ug/L			1.00	12		10/08/08
Zinc	7440-66-6	LA-505-411	U	< 9.00	ug/L			1.00	9.0		10/08/08
Lead	7439-92-1	LA-505-411	U	< 45.0	ug/L			1.00	45		10/08/08
Thallium	7440-28-0	LA-505-411	U	< 36.0	ug/L			1.00	36		10/08/08
Arsenic	7440-38-2	LA-505-411	U	< 78.0	ug/L			1.00	78		10/08/08
ICP-200.8 MS All possible meta Prep											**10/07/08**
ICP-200.8 MS All possible meta											
Uranium	7440-61-1	LA-505-412		0.548	ug/L			1.00	0.0500		10/08/08

MDL = Minimum Detection Limit
RQ = Result Qualifier
TP Err = Total Propagated Error
DF = Dilution Factor

B - The analyte < the RDL but > = the IDL/MDL (inorg)
U - Analyzed for but not detected above limiting criteria(inorg)
U - Analyzed for but not detected above limiting criteria.(org)

D - Analyte was identified at a secondary dilution factor
U - Analyzed for but not detected above limiting criteria.

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols

WSCF
ANALYTICAL RESULTS REPORT

Attention: Steve Trent
SAF Number: F08-086
Sample # W08GR03905
Client ID: B1TRK2 GPP WSCF TRENT **Matrix:** WATER

Group #: WSCF20082082
Department: Inorganic
Sampled: 09/25/08
Received: 09/25/08

Test Performed	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
ICP Metals Analysis, Grd H20 P Prep											**09/29/08**
ICP Metals Analysis, Grd H20 P											
Manganese	7439-96-5	LA-505-411		37.0	ug/L			1.00	4.0		09/30/08
Nickel	7440-02-0	LA-505-411	U	< 4.00	ug/L			1.00	4.0		09/30/08
Antimony	7440-36-0	LA-505-411	U	< 56.0	ug/L			1.00	56		09/30/08
Cadmium	7440-43-9	LA-505-411	U	< 4.00	ug/L			1.00	4.0		09/30/08
Chromium	7440-47-3	LA-505-411	U	< 13.0	ug/L			1.00	13		09/30/08
Vanadium	7440-62-2	LA-505-411	U	< 12.0	ug/L			1.00	12		09/30/08
Zinc	7440-66-6	LA-505-411		47.4	ug/L			1.00	9.0		09/30/08
Lead	7439-92-1	LA-505-411	U	< 45.0	ug/L			1.00	45		09/30/08
Thallium	7440-28-0	LA-505-411	U	< 36.0	ug/L			1.00	36		09/30/08
Arsenic	7440-38-2	LA-505-411	U	< 78.0	ug/L			1.00	78		09/30/08
ICP-200.8 MS All possible meta Prep											**10/07/08**
ICP-200.8 MS All possible meta											
Uranium	7440-61-1	LA-505-412		1.02	ug/L			1.00	0.0500		10/08/08

MDL = Minimum Detection Limit
RQ = Result Qualifier
TP Err = Total Propagated Error
DF = Dilution Factor

B - The analyte < the RDL but > = the IDL/MDL (inorg)
U - Analyzed for but not detected above limiting criteria(inorg)
U - Analyzed for but not detected above limiting criteria.(org)

D - Analyte was identified at a secondary dilution factor
U - Analyzed for but not detected above limiting criteria.

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols

WSCF
ANALYTICAL RESULTS REPORT

Attention: Steve Trent
SAF Number: F08-086
Sample # W08GR03906
Client ID: B1TRK4 GPP TRENT WSCF

Matrix: WATER

Group #: WSCF20082082
Department: Inorganic
Sampled: 09/25/08
Received: 09/25/08

Test Performed	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
ICP Metals Analysis, Grd H20 P Prep											**09/29/08**
ICP Metals Analysis, Grd H20 P											
Manganese	7439-96-5	LA-505-411		71.0	ug/L			1.00	4.0		09/30/08
Nickel	7440-02-0	LA-505-411	U	< 4.00	ug/L			1.00	4.0		09/30/08
Antimony	7440-36-0	LA-505-411	U	< 56.0	ug/L			1.00	56		09/30/08
Cadmium	7440-43-9	LA-505-411	U	< 4.00	ug/L			1.00	4.0		09/30/08
Chromium	7440-47-3	LA-505-411	U	< 13.0	ug/L			1.00	13		09/30/08
Vanadium	7440-62-2	LA-505-411	U	< 12.0	ug/L			1.00	12		09/30/08
Zinc	7440-66-6	LA-505-411	B	22.5	ug/L			1.00	9.0		09/30/08
Lead	7439-92-1	LA-505-411	U	< 45.0	ug/L			1.00	45		09/30/08
Thallium	7440-28-0	LA-505-411	U	< 36.0	ug/L			1.00	36		09/30/08
Arsenic	7440-38-2	LA-505-411	U	< 78.0	ug/L			1.00	78		09/30/08
ICP-200.8 MS All possible meta Prep											**10/07/08**
ICP-200.8 MS All possible meta											
Uranium	7440-61-1	LA-505-412		0.550	ug/L			1.00	0.0500		10/08/08

MDL=Minimum Detection Limit
RQ=Result Qualifier
TP Err=Total Propagated Error
DF=Dilution Factor

B - The analyte < the RDL but >= the IDL/MDL (inorg)
U - Analyzed for but not detected above limiting criteria(inorg)
U - Analyzed for but not detected above limiting criteria.(org)

D - Analyte was identified at a secondary dilution factor
U - Analyzed for but not detected above limiting criteria.

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Inorganic

SDG Number: WSCF20082082
Matrix: WATER
Test: Anions by Ion Chromatography

Sample Date: 09/25/08
Receive Date:09/25/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
Lab ID: W08GR03902											
BATCH QC ASSOCIATED WITH SAMPLE											
DUP	Fluoride	16984-48-8	7.31e-2		RPD			0.137	20.000		09/25/08
DUP	Nitrogen in Nitrite	NO2-N	<1.28e-2		RPD			n/a	20.000	U	09/25/08
DUP	Nitrogen in Nitrate	NO3-N	1.5143		RPD			0.316	20.000		09/25/08
MS	Fluoride	16984-48-8	0.479	97.160	% Recov	80.000	120.000				09/25/08
MS	Nitrogen in Nitrite	NO2-N	0.4854	98.659	% Recov	80.000	120.000				09/25/08
MS	Nitrogen in Nitrate	NO3-N	0.4575	102.578	% Recov	80.000	120.000				09/25/08
MSD	Fluoride	16984-48-8	0.4819	97.748	% Recov	80.000	120.000				09/25/08
MSD	Nitrogen in Nitrite	NO2-N	0.4806	97.683	% Recov	80.000	120.000				09/25/08
MSD	Nitrogen in Nitrate	NO3-N	0.4584	102.780	% Recov	80.000	120.000				09/25/08
SPK-RPD	Fluoride	16984-48-8	97.748		RPD			0.603	20.000		09/25/08
SPK-RPD	Nitrogen in Nitrite	NO2-N	97.683		RPD			0.994	20.000		09/25/08
SPK-RPD	Nitrogen in Nitrate	NO3-N	102.780		RPD			0.197	20.000		09/25/08
BATCH QC											
BLANK	Fluoride	16984-48-8	<2.32e-2	n/a	mg/L	0.000	0.030			U	09/25/08
BLANK	Fluoride	16984-48-8	<2.32e-2	n/a	mg/L	0.000	0.030			U	09/25/08
BLANK	Nitrogen in Nitrite	NO2-N	<1.28e-2	n/a	mg/L	0.000	0.020			U	09/25/08
BLANK	Nitrogen in Nitrite	NO2-N	<1.28e-2	n/a	mg/L	0.000	0.020			U	09/25/08
BLANK	Nitrogen in Nitrate	NO3-N	<1.21e-2	n/a	mg/L	0.000	0.040			U	09/25/08
BLANK	Nitrogen in Nitrate	NO3-N	<1.21e-2	n/a	mg/L	0.000	0.040			U	09/25/08
LCS	Fluoride	16984-48-8	104.4258	104.845	% Recov	80.000	120.000				09/25/08
LCS	Nitrogen in Nitrite	NO2-N	101.1165	101.727	% Recov	80.000	120.000				09/25/08
LCS	Nitrogen in Nitrate	NO3-N	93.3753	103.635	% Recov	80.000	120.000				09/25/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Inorganic

SDG Number: WSCF20082082
Matrix: WATER
Test: ICP Metals Analysis, Grd H20 P

Sample Date: 09/23/08
Receive Date:09/23/08

Lab ID: W08GR03859
BATCH QC ASSOCIATED WITH SAMPLE

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
MS	Arsenic	7440-38-2	990	99.000	% Recov	75.000	125.000				09/30/08
MS	Cadmium	7440-43-9	1024	102.400	% Recov	75.000	125.000				09/30/08
MS	Chromium	7440-47-3	1003	100.300	% Recov	75.000	125.000				09/30/08
MS	Manganese	7439-96-5	1019	101.900	% Recov	75.000	125.000				09/30/08
MS	Nickel	7440-02-0	998.2	99.820	% Recov	75.000	125.000				09/30/08
MS	Lead	7439-92-1	1060	106.000	% Recov	75.000	125.000				09/30/08
MS	Antimony	7440-36-0	1028	102.800	% Recov	75.000	125.000				09/30/08
MS	Thallium	7440-28-0	1052	105.200	% Recov	75.000	125.000				09/30/08
MS	Vanadium	7440-62-2	962	96.200	% Recov	75.000	125.000				09/30/08
MS	Zinc	7440-66-6	1043.5	104.350	% Recov	75.000	125.000				09/30/08
MSD	Arsenic	7440-38-2	993	99.300	% Recov	75.000	125.000				09/30/08
MSD	Cadmium	7440-43-9	1021	102.100	% Recov	75.000	125.000				09/30/08
MSD	Chromium	7440-47-3	998.6	99.860	% Recov	75.000	125.000				09/30/08
MSD	Manganese	7439-96-5	1019	101.900	% Recov	75.000	125.000				09/30/08
MSD	Nickel	7440-02-0	1002	100.200	% Recov	75.000	125.000				09/30/08
MSD	Lead	7439-92-1	1070	107.000	% Recov	75.000	125.000				09/30/08
MSD	Antimony	7440-36-0	1023	102.300	% Recov	75.000	125.000				09/30/08
MSD	Thallium	7440-28-0	1110	111.000	% Recov	75.000	125.000				09/30/08
MSD	Vanadium	7440-62-2	958	95.800	% Recov	75.000	125.000				09/30/08
MSD	Zinc	7440-66-6	1023.5	102.350	% Recov	75.000	125.000				09/30/08
SPK-RPD	Arsenic	7440-38-2	99.300		RPD			0.303	20.000		09/30/08
SPK-RPD	Cadmium	7440-43-9	102.100		RPD			0.293	20.000		09/30/08
SPK-RPD	Chromium	7440-47-3	99.860		RPD			0.440	20.000		09/30/08
SPK-RPD	Manganese	7439-96-5	101.900		RPD			0.000	20.000		09/30/08
SPK-RPD	Nickel	7440-02-0	100.200		RPD			0.380	20.000		09/30/08
SPK-RPD	Lead	7439-92-1	107.000		RPD			0.939	20.000		09/30/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Inorganic

SDG Number: WSCF20082082
Matrix: WATER
Test: ICP Metals Analysis, Grd H20 P

Sample Date: 09/23/08
Receive Date:09/23/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
SPK-RPD	Antimony	7440-36-0	102.300		RPD			0.488	20.000		09/30/08
SPK-RPD	Thallium	7440-28-0	111.000		RPD			5.365	20.000		09/30/08
SPK-RPD	Vanadium	7440-62-2	95.800		RPD			0.417	20.000		09/30/08
SPK-RPD	Zinc	7440-66-6	102.350		RPD			1.935	20.000		09/30/08
BATCH QC											
BLANK	Arsenic	7440-38-2	<78	n/a	ug/L					U	09/30/08
BLANK	Cadmium	7440-43-9	<4	n/a	ug/L					U	09/30/08
BLANK	Chromium	7440-47-3	<13	n/a	ug/L					U	09/30/08
BLANK	Manganese	7439-96-5	<4	n/a	ug/L					U	09/30/08
BLANK	Nickel	7440-02-0	<4	n/a	ug/L					U	09/30/08
BLANK	Lead	7439-92-1	<45	n/a	ug/L					U	09/30/08
BLANK	Antimony	7440-36-0	<56	n/a	ug/L					U	09/30/08
BLANK	Thallium	7440-28-0	<36	n/a	ug/L					U	09/30/08
BLANK	Vanadium	7440-62-2	<12	n/a	ug/L					U	09/30/08
BLANK	Zinc	7440-66-6	<9	n/a	ug/L					U	09/30/08
LCS	Arsenic	7440-38-2	975	97.500	% Recov	80.000	120.000				09/30/08
LCS	Cadmium	7440-43-9	1035	103.500	% Recov	80.000	120.000				09/30/08
LCS	Chromium	7440-47-3	988.8	98.880	% Recov	80.000	120.000				09/30/08
LCS	Manganese	7439-96-5	994	99.400	% Recov	80.000	120.000				09/30/08
LCS	Nickel	7440-02-0	1015	101.500	% Recov	80.000	120.000				09/30/08
LCS	Lead	7439-92-1	1090	109.000	% Recov	80.000	120.000				09/30/08
LCS	Antimony	7440-36-0	1062	106.200	% Recov	80.000	120.000				09/30/08
LCS	Thallium	7440-28-0	1099	109.900	% Recov	80.000	120.000				09/30/08
LCS	Vanadium	7440-62-2	969	96.900	% Recov	80.000	120.000				09/30/08
LCS	Zinc	7440-66-6	1042	104.200	% Recov	80.000	120.000				09/30/08

Lab ID: W08GR03895
BATCH QC ASSOCIATED WITH SAMPLE

MS	Arsenic	7440-38-2	1020	102.000	% Recov	75.000	125.000				10/08/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Inorganic

SDG Number: WSCF20082082
Matrix: WATER
Test: ICP Metals Analysis, Grd H20 P

Sample Date: 09/24/08
Receive Date:09/24/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
MS	Cadmium	7440-43-9	1006	100.600	% Recov	75.000	125.000				10/08/08
MS	Chromium	7440-47-3	984.4	98.440	% Recov	75.000	125.000				10/08/08
MS	Manganese	7439-96-5	1005	100.500	% Recov	75.000	125.000				10/08/08
MS	Nickel	7440-02-0	1001	100.100	% Recov	75.000	125.000				10/08/08
MS	Lead	7439-92-1	1040	104.000	% Recov	75.000	125.000				10/08/08
MS	Antimony	7440-36-0	991.4	99.140	% Recov	75.000	125.000				10/08/08
MS	Thallium	7440-28-0	1042	104.200	% Recov	75.000	125.000				10/08/08
MS	Vanadium	7440-62-2	978	97.800	% Recov	75.000	125.000				10/08/08
MS	Zinc	7440-66-6	1017	101.700	% Recov	75.000	125.000				10/08/08
MSD	Arsenic	7440-38-2	996	99.600	% Recov	75.000	125.000				10/08/08
MSD	Cadmium	7440-43-9	1000	100.000	% Recov	75.000	125.000				10/08/08
MSD	Chromium	7440-47-3	979	97.900	% Recov	75.000	125.000				10/08/08
MSD	Manganese	7439-96-5	1005	100.500	% Recov	75.000	125.000				10/08/08
MSD	Nickel	7440-02-0	985.9	98.590	% Recov	75.000	125.000				10/08/08
MSD	Lead	7439-92-1	1040	104.000	% Recov	75.000	125.000				10/08/08
MSD	Antimony	7440-36-0	961.6	96.160	% Recov	75.000	125.000				10/08/08
MSD	Thallium	7440-28-0	1021	102.100	% Recov	75.000	125.000				10/08/08
MSD	Vanadium	7440-62-2	979	97.900	% Recov	75.000	125.000				10/08/08
MSD	Zinc	7440-66-6	1003	100.300	% Recov	75.000	125.000				10/08/08
SPK-RPD	Arsenic	7440-38-2	99.600		RPD			2.381	20.000		10/08/08
SPK-RPD	Cadmium	7440-43-9	100.000		RPD			0.598	20.000		10/08/08
SPK-RPD	Chromium	7440-47-3	97.900		RPD			0.550	20.000		10/08/08
SPK-RPD	Manganese	7439-96-5	100.500		RPD			0.000	20.000		10/08/08
SPK-RPD	Nickel	7440-02-0	98.590		RPD			1.520	20.000		10/08/08
SPK-RPD	Lead	7439-92-1	104.000		RPD			0.000	20.000		10/08/08
SPK-RPD	Antimony	7440-36-0	96.160		RPD			3.052	20.000		10/08/08
SPK-RPD	Thallium	7440-28-0	102.100		RPD			2.036	20.000		10/08/08
SPK-RPD	Vanadium	7440-62-2	97.900		RPD			0.102	20.000		10/08/08
SPK-RPD	Zinc	7440-66-6	100.300		RPD			1.386	20.000		10/08/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Inorganic

SDG Number: WSCF20082082
Matrix: WATER
Test: ICP Metals Analysis, Grd H20 P

Sample Date:
Receive Date:

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
BATCH QC											
BLANK	Arsenic	7440-38-2	<78	n/a	ug/L					U	10/08/08
BLANK	Cadmium	7440-43-9	<4	n/a	ug/L					U	10/08/08
BLANK	Chromium	7440-47-3	<13	n/a	ug/L					U	10/08/08
BLANK	Manganese	7439-96-5	<4	n/a	ug/L					U	10/08/08
BLANK	Nickel	7440-02-0	<4	n/a	ug/L					U	10/08/08
BLANK	Lead	7439-92-1	<45	n/a	ug/L					U	10/08/08
BLANK	Antimony	7440-36-0	<56	n/a	ug/L					U	10/08/08
BLANK	Thallium	7440-28-0	<36	n/a	ug/L					U	10/08/08
BLANK	Vanadium	7440-62-2	<12	n/a	ug/L					U	10/08/08
BLANK	Zinc	7440-66-6	<9	n/a	ug/L					U	10/08/08
LCS	Arsenic	7440-38-2	1020	102.000	% Recov	80.000	120.000				10/08/08
LCS	Cadmium	7440-43-9	1020	102.000	% Recov	80.000	120.000				10/08/08
LCS	Chromium	7440-47-3	991.7	99.170	% Recov	80.000	120.000				10/08/08
LCS	Manganese	7439-96-5	995	99.500	% Recov	80.000	120.000				10/08/08
LCS	Nickel	7440-02-0	1015	101.500	% Recov	80.000	120.000				10/08/08
LCS	Lead	7439-92-1	1090	109.000	% Recov	80.000	120.000				10/08/08
LCS	Antimony	7440-36-0	1013	101.300	% Recov	80.000	120.000				10/08/08
LCS	Thallium	7440-28-0	1079	107.900	% Recov	80.000	120.000				10/08/08
LCS	Vanadium	7440-62-2	979	97.900	% Recov	80.000	120.000				10/08/08
LCS	Zinc	7440-66-6	1028	102.800	% Recov	80.000	120.000				10/08/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Inorganic

SDG Number: WSCF20082082
Matrix: WATER
Test: ICP-200.8 MS All possible meta

Sample Date: 09/16/08
Receive Date:09/16/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
Lab ID: W08P004427											
BATCH QC ASSOCIATED WITH SAMPLE											
MS	Uranium	7440-61-1	39.778	99.445	% Recov	70.000	130.000				10/08/08
MSD	Uranium	7440-61-1	40.838	102.095	% Recov	70.000	130.000				10/08/08
SPK-RPD	Uranium	7440-61-1	102.095		RPD			2.630	20.000		10/08/08
Lab ID: W08P004429											
BATCH QC ASSOCIATED WITH SAMPLE											
MS	Uranium	7440-61-1	40.771	101.927	% Recov	70.000	130.000				10/08/08
MSD	Uranium	7440-61-1	39.711	99.278	% Recov	70.000	130.000				10/08/08
SPK-RPD	Uranium	7440-61-1	99.278		RPD			2.633	20.000		10/08/08
BATCH QC											
BLANK	Uranium	7440-61-1	<5e-2	n/a	ug/L					U	10/08/08
BLANK	Uranium	7440-61-1	<5e-2	n/a	ug/L					U	10/08/08
LCS	Uranium	7440-61-1	37.05	92.625	% Recov	85.000	115.000				10/08/08
LCS	Uranium	7440-61-1	37.63	94.075	% Recov	85.000	115.000				10/08/08

WSCF
ANALYTICAL COMMENT REPORT

Attention: Steve Trent
Project Number F08-086

Group #: WSCF20082082
Department: Inorganic

Sample #	Client ID	Lab Area	Test	Comment
		VALGROUP		ICP-AES: [Sample W08GR3905-3906] No zirconium present in the LCS standard. Sample results <5X MDL; "B" flag. ICP-AES: [Sample W08GR3901-3902] No zirconium present in the LCS standard. Sample results <5X MDL; "B" flag. Np-237 LCS is slightly below the limit but has been reviewed and approved. lmh W08GR03902/U-232 tracer recovery is slightly high but the batch has been reviewed and approved. lmh

Lab Areas: VALGROUP - Group Validation
LOGSAMP - Login for Sample
VALTEST - Test Validation
LOGTEST - Login for Tests
TESTDATA - Test Data Entry

This report may not be reproduced, except in its entirety without the written approval of the WSCF Laboratory.

WSCF
ANALYTICAL RESULTS REPORT

Attention: Steve Trent
SAF Number: F08-086
Sample # W08GR03901
Client ID: B1TRD8 GPP TRENT WSCF

Matrix: WATER

Group #: WSCF20082082
Department: Organic
Sampled: 09/25/08
Received: 09/25/08

Test Performed	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
VOA Ground Water Protection											
1,1-Dichloroethene	75-35-4	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Trichloroethene	79-01-6	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Benzene	71-43-2	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Toluene	108-88-3	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Chlorobenzene	108-90-7	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
1,2-Dichloroethane	107-06-2	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Dibromochloromethane	124-48-1	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Tetrachloroethene	127-18-4	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Carbon tetrachloride	56-23-5	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
1,1,2,2-Tetrachloroethane	79-34-5	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Vinyl chloride	75-01-4	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Methylenechloride	75-09-2	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Bromodichloromethane	75-27-4	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Hexane	110-54-3	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08

MDL=Minimum Detection Limit
RQ=Result Qualifier
TP Err=Total Propagated Error
DF=Dilution Factor

B - The analyte < the RDL but >= the IDL/MDL (inorg)
U - Analyzed for but not detected above limiting criteria(inorg)
U - Analyzed for but not detected above limiting criteria.(org)

D - Analyte was identified at a secondary dilution factor
U - Analyzed for but not detected above limiting criteria.

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols

WSCF
ANALYTICAL RESULTS REPORT

Attention: Steve Trent
SAF Number: F08-086
Sample # W08GR03902
Client ID: B1TRF0 GPP WSCF TRENT **Matrix:** WATER

Group #: WSCF20082082
Department: Organic
Sampled: 09/25/08
Received: 09/25/08

Test Performed	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
VOA Ground Water Protection											
1,1-Dichloroethene	75-35-4	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Trichloroethene	79-01-6	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Benzene	71-43-2	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Toluene	108-88-3	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Chlorobenzene	108-90-7	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
1,2-Dichloroethane	107-06-2	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Dibromochloromethane	124-48-1	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Tetrachloroethene	127-18-4	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Carbon tetrachloride	56-23-5	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
1,1,2,2-Tetrachloroethane	79-34-5	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Vinyl chloride	75-01-4	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Methylenechloride	75-09-2	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Bromodichloromethane	75-27-4	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Hexane	110-54-3	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08

MDL=Minimum Detection Limit
RQ=Result Qualifier
TP Err=Total Propagated Error
DF=Dilution Factor

B - The analyte < the RDL but > = the IDL/MDL (inorg)
U - Analyzed for but not detected above limiting criteria(inorg)
U - Analyzed for but not detected above limiting criteria.(org)

D - Analyte was identified at a secondary dilution factor
U - Analyzed for but not detected above limiting criteria.

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols

WSCF
ANALYTICAL RESULTS REPORT

Attention: Steve Trent
SAF Number: F08-086
Sample # W08GR03903
Client ID: B1TRJ0 GPP TRENT WSCF

Matrix: WATER

Group #: WSCF20082082
Department: Organic
Sampled: 09/25/08
Received: 09/25/08

Test Performed	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
VOA Ground Water Protection											
1,1-Dichloroethene	75-35-4	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Trichloroethene	79-01-6	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Benzene	71-43-2	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Toluene	108-88-3	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Chlorobenzene	108-90-7	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
1,2-Dichloroethane	107-06-2	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Dibromochloromethane	124-48-1	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Tetrachloroethene	127-18-4	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Carbon tetrachloride	56-23-5	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
1,1,2,2-Tetrachloroethane	79-34-5	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Vinyl chloride	75-01-4	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Methylenechloride	75-09-2	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Bromodichloromethane	75-27-4	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Hexane	110-54-3	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08

MDL=Minimum Detection Limit
RQ=Result Qualifier
TP Err=Total Propagated Error
DF=Dilution Factor

B - The analyte < the RDL but >= the IDL/MDL (inorg)
U - Analyzed for but not detected above limiting criteria(inorg)
U - Analyzed for but not detected above limiting criteria.(org)

D - Analyte was identified at a secondary dilution factor
U - Analyzed for but not detected above limiting criteria.

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols

WSCF
ANALYTICAL RESULTS REPORT

Attention: Steve Trent
SAF Number: F08-086
Sample # W08GR03904
Client ID: B1TRJ2 GPP TRENT WSCF

Matrix: WATER

Group #: WSCF20082082
Department: Organic
Sampled: 09/25/08
Received: 09/25/08

Test Performed	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
VOA Ground Water Protection											
1,1-Dichloroethene	75-35-4	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Trichloroethene	79-01-6	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Benzene	71-43-2	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Toluene	108-88-3	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Chlorobenzene	108-90-7	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
1,2-Dichloroethane	107-06-2	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Dibromochloromethane	124-48-1	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Tetrachloroethene	127-18-4	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Carbon tetrachloride	56-23-5	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
1,1,2,2-Tetrachloroethane	79-34-5	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Vinyl chloride	75-01-4	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Methylenechloride	75-09-2	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Bromodichloromethane	75-27-4	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08
Hexane	110-54-3	LA-523-455	U	< 1.00	ug/L			1.00	1.0		10/07/08

MDL=Minimum Detection Limit
RQ=Result Qualifier
TP Err=Total Propagated Error
DF=Dilution Factor

B - The analyte < the RDL but > = the IDL/MDL (inorg)
U - Analyzed for but not detected above limiting criteria(inorg)
U - Analyzed for but not detected above limiting criteria.(org)

D - Analyte was identified at a secondary dilution factor
U - Analyzed for but not detected above limiting criteria.

• - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Organic

SDG Number: WSCF20082082
Matrix: WATER
Test: VOA Ground Water Protection

Sample Date: 09/22/08
Receive Date:09/22/08

Lab ID: W08GR03851
BATCH QC ASSOCIATED WITH SAMPLE

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
MS	1,1-Dichloroethene	75-35-4	24.540	98.200	% Recov	63.000	117.000				10/07/08
MS	Benzene	71-43-2	24.440	97.800	% Recov	75.000	129.000				10/07/08
MS	4-Bromofluorobenzene(Surr)	460-00-4	48.380	96.800	% Recov	75.000	125.000				10/07/08
MS	Chlorobenzene	108-90-7	25.170	101.000	% Recov	79.000	119.000				10/07/08
MS	1,2-Dichloroethane-d4(Surr)	17060-07-0	53.750	108.000	% Recov	75.000	125.000				10/07/08
MS	Toluene-d8(Surr)	2037-26-5	47.720	95.400	% Recov	75.000	125.000				10/07/08
MS	Toluene	108-88-3	23.137	92.500	% Recov	76.000	120.000				10/07/08
MS	Trichloroethene	79-01-6	22.409	89.600	% Recov	73.000	123.000				10/07/08
MSD	1,1-Dichloroethene	75-35-4	23.170	92.700	% Recov	63.000	117.000				10/07/08
MSD	Benzene	71-43-2	23.780	95.100	% Recov	75.000	129.000				10/07/08
MSD	4-Bromofluorobenzene(Surr)	460-00-4	48.340	96.700	% Recov	75.000	125.000				10/07/08
MSD	Chlorobenzene	108-90-7	24.610	98.400	% Recov	79.000	119.000				10/07/08
MSD	1,2-Dichloroethane-d4(Surr)	17060-07-0	53.780	108.000	% Recov	75.000	125.000				10/07/08
MSD	Toluene-d8(Surr)	2037-26-5	47.740	95.500	% Recov	75.000	125.000				10/07/08
MSD	Toluene	108-88-3	22.497	90.000	% Recov	76.000	120.000				10/07/08
MSD	Trichloroethene	79-01-6	21.389	85.600	% Recov	73.000	123.000				10/07/08
SPK-RPD	1,1-Dichloroethene	75-35-4	92.700		RPD			5.762	20.000		10/07/08
SPK-RPD	Benzene	71-43-2	95.100		RPD			2.799	20.000		10/07/08
SPK-RPD	4-Bromofluorobenzene(Surr)	460-00-4	96.700		RPD			0.103	20.000		10/07/08
SPK-RPD	Chlorobenzene	108-90-7	98.400		RPD			2.608	20.000		10/07/08
SPK-RPD	1,2-Dichloroethane-d4(Surr)	17060-07-0	108.000		RPD			0.000	20.000		10/07/08
SPK-RPD	Toluene-d8(Surr)	2037-26-5	95.500		RPD			0.105	20.000		10/07/08
SPK-RPD	Toluene	108-88-3	90.000		RPD			2.740	20.000		10/07/08
SPK-RPD	Trichloroethene	79-01-6	85.600		RPD			4.566	20.000		10/07/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Organic

SDG Number: WSCF20082082
Matrix: WATER
Test: VOA Ground Water Protection

Sample Date: 09/25/08
Receive Date:09/25/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
Lab ID: W08GR03901											
BATCH QC ASSOCIATED WITH SAMPLE											
SURR	4-Bromofluorobenzene(Surr)	460-00-4	47.550	95.100	% Recov	75.000	125.000				10/07/08
SURR	1,2-Dichloroethane-d4(Surr)	17060-07-0	52.660	105.000	% Recov	75.000	125.000				10/07/08
SURR	Toluene-d8(Surr)	2037-26-5	47.940	95.900	% Recov	75.000	125.000				10/07/08
Lab ID: W08GR03902											
BATCH QC ASSOCIATED WITH SAMPLE											
SURR	4-Bromofluorobenzene(Surr)	460-00-4	47.400	94.800	% Recov	75.000	125.000				10/07/08
SURR	1,2-Dichloroethane-d4(Surr)	17060-07-0	52.550	105.000	% Recov	75.000	125.000				10/07/08
SURR	Toluene-d8(Surr)	2037-26-5	48.150	96.300	% Recov	75.000	125.000				10/07/08
Lab ID: W08GR03903											
BATCH QC ASSOCIATED WITH SAMPLE											
SURR	4-Bromofluorobenzene(Surr)	460-00-4	47.330	94.700	% Recov	75.000	125.000				10/07/08
SURR	1,2-Dichloroethane-d4(Surr)	17060-07-0	52.110	104.000	% Recov	75.000	125.000				10/07/08
SURR	Toluene-d8(Surr)	2037-26-5	48.170	96.300	% Recov	75.000	125.000				10/07/08
Lab ID: W08GR03904											
BATCH QC ASSOCIATED WITH SAMPLE											
SURR	4-Bromofluorobenzene(Surr)	460-00-4	47.380	94.800	% Recov	75.000	125.000				10/07/08
SURR	1,2-Dichloroethane-d4(Surr)	17060-07-0	52.440	105.000	% Recov	75.000	125.000				10/07/08
SURR	Toluene-d8(Surr)	2037-26-5	47.960	95.900	% Recov	75.000	125.000				10/07/08
BATCH QC											
BLANK	1,1,2,2-Tetrachloroethane	79-34-5	< 1.0	n/a	ug/L	0.000	5.000			U	10/07/08
BLANK	1,1-Dichloroethene	75-35-4	< 1.0	n/a	ug/L					U	10/07/08
BLANK	1,2-Dichloroethane	107-06-2	< 1.0	n/a	ug/L					U	10/07/08
BLANK	Bromodichloromethane	75-27-4	< 1.0	n/a	ug/L					U	10/07/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Organic

SDG Number: WSCF20082082
Matrix: WATER
Test: VOA Ground Water Protection

Sample Date:
Receive Date:

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
BLANK	Benzene	71-43-2	< 1.0	n/a	ug/L					U	10/07/08
BLANK	4-Bromofluorobenzene(Surr)	460-00-4	47.680	95.400	% Recov	75.000	125.000				10/07/08
BLANK	Carbon tetrachloride	56-23-5	< 1.0	n/a	ug/L					U	10/07/08
BLANK	Dibromochloromethane	124-48-1	< 1.0	n/a	ug/L					U	10/07/08
BLANK	Chlorobenzene	108-90-7	< 1.0	n/a	ug/L					U	10/07/08
BLANK	1,2-Dichloroethane-d4(Surr)	17060-07-0	54.300	109.000	% Recov	75.000	125.000				10/07/08
BLANK	Hexene	110-54-3	< 1.0	n/a	ug/L					U	10/07/08
BLANK	Methylenechloride	75-09-2	< 1.0	n/a	ug/L					U	10/07/08
BLANK	Tetrachloroethene	127-18-4	< 1.0	n/a	ug/L					U	10/07/08
BLANK	Toluene-d8(Surr)	2037-26-5	48.670	97.300	% Recov	75.000	125.000				10/07/08
BLANK	Toluene	108-88-3	< 1.0	n/a	ug/L					U	10/07/08
BLANK	Trichloroethene	79-01-6	< 1.0	n/a	ug/L					U	10/07/08
BLANK	Vinyl chloride	75-01-4	< 1.0	n/a	ug/L					U	10/07/08
LCS	1,1-Dichloroethene	75-35-4	22.060	88.200	% Recov	75.000	125.000				10/08/08
LCS	Benzene	71-43-2	24.240	97.000	% Recov	75.000	125.000				10/08/08
LCS	4-Bromofluorobenzene(Surr)	460-00-4	47.190	94.400	% Recov	75.000	125.000				10/08/08
LCS	Chlorobenzene	108-90-7	24.290	97.200	% Recov	75.000	125.000				10/08/08
LCS	1,2-Dichloroethane-d4(Surr)	17060-07-0	54.090	108.000	% Recov	75.000	125.000				10/08/08
LCS	Toluene-d8(Surr)	2037-26-5	48.540	97.100	% Recov	75.000	125.000				10/08/08
LCS	Toluene	108-88-3	24.070	96.300	% Recov	75.000	125.000				10/08/08
LCS	Trichloroethene	79-01-6	20.060	80.200	% Recov	75.000	125.000				10/08/08

WSCF
ANALYTICAL RESULTS REPORT

Attention: Steve Trent
SAF Number: F08-086
Sample # W08GR03901
Client ID: B1TRD8 GPP TRENT WSCF
Matrix: WATER

Group #: WSCF20082082
Department: Radiochemistry
Sampled: 09/25/08
Received: 09/25/08

Test Performed	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
Gross Alpha on Alpha Plateau											
Gross alpha on alpha plateau	12587-46-1	LA-508-415	U	0.160	pCi/L	+-0.992	pCi/L	1.00	1.7		10/16/08
Gross Alpha/Gross Beta (AB32)											
Gross beta	12587-47-2	LA-508-415		4.20	pCi/L	+-1.34	pCi/L	1.00	1.8		10/14/08
Neptunium by AEA											
Neptunium-237	13994-20-2	LA-508-471	U	0.0340	pCi/L	+-0.170	pCi/L	1.00	0.37		10/29/08
Strontium 89/90											
Strontium-89/90	SR-RAD	LA-508-415	U	-2.90	pCi/L	+-2.90	pCi/L	1.00	0.94		10/07/08
Sr-85 Tracer by Beta Counting	SR85	LA-508-415		92.6	Percent			1.00	0.0		10/07/08
TC99 by Liquid Scin.											
Tc-99 by Liquid Scin.	14133-76-7	LA-508-421	U	1.00	pCi/L	+-3.60	pCi/L	1.00	5.7		10/04/08
Tritium by Liq Sct column prep											
Tritium	10028-17-8	LA-508-421	U	170	pCi/L	+-134	pCi/L	1.00	2.0e+02		10/21/08
Uranium Isotopics by AEA											
Uranium-233/234	U-233/234	LA-508-471		0.470	pCi/L	+-0.150	pCi/L	1.00	0.012		11/04/08
Uranium-235	15117-96-1	LA-508-471		0.0460	pCi/L	+-0.0340	pCi/L	1.00	0.034		11/04/08
Uranium-238	U-238	LA-508-471		0.370	pCi/L	+-0.126	pCi/L	1.00	0.031		11/04/08
U-232 tracer by AEA	U232	LA-508-471		10.0	pCi/L			1.00	0.040		11/04/08

MDL=Minimum Detection Limit
RQ=Result Qualifier
TP Err=Total Propagated Error
DF=Dilution Factor

B - The analyte < the RDL but > = the IDL/MDL (inorg)
U - Analyzed for but not detected above limiting criteria(inorg)
U - Analyzed for but not detected above limiting criteria.(org)

D - Analyte was identified at a secondary dilution factor
U - Analyzed for but not detected above limiting criteria.

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols

WSCF
ANALYTICAL RESULTS REPORT

Attention: Steve Trent
SAF Number: F08-086
Sample # W08GR03902
Client ID: B1TRF0 GPP TRENT WSCF
Matrix: WATER

Group #: WSCF20082082
Department: Radiochemistry
Sampled: 09/25/08
Received: 09/25/08

Test Performed	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
Gross Alpha on Alpha Plateau											
Gross alpha on alpha plateau	12587-46-1	LA-508-415	U	0.120	pCi/L	+-0.744	pCi/L	1.00	1.4		10/16/08
Gross Alpha/Gross Beta (AB32)											
Gross beta	12587-47-2	LA-508-415		4.40	pCi/L	+-1.32	pCi/L	1.00	1.7		10/14/08
Neptunium by AEA											
Neptunium-237	13994-20-2	LA-508-471	U	0.0680	pCi/L	+-0.136	pCi/L	1.00	0.25		10/29/08
Strontium 89/90											
Strontium-89/90	SR-RAD	LA-508-415	U	0.250	pCi/L	+-2.12	pCi/L	1.00	1.1		10/07/08
Sr-85 Tracer by Beta Counting	SR85	LA-508-415		79.4	Percent			1.00	0.0		10/07/08
TC99 by Liquid Scin.											
Tc-99 by Liquid Scin.	14133-76-7	LA-508-421	U	-0.400	pCi/L	+-3.40	pCi/L	1.00	5.7		10/04/08
Tritium by Liq Sct column prep											
Tritium	10028-17-8	LA-508-421		240	pCi/L	+-142	pCi/L	1.00	2.0e+02		10/21/08
Uranium Isotopics by AEA											
Uranium-233/234	U-233/234	LA-508-471		0.240	pCi/L	+-0.0912	pCi/L	1.00	0.057		11/04/08
Uranium-235	15117-96-1	LA-508-471	U	0.0270	pCi/L	+-0.0265	pCi/L	1.00	0.033		11/04/08
Uranium-238	U-238	LA-508-471		0.220	pCi/L	+-0.0836	pCi/L	1.00	0.038		11/04/08
U-232 tracer by AEA	U232	LA-508-471		10.0	pCi/L			1.00	0.065		11/04/08

MDL=Minimum Detection Limit
RQ=Result Qualifier
TP Err=Total Propagated Error
DF=Dilution Factor

B - The analyte < the RDL but >= the IDL/MDL (inorg)
U - Analyzed for but not detected above limiting criteria(inorg)
U - Analyzed for but not detected above limiting criteria.(org)

D - Analyte was identified at a secondary dilution factor
U - Analyzed for but not detected above limiting criteria.

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Radiochemistry

SDG Number: WSCF20082082
Matrix: WATER
Test: Gross Alpha on Alpha Plateau

Sample Date: 09/25/08
Receive Date:09/25/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
Lab ID: W08GR03901											
BATCH QC ASSOCIATED WITH SAMPLE											
DUP	Gross alpha on alpha plateau	12587-46-1	U3.0E-01		RPD			n/a	20.000		10/16/08
BATCH QC											
BLANK	Gross alpha on alpha plateau	12587-46-1-ap	4.5E-01	0.450	pCi/L	-100.000	100.000				10/16/08
LCS	Gross alpha on alpha plateau	12587-46-1-ap	36.6	94.476	% Recov	80.000	120.000				10/16/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Radiochemistry

SDG Number: WSCF20082082
Matrix: WATER
Test: Gross Alpha/Gross Beta (AB32)

Sample Date: 09/25/08
Receive Date:09/25/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
Lab ID: W08GR03901											
BATCH QC ASSOCIATED WITH SAMPLE											
DUP	Gross beta	12587-47-2	4.6		RPD			9.091	20.000		10/14/08
BATCH QC											
BLANK	Gross beta	12587-47-2	U6.6E-01	n/a	pCi/L	-10.000	10.000				10/14/08
LCS	Gross beta	12587-47-2	123	109.626	% Recov	80.000	120.000				10/14/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Radiochemistry

SDG Number: WSCF20082082
Matrix: WATER
Test: Neptunium by AEA

Sample Date: 09/25/08
Receive Date:09/25/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
Lab ID: W08GR03901											
BATCH QC ASSOCIATED WITH SAMPLE											
DUP	Neptunium-237	13994-20-2	U3.6e-2		RPD			n/a	20.000		10/29/08
MS	Neptunium-237	13994-20-2	90.8	90.800	% Recov	75.000	125.000				10/29/08
MSD	Neptunium-237	13994-20-2	94.1	94.100	% Recov	75.000	125.000				10/29/08
SPK-RPD	Neptunium-237	13994-20-2	94.100		% RPD			3.569	20.000		10/29/08
Lab ID: W08GR03902											
BATCH QC ASSOCIATED WITH SAMPLE											
MS	Neptunium-237	13994-20-2	97.5	97.500	% Recov	75.000	125.000				10/29/08
Lab ID: W08GR03910											
BATCH QC ASSOCIATED WITH SAMPLE											
MS	Neptunium-237	13994-20-2	80.2	80.200	% Recov	75.000	125.000				10/29/08
Lab ID: W08GR03915											
BATCH QC ASSOCIATED WITH SAMPLE											
MS	Neptunium-237	13994-20-2	79.5	79.500	% Recov	75.000	125.000				10/29/08
BATCH QC											
BLANK	Neptunium-237	13994-20-2	U6.8e-2	n/a	pCi/L	-10.000	1000.000				10/29/08
LCS	Neptunium-237	13994-20-2	9.5	74.568	% Recov	80.000	120.000				10/29/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Radiochemistry

SDG Number: WSCF20082082
Matrix: WATER
Test: Strontium 89/90

Sample Date: 09/23/08
Receive Date:09/23/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
Lab ID: W08GR03856											
BATCH QC ASSOCIATED WITH SAMPLE											
DUP	Sr-85 Tracer by Beta Counting	SR85	90.2	90.200	% Recov	30.000	105.000				10/07/08
DUP	Strontium-89/90	SR-RAD	U-2.7		RPD			n/a	20.000		10/07/08
Lab ID: W08GR03901											
BATCH QC ASSOCIATED WITH SAMPLE											
SURR	Sr-85 Tracer by Beta Counting	SR85	92.6	92.600	% Recov	30.000	105.000				10/07/08
Lab ID: W08GR03902											
BATCH QC ASSOCIATED WITH SAMPLE											
SURR	Sr-85 Tracer by Beta Counting	SR85	79.4	79.400	% Recov	30.000	105.000				10/07/08
BATCH QC											
BLANK	Sr-85 Tracer by Beta Counting	SR85	96.3	96.300	% Recov	30.000	105.000				10/07/08
BLANK	Strontium-89/90	10098-97-2	U-2.4	n/a	pCi/L	-10.000	100.000				10/07/08
LCS	Sr-85 Tracer by Beta Counting	SR85	78.8	78.800	% Recov	30.000	105.000				10/07/08
LCS	Strontium-89/90	10098-97-2	155.0	111.647	% Recov	80.000	120.000				10/07/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Radiochemistry

SDG Number: WSCF20082082
Matrix: WATER
Test: TC99 by Liquid Scin.

Sample Date: 09/19/08
Receive Date:09/19/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
Lab ID: W08GR03784											
BATCH QC ASSOCIATED WITH SAMPLE											
DUP	Tc-99 by Liquid Scin.	14133-76-7	U1.4		RPD			n/a	20.000		10/04/08
MS	Tc-99 by Liquid Scin.	14133-76-7	660.7	103.779	% Recov	75.000	125.000				10/04/08
BATCH QC											
BLANK	Tc-99 by Liquid Scin.	14133-76-7	U1.1	n/a	pCi/L	-10.000	10.000				10/04/08
LCS	Tc-99 by Liquid Scin.	14133-76-7	172.3	108.229	% Recov	80.000	120.000				10/04/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: **Radiochemistry**

SDG Number: WSCF20082082
Matrix: WATER
Test: Tritium by Liq Sct column prep

Sample Date: 09/24/08
Receive Date:09/24/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
Lab ID: W08GR03864											
BATCH QC ASSOCIATED WITH SAMPLE											
DUP	Tritium	10028-17-8	2.2E+02		RPD			0.000	20.000		10/21/08
MS	Tritium	10028-17-8	21984	98.098	% Recov	75.000	125.000				10/21/08
BATCH QC											
BLANK	Tritium	10028-17-8	U9.7E+01	n/a	pCi/L	-10.000	1000.000				10/21/08
LCS	Tritium	10028-17-8	3060	90.645	% Recov	80.000	120.000				10/21/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Radiochemistry

SDG Number: WSCF20082082
Matrix: WATER
Test: Uranium Isotopics by AEA

Sample Date: 09/24/08
Receive Date:09/24/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
Lab ID: W08GR03895											
BATCH QC ASSOCIATED WITH SAMPLE											
DUP	U-232 tracer by AEA	U232	10.29	100.210	% Recov	30.000	105.000				11/04/08
DUP	Uranium-233/234	U-233/234	0.21		RPD			13.333	20.000		11/04/08
DUP	Uranium-235	15117-96-1	U9e-3		RPD			n/a	20.000		11/04/08
DUP	Uranium-238	U-238	0.22		RPD			0.000	20.000		11/04/08
Lab ID: W08GR03901											
BATCH QC ASSOCIATED WITH SAMPLE											
SURR	U-232 tracer by AEA	U232	10.29	99.260	% Recov	30.000	105.000				11/04/08
Lab ID: W08GR03902											
BATCH QC ASSOCIATED WITH SAMPLE											
SURR	U-232 tracer by AEA	U232	10.29	109.450	% Recov	30.000	105.000				11/04/08
BATCH QC											
BLANK	U-232 tracer by AEA	U232	10.29	84.000	% Recov	30.000	105.000				11/04/08
BLANK	Uranium-233/234	13966-29-5	3.9e-2	0.039	pCi/L	-10.000	1000.000				11/04/08
BLANK	Uranium-235	15117-96-1	U2.6e-2	n/a	pCi/L	-10.000	1000.000				11/04/08
BLANK	Uranium-238	24678-82-8	2.9e-2	0.029	pCi/L	-10.000	1000.000				11/04/08
LCS	U-232 tracer by AEA	U232	11.42	90.780	% Recov	30.000	105.000				11/04/08
LCS	Uranium-233/234	13966-29-5	90.78	90.780	% Recov	75.000	125.000				11/04/08
LCS	Uranium-238	24678-82-8	20	105.513	% Recov	80.000	120.000				11/04/08

WSCF
ANALYTICAL COMMENT REPORT

Attention: Steve Trent
Project Number F08-086

Group #: WSCF20082082
Department: Radiochemistry

Sample #	Client ID	Lab Area	Test	Comment
		VALGROUP		ICP-AES: [Sample W08GR3905-3906] No zirconium present in the LCS standard. Sample results <5X MDL; "B" flag. ICP-AES: [Sample W08GR3901-3902] No zirconium present in the LCS standard. Sample results <5X MDL; "B" flag. Np-237 LCS is slightly below the limit but has been reviewed and approved. lmh W08GR03902/U-232 tracer recovery is slightly high but the batch has been reviewed and approved. lmh

Lab Areas: VALGROUP - Group Validation
LOGSAMP - Login for Sample
VALTEST - Test Validation
LOGTEST - Login for Tests
TESTDATA - Test Data Entry

This report may not be reproduced, except in its entirety without the written approval of the WSCF Laboratory.

M4W41-SLF-08-1240

ATTACHMENT 4

SAMPLE RECEIPT INFORMATION

Consisting of 8 pages
Including cover page

Waste Sampling and Characterization Facility
P.O. BOX 1970 S3-30, Richland, WA 99352
PHONE: (509) 373-7004/FAX: (509) 373-7134

File
NB
11/10/08

ACKNOWLEDGMENT OF SAMPLES RECEIVED

Groundwater Remediation Program
Richland, WA 99354
Attn: Steve Trent

Customer Code: GPP
PO#: 122588/ES10
Group#: 20082082
Project#: F08-086
Proj Mgr: Steve Trent E6-35
Phone: 373-5869

The following samples were received from you on 09/25/08. They have been scheduled for the tests listed beside each sample. If this information is incorrect, please contact your service representative. Thank you for using Waste Sampling and Characterization Facility.

Sample#	Sample Id	Tests Scheduled	Matrix				Sample Date
W08GR03901	B1TRD8	GPP	TRENT	Water			09/25/08
		@2008	@AB-32	@AEA-32	@AEA-33	@ALPHA	
		@GPP6010	@H3-33	@IC-30	@SR89_90	@TC99-30	@VOA-
W08GR03902	B1TRF0	GPP	TRENT	Water			09/25/08
		@2008	@AB-32	@AEA-32	@AEA-33	@ALPHA	
		@GPP6010	@H3-33	@IC-30	@SR89_90	@TC99-30	@VOA-
W08GR03903	B1TRJ0	GPP	TRENT	Water			09/25/08
		@VOA-GPP					
W08GR03904	B1TRJ2	GPP	TRENT	Water			09/25/08
		@VOA-GPP					
W08GR03905	B1TRK2	GPP	TRENT	Water			09/25/08
		@2008	@GPP6010				
W08GR03906	B1TRK4	GPP	TRENT	Water			09/25/08
		@2008	@GPP6010				

Test Acronym Description

Test Acronym	Description
@2008	ICP-200.8 MS All possible meta
@AB-32	Gross Alpha/Gross Beta (AB32)
@AEA-32	Uranium Isotopics by AEA
@AEA-33	Neptunium by AEA
@ALPHA	Gross Alpha on Alpha Plateau
@GPP6010	ICP Metals Analysis, Grd H20 P
@H3-33	Tritium by Liq Sct column prep
@IC-30	Anions by Ion Chromatography
@SR89_90	Strontium 89/90
@TC99-30	TC99 by Liquid Scin.
@VOA-GPP	VOA Ground Water Protection

Fluor Hanford Inc.

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

F08-086-036 PAGE 1 OF 1

COLLECTOR: NCO Sampler Young/White	COMPANY CONTACT: Trent, SJ	TELEPHONE NO.: 373-5869	PROJECT COORDINATOR: WIDRIG, DL
PRICE CODE: 7N	DATA TURNAROUND: 45 Days / 45 Days	AIR QUALITY: ☐	
SAMPLING LOCATION: F-C6365-S	PROJECT DESIGNATION: Aquifer Tube Installation Sampling and Analysis in the 200-PO-1 OU (Shorel	SAF NO.: F08-086	
ICE CHEST NO.	FIELD LOGBOOK NO.: ANF-N-451-3	ACTUAL SAMPLE DEPTH	COA: 122588ES10
METHOD OF SHIPMENT: GOVERNMENT VEHICLE			
SHIPPED TO: Waste Sampling & Characterization	OFFSITE PROPERTY NO.: N/A	BILL OF LADING/AIR BILL NO.: N/A	

MATRIX*: A=Air, DL=Drum Liquids, DS=Drum Solids, L=Liquid, O=Oil, S=Soil, SE=Sediment, T=Tissue, V=Vegitation, W=Water, WI=Wipe, X=Other

POSSIBLE SAMPLE HAZARDS/ REMARKS: Contains Radioactive Material at concentrations that may or may not be regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL HANDLING AND/OR STORAGE: 20082082

PRESERVATION	HCl or H2SO4 to pH <2/Cool~4C	HNO3 to pH <2	Cool~4C	HNO3 to pH <2	HNO3 to pH<2	HNO3 to pH <2	HNO3 to pH <2	HCl to pH <2	None
TYPE OF CONTAINER	aGs*	G/P	P	G/P	G/P	G/P	G/P	G/P	G
NO. OF CONTAINER(S)	4	1	1	1	1	1	1	2	1
VOLUME	40mL	500mL	500mL	500mL	1000mL	1000mL	1L	1L	250mL
SAMPLE ANALYSIS	SEE ITEM (1) IN SPECIAL INSTRUCTIONS 001809	SEE ITEM (2) IN SPECIAL INSTRUCTIONS 032004	SEE ITEM (3) IN SPECIAL INSTRUCTIONS 051014	Gross Alpha (Gross alpha) Gross Beta (Gross beta) 031682	Isotopic Uranium (Uranium-233/234 Uranium-238) 031851	Neptunium-237; 029409	Strontium-89,90 - Total Sr; 029409	Technetium-99; 029409	Tritium - Ion Ex; 029999

SAMPLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME									
B1TRD8 W082120390 1	WATER	9-25-08	1122	✓	✓	✓	✓	✓	✓	✓	✓	✓

ICED

CHAIN OF POSSESSION / SIGN/ PRINT NAMES

RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
M.A. White M.A. White	9-25-08 1400	V. Victor Sims	9/25/08 1400

SPECIAL INSTRUCTIONS

** The 200 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF.

(1)VOA - 8260B (TCL) {1,1,2,2-Tetrachloroethane, 1,2-Dichloroethane, Benzene, Bromodichloromethane, Carbon tetrachloride, Dibromochloromethane, Methylene chloride, Tetrachloroethene, Trichloroethene, Vinyl chloride} VOA - 8260B (Add-On) {Hexane}

(2)ICP Metals - 6010B (TAL) {Antimony, Cadmium, Chromium, Manganese, Nickel, Vanadium, Zinc} ICP Metals - 6010B (Add-On) {Arsenic, Lead, Thallium} ICP/MS - 200.8 (Add-On) {Uranium}

(3)IC Anions - 300.0 {Fluoride, Nitrogen in Nitrate, Nitrogen in Nitrite}

LABORATORY SECTION	RECEIVED BY	TITLE	DATE/TIME
FINAL SAMPLE DISPOSITION	DISPOSAL METHOD	DISPOSED BY	DATE/TIME

47 of 52

A-6003-618(01/06)

Fluor Hanford Inc.

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

F08-086-048

COLLECTOR NCO Sampler Young/White	**COMPANY CONTACT** Trent, SJ	**TELEPHONE NO.** 373-5869	**PROJECT COORDINATOR** WIDRIG, DL
SAMPLING LOCATION H-C6371-S	**PROJECT DESIGNATION** Aquifer Tube Installation Sampling and Analysis in the 200-PO-1 OU (Shorel		**SAF NO.** F08-086
ICE CHEST NO.	**FIELD LOGBOOK NO.** HNF-N-451-3	**ACTUAL SAMPLE DEPTH**	**COA** 122588ES10
SHIPPED TO Waste Sampling & Characterization	**OFFSITE PROPERTY NO.** N/A		**BILL OF LADING/AIR BILL NO.** N/A

PRICE CODE 7N

AIR QUALITY ☐

DATA TURNAROUND 45 Days / 45 Days

METHOD OF SHIPMENT GOVERNMENT VEHICLE

MATRIX*: A=Air, DL=Drum Liquids, DS=Drum Solids, L=Liquid, O=Oil, S=Soil, SE=Sediment, T=Tissue, V=Vegitation, W=Water, WI=Wipe, X=Other

POSSIBLE SAMPLE HAZARDS/ REMARKS: Contains Radioactive Material at concentrations that may or may not be regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL HANDLING AND/OR STORAGE

PRESERVATION	HCl or H2SO4 to pH <2/Cool~4C	HNO3 to pH <2	Cool~4C	HNO3 to pH <2	HNO3 to pH<2	HNO3 to pH <2	HNO3 to pH <2	HCl to pH <2	None
TYPE OF CONTAINER	aGs*	G/P	P	G/P	G/P	G/P	G/P	G/P	G
NO. OF CONTAINER(S)	4	1	1	1	1	1	1	2	1
VOLUME	40mL	500mL	500mL	500mL	1000mL	1000mL	1L	1L	250mL
SAMPLE ANALYSIS	SEE ITEM (1) IN SPECIAL INSTRUCTIONS	SEE ITEM (2) IN SPECIAL INSTRUCTIONS	SEE ITEM (3) IN SPECIAL INSTRUCTIONS	Gross Alpha (Gross alpha) Gross Beta (Gross beta)	Isotopic Uranium (Uranium-233/234, Uranium-238)	Neptunium-237;	Strontium-89,90 -- Total Sr;	Technetium-99;	Tritium - Ion Ex;

SAMPLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME									
B1TRF0 W086120 3502	WATER	9-25-08	0930	✓	✓	✓	✓	✓	✓	✓	✓	ICED
				807891	031628	→		031851	→			025468

CHAIN OF POSSESSION / **SIGN/ PRINT NAMES**

RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
1) D.A. White - M.A. White	9-25-08 1400	Victor Sin	9/25/08 1400

SPECIAL INSTRUCTIONS

** The 200 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF.
(1)VOA - 8260B (TCL) {1,1,2,2-Tetrachloroethane, 1,2-Dichloroethane, Benzene, Bromodichloromethane, Carbon tetrachloride, Dibromochloromethane, Methylene chloride, Tetrachloroethene, Trichloroethene, Vinyl chloride} VOA - 8260B (Add-On) {Hexane}
(2)ICP Metals - 6010B (TAL) {Antimony, Cadmium, Chromium, Manganese, Nickel, Vanadium, Zinc} ICP Metals - 6010B (Add-On) {Arsenic, Lead, Thallium} ICP/MS - 200.8 (Add-on) {Uranium}
(3)IC Anions - 300.0 {Fluoride, Nitrogen in Nitrate, Nitrogen in Nitrite}

LABORATORY SECTION	RECEIVED BY	TITLE	DATE/TIME
FINAL SAMPLE DISPOSITION	DISPOSAL METHOD	DISPOSED BY	DATE/TIME

A-6003-618(01/06)

Fluor Hanford Inc.

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

F08-086-037

COLLECTOR NCO Sampler Young / White	**COMPANY CONTACT** Trent, SJ	**TELEPHONE NO.** 373-5869	**PROJECT COORDINATOR** WIDRIG, DL
SAMPLING LOCATION F-C6365-S	**PROJECT DESIGNATION** Aquifer Tube Installation Sampling and Analysis in the 200-PO-1 OU (Shore		**SAF NO.** F08-086
ICE CHEST NO.	**FIELD LOGBOOK NO.** HNF-N-451-3	**ACTUAL SAMPLE DEPTH**	**COA** 122588ES10
SHIPPED TO Waste Sampling & Characterization	**OFFSITE PROPERTY NO.** N/A		**BILL OF LADING/AIR BILL NO.** N/A

PRICE CODE 7N

AIR QUALITY ☐

DATA TURNAROUND 45 Days / 45 Days

METHOD OF SHIPMENT GOVERNMENT VEHICLE

MATRIX*
A=Air
DL=Drum Liquids
DS=Drum Solids
L=Liquid
O=Oil
S=Soil
SE=Sediment
T=Tissue
V=Vegitation
W=Water
WI=Wipe
X=Other

POSSIBLE SAMPLE HAZARDS/ REMARKS
Contains Radioactive Material at concentrations that may or may not be regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL HANDLING AND/OR STORAGE

PRESERVATION	HCl or H2SO4 to pH <2/Cool~4C
TYPE OF CONTAINER	aGs*
NO. OF CONTAINER(S)	4
VOLUME	40mL
SAMPLE ANALYSIS	SEE ITEM (1) IN SPECIAL INSTRUCTIONS 807801

SAMPLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME	
B1TRJ0 W08620 3703	WATER	9-25-08	1122	✓

ICED

CHAIN OF POSSESSION / **SIGN/ PRINT NAMES**

RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
M A White M A White	9-25-08 1400	Victor Bimus	9/25/08 1400

SPECIAL INSTRUCTIONS

** The 200 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF.
(1)VOA - 8260B (TCL) {1,1,2,2-Tetrachloroethane, 1,2-Dichloroethane, Benzene, Bromodichloromethane, Carbon tetrachloride, Dibromochloromethane, Methylene chloride, Tetrachloroethene, Trichloroethene, Vinyl chloride} VOA - 8260B (Add-On) {Hexane}

LABORATORY SECTION	**RECEIVED BY**	**TITLE**	**DATE/TIME**
FINAL SAMPLE DISPOSITION	**DISPOSAL METHOD**	**DISPOSED BY**	**DATE/TIME**

A-6003-618(01/06)

Fluor Hanford Inc.

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

F08-086-049

COLLECTOR NCO Sampler Young / White	**COMPANY CONTACT** Trent, SJ	**TELEPHONE NO.** 373-5869	**PROJECT COORDINATOR** WIDRIG, DL
SAMPLING LOCATION H-C5371-S	**PROJECT DESIGNATION** Aquifer Tube Installation Sampling and Analysis in the 200-PO-1 OU (Shorel		**SAF NO.** F08-086
ICE CHEST NO.	**FIELD LOGBOOK NO.** HNF-N-451-3	**ACTUAL SAMPLE DEPTH**	**COA** 122588ES10
SHIPPED TO Waste Sampling & Characterization	**OFFSITE PROPERTY NO.** N/A		**BILL OF LADING/AIR BILL NO.** N/A

PRICE CODE 7N

AIR QUALITY ☐

DATA TURNAROUND 45 Days / 45 Days

METHOD OF SHIPMENT GOVERNMENT VEHICLE

MATRIX* A=Air, DL=Drum Liquids, DS=Drum Solids, L=Liquid, O=Oil, S=Soil, SE=Sediment, T=Tissue, V=Vegitation, W=Water, WI=Wipe, X=Other

POSSIBLE SAMPLE HAZARDS/ REMARKS
Contains Radioactive Material at concentrations that may or may not be regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL HANDLING AND/OR STORAGE

PRESERVATION	HCl or H2SO4 to pH <2/Cool~4C
TYPE OF CONTAINER	aGs*
NO. OF CONTAINER(S)	4
VOLUME	40mL
SAMPLE ANALYSIS	SEE ITEM (1) IN SPECIAL INSTRUCTIONS

SAMPLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME	
B1TRJ2 W0586120370Y	WATER	9-25-08	0930	✓

ICED

807891

CHAIN OF POSSESSION / SIGN/ PRINT NAMES

RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
MA White MA White	9-25-08 1400	Victor Bins	9/25/08 1400

SPECIAL INSTRUCTIONS

** The 200 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF.
(1)VOA - 8260B (TCL) {1,1,2,2-Tetrachloroethane, 1,2-Dichloroethane, Benzene, Bromodichloromethane, Carbon tetrachloride, Dibromochloromethane, Methylene chloride, Tetrachloroethene, Trichloroethene, Vinyl chloride} VOA - 8260B (Add-On) {Hexane}

LABORATORY SECTION	**RECEIVED BY**	**TITLE**	**DATE/TIME**
FINAL SAMPLE DISPOSITION	**DISPOSAL METHOD**	**DISPOSED BY**	**DATE/TIME**

A-6003-618(01/06)

Fluor Hanford Inc.

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

F08-086-038

COLLECTOR NCO Sampler Young / White	**COMPANY CONTACT** Trent, SJ	**TELEPHONE NO.** 373-5869	**PROJECT COORDINATOR** WIDRIG, DL	**PRICE CODE** 7N
SAMPLING LOCATION F-C6365-S	**PROJECT DESIGNATION** Aquifer Tube Installation Sampling and Analysis in the 200-PO-1 OU (Shorel		**SAF NO.** F08-086	**AIR QUALITY** ☐
ICE CHEST NO.	**FIELD LOGBOOK NO.** HNF-N-451-3	**ACTUAL SAMPLE DEPTH**	**COA** 122588ES10	**METHOD OF SHIPMENT** GOVERNMENT VEHICLE
SHIPPED TO Waste Sampling & Characterization	**OFFSITE PROPERTY NO.** N/A		**BILL OF LADING/AIR BILL NO.** N/A	

DATA TURNAROUND 45 Days / 45 Days

MATRIX*
A=Air
DL=Drum Liquids
DS=Drum Solids
L=Liquid
O=Oil
S=Soil
SE=Sediment
T=Tissue
V=Vegitation
W=Water
WI=Wipe
X=Other

POSSIBLE SAMPLE HAZARDS/ REMARKS
Contains Radioactive Material at concentrations that may or may not be regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL HANDLING AND/OR STORAGE
20082082

PRESERVATION	HNO3 to pH <2
TYPE OF CONTAINER	G/P
NO. OF CONTAINER(S)	1
VOLUME	500mL
SAMPLE ANALYSIS	SEE ITEM (1) IN SPECIAL INSTRUCTIONS 031628

SAMPLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME
B1TRK2 W08G203505	WATER	9-25-08	1122

ICED

CHAIN OF POSSESSION / **SIGN/ PRINT NAMES**

RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
MA White MA White	9-25-08 1400	Victor Sims	9/25/08 1400

SPECIAL INSTRUCTIONS

** The 200 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF.
(1)ICP Metals - 6010B (TAL) {Antimony, Cadmium, Chromium, Manganese, Nickel, Vanadium, Zinc} ICP Metals - 6010B (Add-On) {Arsenic, Lead, Thallium} ICP/MS - 200.8 (Add-on) {Uranium}

LABORATORY SECTION	**RECEIVED BY**	**TITLE**	**DATE/TIME**
FINAL SAMPLE DISPOSITION	**DISPOSAL METHOD**	**DISPOSED BY**	**DATE/TIME**

A-6003-618(01/06)

Fluor Hanford Inc.

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

F08-086-050

COLLECTOR NCO Sampler Young/White	**COMPANY CONTACT** Trent, SJ	**TELEPHONE NO.** 373-5869	**PROJECT COORDINATOR** WIDRIG, DL
PRICE CODE 7N	**DATA TURNAROUND** 45 Days / 45 Days		
SAMPLING LOCATION H-C6371-S	**PROJECT DESIGNATION** Aquifer Tube Installation Sampling and Analysis in the 200-PO-1 OU (Shorel		**SAF NO.** F08-086
AIR QUALITY ☐			
ICE CHEST NO.	**FIELD LOGBOOK NO.**	**ACTUAL SAMPLE DEPTH**	**COA** 122588ES10
METHOD OF SHIPMENT GOVERNMENT VEHICLE			
SHIPPED TO Waste Sampling & Characterization	**OFFSITE PROPERTY NO.** N/A		**BILL OF LADING/AIR BILL NO.** N/A

MATRIX*
A=Air
DL=Drum Liquids
DS=Drum Solids
L=Liquid
O=Oil
S=Soil
SE=Sediment
T=Tissue
V=Vegitation
W=Water
WI=Wipe
X=Other

POSSIBLE SAMPLE HAZARDS/ REMARKS
Contains Radioactive Material at concentrations that may or may not be regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL HANDLING AND/OR STORAGE

PRESERVATION	HNO3 to pH <2
TYPE OF CONTAINER	G/P
NO. OF CONTAINER(S)	1
VOLUME	500mL
SAMPLE ANALYSIS	SEE ITEM (1) IN SPECIAL INSTRUCTIONS

SAMPLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME
B1TRK4 W0806203706	WATER	09-25-08	0930

ICED

03/6/28

CHAIN OF POSSESSION / **SIGN/ PRINT NAMES**

RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
M A White MA White	9-25-08 1400	Victor J Sims	9/25/08 1400

SPECIAL INSTRUCTIONS

** The 200 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF.
(1)ICP Metals - 6010B (TAL) {Antimony, Cadmium, Chromium, Manganese, Nickel, Vanadium, Zinc} ICP Metals - 6010B (Add-On) {Arsenic, Lead, Thallium} ICP/MS - 200.8 (Add-on) {Uranium}

LABORATORY SECTION	**RECEIVED BY**	**TITLE**	**DATE/TIME**
FINAL SAMPLE DISPOSITION	**DISPOSAL METHOD**	**DISPOSED BY**	**DATE/TIME**

A-6003-618(01/06)