

United States Government

Department of Energy  
Richland Operations Office**memorandum**

DATE: **JAN 04 2012**  
 REPLY TO  
 ATTN OF: AMRC:RFG/12-AMRC-0059  
 SUBJECT: REMOVAL ACTION OF 153N ELECTRICAL BUS, 1707N BOAT HOUSE, 1723N WAREHOUSE, 1723NX LAYDOWN YARD, AND MOBILE OFFICE MO-913

TO: Memorandum-to-File

- References:
- (1) Document, "Removal Action Work Plan for River Corridor General Decommissioning Activities," Revision 0, DOE/RL-2010-34, dtd. May 2010. *0085790*
  - (2) Administrative Record Document, "100-N Area Ancillary Facilities Action Memorandum," D199017700, dtd. January 6, 1999. *0050149*
  - (3) Administrative Record Document, "Action Memorandum 100-N Area Ancillary Facilities," D199017702, dtd. December 17, 1998.
  - (4) Administrative Record Document, "Engineering Evaluation/Cost Analysis for the 100-N Area Ancillary Facilities and Integration Plan, Rev. 1," D198056145, DOE/RL-97-22, dtd. March 1998. *0056150*  
*00418685*
  - (5) Administrative Record Document, "Removal Action Work Plan for 100-N Ancillary Facilities," DA03629175, dtd. March 16, 1996. *0070720*

Table B-1 of Reference 4 provided a list of facilities in the 100N area that were analyzed for removal action. Additionally, Table B-2 of Reference 4 provided a list of facilities specifically not addressed in analysis as they were either excessed/demolished, not contaminated, sanitary sewer systems, or still active. Table 1 of Reference 3 provided a list of facilities specifically addressed as the approved removal action.

A review of the References 2 and 3 has revealed that the plug-in approach was not specifically authorized by Reference 3. The subject buildings were eligible for inclusion in Reference 1, but were erroneously demolished using the guidelines Reference 5. Additionally, the subject facilities did not undergo the National Environmental Policy Act review process as the work was performed under the incorrect removal action document. This type of work would normally be performed under a Categorical Exclusion, due to the absence of hazards, but the facility was not specifically analyzed under the National Environmental Policy Act process.




Memorandum to File  
12-AMRC-0059

-2-

JAN 04 2012

The U.S. Environmental Protection Agency has advised the U.S. Department of Energy that facilities may not be added to Reference 1 after work is completed. This memorandum to file documents that the same process outlined in Reference 5 was used to perform the demolition and disposal of the subject facilities. Discussion of costs for the building demolition, as well as conditions of the facilities prior to demolition is provided in WCH-185.



R. F. Guercia, 300 Area Subproject Director  
River Corridor Project

cc:

Administrative Record, H6-08

A. L. Boyd, Ecology, H0-57

R. W. Russell, ORP, H6-60