

JANUARY 2, 2014

**WSCF Laboratory**

PO Box 650 S3-30  
Richland, WA 99352



January 2, 2014

Scot Fitzgerald  
CH2M-HILL PRC  
PO Box 1600  
Richland, WA 99352

Dear Scot Fitzgerald,

**FINAL RESULT FOR SAMPLE DELIVERY GROUP WSCF131597**

Reference: (1) SOW, Mod 2, #36587, Release 3  
(2) MSC-SD-CD-QAPP-017, current version, Waste Sampling & Characterization Facility Quality Assurance Program Plan

This letter contains the following information for sample delivery group WSCF131597

- \* Cover Sheet (Attachment 1)
- \* Narrative (Attachment 2)
- \* Analytical Results (Attachment 3)
- \* Sample Receipt Information (Attachment 4)

Very truly yours,

Electronically signed by Joseph Hale

For Lab Manager, Dan T. Smith

WSCF Analytical Lab

(509) 373-4804

Attachments 4

CC: w/Attachments

File/LB

JANUARY 2, 2014

ATTACHMENT 1

**COVER SHEET**

Consisting of 2 pages  
Including cover page

**WSCF SAF Number Cross Reference**

---

Group # WSCF131597  
Data Deliverable Date 01/14/14

<b>SAF #</b>	<b>Sample ID</b>	<b>Sample #</b>	<b>Matrix</b>	<b>Sampled</b>	<b>Received</b>
F13-051	B2RYN8	131597001	WATER	12/30/13	12/30/13

JANUARY 2, 2014

ATTACHMENT 2

**NARRATIVE**

Consisting of 3 pages  
Including cover page

### Introduction

A sample was received at the WSCF laboratory as referenced on the WSCF SAF Number Cross Reference table included in the final report. The sample was analyzed for the analytes indicated on the attached copy of the chain of custody (COC) form in accordance with the *Statement of Work (SOW), to Contract 39818, Revision 4, "WSCF ANALYTICAL SERVICES FOR GROUNDWATER."*

The narrative (Attachment 2) will address sample characteristics, analyses requested and general information in performance of the analytical methods. A Data Summary Report (Attachment 3) includes analytical results, a comment report detailing method abnormalities, tentatively identified peaks if applicable, method references, and Laboratory QC information as applicable. Copies of the chain of custody and sample receipt documentation are included as Attachment 4.

It should be noted that the attached chain of custody was not stamped "ICED" by the WSCF Laboratory Sample Custodian during sample receiving. However, based on procedure LO-090-403 form "NOTICE OF IMPROPER SAMPLE SUBMITTAL" was not submitted and was not stamped "NOT ICED". No anomaly was noted during sample receipt.

The following generic data qualifiers (i.e., B, C, D, J and U) may be applicable to this report, as appropriate.

- **B** – Sample results with a concentration greater than the MDL but less than the PQL are B flagged (applies to inorganic and wet chemical analyses), as appropriate.
- **C** – Analyte was detected in the blank and was evaluated. Affected sample results in the batch were C flagged (applies to inorganic and wet chemical analyses).
- **D** – Sample results are D flagged if dilution(s) were required, as appropriate.
- **J** – Sample results with a concentration greater than the MDL but less than the PQL are J flagged (applies to organic analyses), as appropriate.
- **B (organic analyses)** – Analyte was detected in the blank and was evaluated. Affected sample results in the batch were B flagged.
- **U** – Analyzed for but not detected above limiting criteria. Relative Percent Difference (RPD) values associated with an analyte qualified with a "U" are not applicable.
- **o** – LCS recovery outside established laboratory acceptance limits.

### Analytical Methodology for Requested Analyses

Refer to *WSCF Method References Report* for a complete listing of approved analytical methods.

### Inorganic Comments

Attachment 2  
Narrative  
WSCF131597

**Hexavalent Chromium** – The hold time requirement for this analysis was met. A Duplicate, Matrix Spike, Blank and Laboratory Control Sample were analyzed with this delivery group. Analytical Note(s):

- Matrix Spike result is outside established laboratory limits. Affected sample results in this batch were “N” flagged.
- All other applicable QC controls are within the established limits.

We certify that this data package is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this data package has been authorized by the Analytical Laboratory Manager (or designee) and the Client Services representative as verified by electronic signatures shown on the WSCF ANALYTICAL RESULTS REPORT.

JANUARY 2, 2014

ATTACHMENT 3

**ANALYTICAL RESULTS**

Consisting of 7 pages  
Including cover page

JANUARY 2, 2014

**WSCF ANALYTICAL RESULTS REPORT**

For

CH2M Hill Plateau Remediation

PO Box 1600  
Richland, WA 99352

Attention: Scot Fitzgerald

**Contract #** MOA-FH-CHPRC-2008  
**Group #** WSCF131597  
**Report Date** January 2, 2014

Analytical: Electronically signed by Joseph Hale

Client Services: Electronically signed by Bruce Buchanan

*Solid samples results that have a 'Percent Solid' test are reported on a "dry weight basis", except results of TCLP, Percent Solid, and Total Activity. If no 'Percent Solid' test is reported then the results are reported on an "as received" basis.*

This information is intended for the use of the addressee only. If the reader of this report is not the intended recipient or is not authorized by the recipient to receive the report, you are hereby notified that any dissemination, distribution or copying of this report is strictly prohibited. If you have received this report in error, please notify WSCF Laboratory immediately by telephone at (509) 373-7005. Information designation of this report is the responsibility of the customer.

**Batch QC List**

**Attention** Scot Fitzgerald  
**Department** Inorganic

**Group #** WSCF131597

QC Batch	Analytical Batch	S#	Type	Sample #	Client Sample#	Original	Test
225508	225508	1	BLANK	103234	BLANK		Hexavalent chromium Discrete Analyzer
225508	225508	3	LCS	103236	LCS		Hexavalent chromium Discrete Analyzer
225508	225508	4	DUP	103237	B2RYN8(131597001DUP)	131597001	Hexavalent chromium Discrete Analyzer
225508	225508	5	MS	103238	B2RYN8(131597001MS)	131597001	Hexavalent chromium Discrete Analyzer
225508	225508	6	SAMPLE	131597001	B2RYN8		Hexavalent chromium Discrete Analyzer

**Method Reference**

**Attention** Scot Fitzgerald  
**Department** Inorganic

**Group #** WSCF131597

The results provided in this report were generated using the following WSCF Laboratory procedures. For your convenience, this table provides a listing of the regulatory, industry methods or HEIS methods that are referenced by each of these WSCF procedures. Please note that the most recent version of the regulatory or industry method is listed here even though WSCF procedure may reference an older version of the method. Also, a reference to a regulatory or industry method here does not necessarily indicate a verbatim implementation of that method.

<b>LA-265-403</b>	Hexavalent Chromium Analysis		
	EPA SW-846	7196A	Hexavalent Chromium
	HEIS	7196_CR6	Hexavalent Chromium

Note: A complete list of WSCF analytical procedures and reference regulatory or industry methods is available online at <http://www7.rl.gov/rapidweb/AS-DOL/index.cfm>

Attention Scot Fitzgerald  
 Department Inorganic

Group # WSCF131597

Sample # 131597001  
 SAF# F13-051  
 Sample ID B2RYN8

Matrix WATER  
 Sampled 12/30/13  
 Received 12/30/13

Test Performed	CAS #	Method	RQ	Result	TP Err	Units	DF	MDL	PQL	Analyzed
										12/30/13
<b>Hexavalent chromium Discrete Analyzer</b>										
Hexavalent chromium	18540-29-9	LA-265-403	BN	0.00230		mg/L	1	0.0020	0.0050	12/30/13

MDL = Minimum Detection Limit  
 RQ = Result Qualifier  
 TP Err = Total Propagated Error  
 DF = Dilution Factor  
 + - Indicates more than nine qualifier

B - Analyte < the PQL(or EQL)but >= the IDL/MDL(Inorganic)  
 C - Analyte was found in the Associated Blank. (Inorganic)  
 D - Analyte was reported at a secondary dilution factor.  
 E - Analyte is an estimate, see comment section.  
 N - MS and/or MSD recovery outside control limits.

U - Analyzed for but not detected above limiting criteria.  
 X,Y or Z - See comment detail and/or narrative.  
 PQL is equivalent to Estimated Quantitation Limit (EQL)  
 o - LCS recovery outside established laboratory acceptance limits.  
 o - LCS recovery outside established laboratory acceptance limits.

**Quality Control Report**

**Attention** Scot Fitzgerald  
**Department** Inorganic

**Group #** WSCF131597

**Analytical Batch** 225508 (QC Batch: 225508)      **Test** Hexavalent chromium Discrete Analyzer  
**Associated Samples** 131597001

Analyte	CAS #	Original Found	QC Found	Units	% Recov	Limits	RPD	RPD Limit	RQ	Analyzed
<b>BLANK</b>										
			<b>QC Sample #103234</b>							
Hexavalent chromium	18540-29-9		<0.0020	mg/L					U	12/30/13
<b>LCS</b>			<b>QC Sample #103236</b>							
Hexavalent chromium	18540-29-9		0.0524	mg/L	104.8	90 - 110				12/30/13
<b>DUP</b>			<b>QC Sample #103237</b>							
			<b>Original 131597001</b>							
Hexavalent chromium	18540-29-9	0.00230	0.00210	mg/L			9.10	20	B	12/30/13
<b>MS</b>			<b>QC Sample #103238</b>							
			<b>Original 131597001</b>							
Hexavalent chromium	18540-29-9	0.00230	0.0482	mg/L	120.5	85 - 115			NX	12/30/13

\* - QC result out of range      n/a - Not Applicable

Attention: Scot Fitzgerald

Group #

WSCF131597

Quality Control Comments

Department Inorganic

103238

B2RYN8(131597001MS)

**Analyte** Hexavalent chromium - Hexavalent chromium Discrete Analyzer

[1] Matrix Spike failed high. This was believed to be an anomalous result, and the sample was later rechecked, and had normal matrix spike recovery.

ATTACHMENT4

**SAMPLE RECEIPT**

Consisting of 3 pages  
Including cover page

**Waste Sampling and Characterization Facility**  
**P.O. Box 650 S3-30, Richland WA 99352**  
**Phone: (509) 373-7005/FAX: (509) 372-0456**

## ACKNOWLEDGEMENT OF SAMPLES RECEIVED

### WSCF Laboratory

PO Box 650 S3-30  
Richland, WA 99352

**ATTN:** Scot Fitzgerald

**Customer Code:** CHPRC  
**CA CN:** 404401  
**Work Order #:** 131597  
**Customer Work ID:** F13-051-305  
**Due Date:** 01/14/2014

The following samples were received from you on 12/30/2013 12:30:00 PM. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact WSCF Client Services. Thank you for using Waste Sampling and Characterization Facility.

Sample #	Sample ID	Matrix	Collected	Received
131597001	B2RYN8	WATER	12/30/2013 11:38	12/30/2013 12:30
Procedure	Compound List			
Hexavalent chromium Discrete Analyzer	C r6			

Chain of Custody

CH2MHill Plateau Remediation Company		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST		PAGE 1 OF 1	
COLLECTOR <b>R CROW</b>	COMPANY CONTACT TODAK, D	TELEPHONE NO. 376-6422	PROJECT COORDINATOR TODAK, D	PRICE CODE 1A	DATA TURNAROUND 24 Hours / 15 Days
SAMPLING LOCATION C8776, 1-003	PROJECT DESIGNATION Sampling and Analysis of New Wells in 100-BC Area - Water	FIELD LOGBOOK NO. HNF-N 50729/50	SAF NO. TJ-021	AIR QUALITY <input type="checkbox"/>	METHOD OF SHIPMENT GOVERNMENT VEHICLE
ICE CHEST NO. N/A	FIELD LOGBOOK NO. HNF-N 50729/50	ACTUAL SAMPLE DEPTH 125.3	COA 303220ES10	METHOD OF SHIPMENT GOVERNMENT VEHICLE	
SHIPPED TO Waste Sampling & Characterization	OFFSITE PROPERTY NO. N/A	BILL OF LADING/AIR BILL NO. N/A		ORIGINAL	

MATRIX* A=Air DL=Drum Liquids 25=Drum 30MS =Liquid 2=OI 3=SOI 2C=Sediment 1=Tissue V=Vegetation W=Water M=Mineral K=Other	POSSIBLE SAMPLE HAZARDS / REMARKS **Cauldins Reductive Material at concentrations that may or may not be required for transportation per 49 CFR/LATA Dangerous Goods Requirements but are not releasable per DOE Order 458.1.**	PRESERVATION Cool-4C	HOLDING TIME 24 Hours	TYPE OF CONTAINER gC	NO. OF CONTAINER(S) 1	VOLUME 900mL	SAMPLE ANALYSIS 7190,086 CUMULATIVE
	SPECIAL HANDLING AND/OR STORAGE 131597						
SAMPLE NO. B2RYN6 1	MATRIX* WATER	SAMPLE DATE 12-30-13	SAMPLE TIME 1138				

**FILTER**

CHAIN OF POSSESSION	SIGN/ PRINT NAMES	SPECIAL INSTRUCTIONS
RELINQUISHED BY/REMOVED FROM <b>R CROW/R CROW</b>	RECEIVED BY/STORAGE <b>KRISKY</b>	** The CAON for WSCF Analytical is 404401. □ ** The 100 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF. TRVL-13-109
DATE/TIME 12-30-13 12:30	DATE/TIME 12-30-13 12:30	
RELINQUISHED BY/REMOVED FROM	RECEIVED BY/STORAGE IN	<p><b>FILTER</b></p> <p>TRVL-13-109</p>
RELINQUISHED BY/REMOVED FROM	RECEIVED BY/STORAGE IN	
RELINQUISHED BY/REMOVED FROM	RECEIVED BY/STORAGE IN	
RELINQUISHED BY/REMOVED FROM	RECEIVED BY/STORAGE IN	
RELINQUISHED BY/REMOVED FROM	RECEIVED BY/STORAGE IN	
LABORATORY SECTION	RECEIVED BY	TITLE
FINAL SAMPLE DISPOSITION	DISPOSAL METHOD	DISPOSED BY

PRINTED ON 9/24/2013

A-6903-648 (REV 2)