RECEIVED JULY 14, 2009

EBERLINE SERVICES

EBERLINE ANALYTICAL CORPORATION
2030 Wright Avenue
Richmond, California 94804-3849
Phone (510) 235-2633 Fax (510) 235-0438
Toll Free (800) 841-5487
www.eberlineservices.com

July 14, 2009

Mr. Michael Neely
CH2M Hill Plateau Remediation Company
P.O. Box 1600
Mail Stop – B6-06
Richland, WA 99352

Reference: **P.O. #33677**
Eberline Analytical R9-07-021-7855, SDG H4020

Dear Mr. Neely:

Enclosed is a data report for four solid (other solid) samples designated under SAF No. R09-016 received at Eberline Analytical on July 7, 2009. The samples were analyzed according to the accompanying chain-of-custody documents.

Please call if you have any questions concerning this report.

Sincerely,

N. Joseph Verville
Client Services Manager

NJV/ljb

Enclosure: Data Package

1.0 GENERAL

CH2M Hill Plateau Remediation Company (CHPRC) Sample Delivery Group H4020 was composed of four solid (other solid) samples designated under SAF No. R09-016 with a Project Designation of: ARRA 200-CW-3 Clay Pipe Sampling.

The samples were received as stated on the chain-of-custody document. Any discrepancies are noted on the Eberline Analytical Sample Receipt Checklist.

2.0 ANALYSIS NOTES

2.1 Tritium Analysis

The results for both the original and duplicate analyses were less than their respective MDA's, therefore no RPD is calculated, and there is no associated control limit. No problems were encountered during the course of the analyses.

2.2 Nickel-63 Analysis

The results for both the original and duplicate analyses were less than their respective MDA's, therefore no RPD is calculated, and there is no associated control limit. No problems were encountered during the course of the analyses.

3.0 Case Narrative Certification Statement

"I certify that this data package is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data obtained in this hard copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature."

N. Joseph Verville
Client Services Manager

7/14/09
Date

E B E R L I N E S E R V I C E S / R I C H M O N D
SAMPLE DELIVERY GROUP H4020

SDG	7855
Contact	N. Joseph Verville

Client	CHPRC
Contract	No. 33677
Case no	SDG H4020

S U M M A R Y D A T A S E C T I O N

T A B L E O F C O N T E N T S

About this section	1
Sample Summaries	3
Prep Batch Summary	5
Work Summary	6
Method Blanks	7
Lab Control Samples	8
Duplicates	9
Data Sheets	10
Method Summaries	14
Report Guides	16
End of Section	30

VB

Prepared by

Reviewed by

Lab id	EBRLNE
Protocol	CHPRC
Version	Ver 1.0
Form	DVD-TOC
Version	3.06
Report date	07/14/09

SDG 7855
Contact N. Joseph Verville

Client CHPRC
Contract No. 33677
Case no SDG_H4020

ABOUT THE DATA SUMMARY SECTION

The Data Summary Section of a Data Package has all data, in several useful orders, necessary for first level, routine review of the data package for a Sample Delivery Group (SDG). This section follows the Data Package Narrative, which has an overview of the data package and a discussion of special problems. It is followed by the Raw Data Section, which has full details.

The Data Summary Section has several groups of reports:

SAMPLE SUMMARIES

The Sample and QC Summary Reports show all samples, including QC samples, reported in one SDG. These reports cross-reference client and lab sample identifiers.

PREPARATION BATCH SUMMARY

The Preparation Batch Summary Report shows all preparation batches (lab groupings reflecting how work was organized) relevant to the reported SDG with information necessary to check the completeness and consistency of the SDG.

WORK SUMMARY

The Work Summary Report shows all samples and work done on them relevant to the reported SDG.

METHOD BLANKS

The Method Blank Reports, one for each Method Blank relevant to the SDG, show all results and primary supporting information for the blanks.

LAB CONTROL SAMPLES

The Lab Control Sample Reports, one for each Lab Control Sample relevant to the SDG, show all results, recoveries and primary supporting information for these QC samples.

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 07/14/09

ABOUT THE DATA SUMMARY SECTION

DUPLICATES

The Duplicate Reports, one for each Duplicate and Original sample pair relevant to the SDG, show all results, differences and primary supporting information for these QC samples.

MATRIX SPIKES

The Matrix Spike Reports, one for each Spiked and Original sample pair relevant to the SDG, show all results, recoveries and primary supporting information for these QC samples.

DATA SHEETS

The Data Sheet Reports, one for each client sample in the SDG, show all results and primary supporting information for these samples.

METHOD SUMMARIES

The Method Summary Reports, one for each test used in the SDG, show all results, QC and method performance data for one analyte on one or two pages. (A test is a short code for the method used to do certain work to the client's specification.)

REPORT GUIDES

The Report Guides, one for each of the above groups of reports, have documentation on how to read the associated reports.

EBERLINE SERVICES/RICHMOND

SAMPLE DELIVERY GROUP H4020

SDG 7855
Contact N. Joseph Verville

LAB SAMPLE SUMMARY

Client CHPRC
Contract No. 33677
Case no SDG H4020

LAB SAMPLE ID	CLIENT SAMPLE ID	LOCATION	MATRIX	LEVEL	SAF NO	CHAIN OF CUSTODY	COLLECTED
R907021-01	B20LK1	600 285 PL;Clay Pipe 1	SOLID		R09-016	R9-016-007	06/03/09 13:00
R907021-02	B20LK2	600 285 PL;Clay Pipe 1D	SOLID		R09-016	R9-016-008	06/03/09 13:00
R907021-03	B20LK3	600 286 PL;Clay Pipe 2	SOLID		R09-016	R9-016-009	06/03/09 09:45
R907021-04	B20LK4	600 286 PL;Clay Pipe 2D	SOLID		R09-016	R9-016-010	06/03/09 09:45
R907021-05	Lab Control Sample		SOLID		R09-016		
R907021-06	Method Blank		SOLID		R09-016		
R907021-07	Duplicate (R907021-01)	600 285 PL;Clay Pipe 1	SOLID		R09-016		06/03/09 13:00

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-LS
Version 3.06
Report date 07/14/09

EBERLINE SERVICES/RICHMOND

SAMPLE DELIVERY GROUP H4020

SDG 7855
Contact N. Joseph Verville

QC SUMMARY

Client CHPRC
Contract No. 33677
Case no SDG H4020

QC BATCH	CHAIN OF CUSTODY	CLIENT SAMPLE ID	MATRIX	% SOLIDS	SAMPLE AMOUNT	BASIS AMOUNT	DAYS SINCE RECEIVED	DAYS SINCE COLL	LAB SAMPLE ID	DEPARTMENT SAMPLE ID
7855	R9-016-007	B20LK1	SOLID	100.0	899.9 g		07/07/09	34	R907021-01	7855-001
	R9-016-008	B20LK2	SOLID	100.0	835.3 g		07/07/09	34	R907021-02	7855-002
	R9-016-009	B20LK3	SOLID	100.0	635.2 g		07/07/09	34	R907021-03	7855-003
	R9-016-010	B20LK4	SOLID	100.0	593.4 g		07/07/09	34	R907021-04	7855-004
		Method Blank	SOLID						R907021-06	7855-006
		Lab Control Sample	SOLID						R907021-05	7855-005
		Duplicate (R907021-01)	SOLID	100.0	899.9 g		07/07/09	34	R907021-07	7855-007

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-QS
Version 3.06
Report date 07/14/09

EBERLINE SERVICES/RICHMOND

SAMPLE DELIVERY GROUP H4020

SDG 7855
Contact N. Joseph Verville

PREP BATCH SUMMARY

Client CHPRC
Contract No. 33677
Case no SDG H4020

TEST	MATRIX	METHOD	PREPARATION BATCH	ERROR 2σ %	PLANCHETS ANALYZED CLIENT	MORE	RE	BLANK	LCS	DUP/ORIG	MS/ORIG	QUALIFIERS
Liquid Scintillation Counting												
H	SOLID	Tritium in Solids	7211-124	10.0	4			1	1	1/1		
NI_L	SOLID	Nickel 63 in Solids	7211-124	11.2	4			1	1	1/1		

Blank, LCS, Duplicate and Spike planchets are those in the same preparation batch as some Client sample.

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-PBS
Version 3.06
Report date 07/14/09

EBERLINE SERVICES/RICHMOND

SAMPLE DELIVERY GROUP H4020

SDG 7855
Contact N. Joseph Verville

LAB WORK SUMMARY

Client CHPRC
Contract No. 33677
Case no SDG H4020

LAB SAMPLE COLLECTED RECEIVED	CLIENT SAMPLE ID LOCATION CUSTODY	SAF No	MATRIX	PLANCHET	TEST	SUF-FIX	ANALYZED	REVIEWED	BY	METHOD
R907021-01	B20LK1			7855-001	H		07/09/09	07/10/09	BW	Tritium in Solids
06/03/09	600 285 PL;Clay Pipe 1		SOLID	7855-001	NI_L		07/09/09	07/10/09	BW	Nickel 63 in Solids
07/07/09	R9-016-007	R09-016								
R907021-02	B20LK2			7855-002	H		07/09/09	07/10/09	BW	Tritium in Solids
06/03/09	600 285 PL;Clay Pipe 1D		SOLID	7855-002	NI_L		07/09/09	07/10/09	BW	Nickel 63 in Solids
07/07/09	R9-016-008	R09-016								
R907021-03	B20LK3			7855-003	H		07/09/09	07/10/09	BW	Tritium in Solids
06/03/09	600 286 PL;Clay Pipe 2		SOLID	7855-003	NI_L		07/09/09	07/10/09	BW	Nickel 63 in Solids
07/07/09	R9-016-009	R09-016								
R907021-04	B20LK4			7855-004	H		07/09/09	07/10/09	BW	Tritium in Solids
06/03/09	600 286 PL;Clay Pipe 2D		SOLID	7855-004	NI_L		07/09/09	07/10/09	BW	Nickel 63 in Solids
07/07/09	R9-016-010	R09-016								
R907021-05	Lab Control Sample			7855-005	H		07/09/09	07/10/09	BW	Tritium in Solids
			SOLID	7855-005	NI_L		07/09/09	07/10/09	BW	Nickel 63 in Solids
		R09-016								
R907021-06	Method Blank			7855-006	H		07/09/09	07/10/09	BW	Tritium in Solids
			SOLID	7855-006	NI_L		07/09/09	07/10/09	BW	Nickel 63 in Solids
		R09-016								
R907021-07	Duplicate (R907021-01)			7855-007	H		07/09/09	07/10/09	BW	Tritium in Solids
06/03/09	600 285 PL;Clay Pipe 1		SOLID	7855-007	NI_L		07/09/09	07/10/09	BW	Nickel 63 in Solids
07/07/09		R09-016								

COUNTS OF TESTS BY SAMPLE TYPE

TEST	SAF No	METHOD	REFERENCE	CLIENT	MORE	RE	BLANK	LCS	DUP SPIKE	TOTAL
H	R09-016	Tritium in Solids	TRITIUM_COX_LSC	4			1	1	1	7
NI_L	R09-016	Nickel 63 in Solids	NI63_LSC	4			1	1	1	7
TOTALS				8			2	2	2	14

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-LWS
Version 3.06
Report date 07/14/09

EBERLINE SERVICES/RICHMOND

SAMPLE DELIVERY GROUP H4020

7855-006

Method Blank

METHOD BLANK

SDG	7855	Client/Case no	CHPRC SDG_H4020
Contact	N. Joseph Verville	Contract	No. 33677
Lab sample id	R907021-06	Client sample id	Method Blank
Dept sample id	7855-006	Material/Matrix	SOLID
		SAF No	R09-016

ANALYTE	CAS NO	RESULT pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI-FIERS	TEST
Tritium	10028-17-8	-2.05	2.4	4.28	400	U	H
Nickel 63	13981-37-8	-0.318	1.8	3.01	30.0	U	NI_L

ARRA 200-CW-3 Clay Pipe Sampling

QC-BLANK #70265

Lab id	EBRLNE
Protocol	CHPRC
Version	Ver 1.0
Form	DVD-DS
Version	3.06
Report date	07/14/09

EBERLINE SERVICES/RICHMOND

SAMPLE DELIVERY GROUP H4020

7855-005

Lab Control Sample

LAB CONTROL SAMPLE

SDG 7855

Contact N. Joseph Verville

Client/Case no CHPRC SDG H4020

Contract No. 33677

Lab sample id R907021-05

Dept sample id 7855-005

Client sample id Lab Control Sample

Material/Matrix SOLID

SAF No R09-016

ANALYTE	RESULT pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI-FIERS	TEST	ADDED pCi/g	2σ ERR pCi/g	REC %	3σ LMTS (TOTAL)	PROTOCOL LIMITS
Tritium	486	11	3.53	400		H	563	23	86	85-115	80-120
Nickel 63	189	5.3	2.88	30.0		NI_L	220	8.8	86	84-116	80-120

ARRA 200-CW-3 Clay Pipe Sampling

QC-LCS #70264

Lab id EBRLNE

Protocol CHPRC

Version Ver 1.0

Form DVD-LCS

Version 3.06

Report date 07/14/09

EBERLINE SERVICES/RICHMOND

SAMPLE DELIVERY GROUP H4020

7855-007

B20LK1

DUPLICATE

SDG	7855			Client/Case no	CHPRC SDG H4020
Contact	N. Joseph Verville			Contract	No. 33677
	DUPLICATE		ORIGINAL		
Lab sample id	R907021-07	Lab sample id	R907021-01	Client sample id	B20LK1
Dept sample id	7855-007	Dept sample id	7855-001	Location/Matrix	600 285 PL;Clay Pipe 1 SOLID
		Received	07/07/09	Collected/Weight	06/03/09 13:00 899.9 g
% solids	100.0	% solids	100.0	Custody/SAF No	R9-016-007 R09-016

ANALYTE	DUPLICATE pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI-FIERS	TEST	ORIGINAL pCi/g	2σ ERR (COUNT)	MDA pCi/g	QUALI-FIERS	RPD %	2σ PROT TOT LIMIT
Tritium	-3.35	2.3	4.22	400	U	H	-1.52	2.4	4.28	U	-	
Nickel 63	0.386	2.0	3.30	30.0	U	NI_L	-1.11	1.8	3.15	U	-	

ARRA 200-CW-3 Clay Pipe Sampling

QC-DUP#1 70266

Lab id	EBRLNE
Protocol	CHPRC
Version	Ver 1.0
Form	DVD-DUP
Version	3.06
Report date	07/14/09

EBERLINE SERVICES/RICHMOND

SAMPLE DELIVERY GROUP H4020

7855-001

B20LK1

DATA SHEET

SDG	7855	Client/Case no	CHPRC	SDG_H4020	
Contact	N. Joseph Verville	Contract	No. 33677		
Lab sample id	R907021-01	Client sample id	B20LK1		
Dept sample id	7855-001	Location/Matrix	600 285 PL;Clay Pipe 1	SOLID	
Received	07/07/09	Collected/Weight	06/03/09 13:00	899.9 g	
% solids	100.0	Custody/SAF No	R9-016-007	R09-016	

ANALYTE	CAS NO	RESULT pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI-FIERS	TEST
Tritium	10028-17-8	-1.52	2.4	4.28	400	U	H
Nickel 63	13981-37-8	-1.11	1.8	3.15	30.0	U	NI_L

ARRA 200-CW-3 Clay Pipe Sampling

DATA SHEETS
Page 1
SUMMARY DATA SECTION
Page 10

Lab id	EBRLNE
Protocol	CHPRC
Version	Ver 1.0
Form	DVD-DS
Version	3.06
Report date	07/14/09

EBERLINE SERVICES/RICHMOND

SAMPLE DELIVERY GROUP H4020

7855-002 **B20LK2**

DATA SHEET

SDG	7855	Client/Case no	CHPRC	SDG_H4020
Contact	N. Joseph Verville	Contract	No. 33677	
Lab sample id	R907021-02	Client sample id	B20LK2	
Dept sample id	7855-002	Location/Matrix	600 285 PL;Clay Pipe 1D	SOLID
Received	07/07/09	Collected/Weight	06/03/09 13:00	835.3 g
% solids	100.0	Custody/SAF No	R9-016-008	R09-016

ANALYTE	CAS NO	RESULT pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI-FIERS	TEST
Tritium	10028-17-8	-2.75	2.2	4.01	400	U	H
Nickel 63	13981-37-8	-0.648	2.0	3.46	30.0	U	NI_L

ARRA 200-CW-3 Clay Pipe Sampling

Lab id	EBRLNE
Protocol	CHPRC
Version	Ver 1.0
Form	DVD-DS
Version	3.06
Report date	07/14/09

EBERLINE SERVICES/RICHMOND

SAMPLE DELIVERY GROUP H4020

7855-003 **B20LK3**

DATA SHEET

SDG	7855	Client/Case no	CHPRC	SDG_H4020
Contact	N. Joseph Verville	Contract	No. 33677	
Lab sample id	R907021-03	Client sample id	B20LK3	
Dept sample id	7855-003	Location/Matrix	600 286 PL;Clay Pipe 2	SOLID
Received	07/07/09	Collected/Weight	06/03/09 09:45	635.2 g
% solids	100.0	Custody/SAF No	R9-016-009	R09-016

ANALYTE	CAS NO	RESULT pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI-FIERS	TEST
Tritium	10028-17-8	-2.03	2.2	3.90	400	U	H
Nickel 63	13981-37-8	-0.201	2.0	3.43	30.0	U	NI_L

ARRA 200-CW-3 Clay Pipe Sampling

Lab id	EBRLNE
Protocol	CHPRC
Version	Ver 1.0
Form	DVD-DS
Version	3.06
Report date	07/14/09

EBERLINE SERVICES/RICHMOND

SAMPLE DELIVERY GROUP H4020

7855-004 **B20LK4**

DATA SHEET

SDG	7855	Client/Case no	CHPRC SDG_H4020
Contact	N. Joseph Verville	Contract	No. 33677
Lab sample id	R907021-04	Client sample id	B20LK4
Dept sample id	7855-004	Location/Matrix	600 286 PL;Clay Pipe 2D SOLID
Received	07/07/09	Collected/Weight	06/03/09 09:45 593.4 g
% solids	100.0	Custody/SAF No	R9-016-010 R09-016

ANALYTE	CAS NO	RESULT pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI-FIERS	TEST
Tritium	10028-17-8	-3.62	2.2	4.07	400	U	H
Nickel 63	13981-37-8	0.079	2.0	3.38	30.0	U	NI_L

ARRA 200-CW-3 Clay Pipe Sampling

Lab id	EBRLNE
Protocol	CHPRC
Version	Ver 1.0
Form	DVD-DS
Version	3.06
Report date	07/14/09

EBERLINE SERVICES/RICHMOND

SAMPLE DELIVERY GROUP H4020

Test H	Matrix SOLID
SDG 7855	
Contact N. Joseph Verville	

LAB METHOD SUMMARY

TRITIUM IN SOLIDS

LIQUID SCINTILLATION COUNTING

Client	CHPRC
Contract	No. 33677
Contract	SDG H4020

RESULTS

LAB SAMPLE ID	RAW TEST	SUF-FIX	PLANCHET	CLIENT SAMPLE ID	Tritium	
Preparation batch 7211-124						
R907021-01			7855-001	B20LK1	U	
R907021-02			7855-002	B20LK2	U	
R907021-03			7855-003	B20LK3	U	
R907021-04			7855-004	B20LK4	U	
R907021-05			7855-005	Lab Control Sample	ok	
R907021-06			7855-006	Method Blank	U	
R907021-07			7855-007	Duplicate (R907021-01)	-	U

Nominal values and limits from method RDLs (pCi/g) 400

ARRA 200-CW-3 Clay Pipe Sampling

METHOD PERFORMANCE

LAB SAMPLE ID	RAW TEST	SUF-FIX	CLIENT SAMPLE ID	MDA pCi/g	ALIQ g	PREP FAC	DILU-TION	YIELD %	EFF %	COUNT min	FWHM keV	DRIFT KeV	DAYS HELD	PREPARED	ANAL-YZED	DETECTOR
Preparation batch 7211-124			2σ prep error 10.0 % Reference Lab Notebook No. 7211 pg.124													
R907021-01			B20LK1	4.28	0.412			100		50			36	07/09/09	07/09	LSC-004
R907021-02			B20LK2	4.01	0.441			100		50			36	07/09/09	07/09	LSC-004
R907021-03			B20LK3	3.90	0.452			100		50			36	07/09/09	07/09	LSC-004
R907021-04			B20LK4	4.07	0.433			100		50			36	07/09/09	07/09	LSC-004
R907021-05			Lab Control Sample	3.53	0.410			100		50				07/09/09	07/09	LSC-004
R907021-06			Method Blank	4.28	0.410			100		50				07/09/09	07/09	LSC-004
R907021-07			Duplicate (R907021-01)	4.22	0.419			100		50			36	07/09/09	07/09	LSC-004
Nominal values and limits from method				400	0.410					25			180			

PROCEDURES	REFERENCE	TRITIUM_COX_LSC
	CP-251	Tritium/Carbon-14 Oxidation, rev 10

AVERAGES ± 2 SD	MDA	4.04	±	0.535
FOR 7 SAMPLES	YIELD	100	±	0

Lab id	EBRLNE
Protocol	CHPRC
Version	Ver 1.0
Form	DVD-LMS
Version	3.06
Report date	07/14/09

EBERLINE SERVICES/RICHMOND

SAMPLE DELIVERY GROUP H4020

Test	NI L Matrix SOLID
SDG	7855
Contact	N. Joseph Verville

LAB METHOD SUMMARY

NICKEL 63 IN SOLIDS

LIQUID SCINTILLATION COUNTING

Client	CHPRC
Contract	No. 33677
Contract	SDG H4020

RESULTS

LAB SAMPLE ID	RAW TEST	SUF-FIX	PLANCHET	CLIENT SAMPLE ID	Nickel 63	
Preparation batch 7211-124						
R907021-01			7855-001	B20LK1	U	
R907021-02			7855-002	B20LK2	U	
R907021-03			7855-003	B20LK3	U	
R907021-04			7855-004	B20LK4	U	
R907021-05			7855-005	Lab Control Sample	ok	
R907021-06			7855-006	Method Blank	U	
R907021-07			7855-007	Duplicate (R907021-01)	-	U

Nominal values and limits from method RDLs (pCi/g) 30.0

ARRA 200-CW-3 Clay Pipe Sampling

METHOD PERFORMANCE

LAB SAMPLE ID	RAW TEST	SUF-FIX	CLIENT SAMPLE ID	MDA pCi/g	ALIQ g	PREP FAC	DILU-TION	YIELD %	EFF %	COUNT min	FWHM keV	DRIFT KeV	DAYS HELD	PREPARED	ANAL-YZED	DETECTOR
Preparation batch 7211-124			2σ prep error 11.2 % Reference Lab Notebook No. 7211 pg.124													
R907021-01			B20LK1	3.15	0.500			92		50			36	07/09/09	07/09	LSC-004
R907021-02			B20LK2	3.46	0.500			85		50			36	07/09/09	07/09	LSC-004
R907021-03			B20LK3	3.43	0.500			85		50			36	07/09/09	07/09	LSC-004
R907021-04			B20LK4	3.38	0.500			86		50			36	07/09/09	07/09	LSC-004
R907021-05			Lab Control Sample	2.88	0.500			101		50				07/09/09	07/09	LSC-004
R907021-06			Method Blank	3.01	0.500			96		50				07/09/09	07/09	LSC-004
R907021-07			Duplicate (R907021-01)	3.30	0.500			88		50			36	07/09/09	07/09	LSC-004
Nominal values and limits from method				30.0	0.500			40-110		25			180			

PROCEDURES	REFERENCE	NI63_LSC
	SPP-071	Soil Dissolution, > 1.0g Aliquot, rev 1
	CP-280	Nickel-63 Purification, rev 5

AVERAGES ± 2 SD	MDA	3.23	± 0.445
FOR 7 SAMPLES	YIELD	90	± 12

Lab id	EBRLNE
Protocol	CHPRC
Version	Ver 1.0
Form	DVD-LMS
Version	3.06
Report date	07/14/09

SDG 7855
Contact N. Joseph Verville

REPORT GUIDE

Client CHPRC
Contract No. 33677
Case no SDG H4020

SAMPLE SUMMARY

The Sample and QC Summary Reports show all samples, including QC samples, reported in one Sample Delivery Group (SDG).

The Sample Summary Report fully identifies client samples and gives the corresponding lab sample identification. The QC Summary Report shows at the sample level how the lab organized the samples into batches and generated QC samples. The Preparation Batch and Method Summary Reports show this at the analysis level.

The following notes apply to these reports:

* LAB SAMPLE ID is the lab's primary identification for a sample.

* DEPARTMENT SAMPLE ID is an alternate lab id, for example one assigned by a radiochemistry department in a lab.

* CLIENT SAMPLE ID is the client's primary identification for a sample. It includes any sample preparation done by the client that is necessary to identify the sample.

* QC BATCH is a lab assigned code that groups samples to be processed and QCed together. These samples should have similar matrices.

  QC BATCH is not necessarily the same as SDG, which reflects samples received and reported together.

* All Lab Control Samples, Method Blanks, Duplicates and Matrix Spikes are shown that QC any of the samples. Due to possible reanalyses, not all results for all these QC samples may be relevant to the SDG. The Lab Control Sample, Method Blank, Duplicate, Matrix Spike and Method Summary Reports detail these relationships.

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 07/14/09

SDG 7855
Contact N. Joseph Verville

REPORT GUIDE

Client CHPRC
Contract No. 33677
Case no SDG_H4020

PREPARATION BATCH SUMMARY

The Preparation Batch Summary Report shows all preparation batches in one Sample Delivery Group (SDG) with information necessary to check the completeness and consistency of the SDG.

The following notes apply to this report:

* The preparation batches are shown in the same order as the Method Summary Reports are printed.

* Only analyses of planchets relevant to the SDG are included.

* Each preparation batch should have at least one Method Blank and LCS in it to validate client sample results.

* The QUALIFIERS shown are all qualifiers other than U, J, B, L and H that occur on any analysis in the preparation batch. The Method Summary Report has these qualifiers on a per sample basis.

  These qualifiers should be reviewed as follows:

  X Some data has been manually entered or modified. Transcription errors are possible.

  P One or more results are 'preliminary'. The data is not ready for final reporting.

  2 There were two or more results for one analyte on one planchet imported at one time. The results in DVD may not be the same as on the raw data sheets.

  Other lab defined qualifiers may occur. In general, these should be addressed in the SDG narrative.

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 07/14/09

SDG 7855
Contact N. Joseph Verville

REPORT GUIDE

Client CHPRC
Contract No. 33677
Case no SDG H4020

WORK SUMMARY

The Work Summary Report shows all samples, including QC samples, and all relevant analyses in one Sample Delivery Group (SDG). This report is often useful as supporting documentation for an invoice.

The following notes apply to this report:

* TEST is a code for the method used to measure associated analytes. Results and related information for each analyte are on the Data Sheet Report. In special cases, a test code used in the summary data section is not the same as in associated raw data. In this case, both codes are shown on the Work Summary.

* SUFFIX is the lab's code to distinguish multiple analyses (recounts, reworks, reanalyses) of a fraction of the sample. The suffix indicates which result is being reported. An empty suffix normally identifies the first attempt to analyze the sample.

* The LAB SAMPLE ID, TEST and SUFFIX uniquely identify all supporting data for a result. The Method Summary Report for each TEST has method performance data, such as yield, for each lab sample id and suffix and procedures used in the method.

* PLANCHET is an alternate lab identifier for work done for one test. It, combined with the TEST and SUFFIX, may be the best link to raw data.

* For QC samples, only analyses that directly QC some regular sample are shown. The Lab Control Sample, Method Blank, Duplicate, Matrix Spike and Method Summary Reports detail these relationships.

* The SAS (Special Analytical Services) Number is a client or lab assigned code that reflects special processing for samples, such as rapid turn around. Counts of tests done are lists by SAS number since it is likely to affect prices.

SDG 7855
Contact N. Joseph Verville

REPORT GUIDE

Client CHPRC
Contract No. 33677
Case no SDG_H4020

DATA SHEET

The Data Sheet Report shows all results and primary supporting information for one client sample or Method Blank. This report corresponds to both the CLP Inorganics and Organics Data Sheet.

The following notes apply to this report:

* TEST is a code for the method used to measure an analyte. If the TEST is empty, no data is available; the analyte was not analyzed for.

* The LAB SAMPLE ID and TEST uniquely identify work within the Summary Data Section of a Data Package. The Work Summary and Method Summary Reports further identify raw data that underlies this work.

  The Method Summary Report for each TEST has method performance data, such as yield, for each Lab Sample ID and a list of procedures used in the method.

* ERRORs can be labeled TOTAL or COUNT. TOTAL implies a preparation (non-counting method) error has been added, as square root of sum of squares, to the counting error denoted by COUNT. The preparation errors, which may vary by preparation batch, are shown on the Method Summary Report.

* A RESULT can be 'N.R.' (Not Reported). This means the lab did this work but chooses not to report it now, possibly because it was reported at another time.

* When reporting a Method Blank, a RESULT can be 'N.A.' (Not Applicable). This means there is no reported client sample work in the same preparation batch as the Blank's result. This is likely to occur when the Method Blank is associated with reanalyses of selected work for a few samples in the SDG.

The following qualifiers are defined by the DVD system:

U The RESULT is less than the MDA (Minimum Detectable Activity).

DATA SHEET

If the MDA is blank, the ERROR is used as the limit.

J The RESULT is less than the RDL (Required Detection Limit) and no U qualifier is assigned.

B A Method Blank associated with this sample had a result without a U flag and, after correcting for possibly different aliquots, that result is greater than or equal to the MDA for this sample.

Normally, B is not assigned if U is. When method blank subtraction is shown on this report, B flags are assigned based on the unsubtracted values while U's are assigned based on the subtracted ones. Both flags can be assigned in this case.

For each sample result, all Method Blank results in the same preparation batch are compared. The Method Summary Report documents this and other QC relationships.

L Some Lab Control Sample that QC's this sample had a low recovery. The lab can disable assignment of this qualifier.

H Similar to 'L' except the recovery was high.

P The RESULT is 'preliminary'.

X Some data necessary to compute the RESULT, ERROR or MDA was manually entered or modified.

2 There were two or more results available for this analyte. The reported result may not be the same as in the raw data.

Other qualifiers are lab defined. Definitions should be in the SDG narrative.

The following values are underlined to indicate possible problems:

* An MDA is underlined if it is bigger than its RDL.

SDG 7855
Contact N. Joseph Verville

GUIDE, cont.

Client CHPRC
Contract No. 33677
Case no SDG H4020

DATA SHEET

* An ERROR is underlined if the 1.645 sigma counting error is bigger than both the MDA and the RESULT, implying that the MDA may not be a good estimate of the 'real' minimum detectable activity.

* A negative RESULT is underlined if it is less than the negative of its 2 sigma counting ERROR.

* When reporting a Method Blank, a RESULT is underlined if greater than its MDA. If the MDA is blank, the 2 sigma counting error is used in the comparison.

SDG 7855
Contact N. Joseph Verville

REPORT GUIDE

Client CHPRC
Contract No. 33677
Case no SDG_H4020

LAB CONTROL SAMPLE

The Lab Control Sample Report shows all results, recoveries and primary supporting information for one Lab Control Sample.

The following notes apply to this report:

* All fields in common with the Data Sheet Report have similar usage. Refer to its Report Guide for details.

* An amount ADDED is the lab's value for the actual amount spiked into this sample with its ERROR an estimate of the error of this amount.

  An amount added is underlined if its ratio to the corresponding RDL is outside protocol specified limits.

* REC (Recovery) is RESULT divided by ADDED expressed as a percent.

* The first, computed limits for the recovery reflect:

  1. The error of RESULT, including that introduced by rounding the result prior to printing.

     If the limits are labeled (TOTAL), they include preparation error in the result. If labeled (COUNT), they do not.

  2. The error of ADDED.

  3. A lab specified, per analyte bias. The bias changes the center of the computed limits.

* The second limits are protocol defined upper and lower QC limits for the recovery.

* The recovery is underlined if it is outside either of these ranges.

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 07/14/09

DUPLICATE

The Duplicate Report shows all results, differences and primary supporting information for one Duplicate and associated Original sample.

The following notes apply to this report:

* All fields in common with the Data Sheet Report have similar usage. This applies both to the Duplicate and Original sample data. Refer to the Data Sheet Report Guide for details.

  If the Duplicate has data for a TEST and the lab did not do this test to the Original, the Original's RESULTs are underlined.

* The RPD (Relative Percent Difference) is the absolute value of the difference of the RESULTs divided by their average expressed as a percent.

  If both RESULTs are less than their MDAs, no RPD is computed and a '-' is printed.

  For an analyte, if the lab did work for both samples but has data for only one, the MDA from the sample with data is used as the other's result in the RPD.

* The first, computed limit is the sum, as square root of sum of squares, of the errors of the results divided by the average result as a percent, hence the relative error of the difference rather than the error of the relative difference. The errors include those introduced by rounding the RESULTs prior to printing.

  If this limit is labeled TOT, it includes the preparation error in the RESULTs. If labeled CNT, it does not.

  This value reported for this limit is at most 999.

* The second limit for the RPD is the larger of:

  1. A fixed percentage specified in the protocol.

DUPLICATE

2. A protocol factor (typically 2) times the average MDA as a percent of the average result. This limit applies when the results are close to the MDAs.

* The RPD is underlined if it is greater than either limit.

* If specified by the lab, the second limit column is replaced by the Difference Error Ratio (DER), which is the absolute value of the difference of the results divided by the quadratic sum of their one sigma errors, the same errors as used in the first limit.

  Except for differences due to rounding, the DER is the same as the RPD divided by the first RPD limit with the limit scaled to 1 sigma.

* The DER is underlined if it is greater than the sigma factor, typically 2 or 3, shown in the header for the first RPD limit.

SDG 7855
Contact N. Joseph Verville

REPORT GUIDE

Client CHPRC
Contract No. 33677
Case no SDG H4020

MATRIX SPIKE

The Matrix Spike Report shows all results, recoveries and primary supporting information for one Matrix Spike and associated Original sample.

The following notes apply to this report:

* All fields in common with the Data Sheet Report have similar usage. This applies both to the Spiked and Original sample data. Refer to the Data Sheet Report Guide for details.

  If the Spike has data for a TEST and the lab did not do this test to the Original, the Original's RESULTs are underlined.

* An amount ADDED is the lab's value for the actual amount spiked into the Spike sample with its ERROR an estimate of the error of this amount.

  An amount is underlined if its ratio to the corresponding RDL is outside protocol specified limits.

* REC (Recovery) is the Spike RESULT minus the Original RESULT divided by ADDED expressed as a percent.

* The first, computed limits for the recovery reflect:

  1. The errors of the two RESULTs, including those introduced by rounding them prior to printing.

     If the limits are labeled (TOTAL), they include preparation error in the result. If labeled (COUNT), they do not.

  2. The error of ADDED.

  3. A lab specified, per analyte bias. The bias changes the center of the computed limits.

* The second limits are protocol defined upper and lower QC limits

MATRIX SPIKE

for the recovery.

These limits are left blank if the Original RESULT is more than a protocol defined factor (typically 4) times ADDED. This is a way of accounting for that when the spike is small compared to the amount in the original sample, the recovery is unreliable.

* The recovery is underlined (out of spec) if it is outside either of these ranges.

METHOD SUMMARY

The Method Summary Report has two tables. One shows up to five results measured using one method. The other has performance data for the method. There is one report for each TEST, as used on the Data Sheet Report.

The following notes apply to this report:

* Each table is subdivided into sections, one for each preparation batch. A preparation batch is a group of aliquots prepared at roughly the same time in one work area of the lab using the same method.

  There should be Lab Control Sample and Method Blank results in each preparation batch since this close correspondence makes the QC meaningful. Depending on lab policy, Duplicates need not occur in each batch since they QC sample dependencies such as matrix effects.

* The RAW TEST column shows the test code used in the raw data to identify a particular analysis if it is different than the test code in the header of the report. This occurs in special cases due to method specific details about how the lab labels work.

  The Lab Sample or Planchet ID combined with the (Raw) Test Code and Suffix uniquely identify the raw data for each analysis.

* If a result is less than both its MDA and RDL, it is replaced by just 'U' on this report. If it is greater than or equal to the RDL but less than the MDA, the result is shown with a 'U' flag.

  The J and X flags are as on the data sheet.

* Non-U results for Method Blanks are underlined to indicate possible contamination of other samples in the preparation batch. The Method Blank Report has supporting data.

* Lab Control Sample and Matrix Spike results are shown as: ok, No data, LOW or HIGH, with the last two underlined. 'No data'

METHOD SUMMARY

means no amount ADDED was specified. 'LOW' and 'HIGH' correspond to when the recovery is underlined on the Lab Control Sample or Matrix Spike Report. See these reports for supporting data.

* Duplicate sample results are shown as: ok, No data, or OUT, with the last two underlined. 'No data' means there was no original sample data found for this duplicate. 'OUT' corresponds to when the RPD is underlined on the Duplicate Report. See this report for supporting data.

* If the MDA column is labeled 'MAX MDA', there was more than one result measured by the reported method and the MDA shown is the largest MDA. If not all these results have the same RDL, the MAX MDA reflects only those results with RDL equal to the smallest one.

  MDAs are underlined if greater than the printed RDL.

* Aliquots are underlined if less than the nominal value specified for the method.

* Prepareation factors are underlined if greater than the nominal value specified for the method.

* Dilution factors are underlined if greater than the nominal value specified for the method.

* Residues are underlined if outside the range specified for the method. Residues are not printed if yields are.

* Yields, which may be gravimetric, radiometric or some type of recovery depending on the method, are underlined if outside the range specified for the method.

* Efficiencies are underlined if outside the range specified for the method. Efficiencies are detector and geometry dependent so this test is only approximate.

SDG 7855
Contact N. Joseph Verville

Client CHPRC
Contract No. 33677
Case no SDG_H4020

METHOD SUMMARY

* Count times are underlined if less than the nominal value specified for the method.

* Resolutions (as FWHM; Full Width at Half Max) are underlined if greater than the method specified limit.

* Tracer drifts are underlined if their absolute values are greater than the method specified limit. Tracer drifts are not printed if percent moistures are.

* Days Held are underlined if greater than the holding time specified in the protocol.

* Analysis dates are underlined if before their planchet's preparation date or, if a limit is specified, too far after it.

For some methods, ratios as percentages and error estimates for them are computed for pairs of results. A ratio column header like '1÷3' means the ratio of the first result column and the third result column.

Ratios are not computed for Lab Control Sample, Method Blank or Matrix Spike results since their matrices are not necessarily similar to client samples'.

The error estimate for a ratio of results from one planchet reflects only counting errors since other errors should be correlated. For a ratio involving different planchets, if QC limits are computed based on total errors, the error for the ratio allows for the preparation errors for the planchets.

The ratio is underlined (out of spec) if the absolute value of its difference from the nominal value is greater than its error estimate. If no nominal value is specified, this test is not done.

For Gross Alpha or Gross Beta results, there may be a column showing the sum of other Alpha or Beta emitters. This sum includes all relevant

METHOD SUMMARY

results in the DVD database, whether reported or not. Results in the sum are weighted by a particles/decay value specified by the lab for each relevant analyte. Results less than their MDA are not included. No sums are computed for Lab Control, Method Blank or Matrix Spike samples since their various planchets may not be physically related.

If a ratio of total isotopic to Gross Alpha or Beta is shown, the error for the ratio reflects both the error in the Gross result and the sum, as square root of sum of squares, of the errors in the isotopic results.

For total elemental uranium or thorium results, there may be a column showing the total weight computed from associated isotopic results. Ignoring results less than their MDAs, this is a weighted sum of the isotopic results. The weights depend on the molecular weight and half-life of each isotope so as to convert activities (decays) to weight (atoms).

If a ratio of total computed to measured elemental uranium or thorium is shown, the error for the ratio reflects the errors in all the measurements.

CH2MHill Plateau Remediation Company	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST			R09-016-007	PAGE 1 OF 1
COLLECTOR KJ Young	COMPANY CONTACT WIDRIG, DL	TELEPHONE NO. 376-2858	PROJECT COORDINATOR WIDRIG, DL	PRICE CODE 9C AIR QUALITY ☐	DATA TURNAROUND ~~15 Days / 15~~ 7 Days JV 7/7
SAMPLING LOCATION 600 285 PL; Clay Pipe 1	PROJECT DESIGNATION ARRA 200-CW-3 Clay Pipe Sampling H4020 (7855)		SAF NO. R09-016		
ICE CHEST NO. GWS-124	FIELD LOGBOOK NO. HNF-N-506-5/5	ACTUAL SAMPLE DEPTH N/A	COA 301972ES10	METHOD OF SHIPMENT FEDERAL EXPRESS	
SHIPPED TO Eberline Services	OFFSITE PROPERTY NO. SEE PTR		BILL OF LADING/AIR BILL NO. SEE PTR		

MATRIX*
OL = OTHER LIQUID
OS = OTHER SOLID
S = SOIL W
= WATER

SPECIAL HANDLING AND/OR STORAGE
RADIOACTIVE TIE TO B20LJ8

POSSIBLE SAMPLE HAZARDS/ REMARKS
Contains Radioactive Material at concentrations that may or may not be regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 5400.5 (1990/1993)

SAMPLE NO.	LAB ID	MATRIX*	SAMPLE DATE	SAMPLE TIME	NO./TYPE CONTAINER(S)	ANALYSIS	PRESERVATION
B20LK1		OS	6/3/9	1300	1X500mL G/P	Nickel-63; TRITIUM - MIDLEVEL;	None

CHAIN OF POSSESSION / **SIGN/ PRINT NAMES**

RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
KJ Young [signature]	JUN 03 2009 / 1600	S.S.U #1	JUN 03 2009 / 1600
SSU-1	JUL 06 2009 1100	RT Sickle CHPRC [signature]	JUL 06 2009 1100
RT Sickle CHPRC [signature]	JUL 06 2009 1300	FedEx	
FED EX		N.F. Mutawaran [signature]	07/07/09 0900

SPECIAL INSTRUCTIONS

** The 200 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF.

** The laboratory is to achieve a detection limit of 30 pCi/g for tritium.

** Wide mouth bottles should be used whenever possible.

LABORATORY SECTION	RECEIVED BY	TITLE	DATE/TIME
FINAL SAMPLE DISPOSITION	DISPOSAL METHOD	DISPOSED BY	DATE/TIME

CH2MHill Plateau Remediation Company	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST			R09-016-008	PAGE 1 OF 1
COLLECTOR KJ Young	COMPANY CONTACT WIDRIG, DL	TELEPHONE NO. 376-2858	PROJECT COORDINATOR WIDRIG, DL	PRICE CODE 9C AIR QUALITY ☐	DATA TURNAROUND ~~15 Days~~ / 15 Days 7 9 7/7
SAMPLING LOCATION 600 285 PL; Clay Pipe 1D	PROJECT DESIGNATION ARRA 200-CW-3 Clay Pipe Sampling H4020 (7855)		SAF NO. R09-016		
ICE CHEST NO. GWS-124	FIELD LOGBOOK NO. HNF-N-506-5/5	ACTUAL SAMPLE DEPTH N/A	COA 301972ES10	METHOD OF SHIPMENT FEDERAL EXPRESS	
SHIPPED TO Eberline Services	OFFSITE PROPERTY NO. SEE PTR		BILL OF LADING/AIR BILL NO. SEE PTR		

MATRIX*
OL = OTHER LIQUID
OS = OTHER SOLID
S = SOIL W
= WATER

SPECIAL HANDLING AND/OR STORAGE
RADIOACTIVE TIE TO B20LJ8

POSSIBLE SAMPLE HAZARDS/ REMARKS
Contains Radioactive Material at concentrations that may or may not be regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 5400.5 (1990/1993)

SAMPLE NO.	LAB ID	MATRIX*	SAMPLE DATE	SAMPLE TIME	NO./TYPE CONTAINER(S)	ANALYSIS	PRESERVATION
B20LK2		OS	6/3/9	1300	1X500mL G/P	Nickel-63; TRITIUM - MIDLEVEL;	None

CHAIN OF POSSESSION / **SIGN/ PRINT NAMES**

RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
KJ Young [signature]	JUN 03 2009 / 1600	S.S.U #1	JUN 03 2009 / 1600
SS-U-1	JUL 06 2009 1100	RT Sickle CHPRC [signature]	JUL 06 2009 1100
RT Sickle CHPRC [signature]	JUL 06 2009 1300	Fed Ex	
FED EX		R.F. MATAWAYAN [signature]	07/07/09 0900

SPECIAL INSTRUCTIONS

** The 200 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF.

** The laboratory is to achieve a detection limit of 30 pCi/g for tritium.

** Wide mouth bottles should be used whenever possible.

LABORATORY SECTION	RECEIVED BY	TITLE	DATE/TIME
FINAL SAMPLE DISPOSITION	DISPOSAL METHOD	DISPOSED BY	DATE/TIME

CH2MHill Plateau Remediation Company	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST			R09-016-009	PAGE 1 OF 1
COLLECTOR KJ Young	COMPANY CONTACT WIDRIG, DL	TELEPHONE NO. 376-2858	PROJECT COORDINATOR WIDRIG, DL	PRICE CODE 9C	DATA TURNAROUND ~~15 Days / 15~~ Days 7
SAMPLING LOCATION 600 286 PL; Clay Pipe 2	PROJECT DESIGNATION ARRA 200-CW-3 Clay Pipe Sampling	H4020 ~~H4021~~ (7855) 7/8/9	SAF NO. R09-016	AIR QUALITY ☐	
ICE CHEST NO. GWS-124	FIELD LOGBOOK NO. HNF-N-506-515	ACTUAL SAMPLE DEPTH N/A	COA 301972ES10	METHOD OF SHIPMENT FEDERAL EXPRESS	
SHIPPED TO Eberline Services	OFFSITE PROPERTY NO. SEE PTR		BILL OF LADING/AIR BILL NO. SEE PTR		

MATRIX*
OL = OTHER LIQUID
OS = OTHER SOLID
S = SOIL W
= WATER

SPECIAL HANDLING AND/OR STORAGE
RADIOACTIVE TIE TO B20LJ9

POSSIBLE SAMPLE HAZARDS/ REMARKS
Contains Radioactive Material at concentrations that may or may not be regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 5400.5 (1990/1993)

SAMPLE NO.	LAB ID	MATRIX*	SAMPLE DATE	SAMPLE TIME	NO./TYPE CONTAINER(S)	ANALYSIS	PRESERVATION
B20LK3		OS	6/3/9	0945	1X500mL G/P	Nickel-63; TRITIUM - MIDLEVEL;	None

CHAIN OF POSSESSION / **SIGN/ PRINT NAMES**

RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
KJ Young [signature]	JUN 03 2009 / 1600	S.S.U #1	JUN 03 2009 / 1600
GSU-1	JUL 06 2009 1100	RT Sickle CHPRC [signature]	JUL 06 2009 1100
RT Sickle CHPRC [signature]	JUL 06 2009 1300	Fed Ex	
FED EX		RF MATAWAN [signature]	07/07/09 0900

SPECIAL INSTRUCTIONS

** The 200 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF.

** The laboratory is to achieve a detection limit of 30 pCi/g for tritium.

** Wide mouth bottles should be used whenever possible.

LABORATORY SECTION	RECEIVED BY	TITLE	DATE/TIME
FINAL SAMPLE DISPOSITION	DISPOSAL METHOD	DISPOSED BY	DATE/TIME

CH2MHill Plateau Remediation Company	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST			R09-016-010	PAGE 1 OF 1
COLLECTOR KJ Young	COMPANY CONTACT WIDRIG, DL	TELEPHONE NO. 376-2858	PROJECT COORDINATOR WIDRIG, DL	PRICE CODE 9C	DATA TURNAROUND
SAMPLING LOCATION 600 286 PL; Clay Pipe 2D	PROJECT DESIGNATION ARRA 200-CW-3 Clay Pipe Sampling H4020 ~~H4021~~ (T855) gv 7/8/9		SAF NO. R09-016	AIR QUALITY ☐	~~15 Days /~~ 15 Days 7 gv 7/7
ICE CHEST NO. GWS-124 HNF-N-506- ~~5 / JUN 0 3 2009~~	FIELD LOGBOOK NO.	ACTUAL SAMPLE DEPTH N/A	COA 301972ES10	METHOD OF SHIPMENT FEDERAL EXPRESS	
SHIPPED TO Eberline Services	OFFSITE PROPERTY NO. SEE PTR		BILL OF LADING/AIR BILL NO. SEE PTR		

MATRIX*
OL = OTHER LIQUID
OS = OTHER SOLID
S = SOIL
W = WATER

SPECIAL HANDLING AND/OR STORAGE
RADIOACTIVE TIE TO ~~B20LJ8~~ B20LJ9 JA 6-3-09

POSSIBLE SAMPLE HAZARDS/ REMARKS
Contains Radioactive Material at concentrations that may or may not be regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 5400.5 (1990/1993)

SAMPLE NO.	LAB ID	MATRIX*	SAMPLE DATE	SAMPLE TIME	NO./TYPE CONTAINER(S)	ANALYSIS	PRESERVATION
B20LK4		OS	6/3/9	0945	1X500mL G/P	Nickel-63; TRITIUM - MIDLEVEL;	None

CHAIN OF POSSESSION / SIGN/ PRINT NAMES

RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
KJ Young	JUN 0 3 2009 1600	S.S.U. #1	JUN 0 3 2009 1600
654-1	JUL 0 6 2009 1100	RT Sickle CHPRC	JUL 0 6 2009 1100
RT Sickle CHPRC	JUL 0 6 2009 1300	FEDEX	
FEDEX		NF MATHEWS	07/07/09 0900

SPECIAL INSTRUCTIONS

** The 200 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF.

** The laboratory is to achieve a detection limit of 30 pCi/g for tritium.

** Wide mouth bottles should be used whenever possible.

LABORATORY SECTION	RECEIVED BY	TITLE	DATE/TIME
FINAL SAMPLE DISPOSITION	DISPOSAL METHOD	DISPOSED BY	DATE/TIME

EBERLINE SERVICES

RICHMOND, CA LABORATORY

SAMPLE RECEIPT CHECKLIST

Client: CHPRC City RICHLAND State WA

Date/Time received 07/07/09 0900 CoC No. 209-016-007, 008, 009, 010

Container I.D. No. GWS-129 Requested TAT (Days) 7 P.O. Received Yes [ ] No [X]

INSPECTION

1. Custody seals on shipping container intact? Yes [X] No [ ] N/A [ ]
2. Custody seals on shipping container dated & signed? Yes [X] No [ ] N/A [ ]
3. Custody seals on sample containers intact? Yes [X] No [ ] N/A [ ]
4. Custody seals on sample containers dated & signed? Yes [X] No [ ] N/A [ ]
5. Packing material is: Wet [ ] Dry [X]
6. Number of samples in shipping container: 4 Sample Matrix SOLID
7. Number of containers per sample: 1 (Or see CoC ____)
8. Samples are in correct container Yes [X] No [ ]
9. Paperwork agrees with samples? Yes [X] No [ ]
10. Samples have: Tape [ ] Hazard labels [ ] Rad labels [ ] Appropriate sample labels [X]
11. Samples are: In good condition [X] Leaking [ ] Broken Container [ ] Missing [ ]
12. Samples are: Preserved [ ] Not preserved [ ] pH ____ Preservative ____
13. Describe any anomalies:
14. Was P.M. notified of any anomalies? Yes [ ] No [ ] Date ____
15. Inspected by [signature] Date: 07/07/09 Time: 1000

Customer Sample No.	Beta/Gamma cpm	Ion Chamber mR/hr	Wipe	Customer Sample No.	Beta/Gamma cpm	Ion Chamber mR/hr	wipe
ALL SAMPLES	<60						

Ion Chamber Ser. No. ____ Calibration date ____

Alpha Meter Ser. No. ____ Calibration date ____

Beta/Gamma Meter Ser. No. 100482 Calibration date 10 Jul 08

Form SCP-02, 07-30-07

"over 55 years of quality nuclear services"