

CN 148

200-UW-1 Operable Unit Project Agreement/Change Control Form	
<b>Document Number/Title:</b> 068116 DOE/RL-2005-75, Sampling and Analysis Plan for Support Activities to the 200-UW-1 Operable Unit, Rev. 0	<b>Date Document Last Issued:</b> <del>January 10, 2006</del> DXK 1-10-06 DECEMBER 15, 2005
<b>Originator:</b> Deanna L. Klages	<b>Phone Number:</b> 373-6312
<b>Summary Description:</b>  In Table 3-1, for the Concrete Pad sampling, a minimum of 5 -12 samples are being collected for laboratory analyses.  Since the concrete pad is being disposed of as waste in ERDF, for waste disposal sampling, only one sample is needed for evaluation against the waste profile and the Waste Acceptance Criteria for ERDF. The field duplicate and the trip blank will also still be collected.	
<b>Justification and Impact of Change:</b>  Radiological surveys of the concrete pad have been completed. There is no detectable contamination and no visible spills or stains. There is also no history to indicate any past spills or releases or chemical or radiological use on the pad that could have resulted in contamination of the pad. The concrete pad will be removed and disposed of in the ERDF, meeting the Waste Acceptance Criteria, therefore sampling needs to address waste disposal only, rather than WAC 173-340.  The impact of the change will be a cost savings of between \$30,000 and \$40,000.	
<b>DOE On-Scene Coordinator:</b>	<b>Date</b>
<i>Kevin D. Lewis</i>	01/10/06
<b>Ecology Project Manager:</b>	<b>Date</b>
<i>John B. R.</i>	10-Jan-2006
<b>EPA Project Manager:</b>	<b>Date</b>
N/A JBP	1/10/2006

**RECEIVED**  
 DEC 06 2006  
 EDMC