

START

9613428.2603
Lockheed Environmental Systems & Technologies Co.
Lockheed Analytical Services
975 Kelly Johnson Drive Las Vegas, Nevada 89119-3705
Telephone 702-361-0220 800-582-7605 Facsimile 702-361-8146

0043979

LK 5061
142

LOCKHEED MARTIN 

August 25, 1995

Ms. Joan Kessner
Bechtel Hanford, Inc.
345 Hills
P.O. Box 969
Richland, WA 99352



RE:	Log-in No.:	L5061
	Quotation No.:	Q400000-B
	SAF:	B95-053
	Document File No.:	0808596
	BHI Document File No.:	255
	SDG No.:	LK5061

The attached data report contains the analytical results of samples that were submitted to Lockheed Analytical Services on 8 August 1995. The temperature of the cooler upon receipt was 2°C.

Sample containers received agree with the chain-of-custody documentation. Sample containers were received intact. Samples were not received in time to meet the analytical holding time requirements. All discrepancies identified upon receipt of the samples have been forwarded to the client and are documented in the enclosed chain-of-custody records. (See attached Sample Receiving Checklist).

The case narratives included in the following attachments provide a detailed description of all events that occurred during sample preparation, analysis, and data review specific to the samples and analytical methods requested.

A list of data qualifiers, chain-of-custody forms, sample receiving checklist, and log-in report are also enclosed representing the samples received within this group.

If you have any questions concerning the analysis or the data please call Kathleen Hall at (509) 943-4423.



9613428.2604

Lockheed Analytical Services

Log-in No.: L5061
Quotation No.: Q400000-B
SAF: B95-053
Document File No.: 0808596
BHI Document File No.: 255
SDG No.: LK5061
Page1

Release of this data report has been authorized by the Laboratory Director or the Director's designee as evidenced by the following signature.

" I certify that this data package is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manger or a designee, as verified by the following signature."

Sincerely,


Kathleen M. Hall
Client Services Representative

cc: Client Services
Document Control

Lockheed Analytical Services

Log-in No.: L5061
 Quotation No.: Q400000-B
 SAF: B95-053
 Document File No.: 0808596
 BHI Document File No.:255
 SDG No.: LK5061
 Page2

CASE NARRATIVE INORGANIC NON METALS ANALYSES

The routine calibration and quality control analyses performed for this batch include as applicable: initial and continuing calibration verification, initial and continuing calibration blanks, method blank(s), laboratory control sample(s), matrix spike (predigestion) sample(s), duplicate sample(s).

Preparation and Analysis Requirements

- One water sample was received for LK5061 and analyzed in batch 808 bh for selected analytes as requested on the chain of custody. Quality control analysis was performed on the following sample:

Client ID	LAL #		Method
BOG941	L5061-3	MS, DUP	7196 Hexavalent Chromium

Holding Time Requirements

- The sample was received outside of holding time and the associated sample is flagged with an "H".

Method Blanks

- The concentration levels of all the requested analytes in the method blank were below the reporting detection limits.

Internal Quality Control

- All Internal Quality Control were within acceptance limits.

Kay McCann
 Prepared By

August 16, 1995
 Date

Lockheed Analytical Services

Log-in No.: L5061
Quotation No.: Q400000-B
SAF: B95-053
Document File No.: 0808596
BHI Document File No.: 255
SDG No.: LK5061
Page3

CASE NARRATIVE INORGANIC METALS ANALYSES

The routine calibration and quality control analyses performed for this batch include as applicable: instrument tune (ICP/MS only), initial and continuing calibration verification, initial and continuing calibration blanks, method blank(s), laboratory control sample(s), ICP interference check samples (ICP only), serial dilutions, analytical (post-digestion) spike samples, matrix spike (predigestion) sample(s), duplicate sample(s).

Preparation and Analysis Requirements

All samples were received on August 8, 1995. The samples were logged in as L5061 and were prepared and analyzed in batch 808 bh.

Holding Time Requirements

- All samples were analyzed within the method-specific holding times.

Method Blanks

- The concentration levels of all the requested analytes in the method blank were below the reporting detection limits.

Internal Quality Control

- All Internal Quality Control were within acceptance limits.

Shellee McGrath
Prepared By

August 25, 1995
Date

9613428.2607

LOCKHEED ANALYTICAL SERVICES
LOGIN CHAIN OF CUSTODY REPORT (ln01)
Aug 08 1995, 02:46 pm

= Login Number: L5061
Account: 596 Bechtel Hanford, Inc. * Richland, WA
Project: BECHTEL-HANFORD Bechtel Hanford Project

Laboratory Sample Number	Client Sample Number	Collect Date	Receive Date	Due PR Date
L5061-1 TEMP 2 Location: 157 Water 1 S SCREENING	BOG941	04-AUG-95	08-AUG-95	12-SEP-95
				Hold:31-JAN-96
L5061-2 TEMP 2 Location: 157 Water 1 S 218.2 CHROMIUM	BOG941	04-AUG-95	08-AUG-95	12-SEP-95
				Hold:31-JAN-96
L5061-3 TEMP 2 Location: 157 Water 1 S 7196 CHROMIUM (VI)	BOG941	04-AUG-95	08-AUG-95	12-SEP-95
				Hold:05-AUG-95
L5061-4 TEMP 2 Location: Water 1 S EDD - DISK DEL. Water 1 S INORG TYPE 2 RPT	REPORT TYPE	08-AUG-95	08-AUG-95	12-SEP-95

Signature: Paul J. Davis

Date: 8-08-95 009

C 808596

Westinghouse Hanford Company

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

L5061

Date Turnaround

Priority
 Normal

Collector Doug Bowers	Company Contact Dave Blumenkranz	Telephone No. 372-9658
Project Designation 100 HR-3 Treatability Study	Sampling Location 100 D	SAF No. 895-053
Ice Chest No. ER-5	Field Logbook No.	Method of Shipment Air Freight
Shipped To Lockheed	Offsite Property No. W95-0-0204-43	Bill of Lading/Air Bill No. 2904636847

Possible Sample Hazards/Remarks unknown	Preservative	HN03	none	none	none
	Type of Container	G/P	G/P	P/G	P/G
	No. of Container(s)	1	1	1	1
	Volume	500 ml	500 ml	20 ml	20 ml
Special Handling and/or Storage cool to 4 C	Chrom-ium - Total	Chrom-ium VI	Activ-ity Scan	Rad Screen	
SAMPLE ANALYSIS					

Sample No.	Matrix*	Date Sampled	Time Sampled			
B06941	W	8/4/95	1140	X	X	X

CHAIN OF POSSESSION		Sign/Print Names		SPECIAL INSTRUCTIONS		Matrix*	
Relinquished By <i>[Signature]</i>	Date/Time 8/4/95 1350	Received By K. J. Mapp / K. Tripp	Date/Time 8/4/95	Analysis for Chromium (VI) by SW -846 7196 is being requested for information only. The ERC Contractor acknowledges the 24-hour holding time will not be met.		<ul style="list-style-type: none"> S = Soil SE = Sediment SO = Solid SL = Sludge W = Water O = Oil A = Air DS = Drum Solids DL = Drum Liquids T = Tissue WI = Wipe L = Liquid V = Vegetation X = Other 	
Relinquished By <i>[Signature]</i>	Date/Time 0800	Received By	Date/Time				
Relinquished By <i>[Signature]</i>	Date/Time 8-7-95	Received By	Date/Time				
Relinquished By 0	Date/Time	Received By	Date/Time				

LABORATORY SECTION	Received By <i>[Signature]</i>	Title Sample Custodian	Date/Time 8-8-95 / 1045
FINAL SAMPLE DISPOSITION	Disposal Method	Disposed By	Date/Time

9613428.2608

MAY 01 '95 07:03AM BHT 3 372 9655
9615428.2609

Environmental
Restoration Contractor = **ERC Team**
Interoffice Memorandum

Job No. 22192
Written Response Required:
CCF: N/A
CFI: SUPERJ
TID: N/A
ERAI: N/A
Revision Code: 5485

TO: Dave Blumenkranz H4-90

DATE: April 26, 1995

COPIES: Doug Bowers N3-05

FROM: Mike Wesselman
Radiological Controls
N3-06/376-2084

Post-it® Fax Note	7671	Date	5/1	# of pages	1
To	D. Bowers	From	D. Blumenkranz		
Co./Dept.	ITH/Samp.	Co.	CHI/ERS		
Phone #	376-1007	Phone #	372-9658		
Fax #	376-5991	Fax #			

SUBJECT: EXEMPTION OF SAMPLES FROM 100-HR-3 PUMP AND TREAT FROM TOTAL ACTIVITY ANALYSIS.

After reviewing sampling data recorded on GeoDat as well as data from the latest resin change at the unit, it has been concluded that there is no need to perform total activity analysis of water sample from 100-HR-3 prior to offsite shipment. Water from all wells in the area is well below levels which would deliver 100 millirem per year CEDE to any one drinking two liters a day, no water exceeds the 2000 picocuries per gram limit for shipment as non radioactive by Department of Transportation. Activity trends in all wells have been downward for the last twenty years. Sample from the pump and treat system itself indicate less than six picocuries per gram of tritium and less than ten picocuries per liter of both alpha and beta contamination. All discharges of radioactive material to the ground in the 100-D Area have ceased, the actions of the pump and treat system do not appear to be mobilizing previously deposited materials. Based on the above information and the results of total activities performed to date, there is sufficient process knowledge to conclude that preshipment screening of water samples is no longer required.


Mike Wesselman

maw

Distribution

011

C-80859

SAMPLE CHECK-IN LIST

Date/Time Received: 8-8-95

SDG#: N/A

Work Order Number: N/A

SAF #: R95-053

Shipping Container ID: ER-5

Chain of Custody #: N/A

- 1. Custody Seals on shipping container intact? Yes No
- 2. Custody Seals dated and signed? Yes No
- 3. Sample temperature 2°C
- 4. Vermiculite/packing materials is Wet Dry
- 5. Each sample is in a plastic bag? Yes No
- 6. Sample holding times exceeded? Yes No

7. Samples have:
 tape hazard labels
 custody seals appropriate sample labels

8. Samples are:
 in good condition leaking
 broken have air bubbles

9. Is the information on the COC and Sample bottles in agreement?
 Yes No

Notes: Samples received passed Holding Times.

Sample Custodian/Laboratory: Paul Davis/Lockheed Date: 8-08-95

Telephoned To: Kathleen H. On 8-08-95 By Paul Davis



**Sample Login
Login Review Checklist**

Lot Number L5061

The login review should be conducted by that person logging in the samples as well as a peer. Please use this checklist to ensure that such reviews occur in a uniform basis. Please sign and date below to verify that a login review has occurred. This checklist should be affixed to each login package prior to distribution.

For effective login review, at a minimum, five reports form the login process are required. These are the COC (or equivalent), the login COC report, the sample summary report, the sample receiving checklist, and the login quotation. Before beginning review, ensure that these five components are available. Jobs with single component samples, the sample summary report may be omitted.

SAMPLE SUMMARY REPORT

	<u>YES</u>	<u>NO</u>	<u>N/A</u>	<u>Comment</u>
1. Are all sample ID's correct?	<u>x</u>	—	—	_____
2. Are all samples present?	<u>x</u>	—	—	_____
3. Are all matrices indicated correctly?	<u>x</u>	—	—	_____
4. Are all analyses on the COC logged in for the appropriate samples?	<u>x</u>	—	—	_____
5. Are all analyses logged in for the correct container?	<u>x</u>	—	—	_____
6. Are samples logged in according to LAS batching procedures?	<u>x</u>	—	—	_____

LOGIN CHAIN OF CUSTODY

	<u>YES</u>	<u>NO</u>	<u>N/A</u>	<u>Comment</u>
1. Are the collect, receive, and due dates correct for every sample?	<u>x</u>	—	—	_____
2. Have all appropriate comments been indicated in the comment section?	—	—	<u>x</u>	_____

SAMPLE RECEIVING CHECKLIST

	<u>YES</u>	<u>NO</u>	<u>N/A</u>	<u>Comment</u>
1. Are all discrepancies between the COC and the login noted (if applicable)?	—	—	<u>x</u>	_____

013

Paula J. Jones
primary review signature

8-08-95
date

[Signature]
secondary review signature

8-8-95
date

C. 808596

**Lockheed Analytical Services
Sample Receiving Checklist**

Client Name: *Westing House - Hartford*

Job No. *L5061*

Cooler ID: *n/a*

COOLER CONDITION UPON RECEIPT

Temperature of cooler upon receipt: *20*

temperature of temp. blank upon receipt:

	Yes	No	* Comments/Discrepancies
custody seals intact	<input checked="" type="checkbox"/>		
chain of custody present	<input checked="" type="checkbox"/>		
blue ice (or equiv.) present/frozen	<input checked="" type="checkbox"/>		
rad survey completed	<input checked="" type="checkbox"/>		

SAMPLE CONDITION UPON RECEIPT

	Yes	No	* Comments/Discrepancies
all bottles labeled	<input checked="" type="checkbox"/>		
samples intact	<input checked="" type="checkbox"/>		
proper container used for sample type	<input checked="" type="checkbox"/>		
sample volume sufficient for analysis	<input checked="" type="checkbox"/>		
proper pres. indicated on the COC	<input checked="" type="checkbox"/>		
VOA's contain headspace		<input checked="" type="checkbox"/>	<i>n/a</i>
are samples bi-phasic (if so, indicate sample ID'S):		<input checked="" type="checkbox"/>	<i>n/a</i>

MISCELLANEOUS ITEMS

	Yes	No	* Comments/Discrepancies
samples with short holding times	<input checked="" type="checkbox"/>		<i>At minimum, sample was received out of holding times. Client request analysis even though the sample was passed holding times.</i>
samples to subcontract			

ADDITIONAL COMMENTS/DISCREPANCIES

Completed by / date: *Paulc Davis 8-08-95*

Sent to the client (date/initials): ** Client's signature upon receipt:

Notes: * = contact the appropriate CSR of any discrepancies immediately upon receipt.

** = please review this information and return via facsimile to the appropriate CSR (702) 361-8146

0808591

014

9613428-2612

9613428.2613

Lockheed Analytical Laboratory
SAMPLE SUMMARY REPORT (su02)
Bechtel Hanford, Inc. * Richland, WA

Client Sample Number	LAL Sample Number	SDG Number	Matrix	Method
BOG941	L5061-1 L5061-2 L5061-3		Water Water Water	SCREENING 218.2 CHROMIUM 7196 CHROMIUM (VI)
REPORT TYPE	L5061-4 L5061-4		Water Water	EDD - DISK DEL. INORG TYPE 2 RPT

0808590

Lockheed Analytical Services
DATA QUALIFIERS FOR INORGANIC ANALYSES

[Revised 08/28/92]

For Use on the Analytical Data Reporting Forms	
B	<i>For CLP Analyses Only</i> -- Reported value is less than the contract required detection limit (CRDL) but greater than or equal to the instrument detection limit (IDL).
C	<i>For Routine, Non-CLP Analyses Only</i> -- Any constituent that was also detected in the associated blank whose concentration was greater than the reporting detection limit (RDL).
D	Presence of high levels of interfering constituents required dilution of sample which increased the RDL by the dilution factor.
E	Estimated value due to presence of interference.
H	Sample analysis performed outside of method-or client-specified maximum holding time requirement.
M	<i>For CLP Analyses Only</i> -- Duplicate injection precision criterion was not met.
N	Matrix spike recovery exceeded acceptance limits.
S	Reported value was determined from the method of standard addition.
U	<i>For CLP Reporting Only</i> -- Constituent was analyzed for but not detected (sample quantitation must be corrected for dilution and percent moisture).
W	<i>For AAS Only</i> -- Post-digestion spike for Furnace AAS did not meet acceptance criteria and sample absorbance is less than 50% of spike absorbance.
X, Y, or Z	Analyst-defined qualifier.
*	Relative percent difference (RPD) for duplicate analysis exceeded acceptance limits.
+	Correlation coefficient (r) for the MSA is less than 0.995.
For Use on the QC Data Reporting Forms	
a¹	The spike recovery and/or RPD for matrix spike and matrix spike duplicates cannot be evaluated due to insufficient spiking level compared to the elevated sample analyte concentration.
b¹	The RPD cannot be computed because the sample and/or duplicate concentration was below the RDL.

¹ Used as footnote designations on the QC summary form.

9613428 2615

LOCKHEED ANALYTICAL SERVICES

Sample Results

Client Sample ID: B0G941	Date Collected: 04-AUG-95
Matrix: Water	Date Received: 08-AUG-95
Percent Solids: N/A	

Constituent	Units	Method	Result	Project Reporting Limit	Data Qualifier(s)	Date Analyzed	LAS Batch ID	LAS Sample ID
Chromium, hexavalent	mg/L	7196	0.52	0.10	HD(1:5)	15-AUG-95	26089	L5061-3

9613428.2616

LOCKHEED ANALYTICAL SERVICES

Sample Results

Client Sample ID: B0G941	Date Collected: 04-AUG-95
Matrix: Water	Date Received: 08-AUG-95
Percent Solids: N/A	

Constituent	Units	Method	Result	Project Reporting Limit	Data Qualifier(s)	Date Analyzed	LAS Batch ID	LAS Sample ID
Chromium, Total	mg/L	218.2	0.45	0.20	D(1:20)	14-AUG-95	26115	L5061-2