

JANUARY 8, 2014

WSCF Laboratory

PO Box 650 S3-30
Richland, WA 99352



January 8, 2014

Scot Fitzgerald
CH2M-HILL PRC
PO Box 1600
Richland, WA 99352

Dear Scot Fitzgerald,

FINAL RESULT FOR SAMPLE DELIVERY GROUP WSCF140007

Reference: (1) SOW, Mod 2, #36587, Release 3
(2) MSC-SD-CD-QAPP-017, current version, Waste Sampling & Characterization Facility Quality Assurance Program Plan

This letter contains the following information for sample delivery group WSCF140007

- * Cover Sheet (Attachment 1)
- * Narrative (Attachment 2)
- * Analytical Results (Attachment 3)
- * Sample Receipt Information (Attachment 4)

Very truly yours,

Electronically signed by Joseph Hale

For Lab Manager, Dan T. Smith

WSCF Analytical Lab

(509) 373-4804

Attachments 4

CC: w/Attachments

File/LB

JANUARY 8, 2014

ATTACHMENT 1

COVER SHEET

Consisting of 2 pages
Including cover page

WSCF SAF Number Cross Reference

Group # WSCF140007
Data Deliverable Date 01/21/14

SAF #	Sample ID	Sample #	Matrix	Sampled	Received
F13-051	B2RWB0	140007001	WATER	01/06/14	01/06/14

JANUARY 8, 2014

ATTACHMENT 2

NARRATIVE

Consisting of 3 pages
Including cover page

Introduction

A sample was received at the WSCF laboratory as referenced on the WSCF SAF Number Cross Reference table included in the final report. The sample was analyzed for the analytes indicated on the attached copy of the chain of custody (COC) form in accordance with the *Statement of Work (SOW), to Contract 39818, Revision 4, "WSCF ANALYTICAL SERVICES FOR GROUNDWATER."*

The narrative (Attachment 2) will address sample characteristics, analyses requested and general information in performance of the analytical methods. A Data Summary Report (Attachment 3) includes analytical results, a comment report detailing method abnormalities, tentatively identified peaks if applicable, method references, and Laboratory QC information as applicable. Copies of the chain of custody and sample receipt documentation are included as Attachment 4.

It should be noted that the attached chain of custody was not stamped "ICED" by the WSCF Laboratory Sample Custodian during sample receiving. However, based on procedure LO-090-403 form "NOTICE OF IMPROPER SAMPLE SUBMITTAL" was not submitted and was not stamped "NOT ICED". No anomaly was noted during sample receipt.

The following generic data qualifiers (i.e., B, C, D, J and U) may be applicable to this report, as appropriate.

- **B** – Sample results with a concentration greater than the MDL but less than the PQL are B flagged (applies to inorganic and wet chemical analyses), as appropriate.
- **C** – Analyte was detected in the blank and was evaluated. Affected sample results in the batch were C flagged (applies to inorganic and wet chemical analyses).
- **D** – Sample results are D flagged if dilution(s) were required, as appropriate.
- **J** – Sample results with a concentration greater than the MDL but less than the PQL are J flagged (applies to organic analyses), as appropriate.
- **B (organic analyses)** – Analyte was detected in the blank and was evaluated. Affected sample results in the batch were B flagged.
- **U** – Analyzed for but not detected above limiting criteria. Relative Percent Difference (RPD) values associated with an analyte qualified with a "U" are not applicable.
- **o** – LCS recovery outside established laboratory acceptance limits.

Analytical Methodology for Requested Analyses

Refer to *WSCF Method References Report* for a complete listing of approved analytical methods.

Inorganic Comments

Attachment 2
Narrative
WSCF140007

Hexavalent Chromium – The hold time requirement for this analysis was met. A Duplicate, Matrix Spike, Blank and Laboratory Control Sample were analyzed with this delivery group.
Analytical Note(s):

- All applicable QC controls are within the established limits.

We certify that this data package is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this data package has been authorized by the Analytical Laboratory Manager (or designee) and the Client Services representative as verified by electronic signatures shown on the WSCF ANALYTICAL RESULTS REPORT.

JANUARY 8, 2014

ATTACHMENT 3

ANALYTICAL RESULTS

Consisting of 6 pages
Including cover page

JANUARY 8, 2014

WSCF ANALYTICAL RESULTS REPORT

For

CH2M Hill Plateau Remediation

PO Box 1600
Richland, WA 99352

Attention: Scot Fitzgerald

Contract # MOA-FH-CHPRC-2008
Group # WSCF140007
Report Date January 8, 2014

Analytical: Electronically signed by Joseph Hale

Client Services: Electronically signed by Bruce Buchanan

Solid samples results that have a 'Percent Solid' test are reported on a "dry weight basis", except results of TCLP, Percent Solid, and Total Activity. If no 'Percent Solid' test is reported then the results are reported on an "as received" basis.

This information is intended for the use of the addressee only. If the reader of this report is not the intended recipient or is not authorized by the recipient to receive the report, you are hereby notified that any dissemination, distribution or copying of this report is strictly prohibited. If you have received this report in error, please notify WSCF Laboratory immediately by telephone at (509) 373-7005. Information designation of this report is the responsibility of the customer.

Batch QC List

Attention Scot Fitzgerald
 Department Inorganic

Group # WSCF140007

QC Batch	Analytical Batch	S#	Type	Sample #	Client Sample#	Original	Test
226016	226016	1	BLANK	103526	BLANK		Hexavalent chromium Discrete Analyzer
226016	226016	3	LCS	103528	LCS		Hexavalent chromium Discrete Analyzer
226016	226016	4	DUP	103529	B2V0R2(140012008DUP)	140012008	Hexavalent chromium Discrete Analyzer
226016	226016	5	MS	103530	B2V0R2(140012008MS)	140012008	Hexavalent chromium Discrete Analyzer
226016	226016	7	SAMPLE	140007001	B2RWB0		Hexavalent chromium Discrete Analyzer

Method Reference

Attention Scot Fitzgerald
Department Inorganic

Group # WSCF140007

The results provided in this report were generated using the following WSCF Laboratory procedures. For your convenience, this table provides a listing of the regulatory, industry methods or HEIS methods that are referenced by each of these WSCF procedures. Please note that the most recent version of the regulatory or industry method is listed here even though WSCF procedure may reference an older version of the method. Also, a reference to a regulatory or industry method here does not necessarily indicate a verbatim implementation of that method.

LA-265-403	Hexavalent Chromium Analysis		
	EPA SW-846	7196A	Hexavalent Chromium
	HEIS	7196_CR6	Hexavalent Chromium

Note: A complete list of WSCF analytical procedures and reference regulatory or industry methods is available online at <http://www7.rl.gov/rapidweb/AS-DOL/index.cfm>

Attention Scot Fitzgerald
 Department Inorganic

Group # WSCF140007

Sample # 140007001
 SAF# F13-051
 Sample ID B2RWB0

Matrix WATER
 Sampled 01/06/14
 Received 01/06/14

Test Performed	CAS #	Method	RQ	Result	TP Err	Units	DF	MDL	PQL	Analyzed
										01/06/14
Hexavalent chromium Discrete Analyzer										
Hexavalent chromium	18540-29-9	LA-265-403		0.0302		mg/L	1	0.0020	0.0050	01/06/14

MDL = Minimum Detection Limit
 RQ = Result Qualifier
 TP Err = Total Propagated Error
 DF = Dilution Factor
 + - Indicates more than nine qualifier

B - Analyte < the PQL(or EQL)but >= the IDL/MDL(Inorganic)
 C - Analyte was found in the Associated Blank. (Inorganic)
 D - Analyte was reported at a secondary dilution factor.
 E - Analyte is an estimate, see comment section.
 N - MS and/or MSD recovery outside control limits.

U - Analyzed for but not detected above limiting criteria.
 X,Y or Z - See comment detail and/or narrative.
 PQL is equivalent to Estimated Quantitation Limit (EQL)
 o - LCS recovery outside established laboratory acceptance limits.
 o - LCS recovery outside established laboratory acceptance limits.

Quality Control Report

Attention Scot Fitzgerald
Department Inorganic

Group # WSCF140007

Analytical Batch 226016 (QC Batch: 226016) **Test** Hexavalent chromium Discrete Analyzer
Associated Samples 140007001

Analyte	CAS #	Original Found	QC Found	Units	% Recov	Limits	RPD	RPD Limit	RQ	Analyzed
BLANK										
			QC Sample #103526							
Hexavalent chromium LCS	18540-29-9	<0.0020		mg/L					U	01/06/14
			QC Sample #103528							
Hexavalent chromium DUP	18540-29-9	0.0520		mg/L	104	90 - 110				01/06/14
			QC Sample #103529							
			Original 140012008							
Hexavalent chromium MS	18540-29-9	<0.0020		mg/L			28.60	20	* U	01/06/14
			QC Sample #103530							
			Original 140012008							
Hexavalent chromium	18540-29-9	0.0420		mg/L	105	85 - 115				01/06/14

* - QC result out of range

n/a - Not Applicable

ATTACHMENT4

SAMPLE RECEIPT

Consisting of 3 pages
Including cover page

Waste Sampling and Characterization Facility
P.O. Box 650 S3-30, Richland WA 99352
Phone: (509) 373-7005/FAX: (509) 372-0456

ACKNOWLEDGEMENT OF SAMPLES RECEIVED

WSCF Laboratory

PO Box 650 S3-30
Richland, WA 99352

ATTN: Scot Fitzgerald

Customer Code: CHPRC
CA CN: 404401
Work Order #: 140007
Customer Work ID: F13-051-201
Due Date: 01/21/2014

The following samples were received from you on 1/6/2014 12:15:00 PM. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact WSCF Client Services. Thank you for using Waste Sampling and Characterization Facility.

Sample #	Sample ID	Matrix	Collected	Received
140007001	B2RWB0	WATER	1/6/2014 10:41	1/6/2014 12:15
Procedure	Compound List			
Hexavalent chromium Discrete Analyzer	C r6			

Chain of Custody

C123Hill Plateau Remediation Company		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST		F13-051-201	PAGE 1 OF 1
COLLECTOR <i>Kyle Reed</i>	COMPANY CONTACT TODAK, D	TELEPHONE NO. 376-6427	PROJECT COORDINATOR TODAK, D	PRICE CODE 1A	DATA TURNAROUND 24 Hours / 15 Days
SAMPLING LOCATION CG731, 1-010	PROJECT DESIGNATION Sampling and Analysis of New Wells in 100-BC Area - Water	FIELD LOGBOOK NO. LINE-N-507.25/5-2	SAF NO. F13-051	AIR QUALITY <input type="checkbox"/>	METHOD OF SHIPMENT GOVERNMENT VEHICLE
ICE CHEST NO.	ACTUAL SAMPLE DEPTH 179.3	COA 30323RES10	BILL OF LADING/AIR BILL NO. N/A	ORIGINAL	
Waste Sampling & Characterization					

MATRIX*	POSSIBLE SAMPLE HAZARDS/ REMARKS	PRESERVATION	HOLDING TIME	TYPE OF CONTAINER	NO. OF CONTAINER(S)	VOLUME	SAMPLE ANALYSIS
A-Air L-Liquids OS-Drum S-Solids L-Liquid O-Oil S-Sol SE-Sediment T-Tissue V-Vegetation W-Water WI-Wipe A-Other	**Contains Radioactive Material at concentrations that may or may not be regulated for transportation per 49 CFR/ATA Dangerous Goods Regulations but are not releasable per DOT Order 450.1.**	24 Hours	30	1	500ML	7196, CAS: COMMON	
SAMPLE NO.	140007	SAMPLE DATE	1-6-14	SAMPLE TIME	1041		
R/R/W/R/D	WATER						

FILTER

CHAIN OF POSSESSION		SIGN/ PRINT NAMES		SPECIAL INSTRUCTIONS	
RELINQUISHED BY/REMOVED FROM <i>Ed Kavaz</i>	DATE/TIME 1-6-14	RECEIVED BY/STORED IN <i>Ed Kavaz</i>	DATE/TIME 1-6-14	** The CACN for WSCF Analytical is 4044C1. □ ** The 100 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF. TRVL-13-105	
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME	<p>FILTER</p> <p>TRVL-13-105</p>	
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
LABORATORY SECTION	RECEIVED BY	TITLE		DATE/TIME	
FINAL SAMPLE DISPOSITION	DISPOSAL METHOD	DISPOSED BY		DATE/TIME	