




STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

Mail Stop PV-11 • Olympia, Washington 98504-8711 • (206) 459-6000

December 2, 1992

Mr. J. Bauer
Department of Energy
P.O. Box 550
Richland, WA 99352



Dear Mr. Bauer:

Re: Solid Waste Landfill, Request for Waiver, M-20-07

As your contractors requested at our meeting on November 24, 1992, we have considered your request to waive the requirement for a full time certified landfill operator at the Solid Waste Landfill.

Given that you exercise control over solid wastes both at the source and at the disposal site, we agree to waive the requirement for a full time certified landfill operator provided that:

The certified operator you propose from your management staff must visit the site at least three times each week; must visit at random times during the day; must spend at least one hour on the site; land must have his visits logged (time of arrival and departure) in the site records.


If you have any questions about this letter, please call me at (206) 438-7558.

Sincerely,

Gary Anderson
Gary Anderson, P.E.
Environmental Engineer 3
Nuclear and Mixed Waste Management

GA:lj

cc: ~~_____~~
Dan Duncan, EPA
June Hennig, DOE
Robert Hiegel, DOE
Rick Oldham, WHC
Julie Ring, WHC



CORRESPONDENCE DISTRIBUTION COVERSHEET

Author	Addressee	Correspondence No.
G. Anderson, Ecology	J. Bauer, RL	Incoming: 9208756
Subject: SOLID WASTE LANDFILL, REQUEST FOR WAIVER, M-20-07		

INTERNAL DISTRIBUTION

Approval	Date	Name	Location	w/att
		Correspondence Control	A3-01	
		President's Office		
		B. A. Austin		
		R. J. Bliss		
		S. L. Bradley		
		R. C. Brunke	H6-23	
		J. G. Burk		
		G. D. Carpenter	H6-20	
		C. K. DiSibio	B3-15	
		B. P. Dole	A2-50	
		G. D. Forehand	B2-35	
		C. J. Geier	H6-21	
		W. H. Hamilton, Assignee		
		H. D. Harmon		
		J. O. Honeyman		
		K. R. Jordan		
		M. K. Korenko		
		J. R. Knight		
		R. E. Lerch		
		P. J. Mackey	B3-15	
		H. E. McGuire, Level 1		
		R. W. Oldham	H6-25	
		S. M. Price	H6-23	
		J. M. Ring	H6-25	
		R. G. Slocum		
		E. P. Vodney		
		TPA File (M-20-07)	B2-35	
		EDMC	H4-22	

