

START

XXXXXX
XXXXXX
XXXXXX

0036398

Incoming:9400879



AIR 94-208

STATE OF WASHINGTON
DEPARTMENT OF HEALTH

Airustrial Center, Bldg. 5 • Mail Stop ~~XXXX~~ • Olympia, Washington 98504

February 16, 1994

Mr. James D. Bauer, Acting Program Manager
Office of Environmental Assurance
Permits, and Policy
Department of Energy
Richland Field Office
P. O. Box 550 MSIN A5-15
Richland, Washington 99352



Dear Mr. Bauer:

I have reviewed the Notice of Intent, and other documents for the proposed double-shell tank farms in the 200 Areas, and have noted that construction is tentatively scheduled for October 1994. A key element leading to the commencement of construction is the radioactive air emissions permitting process. The purpose of this letter is to offer some recommendations so this process can proceed smoothly.

These tanks represent a significant potential-to-emit, and therefore requires, a full Best Available Radionuclide Control Technology (BARCT) Analysis. The preparation and review of the BARCT report and Notice of Construction takes time. Our abatement technology requirements could affect the design of the facilities. I therefore recommend, that the permitting process begin as soon as possible, and that you involve the Department of Health in the design phase of this project. This approval will expedite the NOC approval process.

I fully support your efforts to meet agreed upon milestones, and will do my best to help move the project along on schedule.

Sincerely,

Allen W. Conklin, Head
Air Emissions and Defense Waste Section
Division of Radiation Protection

RECEIVED

AWC/jr

FEB 22 1994
I94-RPS-243
DOF-RL/CCC

CORRESPONDENCE DISTRIBUTION COVERSHEET

Author: A. W. Conklin, DOH
(C. E. Sowa, WHC)

Addressee: J. D. Bauer, RL

Correspondence No.: Incoming:9400879

Subject: STATE OF WASHINGTON DEPARTMENT OF HEALTH CONCERNS: PROJECT W-236A,
MULTIFUNCTION WASTE TANK FACILITY

INTERNAL DISTRIBUTION

Approval	Date	Name	Location	w/att
		Correspondence Control	A3-01	
		J. A. Bates	H6-22	
		W. D. Dixon, Assignee	H6-21	
		R. L. Fritz	B4-08	
		J. M. Light	B4-08	
		J. J. Luke	H6-25	
		H. E. McGuire, Level 1	B3-63	
		C. E. Sowa	H6-25	
		EPIC	H6-08	
		CES/File/LB	H6-25	