




1239609
[0075708H]

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

3100 Port of Benton Blvd • Richland, WA 99354 • (509) 372-7950
711 for Washington Relay Service • Persons with a speech disability can call 877-833-6341

July 27, 2016

16-NWP-130



Mr. Ray Corey
Richland Operations Office
United States Department of Energy
PO Box 550, MSIN: A5-11
Richland, Washington 99352

Re: 200-SW-2 Radioactive Landfills Group Operable Unit RCRA Facility
Investigation/Corrective Measures Study/Remedial Investigation/Feasibility Study
Work Plan, DOE/RL-2004-60, Revision 1

Reference: Letter 16-NWP-116, dated June 30, 2016, from P.E. Eberlein, Ecology, to R.J.
Corey, USDOE-RL, "200-SW-2 Radioactive Landfills Group Operable Unit RCRA
Facility Investigation/ Corrective Measures Study/Remedial Investigation/
Feasibility Study Work Plan, DOE/RL-2004-60, Revision 1" 1239247

Dear Mr. Corey:

On June 30, 2016, the Department of Ecology (Ecology) notified the U.S. Department of Energy-Richland Operations Office (USDOE-RL) about two preferred changes to the submitted *200-SW-2 Radioactive Landfills Group Operable Unit RCRA Facility Investigation/ Corrective Measures Study/Remedial Investigation/ Feasibility Study Work Plan*, DOE/RL-2004-60, Revision 1 (Work Plan).

Agreement has been reached at the Project Manager level between Ecology and USDOE-RL on the issue of how to calculate the Exposure Point Concentration (EPC). The following language was agreed to replace the language in the Work Plan:

EPA's ProUCL, version 5.1 or later, shall be used to calculate EPCs. The highest "suggested UCL to use" provided in the ProUCL output file shall be used as the EPC unless the software provides a warning indicating that the "recommended UCL exceeds maximum observation". When this warning is provided, or when ProUCL cannot calculate a UCL value or does not provide a "suggested UCL to use", the maximum observed concentration will be used as the EPC.

The second issue on the Point of Compliance is still unresolved, and the discussions to resolve this issue are continuing.




Mr. Ray Corey
July 27, 2016
Page 2 of 2

16-NWP-130

If there are any questions, you may contact me at elis.eberlein@ecy.wa.gov or (509) 372-7906.

Sincerely,



P Elis Eberlein
Acting Project Manager
Waste Management Section
Nuclear Waste Program

cc electronic:

- Craig Cameron, EPA
- Dennis Faulk, EPA
- Michael Cline, USDOE-RL
- Jim Hansen, USDOE-RL
- Doug Hildebrand, USDOE-RL
- Jane Borghese, CHPRC
- Roberta Day, CHPRC
- Marty Doornbos, CHPRC
- Carolyn Noonan, MSA
- Robert Piippo, MSA
- Michael Turner, MSA
- Ken Niles, ODOE
- Dib Goswami, Ecology
- Nina Menard, Ecology
- John Price, Ecology
- Ron Skinnarland, Ecology
- Alex Smith, Ecology

- Kim Welsch, Ecology
- Cheryl Whalen, Ecology
- Ken Niles, ODOE
- CHPRC Correspondence Control
- Environmental Portal
- Hanford Facility Operating Record
- Record
- MSA Correspondence Control
- USDOE-RL Correspondence Control

cc:

- Rod Skeen, CTUIR
- Gabriel Bohnee, NPT
- Rex Buck, Wanapum
- Russell Jim, YN
- Steve Hudson, HAB
- Administrative Record: 200-SW-2
- NWP Central File
- NWP Reader File