


1243156
(0072150H)

Enclosure 2

Change Number C-17-01	Federal Facility Agreement and Consent Order Change Control Form <small>Do not use blue ink. Type or print using black ink.</small>	Date February 10, 2017
Originator R. J. Corey	Phone (509) 376-0108	
Class of Change [] I - Signatories [X] II - Executive Manager [] III - Project Manager		
Change Title 200-CP-1 Operable Unit Waste Site Assignment and Reassignment in Appendix C		
Description/Justification of Change This change control form is specific to the 200-CP-1 Operable Unit (OU) and the 200-EA-1 OU. It assigns and reassigns waste sites that are to be addressed by the 200-CP-1 OU, due to proximity to PUREX facilities. These changes were discussed during the 200-EA-1 OU scoping workshops conducted on January 19, 2017, and February 6, 2017. A note is applied to each waste site to provide additional site-specific description. These comment bubbles are for information only and will not be added to Appendix C. The justification for assigning or reassigning waste sites is to facilitate the decision-making processes within an OU. Changes to Appendix C for the applicable OUs are shown as double underline for added text and strikethrough for deleted text.		
Impact of Change This change assigns and reassigns additional waste sites to the 200-CP-1 OU.		
Affected Documents The Hanford Federal Facility Agreement and Consent Order, as amended, and Hanford Site internal planning, management, and budget documents (e.g., DOE and DOE contractor baseline change control documents; multi-year work plan; site-wide systems engineering control documents, and project management plans).		
Approvals R. Corey  <u>2/23/17</u> <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Disapproved DOE-RL Date NA <input type="checkbox"/> Approved <input type="checkbox"/> Disapproved EPA Date A.K. Smith  <u>3/13/17</u> <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Disapproved Ecology Date		Page 1 of 2

Appendix C

Listing by Operable Unit. (Sheet x of xx)

OPERABLE UNIT Waste Unit Name	LEAD REGULATORY AGENCY Waste Unit Aliases	Unit Type	Status
200-CP-1	Ecology	CPP	
<u>200-E-44</u>	<u>200-E-44, PUREX Railroad Cut</u>	<u>Unplanned Release</u>	
<u>200-E-68</u>	<u>200-E-68, 291A Control House Steam Condensate,</u> <u>Miscellaneous Stream #59, Injection Well (L)</u>	<u>Injection/Reverse Well</u>	
200-EA-1	Ecology	R-CPP	
200-E-68	200-E-68, 291A Control House Steam Condensate, Miscellaneous Stream #59, Injection Well (L)	Injection/Reverse Well	

Enclosure 4

200-CP-1

- 200-E-44: Previously unassigned waste site located adjacent to PUREX.
- 200-E-68: Moving from 200-EA-1 to 200-CP-1 due to proximity to 291A.

200-EA-1

- 200-E-68: Moving from 200-EA-1 to 200-CP-1 due to proximity to 291A.

Explanation Reference Only

Appendix C

Listing by Operable Unit. (Sheet x of xx)

OPERABLE UNIT Waste Unit Name	LEAD REGULATORY AGENCY Waste Unit Aliases	Unit Type	Status
200-CP-1	Ecology	CPP	
200-E-44	200-E-44, PUREX Railroad Cut	Unplanned Release	
200-E-68	200-E-68, 291A Control House Steam Condensate, Miscellaneous Stream #59, Injection Well (L)	Injection/Reverse Well	
200-EA-1	Ecology	R-CPP	
200-E-68	200-E-68, 291A Control House Steam Condensate, Miscellaneous Stream #59, Injection Well (L)	Injection/Reverse Well	

Commented [Notes1]: Previously unassigned waste site located adjacent to PUREX.

Commented [Notes2]: Moving from 200-EA-1 to 200-CP-1 due to proximity to 291A.

Commented [Notes3]: Moving from 200-EA-1 to 200-CP-1 due to proximity to 291A.

Explanation Reference Only