

March 31, 2016

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Richland
2800 George Washington Way
Richland, WA 99352
Tel: (509)375-3131

TestAmerica Job ID: 300-2556-1
TestAmerica Sample Delivery Group: WC0909
Client Project/Site: S16-003

For:
CH2M Hill Plateau Remediation Company
PO BOX 1600
Mail Stop R3-50
Richland, Washington 99352

Attn: CPP Sample Management



Authorized for release by:
3/31/2016 4:07:00 PM
Steven Campbell, Quality Assurance Assistant
steven.campbell@testamericainc.com

Designee for
Whitney Ritari, Project Manager I
(509)375-3131 ext164
whitney.ritari@testamericainc.com

I certify that this Certificate of Analysis is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed in this package. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager, or a designee as verified by the attached signature.

The laboratory is accredited to EPA 7196A in Solid and Chemical Materials, per Washington State Department of Ecology this is approved for non-discharge water samples. The sample/ sample duplicate RPD agreement is not applicable if one or both results are elss than five times the MDL.



LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Chain of Custody	6
Detection Summary	10
Client Sample Results	11
QC Sample Results	12
QC Association Summary	14
Lab Chronicle	15
Method Summary	17
Sample Summary	18
Receipt Checklists	19

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
D	The reported value is from a dilution.
U	Analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)



Client: CH2M Hill Plateau Remediation Company
Project/Site: S16-003

TestAmerica Job ID: 300-2556-1
SDG: WC0909

Job ID: 300-2556-1

Laboratory: TestAmerica Richland

Narrative

**Job Narrative
300-2556-1**

Comments

No additional comments.

Receipt

The samples were received on 3/13/2016 2:40 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 10.9° C.

HPLC/IC

Method 300.0: Manual integration was performed on the following sample for Sulfate: B34DR4 (300-2556-1). Reanalysis of the following samples was performed outside of the analytical holding time due to failure of quality control parameters in the initial analysis for Nitrate as N and Nitrite as N :B34DR4 (300-2556-1), B34DR7 (300-2556-2), B34DK0 (300-2556-3), and B34FM6 (300-2556-4). For more information refer to SIR attached to report.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.





SAMPLE ISSUE RESOLUTION	SIR NUM	SIR16-295
	REV NUM	0
	DATE INITIATED	3/31/2016

SAMPLE EVENT INFORMATION

SAF NUM(S) S16-003
OPERABLE UNIT(S)
PROJECT(S) SURV16
SAMPLE EVENT TITLE(S) SURV16
LABORATORY TestAmerica Incorporated, Richland

SAMPLING INFORMATION

NUMBER OF SAMPLES 4
SAMPLE NUMBERS B34DK0, B34DR4, B34DR7, B34FM6
SAMPLE MATRIX WATER
COLLECTION DATE 3/13/2016 - 3/13/2016
SDG NUM WC0909

ISSUE BACKGROUND

CLASS Laboratory Issue
TYPE Analysis Holding Time Exceeded

DESCRIPTION The following samples were performed outside of the analytical holding time due to failure of quality control parameters in the initial analysis for Nitrate as N and Nitrite as N: B34DR4, B34DR7, B34DK0, B34FM6.

DISPOSITION

DESCRIPTION Initiate SIR, report results and include hold time comment in the case narrative

JUSTIFICATION Final Disposition: Accept proposed resolution.

SUBMITTED BY: Steven Cambell DATE: 03/31/2016
ACCEPTED BY: Scot Fitzgerald DATE: 03/31/2016

CH2MHill Plateau Remediation Company

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. #
S16-003-165
Page 1 of 1

Collector	D.L. Floyd/CHFRG	Contact/Requester	Karen Waters-Husted	Telephone No.	509-376-4650
SAF No.	S16-003	Sampling Origin	Hanford Site	Purchase Order/Charge Code	300071
Project Title	SURV, MARCH 2016	Logbook No.	HNF-N-506 82153	Ice Chest No.	N/A
Shipped To (Lab)	TestAmerica Incorporated, Richland	Method of Shipment	GOVERNMENT VEHICLE	Bill of Lading/Air Bill No.	N/A
Protocol	SURV	Priority:	30 Days	Offsite Property No.	N/A
POSSIBLE SAMPLE HAZARDS/REMARKS			SPECIAL INSTRUCTIONS		
*** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1			N/A		
Sample No.	B34DR4	Filter	*	Date	MAR 13 2016
		Time		No/Type Container	1x500-mL P
				Sample Analysis	300.0_ANIONS_IC: COMMON
				Holding Time	48 Hours
				Preservative	Cool <=6C

#2556
WGC0909

March 31, 2016



300-2556 CO.

Relinquished By	D.L. Floyd/CHFRG	Print	Sign	Date/Time	MAR 13 2016 1040	Received By	L.D. Wall/CHFRG	Print	Sign	Date/Time	MAR 13 2016 1040
Relinquished By	L.D. Wall/CHFRG	Print	Sign	Date/Time	MAR 13 2016 1446	Received By	L. Anderson, TRM	Print	Sign	Date/Time	MAR 13 2016 1440
Relinquished By		Print	Sign	Date/Time		Received By		Print	Sign	Date/Time	
FINAL SAMPLE DISPOSITION						Disposal Method (e.g., Return to customer, per lab procedure, used in process)					
Disposal Method (e.g., Return to customer, per lab procedure, used in process)						Disposed By					

S	= Soil	DS	= Drum Solids
SE	= Sediment	DL	= Drum Liquids
SO	= Solid	T	= Tissue
SL	= Sludge	WT	= Wipe
W	= Water	L	= Liquid
O	= Oil	V	= Vegetation
A	= Air	X	= Other

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. #
S16-003-167
Page 1 of 1

Collector	D.L. Floyd/CHPRC		Contact/Requester	Karen Waters-Husted		Telephone No.	509-376-4650	
SAF No.	S16-003		Sampling Origin	Hanford Site		Purchase Order/Charge Code	300071	
Project Title	SURV, MARCH 2016		Logbook No.	HNF-N-506 82/53		Ice Chest No.	N/A	
Shipped To (Lab)	TestAmerica Incorporated, Richland		Method of Shipment	GOVERNMENT VEHICLE		Bill of Lading/Air Bill No.	N/A	
Protocol	SURV		Priority:	30 Days		Offsite Property No.	N/A	
POSSIBLE SAMPLE HAZARDS/REMARKS			SPECIAL INSTRUCTIONS			Hold Time		
*** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1			PRIORITY			Total Activity Exemption: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Sample No.	Filter	*	Date	Time	No./Type Container	Sample Analysis	Holding Time	Preservative
B34DR7	N	W	MAR 13 2016	1001	1x500-mL P	300.0_ANIONS_IC: COMMON	48 Hours	Cool <=6C

#2556
WFC0909

March 31, 2016

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time	Matrix *
D.L. Floyd/CHPRC			MAR 13 2016 1040	L.D. Wall CHPRC			MAR 13 2016 1040	S = Soil SE = Sediment SO = Solid SL = Sludge W = Water O = Oil A = Air
Relinquished By			MAR 13 2016 1445	L. Anderson, TRI			MAR 13 2016 1445	DS = Drum Solids DL = Drum Liquids T = Tissue W1 = Wipe L = Liquid V = Vegetation X = Other
Relinquished By				Received By				
FINAL SAMPLE DISPOSITION			Disposal Method (e.g., Return to customer, per lab procedure, used in process)			Date/Time		



CH2M Hill Plateau Remediation Company

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. #
S16-003-258
Page 1 of 1

Collector	JR Aguilera/CHPRC	Contact/Requester	Karen Waters-Husted	Telephone No.	509-376-4650
SAF No.	S16-003	Sampling Origin	Hanford Site	Purchase Order/Charge Code	300071
Project Title	SURY, MARCH 2016	Logbook No.	HNF-N-506 <u>81 / 91</u>	Ice Chest No.	N/A
Shipped To (Lab)	TestAmerica Incorporated, Richland	Method of Shipment	GOVERNMENT VEHICLE	Bill of Lading/Air Bill No.	N/A
Protocol	SURY	Priority:	30 Days	Offsite Property No.	N/A
POSSIBLE SAMPLE HAZARDS/REMARKS		SPECIAL INSTRUCTIONS		Total Activity Exemption: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
*** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1		N/A			

Sample No.	Filter	*	Date	Time	No./Type Container	Sample Analysis	Holding Time	Preservative
B34DKO	N	W	3-13-16	1010	1x500-ml P	300.0_ANIONS_IC: COMMON	48 Hours	Cool <=6C

#2556
W5C0909

March 31, 2016

Relinquished By	JR Aguilera/CHPRC	Print	Sign	Date/Time	MAR 13 2016 1115	Received By	L.D. Wall	Print	Sign	Date/Time	MAR 13 2016 1115	Matrix *
Relinquished By	L.D. Wall	Print	Sign	Date/Time	MAR 13 2016 1440	Received By	L Anderson, TRL	Print	Sign	Date/Time	MAR 13 2016 1440	S = Soil SE = Sediment SO = Solid SL = Sludge W = Water O = Oil A = Air DS = Drum Solids DL = Drum Liquids T = Tissue WT = Wipe L = Liquid V = Vegetation X = Other
Relinquished By				Date/Time		Received By				Date/Time		

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time
---------------------------------	--	-------------	-----------



CH2MHill Plateau Remediation Company

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. #
S16-003-296
Page 1 of 1

Collector	J.R. Aguilar/CHPRC	Contact/Requester	Karen Waters-Husted	Telephone No.	509-376-4650
SAF No.	S16-003	Sampling Origin	Hanford Site	Purchase Order/Charge Code	300071
Project Title	SURY, MARCH 2016	Logbook No.	HNF-N-506 8 / 9 /	Ice Chest No.	N/A
Shipped To (Lab)	TestAmerica Incorporated, Richland	Method of Shipment	GOVERNMENT VEHICLE	Bill of Lading/Air Bill No.	N/A
Protocol	SURV	Priority:	30 Days	Offsite Property No.	N/A
POSSIBLE SAMPLE HAZARDS/REMARKS			PRIORITY	SPECIAL INSTRUCTIONS	
*** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1				Hold Time	
				Total Activity Exemption: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
Sample No.	Filter	*	Date	Time	No./Type Container
B34FM6	N	W	3-13-16	1049	1x500-ml P
			Sample Analysis		300.0_ANIONS_IC: COMMON
			Holding Time		48 Hours
			Preservative		Cool <=6C

#2556
W60909

March 31, 2016

Relinquished By	J.R. Aguilar/CHPRC	Print	Sign	Date/Time	MAR 13 2016	1115	Received By	L.D. Wall/CHPRC	Print	Sign	Date/Time	MAR 13 2016	1115	Matrix *	
Relinquished By	E.D. Wall/CHPRC	Print	Sign	Date/Time	MAR 13 2016	1440	Received By	L. Anderson, TRI	Print	Sign	Date/Time	MAR 13 2016	1440	S = Soil	
Relinquished By		Print	Sign	Date/Time			Received By		Print	Sign	Date/Time		SE = Sediment		
Relinquished By		Print	Sign	Date/Time			Received By		Print	Sign	Date/Time		SO = Solid		
Relinquished By		Print	Sign	Date/Time			Received By		Print	Sign	Date/Time		SL = Sludge		
Relinquished By		Print	Sign	Date/Time			Received By		Print	Sign	Date/Time		W = Water		
Relinquished By		Print	Sign	Date/Time			Received By		Print	Sign	Date/Time		O = Oil		
Relinquished By		Print	Sign	Date/Time			Received By		Print	Sign	Date/Time		A = Air		
Relinquished By		Print	Sign	Date/Time			Received By		Print	Sign	Date/Time		DS = Drum Solids		
Relinquished By		Print	Sign	Date/Time			Received By		Print	Sign	Date/Time		DL = Drum Liquids		
Relinquished By		Print	Sign	Date/Time			Received By		Print	Sign	Date/Time		T = Tissue		
Relinquished By		Print	Sign	Date/Time			Received By		Print	Sign	Date/Time		WI = Wipe		
Relinquished By		Print	Sign	Date/Time			Received By		Print	Sign	Date/Time		L = Liquid		
Relinquished By		Print	Sign	Date/Time			Received By		Print	Sign	Date/Time		V = Vegetation		
Relinquished By		Print	Sign	Date/Time			Received By		Print	Sign	Date/Time		X = Other		
FINAL SAMPLE DISPOSITION													Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

March 31, 2016
Detection Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: S16-003

TestAmerica Job ID: 300-2556-1
SDG: WC0909

Client Sample ID: B34DR4

Lab Sample ID: 300-2556-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	18	D	0.40	0.20	mg/L	2		300.0	Total/NA
Nitrate as N	20	D	0.28	0.14	mg/L	10		300.0	Total/NA
Fluoride	0.52	D	0.10	0.050	mg/L	2		300.0	Total/NA
Sulfate	88	D	0.50	0.25	mg/L	2		300.0	Total/NA

Client Sample ID: B34DR7

Lab Sample ID: 300-2556-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	8.4	D	0.40	0.20	mg/L	2		300.0	Total/NA
Nitrate as N	0.24	D	0.056	0.028	mg/L	2		300.0	Total/NA
Fluoride	0.59	D	0.10	0.050	mg/L	2		300.0	Total/NA
Sulfate	14	D	0.50	0.25	mg/L	2		300.0	Total/NA

Client Sample ID: B34DK0

Lab Sample ID: 300-2556-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	24	D	0.40	0.20	mg/L	2		300.0	Total/NA
Nitrate as N	81	D	1.4	0.70	mg/L	50		300.0	Total/NA
Fluoride	0.53	D	0.10	0.050	mg/L	2		300.0	Total/NA
Sulfate	130	D	13	6.3	mg/L	50		300.0	Total/NA

Client Sample ID: B34FM6

Lab Sample ID: 300-2556-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	31	D	0.40	0.20	mg/L	2		300.0	Total/NA
Nitrate as N	260	D	1.4	0.70	mg/L	50		300.0	Total/NA
Fluoride	0.41	D	0.10	0.050	mg/L	2		300.0	Total/NA
Sulfate	170	D	13	6.3	mg/L	50		300.0	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Richland

March 31, 2016
Client Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: S16-003

TestAmerica Job ID: 300-2556-1
SDG: WC0909

Client Sample ID: B34DR4
Date Collected: 03/13/16 07:40
Date Received: 03/13/16 14:40

Lab Sample ID: 300-2556-1
Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	18	D	0.40	0.20	mg/L			03/15/16 14:12	2
Nitrate as N	20	D	0.28	0.14	mg/L			03/15/16 17:28	10
Fluoride	0.52	D	0.10	0.050	mg/L			03/15/16 14:12	2
Nitrite as N	0.038	U	0.076	0.038	mg/L			03/15/16 14:12	2
Sulfate	88	D	0.50	0.25	mg/L			03/15/16 14:12	2

Client Sample ID: B34DR7
Date Collected: 03/13/16 10:01
Date Received: 03/13/16 14:40

Lab Sample ID: 300-2556-2
Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8.4	D	0.40	0.20	mg/L			03/15/16 14:27	2
Nitrate as N	0.24	D	0.056	0.028	mg/L			03/15/16 14:27	2
Fluoride	0.59	D	0.10	0.050	mg/L			03/15/16 14:27	2
Nitrite as N	0.038	U	0.076	0.038	mg/L			03/15/16 14:27	2
Sulfate	14	D	0.50	0.25	mg/L			03/15/16 14:27	2

Client Sample ID: B34DK0
Date Collected: 03/13/16 10:10
Date Received: 03/13/16 14:40

Lab Sample ID: 300-2556-3
Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	24	D	0.40	0.20	mg/L			03/15/16 14:42	2
Nitrate as N	81	D	1.4	0.70	mg/L			03/15/16 18:29	50
Fluoride	0.53	D	0.10	0.050	mg/L			03/15/16 14:42	2
Nitrite as N	0.038	U	0.076	0.038	mg/L			03/15/16 14:42	2
Sulfate	130	D	13	6.3	mg/L			03/15/16 18:29	50

Client Sample ID: B34FM6
Date Collected: 03/13/16 10:49
Date Received: 03/13/16 14:40

Lab Sample ID: 300-2556-4
Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	31	D	0.40	0.20	mg/L			03/15/16 15:28	2
Nitrate as N	260	D	1.4	0.70	mg/L			03/15/16 18:44	50
Fluoride	0.41	D	0.10	0.050	mg/L			03/15/16 15:28	2
Nitrite as N	0.038	U	0.076	0.038	mg/L			03/15/16 15:28	2
Sulfate	170	D	13	6.3	mg/L			03/15/16 18:44	50

March 31, 2016
QC Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: S16-003

TestAmerica Job ID: 300-2556-1
SDG: WC0909

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 300-3392/5
Matrix: Water
Analysis Batch: 3392

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	0.014	U	0.028	0.014	mg/L			03/15/16 12:27	1
Nitrite as N	0.019	U	0.038	0.019	mg/L			03/15/16 12:27	1

Lab Sample ID: LCS 300-3392/6
Matrix: Water
Analysis Batch: 3392

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	2.26	2.35		mg/L		104	80 - 120
Nitrite as N	3.04	3.16		mg/L		104	80 - 120

Lab Sample ID: 300-2554-A-1 MS
Matrix: Water
Analysis Batch: 3392

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrite as N	0.038	U	0.609	0.554	D	mg/L		91	75 - 125

Lab Sample ID: 300-2554-A-1 MS
Matrix: Water
Analysis Batch: 3392

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	17	D	2.26	19.0	D	mg/L		99	75 - 125

Lab Sample ID: 300-2554-A-1 DU
Matrix: Water
Analysis Batch: 3392

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Nitrite as N	0.038	U	0.038	U	mg/L		NC	20

Lab Sample ID: 300-2554-A-1 DU
Matrix: Water
Analysis Batch: 3392

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Nitrate as N	17	D	16.6	D	mg/L		1	20

Lab Sample ID: MB 300-3393/5
Matrix: Water
Analysis Batch: 3393

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.10	U	0.20	0.10	mg/L			03/15/16 12:27	1
Fluoride	0.025	U	0.050	0.025	mg/L			03/15/16 12:27	1
Sulfate	0.13	U	0.25	0.13	mg/L			03/15/16 12:27	1

TestAmerica Richland

Client: CH2M Hill Plateau Remediation Company
Project/Site: S16-003

TestAmerica Job ID: 300-2556-1
SDG: WC0909

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 300-3393/6
Matrix: Water
Analysis Batch: 3393

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	16.0	16.4		mg/L		102	80 - 120
Fluoride	4.00	4.11		mg/L		103	80 - 120
Sulfate	20.0	20.6		mg/L		103	80 - 120

Lab Sample ID: 300-2554-A-1 MS
Matrix: Water
Analysis Batch: 3393

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	20	D	3.20	23.5	D	mg/L		111	75 - 125
Fluoride	0.39	D	0.800	1.21	D	mg/L		102	75 - 125
Sulfate	34	D	4.00	38.7	D	mg/L		118	75 - 125

Lab Sample ID: 300-2554-A-1 DU
Matrix: Water
Analysis Batch: 3393

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Chloride	20	D	20.3	D	mg/L		2	20
Fluoride	0.39	D	0.399	D	mg/L		2	20
Sulfate	34	D	34.6	D	mg/L		2	20

March 31, 2016
QC Association Summary

Client: CH2M Hill Plateau Remediation Company
 Project/Site: S16-003

TestAmerica Job ID: 300-2556-1
 SDG: WC0909

HPLC/IC

Analysis Batch: 3392

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-2554-A-1 DU	Duplicate	Total/NA	Water	300.0	
300-2554-A-1 DU	Duplicate	Total/NA	Water	300.0	
300-2554-A-1 MS	Matrix Spike	Total/NA	Water	300.0	
300-2554-A-1 MS	Matrix Spike	Total/NA	Water	300.0	
300-2556-1	B34DR4	Total/NA	Water	300.0	
300-2556-1	B34DR4	Total/NA	Water	300.0	
300-2556-2	B34DR7	Total/NA	Water	300.0	
300-2556-3	B34DK0	Total/NA	Water	300.0	
300-2556-3	B34DK0	Total/NA	Water	300.0	
300-2556-4	B34FM6	Total/NA	Water	300.0	
300-2556-4	B34FM6	Total/NA	Water	300.0	
LCS 300-3392/6	Lab Control Sample	Total/NA	Water	300.0	
MB 300-3392/5	Method Blank	Total/NA	Water	300.0	

Analysis Batch: 3393

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-2554-A-1 DU	Duplicate	Total/NA	Water	300.0	
300-2554-A-1 MS	Matrix Spike	Total/NA	Water	300.0	
300-2556-1	B34DR4	Total/NA	Water	300.0	
300-2556-2	B34DR7	Total/NA	Water	300.0	
300-2556-3	B34DK0	Total/NA	Water	300.0	
300-2556-3	B34DK0	Total/NA	Water	300.0	
300-2556-4	B34FM6	Total/NA	Water	300.0	
300-2556-4	B34FM6	Total/NA	Water	300.0	
LCS 300-3393/6	Lab Control Sample	Total/NA	Water	300.0	
MB 300-3393/5	Method Blank	Total/NA	Water	300.0	

Client: CH2M Hill Plateau Remediation Company
 Project/Site: S16-003

TestAmerica Job ID: 300-2556-1
 SDG: WC0909

Client Sample ID: B34DR4
Date Collected: 03/13/16 07:40
Date Received: 03/13/16 14:40

Lab Sample ID: 300-2556-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		3392	03/15/16 14:12	CPM	TAL RCH
Total/NA	Analysis	300.0		2	10 mL		3393	03/15/16 14:12	CPM	TAL RCH
Total/NA	Analysis	300.0		10	10 mL		3392	03/15/16 17:28	CPM	TAL RCH

Client Sample ID: B34DR7
Date Collected: 03/13/16 10:01
Date Received: 03/13/16 14:40

Lab Sample ID: 300-2556-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		3392	03/15/16 14:27	CPM	TAL RCH
Total/NA	Analysis	300.0		2	10 mL		3393	03/15/16 14:27	CPM	TAL RCH

Client Sample ID: B34DK0
Date Collected: 03/13/16 10:10
Date Received: 03/13/16 14:40

Lab Sample ID: 300-2556-3
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		3392	03/15/16 14:42	CPM	TAL RCH
Total/NA	Analysis	300.0		2	10 mL		3393	03/15/16 14:42	CPM	TAL RCH
Total/NA	Analysis	300.0		50	10 mL		3392	03/15/16 18:29	CPM	TAL RCH
Total/NA	Analysis	300.0		50	10 mL		3393	03/15/16 18:29	CPM	TAL RCH

Client Sample ID: B34FM6
Date Collected: 03/13/16 10:49
Date Received: 03/13/16 14:40

Lab Sample ID: 300-2556-4
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		3392	03/15/16 15:28	CPM	TAL RCH
Total/NA	Analysis	300.0		2	10 mL		3393	03/15/16 15:28	CPM	TAL RCH
Total/NA	Analysis	300.0		50	10 mL		3392	03/15/16 18:44	CPM	TAL RCH
Total/NA	Analysis	300.0		50	10 mL		3393	03/15/16 18:44	CPM	TAL RCH

Client Sample ID: Duplicate
Date Collected: 03/13/16 13:06
Date Received: 03/13/16 14:40

Lab Sample ID: 300-2554-A-1 DU
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		3392	03/15/16 13:27	CPM	TAL RCH
Total/NA	Analysis	300.0		2	10 mL		3393	03/15/16 13:27	CPM	TAL RCH
Total/NA	Analysis	300.0		10	10 mL		3392	03/15/16 16:43	CPM	TAL RCH

Client: CH2M Hill Plateau Remediation Company
 Project/Site: S16-003

TestAmerica Job ID: 300-2556-1
 SDG: WC0909

Client Sample ID: Lab Control Sample
 Date Collected: N/A
 Date Received: N/A

Lab Sample ID: LCS 300-3392/6
 Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL		3392	03/15/16 12:42	CPM	TAL RCH

Client Sample ID: Lab Control Sample
 Date Collected: N/A
 Date Received: N/A

Lab Sample ID: LCS 300-3393/6
 Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL		3393	03/15/16 12:42	CPM	TAL RCH

Client Sample ID: Method Blank
 Date Collected: N/A
 Date Received: N/A

Lab Sample ID: MB 300-3392/5
 Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL		3392	03/15/16 12:27	CPM	TAL RCH

Client Sample ID: Method Blank
 Date Collected: N/A
 Date Received: N/A

Lab Sample ID: MB 300-3393/5
 Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL		3393	03/15/16 12:27	CPM	TAL RCH

Client Sample ID: Matrix Spike
 Date Collected: 03/13/16 13:06
 Date Received: 03/13/16 14:40

Lab Sample ID: 300-2554-A-1 MS
 Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		3392	03/15/16 13:12	CPM	TAL RCH
Total/NA	Analysis	300.0		2	10 mL		3393	03/15/16 13:12	CPM	TAL RCH
Total/NA	Analysis	300.0		10	10 mL		3392	03/15/16 16:28	CPM	TAL RCH

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131

Client: CH2M Hill Plateau Remediation Company
Project/Site: S16-003

TestAmerica Job ID: 300-2556-1
SDG: WC0909

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	TAL RCH

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131



March 31, 2016
Sample Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: S16-003

TestAmerica Job ID: 300-2556-1
SDG: WC0909

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
300-2556-1	B34DR4	Water	03/13/16 07:40	03/13/16 14:40
300-2556-2	B34DR7	Water	03/13/16 10:01	03/13/16 14:40
300-2556-3	B34DK0	Water	03/13/16 10:10	03/13/16 14:40
300-2556-4	B34FM6	Water	03/13/16 10:49	03/13/16 14:40

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Login Sample Receipt Checklist

Client: CH2M Hill Plateau Remediation Company

Job Number: 300-2556-1
SDG Number: WC0909

Login Number: 2556
List Number: 1
Creator: Anderson, Lori F

List Source: TestAmerica Richland

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	N/A	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	N/A	
Residual Chlorine Checked.	N/A	

