

9413301.0646

0038335

START



Department of Energy
Richland Field Office
P.O. Box 550
Richland, Washington 99352

9405995

SEP 13 1994



94-SST-172

President
Hanford Environmental Health Foundation

Director
Pacific Northwest Laboratory

President
Westinghouse Hanford Company

Dear Addressees:

IMPLEMENTATION OF CHANGE REQUEST M-40-94-03

Enclosed for your implementation is Tri-Party Agreement Change Request M-40-94-03, "Modification of prerequisite activity for Milestone M-40-05" that was approved May 26, 1994.

You are directed to implement this change and manage your programs in accordance with these revised requirements.

Should you have any questions, please contact me on 376-6798.

Sincerely,

R. E. Gerton, Director
Tank Safety Analysis Division

Enclosure

cc w/encl:
B. A. Austin, WHC
T. D. Chikalla, PNL



27115500.0067

CORRESPONDENCE DISTRIBUTION COVERSHEET


Author	Addressee	Correspondence No.
R. E. Gerton/RL	President/WHC etal	Incoming: 9405995

Subject: IMPLEMENTATION OF CHANGE REQUEST M-40-94-03

INTERNAL DISTRIBUTION

Approval	Date	Name	Location	w/att
		Correspondence Control	A3-01	X
		President's Office		
		L. D. Arnold	B2-35	X
		B. A. Austin (Assignee)		X*
		R. J. Bliss		X
		D. B. Cartmell	R3-56	X
		R. F. Cote	H6-28	X
		S. V. Doebler	R3-09	X
		EPIC	H6-08	X
		M. A. McLaughlin	B2-35	X
		S. R. Moreno		
		L. F. Peters (Sr. Staff)		X
		E. P. Vodney		

*Received enclosure from RL.



For distribution corrections contact Incoming WHC Correspondence Control:
 Marian Cram (376-4123) or Doris Hartley (376-8111).
 54-6000-117 (9/88) (EF) WEF008 - Distribution Coversheet