

03/22/2018

REV.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Richland
2800 George Washington Way
Richland, WA 99352
Tel: (509)375-3131

TestAmerica Job ID: 300-6858-1
TestAmerica Sample Delivery Group: WC2761
Client Project/Site: S18-003

For:
CH2M Hill Plateau Remediation Company
825 Jadwin Avenue
Richland, Washington 99352

Attn: CPP Sample Management



Authorized for release by:
3/22/2018 11:33:37 AM

Ashley Worthy, Project Manager I
(509)375-3131
ashley.worthy@testamericainc.com



LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

I certify that this Certificate of Analysis is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed in this package. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager, or a designee as verified by the attached signature.

The laboratory is accredited to EPA 7196A in Solid and Chemical Materials, per Washington State Department of Ecology this is approved for non-discharge water samples.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Chain of Custody	5
Detection Summary	6
Client Sample Results	7
QC Sample Results	8
QC Association Summary	9
Lab Chronicle	10
Method Summary	11
Sample Summary	12
Receipt Checklists	13

Client: CH2M Hill Plateau Remediation Company
Project/Site: S18-003TestAmerica Job ID: 300-6858-1
SDG: WC2761

Qualifiers

General Chemistry

Qualifier	Qualifier Description
U	Analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client: CH2M Hill Plateau Remediation Company
Project/Site: S18-003

TestAmerica Job ID: 300-6858-1
SDG: WC2761

Job ID: 300-6858-1

Laboratory: TestAmerica Richland

Narrative

Job Narrative
300-6858-1

Comments

No additional comments.

Receipt

The sample was received on 3/12/2018 2:15 PM; the sample arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 6.0° C.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

CH2M Hill Plateau Remediation Company		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST				C.O.C.# S18-003-358		
						Page 1 of 1		
Collector: Juan Aguilar /CHPRC		Contact/Requester: Karen Waters-Husted		Telephone No.: 509-376-4650				
SAF No.: S18-003		Sampling Origin: Hanford Site		Purchase Order/Charge Code: 300071				
Project Title: CERCLA, MARCH 2018		Logbook No.: HNF-N-506 -98/55		Ice Chest No.: N/A				
Shipped To (Lab): TestAmerica Incorporated, Rich		Method of Shipment GOVERNMENT VEHICLE		Bill of Lading/Air Bill No.: N/A				
Protocol CERCLA		Priority: 30 Days		Offsite Property No.: N/A				
POSSIBLE SAMPLE HAZARDS/REMARK ** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1				SPECIAL INSTRUCTIONS N/A				
Sample No.	Filter	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B3HF36	N	W	3-12-18	0905	1x60-mL aG	7196_CR6: COMMON	24 Hours	Cool <=6C

REV. 0

3/22/2018

03/22/2018

6858
WC2761



300-6858 COC

Page 5 of 13

Relinquished By: Juan Aguilar /CHPRC Print First and Last Name Signature Date/Time MART 12 2018 1100	Received By: Troy Bacon /CHPRC Print First and Last Name Signature Date/Time MAR 12 2018 1100	Matrix * S = Soil DS = Drum Solids SE = Sediment DL = Drum Liquid SO = Solid T = Tissue SL = Sludge WI = Wipe W = Water L = Liquid O = Oil V = Vegetation A = Air X = Other	
Relinquished By: Troy L. Bacon /CHPRC Print First and Last Name Signature Date/Time MAR. 12, 2018 1415	Received By: B. Jorgenson, TARI Print First and Last Name Signature Date/Time 3-12-18/1415		
Relinquished By: Print First and Last Name Signature Date/Time	Received By: Print First and Last Name Signature Date/Time		
Relinquished By: Print First and Last Name Signature Date/Time	Received By: Print First and Last Name Signature Date/Time		
FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process):	Disposed By:	Date/Time:

Client: CH2M Hill Plateau Remediation Company
Project/Site: S18-003

TestAmerica Job ID: 300-6858-1
SDG: WC2761

Client Sample ID: B3HF36

Lab Sample ID: 300-6858-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Cr (VI)	0.15		0.0040	0.0015	mg/L	1		7196A	Total/NA

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

This Detection Summary does not include radiochemical test results.

Client: CH2M Hill Plateau Remediation Company
 Project/Site: S18-003

TestAmerica Job ID: 300-6858-1
 SDG: WC2761

Client Sample ID: B3HF36

Lab Sample ID: 300-6858-1

Date Collected: 03/12/18 09:05

Matrix: Water

Date Received: 03/12/18 14:15

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.15		0.0040	0.0015	mg/L			03/12/18 16:06	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Client: CH2M Hill Plateau Remediation Company
 Project/Site: S18-003

TestAmerica Job ID: 300-6858-1
 SDG: WC2761

Method: 7196A - Chromium, Hexavalent

Lab Sample ID: MB 300-10603/3
Matrix: Water
Analysis Batch: 10603

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.0015	U	0.0040	0.0015	mg/L			03/12/18 16:03	1

Lab Sample ID: LCS 300-10603/4
Matrix: Water
Analysis Batch: 10603

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Cr (VI)	0.250	0.259		mg/L		103	80 - 120

Lab Sample ID: 300-6858-1 MS
Matrix: Water
Analysis Batch: 10603

Client Sample ID: B3HF36
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Cr (VI)	0.15		0.0501	0.205		mg/L		100	75 - 125

Lab Sample ID: 300-6858-1 DU
Matrix: Water
Analysis Batch: 10603

Client Sample ID: B3HF36
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Cr (VI)	0.15		0.158		mg/L		2	20

Client: CH2M Hill Plateau Remediation Company
Project/Site: S18-003

TestAmerica Job ID: 300-6858-1
SDG: WC2761

General Chemistry

Analysis Batch: 10603

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-6858-1	B3HF36	Total/NA	Water	7196A	
MB 300-10603/3	Method Blank	Total/NA	Water	7196A	
LCS 300-10603/4	Lab Control Sample	Total/NA	Water	7196A	
300-6858-1 MS	B3HF36	Total/NA	Water	7196A	
300-6858-1 DU	B3HF36	Total/NA	Water	7196A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Client: CH2M Hill Plateau Remediation Company
Project/Site: S18-003

TestAmerica Job ID: 300-6858-1
SDG: WC2761

Client Sample ID: B3HF36
Date Collected: 03/12/18 09:05
Date Received: 03/12/18 14:15

Lab Sample ID: 300-6858-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1			10603	03/12/18 16:06	TRH	TAL RCH

Client Sample ID: Method Blank
Date Collected: N/A
Date Received: N/A

Lab Sample ID: MB 300-10603/3
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1			10603	03/12/18 16:03	TRH	TAL RCH

Client Sample ID: Lab Control Sample
Date Collected: N/A
Date Received: N/A

Lab Sample ID: LCS 300-10603/4
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1			10603	03/12/18 16:03	TRH	TAL RCH

Client Sample ID: B3HF36
Date Collected: 03/12/18 09:05
Date Received: 03/12/18 14:15

Lab Sample ID: 300-6858-1 MS
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1			10603	03/12/18 16:03	TRH	TAL RCH

Client Sample ID: B3HF36
Date Collected: 03/12/18 09:05
Date Received: 03/12/18 14:15

Lab Sample ID: 300-6858-1 DU
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1			10603	03/12/18 16:06	TRH	TAL RCH

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131

Client: CH2M Hill Plateau Remediation Company
Project/Site: S18-003

TestAmerica Job ID: 300-6858-1
SDG: WC2761

Method	Method Description	Protocol	Laboratory
7196A	Chromium, Hexavalent	SW846	TAL RCH

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131



Client: CH2M Hill Plateau Remediation Company
Project/Site: S18-003

TestAmerica Job ID: 300-6858-1
SDG: WC2761

<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Collected</u>	<u>Received</u>
300-6858-1	B3HF36	Water	03/12/18 09:05	03/12/18 14:15

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Login Sample Receipt Checklist

Client: CH2M Hill Plateau Remediation Company

Job Number: 300-6858-1

SDG Number: WC2761

Login Number: 6858

List Number: 1

Creator: Jorgenson, Briana F

List Source: TestAmerica Richland

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	N/A	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

