

**WSCF
ANALYTICAL RESULTS REPORT**

for

Ground Water Protection Program

Richland, WA 99352

Attention: Steve Trent

RECEIVED
JUL 07 2004
EDMNC



Analytical:

William J. Baird

Client Services:

Steve Trent

All results are reported on an "as received" basis unless otherwise noted in the comment section.

Confidentiality Notice: The information contained in this report is privileged and confidential information intended only for the use of the addressee. If the reader of this report is not the intended recipient, or the employee or agent responsible to deliver it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone at (509) 373-7020.

Contract#: FH-EIS-2003-MEM-001
Report#: WSCF20031649
Report Date: 12-dec-2003
Report WGPP/ver. 1
Ground Water Protection Program

0062049

WSCF ANALYTICAL RESULTS REPORT

Attention:
Project:

Steve Trent
F03-020: F03-020

Group #: WSCF20031649

Sample #	Client ID	CAS #	Test Performed	Matrix	WSCF		Result	Unit	DF	MDL	Analyze	Sample	Receive	
					Method	RQ								
W030001149	818525	GPP TRENT	12587-46-1	Gross alpha	SOIL	LA-508-421	U	2.40	pCi/g	1.00	2.4	12/12/03	12/11/03	12/11/03
W030001149	818525	GPP TRENT	E,T,C	Alpha error by LC	SOIL	LA-508-421		+ - 5.6	pCi/g	1.00	0.0	12/12/03	12/11/03	12/11/03
W030001149	818525	GPP TRENT	12587-47-2	Gross beta	SOIL	LA-508-421		23.0	pCi/g	1.00	2.7	12/12/03	12/11/03	12/11/03
W030001149	818525	GPP TRENT	E,T,C	Beta error by LC	SOIL	LA-508-421		+ - 9.2	pCi/g	1.00	0.0	12/12/03	12/11/03	12/11/03

MDL=Minimum Detection Limit
RQ=Result Qualifier

U - Analyzed for but not detected above limiting criteria.

DF=Dilution Factor

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols

Report WGPP/ver. 1

Ground Water Protection Program

WSCF ANALYTICAL COMMENT REPORT

**Attention:
Project Number**

Group #: 20031649

Sample #	Client ID	Lab Area	Test	Comment
----------	-----------	----------	------	---------

Lab Areas: VALGROUP - Group Validation
LOGSAMP - Login for Sample

VALTEST - Test Validation
LOGTEST - Login for Tests

TESTDATA - Test Data Entry

This report may not be reproduced, except in its entirety without the written approval of the WSCF Laboratory.

WSCF
TENTATIVELY IDENTIFIED PEAK REPORT

Attention:
Project Number

Group #: 20031649

:

Sample #	Client ID	Test Name	Peak Name	CAS#	RT	RQ	Result	Units
----------	-----------	-----------	-----------	------	----	----	--------	-------

RQ=Result Qualifier

This report may not be reproduced, except in its entirety without the written approval of the WSCF Laboratory.

WSCF

METHOD REFERENCES REPORT

The results provided in this report were generated using the following WSCF Laboratory procedures. For your convenience, this table provides a listing of the regulatory or industry methods that are referenced by each of these WSCF procedures. Please note that the most recent version of the regulatory or industry method is listed here even though the WSCF procedure may reference an older version of the method. Also, a reference to a regulatory or industry method here does not necessarily indicate a verbatim implementation of that method.

LA-508-421

LA-508-421: OPERATION OF THE TRI-CARB MODEL 2500TR LIQUID SCINTILLATION ANALYZER

None

No reference to any industry method.

Note: A complete list of WSCF analytical procedures and referenced regulatory or industry methods is available online at <http://apweb02/asponlinedocs/wscf/sample%20mgmt/ProcedureMethodCrossReference.pdf>. This document includes on-line links to full-text versions of the procedures and methods, where available.

Report Date: 12-dec-2003

Report#: WSCF20031649

Report WGPPM/O