



0008816 9001615

CHRISTINE O. GREGOIRE
Director

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

Mail Stop PV-11 • Olympia, Washington 98504-8711 • (206) 459-6000

August 25, 1989



Mr. Roger Freeberg
Hanford Project Manager
U.S. Department of Energy
P.O. Box 550
Richland, Washington 99352

Dear Mr. Freeberg:

This letter is in response to Mr. Izatt and Mr. Chikalla's August 1, 1989 letter regarding a "TREATABILITY TEST EXCLUSION NOTIFICATION" for carbon adsorption technology.

Ecology notes that DOE/PNL have no plans to begin treatability tests involving carbon adsorption in the near future. In the absence of any tangible proposal, Ecology considers the treatability test exclusion notification to be inappropriate at this time.

When DOE/PNL are prepared to begin treatability tests involving carbon adsorption, they are encouraged to resubmit a treatability test exclusion notification.

Inquiries regarding this issue may be directed to Mr. Mike Gordon of my staff at (206)438-7024.

Sincerely,

Roger Stanley
Hanford Project Manager

cc: R.D. Izatt
T.D. Chikalla
Paul Day
Tom Eaton



DISTRIBUTION COVERSHEET

Author R. F. Stanley, Ecology	Addressee R. D. Freeberg, DOE-RL	Correspondence No. 9001615
Subject Treatability Test Exclusion Notification Response		

Internal Distribution

Approval	Date	Name	Location	w/att
		Correspondence Control J. L. Waite TPAI&C (DH) EDMC HE McGuire (Assignee) RE Lerch	A3-01 B2-35 B2-35 H4-22	

