

DISCOVERY SITE EVALUATION CHECKLIST

1. WIDS Site Code/Subsite Code: 200-W-259

2. Prepared and Reviewed By:

WIDS Analyst:

Christine R Webb

Print First and Last Name

Christine R Webb

Signature

1/23/2019

Date

WIDS Regulatory SME:

Fred Ruck III

Print First and Last Name

Fred Ruck III

Signature

1/31/19

Date

3. Comment:

200-W-259 is a septic tank and tile field constructed in 1948 to support Temporary Construction shops and offices during the construction of the REDOX facility. The shop buildings and change houses have the potential to introduce chemicals to the sanitary sewer.

4. Is the site a Solid Waste Management Unit?

Yes No

Any discernible location at the Facility where solid wastes have been placed at any time, irrespective of whether the location was intended for the management of solid or dangerous waste, and includes any area at the Facility at which solid wastes have been routinely and systematically released (*for example through spills*), and includes dangerous waste treatment, storage, and disposal units.

5. Does the site need to be addressed under a regulatory program? Check the first item that applies.

General Description (see TPA-MP-14 for definitions)	Unit Category	Classification	Check Here
Site specifically exempted from WIDS based on section 2.0 if TPA-MP-14	Not Applicable	Not Accepted	<input type="checkbox"/>
Permitted RCRA TSD that will be addressed under a RCRA/CERCLA Coordination	RCRA/CERCLA Coordination TSD	Accepted	<input type="checkbox"/>
Permitted RCRA TSD	RCRA TSD	Accepted	<input type="checkbox"/>
Waste site that will be addressed as part of the closure of a RCRA TSD	RCRA TSD Related	Accepted	<input type="checkbox"/>
Waste disposal unit or unplanned release unit where radioactive or dangerous waste is present or possibly present	CERCLA Remedial/Removal Action	Accepted	<input checked="" type="checkbox"/>
Inert waste or limited purpose landfill (WAC 173-350-410 or WAC 173-350-400)	Inert Waste or Limited Purpose Landfill	Accepted	<input type="checkbox"/>
Solid waste landfill (WAC 173-350)	Solid Waste Landfill	Accepted	<input type="checkbox"/>
Petroleum UST or contaminated soil from a petroleum UST leak (WAC 173-360)	Petroleum UST	Accepted	<input type="checkbox"/>
Underground injection well that received non-contaminated effluent (e.g., storm water runoff, steam condensate, air conditioner condensate) (WAC 246-272 or WAC 246-272B)	Septic	Accepted	<input type="checkbox"/>

6. Assign the site to an operable unit or waste management area. (write "Not Applicable" if neither applies)

TBD
200-WA-1

DISCOVERY SITE EVALUATION CHECKLIST (Continued)

7. Ecology and EPA Approvals:

Ecology Project Manager:

_____ *Print First and Last Name*

_____ *Signature*

_____ *Date*

EPA Project Manager:

Craig Cameron
Print First and Last Name

Craig Cameron
Signature

7/11/19
Date

8. Are any other activities needed or desired at the site? Only answer if no items in question 5 were checked. Check the first item that applies.

General Description <i>(see TPA-MP-14 for definitions)</i>	Unit Category	Classification	Check Here
A location where remediation is not needed, but debris removal or other miscellaneous restoration activities may be performed	Miscellaneous Restoration	Accepted	<input type="checkbox"/>
A location where no remediation, miscellaneous restoration, permit closure, or other physical (e.g., waste site remediation) or administrative (e.g., permit closure) activity is needed	Not Applicable	Not Accepted	<input type="checkbox"/>

9. DOE Approval:

Joanna Riff

DOE Federal Project Director:

Mark French
Print First and Last Name

Mark French
Signature

6/14/19
Date