

1245152
(0069357H)



Department of Energy
Richland Operations Office
P.O. Box 550
Richland, Washington 99352

0005885 A
CC RECD: 10/18/00

OCT 17 2000

01-A&E-004

Mr. R. D. Hanson, President
Fluor Hanford, Inc.
Richland, Washington 99352

Dear Mr. Hanson:

CONTRACT NO. DE-AC06-96RL13200 - RESOURCE CONSERVATION AND RECOVERY ACT (RCRA) ASSESSMENT

RL's Analysis and Evaluation Division (A&E) conducted an assessment of the 200 Area Effluent Treatment Facility (ETF) during the month of September 2000.

Enclosed for your information, is a copy of the report detailing the results of this assessment. The assessment's itemized scope breakdown, which is listed below, focuses on FHI's compliance with the Hanford Site RCRA permit requirements for treatment, storage, and disposal of mixed waste.

- Facility records;
- facility contingency plan;
- personnel training and qualifications;
- waste analysis plan;
- operating log and logkeeping practices;
- shipping manifests
- facility security; and
- self and independent assessments.

On September 6, 2000, a draft report of this assessment was provided to Facility Management for factual accuracy review. The contractor's compliance with the RCRA Permit requirements was considered Satisfactory. There was one finding, and no observations. Please respond with your actions taken, or planned, within 30 calendar days of your receipt of this letter. The assessment is rated as "green" - meets requirements because the deficiency is isolated and not indicative of a breakdown in ESH Management.



Mr. R. D. Hanson
01-A&E-004

-2-

OCT 17 2000

If you have any questions concerning this matter, you may contact me, or your staff may contact Steve Chalk, of A&E, on (509) 372-8589.

Sincerely,

Sally A. Sieracki
Sally A. Sieracki
Contracting Officer

A&E:SEC

Enclosure

cc w/encl:

R. W. Szelmecka, FHI

