

1250752
[0064107H]

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

3100 Port of Benton Blvd • Richland, WA 99354 • (509) 372-7950

711 for Washington Relay Service • Persons with a speech disability can call 877-833-6341

December 10, 2018

18-NWP-193

By Certified Mail

Mr. Doug S. Shoop, Manager
Richland Operations Office
United States Department of Energy
PO Box 550, MSIN: H5-20
Richland, Washington 99352

Mr. Ty Blackford, President and CEO
CH2M HILL Plateau Remediation Company
PO Box 1600, MSIN: A7-01
Richland, Washington 99352

Re: Washington State Department of Ecology (Ecology) Review of Response to Dangerous Waste Compliance Inspection on January 11, 2018, at B Plant, RCRA Site ID: WA7890008967, NWP Compliance Index No 18.622

Reference: Letter 19-ESQ-0003, received on October 29, 2018, "Response to Dangerous Waste Compliance Inspection on January 11, 2018, at B Plant, Resource Conservation and Recovery Act Site ID: WA7890008967, Nuclear Waste Program Compliance Index Nos.: 18.622"

Dear Doug S. Shoop and Ty Blackford:

Ecology reviewed your response letter received on October 29, 2018 (reference). Your letter included corrective action for items of non-compliance identified in Ecology's January 11, 2018, inspection of B Plant. As of October 29, 2018, area of non-compliance one has been partially addressed.


Your written response indicated the white lead based paint on the floor in B Plant designated as dangerous waste and will be disposed of as a part of the final Comprehensive Environmental Resource Compensation Liability Act (CERCLA) action at B Plant. The B Plant canyon has no approved CERCLA decision governing operations at this time. In accordance with DOE/RL-99-24 Rev. 3, Surveillance and Maintenance Plan for the 221-B Facility (B Plant) and Washington Administrative Code 173-303, removal of this generated dangerous waste from the B Plant canyon must be under these authorities. Ecology adjusts the time to complete the corrective action for the area of non-compliance listed in the August 2, 2018, B Plant compliance report (Compliance Index No. 18.622) to September 30, 2019.

Not correcting areas of non-compliance may result in an escalation of enforcement and the issuance of an administrative order, a penalty (up to \$10,000 per day, per violation), or both, as provided by the Hazardous Waste Management Act (Revised Code of Washington 70.105.080 and/or .095).



2

Doug S. Shoop and Ty Blackford
December 10, 2018
Page 2 of 2



RCRA Site ID: WA7890008967
NWP Compliance Index No.: 18.622
Inspection Date: January 11, 2018

If you have questions or need further information, please contact me at jared.mathey@ecy.wa.gov or (509) 372-7949.

Sincerely,

Jared Mathey
Dangerous Waste Compliance Inspector
Nuclear Waste Program

so

cc electronic:

Dave Bartus, EPA
Jack Boller, EPA
Dave Einan, EPA
Duane Carter, USDOE
Cliff Clark, USDOE
Al Farabee, USDOE
Tony McKarns, USDOE
Julie Reddick, USDOE
Allison Wright, USDOE
Noah Cruz, CHPRC
Linda Petersen, CHPRC
Jon Perry, MSA
ERWM Staff, N
Ken Niles, ODOE
Deb Alexander, Ecology

Kathy Conaway, Ecology
Suzanne Dahl, Ecology
Jackson Davis, Ecology
Jared Mathey, Ecology
John Price, Ecology
Stephanie Schleif, Ecology
Ron Skinnerland, Ecology
Alex Smith, Ecology
Bridgette Weese, Ecology
Environmental Portal
Hanford Facility Operating Record
CHPRC Correspondence Control
MSA Correspondence Control
USDOE-RL Correspondence Control

cc:

Matt Johnson, CTUIR
Jack Bell, NPT
Laurene Contreras, YN
Susan Leckband, HAB
Administrative Record
NWP Central File
NWP Compliance Index File: 18.622