

Waste Site Reclassification Form

Date Submitted: 02/11/2008	Operable Units: 200-SW-1	Control Number: 2008-05
Originator: Greg Berlin	Waste Site ID: 200-E-10	
Phone: 376-2389	Type of Reclassification Action:	
	Closed Out: <input type="checkbox"/> Interim Closed Out: <input type="checkbox"/>	
	No Action: <input type="checkbox"/> RCRA Postclosure: <input type="checkbox"/>	
	Rejected: <input checked="" type="checkbox"/> Consolidated: <input type="checkbox"/>	

This form documents agreement among parties listed authorizing classification of the subject unit as Closed Out, Interim Closed Out, No Action, RCRA Postclosure, Rejected, or Consolidated. This form also authorizes backfill of the waste management unit, if appropriate, for Closed Out and Interim Closed out units. Final removal from the NPL of No Action and Closed Out waste management units will occur at a future date.

Description of Current Waste Site Conditions:

(Summarize status of investigation/remediation of the waste sites.)

A small amount of chemicals were disposed of in this area, the exact location is not visually obvious. The chemicals disposed were highly volatile and the incident took place approximately 20 years ago. Therefore it is highly unlikely that anything remains. CERCLA reportable quantities are listed at 40 CFR 302, in Table 302.4. The RQ for toluene is 1000 lbs. There is no RQ listing for paint.

The reported disposal at 200-E-10 was 25 gallons (twice) = 50 gallons, or about 400 pounds. Conservatively estimating the paint as 100% toluene, the disposal was less than the CERCLA RQ. Therefore, the release was not (is not) a threat to human health and the environment.

Basis for Reclassification:

(For closeout, reference supporting documentation, as listed in Table 3.)

The chemicals were disposed of approximately 20 years ago. Based on the small amount and volatility of waste disposed, it is recommended that the site be reclassified.

This site was originally reclassified to "No Action" on 5/11/2004. It is requested that the reclassification status be re-evaluated to a status of "Rejected". The Rejected status will preclude carrying the site forward through the CERCLA process.

Waste Site Controls

Engineered Controls: Yes No Institutional Controls: Yes No O&M requirements: Yes No

If any of the Waste Site Controls are checked Yes specify control requirements including reference to the Record of Decision, TSD Closure Letter, or other relevant documents.

None required.

<u>Briant Charboneau</u> DOE Project Manager	<u><i>Briant Charboneau</i></u> AMR Signature	<u>4-29-2008</u> Date
<u>John B. Price</u> Ecology Project Manager	<u><i>John B. Price</i></u> Signature	<u>5-13-2008</u> Date
_____ EPA Project Manager	_____ Signature	_____ Date

RECEIVED
MAY 29 2008
EDMC