

# START

0022921

9205915



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

Mail Stop PV-11 • Olympia, Washington 98504-8711 • (206) 459-6000

August 11, 1992



Mr. R.D. Izatt, Director  
United States Department of Energy  
P.O. Box 550  
Richland, WA 99352-0550

Dear Mr. Izatt:

Re: Draft Sampling and Analysis Plan, Uranium Oxide (UO<sub>3</sub>) Plant  
Process Condensate Effluent to 216-U-14 Ditch. WHC-SD-CP-PLN-012.  
File Project W-049H, TPA M-17-12A-T2.

I have reviewed the draft sampling and analysis plan for the UO<sub>3</sub> Plant process condensate that you gave me at our meeting July 24, 1992. I have the following comments:

This plan, along with the "200 Area Treated Effluent Disposal Facility (Project W-049H) Wastewater Engineering Report", proposes to route roof drains with potentially contaminated water to the 216-U-14 Ditch. Other rainwater drains from the same area are proposed to be treated before discharge to the 216-U-17 ditch. Why is it that both BAT plans recognize this rainwater as being contaminated, but only one proposes to treat it? Either treat both or justify by sampling why the U-14 roof drains do not need treatment.



Mr. R.D. Izatt  
Page 2  
August 11, 1992

If you have any questions about this letter, please call me at (206)438-7558.

Sincerely,



Gary Anderson, P.E.  
Environmental Engineer 3  
Nuclear and Mixed Waste Management

GA:dr

cc: Dan Duncan, EPA  
J.M.Hennig, DOE  
R.M.Hiegel, DOE  
David Jansen, Ecology  
Toby Michelena, Ecology  
Dave Nylander, Ecology  
Rick Oldham, WHC  
J.E. Rasmussen, DOE  
Doug Sherwood, EPA  
T. Veneziano, WHC  
E.A. Wiley, Ecology



# CORRESPONDENCE DISTRIBUTION COVERSHEET

Author: G. Anderson, Ecology      Addressee: R. D. Izatt, RL      Correspondence No.: Incoming: 9205915

Subject: DRAFT SAMPLING AND ANALYSIS PLAN, URANIUM OXIDE (UO<sub>2</sub>) PLANT PROCESS  
CONDENSATE EFFLUENT TO 216-U-14 DITCH. WHC-SD-CP-PLN-012. FILE  
PROJECT W-049H, TPA M-17-12A-T2.

## INTERNAL DISTRIBUTION

Approval	Date	Name	Location	w/att
		Correspondence Control	A3-01	
		President's Office		
		L. D. Arnold	B2-35	
		L. E. Borneman	B2-35	
		S. L. Bradley		
		A. J. DiLiberto	R1-48	
		K. A. Hadley	R3-56	
		W. H. Hamilton, Assignee		
		P. J. Mackey	B3-15	
		H. E. McGuire, Level 1		
		R. W. Oldham	H4-57	
		T. B. Veneziano		
		T. M. Wintczak	L4-92	
		R. D. Wojtasek	L4-92	
		EDMC	H4-22	

