

Change Number C-96-05	Federal Facility Agreement and Consent Order Change Control Form <small>Do not use blue ink. Type or print using black ink.</small>	Date October 10, 1996
--------------------------	---	--------------------------

Originator	Laurence E. Gadbois	Phone (509) 376-9884
------------	---------------------	----------------------

Class of Change	<input type="checkbox"/> I - Signatories <input checked="" type="checkbox"/> II - Executive Manager <input type="checkbox"/> III - Project Manager
-----------------	--

Change Title	Revision to 100-FR-3 Operable Unit Boundaries to Include Groundwater Under 100-IU-2 and 100-IU-5
--------------	--

Description/Justification of Change The Operable Unit Boundaries for 100-FR-3 are modified to include the groundwater under and any plumes associated with the 100-IU-2 and 100-IU-5 Operable Units. 100-IU-2 and 100-IU-5 are defined to be source Operable Units. These changes should be reflected in appendix C of the TPA as follows:

Operable Unit	Title of Units	Unit Type	Lead Regulatory Agency	Unit Category
100-FR-3 (GW O.U.)	100-FR-1 100-FR-2	Source O.U. Source O.U.	no change	
	100-IU-2 100-IU-5	Source O.U. Source O.U.		
100-IU-2 (GW addressed by 100-FR-3)	no change	no change	no change	
100-IU-5 (GW addressed by 100-FR-3)	no change	no change	no change	

The approximate boundaries of 100-FR-3, as revised, are shown on the attached figure. For reference, the boundaries of 100-IU-2 and 100-IU-5 also are shown. The record of decision that addressed 100-IU-5 stated that "the groundwater beneath this unit will be investigated as part of the 100-IU-2 Operable Unit". The Tri-Parties have since determined that the groundwater associated with 100-IU-2 is best addressed as part of 100-FR-3. This change clarifies the issue of the ROD forwarding groundwater investigation to 100-IU-2, and facilitates current planning for 100-IU-2.

Impact of Change There are no budgetary, schedule, or milestone impacts, only administrative changes to the definitions of the 100-FR-3, 100-IU-2, and 100-IU-5 Operable Units. Efficiency is gained by addressing groundwater investigation/monitoring needs as part of the existing 100-FR-3 program.

Affected Documents	Hanford Federal Facility Agreement and Consent Order, Appendix C Waste Information Data System
--------------------	---

Approvals	
<i>Luella K. McClain</i> DOE	10/10/96 ✓ Approved ___ Disapproved Date
<i>Kevin Oates</i> EPA	10/16/96 ✓ Approved ___ Disapproved Date
N/A Ecology	___ Approved ___ Disapproved Date




100-FR-3 Boundary Map

--- IU-2 and IU-5 Boundaries

- - - New FR-3 Boundary

..... Current FR OU Boundaries



Meters

