



U.S. Department of Energy  
Hanford Site

0061086

DEC 22 2003

03-ED-179

Mr. A. W. Conklin, Head  
Air Emissions and Defense  
Waste Section  
State of Washington  
Department of Health  
P.O. Box 47827  
Olympia, Washington 98504

Mr. Michael A. Wilson, Program Manager  
Nuclear Waste Program  
State of Washington  
Department of Ecology  
1315 W. Fourth Avenue  
Kennewick, Washington 99336

RECEIVED  
JAN 22 2004  
EDMC

Addressees:

APPLICATION FOR MINOR MODIFICATION TO THE HANFORD SITE TITLE V AIR OPERATING PERMIT (AOP) (NUMBER 00-05-006) FOR INCLUSION OF THE HANFORD SITE COMPLIANCE PLAN TITLE 40, CODE OF FEDERAL REGULATIONS (CFR), PART 61, SUBPART H AMENDMENT

Attached is an application for a minor modification to the Hanford Site Title V AOP. The application is composed of this letter and three attachments.

This application for a minor modification seeks addition of the Hanford Site Compliance Plan (Plan) for implementation of requirements contained in the recent amendment to Title 40, CFR, Part 61, Subpart H. The compliance plan was discussed during the technical discussions held between the U.S. Department of Energy and the U.S. Environmental Protection Agency (EPA), Region 10, on November 5, 2003.

Attachment 1 contains additional text for AOP Standard Terms and Conditions Section 4.8, Compliance Schedules.

Attachment 2 contains the Plan schedule. This schedule is intended to be appended to the State of Washington Department of Ecology (Ecology) AOP Statement of Basis.

---

**Office of River Protection**  
**P.O. Box 450**  
**Richland, Washington 99352**

**Richland Operations Office**  
**P.O. Box 550**  
**Richland, Washington 99352**

DEC 22 2003

Attachment 3 contains two forms, the group processing of minor permit modification request form and the form titled "Notification of Permit Modification Request to the U.S. Environmental Protection Agency, Region 10, the Tribes, and Affected States."

It is requested that Ecology, consistent with its role as the permitting authority, complete the AOP minor modification process.

The minor modification process is described in Washington Administrative Code (WAC) 173-401-725:

- Within five business days of receipt of a complete minor modification application, the permitting authority will meet its obligation under WAC 173-401-810 and 173-401-820 to notify the Administrator, Tribes, and affected states of the requested AOP modification. The permitting authority promptly will send any notice required under WAC 173-401-820(2) to the Administrator of EPA Region X (WAC 173-401-725[3][c]).
- Concurrent with the notice to the Administrator and affected states, the permitting authority shall submit to the permit register notice of minor permit modifications. Publication in the next available issue of the permit register will signal the beginning of a public comment period of at least 21 days. Each notice must describe the proposed revisions and specify the deadline to file comments with the permitting authority on the proposed modification (WAC 173-401-725[3][d]).
- Within 180 days of receipt of the application or 15 days after the end of the Administrator's 45-day review period, whichever is later, the permitting authority shall:
  - (i) Issue the permit modification as proposed;
  - (ii) Deny the permit modification application;
  - (iii) Determine that the requested modification does not meet the minor permit modification criteria and should be reviewed under the significant modification procedures; or
  - (iv) Revise the draft permit modification and transmit to the administrator the new proposed permit modification as required by WAC 173-401-810.

By our signatures below, we are certifying, as required by WAC 173-401-725(3)(b)(iii), that based on information and belief formed after reasonable inquiry of the person or persons who perform activities, or those persons directly responsible for gathering the information, the statements and information provided in the attached minor permit modification request form are true, accurate, and complete. We also certify that the proposed modification meets the criteria for use of minor permit modification procedures, as hereby requested.


Addressees  
03-ED-179

-3-

DEC 22 2003

If you have any questions, please contact Dennis W. Bowser, Environmental Division, Office of River Protection, (509) 373-2566, or Mary Jarvis, Regulatory Compliance and Analysis Division, Richland Operations Office, (509) 376-2256.

  
Roy J. Schepens, Manager  
Office of River Protection

  
Keith A. Klein, Manager  
Richland Operations Office

ED:DWB

Attachments: (3)

cc w/attachs:

D. Carrell, CH2M HILL  
C. J. Kemp, CH2M HILL  
O. Wang, Ecology  
L. P. Diediker, FHI  
W. E. Green, FHI  
J. W. Schmidt, WDOH, MSIN B1-42  
Administrative Record  
Environmental Portal, LMSI

cc w/o attachs:

J. G. Woolard, BHI  
N. Ceto, EPA  
D. L. Dyekman, FHI  
R. H. Engelmann, FHI  
R. H. Gurske, FHI  
M. Barnett, PNNL  
D. L. Edwards, PNNL  
J. B. Hebdon, RL  
M. F. Jarvis, RL  
E. W. Fordham, WDOH, MSIN B1-42

**Attachment 1  
03-ED-179**

**Hanford Site Compliance Plan Title 40, Code of Federal  
Regulations, Part 61, Subpart H Amendment Text for Inclusion in  
the Hanford Site Title V Air Operating Permit  
(Number 00-05-006) Section 4.8**

**Hanford Site Compliance Plan  
For Title 40, Code of Federation Regulations, Part 61, Subpart H Amendment**

On September 9, 2002, the U.S. Environmental Protection Agency (EPA) promulgated new requirements in the "National Emission Standards for Emissions of Radionuclides Other Than Radon from U.S. Department of Energy (DOE) Facilities," Title 40 Code of Federal Regulations (CFR), Part 61, Subpart H. In addition to other requirements, Subpart H requires that designated stacks (as defined per 40 CFR, 61.93(b)(4)) comply with its Appendix B. Included in Appendix B are "Method 114 - Test Methods for Measuring Radionuclide Emissions from Stationary Sources," and "Table 2 - Maintenance, Calibration and Field Check Requirements" within "Quality Assurance Methods." Some of the monitoring systems at the Hanford Site are not in compliance with the criteria specified in the new Table 2 requirements.

This Compliance Plan (Plan) was prepared to bring DOE's Hanford Site into compliance with these new requirements. This Plan provides a schedule (see Ecology Statement of Basis) for DOE to make modifications and prepare procedures for inspections of the monitoring systems associated with designated stacks and to demonstrate to EPA that the inspections of those monitoring systems meet or are equivalent to the new Table 2 requirements. The Plan was developed after consultation among EPA, the State of Washington, Department of Health (WDOH), and DOE.

DOE will submit quarterly reports to EPA and WDOH that describe the progress made during the previous quarter toward meeting the requirements of this Plan. The reports will be submitted until compliance with the requirements contained in this Plan has been achieved. The reports shall indicate the status of activities associated with the compliance schedule. Upon completion of the actions required under this Plan, DOE will submit to EPA and WDOH a statement of completion of DOE's obligations under this Plan.

**Attachment 2**  
**03-ED-179**

**Hanford Site Compliance Plan Schedule Title 40, Code of Federal  
Regulations, Part 61, Subpart H Amendment**

DOE Hanford Stack Inspection Compliance Plan Schedule  
(40 CFR 61 Appendix B Table 2 Maintenance, Calibration and Field Check Requirements)

No.	Requirement	Frequency	Emission Unit	
			291-A-1 PUREX	
			In Compliance 12-31-03 (Y, N, NA)	Scheduled Compliance Date:
1	Cleaning of <i>[in-stack]</i> thermal anemometer elements.	As required by application	NA	NA
2	Inspect <i>[in-stack]</i> pitot tubes for contaminant deposits.	At least annually	NA	NA
3	Inspect <i>[in-stack]</i> pitot tube systems for leaks.	At least annually	NA	NA
4	Inspect sharp-edged nozzles for damage.	At least annually or after maintenance that could cause damage	N	June 30, 2005
5	Check nozzles for alignment, presence of deposits, or other potentially degrading factors.	Annually	N	June 30, 2005
6	Check transport lines of HEPA-filtered applications to determine if cleaning is required.	Annually	N	June 30, 2005
7	Clean transport lines <i>[if needed]</i> .	<i>[When there is:]</i> • Visible deposits for HEPA-filtered applications. • Surface density of 1 g/m <sup>2</sup> .	N	June 30, 2005
8	Inspect or test the sample transport system for leaks.	At least annually	N	June 30, 2005
9	Check mass flow meters of sampling systems with a secondary or transfer standard.	At least quarterly	NA	NA
10	Inspect rotameters of sampling systems for presence of foreign matter.	At the start of each sampling period	Y	NA
11	Check response of <i>[continuous-reading]</i> stack flow rate systems.	At least quarterly	NA	NA
12	Calibration of flow meters of sampling systems.	At least annually	Y	NA
13	Calibration of <i>[in-stack]</i> effluent flow measurement devices.	At least annually	NA	NA
14	Calibration of timing devices.	At least annually	NA	NA

*[Italics]* Italicized terms in square brackets indicate clarification based on text references in ANSI N13.1-1999 Table 5.

DOE Hanford Stack Inspection Compliance Plan Schedule  
(40 CFR 61 Appendix B Table 2 Maintenance, Calibration and Field Check Requirements)

No.	Requirement	Frequency	Emission Unit			
			296-P-43 Saltwell Pumping Portable		296-P-44 Saltwell Pumping Portable	
			In Compliance 12-31-03 (Y, N, NA)	Scheduled Compliance Date:	In Compliance 12-31-03 (Y, N, NA)	Scheduled Compliance Date:
1	Cleaning of <i>[in-stack]</i> thermal anemometer elements.	As required by application	NA	NA	NA	NA
2	Inspect <i>[in-stack]</i> pitot tubes for contaminant deposits.	At least annually	Y	NA	N	June 30, 2004
3	Inspect <i>[in-stack]</i> pitot tube systems for leaks.	At least annually	Y	NA	N	June 30, 2004
4	Inspect sharp-edged nozzles for damage.	At least annually or after maintenance that could cause damage	NA	NA	NA	NA
5	Check nozzles for alignment, presence of deposits, or other potentially degrading factors.	Annually	Y	NA	N	June 30, 2004
6	Check transport lines of HEPA-filtered applications to determine if cleaning is required.	Annually	N	June 30, 2004	N	June 30, 2004
7	Clean transport lines <i>[if needed]</i> .	<i>[When there is:]</i> • Visible deposits for HEPA-filtered applications. • Surface density of 1 g/m <sup>2</sup> .	N	June 30, 2004	N	June 30, 2004
8	Inspect or test the sample transport system for leaks.	At least annually	Y	NA	Y	NA
9	Check mass flow meters of sampling systems with a secondary or transfer standard.	At least quarterly	Y	NA	N	June 30, 2004
10	Inspect rotameters of sampling systems for presence of foreign matter.	At the start of each sampling period	NA	NA	NA	NA
11	Check response of <i>[continuous-reading]</i> stack flow rate systems.	At least quarterly	N	June 30, 2004	N	June 30, 2004
12	Calibration of flow meters of sampling systems.	At least annually	Y	NA	Y	NA
13	Calibration of <i>[in-stack]</i> effluent flow measurement devices.	At least annually	Y	NA	Y	NA
14	Calibration of timing devices.	At least annually	NA	NA	NA	NA

*[Italics]* Italicized terms in square brackets indicate clarification based on text references in ANSI N13.1-1999 Table 5.

DOE Hanford Stack Inspection Compliance Plan Schedule  
(40 CFR 61 Appendix B Table 2 Maintenance, Calibration and Field Check Requirements)

No.	Requirement	Frequency	Emission Unit			
			296-P-45 Saltwell Pumping Portable		296-P-47 Waste Retrieval Portable	
			In Compliance 12-31-03 (Y, N, NA)	Scheduled Compliance Date:	In Compliance 12-31-03 (Y, N, NA)	Scheduled Compliance Date:
1	Cleaning of <i>[in-stack]</i> thermal anemometer elements.	As required by application	NA	NA	NA	NA
2	Inspect <i>[in-stack]</i> pitot tubes for contaminant deposits.	At least annually	N	June 30, 2004	Y	NA
3	Inspect <i>[in-stack]</i> pitot tube systems for leaks.	At least annually	N	June 30, 2004	Y	NA
4	Inspect sharp-edged nozzles for damage.	At least annually or after maintenance that could cause damage	NA	NA	NA	NA
5	Check nozzles for alignment, presence of deposits, or other potentially degrading factors.	Annually	N	June 30, 2004	Y	NA
6	Check transport lines of HEPA-filtered applications to determine if cleaning is required.	Annually	N	June 30, 2004	N	June 30, 2004
7	Clean transport lines <i>[if needed]</i> .	<i>[When there is:]</i> • Visible deposits for HEPA-filtered applications. • Surface density of 1 g/m <sup>2</sup> .	N	June 30, 2004	N	June 30, 2004
8	Inspect or test the sample transport system for leaks.	At least annually	Y	NA	Y	NA
9	Check mass flow meters of sampling systems with a secondary or transfer standard.	At least quarterly	N	June 30, 2004	Y	NA
10	Inspect rotameters of sampling systems for presence of foreign matter.	At the start of each sampling period	NA	NA	NA	NA
11	Check response of <i>[continuous-reading]</i> stack flow rate systems.	At least quarterly	N	June 30, 2004	N	June 30, 2004
12	Calibration of flow meters of sampling systems.	At least annually	Y	NA	Y	NA
13	Calibration of <i>[in-stack]</i> effluent flow measurement devices.	At least annually	Y	NA	Y	NA
14	Calibration of timing devices.	At least annually	NA	NA	NA	NA

*[Italics]* Italicized terms in square brackets indicate clarification based on text references in ANSI N13.1-1999 Table 5.

DOE Hanford Stack Inspection Compliance Plan Schedule  
(40 CFR 61 Appendix B Table 2 Maintenance, Calibration and Field Check Requirements)

No.	Requirement	Frequency	Emission Unit			
			296-P-48 Waste Retrieval Portable		296-A-42 241-AY/AZ Primary	
			In Compliance 12-31-03 (Y, N, NA)	Scheduled Compliance Date:	In Compliance 12-31-03 (Y, N, NA)	Scheduled Compliance Date:
1	Cleaning of <i>[in-stack]</i> thermal anemometer elements.	As required by application	NA	NA	NA	NA
2	Inspect <i>[in-stack]</i> pitot tubes for contaminant deposits.	At least annually	Y	NA	N	December 31, 2005
3	Inspect <i>[in-stack]</i> pitot tube systems for leaks.	At least annually	Y	NA	N	December 31, 2005
4	Inspect sharp-edged nozzles for damage.	At least annually or after maintenance that could cause damage	NA	NA	N	December 31, 2005
5	Check nozzles for alignment, presence of deposits, or other potentially degrading factors.	Annually	Y	NA	N	December 31, 2005
6	Check transport lines of HEPA-filtered applications to determine if cleaning is required.	Annually	N	June 30, 2004	N	December 31, 2005
7	Clean transport lines <i>[if needed]</i> .	<i>[When there is:]</i> • Visible deposits for HEPA-filtered applications. • Surface density of 1 g/m <sup>2</sup> .	N	June 30, 2004	N	December 31, 2005
8	Inspect or test the sample transport system for leaks.	At least annually	Y	NA	N	December 31, 2005
9	Check mass flow meters of sampling systems with a secondary or transfer standard.	At least quarterly	Y	NA	N	December 31, 2005
10	Inspect rotameters of sampling systems for presence of foreign matter.	At the start of each sampling period	NA	NA	NA	NA
11	Check response of <i>[continuous-reading]</i> stack flow rate systems.	At least quarterly	N	June 30, 2004	N	December 31, 2005
12	Calibration of flow meters of sampling systems.	At least annually	Y	NA	Y	NA
13	Calibration of <i>[in-stack]</i> effluent flow measurement devices.	At least annually	Y	NA	Y	NA
14	Calibration of timing devices.	At least annually	NA	NA	NA	NA

*[Italics]* Italicized terms in square brackets indicate clarification based on text references in ANSI N13.1-1999 Table 5.

DOE Hanford Stack Inspection Compliance Plan Schedule  
(40 CFR 61 Appendix B Table 2 Maintenance, Calibration and Field Check Requirements)

No.	Requirement	Frequency	Emission Unit			
			296-B-28 244-BX Saltwell Receiver		296-S-22 244-S Saltwell Receiver	
			In Compliance 12-31-03 (Y, N, NA)	Scheduled Compliance Date:	In Compliance 12-31-03 (Y, N, NA)	Scheduled Compliance Date:
1	Cleaning of <i>[in-stack]</i> thermal anemometer elements.	As required by application	NA	NA	NA	NA
2	Inspect <i>[in-stack]</i> pitot tubes for contaminant deposits.	At least annually	NA	NA	NA	NA
3	Inspect <i>[in-stack]</i> pitot tube systems for leaks.	At least annually	NA	NA	NA	NA
4	Inspect sharp-edged nozzles for damage.	At least annually or after maintenance that could cause damage	N	December 31, 2005	N	December 31, 2005
5	Check nozzles for alignment, presence of deposits, or other potentially degrading factors.	Annually	N	December 31, 2005	N	December 31, 2005
6	Check transport lines of HEPA-filtered applications to determine if cleaning is required.	Annually	N	December 31, 2005	N	December 31, 2005
7	Clean transport lines <i>[if needed]</i> .	<i>[When there is:]</i> • Visible deposits for HEPA-filtered applications. • Surface density of 1 g/m <sup>2</sup> .	N	December 31, 2005	N	December 31, 2005
8	Inspect or test the sample transport system for leaks.	At least annually	N	December 31, 2005	N	December 31, 2005
9	Check mass flow meters of sampling systems with a secondary or transfer standard.	At least quarterly	NA	NA	NA	NA
10	Inspect rotameters of sampling systems for presence of foreign matter.	At the start of each sampling period	N	December 31, 2005	N	December 31, 2005
11	Check response of <i>[continuous-reading]</i> stack flow rate systems.	At least quarterly	NA	NA	NA	NA
12	Calibration of flow meters of sampling systems.	At least annually	Y	NA	Y	NA
13	Calibration of <i>[in-stack]</i> effluent flow measurement devices.	At least annually	NA	NA	NA	NA
14	Calibration of timing devices.	At least annually	N	December 31, 2005	N	December 31, 2005

*[Italics]* Italicized terms in square brackets indicate clarification based on text references in ANSI N13.1-1999 Table 5.

DOE Hanford Stack Inspection Compliance Plan Schedule  
(40 CFR 61 Appendix B Table 2 Maintenance, Calibration and Field Check Requirements)

No.	Requirement	Frequency	Emission Unit	
			296-T-18 244-TX Saltwell Receiver	
			In Compliance 12-31-03 (Y, N, NA)	Scheduled Compliance Date:
1	Cleaning of <i>[in-stack]</i> thermal anemometer elements.	As required by application	NA	NA
2	Inspect <i>[in-stack]</i> pitot tubes for contaminant deposits.	At least annually	NA	NA
3	Inspect <i>[in-stack]</i> pitot tube systems for leaks.	At least annually	NA	NA
4	Inspect sharp-edged nozzles for damage.	At least annually or after maintenance that could cause damage	N	December 31, 2005
5	Check nozzles for alignment, presence of deposits, or other potentially degrading factors.	Annually	N	December 31, 2005
6	Check transport lines of HEPA-filtered applications to determine if cleaning is required.	Annually	N	December 31, 2005
7	Clean transport lines <i>[if needed]</i> .	<i>[When there is:]</i> • Visible deposits for HEPA-filtered applications. • Surface density of 1 g/m <sup>2</sup> .	N	December 31, 2005
8	Inspect or test the sample transport system for leaks.	At least annually	N	December 31, 2005
9	Check mass flow meters of sampling systems with a secondary or transfer standard.	At least quarterly	NA	NA
10	Inspect rotameters of sampling systems for presence of foreign matter.	At the start of each sampling period	N	December 31, 2005
11	Check response of <i>[continuous-reading]</i> stack flow rate systems.	At least quarterly	NA	NA
12	Calibration of flow meters of sampling systems.	At least annually	Y	NA
13	Calibration of <i>[in-stack]</i> effluent flow measurement devices.	At least annually	NA	NA
14	Calibration of timing devices.	At least annually	N	December 31, 2005

*[Italics]* Italicized terms in square brackets indicate clarification based on text references in ANSI N13.1-1999 Table 5.

**Attachment 3  
03-ED-179**

**Application for Minor Modifications to the Hanford Site Title V  
Air Operating Permit (Number 00-05-006) for Inclusion of the  
Hanford Site Compliance Plan Title 40, Code of Federal  
Regulations, Part 61, Subpart H Amendment**

**Hanford Site Air Operating Permit  
MINOR PERMIT MODIFICATION REQUEST  
Permit Number 00-05-006**

Minor permit modifications are allowed under WAC 173-401-725 and meet the following criteria:

- Does not violate any applicable requirement
- Does not involve significant changes to existing monitoring, reporting, or recordkeeping requirements in the permit
- Is not a Title I modification.

Provide the following information pursuant to WAC-173-401-725(2)(b)

**Description of the change:**

**Hanford Site Compliance Plan for 40 CFR, Part 61, Subpart H Amendment**

On September 9, 2002, the U.S. Environmental Protection Agency (EPA) promulgated new requirements in the "National Emission Standards for Emissions of Radionuclides Other Than Radon from U.S. Department of Energy (DOE) Facilities," Title 40 Code of Federal Regulation (CFR), Part 61, Subpart H. In addition to other requirements, Subpart H requires that designated stacks (as defined per 40 CFR, 61.93(b)(4)) comply with its Appendix B. Included in Appendix B are "Method 114 - Test Methods for Measuring Radionuclide Emissions from Stationary Sources," and "Table 2 - Maintenance, Calibration and Field Check Requirements" within "Quality Assurance Methods." Some of the monitoring systems at the Hanford Site are not in compliance with the criteria specified in the new Table 2 requirements.

This Compliance Plan (Plan) was prepared to bring DOE's Hanford Site into compliance with these new requirements. This Plan provides a schedule for DOE to make modifications and prepare procedures for inspections of the monitoring systems associated with designated stacks and to demonstrate to EPA that the inspections of those monitoring systems meet or are equivalent to the new Table 2 requirements. The Plan was developed after consultation between EPA, the State of Washington, Department of Health (WDOH), and DOE.

DOE will submit quarterly reports to EPA and WDOH that describe the progress made during the previous quarter toward meeting the requirements of this Plan. The reports will be submitted until compliance with the requirements contained in this Plan have been achieved. The reports shall indicate the status of activities associated with the compliance schedule. Upon completion of the actions required under this Plan, DOE will submit to EPA and WDOH a statement of completion of DOE's obligations under this Plan.

**Describe the emissions resulting from the change:**

No increase in emissions is proposed.

**Describe the new applicable requirements that will apply as a result of the change:**

DOE will submit quarterly reports to EPA and WDOH that describe the progress made during the previous quarter toward meeting the requirements of this Plan. The reports will be submitted until compliance with the requirements contained in this Plan have been achieved. The reports shall indicate the status of activities associated with the compliance schedule. Upon completion of the actions required under this Plan, DOE will submit to EPA and WDOH a statement of completion of DOE's obligations under this Plan.

**Suggested Draft Permit Language:**

*for example:*

- *Monitoring/PCM that will be used to support compliance determination/certification*
- *Description of air pollution control equipment (abatement technology)*
- *Other controls such as limits on inventory; process limits such as throughput, hours of operation, or acceptance criteria; or other assumptions used in potential to emit calculations*
- *Other process descriptions that constitute a term or condition, such as reporting or recordkeeping requirements.*

No suggested language.

**NOTIFICATION OF PERMIT MODIFICATION REQUEST TO THE U.S. ENVIRONMENTAL  
PROTECTION AGENCY, REGION 10, THE TRIBES, AND AFFECTED STATES**

Below is a request to revise the Hanford Site Air Operating Permit. This form serves as notification to EPA, tribes, and affected states of a request for an Air Operating Permit Modification per WAC 173-401-725(2), (3) and (4).

<b>Air Operating Permit Number:</b> 00-05-006	
<b>Source:</b> U.S. Department of Energy, Richland Operations, Hanford Site	
<b>Mailing Address:</b>  P.O. Box 550 Richland, WA 99352	<b>Physical Address:</b>  825 Jadwin Ave. Richland, WA 99352
<b>Brief Description:</b> This AOP minor modification will incorporate the Hanford Site Compliance Plan (Plan) for implementation of requirements contained in the recent amendment to Title 40, Code of Federal Regulations (CFR), Part 61, Subpart H. The Plan was discussed during technical discussions held between the U.S. Department of Energy (DOE) and the U.S. Environmental Protection Agency (EPA), Region 10, on November 5, 2003.  On September 9, 2002, EPA promulgated new requirements in the "National Emission Standards for Emissions of Radionuclides Other Than Radon from U.S. Department of Energy (DOE) Facilities," 40 CFR, Part 61, Subpart H. In addition to other requirements, Subpart H requires that designated stacks (as defined per 40 CFR, 61.93(b)(4)) comply with its Appendix B. Included in Appendix B are "Method 114 - Test Methods for Measuring Radionuclide Emissions from Stationary Sources," and "Table 2 - Maintenance, Calibration and Field Check Requirements" within "Quality Assurance Methods." Some of the monitoring systems at the Hanford Site are not in compliance with the criteria specified in the new Table 2 requirements.  This Plan is intended to bring DOE's Hanford Site (DOE) into compliance with these new requirements. The Plan provides a schedule for DOE to make modifications and prepare procedures for inspections of the monitoring systems associated with designated stacks and to demonstrate to EPA that the inspections of those monitoring systems meet or are equivalent to the new Table 2 requirements. The Plan was developed after consultation between EPA, the State of Washington, Department of Health (WDOH), and DOE.	
<b>Contact Name:</b> Joel B. Hebdon	<b>Phone:</b> 509-372-2400
<b>Title:</b> Director, Regulatory Compliance and Analysis Division US Department of Energy, Richland Operations Office	
<b>FOR ECOLOGY USE ONLY</b>	
<b>Application Number</b>	<b>Date Received</b>
<b>Ecology Contact</b>	
<b>Date of Publication in Permit Register</b>	<b>Public Comment Period Ends</b>