

START

9613443.3002

0044194

LK6025¹⁵/₂

Lockheed Environmental Systems & Technologies Co.
Lockheed Analytical Services
975 Kelly Johnson Drive Las Vegas, Nevada 89119-3705
Telephone 702-361-0220 800-582-7605 Facsimile 702-361-8146

LOCKHEED MARTIN



January 9, 1996

Ms. Joan Kessner
Bechtel Hanford, Inc.
P.O. Box 969
1022 Lee Boulevard
Richland, WA 99352



RE: Log-in No.:	L6025
Quotation No.:	Q400000-B
SAF:	B96-035
Document File No.:	1212596
BHI Document File No.:	309
SDG No.:	LK6025



The attached data report contains the analytical results of samples that were submitted to Lockheed Analytical Services on 12 December 1995.

The temperature of the cooler upon receipt was 2°C. Sample containers received agree with the chain-of-custody documentation. Sample containers were received intact. Samples designated for hexachrome analysis were not received in time to meet the analytical holding time requirements.

The case narratives included in the following attachments provide a detailed description of all events that occurred during sample preparation, analysis, and data review specific to the samples and analytical methods requested.

A list of data qualifiers, chain-of-custody forms, sample receiving checklist, and log-in report are also enclosed representing the samples received within this group.

If you have any questions concerning the analysis or the data please call Kathleen Hall at (509) 375-4741.

0003

Lockheed Analytical Services

Log-in No.: L6025
Quotation No.: Q400000-B
SAF: B96-035
Document File No.: 1212596
BHI Document File No.:309
SDG No.: LK6025
Page1

Release of this data report has been authorized by the Laboratory Director or the Director's designee as evidenced by the following signature.

" I certify that this data package is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manger or a designee, as verified by the following signature."

Sincerely,

A handwritten signature in black ink that reads "Kathleen M. Hall for". The signature is written in a cursive style.

Kathleen M. Hall
Client Services Representative

cc: Client Services
Document Control

Lockheed Analytical Services

Log-in No.: L6025
 Quotation No.: Q400000-B
 SAF: B96-035
 Document File No.: 1212596
 BHI Document File No.:309
 SDG No.: LK6025
 Page2

**CASE NARRATIVE
 INORGANIC NON METALS ANALYSES**

The routine calibration and quality control analyses performed for this batch include as applicable: initial and continuing calibration verification, initial and continuing calibration blanks, method blank(s), laboratory control sample(s), matrix spike (predigestion) sample(s), duplicate sample(s).

Preparation and Analysis Requirements

- Two water samples were received for LK6025 and analyzed in batch 1212 bh for selected analytes as requested on the chain of custody. Quality control analysis was performed on the following samples:

Client ID	LAL #		Method
BOGZ52	L6025-3	MS, DUP	7196 Chromium (VI)

Holding Time Requirements

- All samples were received outside of the method-specific holding time and are flagged with an "H".

Method Blanks

- The concentration levels of all the requested analytes in the method blank were below the reporting detection limits.

Internal Quality Control

- All Internal Quality Control were within acceptance limits.

Kay McCann
 Prepared By

December 19, 1995
 Date

Lockheed Analytical Services

Log-in No.: L6025
Quotation No.: Q400000-B
SAF: B96-035
Document File No.: 1212596
BHI Document File No.:309
SDG No.: LK6025
Page3

CASE NARRATIVE INORGANIC METALS ANALYSES

The routine calibration and quality control analyses performed for this batch include as applicable: instrument tune (ICP/MS only), initial and continuing calibration verification, initial and continuing calibration blanks, method blank(s), laboratory control sample(s), ICP interference check samples (ICP only), serial dilutions, analytical (post-digestion) spike samples, matrix spike (predigestion) sample(s), duplicate sample(s).

Preparation and Analysis Requirements

All samples were received on December 12, 1995. The samples were logged in as L6025 and were prepared and analyzed in batch 1212 bh.

Holding Time Requirements

- All samples were analyzed within the method-specific holding times.

Method Blanks

- The concentration levels of all the requested analytes in the method blank were below the reporting detection limits.

Internal Quality Control

- All Internal Quality Control were within acceptance limits.

Shellee McGrath
Prepared By

January 9, 1996
Date

9613143.3006

LOCKHEED ANALYTICAL SERVICES
 LOGIN CHAIN OF CUSTODY REPORT (ln01)
 Dec 12 1995, 01:08 pm

Login Number: L6025

Account: 596 Bechtel Hanford, Inc. * Richland, WA
 Project: BECHTEL-HANFORD Bechtel Hanford Project

Laboratory Sample Number	Client Sample Number	Collect Date	Receive Date	Due PR Date
L6025-1 temp 2; SAF# B96-035 Location: 157 Water 1 S SCREENING	BOGZ52	08-DEC-95	12-DEC-95	16-JAN-96
		Hold:05-JUN-96		
L6025-2 temp 2; SAF# B96-035 Location: 157 Water 1 S SCREENING	BOGZ53	08-DEC-95	12-DEC-95	16-JAN-96
		Hold:05-JUN-96		
L6025-3 temp 2; SAF# B96-035 Location: 157 Water 1 S 7196 CHROMIUM (VI)	BOGZ52	08-DEC-95	12-DEC-95	16-JAN-96
		Hold:09-DEC-95		
L6025-4 temp 2; SAF# B96-035 Location: 157 Water 1 S 7196 CHROMIUM (VI)	BOGZ53	08-DEC-95	12-DEC-95	16-JAN-96
		Hold:09-DEC-95		
L6025-5 temp 2; SAF# B96-035, Cr ONLY Location: 157 Water 1 S 200.7 METALS	BOGZ52	08-DEC-95	12-DEC-95	16-JAN-96
		Hold:05-JUN-96		
L6025-6 temp 2; SAF# B96-035, Cr ONLY Location: 157 Water 1 S 200.7 METALS	BOGZ53	08-DEC-95	12-DEC-95	16-JAN-96
		Hold:05-JUN-96		
L6025-7 SAF# B96-035 Location: Water 1 S EDD - DISK DEL. Water 1 S INORG TYPE 2 RPT +	REPORT TYPE	12-DEC-95	12-DEC-95	16-JAN-96

Page 1

Signature: AdmillsDate: 12-12-95 0009

1212596

Bechtel Hanford, Inc.

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

L6025

Data Turnaround
 Priority
 Normal

Collector K. Trapp	Company Contact B. D. Blumenkranz	Telephone (509) 372-9658
Project Designation 100-HR-3 Pump and Treatment	Sampling Location 100-HR-3 Pump and Treat	SAF No. B96-035
Ice Chest No. <i>ERC-FS-001</i>	Field Logbook No. <i>EF-1144-2</i>	Method of Shipment Federal Express
Shipped To Lockheed	Offsite Property No. <i>W96-U-0640-12</i>	Bill of Lading/Air Bill No. <i>2904047751</i>

Possible Sample Hazards/Remarks	Preservation	HNO ₃	Cool 4°C	None						
	Type of Container	PIG	PIG	P						
	No. of Container(s)	1	1	1						
Special Handling and/or Storage Maintain samples between 2°C and 6°C	Volume	500mL	500mL	20mL						
SAMPLE ANALYSIS	Chrom-ium - Total									
	Chrom-ium VI									
	Activity Scan									

Sample No.	Matrix*	Date Sampled	Time Sampled										
BOG 252	W	12/8/95	1023	X	X	X							
BOG 253	W	12/4/95	1029	X	X	X							

CHAIN OF POSSESSION	Sign/Print Names			SPECIAL INSTRUCTIONS	Matrix* S = Soil SE = Sediment SO = Solid SL = Sludge W = Water O = Oil A = Air DS = Drum Solids DL = Drum Liquids T = Tissue WI = Wipe L = Liquid V = Vegetation X = Other	
	Relinquished By <i>K. Trapp</i>	Date/Time <i>0925</i>	Received By <i>[Signature]</i>			Date/Time <i>0925</i>
	Relinquished By <i>[Signature]</i>	Date/Time <i>0930</i>	Received By <i>[Signature]</i>			Date/Time <i>12-11-95</i>
	Relinquished By <i>[Signature]</i>	Date/Time <i>12-11-95</i>	Received By <i>[Signature]</i>			Date/Time
LABORATORY SECTION	Received By <i>[Signature]</i>	Title <i>Sample Custodian</i>	Date/Time <i>12-12-95/0900</i>			
FINAL SAMPLE DISPOSITION	Disposal Method	Disposed By	Date/Time			

065113-2007

Environmental
Restoration
Contractor

ERC Team

Interoffice Memorandum

Job No. 22192
Written Response Required:
CCN: N/A
OU: R0808-3
TSD: N/A
ERL: N/A
Subject Code: 5480

TO: Dave Blumenkranz H4-90

DATE: April 26, 1995


COPIES: Doug Bowers N3-05

FROM: Mike Wesselman
Radiological Controls
N3-06/376-2084

Post-it® Fax Note	7671	Date	5/1	# of pages	1
To	D. Bowers	From	D. Blumenkranz		
Co./Dept.	ITH/Samp.	Co.	CHI/E&S		
Phone #	376-1007	Phone #	372-9658		
Fax #	376-5991	Fax #			

SUBJECT: EXEMPTION OF SAMPLES FROM 100-HR-3 PUMP AND TREAT FROM TOTAL ACTIVITY ANALYSIS.

After reviewing sampling data recorded on GeoDat as well as data from the latest resin change at the unit, it has been concluded that there is no need to perform total activity analysis of water sample from 100-HR-3 prior to offsite shipment. Water from all wells in the area is well below levels which would deliver 100 millirem per year CEDE to any one drinking two liters a day, no water exceeds the 200 picocurie per gram limit for shipment as non radioactive by Department of Transportation. Activity trends in all wells have been downward for the last twenty years. Sample from the pump and treat system itself indicate less than six picocuries per gram of tritium and less than ten picocuries per liter of both alpha and beta contamination. All discharges of radioactive material to the ground in the 100-1 Area have ceased, the actions of the pump and treat system do not appear to be mobilizing previously deposited materials. Based on the above information and the results of total activities performed to date there is sufficient process knowledge to conclude that preshipment screening of water samples is no longer required.


Mike Wesselman

maw

Distribution

0011

1212596

LOCKHEED MARTIN



Sample Login Login Review Checklist

Lot Number LG025

The login review should be conducted by that person logging in the samples as well as a peer. Please use this checklist to ensure that such reviews occur in a uniform basis. Please sign and date below to verify that a login review has occurred. This checklist should be affixed to each login package prior to distribution.

For effective login review, at a minimum, five reports from the login process are required. These are the COC (or equivalent), the login COC report, the sample summary report, the sample receiving checklist, and the login quotation. Before beginning review, ensure that these five components are available. Jobs with single component samples, the sample summary report may be omitted.

SAMPLE SUMMARY REPORT

	<u>YES</u>	<u>NO</u>	<u>N/A</u>	<u>Comment</u>
1. Are all sample ID's correct?	<u>X</u>	—	—	_____
2. Are all samples present?	<u>X</u>	—	—	_____
3. Are all matrices indicated correctly?	<u>X</u>	—	—	_____
4. Are all analyses on the COC logged in for the appropriate samples?	<u>X</u>	—	—	_____
5. Are all analyses logged in for the correct container?	<u>X</u>	—	—	_____
6. Are samples logged in according to LAS batching procedures?	<u>X</u>	—	—	_____

LOGIN CHAIN OF CUSTODY

	<u>YES</u>	<u>NO</u>	<u>N/A</u>	<u>Comment</u>
1. Are the collect, receive, and due dates correct for every sample?	<u>X</u>	—	—	_____
2. Have all appropriate comments been indicated in the comment section?	—	—	<u>X</u>	_____

SAMPLE RECEIVING CHECKLIST

	<u>YES</u>	<u>NO</u>	<u>N/A</u>	<u>Comment</u>
1. Are all discrepancies between the COC and the login noted (if applicable)?	—	—	<u>X</u>	_____

Amir Ell
primary review signature

92-12-95
date

Paul D. [Signature]
secondary review signature

12-12-95
date

0012

1212596

SAMPLE CHECK-IN LIST

Date/Time Received: 12-12-95/0900 SDG#: MA

Work Order Number: MA SAF #: B96-035

Shipping Container ID: ERC-FS-001 Chain of Custody #: MA

- 1. Custody Seals on shipping container intact? Yes No
- 2. Custody Seals dated and signed? Yes No
- 3. Sample temperature 2°C
- 4. Vermiculite/packing materials is Wet Dry
- 5. Each sample is in a plastic bag? Yes No
- 6. Sample holding times exceeded? Yes No

7. Samples have:
 tape hazard labels
 custody seals appropriate sample labels

8. Samples are:
 in good condition leaking
 broken have air bubbles

9. Is the information on the COC and Sample bottles in agreement?
Yes No

Notes: Hex Chrom. received out of holding time

Sample Custodian/Laboratory: Movall's LAB Date: 12-12-95

Telephoned To: Kathleen Hall On 12-12-95 By Anthony Miller

Lockheed Analytical Services
Sample Receiving Checklist

Client Name: *Bechtel-Hanford*

Job No. *LG025*

Cooler ID:

COOLER CONDITION UPON RECEIPT

Temperature of cooler upon receipt:

2°C

temperature of temp. blank upon receipt:

	Yes	No	* Comments/Discrepancies
custody seals intact	<input checked="" type="checkbox"/>		
chain of custody present	<input checked="" type="checkbox"/>		
blue ice (or equiv.) present/frozen	<input checked="" type="checkbox"/>		
rad survey completed	<input checked="" type="checkbox"/>		

SAMPLE CONDITION UPON RECEIPT

	Yes	No	* Comments/Discrepancies
all bottles labeled	<input checked="" type="checkbox"/>		
samples intact	<input checked="" type="checkbox"/>		
proper container used for sample type	<input checked="" type="checkbox"/>		
sample volume sufficient for analysis	<input checked="" type="checkbox"/>		
proper pres. indicated on the COC	<input checked="" type="checkbox"/>		
VOA's contain headspace			<i>nvt</i>
are samples bi-phasic (if so, indicate sample ID'S):			<i>nvt</i>

MISCELLANEOUS ITEMS

	Yes	No	* Comments/Discrepancies
samples with short holding times	<input checked="" type="checkbox"/>		<i>Hex Chrom. holding time exceeded</i>
samples to subcontract		<input checked="" type="checkbox"/>	

ADDITIONAL COMMENTS/DISCREPANCIES

Completed by / date: *Adm/llc 12-12-95*

Sent to the client (date/initials):

** Client's signature upon receipt:

Notes: * = contact the appropriate CSR of any discrepancies immediately upon receipt

** = please review this information and return via facsimile to the appropriate CSR (702) 361-8146

9613143.3011

1212546

0014

9618143.3012

Lockheed Analytical Laboratory
SAMPLE SUMMARY REPORT (su02)
Bechtel Hanford, Inc. * Richland, WA

Client Sample Number	LAL Sample Number	SDG Number	Matrix	Method
BOGZ52 -	L6025-1		Water	•SCREENING -
	L6025-3		Water	•7196 CHROMIUM (V
	L6025-5		Water	•200.7 METALS -
BOGZ53 -	L6025-2		Water	•SCREENING -
	L6025-4		Water	•7196 CHROMIUM (V
	L6025-6		Water	•200.7 METALS -
REPORT TYPE -	L6025-7		Water	EDD - DISK DEL.
	L6025-7		Water	INORG TYPE 2 RPT

0015

1 2 125-90

9613443.3013

LOCKHEED ANALYTICAL SERVICES

Sample Results

Client Sample ID: B0GZ52	Date Collected: 08-DEC-95
Matrix: Water	Date Received: 12-DEC-95
Percent Solids: N/A	

Constituent	Units	Method	Result	Project Reporting Limit	Data Qualifier(s)	Date Analyzed	LAS Batch ID	LAS Sample ID
Chromium, hexavalent	mg/L	7196	0.82	0.10	HD(1:5)	18-DEC-95	31532	L6025-3

0017

9613443.3014

LOCKHEED ANALYTICAL SERVICES

Sample Results

Client Sample ID: B0GZ53	Date Collected: 08-DEC-95
Matrix: Water	Date Received: 12-DEC-95
Percent Solids: N/A	

Constituent	Units	Method	Result	Project Reporting Limit	Data Qualifier(s)	Date Analyzed	LAS Batch ID	LAS Sample ID
Chromium, hexavalent	mg/L	7196	0.59	0.10	HD(1:5)	18-DEC-95	31532	L6025-4

0018

9613443.3015

LOCKHEED ANALYTICAL SERVICES

Sample Results

Client Sample ID: B0GZ52	Date Collected: 08-DEC-95
Matrix: Water	Date Received: 12-DEC-95
Percent Solids: N/A	

Constituent	Units	Method	Result	IDL	RDL	Data Qual	Dilution	Date Analyzed	LAS Batch ID	LAS Sample ID
CHROMIUM, TOTAL	mg/L	6010	0.78	0.0040	0.010		1	29-DEC-95	31831	L6025-5

0024

9613443.3016

LOCKHEED ANALYTICAL SERVICES

Sample Results

Client Sample ID: B0GZ53	Date Collected: 08-DEC-95
Matrix: Water	Date Received: 12-DEC-95
Percent Solids: N/A	

Constituent	Units	Method	Result	IDL	RDL	Data Qual	Dilution	Date Analyzed	LAS Batch ID	LAS Sample ID
CHROMIUM, TOTAL	mg/L	6010	0.58	0.0040	0.010		1	29-DEC-95	31831	L6025-6

0025