

Waste Site Reclassification Form

Date Submitted: 02/11/2008	Operable Units: 200-SW-1	Control Number: 2008-08
Originator: Greg Berlin	Waste Site ID: 218-E-6	
Phone: 376-2389	Type of Reclassification Action:	
	Closed Out: <input type="checkbox"/>	Interim Closed Out: <input type="checkbox"/>
	No Action: <input type="checkbox"/>	RCRA Postclosure: <input type="checkbox"/>
	Rejected: <input checked="" type="checkbox"/>	Consolidated: <input type="checkbox"/>

This form documents agreement among parties listed authorizing classification of the subject unit as Closed Out, Interim Closed Out, No Action, RCRA Postclosure, Rejected, or Consolidated. This form also authorizes backfill of the waste management unit, if appropriate, for Closed Out and Interim Closed out units. Final removal from the NPL of No Action and Closed Out waste management units will occur at a future date.

Description of Current Waste Site Conditions:

(Summarize status of investigation/remediation of the waste sites.)

At one time the site was a burn pit that was used to burn wooden items removed from the 291-B stack area during cleanup of the 221-B Exclusion Area. A trench approximately 1.2 meters (4 feet) deep was dug. The contaminated material was then burned and the remaining ashes were covered with soil.

The site was excavated to determine the remaining activity. Pieces of partially burned wood and ashes were uncovered at a depth of 1.2 meters (4 feet). Radioactivity was non-detectable. The site was exhumed and all items and soil from the bottom of the site were disposed of in the 200 East Burial Ground. The zone was released from Radiation Zone status.

Basis for Reclassification:

(For closeout, reference supporting documentation, as listed in Table 3.)

The site was exhumed and all items and soil from the bottom of the site were disposed of in the 200 East Burial Ground. The zone was released from Radiation Zone status.


This site was originally reclassified to "No Action" on 1/19/2000. It is requested that the reclassification status be re-evaluated to a status of "Rejected". The Rejected status will preclude carrying the site forward through the CERCLA process.

Waste Site Controls

Engineered Controls: Yes No Institutional Controls: Yes No O&M requirements: Yes No

If any of the Waste Site Controls are checked Yes specify control requirements including reference to the Record of Decision, TSD Closure Letter, or other relevant documents.

None required.

<u>Briant Charbonneau</u> DOE Project Manager	 Signature	<u>4-29-2008</u> Date
<u>John B. Price</u> Ecology Project Manager	 Signature	<u>5-13-2008</u> Date
_____ EPA Project Manager	_____ Signature	_____ Date

RECEIVED
MAY 29 2008
EDMC