

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Richland
2800 George Washington Way
Richland, WA 99352
Tel: (509)375-3131

TestAmerica Job ID: 300-6513-1
TestAmerica Sample Delivery Group: WC2577
Client Project/Site: I18-003

For:
CH2M Hill Plateau Remediation Company
825 Jadwin Avenue
Richland, Washington 99352

Attn: CPP Sample Management



Authorized for release by:
12/20/2017 1:26:22 PM
Kayse Zalmi, Project Manager I
(253)922-2310
kayse.zalmi@testamericainc.com

Designee for
Ashley Worthy, Project Manager I
(509)375-3131
ashley.worthy@testamericainc.com

LINKS

Review your project results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

I certify that this Certificate of Analysis is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed in this package. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager, or a designee as verified by the attached signature.

The laboratory is accredited to EPA 7196A in Solid and Chemical Materials, per Washington State Department of Ecology this is approved for non-discharge water samples.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Chain of Custody	5
Detection Summary	6
Client Sample Results	7
QC Sample Results	8
QC Association Summary	10
Lab Chronicle	11
Method Summary	12
Sample Summary	13
Receipt Checklists	14

Definitions/Glossary

Client: CH2M Hill Plateau Remediation Company
Project/Site: I18-003

TestAmerica Job ID: 300-6513-1
SDG: WC2577

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
D	The reported value is from a dilution.
U	Analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: CH2M Hill Plateau Remediation Company
Project/Site: I18-003

TestAmerica Job ID: 300-6513-1
SDG: WC2577

Job ID: 300-6513-1

Laboratory: TestAmerica Richland

Narrative

Job Narrative
300-6513-1

Receipt

The sample was received on 12/6/2017 10:55 AM; the sample arrived in good condition, properly preserved and, where required, on ice.

HPLC/IC

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

CH2M Hill Plateau Remediation Company

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C.# I18-003-212

Page 1 of 1

Contact/Requester: Karen Waters-Husted

Telephone No.: 509-376-4650

Sampling Origin: Hanford Site

Purchase Order/Charge Code: 300071

Logbook No.: HNF-N-506

Ice Chest No.: N/A

Method of Shipment: GOVERNMENT VEHICLE

Bill of Lading/Air Bill No.: N/A

Priority: 15 Days

PRIORITY

Offsite Property No.: N/A

POSSIBLE SAMPLE HAZARDS/REMARK

** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1

SPECIAL INSTRUCTIONS

N/A

Sample No.	Filter	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B3FEMO	N	W	12-5-17	1407	1x125-mL P	300.0_ANIONS_IC: COMMON	48 Hours	COOL <=6C

WLC 2577
U573



300-6513 COC

Relinquished By: Larry Rosane LARRY ROSANE Signature	DEC 05 2017 1445	Received By: SSU-1 Signature	DEC 05 2017 1445	Matrix * S = Soil DS = Drum Solids SE = Sediment DL = Drum Liquid SO = Solid T = Tissue SL = Sludge WI = Wipe W = Water L = Liquid O = Oil V = Vegetation A = Air X = Other
Relinquished By: SSU-1 Signature	DEC 06 2017 0700	Received By: SSU-1 Signature	DEC 06 2017 0700	
Relinquished By: Jeff Lunsford JEFF LUNSFORD Signature	DEC 06 2017 1055	Received By: B. Jorgenson B. JORGENSON Signature	DEC 06 2017 1055	
Relinquished By: Jeff Lunsford JEFF LUNSFORD Signature	DEC 06 2017 1055	Received By: B. Jorgenson B. JORGENSON Signature	DEC 06 2017 1055	

Print First and Last Name	Signature	Date/Time	Print First and Last Name	Signature	Date/Time	Disposed By:	Date/Time:
---------------------------	-----------	-----------	---------------------------	-----------	-----------	--------------	------------

Detection Summary

Client: CH2M Hill Plateau Remediation Company
 Project/Site: I18-003

TestAmerica Job ID: 300-6513-1
 SDG: WC2577

Client Sample ID: B3FFM0

Lab Sample ID: 300-6513-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	21	D	0.40	0.20	mg/L	2		300.0	Total/NA
Nitrate as N	3.5	D	0.056	0.028	mg/L	2		300.0	Total/NA
Fluoride	0.29	D	0.10	0.050	mg/L	2		300.0	Total/NA
Nitrite as N	0.093	D	0.076	0.038	mg/L	2		300.0	Total/NA
Sulfate	87	D	0.50	0.25	mg/L	2		300.0	Total/NA

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

This Detection Summary does not include radiochemical test results.

TestAmerica Richland

Client Sample Results

Client: CH2M Hill Plateau Remediation Company
 Project/Site: I18-003

TestAmerica Job ID: 300-6513-1
 SDG: WC2577

Client Sample ID: B3FFM0
Date Collected: 12/05/17 14:27
Date Received: 12/06/17 10:55

Lab Sample ID: 300-6513-1
Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	21	D	0.40	0.20	mg/L			12/06/17 19:47	2
Nitrate as N	3.5	D	0.056	0.028	mg/L			12/06/17 19:47	2
Fluoride	0.29	D	0.10	0.050	mg/L			12/06/17 19:47	2
Nitrite as N	0.093	D	0.076	0.038	mg/L			12/06/17 19:47	2
Sulfate	87	D	0.50	0.25	mg/L			12/06/17 19:47	2

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

QC Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: I18-003

TestAmerica Job ID: 300-6513-1
SDG: WC2577

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 300-9874/15
Matrix: Water
Analysis Batch: 9874

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	0.014	U	0.028	0.014	mg/L			12/06/17 17:31	1
Nitrite as N	0.019	U	0.038	0.019	mg/L			12/06/17 17:31	1

Lab Sample ID: LCS 300-9874/16
Matrix: Water
Analysis Batch: 9874

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	2.26	2.18		mg/L		97	80 - 120
Nitrite as N	3.04	3.12		mg/L		103	80 - 120

Lab Sample ID: 300-6509-A-7 MS
Matrix: Water
Analysis Batch: 9874

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	2.9	D	0.452	3.38	D	mg/L		115	75 - 125
Nitrite as N	0.082	D	0.609	0.610	D	mg/L		87	75 - 125

Lab Sample ID: 300-6509-A-7 DU
Matrix: Water
Analysis Batch: 9874

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Nitrate as N	2.9	D	2.87	D	mg/L		0.3	20
Nitrite as N	0.082	D	0.0826	D	mg/L		0.3	20

Lab Sample ID: MB 300-9875/15
Matrix: Water
Analysis Batch: 9875

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.10	U	0.20	0.10	mg/L			12/06/17 17:31	1
Fluoride	0.025	U	0.050	0.025	mg/L			12/06/17 17:31	1
Sulfate	0.13	U	0.25	0.13	mg/L			12/06/17 17:31	1

Lab Sample ID: LCS 300-9875/16
Matrix: Water
Analysis Batch: 9875

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	16.0	15.9		mg/L		99	80 - 120
Fluoride	4.00	4.02		mg/L		100	80 - 120
Sulfate	20.0	19.9		mg/L		99	80 - 120

QC Sample Results

Client: CH2M Hill Plateau Remediation Company
 Project/Site: I18-003

TestAmerica Job ID: 300-6513-1
 SDG: WC2577

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 300-6509-A-7 MS
 Matrix: Water
 Analysis Batch: 9875

Client Sample ID: Matrix Spike
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	6.4	D	3.20	9.87	D	mg/L		107	75 - 125
Fluoride	0.40	D	0.800	1.20	D	mg/L		101	75 - 125
Sulfate	31	D	4.00	35.8	D	mg/L		111	75 - 125

Lab Sample ID: 300-6509-A-7 DU
 Matrix: Water
 Analysis Batch: 9875

Client Sample ID: Duplicate
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Chloride	6.4	D	6.43	D	mg/L		0.3	20
Fluoride	0.40	D	0.395	D	mg/L		0.9	20
Sulfate	31	D	30.9	D	mg/L		2	20

QC Association Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: I18-003

TestAmerica Job ID: 300-6513-1
SDG: WC2577

HPLC/IC

Analysis Batch: 9874

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-6513-1	B3FFM0	Total/NA	Water	300.0	
MB 300-9874/15	Method Blank	Total/NA	Water	300.0	
LCS 300-9874/16	Lab Control Sample	Total/NA	Water	300.0	
300-6509-A-7 MS	Matrix Spike	Total/NA	Water	300.0	
300-6509-A-7 DU	Duplicate	Total/NA	Water	300.0	

Analysis Batch: 9875

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-6513-1	B3FFM0	Total/NA	Water	300.0	
MB 300-9875/15	Method Blank	Total/NA	Water	300.0	
LCS 300-9875/16	Lab Control Sample	Total/NA	Water	300.0	
300-6509-A-7 MS	Matrix Spike	Total/NA	Water	300.0	
300-6509-A-7 DU	Duplicate	Total/NA	Water	300.0	

Lab Chronicle

Client: CH2M Hill Plateau Remediation Company
Project/Site: I18-003

TestAmerica Job ID: 300-6513-1
SDG: WC2577

Client Sample ID: B3FFM0
Date Collected: 12/05/17 14:27
Date Received: 12/06/17 10:55

Lab Sample ID: 300-6513-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2			9874	12/06/17 19:47	RTQ	TAL RCH
Total/NA	Analysis	300.0		2			9875	12/06/17 19:47	RTQ	TAL RCH

Client Sample ID: Method Blank
Date Collected: N/A
Date Received: N/A

Lab Sample ID: MB 300-9874/15
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			9874	12/06/17 17:31	RTQ	TAL RCH

Client Sample ID: Method Blank
Date Collected: N/A
Date Received: N/A

Lab Sample ID: MB 300-9875/15
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			9875	12/06/17 17:31	RTQ	TAL RCH

Client Sample ID: Lab Control Sample
Date Collected: N/A
Date Received: N/A

Lab Sample ID: LCS 300-9874/16
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			9874	12/06/17 17:46	RTQ	TAL RCH

Client Sample ID: Lab Control Sample
Date Collected: N/A
Date Received: N/A

Lab Sample ID: LCS 300-9875/16
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			9875	12/06/17 17:46	RTQ	TAL RCH

Client Sample ID: Matrix Spike
Date Collected: 12/05/17 09:12
Date Received: 12/05/17 14:15

Lab Sample ID: 300-6509-A-7 MS
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2			9874	12/06/17 18:16	RTQ	TAL RCH
Total/NA	Analysis	300.0		2			9875	12/06/17 18:16	RTQ	TAL RCH

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131

TestAmerica Richland

Method Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: I18-003

TestAmerica Job ID: 300-6513-1
SDG: WC2577

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	TAL RCH

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131



Sample Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: I18-003

TestAmerica Job ID: 300-6513-1
SDG: WC2577

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
300-6513-1	B3FFM0	Water	12/05/17 14:27	12/06/17 10:55

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Login Sample Receipt Checklist

Client: CH2M Hill Plateau Remediation Company

Job Number: 300-6513-1

SDG Number: WC2577

Login Number: 6513**List Number: 1****Creator: Jorgenson, Briana F****List Source: TestAmerica Richland**

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	