OUTGOING LTR. NO.
26814, R1
INCOMING LTR. NO.
ACTION
REPLY DUE
04/22/85

DIST:	LTR.	ENCL.	APPR.
Ash, E.B.			
Bartholomew, D.C.			
Bellofatto, M.			
Campise, A.V.			
Carey, J.M.			
Crawford, A.C.	X		
Deichman, J.L.			
Di Pol, C.V.			
Donahue, J.W.			
Gimera, R.J.			
Gruhn, R.S.			
Heineman, R.E.			
Knight, B.E.			
Larson, M.P.			
Lorenzini, P.G.	X		
McDermott, R.J.			
Patterson, J.W.	X		
Perkins, J.O.			
Prosser, R.D.	X		
Reeser, A.L.	X		
Roecker, J.H.	X		
Weil, V.R.			
Wodrich, D.D.			
Zahn, L.L.			
Contract Administrator	X		
Central Files	X		
JF Albaugh	X		
DR Groth	X		
JM Thurman	X		
GR Cox	X		
HA (2) Haeser	X		

DATE APR 16 1985

54-6000-117 (2/83)

I

0001123

Rockwell Hanford Operations
P.O. Box 800
Richland, WA 99352

Rockwell International

April 15, 1985

In reply, refer to letter 26814,R1

Mr. R. E. Gerton, Director
Safety and Quality Assurance Division
Department of Energy
Richland Operations Office
Richland, Washington 99352

Dear Mr. Gerton:

COMPLIANCE ORDER NO. DE-94-720
(Contract DE-A

Typo should be "84"

Reference: Le , R. E. Gerton to General Manager,
Ro ns, "Compliance Order No. DE-94-720"

This letter tr the draft documents requested in the reference lett for a waiver from the groundwater monitoring req adioactive Dangerous Waste Landfill. Titles of the follows:

1) Inspection Plan for the Non-radioactive Dangerous Waste Landfill and Storage Facilities

2) Contingency Plans and Emergency Procedures at Rockwell Hanford Operations (Rockwell) Managed Facilities

3) Closure Plan - Non-radioactive Dangerous Waste Storage Facility 2727-S

4) Closure Plan - Non-radioactive Dangerous Waste Landfill

5) Post-closure Plan - Non-radioactive Dangerous Waste Landfill

6) Request for waiver from the Groundwater Monitoring Requirements of WAC 173-303 for the Non-radioactive Dangerous Waste Landfill.

These documents are receiving concurrent review by Rockwell management. Please ask your reviewers to have comments available by April 22, 1985, in time to prepare the final documents for transmittal to the State of Washington by April 30, 1985.

Please note that we have enclosed four copies of each document except the Rockwell Emergency Manual which is still in the Rockwell clearance process and should not be distributed to the State.

OUTGOING LTR. NO.
26814, R1
INCOMING LTR. NO.
ACTION
REPLY DUE
04/22/85

DIST:	LTR.	ENCL.	APPR.
Ash, E.B.			
Bartholomew, D.C.			
Bellofatto, M.			
Campise, A.V.			
Carey, J.M.			
Crawford, A.C.	X		
Deichman, J.L.			
Di Pol, C.V.			
Donahue, J.W.			
Gimera, R.J.			
Gruhn, R.S.			
Heineman, R.E.			
Knight, B.E.			
Larson, M.P.			
Lorenzini, P.G.	X		
McDermott, R.J.			
Patterson, J.W.	X		
Perkins, J.D.			
Prosser, R.D.	X		
Reeser, A.L.	X		
Roecker, J.H.	X		
Weil, V.R.			
Wodrich, D.D.			
Zahn, L.L.			
Contract Administrator	X		
Central Files	X		
JF Albaugh	X		
DR Groth	X		
JM Thurman	X		
GR Cox	X		
HA Haeser	X		

DATE APR 16 1985

54-6000-117 (1/85)

I

0001123

Rockwell Hanford Operations
P.O. Box 800
Richland, WA 99352

Rockwell International

April 15, 1985

In reply, refer to letter 26814,R1

Mr. R. E. Gerton, Director
Safety and Quality Assurance Division
Department of Energy
Richland Operations Office
Richland, Washington 99352

Dear Mr. Gerton:

COMPLIANCE ORDER NO. DE-94-720
(Contract DE-AC06-77RL01030)

Reference: Letter, February 20, 1985, R. E. Gerton to General Manager, Rockwell Hanford Operations, "Compliance Order No. DE-94-720"

This letter transmits for your review the draft documents requested in the reference letter and a draft request for a waiver from the groundwater monitoring requirements for the Non-radioactive Dangerous Waste Landfill. Titles of the draft documents are as follows:

1) Inspection Plan for the Non-radioactive Dangerous Waste Landfill and Storage Facilities

2) Contingency Plans and Emergency Procedures at Rockwell Hanford Operations (Rockwell) Managed Facilities

3) Closure Plan - Non-radioactive Dangerous Waste Storage Facility 2727-S

4) Closure Plan - Non-radioactive Dangerous Waste Landfill

5) Post-closure Plan - Non-radioactive Dangerous Waste Landfill

6) Request for waiver from the Groundwater Monitoring Requirements of WAC 173-303 for the Non-radioactive Dangerous Waste Landfill.

These documents are receiving concurrent review by Rockwell management. Please ask your reviewers to have comments available by April 22, 1985, in time to prepare the final documents for transmittal to the State of Washington by April 30, 1985.

Please note that we have enclosed four copies of each document except the Rockwell Emergency Manual which is still in the Rockwell clearance process and should not be distributed to the State.

Rockwell International

If you have any questions concerning these submittals, please call H. A. Haerer on 373-4216.

Very truly yours,

W. F. Heine
Program Manager
Environmental Control

WFH/HAH/slc

cc: P. E. Rasmussen
A. R. Schwankoff