

1245158
(006935/H)



Department of Energy
Richland Operations Office
P.O. Box 550
Richland, Washington 99352

0006754
CC RECD: 11/29/00

01-A&E-012

NOV 28 2000

Mr. R. D. Hanson, President
Fluor Hanford, Inc.
Richland, Washington 99352

Dear Mr. Hanson:


CONTRACT NO. DE-AC06-96RL13200 - RESOURCE CONSERVATION AND RECOVERY ACT (RCRA) ASSESSMENT - A&E 00-ASS-072

RL's Analysis and Evaluation Division (A&E) conducted an assessment of T Plant during the month of October 2000.

Enclosed for your information, is a copy of the report detailing the results of this assessment. The assessment's itemized scope breakdown, which is listed below, focuses on Fluor Hanford, Inc.'s compliance with the Hanford Site RCRA permit requirements for treatment, storage, and disposal of mixed waste.

- Facility records;
- facility contingency plan;
- personnel training and qualifications;
- waste analysis plan;
- operating log and logkeeping practices;
- shipping manifests
- facility security; and
- self and independent assessments.

On October 20, 2000, a draft report of this assessment was provided to Facility Management for factual accuracy review. The contractor's compliance with the RCRA Permit requirements was considered Satisfactory. There were no findings and no observations. No response from FHI is required. The assessment is rated as "green" - meets requirements.



8202451
01128.0000


Mr. R. D. Hanson
01-A&E-012

-2-

NOV 28 2000

If you have any questions concerning this matter, you may contact Steve Chalk of A&E,
on (509) 372-8589.

Sincerely,


Sally A. Sieracki
Contracting Officer

A&E:SEC

Enclosure

cc w/encl:

L. J. Voigt, ATLII
R. W. Szelmecka, FHI
E. S. Aromi, WMH
D. K. Smith, WMH

