

Waste Site Reclassification Form

Date Submitted: 01/02/1998	Operable Units: 300-FF-1	Control Number: 98-02
Originator: L. A. Dietz, MSIN H0-20	Waste Site ID: 300-3	
Phone: 509-372-9378	Type of Reclassification Action:	Form Status: Approved
	Closed Out: <input type="checkbox"/> Interim Closed Out: <input type="checkbox"/>	
	No Action: <input checked="" type="checkbox"/> RCRA Postclosure: <input type="checkbox"/>	
	Rejected: <input type="checkbox"/> Consolidated: <input type="checkbox"/>	

This form documents agreement among parties listed authorizing classification of the subject unit as Closed Out, Interim Closed Out, No Action, RCRA Postclosure, Rejected, or Consolidated. This form also authorizes backfill of the waste management unit, if appropriate, for Closed Out and Interim Closed Out units. Final removal from the NPL of No Action and Closed Out waste management units will

Description of Current Waste Site Conditions:

(Summarize status of investigation/remediation of the waste sites.)

The 300-3 Aluminum Hydroxide Site was identified during installation of a sump pit for the 300 Area Treated Effluent Disposal Facility. The site consists of a 3.0 meter (10 foot) wall constructed of several horizontal cedar logs resting on what appears to be a concrete foundation. A white chalky material found at the site, analyzed, and determined to be aluminum hydroxide. A Toxic Characteristic Leaching Procedure (TCLP) analysis indicated the material was not a dangerous waste. The structure and aluminum hydroxide were left in place at the site.

Basis for Reclassification:

(For closeout, reference supporting documentation, as listed in Table 3.)

According to page 50 of the Declaration of the Record of Decision for the 300-FF-1 and 300-FF-5 Operable Units (DOE Document Number 038509), remedial action is not needed at the 300-3 Aluminum Hydroxide Site. Regulator concurrence with supporting documentation eliminates the need for signatures on this form.

Waste Site Controls

Engineered Controls: Yes No Institutional Controls: Yes No O&M requirements: Yes No

If any of the Waste Site Controls are checked Yes specify control requirements including reference to the Record of Decision, TSD Closure Letter, or other relevant documents.

N/A	_____	_____
DOE Project Manager	Signature	Date
N/A	_____	_____
Ecology Project Manager	Signature	Date
N/A	_____	_____
EPA Project Manager	Signature	Date

