

Waste Site Reclassification Form

<p>Date Submitted: 10/25/2000</p> <p>Originator: Carl Grando</p> <p>Phone: 376-4106</p>	<p>Operable Unit(s): 100-BC-1</p> <p>Waste Site ID: 1607-B4</p> <p>Type of Reclassification Action:</p> <p>Rejected <input type="radio"/></p> <p>Closed-Out <input checked="" type="radio"/></p> <p>No Action <input type="radio"/></p>	<p>Control Number: 2000-121</p>
--	--	--

This form documents agreement among the parties listed below authorizing classification of the subject unit as rejected, closed-out, or no action and authorizing backfill of the site, if appropriate. Final removal from the NPL of no action or closed-out sites will occur at a future date.

Description of current waste site condition:

This site consists of an inactive septic tank and tile field. In June, 2000 the lid was taken off the tank, the septage was removed from the tank and the void space in the tank was filled with soil. A sample of the septage was analyzed for radionuclides prior to disposal of the septage into the 100N lagoon. The sample results were lower than detection limits.

Basis for reclassification:

The septic tank has been abandoned in accordance WAC 246-272-18501. In addition, a sign has been posted at the site to indicate abandonment, and a letter was sent to notify the Washington State Department of Health of the abandonment (00-OSS-498).

Per TPA-MP-14 (Table 2-3) only DOE-RL approvals are required for septic system close out.

Steve Burnum	<i>[Signature]</i>	2/28/2001
DOE Project Manager	Signature	Date
NA		
Ecology Project Manager	Signature	Date
NA		
EPA Project Manager	Signature	Date