

# START

0028654  
9304721



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

Mail Stop PV-11 • Olympia, Washington 98504-8711 • (206) 459-6100

April 14, 1993

Mr. Eric Goller  
US Department of Energy  
P.O. Box 550, Mail Stop A6-95  
Richland, WA 99352



Dear Mr. Goller:

RE: 100-HR-3 Groundwater Treatability Test Plan

Enclosed are Ecology's comments on the above documents.

If you have any questions please call me at (206) 493-9367.

Sincerely,

Richard B. Hibbard, P.E.  
Nuclear and Mixed Waste Management Program

Enclosure

RH:lj

cc: Beckey Austin, WHC  
Paul Beaver, EPA



93129410688

COMMENTS ON THE TEST PROCEDURES FOR THE 100 AREA  
GROUNDWATER TREATMENT TEST FOR EX SITU  
REMOVAL OF CHROMATE, NITRATE, AND URANIUM (VD)

1. Table of Contents, Page ii:

**Comment:** Section four is incorrectly labeled.

**Recommendation:** Revise the table of contents to be consistent with the report.

2. Section 4.4, Page 8, third paragraph:

**Deficiency:** The effective level for nitrate if set at 2,000 ppb is below the minimum detection level of 10,000 ppb (see table 3-2).

**Recommendation:** Expand the discussion in this section to explain the discrepancy identified above.

3. Section 4.6.4, Page 15, first paragraph:

**Comment:** Section 4.3.3 does not exist.

**Recommendation:** Revise the text to correct this discrepancy.

9  
3  
1  
2  
9  
4  
1  
0  
6  
8  
9

# CORRESPONDENCE DISTRIBUTION COVERSHEET

Author: R. B. Hibbard, Ecology      Addressee: E. D. Goller, RL      Correspondence No.: Incoming: 9304721

Subject: 100-HR-3 Groundwater Treatability Test Plan

## INTERNAL DISTRIBUTION

Approval	Date	Name	Location	w/att
		Correspondence Control	A3-01	X
		M. R. Adams	H6-01	
		L. D. Arnold	B2-35	
		B. A. Austin	B2-35	X
		G. D. Carpenter	H6-20	
		C. K. DiSibio	B3-15	
		R. P. Henckel	H6-02	X
		L. G. Juguilon	H6-27	X
		A. D. Krug	H6-02	
		P. J. Mackey	B3-15	
		H. E. McGuire (Level 1)	B3-63	
		J. K. Patterson	H6-27	X
		T. M. Wintczak	H6-27	
		R. D. Wojtasek (assignee)	H6-27	X
		EDMC	H6-08	X

93129410690

