

CHANGES TO DRAWINGS

1) H-2-77622, SH 1, REV 0: ADD NOTE 18 as follows

18. ERICKSON COUPLINGS MAY BE USED WHERE SHOWN AND AT ANY OTHER LOCATIONS NOT SHOWN THAT WILL AID CONSTRUCTION OF THE THERMOCOUPLE CONDUIT TREES.

2) H-2-77622, SH 2, REV 0: SECTION A (ZC8,D7)

Modify - see page 4 of this ECN

3) H-2-78493, SH 1, REV 0: ADD NOTE 18 as follows

18. ERICKSON COUPLINGS MAY BE USED WHERE SHOWN AND AT ANY OTHER LOCATIONS NOT SHOWN THAT WILL AID CONSTRUCTION OF THE THERMOCOUPLE CONDUIT TREES.

4) H-2-78493, SH 2, REV 0: SECTION A (ZC8)

Beside PN 6 ADD the following note callout SEE NOTE 18

5) ECN B-714-63

A) PG 6: Beside PN 21 ADD the following note callout SEE NOTE 18

B) PG 7, 8, 9, 10 & 12: Beside PN 20 ADD the following note callout
SEE NOTE 18

C) PG 11: Beside PN 6 & PN 21 ADD the following note callout SEE NOTE 18

6) SPECIFICATION B-714-C2, REV 0

SECTION 01500, PARA 1.6.3: Change 14 mils to 6.5 mils

91120560304

Ref. Dwg. H-2-77622	Sh. 2	Rev. 0	Prepared By HJ STEFFENS	Checked By PC BARROWS	ECN No. B-714-65	Page 4/4
------------------------	----------	-----------	----------------------------	--------------------------	---------------------	-------------

91120550305

