

FEBRUARY 10, 2015



a member of **The GEL Group** INC



PO Box 30712 Charleston, SC 29417
2040 Savage Road Charleston, SC 29407

P 843.556.8171 F 843.766.1178

www.gel.com

February 06, 2015

Mr. Scot Fitzgerald
CH2MHill Plateau Remediation Company
MSIN R3-50 CHPRC
PO Box 1600
Richland, Washington 99352

Re: CHPRC SAF X15-004
Work Order: 365158
SDG: GEL365158

Dear Mr. Fitzgerald:

GEL Laboratories, LLC (GEL) appreciates the opportunity to provide the enclosed analytical results for the sample(s) we received on January 16, 2015. This original data report has been prepared and reviewed in accordance with GEL's standard operating procedures.

Our policy is to provide high quality, personalized analytical services to enable you to meet your analytical needs on time every time. We trust that you will find everything in order and to your satisfaction. If you have any questions, please do not hesitate to call me at (843) 556-8171, ext. 4505.

Sincerely,

A handwritten signature in cursive script that reads "Heather Shaffer".

Heather Shaffer
Project Manager

Purchase Order: 300071ES20 - 7H
Chain of Custody: X15-004-005
Enclosures



Table of Contents

Case Narrative.....1

Chain of Custody and Supporting Documentation.....4

Data Review Qualifier Definitions.....7

Laboratory Certifications.....10

Volatile Analysis.....12

 Case Narrative.....13

 Sample Data Summary.....18

 Quality Control Summary.....21

Case Narrative

General Narrative
for
CH2MHill Plateau Remediation Company
CHPRC SAF X15-004
SDG: GEL365158

February 06, 2015

Laboratory Identification:

GEL Laboratories LLC
2040 Savage Road
Charleston, South Carolina 29407
(843) 556-8171

Summary

Sample receipt

The sample(s) arrived at GEL Laboratories, LLC, Charleston, South Carolina on January 16, 2015, for analysis. The sample was delivered with proper chain of custody documentation and signatures. All sample containers arrived without any visible signs of tampering or breakage. There are no additional comments concerning sample receipt.

Items of Note All efforts were made by the lab to meet any short hold times. Samples that were analyzed outside of the initial hold time but still within 2X hold time will be noted in the lab case narrative and DER

Sample Identification

The laboratory received the following sample:

Laboratory Identification	Sample Description
365158001	B2Y461

Case Narrative

Sample analyses were conducted using methodology as outlined in GEL Laboratories, LLC (GEL) Standard Operating Procedures. Any technical or administrative problems during analysis, data review, and reduction are contained in the analytical case narratives in the enclosed data package.

Data Package

The enclosed data package contains the following sections: General Narrative, Chain of Custody and Supporting Documentation, and data from the following fractions: GC/MS Volatile.

This package, to the best of my knowledge, is in compliance with the SOW, both technically and for completeness, including a full description of, explanation of, and corrective actions for, any and all deviations, from either the analyses requested or the case narrative requested. Release of the data contained in this hard copy data package has been authorized by the Laboratory Analytical Manager (or designee) and the laboratory's client services representative as verified by their signatures on this report.

FEBRUARY 10, 2015

Heather Shaffer

Heather Shaffer
Project Manager

Chain of Custody and Supporting Documentation

CH2M Hill Plateau Remediation Company		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST				C.O.C. # X15-004-005
Collector S.W. King/CHPRC		Contact/Requester WATERS-HUSTED, K	Telephone No. 376-4650	Page 1 of 1		
SAF No. X15-004	Sampling Origin HANFORD SITE	Logbook No. HNF-N-506 7146	Purchase Order/Charge Code 300071ES20	Ice Chest No. Fws-425		
Project Title GW Sitewide Surv, FY15	Method of Shipment Commercial Carrier	Bill of Lading/Air Bill No. 772599446592	Offsite Property No. 5342	Total Activity Exemption: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Shipped To (Lab) GEL Laboratories, LLC	Priority: 30 Days	SPECIAL INSTRUCTIONS Batch with A, I, S, and W SAFs.	Hold Time			
Protocol SURV	Possible Sample Hazards/Remarks *Contains Radioactive Material at concentrations that are not be regulated for transportation per 49 CFR/JATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1.	Sample Analysis 8260_VOA_GCMS: COMMON	Holding Time 14 Days	Preservative HCl or H2SO4 to pH <2/Cool <=6C		

Relinquished By S.W. King/CHPRC	Paint Sign	Date/Time JAN 15 2015 1235	Received By J.G. Fulton CHPRC	Sign 	Date/Time JAN 15 2015 1235	Matrix *
Relinquished By J.C. Fulton	Paint Sign	Date/Time JAN 15 2015 1400	Received By FEDEX	Sign FEDEX	Date/Time JAN 15 2015 1235	S = Soil SE = Sediment SO = Solid SL = Sludge W = Water O = Oil A = Air
Relinquished By FED EX	Paint Sign	Date/Time	Received By PATRICIA DENT P. H. ENT	Sign PATRICIA DENT P. H. ENT	Date/Time 1-16-15 2900	DS = Drum Solids DL = Drum Liquids T = Tissue WI = Wipe L = Liquid V = Vegetation X = Other
Relinquished By	Paint Sign	Date/Time	Received By	Sign	Date/Time	
FINAL SAMPLE DISPOSITION			Disposal Method (e.g., Return to customer, per lab procedure, used in process)			Date/Time

SAMPLE RECEIPT & REVIEW FORM

Client: <u>OPRC</u>		SDG/AR/COC/Work Order: <u>365158</u>	
Received By: <u>F. W. West</u>		Date Received: <u>1-16-15</u>	
Suspected Hazard Information	Yes	No	*If Net Counts > 100cpm on samples not marked "radioactive", contact the Radiation Safety Group for further investigation.
COC/Samples marked as radioactive?		X	Maximum Net Counts Observed* (Observed Counts - Area Background Counts): <u>0/cpm</u>
Classified Radioactive II or III by RSO?		X	If yes, Were swipes taken of sample containers < action levels?
COC/Samples marked containing PCBs?		X	
Package, COC, and/or Samples marked as beryllium or asbestos containing?		X	If yes, samples are to be segregated as Safety Controlled Samples, and opened by the GEL Safety Group.
Shipped as a DOT Hazardous?		X	Hazard Class Shipped: UN#:
Samples identified as Foreign Soil?		X	

Sample Receipt Criteria	Yes	NA	No	Comments/Qualifiers (Required for Non-Conforming Items)
1 Shipping containers received intact and sealed?	X			Circle Applicable: Seals broken Damaged container Leaking container Other (describe)
2 Samples requiring cold preservation within (0 ≤ 6 deg. C)?*	X			Preservation Method: <u>Ice bags</u> Blue ice Dry ice None Other (describe) *all temperatures are recorded in Celsius <u>1.2c</u>
2a Daily check performed and passed on IR temperature gun?	X			Temperature Device Serial #: Secondary Temperature Device Serial # (If Applicable): <u>130462966</u>
3 Chain of custody documents included with shipment?	X			
4 Sample containers intact and sealed?	X			Circle Applicable: Seals broken Damaged container Leaking container Other (describe)
5 Samples requiring chemical preservation at proper pH?		X		Sample ID's, containers affected and observed pH: If Preservation added, Lot#:
6 VOA vials free of headspace (defined as < 6mm bubble)?	X			Sample ID's and containers affected:
7 Are Encore containers present?			X	(If yes, immediately deliver to Volatiles laboratory)
8 Samples received within holding time?	X			ID's and tests affected:
9 Sample ID's on COC match ID's on bottles?	X			Sample ID's and containers affected:
10 Date & time on COC match date & time on bottles?	X			Sample ID's affected:
11 Number of containers received match number indicated on COC?	X			Sample ID's affected:
12 Are sample containers identifiable as GEL provided?			X	
13 COC form is properly signed in relinquished/received sections?	X			
14 Carrier and tracking number.	X			Circle Applicable: FedEx Air FedEx Ground UPS Field Services Courier Other <u>7725 9833 5633</u> <u>7725 9944 6949</u> <u>7725 9833 5714</u> <u>7725 9833 5883</u> <u>7725 9833 5964</u> <u>7725 9944 6592</u>

Comments (Use Continuation Form if needed):

Data Review Qualifier Definitions

Project Specific Qualifier Definitions for GEL Client Code: CPRC

Code	Status	Qualifier Definition	CofA	Department	Fraction	Additional Comments
U	Programmed	Analyzed for but not detected above limiting criteria. Includes MDL, MDA, PQL, zero, counting error, and total analytical error.	Y			Includes MDA, TPU, count uncert.
J	Programmed	The analyte was detected at a value less than the contract required detection limit (RDL), but greater than or equal to the IDL/MDL (as appropriate). Value is estimated	Y	Organics		Organics only
P	Programmed	Aroclor target analyte with greater than 25% difference between column analyses.	Y	Organics		PCB only
C	Manual	Analyte has been confirmed by GC/MS analysis	Y	Organics	Pesticide	IF GC/MS confirmation was attempted but unsuccessful do not qualify with C
B	Programmed	The analyte was detected in both the associated QC blank and in the sample.	Y	Organics		
E	Manual	Concentration exceeds the calibration range of the instrument	Y	Organics		Qualifier Uploaded
A	Manual	The TIC is a suspected aldol-condensation product	Y	Organics	Semi-Volatile	Uploaded with TIC
X	Programmed	Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier	Y			Replaces H Hold Date In RAD replaces UI. Same usage as standard X as well.
N	Programmed	Spike Sample recovery is outside control limits.	Y			
*	Programmed	Duplicate analysis not within control limits	Y	Inorganics		
>	Programmed	Result greater than quantifiable range or greater than upper limit of the analysis range	Y	General Chemistry		
Z	Manual	Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier	Y			
B	Programmed	The analyte was detected at a value less than the contract required detection limit (RDL), but greater than or equal to the IDL/MDL (as appropriate).	Y	Inorganics	Metals	Replaces J Estimated Value
D	Programmed	Results are reported from a diluted aliquot of sample.	Y			Dilution
E	Programmed	Reported value is estimated due to interferences. See comment in narrative.	Y	Inorganics	Metals	GEL E
M	Manual	Duplicate precision not met.	Y	Inorganics	Metals	Replaces *
o	Programmed	Analyte failed to recover within LCS limits (Organics only)	Y	Organics		
S	Manual	Reported value determined by the Method of Standard Additions (MSA)	Y	Inorganics		Not coded B/C Rarely performed
T	Programmed	Spike and/or spike duplicate sample recovery is outside control limits.	Y	Organics		GC/MS only
W	Manual	Post-digestion spike recovery for GFAA out of control limit. Sample absorbency < 50% of spike absorbency.	Y	Inorganics		No GFAA in house.
B	Programmed	The associated QC sample blank has a result >= 2X the MDA and, after corrections, result is >= MDA for this sample	Y	Radiological		
Y	Manual	Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier	Y			
+	Manual	Correlation coefficient for Method of Standard Additions (MSA) is < 0.995	Y	Inorganics		
B	Programmed	The analyte was detected at a value less than the contract required detection limit (RDL), but greater than or equal to the IDL/MDL (as appropriate).	Y	General Chemistry		Replaces J Estimated Value
C	Programmed	Target analyte was detected in the sample and the associated blank. The associated blank concentration is >= EQL or is > 5% of the measured concentration and/or decision level for associated samples.	Y	Inorganics	Metals	Replaces B Blank Detection
C	Programmed	Target analyte was detected in the sample and the associated blank. The associated blank concentration is >= EQL or is > 5% of the measured concentration and/or decision level for associated samples.	Y	General Chemistry		Replaces B Blank Detection
<	Programmed	Sample is below the EPA guidance level for Reactive Releasable Cyanide and/or Reactive Releasable Sulfide	Y	General Chemistry		for Reactive CN/S

FEBRUARY 10, 2015

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 (843) 556-8171

Report Date: 06-FEB-15

Project Specific Qualifier Definitions for GEL Client Code: CPRC

Code	Status	Qualifier Definition	CofA	Department	Fraction	Additional Comments
UX	Manual	Gamma Spectroscopy--Uncertain identification	Y	Radiological		

Laboratory Certifications

List of current GEL Certifications as of 06 February 2015

State	Certification
Alaska	UST-110
Arkansas	88-0651
CLIA	42D0904046
California	2940 Interim
Colorado	SC00012
Connecticut	PH-0169
Delaware	SC000122013-10
DoD ELAP/ ISO17025 A2LA	2567.01
Florida NELAP	E87156
Foreign Soils Permit	P330-12-00283, P330-12-00284
Georgia	SC00012
Georgia SDWA	967
Hawaii	SC000122013-10
Idaho Chemistry	SC00012
Idaho Radiochemistry	SC00012
Illinois NELAP	200029
Indiana	C-SC-01
Kansas NELAP	E-10332
Kentucky SDWA	90129
Kentucky Wastewater	90129
Louisiana NELAP	03046 (AI33904)
Louisiana SDWA	LA150001
Maryland	270
Massachusetts	M-SC012
Michigan	9976
Mississippi	SC000122013-10
Nebraska	NE-OS-26-13
Nevada	SC000122014-1
New Hampshire NELAP	2054
New Jersey NELAP	SC002
New Mexico	SC00012
New York NELAP	11501
North Carolina	233
North Carolina SDWA	45709
Oklahoma	9904
Pennsylvania NELAP	68-00485
Plant Material Permit	PDEP-12-00260
South Carolina Chemistry	10120001
South Carolina GVL	23611001
South Carolina Radiochemi	10120002
Tennessee	TN 02934
Texas NELAP	T104704235-14-9
Utah NELAP	SC000122014-16
Vermont	VT87156
Virginia NELAP	460202
Washington	C780-12

Volatile Analysis

Case Narrative

**GC/MS Volatile
 Technical Case Narrative
 CH2MHill Plateau Remediation Company (CPRC)
 SDG #: GEL365158
 Work Order #: 365158**

Method/Analysis Information

Procedure: Volatile Organic Compounds (VOC) by Gas Chromatograph/Mass Spectrometer

Analytical Method: SW846 8260C

Analytical Batch Number: 1451862

Sample Analysis

The following client and quality control samples were analyzed to complete this SDG using the methods referenced in the Analysis Information section:

Sample ID	Client ID
365158001	B2Y461
1203248767	Method Blank (MB)
1203248768	Laboratory Control Sample (LCS)
1203248770	365211002(B2YXK7) Post Spike (PS)
1203248771	365211002(B2YXK7) Post Spike Duplicate (PSD)

NOTE: For volatile organic analyses the matrix spike designations may be indicated as "PS" or "PSD". The "PS" designation (post spike) indicates that the matrix was fortified prior to analysis but after applying any prep factors, such as a dilution. The laboratory considers the MS/MSD and PS/PSD designations interchangeable.

The data results reported met all SOP and method criteria, unless otherwise discussed below.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-OA-E-038 REV# 21.

Calibration Information

A complete list of the initial calibration data files with the correct dates and times of analysis are shown in the Calibration History report located in the Standard Data section of the data package. The surrogate compounds were calibrated using a minimum five-point calibration curve. The surrogates were added by the auto sampler at a concentration of 50 ug/L or 20 ug/L for low level analyses. GEL Laboratories LLC will not have surrogate recoveries reported for Dibromofluoromethane. This is due to increased regulations for this analyte and an industry shortage.

Initial Calibration

All initial calibration requirements have been met for this sample delivery group (SDG).

Continuing Calibration Verification Requirements

All associated calibration verification standards (CCV) met the acceptance criteria.

Quality Control (QC) Information

Blank (MB) Statement

The blank analyzed with this SDG met the acceptance criteria.

Surrogate Recoveries

Surrogate recoveries in all client and quality control samples were within the acceptance limits.

Laboratory Control Sample (LCS) Recovery

The LCS spike recoveries met the acceptance limits.

QC Sample Designation

Sample 365211002 (B2YXK7) was designated for spike analysis.

Matrix Spike (PS) Recovery Statement

The spike recoveries were not all within the acceptance limits.

Matrix Spike Duplicate (PSD) Recovery Statement

The spike duplicate recoveries were not all within the acceptance limits.

Relative Percent Difference (RPD) Statement

The RPDs between the matrix spike pair met the acceptance limits.

Internal Standard (ISTD) Acceptance

The internal standard responses in all client and quality control samples met the required acceptance criteria.

Technical Information

Holding Time Specifications

GEL assigns holding times based on the associated methodology, which assigns the date and time from sample collection or sample receipt. Those holding times expressed in hours are calculated in the ALPHALIMS system. Those holding times expressed as days expire at midnight on the day of expiration. All samples in this SDG met the specified holding time.

Sample Preservation and Integrity

All samples met the sample preservation and integrity requirements.

Sample Dilutions/Methanol Dilutions

The samples in this SDG did not require dilutions.

Sample Re-extraction/Re-analysis

Re-analyses were not required for samples in this SDG.

Miscellaneous Information

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. An electronic signature page inserted after the case narrative will include the data validator's signature and title. The

signature page also includes the data qualifiers used in the fractional package. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Data Exception (DER) Documentation

The following DER was generated for this SDG: 1377452.

Manual Integrations

Data files associated with the initial calibration, continuing calibration check, and samples did not require manual integrations.

TIC Comment

Tentatively identified compounds (TIC) were not required for this SDG.

Additional Comments

Additional comments were not required for this SDG.

Residual Chlorine

Residual Chlorine was not detected in any of the samples in this SDG.

System Configuration

The Volatile-GC/MS analysis was performed on the following instrument configuration:

Instrument ID	Instrument	System Configuration	Column ID	Column Description	P & T Trap
VOA2.I	Agilent 7890/5975 GC/MS w/ OI Eclipse/Archon Autosampler	HP7890N/HP5975C	DB-624	J&W, 60m x 0.25mm x 1.4um	Trap 10

Certification Statement

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

**Qualifier Definition Report
for**

CPRC001 CH2MHill Plateau Remediation Company

Client SDG: GEL365158 GEL Work Order: 365158


The Qualifiers in this report are defined as follows:

- T Spike and/or spike duplicate sample recovery is outside control limits.
- U Analyzed for but not detected above limiting criteria. Includes MDL, MDA, PQL, zero, counting error, and total analytical error.
- DL Indicates that sample is diluted.
- RA Indicates that sample is re-analyzed without re-extraction.
- RE Indicates that sample is re-extracted.

Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature: 

Name: Erin Haubert

Date: 09 FEB 2015

Title: Data Validator

Sample Data Summary

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : CH2MHill Plateau Remediation
 Company
 Address : MSIN R3-50 CHPRC
 PO Box 1600
 Richland, Washington 99352
 Contact: Mr. Scot Fitzgerald
 Project: **CHPRC SAF X15-004**

Report Date: February 6, 2015

Client Sample ID: B2Y461
 Sample ID: 365158001
 Matrix: WATER
 Collect Date: 15-JAN-15 09:08
 Receive Date: 16-JAN-15
 Collector: Client
 Project: CPRC0X15004
 Client ID: CPRC001

Parameter	Qualifier	Result	DL	RL	Units	DF	AnalystDate	Time	Batch	Method
Volatile Organics										
<i>8260VOA_GCMS: COMMON "As Received"</i>										
1,1,1-Trichloroethane 71-55-6	U	0.00	0.300	5.00	ug/L	1	CDS1 01/23/15	1240	1451862	1
1,1,2-Trichloroethane 79-00-5	U	0.00	0.300	5.00	ug/L	1				
1,1-Dichloroethane 75-34-3	U	0.00	0.300	10.0	ug/L	1				
1,1-Dichloroethylene 75-35-4	U	0.00	0.300	10.0	ug/L	1				
1,2-Dichloroethane 107-06-2	U	0.00	0.300	5.00	ug/L	1				
2-Butanone 78-93-3	TU	0.00	3.00	10.0	ug/L	1				
4-Methyl-2-pentanone 108-10-1	U	0.00	3.00	10.0	ug/L	1				
Acetone 67-64-1	TU	0.00	3.00	20.0	ug/L	1				
Benzene 71-43-2	U	0.00	0.300	5.00	ug/L	1				
Carbon disulfide 75-15-0	U	0.00	1.60	10.0	ug/L	1				
Carbon tetrachloride 56-23-5	U	0.00	0.300	5.00	ug/L	1				
Chlorobenzene 108-90-7	U	0.00	0.300	5.00	ug/L	1				
Chloroform 67-66-3	U	0.00	0.300	5.00	ug/L	1				
Ethylbenzene 100-41-4	U	0.00	0.300	5.00	ug/L	1				
Methylene chloride 75-09-2	U	1.32	1.60	5.00	ug/L	1				
Tetrachloroethylene 127-18-4	U	0.00	0.300	5.00	ug/L	1				
Toluene 108-88-3	U	0.00	0.300	5.00	ug/L	1				
Trichloroethylene 79-01-6	U	0.00	0.300	5.00	ug/L	1				

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : CH2MHill Plateau Remediation
 Company
 Address : MSIN R3-50 CHPRC
 PO Box 1600
 Richland, Washington 99352
 Contact: Mr. Scot Fitzgerald
 Project: **CHPRC SAF X15-004**

Report Date: February 6, 2015

Client Sample ID: B2Y461 Project: CPRC0X15004
 Sample ID: 365158001 Client ID: CPRC001

Parameter	Qualifier	Result	DL	RL	Units	DF	AnalystDate	Time	Batch	Method
Volatile Organics										
<i>8260VOA_GCMS: COMMON "As Received"</i>										
Vinyl chloride 75-01-4	U	0.00	0.300	10.0	ug/L	1				
Xylenes (total) 1330-20-7	U	0.00	0.300	10.0	ug/L	1				

The following Analytical Methods were performed

Method	Description	Analyst Comments
1	SW846 8260C	

Surrogate/Tracer recovery	Test	Result	Nominal	Recovery%	Acceptable Limits
1,2-Dichloroethane-d4	8260VOA_GCMS: COMMON "As Received"	49.7 ug/L	50.0	99.5	(77%-123%)
Bromofluorobenzene	8260VOA_GCMS: COMMON "As Received"	51.5 ug/L	50.0	103	(80%-120%)
Toluene-d8	8260VOA_GCMS: COMMON "As Received"	48.9 ug/L	50.0	97.9	(80%-120%)

Quality Control Summary

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Report Date: February 6, 2015

CH2MHill Plateau Remediation Company

MSIN R3-50 CHPRC

PO Box 1600

Richland, Washington

Contact: Mr. Scot Fitzgerald

Workorder: 365158

Parmname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Volatile-GC/MS											
Batch	1451862										
QC1203248768	LCS										
1,1,1-Trichloroethane	50.0			58.3	ug/L		117	(70%-130%)	CDS1	01/23/15	07:36
1,1,2-Trichloroethane	50.0			51.2	ug/L		102	(70%-130%)			
1,1-Dichloroethane	50.0			51.4	ug/L		103	(70%-130%)			
1,1-Dichloroethylene	50.0			51.6	ug/L		103	(70%-130%)			
1,2-Dichloroethane	50.0			53.5	ug/L		107	(70%-130%)			
2-Butanone	250			260	ug/L		104	(70%-130%)			
4-Methyl-2-pentanone	250			252	ug/L		101	(70%-130%)			
Acetone	250			273	ug/L		109	(70%-130%)			
Benzene	50.0			50.4	ug/L		101	(70%-130%)			
Carbon disulfide	250			253	ug/L		101	(70%-130%)			
Carbon tetrachloride	50.0			57.7	ug/L		115	(70%-130%)			
Chlorobenzene	50.0			51.4	ug/L		103	(70%-130%)			
Chloroform	50.0			53.3	ug/L		107	(70%-130%)			
Ethylbenzene	50.0			53.2	ug/L		106	(70%-130%)			
Methylene chloride	50.0			45.2	ug/L		90.4	(70%-130%)			
Tetrachloroethylene	50.0			54.2	ug/L		108	(70%-130%)			
Toluene	50.0			50.6	ug/L		101	(70%-130%)			
Trichloroethylene	50.0			53.2	ug/L		106	(70%-130%)			
Vinyl chloride	50.0			53.1	ug/L		106	(70%-130%)			
Xylenes (total)	150			160	ug/L		107	(70%-130%)			

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 365158

Parmname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Volatile-GC/MS											
Batch	1451862										
**1,2-Dichloroethane-d4	50.0			50.6	ug/L		101	(77%-123%)	CDS1	01/23/15	07:36
**Bromofluorobenzene	50.0			50.1	ug/L		100	(80%-120%)			
**Toluene-d8	50.0			48.9	ug/L		97.8	(80%-120%)			
QC1203248767	MB										
1,1,1-Trichloroethane			U	0.300	ug/L					01/23/15	08:39
1,1,2-Trichloroethane			U	0.300	ug/L						
1,1-Dichloroethane			U	0.300	ug/L						
1,1-Dichloroethylene			U	0.300	ug/L						
1,2-Dichloroethane			U	0.300	ug/L						
2-Butanone			U	3.00	ug/L						
4-Methyl-2-pentanone			U	3.00	ug/L						
Acetone			U	3.00	ug/L						
Benzene			U	0.300	ug/L						
Carbon disulfide			U	1.60	ug/L						
Carbon tetrachloride			U	0.300	ug/L						
Chlorobenzene			U	0.300	ug/L						
Chloroform			U	0.300	ug/L						
Ethylbenzene			U	0.300	ug/L						
Methylene chloride			U	1.60	ug/L						
Tetrachloroethylene			U	0.300	ug/L						
Toluene			U	0.300	ug/L						
Trichloroethylene			U	0.300	ug/L						

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 365158

Page 3 of 6

Parmname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Volatile-GC/MS											
Batch	1451862										
Vinyl chloride			U	0.300	ug/L				CDS1	01/23/15	08:39
Xylenes (total)			U	0.300	ug/L						
**1,2-Dichloroethane-d4	50.0			51.1	ug/L		102	(77%-123%)			
**Bromofluorobenzene	50.0			49.5	ug/L		98.9	(80%-120%)			
**Toluene-d8	50.0			47.2	ug/L		94.5	(80%-120%)			
QC1203248770 365211002 PS											
1,1,1-Trichloroethane	50.0	U	0.00	56.7	ug/L		113	(70%-130%)		01/23/15	17:13
1,1,2-Trichloroethane	50.0	U	0.00	51.6	ug/L		103	(70%-130%)			
1,1-Dichloroethane	50.0	U	0.00	54.5	ug/L		109	(70%-130%)			
1,1-Dichloroethylene	50.0	U	0.00	55.4	ug/L		111	(70%-130%)			
1,2-Dichloroethane	50.0	U	0.00	52.9	ug/L		106	(70%-130%)			
2-Butanone	250	TU	0.00 T	165	ug/L		65.8*	(70%-130%)			
4-Methyl-2-pentanone	250	U	0.00	245	ug/L		98	(70%-130%)			
Acetone	250	TU	0.00 T	114	ug/L		45.6*	(70%-130%)			
Benzene	50.0	U	0.00	54.0	ug/L		108	(70%-130%)			
Carbon disulfide	250	U	0.00	291	ug/L		117	(70%-130%)			
Carbon tetrachloride	50.0	U	0.00	57.8	ug/L		116	(70%-130%)			
Chlorobenzene	50.0	U	0.00	53.7	ug/L		107	(70%-130%)			
Chloroform	50.0	U	0.00	55.2	ug/L		110	(70%-130%)			
Ethylbenzene	50.0	U	0.00	56.3	ug/L		113	(70%-130%)			
Methylene chloride	50.0	U	0.00	48.5	ug/L		97	(70%-130%)			
Tetrachloroethylene	50.0	U	0.00	52.2	ug/L		104	(70%-130%)			

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 365158

Parname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Volatile-GC/MS											
Batch	1451862										
Toluene	50.0	U	0.00	52.3	ug/L		105	(70%-130%)	CDS1	01/23/15	17:13
Trichloroethylene	50.0	U	0.00	55.3	ug/L		111	(70%-130%)			
Vinyl chloride	50.0	U	0.00	54.2	ug/L		108	(70%-130%)			
Xylenes (total)	150	U	0.00	167	ug/L		111	(70%-130%)			
**1,2-Dichloroethane-d4	50.0		50.7	49.4	ug/L		98.9	(77%-123%)			
**Bromofluorobenzene	50.0		50.8	48.3	ug/L		96.6	(80%-120%)			
**Toluene-d8	50.0		48.8	47.7	ug/L		95.5	(80%-120%)			
QC1203248771 365211002 PSD											
1,1,1-Trichloroethane	50.0	U	0.00	57.9	ug/L	1.95	116	(0%-20%)		01/23/15	17:43
1,1,2-Trichloroethane	50.0	U	0.00	52.2	ug/L	1.17	104	(0%-20%)			
1,1-Dichloroethane	50.0	U	0.00	54.1	ug/L	0.829	108	(0%-20%)			
1,1-Dichloroethylene	50.0	U	0.00	55.1	ug/L	0.489	110	(0%-20%)			
1,2-Dichloroethane	50.0	U	0.00	53.0	ug/L	0.208	106	(0%-20%)			
2-Butanone	250	TU	0.00 T	157	ug/L	4.57	62.9*	(0%-20%)			
4-Methyl-2-pentanone	250	U	0.00	250	ug/L	1.88	99.8	(0%-20%)			
Acetone	250	TU	0.00 T	114	ug/L	0.184	45.6*	(0%-20%)			
Benzene	50.0	U	0.00	53.3	ug/L	1.23	107	(0%-20%)			
Carbon disulfide	250	U	0.00	282	ug/L	3.39	113	(0%-20%)			
Carbon tetrachloride	50.0	U	0.00	58.7	ug/L	1.54	117	(0%-20%)			
Chlorobenzene	50.0	U	0.00	53.1	ug/L	1.03	106	(0%-20%)			
Chloroform	50.0	U	0.00	54.3	ug/L	1.61	109	(0%-20%)			
Ethylbenzene	50.0	U	0.00	55.6	ug/L	1.18	111	(0%-20%)			

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 365158

Parname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Volatile-GC/MS											
Batch	1451862										
Methylene chloride	50.0	U	0.00	48.3	ug/L	0.558	96.5	(0%-20%)	CDS1	01/23/15	17:43
Tetrachloroethylene	50.0	U	0.00	53.7	ug/L	2.74	107	(0%-20%)			
Toluene	50.0	U	0.00	52.7	ug/L	0.800	105	(0%-20%)			
Trichloroethylene	50.0	U	0.00	54.9	ug/L	0.581	110	(0%-20%)			
Vinyl chloride	50.0	U	0.00	52.3	ug/L	3.51	105	(0%-20%)			
Xylenes (total)	150	U	0.00	166	ug/L	0.619	111	(0%-20%)			
**1,2-Dichloroethane-d4	50.0		50.7	49.6	ug/L		99.3	(77%-123%)			
**Bromofluorobenzene	50.0		50.8	48.4	ug/L		96.9	(80%-120%)			
**Toluene-d8	50.0		48.8	49.1	ug/L		98.2	(80%-120%)			

Notes:

The Qualifiers in this report are defined as follows:

- A The TIC is a suspected aldol-condensation product
- B The analyte was detected in both the associated QC blank and in the sample.
- C Analyte has been confirmed by GC/MS analysis
- D Results are reported from a diluted aliquot of sample.
- E Concentration exceeds the calibration range of the instrument
- J The analyte was detected at a value less than the contract required detection limit (RDL), but greater than or equal to the IDL/MDL (as appropriate). Value is estimated
- N Spike Sample recovery is outside control limits.
- P Aroclor target analyte with greater than 25% difference between column analyses.
- T Spike and/or spike duplicate sample recovery is outside control limits.
- U Analyzed for but not detected above limiting criteria. Includes MDL, MDA, PQL, zero, counting error, and total analytical error.
- X Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier
- Y Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier
- Z Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier
- o Analyte failed to recover within LCS limits (Organics only)

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 365158

Page 6 of 6

Parmname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
-----------------	------------	---------------	-------------	-----------	--------------	-------------	-------------	--------------	--------------	-------------	-------------

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more or %RPD not applicable.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

* Indicates that a Quality Control parameter was not within specifications.

For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

Miscellaneous

DATA EXCEPTION REPORT			
Mo.Day Yr. 30-JAN-15	Division: Federal	Quality Criteria: SOP	Type: Process
Instrument Type: VOA GC/MS	Test / Method: 8260C	Matrix Type: Liquid	Client Code: CPRC001
Batch ID: 1451862	Sample Numbers: all		
<p>Potentially affected work order(s)(SDG): 365211(GEL365211),365390(GEL365390)</p> <p>Application Issues: Failed Recovery for MSD/PSD Failed Recovery for MS/PS</p>			
Specification and Requirements		DER Disposition:	
Exception Description:			
<p>1. The recoveries for Acetone and 2-Butanone were outside of acceptance limits in the MS and in the MSD performed on sample 36521102. The calculated relative percent differences between the MS and MSD were within acceptance limits for all client requested compounds.</p> <p>2. The percent drift for 2-Chloro-1,3-butadiene was outside of acceptance limits in the continuing calibration verification sample analyzed 01/23/15 AM tune with a high bias(+21.0%). The compound was not detected in the associated samples. The effected SDG's are GEL365211 and GEL365390.</p>		<p>1-2. Narrate and report data.</p>	

Originator's Name:

Crystal Stacey 30-JAN-15

Data Validator/Group Leader:

Erin Haubert 06-FEB-15