TEST AMERICA

Analytical Data Package Prepared For

CH2M Hill Plateau Remediation

Radiochemical Analysis By

TestAmerica TARL

2800 G.W. Way, Richland Wa, 99354, (509)-375-3131.

Data Package Contains _____ Pages

Report Nbr: 41599

SDG Nbr	ORDER Nbr	CLIENT ID NUMBER	LOT Nbr	WORK ORDER	RPT DB ID	BATCH
W05632	X09-013	B1Y8R9	J9C250301-1	K85L61AA	9K85L610	9098424
		B1Y8T3	J9C250301-2	K85L81AA	9K85L810	9098424
		B1Y8T4	J9C250301-3	K85MA1AA	9K85MA10	9098424
		B1Y8R8	J9C250301-4	K85ME1AA	9K85ME10	9098424
		B1Y8V5	J9C270129-1	K879G1AA	9K879G10	9098423
		B1Y8V2	J9C270129-2	K879L1AA	9K879L10	9098424
		B1Y8T9	J9C270129-3	K879W1AA	9K879W10	9098424

RECEIVED
SEP 0 2 2009
EDMC

Comments:

RECEIVED MAY 26, 2009

0082954

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Certificate of Analysis

CH2M Hill Plateau Remediation Company
P.O. Box 1600
Mail Stop – R3-60
Richland, WA 99352

May 22, 2009

Attention: Mike Neely

SAF Number	:	X09-013
Date SDG Closed	:	April 7, 2009
Number of Samples	:	Seven (7)
Sample Type	:	Water
SDG Number	:	W05632
Data Deliverable	:	45-Day / Summary

CASE NARRATIVE

I. Introduction

Between March 25, 2009 and March 26, 2009 seven water samples were received at TestAmerica (TARL) for radiochemical analysis. Upon receipt, the samples were assigned the following laboratory ID numbers to correspond with the CH2M specific IDs:

CH2M ID#	TARL ID#	DATE OF RECEIPT	MATRIX
B1Y8R9	K85L6	3/25/09	WATER
B1Y8T3	K85L8	3/25/09	WATER
B1Y8T4	K85MA	3/25/09	WATER
B1Y8R8	K85ME	3/25/09	WATER
B1Y8V5	K879G	3/26/09	WATER
B1Y8V2	K879L	3/26/09	WATER
B1Y8T9	K879W	3/26/09	WATER

II. Sample Receipt

The samples were received in good condition and no anomalies were noted during check-in.

III. Analytical Results/Methodology

The analytical results for this report are presented by laboratory sample ID. Each set of data includes sample identification information, analytical results and the appropriate associated statistical errors.

The requested analyses were:

Gamma Spectroscopy
Iodine-129 (LL) by method RL-GAM-002 (RICH-RC-5025)*
Iodine-129 by method RL-GAM-002 (RICH-RC-5025)*

*SOP ID's changed effective 7-01-2008. Attached is a cross reference until SOP ID's are changed in all systems.

IV. Quality Control

The analytical results for each analysis performed includes a minimum of one laboratory control sample (LCS), one method (reagent) blank, and one duplicate sample analysis. Any exceptions have been noted in the "Comments" section.

QC and sample results are reported in the same units.

V. Comments

Gamma Spectroscopy

Iodine-129 (LL) by method RL-GAM-002 (RICH-RC-5025):

Two 4000 ml containers were received for sample B1Y8V5. Both sample containers had the same date, time and place of collection. One container was used for the sample (B1Y8V5) aliquot. The aliquot for the sample appeared to be very clean with no sediment. The other container was used for the duplicate (B1Y8V5 DUP) aliquot. The duplicate aliquot had a lot of sediment and was opaque when first aliquoted.

Except as noted, the LCS, batch blank, samples and sample duplicate (B1Y8V5) results are within contractual requirements.

Iodine-129 by method RL-GAM-002 (RICH-RC-5025):

The LCS, batch blank, samples and sample duplicate (B1Y8R9) results are within contractual requirements.

I certify that this Certificate of Analysis is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager, or a designee as verified by the following signature.

Reviewed and approved:

Sandra Seger
Project Manager

Drinking Water Method Cross References

	DRINKING WATER ASTM METHOD CROSS REFERENCES	
Referenced Method	**Isotope(s)**	**TestAmerica Richland's SOP No.**
EPA 901.1	Cs-134, I-131	RICH-RC-5017
EPA 900.0	Alpha & Beta	RICH-RC-5014
EPA 00-02	Gross Alpha (Coprecipitation)	RICH-RC-5021
EPA 903.0	Total Alpha Radium (Ra-226)	RICH-RC-5027
EPA 903.1	Ra-226	RICH-RC-5005
EPA 904.0	Ra-228	RICH-RC-5005
EPA 905.0	Sr-89/90	RICH-RC-5006
ASTM D5174	Uranium	RICH-RC-5058
EPA 906.0	Tritium	RICH-RC-5007

Results in this report relate only to the sample(s) analyzed.

Uncertainty Estimation

TestAmerica Richland has adopted the internationally accepted approach to estimating uncertainties described in "NIST Technical Note 1297, 1994 Edition". The approach, "Law of Propagation of Errors", involves the identification of all variables in an analytical method which are used to derive a result. These variables are related to the analytical result (R) by some functional relationship, R = constants * f(x,y,z,...). The components (x,y,z) are evaluated to determine their contribution to the overall method uncertainty. The individual component uncertainties (u_i) are then combined using a statistical model that provides the most probable overall uncertainty value. All component uncertainties are categorized as type A, evaluated by statistical methods, or type B, evaluated by other means. Uncertainties not included in the components, such as sample homogeneity, are combined with the component uncertainty as the square root of the sum-of-the-squares of the individual uncertainties. The uncertainty associated with the derived result is the combined uncertainty (u_c) multiplied by the coverage factor (1,2, or 3).

When three or more sample replicates are used to derive the analytical result, the type A uncertainty is the standard deviation of the mean value (S/? n), where S is the standard deviation of the derived results. The type B uncertainties are all other random or non-random components that are not included in the standard deviation.

The derivation of the general "Law of Propagation of Errors" equations and specific example are available on request.

Report Definitions

Action Lev	An agreed upon activity level used to trigger some action when the final result is greater than or equal to the Action Level. Often the Action Level is related to the Decision Limit.
Batch	The QC preparation batch number that relates laboratory samples to QC samples that were prepared and analyzed together.
Bias	Defined by the equation (Result/Expected)-1 as defined by ANSI N13.30.
COC No	Chain of Custody Number assigned by the Client or TestAmerica.
Count Error (#s)	Poisson counting statistics of the gross sample count and background. The uncertainty is absolute and in the same units as the result. For Liquid Scintillation Counting (LSC) the batch blank count is the background.
Total Uncert (#s) *u_c - Combined Uncertainty.*	All known uncertainties associated with the preparation and analysis of the sample are propagated to give a measure of the uncertainty associated with the result, *u_c the combined uncertainty.* The uncertainty is absolute and in the same units as the result.
(#s), Coverage Factor	The coverage factor defines the width of the confidence interval, 1, 2 or 3 standard deviations.
CRDL (RL)	Contractual Required Detection Limit as defined in the Client's Statement Of Work or TestAmerica "default" nominal detection limit. Often referred to the reporting level (RL)
Lc	Decision Level based on instrument background or blank, adjusted by the Efficiency, Chemical Yield, and Volume associated with the sample. The Type I error probability is approximately 5%. Lc=(1.645 * Sqrt(2*(BkgrndCnt/BkgrndCntMin)/SCntMin)) * (ConvFct/(Eff*Yld*Abn*Vol) * IngrFct). For LSC methods the batch blank is used as a measure of the background variability. Lc cannot be calculated when the background count is zero.
Lot-Sample No	The number assigned by the LIMS software to track samples received on the same day for a given client. The sample number is a sequential number assigned to each sample in the Lot.
MDC|MDA	Detection Level based on instrument background or blank, adjusted by the Efficiency, Chemical Yield, and Volume with a Type I and II error probability of approximately 5%. MDC = (4.65 * Sqrt((BkgrndCnt/BkgrndCntMin)/SCntMin) + 2.71/SCntMin) * (ConvFct/(Eff * Yld * Abn * Vol) * IngrFct). For LSC methods the batch blank is used as a measure of the background variability.
Primary Detector	The instrument identifier associated with the analysis of the sample aliquot.
Ratio U-234/U-238	The U-234 result divided by the U-238 result. The U-234/U-238 ratio for natural uranium in NIST SRM 4321C is 1.038.
Rst/MDC	Ratio of the Result to the MDC. A value greater than 1 may indicate activity above background at a high level of confidence. Caution should be used when applying this factor and it should be used in concert with the qualifiers associated with the result.
Rst/TotUcert	Ratio of the Result to the Total Uncertainty. If the uncertainty has a coverage factor of 2 a value greater than 1 may indicate activity above background at approximately the 95% level of confidence assuming a two-sided confidence interval. Caution should be used when applying this factor and it should be used in concert with the qualifiers associated with the result.
Report DB No	Sample Identifier used by the report system. The number is based upon the first five digits of the **Work Order** Number.
RER	The equation Replicate Error Ratio = (S-D)/[sqrt($TPUs^2$ + $TPUd^2$)] as defined by ICPT BOA where S is the original sample result, D is the result of the duplicate, TPUs is the total uncertainty of the original sample and TPUd is the total uncertainty of the duplicate sample.
SDG	Sample Delivery Group Number assigned by the Client or assigned by TestAmerica upon sample receipt.
Sum Rpt Alpha Spec Rst(s)	The sum of the reported alpha spec results for tests derived from the same sample excluding duplicate result where the results are in the same units.
Work Order	The LIMS software assign test specific identifier.
Yield	The recovery of the tracer added to the sample such as Pu-242 used to trace a Pu-239/40 method.

Isotope	Richland SOP #	Old Richland SOP #	Method Reference	Title
Asbestos	RL-ASB-001	N/A	NIOSH 7400	Fiber Counting by Phase Contrast Microscopy based on NIOSH 7400
Asbestos	RL-ASB-002	N/A	NIOSH 9002	Sample Prep and Analysis for Asbestos (bulk) by Polarized Light Microscopy based on NIOSH 9002
Alpha - Gross	ARCHIVED	RICH-RB-5035	Liquid Scintillation Anal/ Packard	DETERMINATION OF GROSS ALPHA IN NASAL SMEARS BY LIQUID SCINTILLATION COUNTING
Alpha - Gross	RL-GPC-001	RICH-RC-5014	9310 / EPA SW846 900.0 / EPA 600	DETERMINATION OF GROSS ALPHA AND GROSS BETA IN WATER BY METHOD 9310
Alpha - Gross	RL-GPC-007	RICH-RC-5020	SM 7110B EPA 680	DETERMINATION OF GROSS ALPHA AND GROSS BETA IN SOIL, SHORELINE SOIL, FOOD AND VEGETATION
Alpha - Gross	RL-GPC-002	RICH-RC-5021	00-02 EPA 520	DETERMINATION OF GROSS ALPHA ACTIVITY IN WATER BY COPRECIPITATION
Alpha - Gross	RL-GPC-008	RICH-RC-5036	ER100 / LANL	PREPARATION OF AIR FILTERS FOR GROSS ALPHA/BETA AND COMPOSITING AIR FILTERS
Am	RL-ALP-003	RICH-RC-5072	Mod RP 725 / DOE0089T EXT Chromatography	SEPARATION OF AMERICIUM, CURIUM, AND URANIUM BY EXTRACTION CHROMATOGRAPHY
Am	RL-ALP-010	RICH-RC-5080	Am03/Pu11HASL 300 NAS-NS-3006	SEQUENTIAL SEPARATION OF PLUTONIUM AND AMERICIUM
Beta - Gross	RL-GPC-001	RICH-RC-5014	9310 / EPA SW846 900.0 / EPA 600	DETERMINATION OF GROSS ALPHA AND GROSS BETA IN WATER BY METHOD 9310
Beta - Gross	RL-GPC-007	RICH-RC-5020	SM 7110B EPA 680	DETERMINATION OF GROSS ALPHA AND GROSS BETA IN SOIL, SHORELINE SOIL, FOOD AND VEGETATION
Beta - Gross	RL-GPC-008	RICH-RC-5036	ER100 / LANL	PREPARATION OF AIR FILTERS FOR GROSS ALPHA/BETA AND COMPOSITING AIR FILTERS
C14	RL-LSC-001	RICH-RB-5013	Mod H-02 / EPA 520	TRITIUM, CARBON-14, NICKEL-63 OR PHOSPHORUS-32 ANALYSIS IN URINE
C14	RL-LSC-008	RICH-RC-5022	EPA C-01 / EPA 520	CARBON 14 BY DIGESTION METHOD
C14	RL-LSC-009	RICH-RC-5040	Mod C14 / EPA 680	DETERMINATION OF CARBON-14 BY BENZENE SYNTHESIS
C14	RL-LSC-010	RICH-RC-5046	EPA C-01 / EPA 520	DETERMINATION OF CARBON-14 IN GRAPHITE AND SOIL
C14	RL-LSC-011	RICH-RC-5047	Mod H-02 / EPA 520	DETERMINATION OF CARBON-14 IN WATER BY DIRECT COUNTING
Cm	RL-ALP-003	RICH-RC-5072	Mod RP 725 / DOE0089T EXT Chromatography	SEPARATION OF AMERICIUM, CURIUM, AND URANIUM BY EXTRACTION CHROMATOGRAPHY
Coliform	RL-WC-001	RICH-WC-5001	9222B	DETERMINATION OF TOTAL COLIFORM: MULTIPLE TUBE FERMENTATION TECHNIQUE
Coliform	RL-WC-002	RICH-WC-5002	9131	TOTAL COLIFORMS BY MEMBRANE FILTRATION
Coliform	RL-WC-005	RICH-WC-5007	9223	TOTAL COLIFORM BY THE COLILERT METHOD
Cr6+	RL-WC-003	RICH-WC-5003	7196A, SW846	DETERMINATION OF HEXAVALENT CHROMIUM [Cr(VI)] IN WATER, SOIL, AND SIMILAR MATRICES
Cr6+	RL-WC-004	RICH-WC-5005	3060 / SW846	DETERMINATION OF HEXAVALENT CHROMIUM (CrVI) IN SOLID MATRICES WITH ALKALINE DIGESTION
Fe	RL-LSC-015	RICH-RC-5074	EXT Chromatography ModFe55/PNL-ALO-435	SEPARATION OF IRON AND NICKEL BY EXTRACTION CHROMATOGRAPHY
Fe55	RL-LSC-016	RICH-RC-5023	R4-73-014 / EPA HASL 300	DETERMINATION OF IRON-55 AND IRON-59 IN WATER
Fe59	RL-LSC-016	RICH-RC-5023	R4-73-014 / EPA HASL 300	DETERMINATION OF IRON-55 AND IRON-59 IN WATER
Gamma	RL-GAM-001	RICH-RC-5017	901.0 / HASL 300 ASTM D3649	PREPARATION OF ALL MATRICES FOR ANALYSIS BY GAMMA SPECTROSCOPY
H3	RL-LSC-001	RICH-RB-5013	Mod H-02 / EPA 520	TRITIUM, CARBON-14, NICKEL-63 OR PHOSPHORUS-32 ANALYSIS IN URINE
H3	RL-LSC-003	RICH-RB-5034	7500-3 / SM	DETERMINATION OF TRITIUM IN URINE BY DISTILLATION
H3	RL-LSC-004	RICH-RC-5004	H3 / EPA LV539	DETERMINATION OF TRITIUM IN AIR
H3	RL-LSC-005	RICH-RC-5007	Mod 906.0 / EPA 600	SEPARATION OF TRITIUM IN WATER AND AQUEOUS COMPONENT OF WINE
H3	RL-LSC-007	RICH-RC-5024	H-3 by PE EPA LV539 / HASL 300	DETERMINATION OF LOW LEVEL TRITIUM IN WATER BY ELECTROLYTIC ENRICHMENT
H3	RL-LSC-002	RICH-RC-5037	H-3 in Water/Tissue / LV 539	DETERMINATION OF TRITIUM BY CRYOGENIC DISTILLATION
H3	RL-LSC-006	RICH-RC-5048	H-3 in Water/Tissue / LV 539	TRITIUM PREPARATION IN MILK SAMPLES
I129	RL-GAM-002	RICH-RC-5025	R4-73-014I/EPA ASTM D2334 (Discontinued)	DETERMINATION OF IODINE-131 AND 129 IN WATER BY SOLVENT EXTRACTION METHOD
I131	RL-GAM-002	RICH-RC-5025	R4-73-014I/EPA ASTM D2334 (Discontinued)	DETERMINATION OF IODINE-131 AND 129 IN WATER BY SOLVENT EXTRACTION METHOD
I131	ARCHIVED	RICH-RC-5049	HASL 300 (1983)	DETERMINATION OF IODINE-131 IN MILK BY BATCH ION-EXCHANGE
Metals	ARCHIVED	BHI-MT-0001	6010	ICP-AE SPECTROSCOPY, SPECTROMETRIC METHOD FOR TRACE ELEMENT ANALYSIS, METHOD 6010A FOR Bechtel

Isotope	Richland SOP #	Old Richland SOP #	Method Reference	Title
Metals	RL-MT-001	RICH-MT-0001	6010B	ICP-AES for TRACE ELEMENT ANALYSIS, METHOD 6010B
Metals	RL-MT-002	RICH-MT-0002	SW486 3050B	ACID DIGESTION FOR ICP ANALYSIS
Metals	RL-MT-003	RICH-MT-0003	NIOSH 7300	DIGESTION PREP based on METHOD NIOSH 7300
Ni	RL-LSC-015	RICH-RC-5074	EXT Chromatography ModFe55/PNL-ALO-435	SEPARATION OF IRON AND NICKEL BY EXTRACTION CHROMATOGRAPHY
Ni63	RL-LSC-001	RICH-RB-5013	Mod H-02 / EPA 520	TRITIUM, CARBON-14, NICKEL-63 OR PHOSPHORUS-32 ANALYSIS IN URINE
Ni63	RL-LSC-017	RICH-RC-5069	EXT Chromatography Mod RP300 / DOE00089T	SEPARATION OF Ni-63 BY EXTRACTION CHROMATOGRAPHY
Np	RL-ALP-013	RICH-RC-5009	NAS-NS-3060	DETERMINATION OF NEPTUNIUM-237 BY LIQUID-LIQUID EXTRACTION IN ALL MATRICES
Np	RL-ALP-006	RICH-RC-5064	EXT Chromatography	SEPARATION OF NEPTUNIUM BY EXTRACTION CHROMATOGRAPHY
P32	RL-LSC-001	RICH-RB-5013	Mod H-02 / EPA 520	TRITIUM, CARBON-14, NICKEL-63 OR PHOSPHORUS-32 ANALYSIS IN URINE
Pb	RL-ALP-011	RICH-RC-5076	EXT Chromatography	DETERMINATION OF LEAD-210 BY EXTRACTION CHROMATOGRAPHY
Po	RL-ALP-007	RICH-RB-5001	NAS-NS-3037 HASL 300	DETERMINATION OF POLONIUM-210 IN URINE
Po	RL-ALP-012	RICH-RC-5012	Po-01 / HASL 300 Mod U01 HASL 300	SEPARATION OF ISOTOPIC URANIUM AND POLONIUM-210 IN WATER, SOIL AND FILTERS
Prep - Bioassay	ARCHIVED	RICH-RB-0001		PREPARATION FOR RAPID BIOASSAY ANALYSES
Prep - Bioassay	RL-PRP-001	RICH-RB-5002	Mod Pu06 / HASL 300	PREPARATION OF URINE AND BLOOD SAMPLES
Prep - Bioassay	ARCHIVED	RICH-RB-5004	ASTM D1429-95	DETERMINATION OF SPECIFIC GRAVITY OF URINE
Prep - Bioassay	RL-RPL-002	RICH-RB-5036	Pub 6490,6601 / PNL	PREPARATION OF SYNTHETIC URINE AND FECES USING RECIPES FROM HPS N13.30 PREFORMANCE TESTING
Prep - Bioassay	RL-PRP-002	RICH-RB-5037	LA-10300-M R200 ASTM D3865	PREPARATION OF FECAL SAMPLES USING HYDROFLUORIC ACID DIGESTION
Prep - Bioassay	RL-RPL-003	RICH-RC-5028	ICRP Publication 23	PREPARATION OF SYNTHETIC URINE AND FECES
Prep - Count	RL-ALP-016	RICH-RC-5003	G-03 / HASL 300	COPRECIPITATION OF SOME ACTINIDES ON NEODYMIUM FLUORIDE FOR ALPHA-PARTICLE SPECTROMETRY
Prep - Count	RL-ALP-015	RICH-RC-5039	G-03 / HASL 300 Anal Chem 1972	ELECTRODEPOSITION OF ACTINIDES
Prep - Count	RL-ALP-014	RICH-RC-5085	Morrison & Freiser NAS-NS-3050	ANHYDROUS ETHER EXTRACTION OF URANIUM
Prep - Env	RL-KPA-001	RICH-RC-5015	ASTM / D5174-97	ENVIRONMENTAL SAMPLE PREPARATION FOR URANIUM BY LASER-INDUCED PHOSPHORESCENCE
Prep - Env	RL-PRP-004	RICH-RC-5016	Sr02 / HASL 300	PREPARATION OF ENVIRONMENTAL MATRICES
Prep - Env	RL-PRP-007	RICH-RC-5045	Mod Pu02 / HASL 300	PREPARATION OF MIXED BED RESINS AND PRE-FILTERS
Prep - Env	RL-PRP-008	RICH-RC-5068	Mod ER100 / LA10300	PREPARATION OF SOIL, VEGETATION AND AIR FILTERS BY MIXED STRONG ACID LEACHING
Prep - Resin	RL-ALP-017	RICH-RC-5018	Mod Pu11 / Mod 300	ION-EXCHANGE PREPARATION
Prep - Soil	RL-PRP-003	RICH-RC-5013	Pu02A / HASL 300	PREPARATION OF SOIL SAMPLES
Prep - Soil	RL-PRP-005	RICH-RC-5019	D5259 / ASTM SW 846/3015/3051/3052	PREPARATION AND DISSOLUTION OF SEDIMENTS AND SOIL BY MICROWAVE BOMB DIGESTION
Prep - Soil	RL-PRP-006	RICH-RC-5032	Pu02A / HASL 300	COMPLETE DISSOLUTION BY MIXED ACIDS IN A TEFLON BEAKER
Prep - Soil	RL-PRP-009	RICH-RC-5077	Mod ER100 / LA10300	PREPARATION OF SMALL SOIL SAMPLES FOR GAMMA SPEC AND/OR RADIOCHEM ANAL BY ACID DIGESTION
Prep - Urine	RL-PRP-010	RICH-RC-5086	AnalyticaChemActa1992 RP800 / DOE00089T	URINE AND WATER SAMPLE PREPARATION BY CALCIUM PHOSPHATE PRECIPITATION
Prep - Water	RL-PRP-010	RICH-RC-5086	AnalyticaChemActa1992 RP800 / DOE00089T	URINE AND WATER SAMPLE PREPARATION BY CALCIUM PHOSPHATE PRECIPITATION
Pu	ARCHIVED	RICH-RB-5015	Pu11 / HASL 300	RAPID DETERMINATION OF PLUTONIUM IN FECES
Pu	RL-ALP-002	RICH-RC-5010	Pu11 / HASL 300	DETERMINATION OF ISOTOPIC PLUTONIUM IN ALL MATRICES
Pu	RL-ALP-010	RICH-RC-5080	Am03 HASL 300 Pu11 / HASL 300	SEQUENTIAL SEPARATION OF PLUTONIUM AND AMERICIUM
Pu	RL-ALP-001	RICH-RC-5087	AnalyticaChemActa1992 RP800 / DOE00089T	DETERMINATION OF PLUTONIUM BY EXTRACTION CHROMATOGRAPHY
Ra	RL-RA-001	RICH-RC-5005	903.1 / EPA 600	RADIUM-226 AND RADIUM-228 SEPARATION IN RADIOCHEMICAL MATRICES - ADAPTED FROM EPA 903.1 AND 904.0
Ra	RL-RA-001	RICH-RC-5005	904.0 / EPA 600	RADIUM-226 AND RADIUM-228 SEPARATION IN RADIOCHEMICAL MATRICES - ADAPTED FROM EPA 903.1 AND 904.0

Isotope	Richland SOP #	Old Richland SOP #	Method Reference	Title
Ra	RL-RA-002	RICH-RC-5027	Mod D2460/ ASTM 903.0 / EPA 600	DETERMINATION OF TOTAL RADIUM
Rn	RL-LSC-019	RICH-RC-5082	913.0 / EPA	DETERMINATION OF RADON-222 - ADAPTED FROM METHOD 913.0
S35	ARCHIVED	RICH-RB-5020	Hillebrand, Lundeell, Bright, Hoffman 1953	DETERMINATION OF SULPUR-35 IN URINE
Se79	RL-LSC-012	RICH-RC-5043	Selenium / NAS-NS-3030	RADIOCHEMICAL DETERMINATION OF SELENIUM-79
Solubility	ARCHIVED	RICH-RC-5035	Kalfward&Thomas PNL3716	DETERMINATION OF SOLUBILITY OF RADIOACTIVE PARTICLE CONSTITUENTS
Sr	RL-GPC-005	RICH-RB-5007	Mod Sr02 / HASL 300 Mod 905.0 / EPA 600	DETERMINATION OF TOTAL STRONTIUM IN URINE
Sr	RL-GPC-006	RICH-RB-5021	Mod Sr02 / HASL300 Mod 905.0 / EPA 600	DETERMINATION OF STRONTIUM IN FECES
Sr	ARCHIVED	RICH-RB-5022	Mod Sr02 / HASL300 Mod 905.0 / EPA 600	DETERMINATION OF TOTAL STRONTIUM IN URINE FOR RAPID ANALYSIS
Sr	ARCHIVED	RICH-RB-5031	Mod Sr02 / HASL300 Mod 905.0 / EPA 600	RAPID DETERMINATION OF TOTAL STRONTIUM IN FECES
Sr	RL-GPC-003	RICH-RC-5006	Mod Sr02 / HASL300 Mod 905.0 / EPA 600	STRONTIUM SEPARATION IN ENVIROMENTAL MATRICES
Sr - Yt	RL-GPC-004	RICH-RC-5071	Mod Sr02 / HASL300 Mod 905.0 / EPA 600	YTTRIUM-90 SEPARATION FOR STRONTIUM-90 DETERMINATION IN ALL MATRICES
Tc	RL-LSC-014	RICH-RC-5065	EXT Chromatography Mod RP550 / DOE0089T	DETERMINATION OF TECHNETIUM-99 BY EXTRACTION CHROMATOGRAPHY
Tc	RL-LSC-013	RICH-RC-5078	Tc01 / HASL 300	SEPARATION OF TECHNETIUM-99 IN ALL MATRICES
Th	RL-ALP-008	RICH-RB-5006	Mod Th01 / HASL 300	SEPARATION OF THORIUM FROM URINE AND FECAL SAMPLES
Th	RL-ALP-005	RICH-RC-5084	Mod Th01 / HASL 300 Anal Chim Acta 1982	DETERMINATION OF THORIUM ISOTOPIC IN ENVIRONMENTAL MATRICES
U	RL-ALP-012	RICH-RC-5012	Po-01 / HASL 300 Mod U01 / HASL 300	SEPARATION OF ISOTOPIC URANIUM AND POLONIUM-210 IN WATER, SOIL AND FILTERS
U	RL-KPA-002	RICH-RC-5031	Mod U01 / HASL 300	SEPARATION OF TOTAL URANIUM IN WATER AND URINE
U	RL-KPA-003	RICH-RC-5058	D5174 / ASTM	DETERMINATION OF URANIUM BY PHOSPHORESCENCE ANALYSIS
U	RL-ALP-004	RICH-RC-5067	EXT Chromatography Mod RP725 / DOE0089T	SEPARATION OF URANIUM BY EXTRACTION CHROMATOGRAPHY
U	RL-ALP-003	RICH-RC-5072	EXT Chrom Mod RP725 & 800 / DOE0089T	SEPARATION OF AMERICIUM, CURIUM, AND URANIUM BY EXTRACTION CHROMATOGRAPHY
U	RL-ALP-009	RICH-RC-5079	EXT Chromatography Mod RP725 / DOE0089T	DETERMINATION OF ISOTOPIC URANIUM IN ALL MATRICES

5/22/2009 10:47:33 AM

TestAmerica Report

Lab Code: TARL

FormNbr: R FormatType: FEAD Version: 05 Rpt Nbr: 41599 File Name: h:\Reportdb\edd\FeadIV\Rad\W05632.Edd, h:\Reportdb\edd\FeadIV\Rad\41599.Edd

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9K85L610	B1Y8R9		MW6-SBB-A1	X09-013	W05632					03/25/2009 08:08

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
9098424	I-129L	15046-84-1	5.32E-01	pCi/L	1.2E+00	1.2E+00	U	2.20E+00	95.4	I129_SEP_LEPS_G	5.00E-01	L	05/12/2009 20:18	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9K85L810	B1Y8T3		MW6-SBB-A1	X09-013	W05632					03/25/2009 11:51

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
9098424	I-129L	15046-84-1	1.92E-01	pCi/L	8.7E-01	8.7E-01	U	1.71E+00	95.7	I129_SEP_LEPS_G	5.00E-01	L	05/12/2009 20:19	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9K85MA10	B1Y8T4		MW6-SBB-A1	X09-013	W05632					03/25/2009 11:51

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
9098424	I-129L	15046-84-1	1.57E-02	pCi/L	1.2E+00	1.2E+00	U	2.11E+00	96.8	I129_SEP_LEPS_G	5.001E-01	L	05/12/2009 22:05	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9K85ME10	B1Y8R8		MW6-SBB-A1	X09-013	W05632					03/25/2009 10:28

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
9098424	I-129L	15046-84-1	-8.65E-01	pCi/L	1.3E+00	1.3E+00	U	2.22E+00	91.4	I129_SEP_LEPS_G	5.001E-01	L	05/12/2009 22:06	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9K879G10	B1Y8V5		MW6-SBB-A1	X09-013	W05632					03/26/2009 12:33

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
9098423	I-129L	15046-84-1	1.06E-01	pCi/L	1.3E-01	1.3E-01	U	2.63E-01	101.9	I129LL_SEP_LEPS	3.6832E+00	L	05/08/2009 10:54	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9K879L10	B1Y8V2		MW6-SBB-A1	X09-013	W05632					03/26/2009 09:02

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
9098424	I-129L	15046-84-1	2.27E-01	pCi/L	9.5E-01	9.5E-01	U	1.85E+00	93.5	I129_SEP_LEPS_G	5.00E-01	L	05/12/2009 22:06	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9K879W10	B1Y8T9		MW6-SBB-A1	X09-013	W05632					03/26/2009 10:22

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
9098424	I-129L	15046-84-1	-2.19E-01	pCi/L	1.1E+00	1.1E+00	U	1.97E+00	94.9	I129_SEP_LEPS_G	5.001E-01	L	05/13/2009 05:10	I

TestAmerica

rptFeadRadSummaryEdd v3.48

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Friday, May 22, 2009

TestAmerica QC Blank Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05632.Edd, h:\Reportdb\edd\FeadIV\Rad\41599.Edd

Lab Sample Id:	K9R2F1AB	**Sdg/Rept Nbr:**	W05632 41599	**Collection Date:**	03/26/2009 12:33
Client Id:	NA	**Matrix:**	WATER WATER	**Sample On Date:**	
Moisture/Solids%*:		**QC Type:**	BLK	**Received Date:**	03/26/2009

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								AJ	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
9098423	I-129L	6.29E-02	pCi/L	1.3E-01	U	2.53E-01	97.0		I129LL_SEP_L	3.9848E+00	05/08/2009				D
BLK	15046-84-1			1.3E-01						L	12:41				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

I

Friday, May 22, 2009

TestAmerica QC Blank Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05632.Edd, h:\Reportdb\edd\FeadIV\Rad\41599.Edd

Lab Sample Id:	K9R2J1AB	**Sdg/Rept Nbr:**	W05632	41599	**Collection Date:** 03/25/2009 08:08
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BLK		**Received Date:** 03/25/2009

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								AL	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
9098424	I-129L	-1.20E+00	pCi/L	1.3E+00	U	2.14E+00	89.5		I129_SEP_LEP	5.001E-01	05/13/2009				D
BLK	15046-84-1			1.3E+00						L	05:10				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Friday, May 22, 2009

TestAmerica QC Control Sample Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05632.Edd, h:\Reportdb\edd\FeadIV\Rad\41599.Edd

Lab Sample Id:	K9R2F1CS	**Sdg/Rept Nbr:**	W05632	41599	**Collection Date:** 03/26/2009 12:33
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 03/26/2009

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								AK	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
9098423	I-129L	9.74E+00	pCi/L	1.2E+00		4.20E-01	96.2	9.62E+00	I129LL_SEP_L	3.978E+00	05/08/2009			70	D
BS	15046-84-1			1.2E+00				101.2		L	12:42			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Friday, May 22, 2009

TestAmerica QC Control Sample Report

Lab Code: TARL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05632.Edd, h:\Reportdb\edd\FeadIV\Rad\41599.Edd

Lab Sample Id:	K9R2J1CS	**Sdg/Rept Nbr:**	W05632 41599	**Collection Date:**	03/25/2009 08:08
Client Id:	NA	**Matrix:**	WATER WATER	**Sample On Date:**	
Moisture/Solids%*:		**QC Type:**	BS	**Received Date:**	03/25/2009

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								AM	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
9098424	I-129L	4.85E+01	pCi/L	7.3E+00		2.81E+00	96.1	4.52E+01	I129_SEP_LEP	5.00E-01	05/13/2009			70	D
BS	15046-84-1			7.3E+00				107.3		L	05:10			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Friday, May 22, 2009

TestAmerica QC Duplicate Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05632.Edd, h:\Reportdb\edd\FeadIV\Rad\41599.Edd

Lab Sample Id:	K85L61CR	**Sdg/Rept Nbr:**	W05632	41599	**Collection Date:** 03/25/2009 08:08
Client Id:	B1Y8R9	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 03/25/2009

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
X09-013	MW6-SBB-A19981								AH	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
9098424	I-129L	6.19E-01	pCi/L	1.3E+00	U	2.49E+00	96.5		I129_SEP_LEP	5.00E-01	05/12/2009	15.2	0.1		D
DUP	15046-84-1	5.32E-01		1.3E+00						L	20:19	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Friday, May 22, 2009

TestAmerica QC Duplicate Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05632.Edd, h:\Reportdb\edd\FeadIV\Rad\41599.Edd

Lab Sample Id:	K879G1CR	**Sdg/Rept Nbr:**	W05632 41599	**Collection Date:**	03/26/2009 12:33
Client Id:	B1Y8V5	**Matrix:**	WATER WATER	**Sample On Date:**	
Moisture/Solids%*:		**QC Type:**	DUP	**Received Date:**	03/26/2009

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
X09-013	MW6-SBB-A19981								AI	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
9098423	I-129L	2.03E-01	pCi/L	1.9E-01	U	3.76E-01	87.0		I129LL_SEP_L	3.7778E+00	05/08/2009	62.8	0.7		D
DUP	15046-84-1	1.06E-01		1.9E-01						L	10:55	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Data Review/Verification Checklist

RADIOCHEMISTRY, First Level Review

5/12/2009 11:01:19 AM

Lot No., Due Date: J9C270129; 05/22/2009

Client, Site: 384868; PGW 615HANFORD HANFORD

QC Batch No., Method Test: 9098423; RGAMLEPS Gamma by LEPS

SDG, Matrix: W05632; WATER

	Yes	No	N/A
1.0 COC			
1.1 Is the ICOC page complete; includes all applicable analysis, dates, SOP numbers, and revisions?	✓		
2.0 QC Batch			
2.1 Do the Summary/Detailed Reports include a calculated result for each sample listed on the QC Batch Sheet?	✓		
2.2 Are the QC appropriate for the analysis included in the batch?	✓		
2.3 Is the Analytical Batch Worksheet complete; includes as appropriate, volumes, count times, etc?	✓		
2.4 Does the Worksheets include a Tracer Vial label for each sample?	✓		
3.0 QC & Samples			
3.1 Is the blank results, yield, and MDA within contract limits?	✓		
3.2 Is the LCS result, yield, and MDA within contract limits?	✓		
3.3 Are the MS/MSD results, yields, and MDA within contract limits?			✓
3.4 Are the duplicate result, yields, and MDAs within contract limits?	✓		
3.5 Are the sample yields and MDAs within contract limits?	✓		
4.0 Raw Data			
4.1 Were results calculated in the correct units?	✓		
4.2 Were analysis volumes entered correctly?	✓		
4.3 Were Yields entered correctly?	✓		
4.4 Were spectra reviewed/meet contractual requirements?	✓		
4.5 Were raw counts reviewed for anomalies?	✓		
5.0 Other			
5.1 Are all nonconformances included and noted?			✓
5.2 Are all required forms filled out?	✓		
5.3 Was the correct methodology used?	✓		
5.4 Was transcription checked?	✓		
5.5 Were all calculations checked at a minimum frequency?			✓
5.6 Are worksheet entries complete and correct?	✓		

6.0 Comments on any No response:

First Level Review John Horton **Date** 5-12-9

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

Batch Number: 9098423

Review Item	Yes (√)	No (√)	NA (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?			√
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	√		
3. Are the correct isotopes reported?	√		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤ the Contract Detection Limit?	√		
2. Does the blank result meet the Contract criteria?	√		
3. Is the blank result < the Contract Detection Limit?	√		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			√
5. Is the LCS recovery within contract acceptance criteria?	√		
6. Is the LCS Minimum Detectable Activity ≤ the Contract Detection Limit?	√		
7. Do the MS/MSD results and yields meet acceptance criteria?			√
8. Do the duplicate sample results and yields meet acceptance criteria?	√		
C. Other 1. Are all Non-conformances included and noted?			√
2. Are all required forms filled out?	√		
3. Was the correct methodology used?	√		
4. Was transcription checked?	√		
5. Were all calculations checked at a minimum frequency?	√		
6. Were units checked?	√		

Comments on any "No" response: _____

Second Level Review: Erika Ord Date: 5/12/9

LS-038B, Rev. 10, 9/07

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Data Review/Verification Checklist

RADIOCHEMISTRY, First Level Review

5/15/2009 11:51:40 AM

Lot No., Due Date: J9C250301,J9C270129; 05/22/2009

Client, Site: 384868; PGW 615HANFORD HANFORD

QC Batch No., Method Test: 9098424; RGAMLEPS Gamma by LEPS

SDG, Matrix: W05632; WATER

	Yes	No	N/A
1.0 COC			
1.1 Is the ICOC page complete; includes all applicable analysis, dates, SOP numbers, and revisions?	✓		
2.0 QC Batch			
2.1 Do the Summary/Detailed Reports include a calculated result for each sample listed on the QC Batch Sheet?	✓		
2.2 Are the QC appropriate for the analysis included in the batch?	✓		
2.3 Is the Analytical Batch Worksheet complete; includes as appropriate, volumes, count times, etc?	✓		
2.4 Does the Worksheets include a Tracer Vial label for each sample?	✓		
3.0 QC & Samples			
3.1 Is the blank results, yield, and MDA within contract limits?	✓		
3.2 Is the LCS result, yield, and MDA within contract limits?	✓		
3.3 Are the MS/MSD results, yields, and MDA within contract limits?			✓
3.4 Are the duplicate result, yields, and MDAs within contract limits?	✓		
3.5 Are the sample yields and MDAs within contract limits?	✓		
4.0 Raw Data			
4.1 Were results calculated in the correct units?	✓		
4.2 Were analysis volumes entered correctly?	✓		
4.3 Were Yields entered correctly?	✓		
4.4 Were spectra reviewed/meet contractual requirements?	✓		
4.5 Were raw counts reviewed for anomalies?	✓		
5.0 Other			
5.1 Are all nonconformances included and noted?			✓
5.2 Are all required forms filled out?	✓		
5.3 Was the correct methodology used?	✓		
5.4 Was transcription checked?	✓		
5.5 Were all calculations checked at a minimum frequency?			✓
5.6 Are worksheet entries complete and correct?	✓		

6.0 Comments on any No response:

First Level Review John Martin **Date** 5-15-9

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Data Review Checklist

RADIOCHEMISTRY

Second Level Review

Batch Number: 9098424

Review Item	Yes (√)	No (√)	NA (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?			✓
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤ the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery within contract acceptance criteria?	✓		
6. Is the LCS Minimum Detectable Activity ≤ the Contract Detection Limit?	✓		
7. Do the MS/MSD results and yields meet acceptance criteria?			✓
8. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other 1. Are all Non-conformances included and noted?			✓
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response: _____

Second Level Review: Erika Gold Date: 6/21/9

LS-038B, Rev. 10, 9/07

TEST AMERICA

CHPRC	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST	C.O.C. # X09-013-57
		Page 1 of 1

Collector: BATES	Contact/Requester: Dana Widrig	Telephone No.: 509-376-2858 MSIN FAX
SAF No.: X09-013	Sampling Origin: Hanford Site	Purchase Order/Charge Code
Project Title: AQUIFER TUBES, JANUARY 2009	HNF-N-451-3	Ice Chest No. Temp.
Shipped To (Lab): TestAmerica Incorporated, Richland	Method of Shipment: Govt. Vehicle	Bill of Lading/Air Bill No.
Protocol: SURV	Priority: 45 Days	Offsite Property No.

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS Hold Time Total Activity Exemption: Yes ☑ No ☐
Do not combine X SAF samples with other sets. Need SDG to be stand alone.
Site-Wide Generator Knowledge Information Form applies.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B1Y8R9		W	3-25-09	0808	1x20-mL P	Activity Scan	6 Months	None
B1Y8R9		W	3-25-09	0808	2x4000-mL G/P	I129_SEP_LEPS_GS: I-129 (1) K85L6	6 Months	None
								J9C250301
								W05632
								D22050809

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
A. BACON			3-25-09 1340				032509 1340
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liquid	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wipe	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

TEST AMERICA

CHPRC	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST	C.O.C. # X09-013-62
		Page 1 of 1

Collector BATES	Contact/Requester Dana Widrig	Telephone No. 509-376-2858 MSIN N/A FAX N/A
SAF No. X09-013	Sampling Origin Hanford Site	Purchase Order/Charge Code N/A
Project Title AQUIFER TUBES JANUARY 2009	HNF-N-451-3	Ice Chest No. N/A Temp. N/A
Shipped To (Lab) TestAmerica Incorporated Richland	Method of Shipment Govt. Vehicle	Bill of Lading/Air Bill No. N/A
Protocol SURV	Priority: 45 Days	Offsite Property No. N/A

POSSIBLE SAMPLE HAZARDS/REMARKS
** **

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
Do not combine X SAF samples with other sets. Need SDG to be stand alone.
Site-Wide Generator Knowledge Information Form applies.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B1Y8T3		W	3-25-09	1151	1x20-mL P	Activity Scan	6 Months	None
B1Y8T3		W	3-25-09	1151	2x4000-mL G/P	I129_SEP_LEPS_GS: I-129 (1) K8528	6 Months	None
								J9C250301
								W05632
								Due 050809

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
A Chacon			3-25-09 1340				032509 1340
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S	= Soil	DS	= Drum Solid
SE	= Sediment	DL	= Drum Liquid
SO	= Solid	T	= Tissue
SL	= Sludge	WI	= Wine
W	= Water	L	= Liquid
O	= Oil	V	= Vegetation
A	= Air	X	= Other

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

22

TEST AMERICA

CHPRC	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST	C.O.C. # X09-013-63
		Page 1 of 1

Collector BATES	Contact/Requester Dana Widrig	Telephone No. 509-376-2858 MSIN N/A FAX
SAF No. X09-013	Sampling Origin Hanford Site	Purchase Order/Charge Code N/A
Project Title AQUIFER TUBES, JANUARY 2009	HNF-N-451-3	Ice Chest No. N/A Temp. N/A
Shipped To (Lab) TestAmerica Incorporated, Richland	Method of Shipment Govt. Vehicle	Bill of Lading/Air Bill No. N/A
Protocol SURV	Priority: 45 Days	Offsite Property No. N/A

POSSIBLE SAMPLE HAZARDS/REMARKS
** **

SPECIAL INSTRUCTIONS Hold Time Total Activity Exemption: Yes ☑ No ☐
Do not combine X SAF samples with other sets. Need SDG to be stand alone.
Site-Wide Generator Knowledge Information Form applies.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B1Y8T4		W	3-25-09	1151	1x20-mL P	Activity Scan	6 Months	None
B1Y8T4		W	3-25-09	1151	2x4000-mL G/P	I129_SEP_LEPS_GS: I-129 (1) K85mA	6 Months	None
								JT9C250301
								W05632
								Due 050809

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
A Greer			32509 1340				032509 1340
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

TEST AMERICA

CHPRC	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST	C.O.C. # X09-013-56
		Page 1 of 1

Collector: Bates	Contact/Requester: Dana Widrig	Telephone No.: 509-376-2858 MSIN FAX
SAF No.: X09-013	Sampling Origin: Hanford Site	Purchase Order/Charge Code
Project Title: AQUIFER TUBES JANUARY 2009		Ice Chest No. Temp.
Shipped To (Lab): TestAmerica Incorporated Richland	Method of Shipment: Govt. Vehicle	Bill of Lading/Air Bill No.
Protocol: SURV	Priority: 45 Days	Offsite Property No.

POSSIBLE SAMPLE HAZARDS/REMARKS
** **

SPECIAL INSTRUCTIONS Hold Time Total Activity Exemption: Yes ☑ No ☐
Do not combine X SAF samples with other sets. Need SDG to be stand alone.
Site-Wide Generator Knowledge Information Form applies.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B1Y8R8		W	32509	1028	1x20-mL P	Activity Scan	6 Months	None
B1Y8R8		W	32508	1028	2x4000-mL G/P	I129_SEP_LEPS_GS: I-129 (1) K85ME	6 Months	None
								J9C250301
								W05632
								Due 050809

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
A Chrcow			32509 1340				032509 1340
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Sample Check-in List

Date/Time Received: 032509 1340 GM Screen Result .01

Client: PGW SDG #: W05632 NA[ ] SAF #: X09-013 NA [ ]

Work Order Number: J9C250301 Chain of Custody # X09-013-57

Shipping Container ID: N/A Air Bill # N/A

1 Custody Seals on shipping container intact? NA [ ] Yes [✓] No [ ]

2. Custody Seals dated and signed? NA [ ] Yes [✓] No [ ]

3. Chain of Custody record present? NA [ ] Yes [✓] No [ ]

4. Cooler Temperature: _____ NA [✓] 5. Vermiculite/packing materials is NA [ ] Wet [ ] Dry [✓]

6. Number of samples in shipping container: 4

7. Sample holding times exceeded? NA [ ] Yes [ ] No [✓]

8 Samples have:
_____ Tape
✓ Custody Seals
_____ Hazard Lables
✓ Appropriate Sample Lables

9. Samples are:
✓ In Good Condition
_____ Broken
_____ Leaking
_____ Have Air Bubbles
(Only for samples requiring no head space.)

10. Sample pH taken? NA [ ] pH<2 [ ] pH>2 [✓] pH>9 [ ] Amount HNO_3 Added _____

11. Sample Location, Sample Collector Listed? *
*For documentation only. No corrective action needed.

12. Were any anomalies identified in sample receipt? Yes [ ] No [✓]

13. Description of anomalies (include sample numbers): _____

Sample Custodian: [signature] Date: 032509

Client Sample ID	Analysis Requested	Condition	Comments/Action

Client Informed on _____ by _____ Person Contacted _____

[ ] No action necessary; process as is.

Project Manager _____ Date _____

TEST AMERICA

TEST AMERICA

CHPRC	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST	C.O.C. # X09-013-80
		Page 1 of 1

Collector Kayla Crow, Hehms	Contact/Requester Dana Widrig	Telephone No. 509-376-2858 MSIN FAX
SAF No. X09-013	Sampling Origin Hanford Site	Purchase Order/Charge Code
Project Title AQUIFER TUBES, JANUARY 2009		Ice Chest No. Temp.
Shipped To (Lab) TestAmerica Incorporated, Richland	Method of Shipment Govt. Vehicle	Bill of Lading/Air Bill No.
Protocol SURV	Priority: 45 Days	Offsite Property No.

POSSIBLE SAMPLE HAZARDS/REMARKS
** **

SPECIAL INSTRUCTIONS Hold Time Total Activity Exemption: Yes ☑ No ☐
Do not combine X SAF samples with other sets. Need SDG to be stand alone.
Site-Wide Generator Knowledge Information Form applies.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B1Y8V5		W	3-26-09	1233	1x20-mL P	Activity Scan	6 Months	None
B1Y8V5		W	3-26-09	1233	2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1) K879G	6 Months	None
								J9C270129
								W05632
								Due 05-11-09

Relinquished By Print / Sign	Date/Time	Received By Print / Sign	Date/Time
Eli Kawn / Eli Kawn 3-26-09	1420	Shm. Ha / Shm. Ha 032609	1420
Relinquished By	Date/Time	Received By	Date/Time
Relinquished By	Date/Time	Received By	Date/Time
Relinquished By	Date/Time	Received By	Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wipe	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

TEST AMERICA

CHPRC	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST	C.O.C. # X09-013-74
		Page 1 of 1

Collector: KAUER, Crow, Helms	Contact/Requester: Dana Widrig	Telephone No.: 509-376-2858 MSIN FAX
SAF No.: X09-013	Sampling Origin: Hanford Site	Purchase Order/Charge Code
Project Title: AQUIFER TUBES, JANUARY 2009		Ice Chest No. Temp.
Shipped To (Lab): TestAmerica Incorporated, Richland	Method of Shipment: Govt. Vehicle	Bill of Lading/Air Bill No.
Protocol: SURV	Priority: 45 Days	Offsite Property No.

POSSIBLE SAMPLE HAZARDS/REMARKS
** **

SPECIAL INSTRUCTIONS Hold Time Total Activity Exemption: Yes ☑ No ☐
Do not combine X SAF samples with other sets. Need SDG to be stand alone.
Site-Wide Generator Knowledge Information Form applies.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B1Y8V2		W	3-26-09	0902	1x20-mL P	Activity Scan	6 Months	None
B1Y8V2		W	3-26-09	0902	2x4000-mL G/P	I129_SEP_LEPS_GS: I-129 (1) K879L	6 Months	None

J9C270129
W05632
Due 051109

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
Ed Kauer	Ed Kauer	Ed Kauer	3-26-09 1420	Nm Yh	Nm Yh	Nm Yh	032609 1420
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liquid	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wipe	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

TEST AMERICA

CHPRC	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST	C.O.C. # X09-013-68
		Page 1 of 1

Collector: KAUER, CROW HELMS	Contact/Requester: Dana Widrig	Telephone No.: 509-376-2858 MSIN FAX
SAF No.: X09-013	Sampling Origin: Hanford Site	Purchase Order/Charge Code
Project Title: AQUIFER TUBES JANUARY 2009		Ice Chest No. Temp.
Shipped To (Lab): TestAmerica Incorporated Richland	Method of Shipment: Govt. Vehicle	Bill of Lading/Air Bill No.
Protocol: SURV	Priority: 45 Days	Offsite Property No.

POSSIBLE SAMPLE HAZARDS/REMARKS
** **

SPECIAL INSTRUCTIONS Hold Time Total Activity Exemption: Yes ☑ No ☐
Do not combine X SAF samples with other sets. Need SDG to be stand alone.
Site-Wide Generator Knowledge Information Form applies.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B1Y8T9		W	3-26-04	1022	1x20-mL P	Activity Scan	6 Months	None
B1Y8T9		W	3-26-04	1022	2x4000-mL G/P	I129_SEP_LEPS_GS: I-129 (1) K879W	6 Months	None
								J9C270129
								W05632
								Due 051109

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
Ed Kauer	Edward Kauer		3-26-04 1420	Tom Hu	Tom Hu		032609 1415
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *:

S	= Soil	DS	= Drum Solid
SE	= Sediment	DL	= Drum Liqui
SO	= Solid	T	= Tissue
SL	= Sludge	WI	= Wine
W	= Water	L	= Liquid
O	= Oil	V	= Vegetation
A	= Air	X	= Other

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Sample Check-in List

Date/Time Received: 032609 1420 GM Screen Results .01

Client: PBW SDG #: W05632 NA [ ] SAF #: X09-013 NA [ ]

Work Order Number: J9C270129 Chain of Custody # X09-013-80, 74, 68

Shipping Container ID: N/A Air Bill # N/A

1. Custody Seals on shipping container intact? Yes [ ] No [✓]
2. Custody Seals dated and signed? Yes [ ] No [✓]
3. Chain of Custody record present? Yes [✓] No [ ]
4. Cooler temperature: _____ NA [✓] 5. Vermiculite/packing materials is NA [ ] Wet [ ] Dry [✓]
6. Number of samples in shipping container: 3
7. Sample holding times exceeded? NA [ ] Yes [ ] No [✓]
8. Samples have:
   - ____ tape
   - ✓ custody seals
   - ____ hazard labels
   - ✓ appropriate samples labels
9. Samples are:
   - ✓ in good condition
   - ____ broken
   - ____ leaking
   - ____ have air bubbles (Only for samples requiring head space)
10. Sample pH taken? NA [ ] pH<2 [ ] pH>2 [✓] pH>9 [ ] Amount of HNO3 Added _____
11. Sample Location, Sample Collector Listed? * Yes [✓] No [ ]
    *For documentation only. No corrective action needed.
12. Were any anomalies identified in sample receipt? Yes [ ] No [✓]
13. Description of anomalies (include sample numbers): _____

Sample Custodian: [signature] Date: 032609

Client Sample ID	Analysis Requested	Condition	Comments/Action

Client Informed on _____ by _____ Person contacted _____

[ ] No action necessary; process as is.

Project Manager _____ Date _____

LS-023, Rev. 8, 3/09

TEST AMERICA

4/29/2009 7:41:19 AM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

BN I-129 Prp/Sep GAM002
TB Gamma by LEPD
5I CLIENT: HANFORD

Pipet #: _____

AnalyDueDate: 05/22/2009 W05632

Sep1 DT/Tm Tech:

Batch: 9098423 **WATER** **pCi/L** **PM, Quote: SS , 57671**
SEQ Batch, Test: None

Sep2 DT/Tm Tech:

Prep Tech: LaneL

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 K879G-1-AA J9C270129-1-SAMP		3683.20g,in	ITA8226 04/08/09		37.7	100	L2	1234	5/8/09	
03/26/2009 12:33		AmtRec: 20ML,2X4LP	#Containers: 3				Scr:	Alpha: 2.33E-03 uCi/Sa		Beta: 1.68E-03 uCi/Sa
2 K879G-1-AC-X J9C270129-1-DUP		3777.80g,in	ITA8227 04/08/09		32.2		L4	1235		
03/26/2009 12:33		AmtRec: 20ML,2X4LP	#Containers: 3				Scr:	Alpha: 2.33E-03 uCi/Sa		Beta: 1.68E-03 uCi/Sa
3 K9R2F-1-AA-B J9D080000-423-BLK		3984.80g,in	ITA8228 04/08/09		35.9		L2	1421	5/8/09	
03/26/2009 12:33		AmtRec:	#Containers: 1				Scr:	Alpha:		Beta:
4 K9R2F-1-AC-C J9D080000-423-LCS		3978.00g,in	ISD0924 02/13/09		49.6		L4	1422		
03/26/2009 12:33		AmtRec:	#Containers: 1				Scr:	Alpha:		Beta:

Comments: K879G-SAMP "Comments Reduced vols d/t ISV. LJL 042909"

SAMPLE APPEARS VERY CLEAN W/ NO SEDIMENT. DUP HAS A LOT OF SEDIMENT.
WHEN FIRST POURED UP, DUP WAS OPAQUE. RJL 42909
SAMPLE BOTTLES SHOW SAME DATE, TIME & PLACE OF COLLECTION.

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SS , 57671

K879G1AA-SAMP Constituent List:

I-129	RDL:1.00E+00	pCi/L	LCL:	UCL:	RPD:
K9R2F1AA-BLK:					
I-129	RDL:1.00E+00	pCi/L	LCL:	UCL:	RPD:
K9R2F1AC-LCS:					
I-129	RDL:5	pCi/L	LCL:70	UCL:130	RPD:20

4/29/2009 7:41:20 AM

Sample Preparation/Analysis

BN I-129 Prp/Sep GAM002
TB Gamma by LEPD
5I CLIENT: HANFORD

Balance Id:1120482733

Pipet #: _____

AnalyDueDate: 05/22/2009

Sep1 DT/Tm Tech:

Batch: 9098423 pCi/L

SEQ Batch, Test: None

Sep2 DT/Tm Tech:

Prep Tech: ,LaneL

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

K879G1AA-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
K9R2F1AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
K9R2F1AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Approved By _____ Date: _____

5/12/2009 11:00:27 AM

ICOC Fraction Transfer/Status Report

ByDate: 5/12/2008, 5/17/2009, Batch: '9098423', User: *ALL Order By DateTimeAccepting

Q Batch	Work Ord	CurStatus	Accepting			Comments
9098423						
AC		Rev1C	LaneL	4/29/2009 7:30:30		
SC			wagarr	IsBatched	4/8/2009 4:52:17 PM	ICOC_RADCALC v4.8.35
SC			LaneL	InPrep	4/29/2009 7:30:30 AM	RL-PRP-004 REVISION 0
SC			LaneL	Prep1C	4/29/2009 7:41:50 AM	RL-PRP-004 REVISION 0
SC			BostedD	InPrep2	5/4/2009 12:23:50 PM	RL-GAM-002 REVISION 0
SC			BostedD	Prep2C	5/8/2009 10:46:25 AM	RL-GAM-002 REVISION 0
SC			ClarkR	InCnt1	5/8/2009 10:54:36 AM	RL-CI-007 REVISION 0
SC			DAWKINSO	CalcC	5/8/2009 11:22:45 PM	RL-CI-007 REVISION 0
SC			nortonj	Rev1C	5/12/2009 11:00:23 AM	RL-DR-001 REV 0
AC			LaneL	4/29/2009 7:41:50		
AC			BostedD	5/4/2009 12:23:50 PM		
AC			BostedD	5/8/2009 10:46:25		
AC			ClarkR	5/8/2009 10:54:36		
AC			DAWKINSO	5/8/2009 11:22:45 PM		
AC			nortonj	5/12/2009 11:00:23		

AC: Accepting Entry; SC: Status Change

TestAmerica Richland

Richland Wa.

Grp Rec Cnt: 7

ICOCFractions v4.8.35

TEST AMERICA

4/29/2009 8:11:02 AM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

BN I-129 Prp/Sep GAM002
TB Gamma by LEPD
5I CLIENT: HANFORD

Pipet #: _____

AnalyDueDate: 05/22/2009 W05632

Sep1 DT/Tm Tech:

Batch: 9098424 WATER pCi/L PM, Quote: SS , 57671

Sep2 DT/Tm Tech:

SEQ Batch, Test: None

Prep Tech: ,LaneL

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 K85L6-1-AA J9C250301-1-SAMP 03/25/2009 08:08	AmtRec: 20ML,2X4LP	500.00g,in	ITA8229 04/08/09	#Containers: 3	35.3	100	L2	2158	5/12/09	Scr: Alpha: 2.85E-04 uCi/Sa Beta: -3.55E-04 uCi/Sa
2 K85L6-1-AC-X J9C250301-1-DUP 03/25/2009 08:08	AmtRec: 20ML,2X4LP	500.00g,in	ITA8230 04/08/09	#Containers: 3	35.7		L4	2159		Scr: Alpha: 2.85E-04 uCi/Sa Beta: -3.55E-04 uCi/Sa
3 K85L8-1-AA J9C250301-2-SAMP 03/25/2009 11:51	AmtRec: 20ML,2X4LP	500.00g,in	ITA8231 04/08/09	#Containers: 3	35.4		L5	2159		Scr: Alpha: -5.05E-04 uCi/Sa Beta: 4.35E-03 uCi/Sa 1.7E-01L
4 K85MA-1-AA J9C250301-3-SAMP 03/25/2009 11:51	AmtRec: 20ML,2X4LP	500.10g,in	ITA8232 04/08/09	#Containers: 3	35.8		L2	2345		Scr: Alpha: -5.08E-05 uCi/Sa Beta: 1.77E-03 uCi/Sa
5 K85ME-1-AA J9C250301-4-SAMP 03/25/2009 10:28	AmtRec: 20ML,2X4LP	500.10g,in	ITA8233 04/08/09	#Containers: 3	33.8		L4	2346		Scr: Alpha: -5.60E-05 uCi/Sa Beta: 2.41E-03 uCi/Sa
6 K879L-1-AA J9C270129-2-SAMP 03/26/2009 09:02	AmtRec: 20ML,2X4LP	500.00g,in	ITA8234 04/08/09	#Containers: 3	34.6		L5	2346		Scr: Alpha: -1.62E-03 uCi/Sa Beta: 9.20E-03 uCi/Sa 7.8E-02L
7 K879W-1-AA J9C270129-3-SAMP 03/26/2009 10:22	AmtRec: 20ML,2X4LP	500.10g,in	ITA8235 04/08/09	#Containers: 3	35.1		L2	0650	5/13/09	Scr: Alpha: -3.96E-04 uCi/Sa Beta: 3.79E-03 uCi/Sa

TestAmerica Richland Wa.

Key: In - Initial Amt, fi - Final Amt, di - Diluted Amt, s1 - Sep1, s2 - Sep2
pd - Prep Dt, r - Reference Dt, ec-Enrichment Cell, ct-Cocktailed Added

Page 1

ISV - Insufficient Volume for Analysis

WO Cnt: 7

Prep_SamplePrep v4.8.34

TEST AMERICA

4/29/2009 8:11:03 AM

Sample Preparation/Analysis

BN I-129 Prp/Sep GAM002
TB Gamma by LEPD
5I CLIENT: HANFORD

Balance Id:1120482733
Pipet #: _____
Sep1 DT/Tm Tech:
Sep2 DT/Tm Tech:
Prep Tech: ,LaneL

AnalyDueDate: 05/22/2009

Batch: 9098424 pCi/L
SEQ Batch, Test: None

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
8 K9R2J-1-AA-B J9D080000-424-BLK 03/25/2009 08:08		500.10g,in AmtRec:	ITA8236 04/08/09 #Containers: 1		33.1	100	L4	0650	5/13/09 S Scr: Alpha: Beta:	
9 K9R2J-1-AC-C J9D080000-424-LCS 03/25/2009 08:08		500.00g,in AmtRec:	ISB0330 02/13/09 #Containers: 1		43.8		L5	0650	Scr: Alpha: Beta:	

Comments:

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SS , 57671

K85L61AA-SAMP Constituent List:
I-129 RDL:5.00E+00 pCi/L LCL:70 UCL:130 RPD:20
K9R2J1AA-BLK:
I-129 RDL:5.00E+00 pCi/L LCL: UCL: RPD:
K9R2J1AC-LCS:
I-129 RDL:5 pCi/L LCL:70 UCL:130 RPD:20

K85L61AA-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
K9R2J1AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
K9R2J1AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Approved By _____ Date: _____

5/15/2009 11:53:47 AM

ICOC Fraction Transfer/Status Report

ByDate: 5/15/2008, 5/20/2009, Batch: '9098424', User: *ALL Order By DateTimeAccepting

Q Batch	Work Ord	CurStatus	Accepting			Comments
9098424						
AC		Rev1C	LaneL	4/29/2009 7:55:48		
SC			wagarr	IsBatched	4/8/2009 4:52:17 PM	ICOC_RADCALC v4.8.35
SC			LaneL	InPrep	4/29/2009 7:55:48 AM	RL-PRP-004 REVISION 0
SC			LaneL	Prep1C	4/29/2009 8:11:28 AM	RL-PRP-004 REVISION 0
SC			BostedD	InPrep2	5/4/2009 12:24:07 PM	RL-GAM-002 REVISION 0
SC			BostedD	Prep2C	5/12/2009 8:06:11 PM	RL-GAM-002 REVISION 0
SC			DAWKINSO	InCnt1	5/12/2009 8:20:15 PM	RL-CI-007 REVISION 0
SC			BlackCL	CalcC	5/13/2009 7:37:38 AM	RL-CI-007 REVISION 0
SC			norton|	Rev1C	5/15/2009 11:50:40 AM	RL-DR-001 REV 0
AC			LaneL	4/29/2009 8:11:28		
AC			BostedD	5/4/2009 12:24:07 PM		
AC			BostedD	5/12/2009 8:06:11 PM		
AC			DAWKINSO	5/12/2009 8:20:15 PM		
AC			BlackCL	5/13/2009 7:37:38		
AC			norton|	5/15/2009 11:50:40		

AC: Accepting Entry; SC: Status Change

TestAmerica Richland

Richland Wa.

Grp Rec Cnt:7

ICOCFractions v4.8.35