

BIOASSAY REPORT
CHRONIC SCREENING BIOASSAYS
Conducted April 5 through May 8, 2006

Prepared for

ELR CONSULTING, INC.
WASHINGTON CLOSURE HANFORD

Prepared by

CH2M HILL
2300 NW Walnut Boulevard
Corvallis, Oregon 97330

May 25, 2006

Lab I.D. Nos. BG1542-01A, -02A, -03A, and -08A
And BG1566-01 thru 05
SDG Number BG1566 and BG1542A

RC-051
E2801

CONTENTS

Section	Page
INTRODUCTION.....	3
METHODS AND MATERIALS	3
TEST METHODS.....	3
TEST ORGANISMS	3
CONTROL SOIL.....	3
HYDRATION WATER.....	3
TEST CONCENTRATIONS.....	3
SAMPLE COLLECTION	4
SAMPLE CROSS-REFERENCE TABLE.....	4
SAMPLE PREPARATION	4
TEST INITIATION.....	5
TEST MONITORING	5
WATERING SCHEDULE	5
TEST TERMINATION	6
DATA ANALYSIS.....	7
RESULTS AND DISCUSSION.....	8
CHRONIC RESULTS	8
CERTIFICATION STATEMENT	10
APPENDIX A. RAW DATA SHEETS	
APPENDIX B. CHAIN OF CUSTODY	

INTRODUCTION

CH2M HILL conducted chronic screening bioassay tests using the Sandberg bluegrass (*Poa sandbergii*) on soil samples provided by the ELR Consulting for Washington Closure Hanford, Richland, Washington. The tests were conducted from April 5 through May 8, 2006.

METHODS AND MATERIALS

TEST METHODS

The chronic test methods were performed according to: *Standard Guide for Conducting Terrestrial Plant Toxicity Tests*, ASTM E 1963-02 (2002).

TEST ORGANISMS

The seeds used were obtained from Native Grass Seeds, Cornville, Arizona. All test conditions were maintained during planting, germination, and growth phases of the test as prescribed by the ASTM protocol.

CONTROL SOIL

The control soil used in the tests was artificial soil comprised of 70 grade silica sand (70 percent by weight), kaolin clay (20 percent), and peat moss (10 percent). Calcium carbonate (0.4 percent of total weight) was added to adjust soil pH to 7.0 ± 0.5 .

HYDRATION WATER

The water used to initially hydrate the control and test soils was Milli-Q equivalent de-ionized water. After initial hydration, all test chambers were watered with half strength Hoagland's solution on an every other day basis. All hydration was accomplished via sub irrigation.

TEST CONCENTRATIONS

The concentration tested in the bluegrass tests was 100 percent test soil with control soil alone for the lab control. For the bluegrass tests, 50 seeds per concentration were used with five replicate test chambers per concentration and 10 seeds planted per chamber. Following germination, test chambers were thinned to a maximum five seedlings per replicate.

SAMPLE COLLECTION

Individual soil samples used during the testing were collected between October 31, 2005, and December 6, 2005, for the SDG number BG1542 and March 21, 2006 through April 3, 2006, for SDG number BG1566. The samples were stored in the dark at 4°C until the initiation of the initiation of the tests. Chain of Custody for sample collection is provided in Appendix C.

SAMPLE CROSS-REFERENCE TABLE

Table 1 provides a cross-reference of the Client ID numbers, sampling dates, sampling locations, Bluegrass test sample identification (SDG) numbers, and Analytical Lab SDG numbers. The SDG 1542 samples were repeat tests from an earlier batch of tests due to a laboratory error on the test endpoint.

Table 1 Sample Cross-Reference				
Client ID	Sample Date	Sample Location	Bluegrass test SDG	Analytical Lab SDG
J10DW4A	10/31/2005	600-131	BG1542-01A	E2748
J10DV4A	11/08/2005	PIT 23	BG1542-02A	E2801
J10DT8A	11/14/2005	Upland Backfill Elevated-100-F-2	BG1542-03A	E2831
J10LJ5A	11/28/2005	Riparin Low-Site #10 Downriver 100-D	BG1542-08A	E2897
J11JB8	03/21/2006	100-K RIPARIAN #5	BG1566-01	F1399
J11JB7	03/26/2006	100-K RIPARIAN #4	BG1566-02	F1421
J11JH5	03/28/2006	100-H RIPARIAN #8	BG1566-03	F1438
J11JH8	04/03/2006	UPPER RIPARIAN #12	BG1566-04	F1470
J11JH4	04/03/2006	100-F RIPARIAN #7	BG1566-05	F1471

SAMPLE PREPARATION

Test soils and control soil were dried and homogenized prior to use. For each replicate, 90 grams dry weight of soil was added to each test chamber. The soils were initially hydrated with Milli-Q equivalent de-ionized water via sub irrigation. In addition, a sub sample of the soil was added to a surrogate chamber and hydrated for pH measurements.

TEST INITIATION

Tests were initiated by planting 10 seeds in each test chamber. Seeds were planted at a depth of 1 ½ times the seeds diameter (approximately 2 millimeters) and covered gently. A small amount of hydration water (10 ml) was sprayed onto the soil surface to ensure seeds received moisture.

TEST MONITORING

According to information provided by Native Grass Seed (seed supplier), germination should take place between 14 and 28 days. The number of seeds in each test chamber that had germinated was recorded on days 12, 14, 16, 19, 21, and 23. Germination was determined to have occurred on day 19.

Observations of the shoot appearance were recorded 7 days after germination (26 days after planting). The number of germinated seeds in each test chamber was also recorded. Chambers that had more than five germinated seeds had shoots removed to prevent overcrowding. These test chambers were thinned to five seedlings each.

Soil pH was taken at test initiation and termination by placing a subsample of soil into a specimen cup, adding hydration water, and mixing prior to the pH measurement.

WATERING SCHEDULE

Test chambers were hydrated via subirrigation with deionized water prior to test initiation and daily thereafter for the first 3 days via subirrigation. Test sediments were hydrated by placing the all test chambers of the same test concentration into a hydration chamber containing deionized water and allowing the water to percolate into the bottom of the chamber. Hydration chambers were kept full during this period.

On Day 4, the water was removed from the hydration chambers and the test chambers allowed to drain.

Starting on Day 5, test soils were supplemented with nutrients by the use of half strength Hoagland's solution delivered via subirrigation. Hydration chambers were kept filled for 24 hours, then empty for 24 hours.

TEST TERMINATION

Tests were terminated 14 days post germination (33 days after planting). The number of seedlings, shoot appearance and height (tallest shoot of each plant), and root appearance and length (longest recovered root of each plant) was recorded.

For each test chamber, all of the above ground biomass (i.e. shoots) from all germinated plants were combined and placed into tared aluminum tins. The shoots were weighed to determine the wet weight immediately following removal from the test chamber. The shoots were then dried in an oven at 60 °C for a minimum of 24 hours. The shoots were then placed into a desiccator for a minimum of 2 hours and weighed to determine dry weight.

The wet and dry weight for the roots were obtained following the same procedure as described above.

DATA ANALYSIS

For each test chamber, the following endpoints were calculated:

- 14 Day Post-Germination Survival (%)
(Calculated as the number of seedlings alive at 14 day post germination divided by 5)
- Average Above Ground Shoot Mass (Wet)
(Calculated as the total wet weight of the shoots divided by the number of seedlings harvested)
- Average Above Ground Shoot Mass (Dry)
(Calculated as the total dry weight of the shoots divided by the number of seedlings harvested)
- Average Root Mass (Wet)
(Calculated as the total wet weight of the roots divided by the number of seedlings harvested)
- Average Root Mass (Dry)
(Calculated as the total dry weight of the roots divided by the number of seedlings harvested)
- Average Total Mass (Wet)
(Calculated as the total combined wet weights of the shoots and roots divided by the number of seedlings harvested)
- Average Total Mass (Dry)
(Calculated as the total combined dry weights of the shoots and roots divided by the number of seedlings harvested)
- Average Shoot Height
(Calculated as the total combined height of the tallest shoot of each seedling divided by the number of seedlings harvested)
- Average Root Length
(Calculated as the total combined length of the longest root of each seedling divided by the number of seedlings harvested)

Statistical analysis for each endpoint listed comprised of entering the data obtained from each replicate chamber of a test soil and comparing the results to the data from the replicate chambers of the laboratory control. Comparisons were made as a single tailed t-test, evaluating for statistically significant reductions from the control value, using CETIS version 1.1.2. The Equal Variance t Two-Sample test was used. When the assumptions of equality

of variance or normality necessary for Equal Variance t Two-Sample test was not met, the Unequal Variance t Two-Sample test or Wilcoxon Rank Sum Two Sample test was used.

RESULTS AND DISCUSSION

The endpoint data and the results statistical analysis are summarized in Table 2 below. The data represents the average value of the replicate chambers used in each test concentration.

The results for sample J10DW4 indicated a statistically significant reduction in average stem (shoot) height, average root length, average above ground shoot mass (wet), average above ground shoot mass (dry), average root mass (wet), average root mass (dry), average total mass (shoots + roots, wet), and average total mass (shoots + roots, dry) when compared to the laboratory control.

The results for sample J10DV4 indicated a statistically significant reduction in average root length, average above ground shoot mass (wet), average above ground shoot mass (dry), average root mass (wet), average root mass (dry), average total mass (shoots + roots, wet), and average total mass (shoots + roots, dry) when compared to the laboratory control.

The results for sample J10DT8 indicated a statistically significant reduction in average stem (shoot) height, average root length, and average root mass (wet) when compared to the laboratory control.

The results for sample J10LJ5 indicated a statistically significant reduction in average stem (shoot) height, average root length, average above ground shoot mass (wet), average above ground shoot mass (dry), average root mass (wet), average total mass (shoots + roots, wet), and average total mass (shoots + roots, dry) when compared to the laboratory control.

The results for sample J10JB8 indicated a statistically significant reduction in average stem (shoot) height and average root length when compared to the laboratory control.

The results for sample J10JB7 indicated a statistically significant reduction in average stem (shoot) height, average root length, average above ground shoot mass (wet), and average above ground shoot mass (dry) when compared to the laboratory control.

The results for sample J10JH5 indicated no statistically significant reduction when compared to the laboratory control.

The results for sample J10JH8 indicated a statistically significant reduction in average stem (shoot) height and average root length when compared to the laboratory control.

The results for sample J10JH4 indicated no statistically significant reduction when compared to the laboratory control.


Table 2: Bluegrass Chronic Test Results for Washington Closure Hanford

E, statistically significant difference from lab control by use of Equal Variance Two-Sample Test; W, statistically significant difference from lab control by use of Wilcoxon Rank Sum Two-Sample Test
 na indicates a non statistically significant result, E, indicates statistically significant at alpha (p) = 0.05, --, indicates no statistical test performed.

Lab ID: Sample Number:	Bluegrass 14 day Germination Endpoint (%)	Significantly different compared to Lab Control?	Bluegrass Average Stem Height (mm)	Significantly different compared to Lab Control?	Bluegrass Average Root Length (mm)	Significantly different compared to Lab Control?	Average Above Ground Shoot Mass (Wet) (mg)	Significantly different compared to Lab Control?	Average Above Ground Shoot Mass (Dry) (mg)	Significantly different compared to Lab Control?	Average Root Mass (Wet) (mg)	Significantly different compared to Lab Control?	Average Root Mass (Dry) (mg)	Significantly different compared to Lab Control?	Average Total Mass (Shoots + Roots) (Wet) (mg)	Significantly different compared to Lab Control?	Average Total Mass (Shoots + Roots) (Dry) (mg)	Significantly different compared to Lab Control?
Tests Initiated on April 5, 2008																		
Laboratory Control	94	--	18.9	--	21.2	--	28.8	--	4.98	--	38.8	--	1.82	--	68.5	--	8.58	--
BG1542-01 J10DW4A	88	na	13.0	E ^b	11.5	E ^b	15.1	E ^b	2.71	E ^b	10.8	E ^b	0.95	E ^b	25.9	E ^b	3.68	E ^b
BG1542-02 J10DW4A	60	na	18.6	na	10.8	E ^b	8.8	W ^b	1.88	E ^b	8.9	E ^b	0.98	E ^b	17.7	E ^b	2.85	E ^b
BG1542-03 J10DT8A	100	na	13.9	E ^b	11.4	E ^b	22.8	na	3.58	na	21.7	E ^b	1.38	na	44.5	na	4.94	na
BG1542-08 J10LJSA	98	na	10.9	E ^b	11.3	E ^b	18.8	E ^b	2.91	E ^b	23.0	E ^b	1.48	na	39.9	E ^b	4.38	E ^b
BG1568-01 J11JB8	82	na	12.8	E ^b	12.3	E ^b	27.8	na	3.87	na	33.7	na	1.85	na	61.5	na	5.53	na
BG1568-02 J11JB7	100	na	10.8	E ^b	12.1	E ^b	18.8	E ^b	3.07	E ^b	28.5	na	1.37	na	47.1	na	4.44	na
BG1568-03 J11JH5	94	na	25.9	na	23.2	na	23.8	na	4.25	na	32.5	na	2.04	na	58.1	na	6.28	na
BG1568-04 J11JH6	100	na	13.0	E ^b	11.8	E ^b	24.9	na	3.85	na	30.8	na	1.81	na	55.7	na	5.58	na
BG1568-05 J11JH4	82	na	14.8	na	18.7	na	23.1	na	3.77	na	31.7	na	1.85	na	54.9	na	5.42	na

CERTIFICATION STATEMENT

I certify that this data package is in compliance with the Statement of Work, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature:

A handwritten signature in black ink, appearing to read "Paul J. Stanway". The signature is written in a cursive style with a long, sweeping underline that extends to the right.

**APPENDIX A
RAW DATA SHEETS**

BLUEGRASS GROWTH TEST

Client: Washington Closure Hanford Project

Test Start Date: 4-5-06

Initials: Day 0 NT Day 12 NT Day 15 NT Day 16 TP Day 19 NT Day 21 NT Day 23 NT Day 26 B Day 27 B/NT

Sample ID: Lab Control (70% 70 grade silica sand, 20% clay, 10% peat)

CONC.	REPLICATE	# seeds germinated								pH	
		Emergence						7-DAYS POST-EMERGENCE (26 days after planting)	14-DAYS POST-EMERGENCE (33 days after planting)	INITIAL (@ planting)	FINAL (@ 14 days Post-Emergence)
		12 days after planting	14 days after planting	16 days after planting	18 days after planting	21 days after planting	23 days after planting				
Control	A	3	4	3	4	4	4	3	3	6.5	7.6
	B	5	5	5	5	5	5	5	5		
	C	5	7	7	8	8	8	8-25	5		
	D	3	3	3	3	3	3	3	3		
	E	4	6	6	6	6	6	5	5		

7-Days Post-Emergence: Selectively thin down to 5 Seedlings (leave the 5 tallest seedlings). Describe shoot appearance:

Replicate A: 3 Lg G removed: 1 sm brown/dead
 Replicate B: 5 Lg G
 Replicate C: 5 Lg G removed: 1 Lg G, 2 med G
 Replicate D: 3 Lg G
 Replicate E: 5 Lg G removed: 1 sm brown/dead

Appearance Code: Good (G) = deep green color with no brown. Brown (B) = brown color noted. # Lg = # of large plants (tallest, 6+ shoots). # Med = # of plants (smaller than large, fewer shoots). # Sm = # small plants (1-3 shoots)

14-Days Post-Emergence: Describe shoot appearance:

Replicate A: 3 Lg G
 Replicate B: 4 Lg G, 1 Lg G w/ 1 B top
 Replicate C: 4 Lg G, 1 Lg G w/ 1 B shoot
 Replicate D: 2 Lg G, 1 Lg G w/ 2 B shoots + 4 G shoots
 Replicate E: 2 Lg G, 2 Med G, 1 Lg G w/ 1 B shoot

Measure Shoot Height:

Individual height of each seedling (above ground)

	1st Seedling	2nd Seedling	3rd Seedling	4th Seedling	5th Seedling
Replicate A	54 mm	51 mm	78 mm	mm	mm
Replicate B	74 mm	75 mm	76 mm	89 mm	108 mm
Replicate C	64 mm	70 mm	76 mm	83 mm	86 mm
Replicate D	81 mm	83 mm	78 mm	mm	mm
Replicate E	65 mm	60 mm	90 mm	73 mm	97 mm

Measure Shoot Weight:

Total mass of all seedlings (above ground)

1024.00

	Tin Tare Wt (mg)	Wet Wt (mg)	Dry Wt (mg)
Replicate A	995.35 NT	1062.5	1030.17
Replicate B	1022.87	1207.0	1053.13
Replicate C	991.36	1150.1	1017.66
Replicate D	971.26	1078.6	990.05
Replicate E	1011.00	1165.2	1036.85

Describe root appearance:

Replicate A: _____
 Replicate B: _____
 Replicate C: _____
 Replicate D: _____
 Replicate E: _____

Measure Root Length:

Individual length of the longest root from each seedling

	1st Seedling	2nd Seedling	3rd Seedling	4th Seedling	5th Seedling
Replicate A	35 mm	40 mm	22 mm	mm	mm
Replicate B	121 mm	133 mm	133 mm	107 mm	93 mm
Replicate C	122 mm	88 mm	104 mm	63 mm	122 mm
Replicate D	90 mm	101 mm	69 mm	mm	mm
Replicate E	132 mm	100 mm	122 mm	70 mm	87 mm

Measure Root Weight:

Total mass of all roots from all seedlings

1020.75

	Tin Tare Wt (mg)	Wet Wt (mg)	Dry Wt (mg)
Replicate A	979.46 NT	1060.4	1022.39
Replicate B	1027.33	1253.6	1036.97
Replicate C	1026.09	1207.8	1033.73
Replicate D	1039.03	1180.0	1045.22
Replicate E	998.16	1210.6	1007.76

Comments:

BLUEGRASS GROWTH TEST

Client: Washington Closure Hanford Project

Test Start Date: 4-5-06

Initials: Day 0 MD Day 12 3M Day 15 NT Day 16 TD Day 18 NT Day 21 NT Day 23 MD Day 26 BM Day 33 BM

		Bioassay Lab ID: <u>81542-01</u> Sample No: <u>J10DW4</u>								pH	
CONC.	REPLICATE	# seeds germinated						7-DAYS POST-EMERGENCE (20 days after planting)	14-DAYS POST-EMERGENCE (33 days after planting)	INITIAL (@ planting)	FINAL (@ 14 days Post-Emergence)
		Emergence									
		12 days after planting	14 days after planting	18 days after planting	19 days after planting	21 days after planting	23 days after planting				
Control	A	1	3	3	3	3	3	3	3	7.4	7.9
	B	1	2	5	7	7	7	7→5	5		
	C	2	2	3	4	4	4	4	4		
	D	1	2	4	4	5	5	5	5		
	E	2	5	6	6	7	7	7→5	5		

7-Days Post-Emergence: Selectively thin down to 5 Seedlings (leave the 5 tallest seedlings). Describe shoot appearance:

Replicate A: 1 Lg G, 1 Med G, 1 Sm G
 Replicate B: 1 Lg G, 4 med G removed: 1 med w/ brown tip, 1 Sm G
 Replicate C: 3 med G, 1 Sm G
 Replicate D: 1 Lg G, 2 med G, 2 Sm G
 Replicate E: 1 Lg G, 4 med G removed: 2 Sm G

Appearance Code: Good (G) = deep green color with no brown. Brown (B) = brown color noted. # Lg = # of large plants (tallest, 6+ shoots). # Med = # of plants (smaller than large, fewer shoots). # Sm = # small plants (1-3 shoots)

14-Days Post-Emergence: Describe shoot appearance:

Replicate A: 1 Lg G w/ 1 B shoot, 1 med G, 1 Sm G
 Replicate B: 2 Lg G, 3 med G
 Replicate C: 2 med G, 1 med G w/ 1 B tip, 1 Sm w/ 1 B shoot, 1 G shoot
 Replicate D: 1 Lg G w/ 1 B shoot, 2 med G, 2 Sm G
 Replicate E: 1 Lg G, 3 med G, 1 med G w/ 1 B tip

Measure Shoot Height:

Individual height of each seedling (above ground)

	1st Seedling	2nd Seedling	3rd Seedling	4th Seedling	5th Seedling
Replicate A	94 mm	31 mm	11 mm	mm	mm
Replicate B	66 mm	52 mm	62 mm	81 mm	57 mm
Replicate C	71 mm	63 mm	60 mm	24 mm	mm
Replicate D	79 mm	37 mm	50 mm	50 mm	55 mm
Replicate E	92 mm	64 mm	46 mm	63 mm	60 mm

Measure Shoot Weight:

Total mass of all seedlings (above ground)

	Tin Tare Wt. (mg)	Wet Wt (mg)	Dry Wt. (mg)
Replicate A	1005.22	1052.2	1013.32
Replicate B	977.34	1061.8	990.27
Replicate C	1043.72	1087.0	1052.91
Replicate D	1001.57	1052.6	1011.76
Replicate E	1021.25	1131.5	1040.89

Describe root appearance:

Replicate A: _____
 Replicate B: _____
 Replicate C: _____
 Replicate D: _____
 Replicate E: _____

Measure Root Length:

Individual length of the longest root from each seedling

	1st Seedling	2nd Seedling	3rd Seedling	4th Seedling	5th Seedling
Replicate A	12 mm	43 mm	38 mm	mm	mm
Replicate B	64 mm	52 mm	38 mm	44 mm	63 mm
Replicate C	10 mm	33 mm	38 mm	51 mm	mm
Replicate D	79 mm	41 mm	73 mm	16 mm	30 mm
Replicate E	65 mm	45 mm	41 mm	87 mm	66 mm

Measure Root Weight:

Total mass of all roots from all seedlings

	Tin Tare Wt. (mg)	Wet Wt (mg)	Dry Wt. (mg)
Replicate A	1033.44	1089.3	1056.39
Replicate B	1002.23	1030.3	1007.17
Replicate C	1021.73	2075.49	1054.8
Replicate D	490.71	1038.2	994.03
Replicate E	1025.14	1039.2	1032.21

Comments:

CETIS Test Summary

Report Date: 15 May-06 1:11 PM

Test Link: 09-6405-2832/B154201psA

Plant Chronic test		CH2M Hill				
Test No: 11-2434-8476	Test Type: Plant Chronic test	Duration: 30d 0h				
Start Date: 08 Apr-06	Protocol: ASTM E1963-02 (2002)	Species: Poa sandbergii				
Ending Date: 08 May-06	Dil Water:	Source:				
Setup Date: 08 Apr-06 12:00 AM	Brine:					
Comments: repeat test BG1542-01A						
Sample No: 18-1426-8954	Code: B1542-01	Client:				
Sample Date: 31 Oct-05	Material: Soil	Project:				
Receive Date:	Source: Hanford					
Sample Age: 159d 0h	Station:					
Comments: J10DW4, E274801						
Comparison Summary						
Analysis	Endpoint	NOEL	LOEL	ChV	PMSD	Method
12-6975-8433	% Germination	100	> 100	N/A	27.99%	Wilcoxon Rank Sum Two-Sample
04-5480-9468	AG Average Dry Wt.	< 100	100	N/A	30.89%	Equal Variance t Two-Sample
02-0518-1717	AG Average Height	< 100	100	N/A	22.72%	Equal Variance t Two-Sample
15-0652-1713	AG Average Wet Wt.	< 100	100	N/A	30.51%	Equal Variance t Two-Sample
05-2651-8289	Root Average Dry Wt.	< 100	100	N/A	33.67%	Equal Variance t Two-Sample
00-9747-2708	Root Average Length	< 100	100	N/A	25.28%	Equal Variance t Two-Sample
01-2129-3486	Root Average Wet Wt.	< 100	100	N/A	34.20%	Equal Variance t Two-Sample
14-2157-1016	Total Average Biomass Dry	< 100	100	N/A	31.34%	Equal Variance t Two-Sample
06-1880-7248	Total Average Biomass Wet	< 100	100	N/A	30.61%	Equal Variance t Two-Sample

CETIS Test Summary

Report Date:

15 May-06 1:11 PM

Test Link:

09-6405-2832/B154201psA

% Germination Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	0.84000	0.60000	1.00000	0.09798	0.21909	26.08%
100		5	0.88000	0.60000	1.00000	0.08000	0.17889	20.33%
AG Average Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	4.96040	2.05668	6.26333	0.75679	1.69222	34.11%
100		5	2.70991	2.03800	3.92800	0.32563	0.72814	26.87%
AG Average Height Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	18.947	15.2	27	2.2136	4.9498	26.13%
100		5	13.02	10.8	15	0.6756	1.5106	11.60%
AG Average Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	29.605	12.833	36.826	4.3456	9.717	32.82%
100		5	15.126	10.206	22.05	2.1690	4.8501	32.07%
Root Average Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	1.61720	0.64667	2.06331	0.25857	0.57819	35.75%
100		5	0.94703	0.66400	1.41399	0.13741	0.30727	32.45%
Root Average Length Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	21.227	13.333	29	2.546	5.693	26.82%
100		5	11.487	8.5	16.333	1.3592	3.0393	26.46%
Root Average Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	36.878	13.317	46.99	6.1616	13.778	37.36%
100		5	10.815	2.812	18.633	2.8356	6.3408	58.63%
Total Average Biomass Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	6.57761	2.70335	8.32666	1.00853	2.25514	34.29%
100		5	3.65694	2.70200	5.34199	0.45998	1.02854	28.13%
Total Average Biomass Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	66.484	28.150	82.77	10.452	23.370	35.15%
100		5	25.941	18.338	34.293	3.2461	7.2584	27.98%

Report Date:

15 May-08 1:11 PM

Test Link:

09-6405-2832/B154201psA

CETIS Test Summary

% Germination Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	0.60000	1.00000	1.00000	0.60000	1.00000
100		0.60000	1.00000	0.80000	1.00000	1.00000
AG Average Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	2.05668	6.05200	5.26000	6.26333	5.17000
100		2.70001	2.58600	2.29752	2.03800	3.92800
AG Average Height Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	20.3333	16.8	15.2	27	15.4
100		15	12.8	13.5	10.8	13
AG Average Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	12.8333	38.8280	31.748	35.78	30.84
100		15.66	16.8920	10.8200	10.206	22.05
Root Average Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	0.64667	1.92800	1.52800	2.06331	1.92001
100		0.99666	0.98800	0.67252	0.66400	1.41399
Root Average Length Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	13.3333	23.4	20	29	20.4
100		16.3333	10.8	8.5	9.6	12.2
Root Average Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	13.3167	45.2540	36.3420	46.99	42.488
100		18.6333	15.6140	7.51752	9.49799	2.81199
Total Average Biomass Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	2.70335	7.98000	6.78801	8.32668	7.09000
100		3.69668	3.57400	2.97003	2.70200	5.34199
Total Average Biomass Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	26.1500	82.0800	68.0900	82.77	73.328
100		34.2933	32.5060	18.3375	19.704	24.862

CETIS Analysis Detail

Plant Chronic test	CH2M Hill
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
% Germination	Comparison	09-6405-2832	09-6405-2832	12 May-06 4:18 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Wilcoxon Rank Sum Two-Sample	C > T	Rank		100	>100	1	N/A	27.99%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	Ties	Decision(0.05)
Artificial Soil/Sedi		100	28.5		0.5000	3	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.0048873	0.004887	1	0.09	0.76896	Non-Significant Effect
Error	0.4233652	0.052921	8			
Total	0.42825247	0.0578079	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	1.48569	23.15450	0.71064	Equal Variances
Distribution	Shapiro-Wilk W	0.76085		0.00484	Non-normal Distribution

Data Summary			Original Data				Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	0.84000	0.60000	1.00000	0.21909	5.30000	2.00000	7.50000	3.01247
100		5	0.88000	0.60000	1.00000	0.17889	5.70000	2.00000	7.50000	2.56418



CETIS Analysis Detail

Plant Chronic test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Dry Wt.	Comparison	09-6405-2832	09-6405-2832	12 May-06 4:18 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	30.89%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	2.73162	1.85955	0.0129	1.53203	Significant Effect

ANOVA Table							
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)	
Between	12.66181	12.66181	1	7.46	0.02578	Significant Effect	
Error	13.57522	1.696902	8				
Total	26.2370281	14.358715	9				

ANOVA Assumptions						
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)	
Variances	Variance Ratio F	5.40119	23.15450	0.13118	Equal Variances	
Distribution	Shapiro-Wilk W	0.86077		0.07792	Normal Distribution	

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	4.96040	2.05668	6.26333	1.69222				
100		5	2.70991	2.03800	3.92800	0.72814				



CETIS Analysis Detail

Plant Chronic test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Height	Comparison	09-6405-2832	09-6405-2832	12 May-06 4:18 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	22.72%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	2.56075	1.85955	0.0168	4.30379	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	87.81345	87.81345	1	6.56	0.03361	Significant Effect
Error	107.1316	13.39144	8			
Total	194.945	101.20489	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	10.73659	23.15450	0.04108	Equal Variances
Distribution	Shapiro-Wilk W	0.87674		0.11969	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	18.947	15.2	27	4.9498				
100		5	13.020	10.8	15	1.5106				



CETIS Analysis Detail

Comparisons: Page 4 of 9
 Report Date: 15 May-06 1:11 PM
 Analysis: 15-0652-1713/B154201psA

Plant Chronic test	CH2M Hill
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Wet WL	Comparison	09-6405-2832	09-6405-2832	12 May-06 4:18 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	30.51%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	2.98135	1.85955	0.0088	9.03149	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	524.166	524.166	1	8.89	0.01756	Significant Effect
Error	471.7735	58.97168	8			
Total	995.939484	583.1377	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	4.01387	23.15450	0.20694	Equal Variances
Distribution	Shapiro-Wilk W	0.85862		0.07350	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	29.605	12.833	36.826	9.717				
100		5	15.128	10.206	22.05	4.8501				



CETIS Analysis Detail

Comparisons: Page 5 of 9
 Report Date: 15 May-06 1:11 PM
 Analysis: 05-2651-8289/B154201psA

Plant Chronic test	CH2M Hill
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Root Average Dry WL	Comparison	09-6405-2832	09-6405-2832	12 May-06 4:18 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	33.67%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	2.28867	1.85955	0.0257	0.54451	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	1.122802	1.122802	1	5.24	0.05137	Non-Significant Effect
Error	1.714854	0.214357	8			
Total	2.83765602	1.3371589	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	3.54078	23.15450	0.24827	Equal Variances
Distribution	Shapiro-Wilk W	0.89450		0.19044	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	1.61720	0.64667	2.06331	0.57819				
100		5	0.94703	0.66400	1.41399	0.30727				



CETIS Analysis Detail

Plant Chronic test					CH2M Hill
--------------------	--	--	--	--	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Root Average Length	Comparison	09-6405-2832	09-6405-2832	12 May-06 4:18 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	25.28%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	3.3748	1.85955	0.0049	5.36684	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	237.169	237.169	1	11.39	0.00972	Significant Effect
Error	166.5911	20.82389	8			
Total	403.760117	257.9929	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	3.50853	23.15450	0.25153	Equal Variances
Distribution	Shapiro-Wilk W	0.96501		0.84114	Normal Distribution

Data Summary			Original Data				Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	21.227	13.333	29	5.693				
100		5	11.487	8.5	16.333	3.0393				



CETIS Analysis Detail

Comparisons: Page 7 of 9
 Report Date: 15 May-06 1:11 PM
 Analysis: 01-2129-3486/B154201psA

Plant Chronic test	CH2M HILL
--------------------	-----------


Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version			
Root Average Wet Wt.	Comparison	09-6405-2832	09-6405-2832	12 May-06 4:18 PM	CETISv1.1.2			
Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	34.20%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	3.84256	1.85955	0.0025	12.6129	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	1698.222	1698.222	1	14.77	0.00493	Significant Effect
Error	920.1185	115.0148	8			
Total	2618.34033	1813.2366	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	4.72166	23.15450	0.16192	Equal Variances
Distribution	Shapiro-Wilk W	0.86147		0.07941	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	36.878	13.317	46.99	13.778				
100		5	10.815	2.812	18.633	6.3406				



CETIS Analysis Detail

Plant Chronic test CH2M Hill


Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version			
Total Average Biomass Dry Wt.	Comparison	09-6405-2832	09-6405-2832	12 May-06 4:18 PM	CETISv1.1.2			
Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	31.34%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	2.63486	1.85955	0.0150	2.06126	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	21.32578	21.32578	1	6.94	0.02995	Significant Effect
Error	24.57421	3.071776	8			
Total	45.8999882	24.397555	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	4.80730	23.15450	0.15749	Equal Variances
Distribution	Shapiro-Wilk W	0.86949		0.09860	Normal Distribution

Data Summary			Original Data				Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	6.57761	2.70335	8.32666	2.25514				
100		5	3.65694	2.70200	5.34199	1.02854				



CETIS Analysis Detail

Comparisons: Page 9 of 9
 Report Date: 15 May-06 1:11 PM
 Analysis: 06-1880-7248/B154201psA

Plant Chronic test	CH2M Hill
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Total Average Biomass Wet Wt.	Comparison	09-6405-2832	09-6405-2832	12 May-06 4:18 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	30.61%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	3.70456	1.85955	0.0030	20.3510	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	4109.343	4109.343	1	13.72	0.00600	Significant Effect
Error	2395.457	299.4322	8			
Total	6504.80005	4408.7749	9			

ANOVA Assumptions						
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)	
Variances	Variance Ratio F	10.36698	23.15450	0.04371	Equal Variances	
Distribution	Shapiro-Wilk W	0.82350		0.02793	Normal Distribution	

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	66.484	26.15	82.77	23.370				
100		5	25.941	18.338	34.293	7.2584				



BLUEGRASS GROWTH TEST

Client: Washington Closure Hanford Project

Test Start Date: 4-5-06

Initiate: Day 0 AP Day 12 3u Day 15 NJ Day 16 TP Day 19 NJ Day 21 NJ Day 23 Q Day 26 B Day 33 DN/NJ

		Bioassay Lab ID: <u>BN 3-15V2-02A</u> Sample No: <u>J10 DV4</u>								pH	
CONC.	REPLICATE	# seeds germinated								INITIAL (@ planting)	FINAL (@ 14 days Post-Emergence)
		12 days after planting	14 days after planting	16 days after planting	19 days after planting	21 days after planting	23 days after planting	7-DAYS POST-EMERGENCE (26 days after planting)	14-DAYS POST-EMERGENCE (33 days after planting)		
Control	A	2	2	2	2	2	2	2	2	7.8	7.8
	B	0	2	2	3	3	3	3	3		
	C	0	2	2	3	3	3	2	2		
	D	2	3	3	4	4	4	3	3		
	E	5	5	5	7	7	7	7-5	5		

7-Days Post-Emergence: Selectively thin down to 5 Seedlings (leave the 5 tallest seedlings). Describe shoot appearance:

Replicate A: 1 Lg G w/ brown tip on 1 shoot, 1 md G
 Replicate B: 2 mb, 1 Sm G
 Replicate C: 2 mb G
 Replicate D: 3 mb G removed: 1 sm brown/dead
 Replicate E: 2 Lg G, 3 mb G removed: 1 md G, 1 sm G

Appearance Code: Good (G) = deep green color with no brown. Brown (B) = brown color noted. # Lg = # of large plants (tallest, 6+ shoots). # Md = # of plants (smaller than large, fewer shoots). # Sm = # small plants (1-3 shoots)

14-Days Post-Emergence: Describe shoot appearance:

Replicate A: 1 Lg 3 G shoots, 1 brown, 1 dark green, 1 Sm 2 G shoots, 1 brown
 Replicate B: 1 Lg, 2 md - 1 brown 1 shoot & large brown - otherwise all G
 Replicate C: 1 Lg, 1 md - each w/ 3 G & 1 B shoot
 Replicate D: 1 Md G 1 Mb w/ 3 G & 1 B, 1 Sm w/ 1 G & 1 B
 Replicate E: 3 Lg, 2 md, each w/ multiple G shoots and 1 B shoot.

Measure Shoot Height:

Individual height of each seedling

(above ground)
 ↳ tallat shoot only

	1st Seedling	2nd Seedling	3rd Seedling	4th Seedling	5th Seedling
Replicate A	62 mm	29 mm	mm	mm	mm
Replicate B	96 mm	39 mm	29 mm	mm	mm
Replicate C	54 mm	35 mm	mm	mm	mm
Replicate D	46 mm	31 mm	19 mm	mm	mm
Replicate E	59 mm	37 mm	39 mm	64 mm	32 mm

Measure Shoot Weight:

Total mass of all seedlings

(above ground)

	Tin Tare WL (mg)	Wet WL (mg)	Dry WL (mg)
Replicate A	1025.30	1045.2	1030.35
Replicate B	999.34	1025.6	1003.49
Replicate C	997.97	1016.2	1002.65
Replicate D	1004.87	1024.8	1008.49
Replicate E	987.22	1034.8	996.47

Describe root appearance:

Replicate A: thin, white, stringy
 Replicate B: _____
 Replicate C: _____
 Replicate D: _____
 Replicate E: _____

Measure Root Length:

Individual length of the longest root

from each seedling

	1st Seedling	2nd Seedling	3rd Seedling	4th Seedling	5th Seedling
Replicate A	13 mm	54 mm	mm	mm	mm
Replicate B	50 mm	21 mm	10 mm	mm	mm
Replicate C	29 mm	16 mm	mm	mm	mm
Replicate D	52 mm	36 mm	9 mm	mm	mm
Replicate E	46 mm	24 mm	21 mm	43 mm	21 mm

Measure Root Weight:

Total mass of all roots from all seedlings

	Tin Tare WL (mg)	Wet WL (mg)	Dry WL (mg)
Replicate A	1015.21	1035.3	1017.11
Replicate B	1010.57	1022.4	1014.58
Replicate C	985.78	1018.7	988.01
Replicate D	989.63	1022.7	991.36
Replicate E	998.35	1045.9	1003.07

Comments:

CETIS Test Summary

Report Date: 15 May-06 1:17 PM
 Test Link: 02-2678-4041/B154202psA

Plant Chronic test		CH2M HILL				
Test No:	08-3212-6496	Test Type:	Plant Chronic test			
Start Date:	05 Apr-06	Protocol:	ASTM E1963-02 (2002)			
Ending Date:	08 May-06	Dil Water:				
Setup Date:	05 Apr-06 12:00 AM	Brine:				
Duration:	33d 0h	Species:	Poa sandbergii			
Source:						
Comments:	repeat test BG1542-02A					
Sample No:	07-3307-9513	Code:	B1542-02			
Sample Date:	08 Nov-05	Material:	Soil			
Receive Date:		Source:	Hanford			
Sample Age:	148d 0h	Station:				
Client:		Project:				
Comments:	J10DV4, J10DV5, J10DV6, J10DV7, J10DV8. E280101					
Comparison Summary						
Analysis	Endpoint	NOEL	LOEL	ChV	PMSD	Method
17-0101-0218	% Germination	100	> 100	N/A	32.24%	Equal Variance t Two-Sample
02-8316-6714	AG Average Dry Wt.	< 100	100	N/A	29.97%	Equal Variance t Two-Sample
05-6576-1716	AG Average Height	100	> 100	N/A	35.46%	Equal Variance t Two-Sample
05-5626-0548	AG Average Wet Wt.	< 100	100	N/A	27.53%	Wilcoxon Rank Sum Two-Sample
08-8042-9922	Root Average Dry Wt.	< 100	100	N/A	33.00%	Equal Variance t Two-Sample
11-7289-0458	Root Average Length	< 100	100	N/A	27.18%	Equal Variance t Two-Sample
14-7987-0099	Root Average Wet Wt.	< 100	100	N/A	33.13%	Equal Variance t Two-Sample
10-0039-0007	Total Average Biomass Dry	< 100	100	N/A	29.82%	Equal Variance t Two-Sample
00-8511-1875	Total Average Biomass Wet	< 100	100	N/A	30.15%	Equal Variance t Two-Sample

Report Date:

15 May-06 1:17 PM

Test Link:

02-2678-4041/B154202psA

CETIS Test Summary

% Germination Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	0.84000	0.60000	1.00000	0.09798	0.21909	26.08%
100		5	0.60000	0.40000	1.00000	0.10954	0.24495	40.82%
AG Average Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	4.96040	2.05668	6.26333	0.75679	1.69222	34.11%
100		5	1.86100	1.20667	2.52496	0.25756	0.57593	30.95%
AG Average Height Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	18.947	15.2	27	2.2136	4.9498	26.13%
100		5	16.64	9.2	23	2.8555	6.3852	38.37%
AG Average Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	29.605	12.833	36.826	4.3456	9.717	32.82%
100		5	8.7955	6.6434	9.95	0.5739	1.2833	14.59%
Root Average Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	1.61720	0.64667	2.06331	0.25857	0.57819	35.75%
100		5	0.98446	0.57666	1.33667	0.12454	0.27849	28.29%
Root Average Length Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	21.227	13.333	29	2.546	5.693	26.82%
100		5	10.773	6.2	17	1.7733	3.9653	36.81%
Root Average Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	36.878	13.317	46.99	6.1616	13.778	37.36%
100		5	8.8630	3.9433	16.46	2.2808	5.1000	57.54%
Total Average Biomass Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	6.57761	2.70335	8.32666	1.00853	2.25514	34.29%
100		5	2.84546	1.78333	3.47495	0.30938	0.69180	24.31%
Total Average Biomass Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	66.484	26.150	82.77	10.452	23.370	35.15%
100		5	17.659	11.000	25.575	2.6359	5.894	33.38%

CETIS Test Summary

Report Date:

15 May-06 1:17 PM

Test Link:

02-2678-4041/B154202psA

% Germination Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	0.60000	1.00000	1.00000	0.60000	1.00000
100		0.40000	0.60000	0.40000	0.60000	1.00000
AG Average Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	2.05668	6.05200	5.26000	6.26333	5.17000
100		2.52496	1.38332	2.34003	1.20667	1.85000
AG Average Height Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	20.3333	16.8	15.2	27	15.4
100		23	18.3333	22	10.6667	9.2
AG Average Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	12.8333	36.8260	31.748	35.78	30.84
100		9.94995	8.75332	9.11502	6.64335	9.51602
Root Average Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	0.64667	1.92800	1.52800	2.06331	1.92001
100		0.94998	1.33667	1.11499	0.57666	0.94401
Root Average Length Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	13.3333	23.4	20	29	20.4
100		17	9	11	10.6667	6.2
Root Average Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	13.3167	45.2540	36.3420	46.99	42.488
100		10.0450	3.94334	16.46	4.35667	9.51001
Total Average Biomass Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	2.70335	7.98000	6.78801	8.32666	7.09000
100		3.47495	2.71999	3.45502	1.78333	2.79401
Total Average Biomass Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	26.1500	82.0800	68.0900	82.77	73.328
100		19.995	12.6966	25.5750	11.0000	19.0260

CETIS Analysis Detail

Comparisons: Page 1 of 9
 Report Date: 15 May-06 1:17 PM
 Analysis: 17-0101-0218/B154202psA

Plant Chronic test	CH2M Hill
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
% Germination	Comparison	02-2678-4041	02-2678-4041	15 May-06 1:17 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Angular (Corrected)		100	>100	1	N/A	32.24%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	1.60156	1.85955	0.0740	0.30679	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.1745378	0.174538	1	2.57	0.14792	Non-Significant Effect
Error	0.5443657	0.068046	8			
Total	0.71890347	0.2425835	9			

ANOVA Assumptions						
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)	
Variances	Variance Ratio F	1.15127	23.15450	0.89470	Equal Variances	
Distribution	Shapiro-Wilk W	0.89943		0.21598	Normal Distribution	

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	0.84000	0.60000	1.00000	0.21909	1.16160	0.88608	1.34528	0.25152
100		5	0.60000	0.40000	1.00000	0.24495	0.89738	0.68472	1.34528	0.26987



CETIS Analysis Detail

Comparisons: Page 2 of 9
 Report Date: 15 May-06 1:17 PM
 Analysis: 02-8316-6714/B154202psA

Plant Chronic test	CH2M HILL
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Dry Wt.	Comparison	02-2678-4041	02-2678-4041	15 May-06 1:17 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	29.97%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	3.8771	1.85955	0.0023	1.48655	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	24.01578	24.01578	1	15.03	0.00469	Significant Effect
Error	12.78125	1.597656	8			
Total	36.7970295	25.613437	9			

ANOVA Assumptions						
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)	
Variances	Variance Ratio F	8.63338	23.15450	0.06018	Equal Variances	
Distribution	Shapiro-Wilk W	0.85010		0.05825	Normal Distribution	

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	4.96040	2.05668	6.26333	1.69222				
100		5	1.86100	1.20667	2.52496	0.57593				



CETIS Analysis Detail

Comparisons: Page 3 of 9
 Report Date: 15 May-06 1:17 PM
 Analysis: 05-6576-1716/B154202psA

Plant Chronic test	CH2M Hill
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Height	Comparison	02-2678-4041	02-2678-4041	15 May-06 1:17 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	35.46%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	0.63842	1.85955	0.2705	6.71866	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	13.30178	13.30178	1	0.41	0.54104	Non-Significant Effect
Error	261.0844	32.63556	8			
Total	274.38622	45.937333	9			

ANOVA Assumptions						
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)	
Variances	Variance Ratio F	1.66403	23.15450	0.63386	Equal Variances	
Distribution	Shapiro-Wilk W	0.94207		0.57629	Normal Distribution	

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	18.947	15.2	27	4.9498				
100		5	16.640	9.2	23	6.3852				



CETIS Analysis Detail

Plant Chronic test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Wet Wt.	Comparison	02-2678-4041	02-2678-4041	15 May-06 1:17 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Wilcoxon Rank Sum Two-Sample	C > T	Rank		<100	100		N/A	27.53%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	Ties	Decision(0.05)
Artificial Soil/Sedi		100	15		0.0040	0	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	1082.633	1082.633	1	22.54	0.00145	Significant Effect
Error	384.2673	48.03341	8			
Total	1466.90033	1130.6665	9			

ANOVA Assumptions						
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)	
Variances	Variance Ratio F	57.33263	23.15450	0.00174	Unequal Variances	
Distribution	Shapiro-Wilk W	0.76115		0.00488	Non-normal Distribution	

Data Summary			Original Data				Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	29.605	12.833	36.826	9.717	8.00000	6.00000	10.0000	1.58114
100		5	8.7955	6.6434	9.95	1.2833	3.00000	1.00000	5.00000	1.58114



CETIS Analysis Detail

Plant Chronic test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Root Average Dry Wt.	Comparison	02-2678-4041	02-2678-4041	15 May-06 1:17 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	33.00%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	2.20464	1.85955	0.0293	0.5337	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	1.000891	1.000891	1	4.86	0.05857	Non-Significant Effect
Error	1.647414	0.205927	8			
Total	2.64830458	1.2068177	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	4.31054	23.15450	0.18604	Equal Variances
Distribution	Shapiro-Wilk W	0.87013		0.10032	Normal Distribution

Data Summary			Original Data				Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	1.61720	0.64667	2.06331	0.57819				
100		5	0.98446	0.57668	1.33667	0.27849				



CETIS Analysis Detail

Comparisons: Page 6 of 9
 Report Date: 15 May-06 1:17 PM
 Analysis: 11-7289-0458/B154202psA

Plant Chronic test										CH2M Hill
Endpoint	Analysis Type		Sample Link	Control Link	Date Analyzed	Version				
Root Average Length	Comparison		02-2678-4041	02-2678-4041	15 May-06 1:17 PM	CETISv1.1.2				
Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD		
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	27.18%		
Group Comparisons										
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)			
Artificial Soil/Sedi		100	3.36911	1.85955	0.0049	5.76962	Significant Effect			
ANOVA Table										
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)				
Between	273.1805	273.1805	1	11.35	0.00980	Significant Effect				
Error	192.5351	24.06689	8							
Total	465.715561	297.24734	9							
ANOVA Assumptions										
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)					
Variances	Variance Ratio F	2.06125	23.15450	0.50082	Equal Variances					
Distribution	Shapiro-Wilk W	0.95986		0.78426	Normal Distribution					
Data Summary										
			Original Data				Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	21.227	13.333	29	5.693				
100		5	10.773	6.2	17	3.9653				
Graphics										

CETIS Analysis Detail

Comparisons: Page 7 of 9
 Report Date: 15 May-06 1:17 PM
 Analysis: 14-7987-0099/B154202psA

Plant Chronic test						CH2M Hill
--------------------	--	--	--	--	--	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Root Average Wet Wt.	Comparison	02-2678-4041	02-2678-4041	15 May-06 1:17 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	33.13%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	4.26398	1.85955	0.0014	12.2176	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	1962.119	1962.119	1	18.18	0.00275	Significant Effect
Error	863.3456	107.9182	8			
Total	2825.4646	2070.0372	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	7.29820	23.15450	0.08013	Equal Variances
Distribution	Shapiro-Wilk W	0.84834		0.05551	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	36.878	13.317	46.99	13.778				
100		5	8.8630	3.9433	16.46	5.1000				



CETIS Analysis Detail

Comparisons: Page 8 of 9
 Report Date: 15 May-06 1:17 PM
 Analysis: 10-0039-0007/B154202psA

Plant Chronic test						CH2M HILL
--------------------	--	--	--	--	--	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Total Average Biomass Dry Wt.	Comparison	02-2678-4041	02-2678-4041	15 May-06 1:17 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	29.82%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedl		100	3.53787	1.85955	0.0038	1.96167	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	34.82234	34.82234	1	12.52	0.00764	Significant Effect
Error	22.25693	2.782117	8			
Total	57.0792713	37.604455	9			

ANOVA Assumptions						
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)	
Variances	Variance Ratio F	10.62648	23.15450	0.04184	Equal Variances	
Distribution	Shapiro-Wilk W	0.82768		0.03137	Normal Distribution	

Data Summary										
Conc-%	Control Type	Count	Original Data				Transformed Data			
			Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	6.57761	2.70335	8.32666	2.25514				
100		5	2.84546	1.78333	3.47495	0.69180				



BLUEGRASS GROWTH TEST

Client: Washington Closure Hanford Project

Test Start Date: 4-5-06

Day 0 W Day 12 D Day 15 NJ Day 16 TP Day 19 NJ Day 21 NJ Day 23 W Day 26 G Day 33 B

Bioassay Lab ID: BM 8154203A Sample No: 510DT8

CONC.	REPLICATE	# seeds germinated							pH		
		12 days after planting	14 days after planting	16 days after planting	19 days after planting	21 days after planting	23 days after planting	7-DAYS POST-EMERGENCE (26 days after planting)	14-DAYS POST-EMERGENCE (33 days after planting)	INITIAL (@ planting)	FINAL (@ 14 days Post-Emergence)
Control	A	5	5	5	5	5	5	6-25	5	7.4	8.4
	B	6	7	8	8	8	8	8-25	5		
	C	5	5	5	5	5	5	5	5		
	D	6	7	7	7	7	7	7-25	5		
	E	4	5	5	5	5	5	5	5		

7-Days Post-Emergence: Selectively thin down to 5 Seedlings (leave the 5 tallest seedlings). Describe shoot appearance:

Replicate A: 5 Lg G removed: 1 sm G
 Replicate B: 5 Lg B removed: 1 Lg G, 2 md G
 Replicate C: 5 Lg B
 Replicate D: 5 Lg G removed: 1 Lg G, 1 md G
 Replicate E: 5 Lg G

Appearance Code: Good (G) = deep green color with no brown, Brown (B) = brown color noted. # Lg = # of large plants (tallest, 6+ shoots), # Md = # of plants (smaller than large, fewer shoots), # Sm = # small plants (1-3 shoots)

14-Days Post-Emergence: Describe shoot appearance:

Replicate A: 5 Lg G, all w/ 1 B tip
 Replicate B: 3 Lg G, 1 Lg G w/ 1 B shoot, 1 md G
 Replicate C: 5 Lg md G
 Replicate D: 4 Lg G, 1 Lg w/ 1 B shoot
 Replicate E: 3 Lg G, 2 md G

Measure Shoot Height:

Individual height of each seedling (above ground)

	1st Seedling	2nd Seedling	3rd Seedling	4th Seedling	5th Seedling
Replicate A	55 mm	66 mm	67 mm	86 mm	108 mm
Replicate B	77 mm	49 mm	89 mm	86 mm	87 mm
Replicate C	55 mm	76 mm	59 mm	52 mm	61 mm
Replicate D	81 mm	75 mm	68 mm	69 mm	86 mm
Replicate E	77 mm	35 mm	34 mm	69 mm	66 mm

Measure Shoot Weight:

Total mass of all seedlings (above ground)

	Tin Tare Wt (mg)	Wet Wt (mg)	Dry Wt (mg)
Replicate A	1020.97	1167.1	1043.38
Replicate B	1000/1001.85	1125.5	1022.29
Replicate C	1029.27	1111.2	1041.68
Replicate D	1040.36	1194.6	1064.64
Replicate E	998.51	1062.1	1008.55

Describe root appearance:

Replicate A: _____
 Replicate B: _____
 Replicate C: _____
 Replicate D: _____
 Replicate E: _____

Measure Root Length:

Individual length of the longest root from each seedling

	1st Seedling	2nd Seedling	3rd Seedling	4th Seedling	5th Seedling
Replicate A	54 mm	79 mm	53 mm	56 mm	42 mm
Replicate B	35 mm	67 mm	85 mm	59 mm	mm
Replicate C	33 mm	50 mm	52 mm	50 mm	62 mm
Replicate D	79 mm	87 mm	70 mm	49 mm	72 mm
Replicate E	67 mm	66 mm	21 mm	21 mm	44 mm

Measure Root Weight:

Total mass of all roots from all seedlings

	Tin Tare Wt (mg)	Wet Wt (mg)	Dry Wt (mg)
Replicate A	996.85	1123.0	1003.77
Replicate B	1002.94	1125.1	1010.65
Replicate C	973.77	1049.9	478.66
Replicate D	1022.54	1181.3	1033.00
Replicate E	972.22	1031.3	979.76

Comments:

CETIS Test Summary

Report Date: 15 May-06 1:29 PM

Test Link: 02-6445-8985/B154203psA

Plant Chronic test							CH2M HILL
Test No:	01-7071-4913	Test Type:	Plant Chronic test	Duration:	33d 0h		
Start Date:	05 Apr-06	Protocol:	ASTM E1963-02 (2002)	Species:	Poa sandbergii		
Ending Date:	08 May-06	Dil Water:		Source:			
Setup Date:	05 Apr-06 12:00 AM	Brine:					
Comments:	repeat test BG1542-03A						
Sample No:	15-5457-5144	Code:	B1542-03	Client:			
Sample Date:	14 Nov-05	Material:	Soil	Project:			
Receive Date:		Source:	Hanford				
Sample Age:	142d 0h	Station:					
Comments:	J10DT8, E283101						
Comparison Summary							
Analysis	Endpoint	NOEL	LOEL	ChV	PMSD	Method	
03-8076-1014	% Germination	100	> 100	N/A	20.96%	Equal Variance t Two-Sample	
08-6295-7792	AG Average Dry Wt.	100	> 100	N/A	35.38%	Equal Variance t Two-Sample	
10-3029-3936	AG Average Height	< 100	100	N/A	23.48%	Equal Variance t Two-Sample	
11-0749-8506	AG Average Wet Wt.	100	> 100	N/A	35.26%	Equal Variance t Two-Sample	
08-1680-6695	Root Average Dry Wt.	100	> 100	N/A	39.40%	Equal Variance t Two-Sample	
07-9801-3032	Root Average Length	< 100	100	N/A	23.91%	Equal Variance t Two-Sample	
09-0174-2180	Root Average Wet Wt.	< 100	100	N/A	36.01%	Equal Variance t Two-Sample	
01-3143-0252	Total Average Biomass Dry	100	> 100	N/A	35.95%	Equal Variance t Two-Sample	
02-9227-5895	Total Average Biomass Wet	100	> 100	N/A	35.37%	Equal Variance t Two-Sample	

Report Date:

15 May-06 1:29 PM

Test Link:

02-6445-8985/B154203psA

CETIS Test Summary

% Germination Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	0.84000	0.60000	1.00000	0.09798	0.21909	26.08%
100		5	1.00000	1.00000	1.00000	0.00000	0.00000	0.00%
AG Average Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	4.96040	2.05668	6.26333	0.75679	1.69222	34.11%
100		5	3.57920	2.00800	4.85601	0.56377	1.26063	35.22%
AG Average Height Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	18.947	15.2	27	2.2136	4.9498	26.13%
100		5	13.88	11.2	15.6	0.9069	2.0278	14.61%
AG Average Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	29.605	12.833	36.826	4.3456	9.717	32.82%
100		5	22.778	12.718	30.848	3.5531	7.9451	34.88%
Root Average Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	1.61720	0.64667	2.06331	0.25857	0.57819	35.75%
100		5	1.36240	0.81600	2.09200	0.22487	0.50283	36.91%
Root Average Length Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	21.227	13.333	29	2.546	5.693	26.82%
100		5	11.36	8.8	14.4	0.9826	2.1973	19.34%
Root Average Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	36.878	13.317	46.99	6.1616	13.778	37.36%
100		5	21.691	11.816	31.752	3.6095	8.0711	37.21%
Total Average Biomass Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	6.57761	2.70335	8.32666	1.00853	2.25514	34.29%
100		5	4.94160	2.82400	6.94801	0.77480	1.73251	35.06%
Total Average Biomass Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	66.484	26.150	82.77	10.452	23.370	35.15%
100		5	44.469	24.534	62.600	7.1169	15.914	35.79%

CETIS Test Summary

Report Date:

15 May-06 1:29 PM

Test Link:

02-6445-8985/B154203psA

% Germination Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	0.60000	1.00000	1.00000	0.60000	1.00000
100		1.00000	1.00000	1.00000	1.00000	1.00000
AG Average Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	2.05668	6.05200	5.26000	6.26333	5.17000
100		4.48201	4.06799	2.48201	4.85601	2.00800
AG Average Height Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	20.3333	16.8	15.2	27	15.4
100		15.2	15.6	12.2	15.2	11.2
AG Average Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	12.8333	36.8260	31.748	35.78	30.84
100		29.2260	24.71	16.386	30.848	12.718
Root Average Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	0.64667	1.92800	1.52800	2.06331	1.92001
100		1.38401	1.54200	0.97799	2.09200	0.81600
Root Average Length Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	13.3333	23.4	20	29	20.4
100		11.4	12.4	9.8	14.4	8.8
Root Average Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	13.3167	45.2540	36.3420	46.99	42.488
100		25.2300	24.432	15.2260	31.7520	11.8160
Total Average Biomass Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	2.70335	7.98000	6.78801	8.32666	7.09000
100		5.86602	5.61000	3.46000	6.94801	2.82400
Total Average Biomass Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	26.1500	82.0800	68.0900	82.77	73.328
100		54.4560	49.142	31.612	62.6000	24.5340

CETIS Analysis Detail

Plant Chronic test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
% Germination	Comparison	02-6445-8985	02-6445-8985	15 May-06 1:28 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Angular (Corrected)		100	>100	1	N/A	20.96%

Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	-1.633	1.85955	0.9294	0.20917	Non-Significant Effect

Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.084348	0.084348	1	2.67	0.14111	Non-Significant Effect
Error	0.2530439	0.031630	8			
Total	0.33739194	0.1159785	9			

Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Modified Levene	4.80000	11.25862	0.05984	Equal Variances
Distribution	Shapiro-Wilk W	0.81415		0.02153	Normal Distribution

Data Summary			Original Data				Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	0.84000	0.60000	1.00000	0.21909	1.16160	0.88608	1.34528	0.25152
100		5	1.00000	1.00000	1.00000	0.00000	1.34528	1.34528	1.34528	0.00020



CETIS Analysis Detail

Plant Chronic test	CH2M HILL
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Dry Wt.	Comparison	02-6445-8985	02-6445-8985	15 May-06 1:28 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	35.38%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	1.46361	1.85955	0.0907	1.75485	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	4.769275	4.769275	1	2.14	0.18145	Non-Significant Effect
Error	17.81121	2.226401	8			
Total	22.5804858	6.9956765	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	1.80195	23.15450	0.58241	Equal Variances
Distribution	Shapiro-Wilk W	0.85931		0.07488	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	4.96040	2.05668	6.26333	1.69222				
100		5	3.57920	2.00800	4.85601	1.26063				



CETIS Analysis Detail

Plant Chronic test						CH2M Hill
--------------------	--	--	--	--	--	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Height	Comparison	02-6445-8985	02-6445-8985	15 May-06 1:28 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	23.48%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi	100		2.11800	1.85955	0.0335	4.44839	Significant Effect

ANOVA Table							
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)	
Between	64.17778	64.17778	1	4.49	0.06703	Non-Significant Effect	
Error	114.4516	14.30644	8				
Total	178.629333	78.484224	9				

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	5.95839	23.15450	0.11205	Equal Variances
Distribution	Shapiro-Wilk W	0.85981		0.07593	Normal Distribution

Data Summary			Original Data				Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	18.947	15.2	27	4.9498				
100		5	13.88	11.2	15.6	2.0278				



CETIS Analysis Detail

Plant Chronic test	CH2M Hill
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Wet Wt.	Comparison	02-6445-8985	02-6445-8985	15 May-06 1:28 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	35.26%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	1.21638	1.85955	0.1293	10.4381	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	116.5494	116.5494	1	1.48	0.25851	Non-Significant Effect
Error	630.1755	78.77194	8			
Total	746.724945	195.32135	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	1.49579	23.15450	0.70595	Equal Variances
Distribution	Shapiro-Wilk W	0.86182		0.08017	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	29.605	12.833	36.826	9.717				
100		5	22.778	12.718	30.848	7.9451				



CETIS Analysis Detail

Comparisons: Page 5 of 9
 Report Date: 15 May-06 1:29 PM
 Analysis: 08-1680-6695/B154203psA

Plant Chronic test	CH2M HILL
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Root Average Dry Wt.	Comparison	02-6445-8985	02-6445-8985	15 May-06 1:28 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	39.40%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	0.74355	1.85955	0.2392	0.63723	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.1623032	0.162303	1	0.55	0.47842	Non-Significant Effect
Error	2.348564	0.293571	8			
Total	2.51086763	0.4558738	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	1.32217	23.15450	0.79323	Equal Variances
Distribution	Shapiro-Wilk W	0.96492	-	0.84022	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	1.61720	0.64667	2.06331	0.57819				
100		5	1.36240	0.81600	2.09200	0.50283				



CETIS Analysis Detail

Plant Chronic test	CH2M Hill
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Root Average Length	Comparison	02-6445-8985	02-6445-8985	15 May-06 1:29 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	23.91%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	3.61544	1.85955	0.0034	5.07478	Significant Effect

ANOVA Table							
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)	
Between	243.3778	243.3778	1	13.07	0.00683	Significant Effect	
Error	148.9529	18.61911	8				
Total	392.330673	261.99689	9				

ANOVA Assumptions						
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)	
Variances	Variance Ratio F	6.71297	23.15450	0.09214	Equal Variances	
Distribution	Shapiro-Wilk W	0.95770		0.75941	Normal Distribution	

Data Summary			Original Data				Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	21.227	13.333	29	5.693				
100		5	11.36	8.8	14.4	2.1973				



CETIS Analysis Detail

Plant Chronic test	CH2M HILL
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Root Average Wet Wt.	Comparison	02-6445-8985	02-6445-8985	15 May-06 1:29 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	36.01%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	2.12672	1.85955	0.0331	13.2790	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	576.6071	576.6071	1	4.52	0.06613	Non-Significant Effect
Error	1019.879	127.4848	8			
Total	1596.48572	704.09194	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	2.91398	23.15450	0.32495	Equal Variances
Distribution	Shapiro-Wilk W	0.87337		0.10940	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	36.878	13.317	46.99	13.778				
100		5	21.691	11.816	31.752	8.0711				



CETIS Analysis Detail

Plant Chronic test	CH2M Hill
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Total Average Biomass Dry Wt.	Comparison	02-6445-8985	02-6445-8985	15 May-06 1:29 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	35.95%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	1.28638	1.85955	0.1171	2.36495	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	6.691254	6.691254	1	1.65	0.23429	Non-Significant Effect
Error	32.34896	4.043621	8			
Total	39.0402188	10.734875	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	1.69432	23.15450	0.62201	Equal Variances
Distribution	Shapiro-Wilk W	0.88744		0.15864	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	6.57761	2.70335	8.32666	2.25514				
100		5	4.94160	2.82400	6.94801	1.73251				



CETIS Analysis Detail

Comparisons: Page 9 of 9
 Report Date: 15 May-06 1:29 PM
 Analysis: 02-9227-5895/B154203psA

Plant Chronic test	CH2M HILL
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Total Average Biomass Wet Wt.	Comparison	02-6445-8985	02-6445-8985	15 May-06 1:29 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	35.37%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	1.74104	1.85955	0.0599	23.5133	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	1211.628	1211.628	1	3.03	0.11986	Non-Significant Effect
Error	3197.737	399.7171	8			
Total	4409.36499	1611.3455	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	2.15665	23.15450	0.47497	Equal Variances
Distribution	Shapiro-Wilk W	0.86762		0.09378	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	66.484	26.15	82.77	23.370				
100		5	44.469	24.534	62.600	15.914				



BLUEGRASS GROWTH TEST

Client: Washington Closure Hanford Project

Test Start Date: 4-5-06

Initiation Day 0 10 Day 12 3m Day 15 NJ Day 18 10 Day 19 NJ Day 21 NJ Day 23 10 Day 26 3m Day 33 3m/NJ

Bioassay Lab ID: PN B41542-07A Sample No: 510635

CONC.	REPLICATE	# seeds germinated								pH	
		12 days after planting	14 days after planting	4-11 16 days after planting	4-24 19 days after planting	21 days after planting	23 days after planting	7-DAYS POST-EMERGENCE (26 days after planting)	14-DAYS POST-EMERGENCE (33 days after planting)	INITIAL (@ planting)	FINAL (@ 14 days Post-Emergence)
Control	A	4	4	5	6	6	6	6 → 5	5	6.3	7.5
	B	3	3 3	3	4	5	5	5	5		
	C	4	4 4	5	5	5	5	4	5		
	D	6	6 6	6	7	9	9	7 → 5	5		
	E	4	4 4	4	5	6	6	4	4		

7-Days Post-Emergence: Selectively thin down to 5 Seedlings (leave the 5 tallest seedlings). Describe shoot appearance:

Replicate A: good 6lg → 5lg
 Replicate B: 3lg + 2 sm
 Replicate C: 4lg + 3 broadleaf plants - broadleaf removed
 Replicate D: 6lg, 12m → 5lg
 Replicate E: 3lg + 1 med, 3 seedlings of another species removed (Ground lent) → removed

Appearance Code: Good (G) = deep green color with no brown, Brown (B) = brown color noted. # Lg = # of large plants (tallest, 8+ shoots), # Med = # of plants (smaller than large, fewer shoots), # Sm = # small plants (1-3 shoots)

14-Days Post-Emergence: Describe shoot appearance:

Replicate A: 1 Lg G, 2 Mb G, 1 Mb w/ 1 B tip, 1 Mb G w/ 1 B shoot.
 Replicate B: 2 Lg G, 1 Lg G w/ 2 B tips, 2 Sm G
 Replicate C: 3 Lg G, 1 Mb G, 1 Sm G
 Replicate D: 3 Mb G, 1 Mb G w/ 1 B shoot, 1 Sm w/ 2 B + 4 G shoots
 Replicate E: 1 Lg G, 1 Mb G, 1 Mb G w/ 1 B tip, 1 Sm G w/ 1 B tip

Measure Shoot Height:

Individual height of each seedling (above ground)

	1st Seedling	2nd Seedling	3rd Seedling	4th Seedling	5th Seedling
Replicate A	61 mm	49 mm	44 mm	54 mm	42 mm
Replicate B	65 mm	55 mm	55 mm	12 mm	11 mm
Replicate C	59 mm	74 mm	82 mm	46 mm	29 mm
Replicate D	57 mm	61 mm	50 mm	50 mm	27 mm
Replicate E	77 mm	47 mm	55 mm	40 mm	- mm

Measure Shoot Weight:

Total mass of all seedlings (above ground)

	Tin Tare WL (mg)	Wet WL (mg)	Dry WL (mg)
Replicate A	1027.21	1094.4	1037.13
Replicate B	1043.93	1109.8	1055.52
Replicate C	1019.24	1145.4	1038.84
Replicate D	988.02	1051.1	1001.26
Replicate E	1001.92	1073.7	1014.31

Describe root appearance:

Replicate A: _____
 Replicate B: _____
 Replicate C: _____
 Replicate D: _____
 Replicate E: _____

Measure Root Length:

Individual length of the longest root from each seedling

	1st Seedling	2nd Seedling	3rd Seedling	4th Seedling	5th Seedling
Replicate A	53 mm	48 mm	47 mm	54 mm	55 mm
Replicate B	57 mm	57 mm	61 mm	9 mm	12 mm
Replicate C	69 mm	60 mm	30 mm	78 mm	75 mm
Replicate D	35 mm	51 mm	54 mm	79 mm	46 mm
Replicate E	85 mm	55 mm	54 mm	54 mm	- mm

Measure Root Weight:

Total mass of all roots from all seedlings

	Tin Tare WL (mg)	Wet WL (mg)	Dry WL (mg)
Replicate A	1011.97	1119.1	1018.86
Replicate B	998.58	1062.4	1003.81
Replicate C	981.26	1170.6	991.49
Replicate D	1005.89	1101.2	1012.80
Replicate E	1006.09	1101.5	1011.95

Comments:

Report Date: 15 May-06 1:35 PM
 Test Link: 04-1720-8149/B154208psA

CETIS Test Summary

Plant Chronic test		CH2M Hill				
Test No: 08-6132-1752	Test Type: Plant Chronic test	Duration: 33d 0h				
Start Date: 05 Apr-06	Protocol: ASTM E1963-02 (2002)	Species: Poa sandbergii				
Ending Date: 08 May-06	Dil Water:	Source:				
Setup Date: 05 Apr-06 12:00 AM	Brine:					
Comments: repeat test BG1542-08A						
Sample No: 15-5450-5055	Code: B1542-08	Client:				
Sample Date: 28 Nov-05	Material: Soil	Project:				
Receive Date:	Source: Hanford					
Sample Age: 128d 0h	Station:					
Comments: J10LJ5, E289701						
Comparison Summary						
Analysis	Endpoint	NOEL	LOEL	ChV	PMSD	Method
05-8535-7141	% Germination	100	> 100	N/A	22.99%	Equal Variance t Two-Sample
04-4372-5688	AG Average Dry Wt.	< 100	100	N/A	30.26%	Equal Variance t Two-Sample
15-8788-4376	AG Average Height	< 100	100	N/A	24.06%	Equal Variance t Two-Sample
17-2158-8620	AG Average Wet Wt.	< 100	100	N/A	30.69%	Equal Variance t Two-Sample
12-9854-4472	Root Average Dry Wt.	100	> 100	N/A	35.11%	Equal Variance t Two-Sample
04-3460-2963	Root Average Length	< 100	100	N/A	24.97%	Equal Variance t Two-Sample
07-6351-6603	Root Average Wet Wt.	< 100	100	N/A	37.46%	Equal Variance t Two-Sample
12-6733-3681	Total Average Biomass Dry	< 100	100	N/A	31.11%	Equal Variance t Two-Sample
09-9644-3668	Total Average Biomass Wet	< 100	100	N/A	34.17%	Equal Variance t Two-Sample

Report Date:

15 May-06 1:35 PM

Test Link:

04-1720-8149/B154208ps.A

CETIS Test Summary

% Germination Summary									
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV	
0	Artificial Soil/S	5	0.84000	0.60000	1.00000	0.09798	0.21909	26.08%	
100		5	0.96000	0.80000	1.00000	0.04000	0.08944	9.32%	
AG Average Dry Wt. Summary									
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV	
0	Artificial Soil/S	5	4.96040	2.05668	6.26333	0.75679	1.69222	34.11%	
100		5	2.91350	2.31799	3.92000	0.28112	0.62860	21.58%	
AG Average Height Summary									
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV	
0	Artificial Soil/S	5	18.947	15.2	27	2.2136	4.9498	26.13%	
100		5	10.87	8	13.75	1.0526	2.3536	21.65%	
AG Average Wet Wt. Summary									
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV	
0	Artificial Soil/S	5	29.605	12.833	36.826	4.3456	9.717	32.82%	
100		5	16.921	13.174	25.232	2.2337	4.9947	29.52%	
Root Average Dry Wt. Summary									
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV	
0	Artificial Soil/S	5	1.61720	0.64667	2.06331	0.25857	0.57819	35.75%	
100		5	1.46240	1.04600	2.04600	0.16241	0.36317	24.83%	
Root Average Length Summary									
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV	
0	Artificial Soil/S	5	21.227	13.333	29	2.546	5.693	26.82%	
100		5	11.3	7.8	15.5	1.2806	2.8636	25.34%	
Root Average Wet Wt. Summary									
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV	
0	Artificial Soil/S	5	36.878	13.317	46.99	6.1616	13.778	37.36%	
100		5	22.994	12.764	37.868	4.1506	9.281	40.36%	
Total Average Biomass Dry Wt. Summary									
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV	
0	Artificial Soil/S	5	6.57761	2.70335	8.32666	1.00853	2.25514	34.29%	
100		5	4.37590	3.36399	5.96599	0.44024	0.98441	22.50%	
Total Average Biomass Wet Wt. Summary									
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV	
0	Artificial Soil/S	5	66.484	26.150	82.77	10.452	23.370	35.15%	
100		5	39.915	25.938	63.1	6.3258	14.145	35.44%	

Report Date: 15 May-06 1:35 PM

Test Link: 04-1720-8149/B154208psA

CETIS Test Summary

% Germination Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	0.60000	1.00000	1.00000	0.60000	1.00000
100		1.00000	1.00000	1.00000	1.00000	0.80000
AG Average Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	2.05668	6.05200	5.26000	6.26333	5.17000
100		2.58401	2.31799	3.92000	2.64800	3.09750
AG Average Height Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	20.3333	16.8	15.2	27	15.4
100		10	8	12.8	9.8	13.75
AG Average Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	12.8333	36.8260	31.748	35.78	30.84
100		14.0380	13.174	25.2320	14.216	17.945
Root Average Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	0.64667	1.92800	1.52800	2.06331	1.92001
100		1.37800	1.04600	2.04600	1.38199	1.45999
Root Average Length Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	13.3333	23.4	20	29	20.4
100		10.2	7.8	12.4	10.6	15.5
Root Average Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	13.3167	45.2540	36.3420	46.99	42.488
100		21.4260	12.7640	37.868	19.062	23.8525
Total Average Biomass Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	2.70335	7.98000	6.78801	8.32666	7.09000
100		3.96201	3.36399	5.96599	4.03000	4.55751
Total Average Biomass Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	26.1500	82.0800	68.0900	82.77	73.328
100		35.4640	25.938	63.1	33.278	41.7975

CETIS Analysis Detail

Plant Chronic test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
% Germination	Comparison	04-1720-8149	04-1720-8149	15 May-06 1:35 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Angular (Corrected)		100	>100	1	N/A	22.99%

Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	-1.1138	1.85955	0.8512	0.22714	Non-Significant Effect

Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.0462777	0.046278	1	1.24	0.29769	Non-Significant Effect
Error	0.2984103	0.037301	8			
Total	0.344688	0.0835790	9			

Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	5.57779	23.15450	0.12462	Equal Variances
Distribution	Shapiro-Wilk W	0.82019		0.02548	Normal Distribution

Data Summary			Original Data				Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	0.84000	0.60000	1.00000	0.21909	1.16160	0.88608	1.34528	0.25152
100		5	0.96000	0.80000	1.00000	0.08944	1.29766	1.10715	1.34528	0.10650



CETIS Analysis Detail

Comparisons: Page 2 of 9
 Report Date: 15 May-06 1:35 PM
 Analysis: 04-4372-5688/B154208psA

Plant Chronic test						CH2M HILL
--------------------	--	--	--	--	--	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Dry Wt	Comparison	04-1720-8149	04-1720-8149	15 May-06 1:35 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	30.26%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	2.53545	1.85955	0.0175	1.50124	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	10.47451	10.47451	1	6.43	0.03496	Significant Effect
Error	13.03506	1.629382	8			
Total	23.5095625	12.103888	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	7.24704	23.15450	0.08109	Equal Variances
Distribution	Shapiro-Wilk W	0.84825		0.05537	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	4.96040	2.05668	6.26333	1.69222				
100		5	2.91350	2.31799	3.92000	0.62860				



CETIS Analysis Detail

Plant Chronic test						CH2M Hill
--------------------	--	--	--	--	--	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Height	Comparison	04-1720-8149	04-1720-8149	15 May-06 1:35 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	24.06%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	3.29507	1.85955	0.0055	4.55801	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	163.0814	163.0814	1	10.86	0.01094	Significant Effect
Error	120.1616	15.02019	8			
Total	283.242912	178.10155	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	4.42294	23.15450	0.17894	Equal Variances
Distribution	Shapiro-Wilk W	0.89231		0.18001	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	18.947	15.2	27	4.9498				
100		5	10.870	8	13.75	2.3536				



CETIS Analysis Detail

Plant Chronic test	CH2M Hill
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Wet Wt.	Comparison	04-1720-8149	04-1720-8149	15 May-06 1:35 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	30.69%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	2.59606	1.85955	0.0159	9.08585	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	402.2389	402.2389	1	6.74	0.03181	Significant Effect
Error	477.4698	59.68373	8			
Total	879.708771	461.92265	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	3.78474	23.15450	0.22556	Equal Variances
Distribution	Shapiro-Wilk W	0.88392		0.14468	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	29.605	12.833	36.826	9.717				
100		5	16.921	13.174	25.232	4.9947				



CETIS Analysis Detail

Comparisons: Page 5 of 9
 Report Date: 15 May-06 1:35 PM
 Analysis: 12-9654-4472/B154208psA

Plant Chronic test						CH2M Hill
--------------------	--	--	--	--	--	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Root Average Dry Wt.	Comparison	04-1720-8149	04-1720-8149	15 May-06 1:35 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	35.11%

Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	0.50697	1.85955	0.3129	0.56781	Non-Significant Effect

Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.0599097	0.05991	1	0.26	0.62585	Non-Significant Effect
Error	1.864768	0.233096	8			
Total	1.92467780	0.2930057	9			

Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	2.53463	23.15450	0.38967	Equal Variances
Distribution	Shapiro-Wilk W	0.92278		0.38072	Normal Distribution

Data Summary			Original Data				Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	1.61720	0.64667	2.06331	0.57819				
100		5	1.46240	1.04600	2.04600	0.36317				



CETIS Analysis Detail

Comparisons: Page 6 of 9
 Report Date: 15 May-06 1:35 PM
 Analysis: 04-3460-2963/B154208psA

Plant Chronic test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Root Average Length	Comparison	04-1720-8149	04-1720-8149	15 May-06 1:35 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100	.	N/A	24.97%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedl		100	3.48314	1.85955	0.0041	5.29956	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	246.3468	246.3468	1	12.13	0.00828	Significant Effect
Error	162.4409	20.30511	8			
Total	408.787659	266.65188	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	3.95247	23.15450	0.21170	Equal Variances
Distribution	Shapiro-Wilk W	0.96578		0.84922	Normal Distribution

Data Summary			Original Data				Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	21.227	13.333	29	5.693				
100		5	11.3	7.8	15.5	2.8636				



CETIS Analysis Detail


Plant Chronic test						CH2M Hill		
Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version			
Root Average Wet Wt.	Comparison	04-1720-8149	04-1720-8149	15 May-06 1:35 PM	CETISv1.1.2			
Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	37.46%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	1.86880	1.85955	0.0493	13.8149	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	481.8888	481.8888	1	3.49	0.09859	Non-Significant Effect
Error	1103.85	137.9813	8			
Total	1585.73911	619.87006	9			

ANOVA Assumptions						
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)	
Variances	Variance Ratio F	2.20379	23.15450	0.46291	Equal Variances	
Distribution	Shapiro-Wilk W	0.94621		0.62394	Normal Distribution	

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	36.878	13.317	46.99	13.778				
100		5	22.994	12.764	37.868	9.281				



CETIS Analysis Detail

Plant Chronic test						CH2M Hill
--------------------	--	--	--	--	--	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Total Average Biomass Dry Wt.	Comparison	04-1720-8149	04-1720-8149	15 May-06 1:35 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	31.11%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedl		100	2.00077	1.85955	0.0402	2.04630	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	12.11875	12.11875	1	4.00	0.08042	Non-Significant Effect
Error	24.21888	3.02738	8			
Total	36.3376379	15.146115	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	5.24797	23.15450	0.13730	Equal Variances
Distribution	Shapiro-Wilk W	0.86537		0.08825	Normal Distribution

Data Summary		Original Data				Transformed Data				
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	6.57761	2.70335	8.32666	2.25514				
100		5	4.37590	3.36399	5.96599	0.98441				



CETIS Analysis Detail

Plant Chronic test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Total Average Biomass Wet Wt.	Comparison	04-1720-8149	04-1720-8149	15 May-06 1:35 PM	CETISv1.1.2

Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	34.17%



Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	2.17471	1.85955	0.0307	22.7178	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	1764.66	1764.66	1	4.73	0.06137	Non-Significant Effect
Error	2985.025	373.1281	8			
Total	4749.68494	2137.7879	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	2.72986	23.15450	0.35420	Equal Variances
Distribution	Shapiro-Wilk W	0.92551		0.40519	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	66.484	26.15	82.77	23.370				
100		5	39.915	25.938	63.1	14.145				

Graphics



BLUEGRASS GROWTH TEST

Client: Washington Closure Hanford Project

Test Start Date: 4-5-06

Initials: Day 0 JD Day 12 JD Day 15 NT Day 18 JD Day 19 NT Day 21 NT Day 23 JD Day 26 JD Day 33 JD

Blossay Lab ID: BW 061566-0 Sample No: J11JB8

CONC.	REPLICATE	# seeds germinated							pH		
		12 days after planting	14 days after planting	18 days after planting	19 days after planting	21 days after planting	23 days after planting	7-DAYS POST-EMERGENCE (26 days after planting)	14-DAYS POST-EMERGENCE (33 days after planting)	INITIAL (@ planting)	FINAL (@ 14 days Post-Emergence)
Control	A	8	8	8	8	8	8	8-75	5	6.2	7.7
	B	2	2	2	2	3	3	3	3		
	C	7	8	8	8	8	8	8-75	5		
	D	6	6	6	6	6	6	6-75	5		
	E	6	7	7	7	6	6	5	5		

7-Days Post-Emergence: Selectively thin down to 5 Seedlings (leave the 5 tallest seedlings). Describe shoot appearance:

Replicate A: 5 Lg G removed: 1 Lg G, 2 med G + 5 broadleaves

Replicate B: 2 Lg G, 1 Sm G removed: broadleaf seedlings

Replicate C: 5 Lg G removed: 1 Lg w/ brown tip, 2 med G, broadleaf seedlings

Replicate D: 3 Lg G, 1 med G, 1 Sm G removed: 1 Sm G, broadleaf

Replicate E: 4 Lg G + 1 Lg w/ 1 brown tip removed: broadleaf

Appearance Code: Good (G) = deep green color with no brown, Brown (B) = brown color noted, # Lg = # of large plants (tallest, 8+ shoots), # Med = # of plants (smaller than large, fewer shoots), # Sm = # small plants (1-3 shoots)

14-Days Post-Emergence: Describe shoot appearance:

Replicate A: 1 Lg w/ 1 B shoot, 2 Lg G, 1 med G w/ 1 B shoot, 1 med G

Replicate B: 2 Lg G, 1 Sm G

Replicate C: 3 Lg G, 2 Lg G w/ 1 B shoot each

Replicate D: 3 Lg G, 1 med G w/ 1 B shoot, 1 Sm G w/ all shoots having Brown tips

Replicate E: 3 Lg G, 1 Lg G w/ 2 B tips, 1 Lg G w/ 1 B tip + 1 B shoot.

Measure Shoot Height:

Individual height of each seedling (above ground)

	1st Seedling	2nd Seedling	3rd Seedling	4th Seedling	5th Seedling
Replicate A	73 mm	63 mm	58 mm	52 mm	49 mm
Replicate B	83 mm	63 mm	16 mm	mm	mm
Replicate C	81 mm	55 mm	77 mm	55 mm	49 mm
Replicate D	58 mm	76 mm	34 mm	54 mm	18 mm
Replicate E	69 mm	57 mm	59 mm	53 mm	51 mm

Measure Shoot Weight:

Total mass of all seedlings (above ground)

	Tin Tare Wt (mg)	Wet Wt (mg)	Dry Wt (mg)
Replicate A	997.57	1119.6	1016.55
Replicate B	999.57	1120.2	1009.72
Replicate C	1018.50	1146.7	1039.29
Replicate D	1000.91	1105.3	1017.30
Replicate E	1007.30	1147.4	1026.08

Describe root appearance:

Replicate A: _____

Replicate B: _____

Replicate C: _____

Replicate D: _____

Replicate E: _____

Measure Root Length:

Individual length of the longest root from each seedling

	1st Seedling	2nd Seedling	3rd Seedling	4th Seedling	5th Seedling
Replicate A	75 mm	52 mm	60 mm	25 mm	29 mm
Replicate B	31 mm	57 mm	63 mm	mm	mm
Replicate C	90 mm	54 mm	51 mm	60 mm	71 mm
Replicate D	23 mm	62 mm	55 mm	51 mm	89 mm
Replicate E	56 mm	37 mm	52 mm	62 mm	68 mm

Measure Root Weight:

Total mass of all roots from all seedlings

	Tin Tare Wt (mg)	Wet Wt (mg)	Dry Wt (mg)
Replicate A	993.48	1228.7	1004.85
Replicate B	1023.81	1069.6	1028.03
Replicate C	1009.45	1186.1	1020.67
Replicate D	1016.77	1170.6	1024.45
Replicate E	1020.40	1219.9	1028.05

Comments: _____

CETIS Test Summary

Report Date: 15 May-06 1:51 PM
 Test Link: 02-4923-3771/BG156601ps

Plant Chronic test CH2M Hill

Test No: 18-2151-9846	Test Type: Plant Chronic test	Duration: 33d 0h
Start Date: 05 Apr-06	Protocol: ASTM E1963-02 (2002)	Species: Poa sandbergii
Ending Date: 08 May-06	Dil Water:	Source:
Setup Date: 05 Apr-06 12:00 AM	Brine:	

Comments: BG1566-01

Sample No: 07-8112-4502	Code: B1566-01	Client:
Sample Date: 22 Mar-06	Material: Soil	Project:
Receive Date:	Source: Hanford	
Sample Age: 14d 0h	Station:	

Comments: J11JB8

Comparison Summary						
Analysis	Endpoint	NOEL	LOEL	ChV	PMSD	Method
05-1554-1035	% Germination	100	> 100	N/A	27.93%	Wilcoxon Rank Sum Two-Sample
00-9297-1693	AG Average Dry Wt.	100	> 100	N/A	28.98%	Equal Variance t Two-Sample
01-4184-2571	AG Average Height	< 100	100	N/A	26.44%	Equal Variance t Two-Sample
06-0316-2632	AG Average Wet Wt.	100	> 100	N/A	34.28%	Equal Variance t Two-Sample
08-1965-4440	Root Average Dry Wt.	100	> 100	N/A	35.48%	Equal Variance t Two-Sample
07-8046-6898	Root Average Length	< 100	100	N/A	24.73%	Equal Variance t Two-Sample
13-3311-8140	Root Average Wet Wt.	100	> 100	N/A	40.92%	Equal Variance t Two-Sample
19-0102-5163	Total Average Biomass Dry	100	> 100	N/A	29.78%	Equal Variance t Two-Sample
00-5708-4133	Total Average Biomass Wet	100	> 100	N/A	30.99%	Equal Variance t Two-Sample

CETIS Test Summary

Report Date:

15 May-08 1:51 PM

Test Link:

02-4923-3771/BG156601ps

% Germination Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	0.84000	0.60000	1.00000	0.09798	0.21909	26.08%
100		5	0.92000	0.60000	1.00000	0.08000	0.17889	19.44%
AG Average Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	4.96040	2.05668	6.26333	0.75679	1.69222	34.11%
100		5	3.67426	3.27800	4.15801	0.15767	0.35255	9.60%
AG Average Height Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	18.947	15.2	27	2.2136	4.9498	26.13%
100		5	12.853	9.6	18.667	1.535	3.4323	26.70%
AG Average Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	29.605	12.833	36.826	4.3456	9.717	32.82%
100		5	27.831	20.878	40.21	3.3027	7.385	26.54%
Root Average Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	1.61720	0.64667	2.06331	0.25857	0.57819	35.75%
100		5	1.85146	1.53000	2.27400	0.16841	0.37657	20.34%
Root Average Length Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	21.227	13.333	29	2.546	5.693	26.82%
100		5	12.293	9.6	16.667	1.2196	2.7271	22.18%
Root Average Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	36.878	13.317	46.99	6.1616	13.778	37.36%
100		5	33.714	15.53	47.044	5.2816	11.810	35.03%
Total Average Biomass Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	6.57761	2.70335	8.32666	1.00853	2.25514	34.29%
100		5	5.52573	4.81399	6.40199	0.30399	0.67973	12.30%
Total Average Biomass Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	66.484	26.150	82.77	10.452	23.370	35.15%
100		5	61.545	51.644	71.45	3.6797	8.2281	13.37%

Report Date:

15 May-06 1:51 PM

Test Link:

02-4923-3771/BG156601ps

CETIS Test Summary

% Germination Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	0.60000	1.00000	1.00000	0.60000	1.00000
100		1.00000	0.60000	1.00000	1.00000	1.00000
AG Average Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	2.05668	6.05200	5.26000	6.26333	5.17000
100		3.79600	3.38332	4.15801	3.27800	3.75599
AG Average Height Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	20.3333	16.8	15.2	27	15.4
100		11.8	18.6667	12.6	9.6	11.6
AG Average Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	12.8333	36.8260	31.748	35.78	30.84
100		24.406	40.21	25.64	20.8780	28.0200
Root Average Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	0.64667	1.92800	1.52800	2.06331	1.92001
100		2.27400	1.67334	2.24399	1.53599	1.53000
Root Average Length Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	13.3333	23.4	20	29	20.4
100		9.6	16.6667	13	11.2	11
Root Average Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	13.3167	45.2540	36.3420	46.99	42.488
100		47.044	15.53	35.33	30.766	39.9000
Total Average Biomass Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	2.70335	7.98000	6.78801	8.32666	7.09000
100		6.06999	5.05664	6.40199	4.81399	5.28601
Total Average Biomass Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	26.1500	82.0800	68.0900	82.77	73.328
100		71.45	55.74	60.97	51.644	67.92

CETIS Analysis Detail

Plant Chronic test						CH2M HILL
--------------------	--	--	--	--	--	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
% Germination	Comparison	02-4923-3771	02-4923-3771	15 May-06 1:51 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Wilcoxon Rank Sum Two-Sample	C > T	Rank		100	>100	1	N/A	27.93%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	Ties	Decision(0.05)
Artificial Soil/Sedl		100	30		0.6548	3	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.021087	0.021087	1	0.40	0.54474	Non-Significant Effect
Error	0.4217399	0.052717	8			
Total	0.44282693	0.0738045	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	1.50000	23.15450	0.70400	Equal Variances
Distribution	Shapiro-Wilk W	0.75864		0.00455	Non-normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	0.84000	0.60000	1.00000	0.21909	5.00000	2.00000	7.00000	2.73861
100		5	0.92000	0.60000	1.00000	0.17889	6.00000	2.00000	7.00000	2.23607



CETIS Analysis Detail

Plant Chronic test					CH2M Hill
--------------------	--	--	--	--	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Dry Wt.	Comparison	02-4923-3771	02-4923-3771	15 May-06 1:51 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	28.98%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	1.86375	1.85955	0.0674	1.4375	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	4.135365	4.135365	1	2.77	0.13473	Non-Significant Effect
Error	11.95166	1.493957	8			
Total	16.0870247	5.6293229	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	23.03905	23.15450	0.01009	Equal Variances
Distribution	Shapiro-Wilk W	0.80366		0.01606	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	4.96040	2.05668	6.26333	1.69222				
100		5	3.67426	3.27800	4.15801	0.35255				



CETIS Analysis Detail

Comparisons: Page 3 of 9
 Report Date: 15 May-06 1:51 PM
 Analysis: 01-4184-2571/BG156601ps

Plant Chronic test CH2M HILL

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Height	Comparison	02-4923-3771	02-4923-3771	15 May-06 1:51 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	26.44%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	2.26202	1.85955	0.0268	5.00918	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	92.82178	92.82178	1	5.12	0.05355	Non-Significant Effect
Error	145.1271	18.14089	8			
Total	237.948883	110.96267	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	2.07971	23.15450	0.49566	Equal Variances
Distribution	Shapiro-Wilk W	0.84655		0.05284	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	18.947	15.2	27	4.9498				
100		5	12.853	9.6	18.667	3.4323				



CETIS Analysis Detail

Plant Chronic test						CH2M Hill
--------------------	--	--	--	--	--	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Wet Wt.	Comparison	02-4923-3771	02-4923-3771	15 May-06 1:51 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	34.28%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	0.32514	1.85955	0.3767	10.1497	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	7.873582	7.873582	1	0.11	0.75342	Non-Significant Effect
Error	595.8298	74.47873	8			
Total	603.703416	82.352311	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	1.73128	23.15450	0.60798	Equal Variances
Distribution	Shapiro-Wilk W	0.96823		0.87396	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	29.605	12.833	36.826	9.717				
100		5	27.831	20.878	40.21	7.385				



CETIS Analysis Detail

Comparisons: Page 5 of 9
 Report Date: 15 May-06 1:51 PM
 Analysis: 08-1965-4440/BG156601ps


Plant Chronic test						CH2M HILL		
Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version			
Root Average Dry Wt.	Comparison	02-4923-3771	02-4923-3771	15 May-06 1:51 PM	CETISv1.1.2			
Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	35.48%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	-0.7592	1.85955	0.7652	0.57382	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.1372013	0.137201	1	0.58	0.46952	Non-Significant Effect
Error	1.904404	0.238051	8			
Total	2.04160514	0.3752518	9			

ANOVA Assumptions						
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)	
Variances	Variance Ratio F	2.35752	23.15450	0.42657	Equal Variances	
Distribution	Shapiro-Wilk W	0.86708		0.09240	Normal Distribution	

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	1.61720	0.64667	2.06331	0.57819				
100		5	1.85146	1.53000	2.27400	0.37657				



CETIS Analysis Detail

Plant Chronic test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Root Average Length	Comparison	02-4923-3771	02-4923-3771	15 May-06 1:51 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	24.73%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	3.16446	1.85955	0.0067	5.24954	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	199.5111	199.5111	1	10.01	0.01331	Significant Effect
Error	159.3884	19.92356	8			
Total	358.899551	219.43466	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	4.35804	23.15450	0.18299	Equal Variances
Distribution	Shapiro-Wilk W	0.94982		0.66638	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	21.227	13.333	29	5.693				
100		5	12.293	9.6	16.667	2.7271				



CETIS Analysis Detail

Plant Chronic test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Root Average Wet Wt.	Comparison	02-4923-3771	02-4923-3771	15 May-06 1:51 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	40.92%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	0.38989	1.85955	0.3534	15.0911	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	25.0295	25.0295	1	0.15	0.70679	Non-Significant Effect
Error	1317.221	164.6527	8			
Total	1342.25081	189.68216	9			

ANOVA Assumptions						
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)	
Variances	Variance Ratio F	1.36097	23.15450	0.77245	Equal Variances	
Distribution	Shapiro-Wilk W	0.87175		0.10478	Normal Distribution	

Data Summary		Original Data				Transformed Data				
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	36.878	13.317	46.99	13.778				
100		5	33.714	15.53	47.044	11.810				



CETIS Analysis Detail

Comparisons: Page 8 of 9
 Report Date: 15 May-06 1:51 PM
 Analysis: 19-0102-5163/BG156601ps

Plant Chronic test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Total Average Biomass Dry Wt.	Comparison	02-4923-3771	02-4923-3771	15 May-06 1:51 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	29.78%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi	100		0.99861	1.85955	0.1736	1.95875	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	2.766133	2.766133	1	1.00	0.34723	Non-Significant Effect
Error	22.19074	2.773843	8			
Total	24.9568751	5.5399754	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	11.00706	23.15450	0.03931	Equal Variances
Distribution	Shapiro-Wilk W	0.84038		0.04459	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	6.57761	2.70335	8.32666	2.25514				
100		5	5.52573	4.81399	6.40199	0.67973				



CETIS Analysis Detail

Plant Chronic test						CH2M Hill
--------------------	--	--	--	--	--	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Total Average Biomass Wet Wt.	Comparison	02-4923-3771	02-4923-3771	15 May-06 1:51 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	30.99%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	0.44572	1.85955	0.3338	20.6046	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	60.97949	60.97949	1	0.20	0.66761	Non-Significant Effect
Error	2455.527	306.9409	8			
Total	2516.50683	367.92041	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	8.06740	23.15450	0.06761	Equal Variances
Distribution	Shapiro-Wilk W	0.83722		0.04087	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	66.484	26.15	82.77	23.370				
100		5	61.545	51.644	71.45	8.2281				



BLUEGRASS GROWTH TEST

Client: Washington Closure Hanford Project

Test Start Date: 4-5-06

Initiator: NT Day 0 12 Day 12 3 Day 14 NT Day 16 10 Day 19 NT Day 21 NO Day 23 10 Day 26 2 Day 33 15

Blossay Lab ID: PM 861566-02 Sample No: J11B7

CONC.	REPLICATE	# seeds germinated								pH	
		Emergence						7-DAYS POST-EMERGENCE (26 days after planting)	14-DAYS POST-EMERGENCE (33 days after planting)	INITIAL (@ planting)	FINAL (@ 14 days Post-Emergence)
		12 days after planting	14 days after planting	16 days after planting	19 days after planting	21 days after planting	23 days after planting				
Control	A	6	7	7	7	7	7	7→5	5	6.2	7.6
	B	4	5	5	5	5	3	5	5		
	C	2	4	4	7	8	9	9→5	5		
	D	8	8	9	10	11	11	10→5	5		
	E	6	6	6	6	6	4	6→5	5		

7-Days Post-Emergence: Selectively thin down to 5 Seedlings (leave the 5 tallest seedlings). Describe shoot appearance: * 10 Bluegrass + 1 Broadleaf

Replicate A: 5 Lg G removed: 1 med G, 1 med w/brown, broadleaf seedling
 Replicate B: 5 Lg G removed: broadleaf
 Replicate C: 2 Lg G, 2 med med G, 1 sm G removed: 4 sm G, broadleaf
 Replicate D: 5 Lg G removed: 2 Lg G, 3 med G, broadleaf
 Replicate E: 5 Lg G removed: 1 med G

Appearance Code: Good (G) = deep green color with no brown. Brown (B) = brown color noted. # Lg = # of large plants (tallest, 6+ shoots), # Med = # of plants (smaller than large, fewer shoots), # Sm = # small plants (1-3 shoots)

14-Days Post-Emergence: Describe shoot appearance:

Replicate A: 3 Lg G, 1 Lg G w/1B tip, 1 Lg G w/1B shoot
 Replicate B: 2 Lg G, 2 Lg G w/1B tip each, 1 med G w/1B shoot
 Replicate C: 2 med G, 1 med G w/1B shoot, 2 Sm G
 Replicate D: 1 Lg G, 2 Lg G w/1B tip each, 2 Lg G w/1B shoot each
 Replicate E: _____

Measure Shoot Height: Individual height of each seedling (above ground)

	1st Seedling	2nd Seedling	3rd Seedling	4th Seedling	5th Seedling
Replicate A	69 mm	52 mm	61 mm	80 mm	58 mm
Replicate B	67 mm	58 mm	33 mm	43 mm	43 mm
Replicate C	40 mm	49 mm	15 mm	31 mm	52 mm
Replicate D	70 mm	56 mm	77 mm	59 mm	55 mm
Replicate E	81 mm	43 mm	49 mm	62 mm	39 mm

Measure Shoot Weight: Total mass of all seedlings (above ground)

	Tin Tare Wt (mg)	Wet Wt (mg)	Dry Wt (mg)
Replicate A	981.78	1094.1	1001.49
Replicate B	1034.81	1115.6	1047.85
Replicate C	996.47	1112.0	1003.22
Replicate D	988.56	1112.0	1008.62
Replicate E	988.94	1073.4	1006.12

Describe root appearance:

Replicate A: _____
 Replicate B: _____
 Replicate C: _____
 Replicate D: _____
 Replicate E: _____

Measure Root Length: Individual length of the longest root from each seedling

	1st Seedling	2nd Seedling	3rd Seedling	4th Seedling	5th Seedling
Replicate A	54 mm	39 mm	63 mm	64 mm	77 mm
Replicate B	55 mm	66 mm	39 mm	37 mm	79 mm
Replicate C	54 mm	31 mm	52 mm	63 mm	47 mm
Replicate D	64 mm	67 mm	72 mm	59 mm	66 mm
Replicate E	54 mm	71 mm	73 mm	89 mm	38 mm

Measure Root Weight: Total mass of all roots from all seedlings

	Tin Tare Wt (mg)	Wet Wt (mg)	Dry Wt (mg)
Replicate A	985.82	1169.3	995.24
Replicate B	1034.96	1144.4	1040.44
Replicate C	1001.76	1055.7	1005.03
Replicate D	1026.16	1235.0	1034.75
Replicate E	1016.36	1173.0	1023.77

Comments: _____

CETIS Test Summary

 Report Date: 15 May-06 1:56 PM
 Test Link: 05-4012-6287/BG156602ps

Plant Chronic test		CH2M HILL				
Test No:	12-2756-8859	Test Type:	Plant Chronic test	Duration:	33d 0h	
Start Date:	05 Apr-06	Protocol:	ASTM E1963-02 (2002)	Species:	Poa sandbergii	
Ending Date:	08 May-06	Dil Water:		Source:		
Setup Date:	05 Apr-06 12:00 AM	Brine:				
Comments:	BG1566-02					
Sample No:	06-7557-8523	Code:	B1566-02	Client:		
Sample Date:	27 Mar-06	Material:	Soil	Project:		
Receive Date:		Source:	Hanford			
Sample Age:	9d 0h	Station:				
Comments:	J11JB7					
Comparison Summary						
Analysis	Endpoint	NOEL	LOEL	ChV	PMSD	Method
07-3049-9835	% Germination	100	> 100	N/A	20.96%	Equal Variance t Two-Sample
01-6840-9449	AG Average Dry Wt.	< 100	100	N/A	33.96%	Equal Variance t Two-Sample
04-1817-3375	AG Average Height	< 100	100	N/A	23.91%	Equal Variance t Two-Sample
06-1778-4905	AG Average Wet Wt.	< 100	100	N/A	32.62%	Equal Variance t Two-Sample
10-9034-6985	Root Average Dry Wt.	100	> 100	N/A	39.19%	Equal Variance t Two-Sample
10-5846-0601	Root Average Length	< 100	100	N/A	23.34%	Equal Variance t Two-Sample
07-1319-0997	Root Average Wet Wt.	100	> 100	N/A	41.70%	Equal Variance t Two-Sample
06-9688-5993	Total Average Biomass Dry	100	> 100	N/A	34.99%	Equal Variance t Two-Sample
10-6936-9311	Total Average Biomass Wet	100	> 100	N/A	37.41%	Equal Variance t Two-Sample

CETIS Test Summary

Report Date:

15 May-06 1:56 PM

Test Link:

05-4012-6287/BG156602ps

% Germination Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	0.84000	0.60000	1.00000	0.09798	0.21909	26.08%
100		5	1.00000	1.00000	1.00000	0.00000	0.00000	0.00%
AG Average Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	4.96040	2.05668	6.26333	0.75679	1.69222	34.11%
100		5	3.06959	1.35000	4.01200	0.49767	1.11283	36.25%
AG Average Height Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	18.947	15.2	27	2.2136	4.9498	26.13%
100		5	10.76	7.4	13	1.0167	2.2733	21.13%
AG Average Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	29.605	12.833	36.826	4.3456	9.717	32.82%
100		5	18.574	8.6660	24.688	2.8451	6.3618	34.25%
Root Average Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	1.61720	0.64667	2.06331	0.25857	0.57819	35.75%
100		5	1.36680	0.65400	1.88400	0.22198	0.49637	36.32%
Root Average Length Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	21.227	13.333	29	2.548	5.693	26.82%
100		5	12.12	9	13.2	0.7864	1.7584	14.51%
Root Average Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	36.878	13.317	46.99	6.1616	13.778	37.36%
100		5	28.494	10.788	41.768	5.5165	12.335	43.29%
Total Average Biomass Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	6.57761	2.70335	8.32666	1.00853	2.25514	34.29%
100		5	4.43639	2.00400	5.82599	0.71726	1.60385	36.15%
Total Average Biomass Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	66.484	26.150	82.77	10.452	23.370	35.15%
100		5	47.067	19.454	66.456	8.3444	18.659	39.64%

CETIS Test Summary

Report Date:

15 May-06 1:56 PM

Test Link:

05-4012-6287/BG156602ps

% Germination Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	0.60000	1.00000	1.00000	0.60000	1.00000
100		1.00000	1.00000	1.00000	1.00000	1.00000
AG Average Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	2.05668	6.05200	5.26000	6.26333	5.17000
100		3.94199	2.60798	1.35000	4.01200	3.43800
AG Average Height Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	20.3333	16.8	15.2	27	15.4
100		13	9.8	7.4	12.6	11
AG Average Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	12.8333	36.8260	31.748	35.78	30.84
100		22.464	16.158	8.66602	24.888	20.8920
Root Average Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	0.64667	1.92800	1.52800	2.06331	1.92001
100		1.88400	1.09600	0.65400	1.71799	1.48201
Root Average Length Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	13.3333	23.4	20	29	20.4
100		13	12.6	9	13.2	12.8
Root Average Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	13.3167	45.2540	36.3420	46.99	42.488
100		36.6960	21.8880	10.788	41.788	31.3280
Total Average Biomass Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	2.70335	7.98000	6.78801	8.32666	7.09000
100		5.82599	3.70398	2.00400	5.73000	4.91799
Total Average Biomass Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	26.1500	82.0800	68.0900	82.77	73.328
100		59.16	38.046	19.4540	66.456	52.22

CETIS Analysis Detail

Plant Chronic test						CH2M Hill
--------------------	--	--	--	--	--	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
% Germination	Comparison	05-4012-6287	05-4012-6287	15 May-06 1:55 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Angular (Corrected)		100	>100	1	N/A	20.96%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	-1.633	1.85955	0.9294	0.20917	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.084348	0.084348	1	2.67	0.14111	Non-Significant Effect
Error	0.2530439	0.031630	8			
Total	0.33739194	0.1159785	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Modified Levene	4.80000	11.25862	0.05984	Equal Variances
Distribution	Shapiro-Wilk W	0.81415		0.02153	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	0.84000	0.60000	1.00000	0.21909	1.16160	0.88608	1.34528	0.25152
100		5	1.00000	1.00000	1.00000	0.00000	1.34528	1.34528	1.34528	0.00020



CETIS Analysis Detail

Plant Chronic test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Dry Wt.	Comparison	05-4012-6287	05-4012-6287	15 May-06 1:55 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	33.96%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	2.08754	1.85955	0.0351	1.68430	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	8.937865	8.937865	1	4.36	0.07029	Non-Significant Effect
Error	16.40803	2.051004	8			
Total	25.3458948	10.988869	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	2.31238	23.15450	0.43679	Equal Variances
Distribution	Shapiro-Wilk W	0.84486		0.05044	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	4.96040	2.05668	6.26333	1.69222				
100		5	3.06959	1.35000	4.01200	1.11283				



CETIS Analysis Detail

Comparisons: Page 3 of 9
 Report Date: 15 May-06 1:56 PM
 Analysis: 04-1817-3375/BG156602ps

Plant Chronic test CH2M HILL

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Height	Comparison	05-4012-6287	05-4012-6287	15 May-06 1:55 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	23.91%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	3.36079	1.85955	0.0050	4.52974	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	167.5538	167.5538	1	11.29	0.00992	Significant Effect
Error	118.6756	14.83444	8			
Total	286.229324	182.38822	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	4.74088	23.15450	0.16091	Equal Variances
Distribution	Shapiro-Wilk W	0.88878		0.16420	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	18.947	15.2	27	4.9498				
100		5	10.760	7.4	13	2.2733				



CETIS Analysis Detail

Plant Chronic test	CH2M Hill
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Wet Wt.	Comparison	05-4012-6287	05-4012-6287	15 May-06 1:55 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	32.62%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	2.12393	1.85955	0.0332	9.65866	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	304.255	304.255	1	4.51	0.06642	Non-Significant Effect
Error	539.5712	67.4464	8			
Total	843.826233	371.70141	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	2.33292	23.15450	0.43209	Equal Variances
Distribution	Shapiro-Wilk W	0.83430		0.03769	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	29.605	12.833	36.826	9.717				
100		5	18.574	8.6660	24.688	6.3618				



CETIS Analysis Detail

Plant Chronic test						CH2M Hill
--------------------	--	--	--	--	--	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Root Average Dry Wt.	Comparison	05-4012-6287	05-4012-6287	15 May-06 1:55 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	39.19%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	0.73477	1.85955	0.2417	0.63371	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.1567499	0.15675	1	0.54	0.48346	Non-Significant Effect
Error	2.322712	0.290339	8			
Total	2.47946206	0.4470889	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	1.35685	23.15450	0.77462	Equal Variances
Distribution	Shapiro-Wilk W	0.87393		0.11105	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	1.61720	0.64667	2.06331	0.57819				
100		5	1.36680	0.65400	1.88400	0.49637				



CETIS Analysis Detail

Plant Chronic test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Root Average Length	Comparison	05-4012-6287	05-4012-6287	15 May-06 1:56 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	23.34%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sed		100	3.41756	1.85955	0.0046	4.95507	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	207.3284	207.3284	1	11.68	0.00912	Significant Effect
Error	142.0089	17.75111	8			
Total	349.337341	225.07956	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	10.48196	23.15450	0.04287	Equal Variances
Distribution	Shapiro-Wilk W	0.92184		0.37254	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	21.227	13.333	29	5.693				
100		5	12.120	9	13.2	1.7584				



CETIS Analysis Detail

Plant Chronic test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Total Average Biomass Dry Wt.	Comparison	05-4012-6287	05-4012-6287	15 May-06 1:56 PM	CETISv1.1.2

Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	34.99%



Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedl		100	1.73017	1.85955	0.0609	2.30133	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	11.46197	11.46197	1	2.99	0.12185	Non-Significant Effect
Error	30.6319	3.828987	8			
Total	42.0938644	15.290956	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	1.97707	23.15450	0.52538	Equal Variances
Distribution	Shapiro-Wilk W	0.84141		0.04587	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	6.57761	2.70335	8.32666	2.25514				
100		5	4.43639	2.00400	5.82599	1.60385				

Graphics



CETIS Analysis Detail

Comparisons: Page 9 of 9
 Report Date: 15 May-08 1:58 PM
 Analysis: 10-6936-9311/BG156602ps

Plant Chronic test						CH2M HILL
--------------------	--	--	--	--	--	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Total Average Biomass Wet Wt.	Comparison	05-4012-6287	05-4012-6287	15 May-06 1:56 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	37.41%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	1.4518	1.85955	0.0923	24.8697	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	942.4918	942.4918	1	2.11	0.18462	Non-Significant Effect
Error	3577.302	447.1627	8			
Total	4519.79327	1389.6544	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	1.56883	23.15450	0.67328	Equal Variances
Distribution	Shapiro-Wilk W	0.85602		0.06847	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	66.484	26.15	82.77	23.370				
100		5	47.067	19.454	66.456	18.659				



BLUEGRASS GROWTH TEST

Client: Washington Closure Hanford Project

Test Start Date: 4-5-00

Initial: W Day 0 W Day 12 B Day 14 NS Day 16 P Day 18 NJ Day 21 NT Day 23 W Day 26 W Day 33 BN

Bioassay Lab ID: BNR61566-03 Sample No: 511JH5

CONC.	REPLICATE	# seeds germinated							pH		
		Emergence							INITIAL (@ planting)	FINAL (@ 14 days Post-Emergence)	
		12 days after planting	14 days after planting	16 days after planting	18 days after planting	21 days after planting	23 days after planting	7-DAYS POST-EMERGENCE (26 days after planting)	14-DAYS POST-EMERGENCE (33 days after planting)		
Control	A	4	6	6	6	6	6	6→5	5	6.3	7.4
	B	4	5	4.5	7	6	6	7→5	5		
	C	7	10	10	11	12	12	11→5	5		
	D	1	1	1	1	1	1	1	1		
	E	3	3	4	6	6	6	5	5		

7-Days Post-Emergence: Selectively thin down to 5 Seedlings (leave the 5 tallest seedlings). Describe shoot appearance:

Replicate A: 5 Lg G; remainder: 1 Lg G
 Replicate B: 1 Lg G, 3 md G, 1 sm G; removed: 2 sm G
 Replicate C: 4 Lg G, 1 md G; remainder: 2 md G, 4 sm G + 1 non-germinated seedling
 Replicate D: 1 Lg G
 Replicate E: 2 Lg G, 2 md G, 1 sm G

Appearance Code: Good (G) = deep green color with no brown, Brown (B) = brown color noted, # Lg = # of large plants (tallest, 6+ shoots), # Med = # of plants (smaller than large, fewer shoots), # Sm = # small plants (1-3 shoots)

14-Days Post-Emergence: Describe shoot appearance:

Replicate A: 2 Lg G, 1 Lg G w/ 1 B shoot, 2 md G
 Replicate B: 2 Lg G w/ 1 B top each, 2 md G, 1 sm G
 Replicate C: 4 Lg G, 1 md G w/ 1 B tip
 Replicate D: 1 Lg w/ 2 B tips
 Replicate E: 2 Lg G, 1 md G, 1 md G w/ 1 B shoot, 1 sm G

Measure Shoot Height:

Individual height of each seedling (above ground)

	1st Seedling	2nd Seedling	3rd Seedling	4th Seedling	5th Seedling
Replicate A	49 mm	51 mm	77 mm	51 mm	87 mm
Replicate B	67 mm	48 mm	34 mm	47 mm	59 mm
Replicate C	90 mm	85 mm	56 mm	97 mm	38 mm
Replicate D	83 mm	mm	mm	mm	mm
Replicate E	26 mm	67 mm	45 mm	26 mm	41 mm

Measure Shoot Weight:

Total mass of all seedlings (above ground)

	Tin Tare Wt. (mg)	Wet Wt. (mg)	Dry Wt. (mg)
Replicate A	1033.26	1133.8	1049.56
Replicate B	995.50	1051.3	1006.14
Replicate C	989.87	1132.0	1014.39
Replicate D	980.24	1023.3	988.75
Replicate E	973.52	1050.4	985.73

Describe root appearance:

Replicate A: _____
 Replicate B: _____
 Replicate C: _____
 Replicate D: _____
 Replicate E: _____

Measure Root Length:

Individual length of the longest root from each seedling

	1st Seedling	2nd Seedling	3rd Seedling	4th Seedling	5th Seedling
Replicate A	67 mm	49 mm	48 mm	68 mm	63 mm
Replicate B	10 mm	60 mm	51 mm	46 mm	40 mm
Replicate C	52 mm	63 mm	83 mm	66 mm	78 mm
Replicate D	73 mm	mm	mm	mm	mm
Replicate E	19 mm	63 mm	16 mm	31 mm	107 mm

Measure Root Weight:

Total mass of all roots from all seedlings

	Tin Tare Wt. (mg)	Wet Wt. (mg)	Dry Wt. (mg)
Replicate A	1016.26	1121.9	1022.22
Replicate B	1000.48	1058.2	1005.27
Replicate C	996.43	1194.2	1013.65
Replicate D	997.30	1067.9	1000.75
Replicate E	995.90	1028.7	1001.64

Comments:

CETIS Test Summary

 Report Date: 15 May-06 2:01 PM
 Test Link: 11-7211-8663/BG156603ps

Plant Chronic test		CH2M HILL				
Test No: 06-9018-7681	Test Type: Plant Chronic test	Duration: 33d 0h				
Start Date: 05 Apr-06	Protocol: ASTM E1963-02 (2002)	Species: Poa sandbergii				
Ending Date: 08 May-06	Dil Water:	Source:				
Setup Date: 05 Apr-06 12:00 AM	Brine:					
Comments: BG1566-03						
Sample No: 03-3130-8104	Code: B1566-03	Client:				
Sample Date: 30 Mar-06	Material: Soil	Project:				
Receive Date:	Source: Hanford					
Sample Age: 6d 0h	Station:					
Comments: J11JH5						
Comparison Summary						
Analysis	Endpoint	NOEL	LOEL	ChV	PMSD	Method
15-4902-9508	% Germination	100	> 100	N/A	41.99%	Wilcoxon Rank Sum Two-Sample
03-4255-8269	AG Average Dry Wt.	100	> 100	N/A	52.20%	Equal Variance t Two-Sample
16-2999-4225	AG Average Height	100	> 100	N/A	142.17%	Wilcoxon Rank Sum Two-Sample
14-3415-6893	AG Average Wet Wt.	100	> 100	N/A	44.73%	Equal Variance t Two-Sample
09-0554-6174	Root Average Dry Wt.	100	> 100	N/A	72.74%	Equal Variance t Two-Sample
15-4360-3201	Root Average Length	100	> 100	N/A	111.83%	Wilcoxon Rank Sum Two-Sample
07-7960-4753	Root Average Wet Wt.	100	> 100	N/A	62.15%	Equal Variance t Two-Sample
04-4976-7362	Total Average Biomass Dry	100	> 100	N/A	55.73%	Equal Variance t Two-Sample
01-2756-4511	Total Average Biomass Wet	100	> 100	N/A	54.13%	Equal Variance t Two-Sample

Report Date:

15 May-06 2:01 PM

CETIS Test Summary

Test Link:

11-7211-8663/BG156603ps

% Germination Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	0.84000	0.50000	1.00000	0.09798	0.21909	26.08%
100		5	0.84000	0.20000	1.00000	0.16000	0.35777	42.59%
AG Average Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	4.96040	2.05668	6.26333	0.75679	1.69222	34.11%
100		5	4.24840	2.12800	8.51001	1.16886	2.61365	61.52%
AG Average Height Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	18.947	15.2	27	2.2136	4.9498	26.13%
100		5	25.88	8.6	83	14.315	32.009	123.68
AG Average Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	29.605	12.833	36.826	4.3456	9.717	32.82%
100		5	23.626	11.160	43.06	5.6416	12.615	53.39%
Root Average Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	1.61720	0.64667	2.06331	0.25857	0.57819	35.75%
100		5	2.03640	0.94800	3.45001	0.57735	1.29098	63.40%
Root Average Length Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	21.227	13.333	29	2.546	5.693	26.82%
100		5	23.2	8.2	73	12.485	27.918	120.34
Root Average Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	36.878	13.317	46.99	6.1616	13.778	37.36%
100		5	32.477	11.544	70.600	10.675	23.871	73.50%
Total Average Biomass Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	6.5776	2.7033	8.3267	1.0085	2.2551	34.29%
100		5	6.2848	3.0760	11.960	1.6937	3.7873	60.26%
Total Average Biomass Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	66.484	26.150	82.77	10.452	23.370	35.15%
100		5	56.103	22.704	113.66	16.289	36.423	64.92%

CETIS Test Summary

 Report Date: 15 May-06 2:01 PM
 Test Link: 11-7211-8663/BG156603ps

% Germ Ination Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	0.60000	1.00000	1.00000	0.80000	1.00000
100		1.00000	1.00000	1.00000	0.20000	1.00000
AG Average Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	2.05668	6.05200	5.26000	6.26333	5.17000
100		3.26001	2.12800	4.90200	8.51001	2.44199
AG Average Height Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	20.3333	16.8	15.2	27	15.4
100		12.6	8.6	14.6	83	10.6
AG Average Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	12.8333	36.8260	31.748	35.78	30.84
100		20.1080	11.1600	28.4260	43.06	15.3760
Root Average Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	0.64667	1.92800	1.52800	2.06331	1.92001
100		1.19199	0.94800	3.44401	3.45001	1.14800
Root Average Length Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	13.3333	23.4	20	29	20.4
100		11.8	8.2	13.6	73	9.4
Root Average Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	13.3167	45.2540	36.3420	46.99	42.488
100		21.1280	11.544	40.554	70.8000	18.56
Total Average Biomass Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	2.70335	7.96000	6.78801	8.32666	7.09000
100		4.45200	3.07600	8.34601	11.9600	3.58999
Total Average Biomass Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	26.1500	82.0800	68.0900	82.77	73.328
100		41.2360	22.7040	68.98	113.66	33.936

CETIS Analysis Detail

Comparisons: Page 1 of 9
 Report Date: 15 May-06 2:01 PM
 Analysis: 15-4902-9508/BG156603ps

Plant Chronic test	CH2M Hill
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
% Germination	Comparison	11-7211-8663	11-7211-8663	15 May-06 2:01 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Wilcoxon Rank Sum Two-Sample	C > T	Rank		100	>100	1	N/A	41.99%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	Ties	Decision(0.05)
Artificial Soil/Sedl		100	29		0.5794	3	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.0001352	0.000135	1	0.00	0.97281	Non-Significant Effect
Error	0.8748686	0.109359	8			
Total	0.87500388	0.1094938	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	2.45738	23.15450	0.40516	Equal Variances
Distribution	Shapiro-Wilk W	0.65938		0.00028	Non-normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	0.84000	0.60000	1.00000	0.21909	5.20000	2.50000	7.00000	2.46475
100		5	0.84000	0.20000	1.00000	0.35777	5.80000	1.00000	7.00000	2.68328



CETIS Analysis Detail

Comparisons: Page 2 of 9
 Report Date: 15 May-06 2:01 PM
 Analysis: 03-4255-8269/BG156603ps

Plant Chronic test	CH2M HILL
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Dry Wt.	Comparison	11-7211-8663	11-7211-8663	15 May-06 2:01 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	52.20%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	0.51132	1.85955	0.3115	2.58935	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	1.26735	1.26735	1	0.26	0.62294	Non-Significant Effect
Error	38.7791	4.847388	8			
Total	40.0464520	6.1147375	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	2.38550	23.15450	0.42040	Equal Variances
Distribution	Shapiro-Wilk W	0.94807		0.64572	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	4.96040	2.05668	6.26333	1.69222				
100		5	4.24840	2.12800	8.51001	2.61365				



CETIS Analysis Detail

Comparisons: Page 3 of 9
 Report Date: 15 May-06 2:01 PM
 Analysis: 16-2999-4225/BG156603ps

Plant Chronic test					CH2M HILL
--------------------	--	--	--	--	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Height	Comparison	11-7211-8663	11-7211-8663	15 May-06 2:01 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Wilcoxon Rank Sum Two-Sample	C > T	Rank		100	>100	1	N/A	142.17%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	Ties	Decision(0.05)
Artificial Soil/Sedi		100	20		0.0754	0	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	120.1778	120.1778	1	0.23	0.64499	Non-Significant Effect
Error	4196.372	524.5464	8			
Total	4316.54936	644.72423	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	41.81857	23.15450	0.00322	Unequal Variances
Distribution	Shapiro-Wilk W	0.71129		0.00121	Non-normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	18.947	15.2	27	4.9498	7.00000	5.00000	9.00000	1.58114
100		5	25.880	8.6	83	32.009	4.00000	1.00000	10.0000	3.53553



CETIS Analysis Detail

Plant Chronic test	CH2M Hill
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Wet Wt.	Comparison	11-7211-8663	11-7211-8663	15 May-06 2:01 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	44.73%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	0.83967	1.85955	0.2127	13.2423	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	89.38481	89.38481	1	0.71	0.42548	Non-Significant Effect
Error	1014.24	126.78	8			
Total	1103.6245	216.16477	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	1.68545	23.15450	0.62545	Equal Variances
Distribution	Shapiro-Wilk W	0.97199		0.90865	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	29.605	12.833	36.826	9.717				
100		5	23.626	11.160	43.06	12.615				



CETIS Analysis Detail

Plant Chronic test						CH2M Hill
--------------------	--	--	--	--	--	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Root Average Dry Wt.	Comparison	11-7211-8663	11-7211-8663	15 May-06 2:01 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	72.74%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	-0.6627	1.85955	0.7369	1.17636	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.4393268	0.439327	1	0.44	0.52617	Non-Significant Effect
Error	8.003755	1.000469	8			
Total	8.44308144	1.4397961	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	4.98547	23.15450	0.14882	Equal Variances
Distribution	Shapiro-Wilk W	0.88496		0.14871	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	1.61720	0.64667	2.06331	0.57819				
100		5	2.03640	0.94800	3.45001	1.29098				



CETIS Analysis Detail

Comparisons: Page 6 of 9
 Report Date: 15 May-06 2:01 PM
 Analysis: 15-4360-3201/BG156603ps

Plant Chronic test	CH2M Hill
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Root Average Length	Comparison	11-7211-8663	11-7211-8663	15 May-06 2:01 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Wilcoxon Rank Sum Two-Sample	C > T	Rank		100	>100	1	N/A	111.63%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	Ties	Decision(0.05)
Artificial Soil/Sedi		100	21		0.1111	0	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	9.735111	9.735111	1	0.02	0.88076	Non-Significant Effect
Error	3247.241	405.9051	8			
Total	3256.97608	415.64023	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	24.04797	23.15450	0.00931	Unequal Variances
Distribution	Shapiro-Wilk W	0.72521		0.00178	Non-normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	21.227	13.333	29	5.693	6.80000	4.00000	9.00000	1.92354
100		5	23.2	8.2	73	27.918	4.20000	1.00000	10.00000	3.56371



CETIS Analysis Detail

Comparisons: Page 8 of 9
 Report Date: 15 May-06 2:01 PM
 Analysis: 04-4978-7362/BG156603ps

Plant Chronic test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Total Average Biomass Dry Wt.	Comparison	11-7211-8663	11-7211-8663	15 May-06 2:01 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	55.73%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	0.14854	1.85955	0.4428	3.66564	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.2143312	0.214331	1	0.02	0.88560	Non-Significant Effect
Error	77.71687	9.714608	8			
Total	77.9311967	9.9289394	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	2.82040	23.15450	0.33935	Equal Variances
Distribution	Shapiro-Wilk W	0.94597		0.62111	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	6.57781	2.70335	8.32666	2.25514				
100		5	6.28480	3.07600	11.9600	3.78729				



CETIS Analysis Detail

Plant Chronic test	CH2M Hill
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Total Average Biomass Wet Wt.	Comparison	11-7211-8663	11-7211-8663	15 May-06 2:01 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	54.13%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	0.53636	1.85955	0.3032	35.989	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	269.3819	269.3819	1	0.29	0.60630	Non-Significant Effect
Error	7491.238	936.4048	8			
Total	7760.62021	1205.7867	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	2.42893	23.15450	0.41109	Equal Variances
Distribution	Shapiro-Wilk W	0.94678		0.63064	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	66.484	26.15	82.77	23.370				
100		5	58.103	22.704	113.66	36.423				



BLUEGRASS GROWTH TEST

Client: Washington Closure Hanford Project

Test Start Date: 4-5-06

Day 0 NT Day 12 NT Day 15 NT Day 16 NT Day 18 NT Day 21 NT Day 23 NT Day 26 NT Day 33 NT

Bioassay Lab ID: BN861506-04 Sample No: J11JH8

CONC.	REPLICATE	# seeds germinated						pH			
		Emergence						7-DAYS POST-EMERGENCE (26 days after planting)	14-DAYS POST-EMERGENCE (33 days after planting)	INITIAL (@ planting)	FINAL (@ 14 days Post-Emergence)
		12 days after planting	14 days after planting	16 days after planting	19 days after planting	21 days after planting	23 days after planting				
Control	A	4	6	6	7	7	7	7-25	5	6.3	7.7
	B	2	4	4	6	7	7	6-25	5		
	C	5	7	7	7	7	7	7-25	5		
	D	6	6	6	6	6	6	6-25	5		
	E	7	8	9	9	10	10	10-25	5		

7-Days Post-Emergence: Selectively thin down to 5 Seedlings (leave the 5 tallest seedlings). Describe shoot appearance:

Replicate A: 5 Lg G, 1 med G, 1 sm G removed
 Replicate B: 1 Lg G, 4 med G, 1 sm G removed
 Replicate C: 5 Lg G, Removed: 2 med G
 Replicate D: 3 Lg G, 2 med G, Removed: 1 med G
 Replicate E: 5 Lg G, Removed: 1 Lg, 3 med, 1 sm G

Appearance Code: Good (G) = deep green color with no brown, Brown (B) = brown color noted. # Lg = # of large plants (tallest, 6+ shoots), # Med = # of plants (smaller than large, fewer shoots), # Sm = # small plants (1-3 shoots)

14-Days Post-Emergence: Describe shoot appearance:

Replicate A: 4 Lg G, 1 Lg G w/ 1 B tip
 Replicate B: 1 Lg G, 2 med G, 1 Sm G, 1 Sm G w/ 1 B shoot
 Replicate C: 3 Lg G, 2 Lg G w/ 1 B tip each
 Replicate D: 1 Lg G, 2 Lg G w/ 1 B tip each, 2 Sm - 1 G / 1 G w/ 2 B shoots
 Replicate E: 4 Lg G, 1 Lg G w/ 1 B tip

Measure Shoot Height:

Individual height of each seedling (above ground)

	1st Seedling	2nd Seedling	3rd Seedling	4th Seedling	5th Seedling
Replicate A	64 mm	74 mm	55 mm	64 mm	55 mm
Replicate B	55 mm	83 mm	74 mm	44 mm	24 mm
Replicate C	95 mm	71 mm	53 mm	74 mm	74 mm
Replicate D	95 mm	60 mm	78 mm	53 mm	32 mm
Replicate E	100 mm	90 mm	72 mm	75 mm	68 mm

Measure Shoot Weight:

Total mass of all seedlings (above ground)

	Tin Tare Wt (mg)	Wet Wt (mg)	Dry Wt (mg)
Replicate A	1019.94	1139.6	1040.64
Replicate B	1010.34	1062.1	1016.20 1016.20
Replicate C	1010.95	1160.5	1034.42
Replicate D	985.24	1112.5	1006.14
Replicate E	992.61	1166.4	1020.46

Describe root appearance:

Replicate A: _____
 Replicate B: _____
 Replicate C: _____
 Replicate D: _____
 Replicate E: _____

Measure Root Length:

Individual length of the longest root from each seedling

	1st Seedling	2nd Seedling	3rd Seedling	4th Seedling	5th Seedling
Replicate A	47 mm	67 mm	65 mm	67 mm	41 mm
Replicate B	15 mm	25 mm	28 mm	53 mm	52 mm
Replicate C	67 mm	56 mm	68 mm	49 mm	55 mm
Replicate D	92 mm	24 mm	74 mm	42 mm	82 mm
Replicate E	71 mm	64 mm	58 mm	58 mm	73 mm

Measure Root Weight:

Total mass of all roots from all seedlings

	Tin Tare Wt (mg)	Wet Wt (mg)	Dry Wt (mg)
Replicate A	1000.61	1164.2	1008.50
Replicate B	1020.23	1042.8	1021.95
Replicate C	1025.29	1223.0	1034.51
Replicate D	1010.78	1153.6	1018.08
Replicate E	1004.15 1039.98	1284.4	1054.10

Comments:

CETIS Test Summary

 Report Date: 15 May-06 2:09 PM
 Test Link: 09-5382-7322/BG156604ps

Plant Chronic test		CH2M Hill				
Test No: 20-3747-5618	Test Type: Plant Chronic test	Duration: 33d 0h				
Start Date: 05 Apr-06	Protocol: ASTM E1963-02 (2002)	Species: Poa sandbergii				
Ending Date: 08 May-06	Dil Water:	Source:				
Setup Date: 05 Apr-06 12:00 AM	Brine:					
Comments: BG1566-04						
Sample No: 11-8681-3426	Code: B1566-04	Client:				
Sample Date: 04 Apr-06	Material: Soil	Project:				
Receive Date:	Source: Hanford					
Sample Age: 24h	Station:					
Comments: J11JH8						
Comparison Summary						
Analysis	Endpoint	NOEL	LOEL	ChV	PMSD	Method
10-4296-6091	% Germination	100	> 100	N/A	20.96%	Equal Variance t Two-Sample
06-5675-2370	AG Average Dry Wt.	100	> 100	N/A	39.71%	Wilcoxon Rank Sum Two-Sample
18-8985-8305	AG Average Height	< 100	100	N/A	24.83%	Equal Variance t Two-Sample
09-3523-9846	AG Average Wet Wt.	100	> 100	N/A	37.50%	Equal Variance t Two-Sample
11-7626-6043	Root Average Dry Wt.	100	> 100	N/A	54.49%	Equal Variance t Two-Sample
04-8151-0611	Root Average Length	< 100	100	N/A	24.22%	Equal Variance t Two-Sample
09-2915-6004	Root Average Wet Wt.	100	> 100	N/A	48.66%	Equal Variance t Two-Sample
14-6818-4113	Total Average Biomass Dry	100	> 100	N/A	42.74%	Equal Variance t Two-Sample
08-0482-5495	Total Average Biomass Wet	100	> 100	N/A	43.45%	Equal Variance t Two-Sample

CETIS Test Summary

% Germination Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	0.84000	0.60000	1.00000	0.09798	0.21909	26.08%
100		5	1.00000	1.00000	1.00000	0.00000	0.00000	0.00%
AG Average Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	4.96040	2.05668	6.26333	0.75679	1.69222	34.11%
100		5	3.95120	1.17200	5.57001	0.74109	1.65713	41.94%
AG Average Height Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	18.947	15.2	27	2.2136	4.9498	26.13%
100		5	12.96	9.2	16.2	1.2254	2.7401	21.14%
AG Average Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	29.605	12.833	36.826	4.3456	9.717	32.82%
100		5	24.881	10.352	34.758	4.0937	9.1538	36.79%
Root Average Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	1.61720	0.64667	2.06331	0.25857	0.57819	35.75%
100		5	1.81000	0.34401	2.82400	0.39717	0.88809	55.16%
Root Average Length Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	21.227	13.333	29	2.546	5.693	26.82%
100		5	11.16	7	13	1.0778	2.41	21.59%
Root Average Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	36.878	13.317	46.99	6.1616	13.778	37.36%
100		5	30.844	4.5140	48.884	7.4266	16.606	53.84%
Total Average Biomass Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	6.57761	2.70335	8.32666	1.00853	2.25514	34.29%
100		5	5.56120	1.51602	8.39399	1.12635	2.51859	45.29%
Total Average Biomass Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	66.484	26.150	82.77	10.452	23.370	35.15%
100		5	55.725	14.866	83.642	11.491	25.695	46.11%

CETIS Test Summary

 Report Date: 15 May-06 2:09 PM
 Test Link: 09-5382-7322/BG156604ps

% Germination Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	0.60000	1.00000	1.00000	0.60000	1.00000
100		1.00000	1.00000	1.00000	1.00000	1.00000
AG Average Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	2.05668	6.05200	5.26000	6.26333	5.17000
100		4.14000	1.17200	4.69401	4.18001	5.57001
AG Average Height Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	20.3333	16.8	15.2	27	15.4
100		12.4	9.2	15	12	16.2
AG Average Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	12.8333	36.8260	31.748	35.78	30.84
100		23.932	10.352	29.91	25.4520	34.7580
Root Average Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	0.64667	1.92800	1.52800	2.06331	1.92001
100		1.57800	0.34401	1.84399	1.46000	2.82400
Root Average Length Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	13.3333	23.4	20	29	20.4
100		11.4	7	11.8	12.6	13
Root Average Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	13.3167	45.2540	36.3420	46.99	42.488
100		32.718	4.51401	39.542	28.564	48.8840
Total Average Biomass Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	2.70335	7.98000	6.78801	8.32666	7.09000
100		5.71799	1.51602	6.53799	5.63999	8.39399
Total Average Biomass Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	26.1500	82.0800	68.0900	82.77	73.328
100		56.65	14.8660	69.4520	54.018	83.6420

CETIS Analysis Detail

Comparisons: Page 1 of 9
 Report Date: 15 May-06 2:09 PM
 Analysis: 10-4296-6091/BG156804ps

Plant Chronic test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
% Germination	Comparison	09-5382-7322	09-5382-7322	15 May-06 2:08 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Angular (Corrected)		100	>100	1	N/A	20.96%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedl		100	-1.633	1.85955	0.9294	0.20917	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.084348	0.084348	1	2.67	0.14111	Non-Significant Effect
Error	0.2530439	0.031630	8			
Total	0.33739194	0.1159785	9			

ANOVA Assumptions						
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)	
Variances	Modified Levene	4.80000	11.25862	0.05984	Equal Variances	
Distribution	Shapiro-Wilk W	0.81415		0.02153	Normal Distribution	

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	0.84000	0.60000	1.00000	0.21909	1.16160	0.88608	1.34528	0.25152
100		5	1.00000	1.00000	1.00000	0.00000	1.34528	1.34528	1.34528	0.00020



CETIS Analysis Detail

Plant Chronic test	CH2M Hill
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Dry WL	Comparison	09-5382-7322	09-5382-7322	15 May-06 2:08 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Wilcoxon Rank Sum Two-Sample	C > T	Rank		100	>100	1	N/A	39.71%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	Ties	Decision(0.05)
Artificial Soil/Sedi		100	21		0.1111	0	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	2.546196	2.546196	1	0.91	0.36860	Non-Significant Effect
Error	22.43875	2.804843	8			
Total	24.9849429	5.3510389	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	1.04281	23.15450	0.96857	Equal Variances
Distribution	Shapiro-Wilk W	0.78590		0.00977	Non-normal Distribution

Data Summary			Original Data				Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	4.96040	2.05668	6.26333	1.69222	6.80000	2.00000	10.0000	3.11448
100		5	3.95120	1.17200	5.57001	1.65713	4.20000	1.00000	8.00000	2.58844



CETIS Analysis Detail

Plant Chronic test						CH2M Hill
--------------------	--	--	--	--	--	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Height	Comparison	09-5382-7322	09-5382-7322	15 May-06 2:08 PM	CETISv1.1.2


Method	Ajt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	24.83%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	2.36611	1.85955	0.0228	4.70498	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	89.60044	89.60044	1	5.60	0.04552	Significant Effect
Error	128.0358	16.00444	8			
Total	217.635994	105.60489	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	3.28330	23.15450	0.27849	Equal Variances
Distribution	Shapiro-Wilk W	0.89810		0.20879	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	18.947	15.2	27	4.9498				
100		5	12.960	9.2	16.2	2.7401				



CETIS Analysis Detail

Plant Chronic test	CH2M HILL
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Wet WL	Comparison	09-5382-7322	09-5382-7322	15 May-06 2:08 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	37.50%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	0.79139	1.85955	0.2258	11.1017	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	55.80611	55.80611	1	0.63	0.45154	Non-Significant Effect
Error	712.8447	89.10558	8			
Total	768.650776	144.91169	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	1.12685	23.15450	0.91064	Equal Variances
Distribution	Shapiro-Wilk W	0.84581		0.05178	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	29.605	12.833	36.826	9.717				
100		5	24.881	10.352	34.758	9.1538				



CETIS Analysis Detail

Plant Chronic test	CH2M Hill
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Root Average Dry Wt.	Comparison	09-5382-7322	09-5382-7322	15 May-06 2:08 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	54.49%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	0.01519	1.85955	0.4941	0.88128	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.0001296	0.00013	1	0.00	0.98825	Non-Significant Effect
Error	4.492009	0.561501	8			
Total	4.49213825	0.5616306	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	2.35927	23.15450	0.42618	Equal Variances
Distribution	Shapiro-Wilk W	0.93228		0.47069	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	1.61720	0.64667	2.06331	0.57819				
100		5	1.61000	0.34401	2.82400	0.88809				



CETIS Analysis Detail

Comparisons: Page 6 of 9
 Report Date: 15 May-06 2:09 PM
 Analysis: 04-8151-0611/BG156604ps

Plant Chronic test	CH2M HILL
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Root Average Length	Comparison	09-5382-7322	09-5382-7322	15 May-06 2:08 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		<100	100		N/A	24.22%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedl		100	3.64112	1.85955	0.0033	5.14112	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	253.3445	253.3445	1	13.26	0.00658	Significant Effect
Error	152.8729	19.10911	8			
Total	406.217346	272.45356	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	5.58027	23.15450	0.12453	Equal Variances
Distribution	Shapiro-Wilk W	0.94563		0.61720	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	21.227	13.333	29	5.693				
100		5	11.160	7	13	2.41				



CETIS Analysis Detail

Comparisons: Page 7 of 9
 Report Date: 15 May-06 2:09 PM
 Analysis: 09-2915-6004/BG156604ps

Plant Chronic test	CH2M Hill
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Root Average Wet Wt.	Comparison	09-5382-7322	09-5382-7322	15 May-06 2:08 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	48.66%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	0.62527	1.85955	0.2746	17.9443	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	91.01494	91.01494	1	0.39	0.54921	Non-Significant Effect
Error	1862.381	232.7976	8			
Total	1953.39592	323.81256	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	1.45274	23.15450	0.72627	Equal Variances
Distribution	Shapiro-Wilk W	0.86473		0.08673	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	36.878	13.317	46.99	13.778				
100		5	30.844	4.5140	48.884	16.606				



CETIS Analysis Detail

Comparisons: Page 8 of 9
 Report Date: 15 May-06 2:09 PM
 Analysis: 14-6818-4113/BG156604ps

Plant Chronic test	CH2M Hill
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Total Average Biomass Dry Wt.	Comparison	09-5382-7322	09-5382-7322	15 May-06 2:08 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	42.74%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	0.67228	1.85955	0.2602	2.81142	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	2.58272	2.58272	1	0.45	0.52034	Non-Significant Effect
Error	45.71575	5.714468	8			
Total	48.2984681	8.2971888	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	1.24729	23.15450	0.83561	Equal Variances
Distribution	Shapiro-Wilk W	0.83879		0.04267	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	6.57761	2.70335	8.32666	2.25514				
100		5	5.56120	1.51602	8.39399	2.51859				



CETIS Analysis Detail

Plant Chronic test						CH2M HILL
--------------------	--	--	--	--	--	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Total Average Biomass Wet Wt.	Comparison	09-5382-7322	09-5382-7322	15 May-06 2:09 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	43.45%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi	100		0.6926	1.85955	0.2541	28.8851	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	289.3578	289.3578	1	0.48	0.50816	Non-Significant Effect
Error	4825.742	603.2178	8			
Total	5115.09998	892.57556	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	1.20886	23.15450	0.85859	Equal Variances
Distribution	Shapiro-Wilk W	0.83756		0.04125	Normal Distribution

Data Summary			Original Data				Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	66.484	26.15	82.77	23.370				
100		5	55.725	14.866	83.642	25.695				



BLUEGRASS GROWTH TEST

Client: Washington Closure Hanford Project

Test Start Date: 4-5-06

Initial Day 0 120 Day 12 J Day 14 NS Day 16 TP Day 18 NJ Day 21 NJ Day 23 SD Day 26 Bu Day 33 Bu

Bioassay Lab ID: PHB1506-05 Sample No: JLJH4

CONC.	REPLICATE	# seeds germinated							pH		
		Emergence					7-DAYS POST-EMERGENCE (24 days after planting)	14-DAYS POST-EMERGENCE (32 days after planting)	INITIAL (@ planting)	FINAL (@ 14 days Post-Emergence)	
		12 days after planting	14 days after planting	16 days after planting	18 days after planting	21 days after planting	23 days after planting				
Control	A	6	6	6	6	7	7	8-5	5	6.2	7.3
	B	6	7	7	8	8	8	8-5	5		
	C	4	6	6	7	8	8	8-5	5		
	D	8	8	8	9	9	9	9-5	5		
	E	3	3	3	3	4	4	3	3		

7-Days Post-Emergence: Selectively thin down to 5 Seedlings (leave the 5 tallest seedlings). Describe shoot appearance:

Replicate A: 2 Lg G, 3 med G removed: 3 Sm G
 Replicate B: 5 Lg G removed: 2 med G, 1 med w/ brown tip
 Replicate C: 5 Lg G removed: 1 Sm brown/dead, 1 Sm G, 1 med G
 Replicate D: 5 Lg G removed: 1 Lg G, 1 Lg w/ brown tip, 2 sm G
 Replicate E: 2³ Lg G, 1 Lg w/ brown tip removed: 1 brown leaf

Appearance Code: Good (G) = deep green color with no brown, Brown (B) = brown color noted. # Lg = # of large plants (tallest, 5+ shoots), # Med = # of plants (smaller than large, fewer shoots), # Sm = # small plants (1-3 shoots)

14-Days Post-Emergence: Describe shoot appearance:

Replicate A: 2 Lg G, 3 med G - 1 brown leaf plant noted
 Replicate B: 3 Lg G, 1 Lg G w/ 1 B tip, 1 med G w/ 1 B tip
 Replicate C: 3 med G, 2 med G w/ 1 B shoot each
 Replicate D: 4 Lg G, 1 Lg G w/ 1 B shoot
 Replicate E: 1 Lg G w/ 1 B tip, 1 Lg G w/ 1 B tip & 1 B shoot, 1 Lg G w/ 1 B shoot.

Measure Shoot Height

Individual height of each seedling (above ground)

	1st Seedling	2nd Seedling	3rd Seedling	4th Seedling	5th Seedling
Replicate A	51 mm	68 mm	41 mm	105 mm	41 mm
Replicate B	65 mm	71 mm	78 mm	66 mm	41 mm
Replicate C	59 mm	62 mm	79 mm	53 mm	57 mm
Replicate D	70 mm	71 mm	64 mm	94 mm	67 mm
Replicate E	52 mm	75 mm	61 mm	mm	mm

Measure Shoot Weight

Total mass of all seedlings (above ground)

	Tin Tare Wt (mg)	Wet Wt (mg)	Dry Wt (mg)
Replicate A	982.33	1052.4	993.94
Replicate B	978.83	1103.7	998.37
Replicate C	999.11	1099.7	1015.08
Replicate D	996.59	1130.7	1018.80
Replicate E	1027.91	1117.3	1042.81

Describe root appearance:

Replicate A: _____
 Replicate B: _____
 Replicate C: _____
 Replicate D: _____
 Replicate E: _____

Measure Root Length:

Individual length of the longest root from each seedling

	1st Seedling	2nd Seedling	3rd Seedling	4th Seedling	5th Seedling
Replicate A	43 mm	51 mm	42 mm	85 mm	49 mm
Replicate B	86 mm	49 mm	78 mm	83 mm	87 mm
Replicate C	51 mm	62 mm	83 mm	101 mm	75 mm
Replicate D	80 mm	85 mm	67 mm	95 mm	71 mm
Replicate E	102 mm	75 mm	60 mm	mm	mm

Measure Root Weight:

Total mass of all roots from all seedlings

	Tin Tare Wt (mg)	Wet Wt (mg)	Dry Wt (mg)
Replicate A	987.41	1089.1	992.69
Replicate B	1022.79	1232.0	1032.17
Replicate C	1019.29	1150.9	1026.90
Replicate D	1029.43	1200.0	1018.80
Replicate E	1026.48	1134.7	1031.84

1039.60

Comments:

Report Date: 15 May-06 2:15 PM

Test Link: 02-6435-3225/BG156605ps

CETIS Test Summary

Plant Chronic test		CH2M Hill				
Test No:	10-9161-4520	Test Type:	Plant Chronic test	Duration:	33d 0h	
Start Date:	05 Apr-06	Protocol:	ASTM E1963-02 (2002)	Species:	Poa sandbergii	
Ending Date:	08 May-06	Dil Water:		Source:		
Setup Date:	05 Apr-06 12:00 AM	Brine:				
Comments:	BG1566-05					
Sample No:	14-5469-5117	Code:	B1566-05	Client:		
Sample Date:	04 Apr-06	Material:	Soil	Project:		
Receive Date:		Source:	Hanford			
Sample Age:	24h	Station:				
Comments:	J11JH4					
Comparison Summary						
Analysis	Endpoint	NOEL	LOEL	ChV	PMSD	Method
10-2614-5013	% Germination	100	> 100	N/A	27.93%	Wilcoxon Rank Sum Two-Sample
08-9816-5069	AG Average Dry Wt.	100	> 100	N/A	33.30%	Equal Variance t Two-Sample
12-7858-0968	AG Average Height	100	> 100	N/A	27.13%	Equal Variance t Two-Sample
12-4163-3516	AG Average Wet Wt.	100	> 100	N/A	32.37%	Equal Variance t Two-Sample
11-7585-1124	Root Average Dry Wt.	100	> 100	N/A	35.66%	Equal Variance t Two-Sample
06-2382-5640	Root Average Length	100	> 100	N/A	31.77%	Equal Variance t Two-Sample
03-8355-0816	Root Average Wet Wt.	100	> 100	N/A	36.45%	Equal Variance t Two-Sample
09-4776-1406	Total Average Biomass Dry	100	> 100	N/A	33.47%	Equal Variance t Two-Sample
05-5096-3625	Total Average Biomass Wet	100	> 100	N/A	34.13%	Equal Variance t Two-Sample

CETIS Test Summary

Report Date:

15 May-06 2:15 PM

Test Link:

02-6435-3225/BG156605ps

% Germination Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	0.84000	0.60000	1.00000	0.09798	0.21909	26.08%
100		5	0.92000	0.60000	1.00000	0.08000	0.17889	19.44%
AG Average Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	4.96040	2.05668	6.26333	0.75679	1.69222	34.11%
100		5	3.76653	2.32200	4.96667	0.46535	1.04056	27.63%
AG Average Height Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	18.947	15.2	27	2.2136	4.9498	26.13%
100		5	14.6	12.2	21	1.6553	3.7014	25.35%
AG Average Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	29.605	12.833	36.826	4.3456	9.717	32.82%
100		5	23.145	14.014	29.797	2.7717	6.1977	26.78%
Root Average Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	1.61720	0.64667	2.06331	0.25857	0.57819	35.75%
100		5	1.65493	1.05601	2.03398	0.17121	0.38285	23.13%
Root Average Length Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	21.227	13.333	29	2.546	5.693	26.82%
100		5	16.667	10.8	26.333	2.5826	5.7748	34.65%
Root Average Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	36.878	13.317	46.99	6.1616	13.778	37.36%
100		5	31.738	20.338	41.842	3.7804	8.4532	26.63%
Total Average Biomass Dry Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	6.57761	2.70335	8.32666	1.00853	2.25514	34.29%
100		5	5.42147	3.37800	6.75334	0.62011	1.38660	25.58%
Total Average Biomass Wet Wt. Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Artificial Soil/S	5	66.484	26.150	82.77	10.452	23.370	35.15%
100		5	54.883	34.352	66.816	6.2951	14.076	25.65%

CETIS Test Summary

% Germination Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	0.60000	1.00000	1.00000	0.60000	1.00000
100		1.00000	1.00000	1.00000	1.00000	0.60000
AG Average Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	2.05668	6.05200	5.26000	6.26333	5.17000
100		2.32200	3.90800	3.19401	4.44199	4.96667
AG Average Height Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	20.3333	16.8	15.2	27	15.4
100		12.2	12.8	12.4	14.6	21
AG Average Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	12.8333	36.8260	31.748	35.78	30.84
100		14.0140	24.974	20.118	26.822	29.7967
Root Average Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	0.64667	1.92800	1.52800	2.06331	1.92001
100		1.05601	1.87601	1.52201	2.03398	1.78666
Root Average Length Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	13.3333	23.4	20	29	20.4
100		10.8	15.4	14.8	16	26.3333
Root Average Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	13.3167	45.2540	36.3420	46.99	42.488
100		20.3380	41.8420	26.3220	34.114	36.0733
Total Average Biomass Dry Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	2.70335	7.98000	6.78801	8.32666	7.09000
100		3.37800	5.78400	4.71603	6.47598	6.75334
Total Average Biomass Wet Wt. Detail						
Conc-%	Control Type	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	Artificial Soil/S	26.1500	82.0800	68.0900	82.77	73.328
100		34.352	66.816	46.4400	60.936	65.87

CETIS Analysis Detail

Plant Chronic test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
% Germination	Comparison	02-6435-3225	02-6435-3225	15 May-06 2:15 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Wilcoxon Rank Sum Two-Sample	C > T	Rank		100	>100	1	N/A	27.93%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	Ties	Decision(0.05)
Artificial Soil/Sedi		100	30		0.6548	3	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.021087	0.021087	1	0.40	0.54474	Non-Significant Effect
Error	0.4217399	0.052717	8			
Total	0.44282693	0.0738045	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	1.50000	23.15450	0.70400	Equal Variances
Distribution	Shapiro-Wilk W	0.75864		0.00455	Non-normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	0.84000	0.60000	1.00000	0.21909	5.00000	2.00000	7.00000	2.73861
100		5	0.92000	0.60000	1.00000	0.17889	6.00000	2.00000	7.00000	2.23607



CETIS Analysis Detail

Plant Chronic test						CH2M Hill
--------------------	--	--	--	--	--	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Dry Wt.	Comparison	02-6435-3225	02-6435-3225	15 May-06 2:15 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	33.30%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	1.34382	1.85955	0.1079	1.65205	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	3.563297	3.563297	1	1.81	0.21587	Non-Significant Effect
Error	15.78555	1.973194	8			
Total	19.3488472	5.5364908	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	2.64472	23.15450	0.36905	Equal Variances
Distribution	Shapiro-Wilk W	0.87162		0.10441	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	4.98040	2.05668	6.26333	1.69222				
100		5	3.76653	2.32200	4.96667	1.04056				



CETIS Analysis Detail

Plant Chronic test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Height	Comparison	02-6435-3225	02-6435-3225	15 May-06 2:15 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	27.13%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	1.57255	1.85955	0.0772	5.13995	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	47.23378	47.23378	1	2.47	0.15447	Non-Significant Effect
Error	152.8036	19.10044	8			
Total	200.037334	66.334221	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	1.78839	23.15450	0.58719	Equal Variances
Distribution	Shapiro-Wilk W	0.81182		0.02017	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	18.947	15.2	27	4.9498				
100		5	14.6	12.2	21	3.7014				



CETIS Analysis Detail

Plant Chronic test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
AG Average Wet Wt.	Comparison	02-6435-3225	02-6435-3225	15 May-06 2:15 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	32.37%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	1.25344	1.85955	0.1227	9.58459	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	104.3463	104.3463	1	1.57	0.24544	Non-Significant Effect
Error	531.3278	66.41598	8			
Total	635.674072	170.76223	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	2.45808	23.15450	0.40501	Equal Variances
Distribution	Shapiro-Wilk W	0.84922		0.05886	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	29.605	12.833	36.826	9.717				
100		5	23.145	14.014	29.797	6.1977				



CETIS Analysis Detail

Comparisons: Page 5 of 9

Report Date: 15 May-06 2:15 PM

Analysis: 11-7585-1124/BG156605ps

Plant Chronic test						CH2M Hill
--------------------	--	--	--	--	--	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Root Average Dry Wt.	Comparison	02-6435-3225	02-6435-3225	15 May-06 2:15 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	35.66%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	-0.1217	1.85955	0.5469	0.57868	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.0035600	0.003560	1	0.01	0.90615	Non-Significant Effect
Error	1.923489	0.240436	8			
Total	1.92704911	0.2439961	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	2.28077	23.15450	0.44417	Equal Variances
Distribution	Shapiro-Wilk W	0.85352		0.06397	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	1.61720	0.64667	2.06331	0.57819				
100		5	1.65493	1.05601	2.03398	0.38285				



CETIS Analysis Detail

Plant Chronic test	CH2M HILL
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Root Average Length	Comparison	02-6435-3225	02-6435-3225	15 May-06 2:15 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	31.77%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	1.2574	1.85955	0.1220	6.74373	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	51.984	51.984	1	1.58	0.24407	Non-Significant Effect
Error	263.0364	32.87955	8			
Total	315.020439	84.863556	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	1.02898	23.15450	0.97859	Equal Variances
Distribution	Shapiro-Wilk W	0.91541		0.32023	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	21.227	13.333	29	5.693				
100		5	18.667	10.8	26.333	5.7748				



CETIS Analysis Detail

Plant Chronic test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Root Average Wet Wt.	Comparison	02-6435-3225	02-6435-3225	15 May-06 2:15 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	36.45%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	0.71108	1.85955	0.2486	13.4424	Non-Significant Effect

ANOVA Table							
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)	
Between	66.05597	66.05597	1	0.51	0.49724	Non-Significant Effect	
Error	1045.13	130.6412	8				
Total	1111.18549	196.69716	9				

ANOVA Assumptions						
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)	
Variances	Variance Ratio F	2.65655	23.15450	0.36694	Equal Variances	
Distribution	Shapiro-Wilk W	0.87165		0.10448	Normal Distribution	

Data Summary			Original Data				Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	36.878	13.317	46.99	13.778				
100		5	31.738	20.338	41.842	8.4532				



CETIS Analysis Detail

Plant Chronic test CH2M HILL

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Total Average Biomass Dry Wt.	Comparison	02-6435-3225	02-6435-3225	15 May-06 2:15 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	33.47%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	0.97653	1.85955	0.1787	2.20155	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	3.341636	3.341636	1	0.95	0.35740	Non-Significant Effect
Error	28.03329	3.504161	8			
Total	31.3749232	6.8457971	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	2.64510	23.15450	0.36899	Equal Variances
Distribution	Shapiro-Wilk W	0.85862		0.07350	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	6.57761	2.70335	8.32666	2.25514				
100		5	5.42147	3.37800	6.75334	1.38660				



CETIS Analysis Detail

Plant Chronic test	CH2M Hill
--------------------	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
Total Average Biomass Wet Wt.	Comparison	02-6435-3225	02-6435-3225	15 May-06 2:15 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Untransformed		100	>100	1	N/A	34.13%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Artificial Soil/Sedi		100	0.95081	1.85955	0.1848	22.6883	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	336.4471	336.4471	1	0.90	0.36954	Non-Significant Effect
Error	2977.274	372.1593	8			
Total	3313.72122	708.60632	9			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	2.75655	23.15450	0.34972	Equal Variances
Distribution	Shapiro-Wilk W	0.83700		0.04061	Normal Distribution

Data Summary			Original Data				Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Artificial Soil/S	5	66.484	26.15	82.77	23.370				
100		5	54.883	34.352	68.816	14.078				



**APPENDIX B
CHAIN OF CUSTODY**

E 2778

Washington Closure Hanford		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST				RC-051-3		Page 1 of 1	
Collector L. COLLOM		Company Contact JOAN KESSNER		Telephone No. 375-4688		Project Coordinator KESSNER, JH		Price Code 8L Data Turnaround 45 Days	
Project Designation 100 & 300 Area Component of the RCBRA - Incremental So		Sampling Location 600-131		SAF No. RC-051		Air Quality 1.1			
Ice Chest No.		Field Logbook No. EL-1596		COA BESRAS6520		Method of Shipment			
Shipped To CH2MHILL		Offsite Property No. A060151				Bill of Lading/Air Bill No.			
POSSIBLE SAMPLE HAZARDS/REMARKS NONE			Preservation	None	None				
Special Handling and/or Storage NONE			Type of Container	G/P	P/G				
			No. of Container(s)	1	1				
			Volume	1000g	2000g 4000g	4/11/05			
SAMPLE ANALYSIS 11-1-05 LAC.				See item (1) in Special Instructions.	Soil Plant Toxicity ASTM E1963; Soil Nematode Toxicity ASTM E2172				
Sample No.	Matrix *	Sample Date	Sample Time						
J10DW4	SOIL	10-31-05	1530	X	X				
J10DW6	SOIL								
J10DW1	SOIL								
J10DW2	SOIL								
J10DW3	SOIL								
CHAIN OF POSSESSION				SPECIAL INSTRUCTIONS				Matrix *	
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time		(1) Particle Size (Dry Sieve) - D422; Moisture Content - D2216; TOC - 9060; pH (Soil) - 9045; Nitrogen by Kjeldahl - 351.2; Ammonia - 350.3; IC Anions - 300.0; Percent Solids Bioassay 20 = B1542-01	
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
LABORATORY SECTION		Received By				Title			
FINAL SAMPLE DISPOSITION		Disposal Method				Disposed By			
						Date/Time			
						Date/Time			

E 2801

Washington Closure Hanford		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST				RC-051-4		Page 1 of 1	
Collector L. COLLOM		Company Contact JOAN KESSNER		Telephone No. 375-4688		Project Coordinator KESSNER, JH		Price Code 8L Data Turnaround 45 Days	
Project Designation 100 & 300 Area Component of the RCBRA - Incremental 'So		Sampling Location PIT 23		SAF No. RC-051		Air Quality			
Ice Chest No.		Field Logbook No. EL-1596		COA BESRAS6520		Method of Shipment			
Shipped To CH2MHILL		Offsite Property No. A060151		Bill of Lading/Air Bill No.					
POSSIBLE SAMPLE HAZARDS/REMARKS NONE				Preservation	None	None			
Special Handling and/or Storage NONE				Type of Container	G/P	P/G			
				No. of Container(s)	1	1			
				Volume	1000g	3000g 1000g ET-5 11-8-5			
SAMPLE ANALYSIS				See item (1) in Special Instructions.	Soil Pests Toxicity ASTM E1963; Soil Nematode Toxicity ASTM E2172				
Sample No.	Matrix *	Sample Date	Sample Time						
J10DV4	SOIL	11-8-05	11:00	1	1				-1
J10DV5	SOIL								
J10DV6	SOIL								
J10DV7	SOIL								
J10DV8	SOIL								
CHAIN OF POSSESSION				Sign/Print Names				SPECIAL INSTRUCTIONS	
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time	This chain of custody form documents the transfer of bulk field collected soils to the CH2M Hill Corvallis laboratory for incremental preparation and aliquoting.					
<i>Elizabeth M. Tappin</i>	11-9-05 12:00	<i>Elizabeth M. Tappin</i>	11-9-05 12:00	(1) Particle Size (Dry Sieve) - D422; Moisture Content - D2216; TOC - 9060; pH (Soil) - 9045; Nitrogen by Kjeldahl - 351.2; Ammonia - 350.3; IC Anions - 300.0; Percent Solids					
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time	<i>ET</i> <i>11/10/05</i> <i>As per Rich W. 11/8/05</i> <i>B. Cassidy ID = B1542-02</i>					
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time						
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time						
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time						
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time						
LABORATORY SECTION	Received By	Title				Date/Time			
FINAL SAMPLE DISPOSITION	Disposal Method	Disposed By				Date/Time			

E-2P31

Washington Closure Hanford		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST			RC-051-9	Page 1 of 1
Collector L. COLLUM	Company Contact JOAN KESSNER	Telephone No. 375-4688	Project Coordinator KESSNER, JII		Price Code 8L	Data Turnaround
Project Designation 100 & 300 Area Component of the RC/BRA - Incremental So	Sampling Location Upland Backfill Elevated-100-F-2		SAF No. RC-031	Air Quality		45 Days
Chest No.	Field Logbook No. EL-1506	COA BESRAS6520	Method of Shipment			
Shipped To CH2MHILL	Offsite Property No. A060151		Bill of Lading/Air Bill No.			

POSSIBLE SAMPLE HAZARDS/REMARKS
Potentially Radioactive.

Special Handling and/or Storage
NONE

Preservation	None	None																	
Type of Container	G/P	P/G																	
No. of Container(s)	1	1																	
Volume	1000g	4000g																	

Sample No.	Matrix *	Sample Date	Sample Time	See Item (1) in Special Instructions.	Soil Plant Toxicity ASTM E1963; Soil Nematode Toxicity ASTM E2172														
10DT8	SOIL	11/14/05	17:21	1	1														

CHAIN OF POSSESSION		Sign/Print Names		SPECIAL INSTRUCTIONS				Matrix *
Relinquished By/Removed From Elizabeth Tepper 11/15/05	Date/Time 11:20	Received By/Stored In Nayna Kaur	Date/Time 11/15/05	Particle Size (Dry Sieve) - D422; Moisture Content - D2216; TOC - 9060; pH (Soil) - 9045; Nitrogen by Kjeldahl - 351.3; Ammonia - 350.3; IC Anions - 300.0; Percent Solids				<ul style="list-style-type: none"> S=Soil SE=Sediment SO=Solid SL=Sludge W=Water O=Oil A=Air DS=Dioxin Solids DL=Dioxin Liquids Y=Yield W1=Wipe L=Liquid V=Vegetation X=Other
Relinquished By/Removed From Elizabeth Tepper	Date/Time	Received By/Stored In	Date/Time 11:01	Biossary ID = B1542-03				
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time					
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time					
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time					

LABORATORY SECTION	Received By	Title	Date/Time
FINAL SAMPLE DISPOSITION	Disposal Method	Disposed By	Date/Time

Washington Closure Hanford		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST			RC-051-69	Page 1 of 1
Collector STANKOVICH, M.	Company Contact JOAN KESSNER	Telephone No. 375-4688	Project Coordinator KESSNER, JH		Price Code SL	Data Turnaround 45 Days
Project Designation 100 & 300 Area Component of the RCRA - Incremental So		Sampling Location 100-K RIPARIAN #5	SAF No. RC-051		Air Quality <input type="checkbox"/>	
Ice Chest No.	Field Logbook No. EL-1596	COA BESRAS6520	Method of Shipment GROUND TRANSPORT			
Shipped To CH2MHILL		Offsite Property No. A060380		Bill of Lading/Air Bill No.		

POSSIBLE SAMPLE HAZARDS/REMARKS NONE Special Handling and/or Storage Use page 3 for original material in Corvallis for MIS preparation and aliquoting, page 1 for radianalytical fractions in Eberline, & page 2 for chemical analytical fractions in Lionville.	Preservation	None	None										
	Type of Container	GP	PG										
	No. of Container(s)	1	1										
	Volume	1000g	4000g										
SAMPLE ANALYSIS		See item (1) in Special Instructions.	Soil Plant Toxicity ASTM E1963; Soil Nematode Toxicity ASTM E2172										
Sample No.	Matrix *	Sample Date	Sample Time										
J11JB8	SOIL	3-21-06	16:00										

CHAIN OF POSSESSION		Sign/Print Names		SPECIAL INSTRUCTIONS				Matrix *
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time	* These marks indicate that unless lined out, analytes to be included with Strontium-89,90 -- Total Sr analysis fraction. ^ These marks indicate that this is a non-analysis used to properly format COC form. Contact Joan Kessner for any questions.				Soil Sediment Solid Sludge Water Oil Air Dredge Debris Liquid Vegetation Other
Elizabeth M. Tepper		Ch2M Hill		(1) Particle Size (Dry Sieve) - D422; Moisture Content - D2216; TOC - 9060; pH (Soil) - 9045; Nitrogen by Kjeldahl - 351.2; Ammonia - 350.3; IC Anions - 300.0; Percent Solids				
Elizabeth M. Tepper	3-22-06 11:30	Joan Kessner	3/22/06	F1349-01-Sub 2				
				BIOASSY COPY				
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time					
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time					
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time					

LABORATORY SECTION	Received By	Title	Date/Time
FINAL SAMPLE DISPOSITION	Disposal Method	Disposed By	Date/Time

Washington Closure Hanford		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST				RC-051-68		Page 1 of 1		
Collector STANKOVICH, M.		Company Contact JOAN KESSNER		Telephone No. 375-4688		Project Coordinator KESSNER, JH		Price Code 8L Data Turnaround 45 Days		
Project Designation 100 & 300 Area Component of the RCBRA - Incremental So		Sampling Location 100-K RIPARIAN #4		SAF No. RC-051		Air Quality <input type="checkbox"/>				
Ice Chest No.		Field Logbook No. EL-1596		COA BESRAS6520		Method of Shipment GROUND TRANSPORT				
Shipped To CH2MHILL		Offsite Property No. A060151				Bill of Lading/Air Bill No.				
POSSIBLE SAMPLE HAZARDS/REMARKS NONE			Preservation	None	None					
Special Handling and/or Storage Use page 3 for original material to Curvallis for MIS preparation and aliquoting, page 1 for radioanalytical fractions to Eberline, & page 2 for chemical analytical fractions to Lionville.			Type of Container	G/P	P/G					
			No. of Container(s)	1	1					
			Volume	1000g	4000g					
SAMPLE ANALYSIS				See item (1) in Special Instructions.	Soil Plant Toxicity ASTM E1963; Soil Nematode Toxicity ASTM E2172					
Sample No.	Matrix *	Sample Date	Sample Time							
J11JB7	SOIL	3-26-06	14:30	✓	✓					
CHAIN OF POSSESSION		Sign/Print Names				SPECIAL INSTRUCTIONS				Matrix *
Relinquished By/Removed From	Date/Time	Received By/Stored In		Date/Time		* These marks indicate that unless lined out, analytes to be included with Strontium-89,90 -- Total Sr analysis fraction. ~ These marks indicate that this is a non-analysis used to properly format COC form. Contact Joan Kessner for any questions. (1) Particle Size (Dry Sieve) - D422; Moisture Content - D2316; TOC - 9060; pH (Soil) - 9045; Nitrogen by Kjeldahl - 351.2; Ammonia - 350.3; IC Anions - 300.9; Percent Solids F14201-5012 Batch #2 Copy				S=Soil SE=Substrate SO=Solid SL=Sludge W = Water On=On An=Air DS=Drum Solids DL=Drum Liquids T=Toxic Wt=Wipe L=Liquid V=Vegetative X=Other
Relinquished By/Removed From	Date/Time	Received By/Stored In		Date/Time						
Relinquished By/Removed From	Date/Time	Received By/Stored In		Date/Time						
Relinquished By/Removed From	Date/Time	Received By/Stored In		Date/Time						
Relinquished By/Removed From	Date/Time	Received By/Stored In		Date/Time						
LABORATORY SECTION	Received By	Title				Date/Time				
FINAL SAMPLE DISPOSITION	Disposal Method	Disposed By				Date/Time				

Washington Closure Hanford		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST				RC-051-96		Page 1 of 1	
Collector STANKOVICH, M.		Company Contact JOAN KESSNER		Telephone No. 375-4688		Project Coordinator KESSNER, JH		Price Code 8L Data Turnaround 45 Days	
Project Designation 100 & 300 Area Component of the RCBRA - Incremental So		Sampling Location 100-H RIPARIAN #8		SAF No. RC-051		Air Quality <input type="checkbox"/>			
Ice Chest No.		Field Logbook No. EL-1596		COA BESRAS6520		Method of Shipment GROUND TRANSPORT			
Shipped To CH2MHILL		Offsite Property No. A060151		Bill of Lading/Air Bill No. SEE OSPC					
POSSIBLE SAMPLE HAZARDS/REMARKS NONE					Preservation	None	None		
Special Handling and/or Storage Use page 3 for original material to Corvallis for MIS preparation and aliquoting, page 1 for radioanalytical fractions to Eberline, & page 2 for chemical analytical fractions to Lionville.					Type of Container	G/P	P/G		
					No. of Container(s)	1	1		
					Volume	1000g	4000g		
SAMPLE ANALYSIS					See item (1) in Special Instructions.	Soil Plant Toxicity ASTM E1963; Soil Nematode Toxicity ASTM E2172			
Sample No.	Matrix *	Sample Date	Sample Time						
J11JH5	SOIL	3-28-06	18:00	1	1				
CHAIN OF POSSESSION					SPECIAL INSTRUCTIONS				Matrix *
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time		<p>These marks indicate that unless lined out, analytes to be included with Strontium-89.90 -- Total Sr analysis fraction.</p> <p>These marks indicate that this is a non-analysis used to properly format 'COC' forms. Contact Joan Kessner for any questions.</p> <p>(1) Particle Size (Dry Sieve) - D422; Moisture Content - D2316; TOC - 9060; pH (Soil) - 9045; Nitrogen by Kjeldahl - 351.2; Ammonia - 350.3; IC Anions - 300.0; Percent Solids</p> <p>Batch # 3 F1436-501.2</p>	
Elizabeth M. Leppert		3-29-06 11:30		CH2M Hill		11:30			
Elizabeth M. Leppert		3-29-06		Elizabeth M. Leppert		11:30			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time		S-Sol SI-Solub SI-Solub SI-Solub W-Water O-Oil A-Air (S) Soil from Solid (L) Liquid T-Tissue W-Water L-Liquid V-Vegetation N-Nitrogen	
LABORATORY SECTION	Received By	Title				Date/Time			
FINAL SAMPLE DISPOSITION	Disposal Method	Disposed By				Date/Time			

F1470

Washington Closure Hanford		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST			RC-051-99	Page 1 of 1
Collector STANKOVICH, M.	Company Contact JOAN KESSNER	Telephone No. 375-4688	Project Coordinator KESSNER, JH	Price Code 8L	Data Turnaround 45 Days	
Project Designation 100 & 300 Area Component of the RCBRA - Incremental So	Sampling Location UPPER RIPARIAN #12	SAF No. RC-051	Air Quality <input type="checkbox"/>			
Ice Chest No.	Field Logbook No. EL-1596	COA BESRAS6520	Method of Shipment GROUND TRANSPORT			
Shipped To CH2MHILL	Offsite Property No. A060151	Bill of Lading/Air Bill No. SEE OSPC				

POSSIBLE SAMPLE HAZARDS/REMARKS NONE Special Handling and/or Storage Use page 3 for original material to Corvallis for MIS preparation and aliquoting, page 1 for radioanalytical fractions to Ebertine, & page 2 for chemical analytical fractions to Lionville.	Preservation	None	None							
	Type of Container	G/P	P/G							
	No. of Container(s)	1	1							
	Volume	1000g	4000g							

SAMPLE ANALYSIS				See item (1) in Special Instructions.	Soil Plank Toxicity ASTM E1963; Soil Neurotoxicity ASTM E2172						
------------------------	--	--	--	---------------------------------------	---	--	--	--	--	--	--

Sample No.	Matrix *	Sample Date	Sample Time								
J11JH8	SOIL	4-3-06	18:45	1	1						

CHAIN OF POSSESSION				SPECIAL INSTRUCTIONS				Matrix * S=Soil S/S=Soil/Sediment SO=Soil S/S=Sludge W=Water O=Oil A=Air D/S=Drum Solids D/L=Drum Liquid T=Tissue W/W=Wipe L=Liquid V=Vegetation X=Other
Relinquished By/Removed From Elizabeth M. Tepper	Date/Time	Received By/Stored In CH2M Hill	Date/Time	These marks indicate that unless lined out, analytes to be included with Strontium-89,90 - Total Sr analysis fraction. ~ These marks indicate that this is a non-analysis used to properly format COC form. Contact Joan Kessner for any questions.				
Relinquished By/Removed From Elizabeth M. Tepper	Date/Time 10:30 4-4-06	Received By/Stored In Fed	Date/Time	(1) Particle Size (Dry Sieve) - D422; Moisture Content - D2216; TOC - 9060; pH (Soil) - 9045; Nitrogen by Kjeldahl - 351.2; Ammonia - 350.3; IC Anions - 300.0; Dissolved Solids				
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time	CT 4-3-06				
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time					
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time					

LABORATORY SECTION	Received By	Title	Date/Time
FINAL SAMPLE DISPOSITION	Disposal Method	Disposed By	Date/Time

138

F1471

Washington Closure Hanford		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST			RC-051-95	Page 1 of 1
Collector <i>L. Cotton 3-24-06</i> STANKOVICH, M.	Company Contact JOAN KESSNER	Telephone No. 375-4688	Project Coordinator KESSNER, JH		Price Code 8L	Data Turnaround 45 Days
Project Designation 100 & 300 Area Component of the RCBRA - Incremental So		Sampling Location 100-F RIPARIAN #7		SAF No. RC-051	Air Quality <input type="checkbox"/>	
Ice Chest No.	Field Logbook No. EL-1596	COA BESRAS6520		Method of Shipment GROUND TRANSPORT		
Shipped To CH2MHILL		Offsite Property No. A060151		Bill of Lading/Air Bill No. SEE OSPC		

POSSIBLE SAMPLE HAZARDS/REMARKS NONE Special Handling and/or Storage <i>Use page 3 for original material to Corvallis for MIS preparation and aliquoting, page 1 for radioanalytical fractions to Eberline, & page 2 for chemical analytical fractions to Livermore.</i>	Preservation	None	None							
	Type of Container	G/P	P/G							
	No. of Container(s)	1	1							
	Volume	1000g	4000g							

SAMPLE ANALYSIS				See item (1) in Special Instructions.	Soil Plant Toxicity ASTM E1963; Soil Nematode Toxicity ASTM E2172								
Sample No.	Matrix *	Sample Date	Sample Time										
J11JH4	SOIL	4-3-06	19:00	1	1								-2

CHAIN OF POSSESSION				SPECIAL INSTRUCTIONS				Matrix * Se=Soil SWS=Soil/Water SO=Soil SL=Sludge W=Water O=Oil A=Air DS=Dry Solid DL=Dry Mass Lags T=Trace W=Wyc L=Liquid V=Vegetative X=Other
Relinquished By/Removed From	Date/Time	Sign/Print Names		Received By/Stored In	Date/Time	These marks indicate that unless lined out, analytes to be included with Strontium-89,90 -- Total Sr analysis fraction. ~ These marks indicate that this is a non-analysis used to properly format COC form. Contact Joan Kessner for any questions. (1) Particle Size (Dry Sieve) - D422; Moisture Content - D2216; TOC - 9060; pH (Soil) - 9045; Nitrogen by Kjeldahl - 351.2; Ammonia - 350.3; IC Anions - 300.0; Pervent Solids ET 4-3-06		
Elizabeth M. Tepper		Ch2M Hill						
Relinquished By/Removed From	Date/Time	Sign/Print Names		Received By/Stored In	Date/Time			
Elizabeth M. Tepper	10:30							
Relinquished By/Removed From	Date/Time	Sign/Print Names		Received By/Stored In	Date/Time			

LABORATORY SECTION	Received By	Title	Date/Time
FINAL SAMPLE DISPOSITION	Disposal Method	Disposed By	Date/Time

139

BIOASSAY REPORT
ACUTE SCREENING BIOASSAYS
Conducted February 2 through 3
and February 13 through 14, 2006

Prepared for

ELR CONSULTING, INC.
WASHINGTON CLOSURE HANFORD

Prepared by

CH2M HILL
2300 NW Walnut Boulevard
Corvallis, Oregon 97330

March 3, 2006
Lab I.D. Nos. BN1542-01 thru 09
SDG Number BN1542

E2801

CONTENTS

Section	Page
INTRODUCTION.....	3
METHODS AND MATERIALS.....	3
TEST METHODS.....	3
TEST ORGANISMS	3
CONTROL SOIL.....	3
HYDRATION WATER.....	3
TEST CONCENTRATIONS.....	3
SAMPLE COLLECTION.....	3
SAMPLE CROSS-REFERENCE TABLE.....	4
SAMPLE PREPARATION	4
TEST INITIATION.....	5
TEST TERMINATION	5
TEST ACCEPTABILITY CRITERIA.....	5
MONITORING OF BIOASSAYS.....	5
DATA ANALYSIS.....	5
DATA ANALYSIS.....	5
RESULTS AND DISCUSSION	6
ACUTE RESULTS.....	6
REFERENCE TOXICANT TEST.....	8
CERTIFICATION STATEMENT.....	8
APPENDIX A. RAW DATA SHEETS	
APPENDIX B. REFERENCE TOXICANT RAW DATA SHEETS	
APPENDIX C. CHAIN OF CUSTODY	

INTRODUCTION

CH2M HILL conducted acute screening bioassay tests using the nematode (*Caenorhabditis elegans*) on soil samples provided by the ELR Consulting for the Washington Closure Hanford project. The tests were conducted in two rounds from February 2 through 3, 2006, and February 13 through 14, 2006.

METHODS AND MATERIALS

TEST METHODS

The chronic test methods were performed according to: *Standard Guide for Conducting Laboratory Soil Toxicity Tests with the Nematode Caenorhabditis elegans*, ASTM E 2172-01 (2001).

TEST ORGANISMS

The nematodes used were obtained from CH2M HILL's in-house cultures and were age synchronized as 4 day old organisms at test initiation. All organisms tested were fed and maintained during culturing, acclimation, and testing as prescribed by the ASTM protocol. The test organisms appeared vigorous and in good condition prior to testing.

CONTROL SOIL

The control soil used in the tests was 70 grade silica sand.

HYDRATION WATER

The water used to hydrate the control and test soils was Milli-Q equivalent de-ionized water.

TEST CONCENTRATIONS

The concentrations tested in the nematode test were 100 percent test sample with control soil alone for the control. For the nematode test, 30 organisms per concentration were used with three test chambers per concentration and 10 organisms per chamber.

SAMPLE COLLECTION

The soil samples were collected from October 31, 2005, through December 6, 2005. The samples were stored in the dark at 4°C until test solutions were prepared and tested. Chain of Custody for sample collection is provided in Appendix C.

SAMPLE CROSS-REFERENCE TABLE

Table 1 provides a cross-reference of the Client ID numbers, sampling dates, sampling locations, Nematode test sample identification (SDG) numbers, and Analytical Lab SDG numbers.

Client ID	Sample Date	Sample Location	Nematode test SDG	Analytical Lab SDG
J10DW4	10/31/2005	600-131	BN1542-01	E2748
J10DV4	11/08/2005	PIT 23	BN1542-02	E2801
J10DT8	11/14/2005	Upland Backfill Elevated-100-F-2	BN1542-03	E2831
J10DV2	11/15/2005	Upland Native Reference-Central Plateau	BN1542-04	E2846
J10DV1	11/15/2005	Upland Backfill Low-116-DR-1&2	BN1542-05	E2847
J10DV3	11/16/2005	Upland Native Elevated-JA Jones	BN1542-06	E2857
J10DV0	11/21/2005	Riparian Elevated-Site #3 Upriver 100-D	BN1542-07	E2877
J10LJ5	11/28/2005	Riparin Low-Site #10 Downriver 100-D	BN1542-08	E2897
J10DT9	12/06/2005	Riparian Reference-Site #13 Vernita Bridge	BN1542-09	E2953

SAMPLE PREPARATION

Test soils and control soil were dried and homogenized prior to use. For each replicate, 2.33 g dry weight of soil was added to each test chamber. The soils were then hydrated to 40 percent of the dry weight by addition of hydration water (0.93 ml) and test chambers were then covered. In addition, 23.3 g of soil was added to a surrogate chamber and hydrated to provide for pH measurements. All test chambers were allowed to equilibrate at test conditions for seven days prior to test initiation.

TEST INITIATION

Tests were initiated by the addition of 10 test organisms to each test chamber. Organisms were added to test chambers in random order.

TEST TERMINATION

Tests were terminated after 24 hours. The contents of the test chambers were added to a centrifuge tube, 10 ml of Ludox-AM silica solution added, and each tube was hand shaken to suspend the nematodes into the Ludox solution. The tubes were then centrifuged to concentrate the soil and the supernatant transferred to a 15 cm petri dish and allowed to sit for 15 minutes. The petri dish was then placed under a dissecting microscope and the nematodes were retrieved and inspected. The recovered test organisms were recorded as alive (responded with independent movement to tactile stimulation) or dead. Missing or unrecovered test organisms are scored as dead during data analysis.

TEST ACCEPTABILITY CRITERIA

The test must meet the following two test acceptability criteria to be considered valid:

- A minimum of 80 percent of test organisms must be recovered, both in the control and each test concentration tested.
- The controls must achieve a minimum 90 percent survival.

MONITORING OF BIOASSAYS

The soil pH was measured from surrogate test chambers at test initiation. Temperature was monitored in the test incubator at test initiation and termination.

DATA ANALYSIS

The endpoints measured during the nematode test included survival over the 24 hour exposure period. The statistical analyses performed were those outlined in *Standard Guide for Conducting Laboratory Soil Toxicity Tests with the Nematode *Caenorhabditis elegans**, ASTM E 2172-01, using CETIS version 1.1.2. Equal Variance t Two-Sample Test was used to compare the survival data between the control and each test soil. When the assumptions of normality or homogeneity of variance necessary for Equal variance t Two-Sample Test could not be met, Unequal Variance t Two-Sample Test was used to analyze the data.

RESULTS AND DISCUSSION

ACUTE RESULTS

Table 2 summarizes the survival data for the nematode acute test initiated on February 2, 2006.

Client ID	Percent Survival	Percent Recovered
Control	90.0	100
J10DV1	63.3 ^a	86.7
J10DV3	90.0	97.7
J10DV0	56.7 ^a	90.0
J10LJ5	80.0	96.7
J10DT9	76.7	93.3

^a Indicates a statistically significant reduction when compared to the control at the p equal to 0.05 level using Equal Variance t Two Sample Test.

The nematode results indicated no statistically significant reduction in survival in the J10DV3, J10LJ5, and J10DT9 samples and a statistically significant reduction in survival in the J10DV1 and J10DV0 samples when compared to the control.

Test acceptability criteria was met with control survival of 90.0 percent and recovery of test organisms was greater than 80 percent in all test concentrations.

Table 3 summarizes the survival data for the nematode acute test initiated on February 13, 2006.

Client ID	Percent Survival	Percent Recovered
Control	90.0	96.7
J10DW4	90.0	93.3
J10DV4	83.3	86.7
J10DT8	73.3 ^a	83.3
J10DV2	83.3	93.3

^a Indicates a statistically significant reduction when compared to the control at the p equal to 0.05 level using Equal Variance t Two Sample Test.

The nematode results indicated no statistically significant reduction in survival in the J10DW4, J10DV4, and J10DV2 samples and a statistically significant reduction in survival in the J10DT8 sample when compared to the control.

Test acceptability criteria was met with control survival of 90.0 percent and recovery of test organisms was greater than 80 percent in all test concentrations.

Test temperatures remained at 20±1°C. The tests proceeded without interruption or incidents that could have affected test results.


REFERENCE TOXICANT TEST

The results of the reference toxicant test conducted in January with cupric chloride indicate that the test organisms were within their respective sensitivity range based on EPA guidelines (EPA 1994). The LC_{50} value and control chart limits are listed in the table below.

Species (test)	LC_{50}	Control Chart Limits
<i>Caenorhabditis elegans</i> (survival)	98.2	52.3 to 120.1

CERTIFICATION STATEMENT

I certify that this data package is in compliance with the Statement of Work, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature:



**APPENDIX A
RAW DATA SHEETS**

CHM. // CODE TOXICITY TEST SOIL QUALITY AND TEST CHAM. R ASSIGNMENT DATA

Client Hanford

Tech. 0 Hrs NO

24 Hrs NO

Beginning, Date 2-2-06

Time 0850

Sample Description see below

Time 0 Hrs 0850

24 Hrs 0835

Ending, Date 2-3-06

Time 0835

Test Spec: Caenorhabditis elegans

ID#: Nem007

Lab ID	Soil pH		Soil % Moisture 0 hr	Soil Temperature (°C)		Comments:
	0 hr	24 hr		0 hr	24 hr	
Lab Control				19.3	21.3	All test soils were dried during sampling process.
E284701				19.5	21.3	Each test chamber has 2.33 g dry wt. soil + 0.93 ml Milli-Q water (40% of dry wt.).
E285701				19.3	21.3	Samples hydrated 7 days prior to test initiation.
E287701				19.3	21.3	* SAMPLES HAD ADDITIONAL 0.50 ml Milli-Q water on 1-31 /
E289701				19.3	21.3	covered edges w/ Parafilm. Noted samples almost dry.
E295301				19.3	21.3	

Lab ID	Field ID	Replicate	Chamber #	Lab ID	Field ID	Replicate	Chamber #	Lab ID	Field ID	Replicate	Chamber #
Lab Control	70 grade Silica sand	A	8	E289701	J10 L55	A	11				0
Lab Control	70 grade Silica sand	B	18	E289701		B	13				0
Lab Control	70 grade Silica sand	C	3	E289701	31542-03	C	4				0
E284701	J10 DV1	A	15	E295301	J10 DT9	A	17				0
E284701	31542-05	B	14	E295301		B	9				0
E284701		C	16	E295301	31542-09	C	7				0
E285701	J10 DV3	A	2				0				0
E285701	31542-056	B	5				0				0
E285701		C	6				0				0
E287701	J10 DV0	A	1				0				0
E287701		B	12				0				0
E287701	3042-07	C	10				0				0

Client: Hanford
 Sample Description: _____ Lab ID#: see Assignment Data sheet
 Test Species: Caenorhabditis elegans ID#: Nem 007

Beginning Date 2-2-06 Time 0850
 Ending Date 2-3-06 Time 0835

Test Initiation: Tech: Tech: NT Time: 0850

Test Termination: Tech: Tech: NT Time: 0835

Chamber Number	Start Count	# alive found	# dead found
	0	24 hr	24 hr
1	10	6	4
2	10	8	2
3	10	9	1
4	10	9	1
5	10	10	0
6	10	9	0
7	10	9	0
8	10	9	1
9	10	8	1
10	10	7	1
11	10	7	2
12	10	4	5
13	10	8	2
14	10	7	3
15	10	7	0

Comments:
 long, thin nematode
 found in both #1 and #2
 #4, #9, #11-9 Biogen
 nematodes found & not
 included in final
 counts of nematodes
~~if not~~

Chamber Number	Start Count	# alive found	# dead found
	0	24 hr	24 hr
16	10	5	4
17	10	6	4
18	10	9	1
19	10		
20	10		
21	10		
22	10		
23	10		
24	10		
25	10		
26	10		
27	10		
28	10		
29	10		
30	10		

Comments:

CETIS Test Summary

Report Date: 16 Feb-06 3:25 PM

Test Link: 11-9227-7826/B154206cea

Nematode 24 hour Acute test							CH2M Hill	
Test No:	09-5017-4566	Test Type:	Nematode Survival	Duration:	24h			
Start Date:	02 Feb-06 08:50 AM	Protocol:	ASTM E2172-01 (2001)	Species:	Caenorhabditis elegans			
Ending Date:	03 Feb-06 08:35 AM	Dil Water:		Source:	In-House Culture			
Setup Date:	02 Feb-06 08:50 AM	Brine:						
Sample No:	09-1115-2498	Code:	B1542-06	Client:				
Sample Date:	16 Nov-05	Material:	Soil	Project:				
Receive Date:		Source:	Hanford					
Sample Age:	78d 8h	Station:						
Comments:	J10DV3, E285701							
Comparison Summary								
Analysis	Endpoint	NOEL	LOEL	ChV	PMSD	Method		
10-3091-8870	% Survival	100	> 100	N/A	15.32%	Equal Variance t Two-Sample		
% Survival Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Control Sed	3	0.90000	0.90000	0.90000	0.00000	0.00000	0.00%
100		3	0.90000	0.80000	1.00000	0.05774	0.10000	11.11%
% Survival Detail								
Conc-%	Control Type	Rep 1	Rep 2	Rep 3				
0	Control Sed	0.90000	0.90000	0.90000				
100		0.80000	1.00000	0.90000	✓ Bw			

CETIS Analysis Detail

Comparisons: Page 1 of 1
 Report Date: 16 Feb-06 3:25 PM
 Analysis: 10-3091-8870/B154206cea

Nematode 24 hour Acute test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
% Survival	Comparison	11-9227-7828	11-9227-7826	16 Feb-06 3:07 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Angular (Corrected)		100	>100	1	N/A	15.32%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Control Sed		100	-0.0798	2.13185	0.5299	0.18777	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	7.401E-05	7.40E-05	1	0.01	0.94026	Non-Significant Effect
Error	0.0465461	0.011637	4			
Total	0.04662009	0.0117105	5			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	7862854000	199.00000	0.00000	Unequal Variances
Distribution	Shapiro-Wilk W	0.84220		0.13594	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Control Sed	3	0.90000	0.90000	0.90000	0.00015	1.24905	1.24905	1.24905	0.00016
100		3	0.90000	0.80000	1.00000	0.10000	1.25607	1.10715	1.41202	0.15256



CETIS Test Summary

 Report Date: 16 Feb-06 3:08 PM
 Test Link: 10-4312-1695/B154207 cea

Nematode 24 hour Acute test						CH2M Hill		
Test No:	10-7374-9443	Test Type:	Nematode Survival	Duration:	24h			
Start Date:	02 Feb-06 08:50 AM	Protocol:	ASTM E2172-01 (2001)	Species:	Caenorhabditis elegans			
Ending Date:	03 Feb-06 08:30 AM	DII Water:		Source:	In-House Culture			
Setup Date:	02 Feb-06 08:50 AM	Brine:						
Sample No:	05-1608-3151	Code:	B1542-07	Client:				
Sample Date:	21 Nov-05	Material:	Soil	Project:				
Receive Date:		Source:	Hanford					
Sample Age:	73d 8h	Station:						
Comments:	J10DV0, E287701							
Comparison Summary								
Analysis	Endpoint	NOEL	LOEL	ChV	PMSD	Method		
02-6442-2122	% Survival	< 100	100	N/A	15.69%	Equal Variance t Two-Sample		
% Survival Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Control Sed	3	0.90000	0.90000	0.90000	0.00000	0.00000	0.00%
100		3	0.56667	0.40000	0.70000	0.08819	0.15275	26.96%
% Survival Detail								
Conc-%	Control Type	Rep 1	Rep 2	Rep 3				
0	Control Sed	0.90000	0.90000	0.90000				
100		0.60000	0.40000	0.70000				

CETIS Analysis Detail

Comparisons: Page 1 of 1
 Report Date: 16 Feb-06 3:08 PM
 Analysis: 02-6442-2122/B164207cea

Nematode 24 hour Acute test CH2M HILL

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
% Survival	Comparison	10-4312-1695	10-4312-1695	16 Feb-06 3:08 PM	CETISv1.1.2


Method	Ajt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Angular (Corrected)		<100	100		N/A	15.69%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Control Sed		100	4.39424	2.13185	0.0059	0.19166	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.2341103	0.234110	1	19.31	0.01174	Significant Effect
Error	0.0484969	0.012124	4			
Total	0.2826072	0.2462346	5			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	8192392000	199.00000	0.00000	Unequal Variances
Distribution	Shapiro-Wilk W	0.87536		0.24842	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Control Sed	3	0.90000	0.90000	0.90000	0.00015	1.24905	1.24905	1.24905	0.00016
100		3	0.56667	0.40000	0.70000	0.15275	0.85398	0.68472	0.99116	0.15572



CETIS Test Summary

Report Date: 16 Feb-06 3:09 PM

Test Link: 01-8258-7180/B154208cea

Nematode 24 hour Acute test		CH2M Hill						
Test No:	18-5411-2771	Test Type:	Nematode Survival	Duration:	24h	Species:	Caenorhabditis elegans	
Start Date:	02 Feb-06 08:50 AM	Protocol:	ASTM E2172-01 (2001)	Source:	In-House Culture	Dil Water:		
Ending Date:	03 Feb-06 08:35 AM	Brine:		Client:		Project:		
Setup Date:	02 Feb-06 08:50 AM	Code:	B1542-08	Material:	Soil	Station:		
Sample No:	15-5450-5055	Source:	Hanford	Sample Date:	28 Nov-05	Receive Date:		
Sample Age:	66d 8h	Comments:	J10LJ5, E289701	Sample Date:		Receive Date:		
Comparison Summary								
Analysis	Endpoint	NOEL	LOEL	ChV	PMSD	Method		
17-2393-1486	% Survival	100	> 100	N/A	12.65%	Equal Variance t Two-Sample		
% Survival Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Control Sed	3	0.90000	0.90000	0.90000	0.00000	0.00000	0.00%
100		3	0.80000	0.70000	0.90000	0.05774	0.10000	12.50%
% Survival Detail								
Conc-%	Control Type	Rep 1	Rep 2	Rep 3				
0	Control Sed	0.90000	0.90000	0.90000				
100		0.70000	0.80000	0.90000	✓ <i>Bm</i>			

CETIS Analysis Detail

Comparisons: Page 1 of 1
 Report Date: 16 Feb-06 3:09 PM
 Analysis: 17-2393-1486/B154208cea

Nematode 24 hour Acute test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
% Survival	Comparison	01-8258-7180	01-8258-7180	16 Feb-06 3:09 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Angular (Corrected)		100	>100	1	N/A	12.65%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Control Sed		100	1.78704	2.13185	0.0742	0.15897	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.0266382	0.026638	1	3.19	0.14846	Non-Significant Effect
Error	0.0333653	0.008341	4			
Total	0.06000343	0.0349795	5			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	5636268000	199.00000	0.00000	Unequal Variances
Distribution	Shapiro-Wilk W	0.84832		0.15255	Normal Distribution

Data Summary			Original Data				Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Control Sed	3	0.90000	0.90000	0.90000	0.00015	1.24905	1.24905	1.24905	0.00016
100		3	0.80000	0.70000	0.90000	0.10000	1.11578	0.99116	1.24905	0.12916



CETIS Test Summary

 Report Date: 16 Feb-06 3:11 PM
 Test Link: 03-7488-5492/B154209cea

Nematode 24 hour Acute test		CH2M Hill						
Test No:	16-2208-0421	Test Type:	Nematode Survival					
Start Date:	02 Feb-06 08:50 AM	Protocol:	ASTM E2172-01 (2001)					
Ending Date:	03 Feb-06 08:35 AM	Dil Water:						
Setup Date:	02 Feb-06 08:50 AM	Brine:						
Duration:	24h	Species:	Caenorhabditis elegans					
		Source:	In-House Culture					
Sample No:	07-3184-0122	Code:	B1542-09					
Sample Date:	06 Dec-05	Material:	Soil					
Receive Date:		Source:	Hanford					
Sample Age:	58d 8h	Station:						
Client:		Project:						
Comments: J10DT9, E295301								
Comparison Summary								
Analysis	Endpoint	NOEL	LOEL	ChV	PMSD	Method		
04-5863-3854	% Survival	100	> 100	N/A	18.94%	Equal Variance t Two-Sample		
% Survival Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Control Sed	3	0.90000	0.90000	0.90000	0.00000	0.00000	0.00%
100		3	0.76667	0.60000	0.90000	0.08819	0.15275	19.92%
% Survival Detail								
Conc-%	Control Type	Rep 1	Rep 2	Rep 3				
0	Control Sed	0.90000	0.90000	0.90000				
100		0.60000	0.80000	0.90000				

CETIS Analysis Detail

Comparisons: Page 1 of 1
 Report Date: 16 Feb-06 3:11 PM
 Analysis: 04-5863-3854/B154209cea

Nematode 24 hour Acute test **CH2M Hill**

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
% Survival	Comparison	03-7488-5492	03-7488-5492	16 Feb-06 3:11 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Angular (Corrected)		100	>100	1	N/A	18.94%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Control Sed		100	1.59353	2.13185	0.0931	0.22514	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.0424816	0.042482	1	2.54	0.18626	Non-Significant Effect
Error	0.0669179	0.016729	4			
Total	0.10939945	0.0592110	5			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	1130419000	199.00000	0.00000	Unequal Variances
Distribution	Shapiro-Wilk W	0.86641		0.21226	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Control Sed	3	0.90000	0.90000	0.90000	0.00015	1.24905	1.24905	1.24905	0.00016
100		3	0.76667	0.60000	0.90000	0.15275	1.08076	0.88608	1.24905	0.18292



Client Hanford
 Sample Description _____ Lab ID#: see Assignment Data sheet
 Test Species: Caenorhabditis elegans ID#: Nem 008

Beginning, Date 2-13-06 Time 0830
 Ending, Date 2-14-06 Time 0830

Test Initiation: Tech: Tech: NJ Time: 0830

Test Termination: Tech: Tech: NJ Time: 0830

Chamber Number	Start Count	# alive found	# dead found
	0	24 hr	24 hr
1	10	9	1
2	10	8	0
3	10	9	1
4	10	9	1
5	10	9	1
6	10	8	0
7	10	8	0
8	10	8	1
9	10	7	1
10	10	9	1
11	10	9	0
12	10	7	2
13	10	8	1
14	10	9	0
15	10	9	0

Comments: _____

Chamber Number	Start Count	# alive found	# dead found
	0	24 hr	24 hr
16	10		
17	10		
18	10		
19	10		
20	10		
21	10		
22	10		
23	10		
24	10		
25	10		
26	10		
27	10		
28	10		
29	10		
30	10		

Comments: _____

CETIS Test Summary

 Report Date: 16 Feb-06 2:52 PM
 Test Link: 04-9550-2436/B154201cea

 Nematode 24 hour Acute test CH2M HILL

Test No: 05-4016-1968	Test Type: Nematode Survival	Duration: 24h
Start Date: 13 Feb-06 08:30 AM	Protocol: ASTM E2172-01 (2001)	Species: Caenorhabditis elegans
Ending Date: 14 Feb-06 08:30 AM	Dil Water:	Source: In-House Culture
Setup Date: 30 Jan-06 10:30 AM	Brine:	

Sample No: 18-1426-8954	Code: B1542-01	Client:
Sample Date: 31 Oct-05	Material: Soil	Project:
Receive Date:	Source: Hanford	
Sample Age: 91d 10h	Station:	

Comments: J10DW4, E274801

Comparison Summary

Analysis	Endpoint	NOEL	LOEL	ChV	PMSD	Method
16-8964-2763	% Survival	100	> 100	N/A	0.00%	Equal Variance t Two-Sample

% Survival Summary

Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Control Sed	3	0.90000	0.90000	0.90000	0.00000	0.00000	0.00%
100		3	0.90000	0.90000	0.90000	0.00000	0.00000	0.00%

% Survival Detail

Conc-%	Control Type	Rep 1	Rep 2	Rep 3
0	Control Sed	0.90000	0.90000	0.90000
100		0.90000	0.90000	0.90000

13

CETIS Analysis Detail

Comparisons: Page 1 of 1
 Report Date: 16 Feb-06 2:52 PM
 Analysis: 16-8964-2763/B154201 cea

Nematode 24 hour Acute test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
% Survival	Comparison	04-9550-2436	04-9550-2436	16 Feb-06 2:52 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Angular (Corrected)		100	>100	1	N/A	0.00%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Control Sed		100	0	2.13185	0.5000	3E-08	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0	0	1	0.00	1.00000	Non-Significant Effect
Error	1.776E-15	4.44E-16	4			
Total	1.7764E-15	4.441E-16	5			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	1.00000	199.00000	1.00000	Equal Variances

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Control Sed	3	0.90000	0.90000	0.90000	0.00015	1.24905	1.24905	1.24905	0.00016
100		3	0.90000	0.90000	0.90000	0.00015	1.24905	1.24905	1.24905	0.00016



CETIS Analysis Detail

Comparisons: Page 1 of 1
 Report Date: 16 Feb-06 2:55 PM
 Analysis: 01-5013-5976/B154202cea

Nematode 24 hour Acute test						CH2M Hill
-----------------------------	--	--	--	--	--	-----------

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
% Survival	Comparison	07-1342-3910	07-1342-3910	16 Feb-06 2:55 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Angular (Corrected)		100	>100	1	N/A	7.58%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Control Sed		100	2	2.13185	0.0581	0.10083	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.0134232	0.013423	1	4.00	0.11612	Non-Significant Effect
Error	0.0134232	0.003356	4			
Total	0.02684637	0.016779	5			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	2267528000	199.00000	0.00000	Unequal Variances
Distribution	Shapiro-Wilk W	0.81374		0.07784	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Control Sed	3	0.90000	0.90000	0.90000	0.00015	1.24905	1.24905	1.24905	0.00016
100		3	0.83333	0.80000	0.90000	0.05774	1.15445	1.10715	1.24905	0.08192



CETIS Test Summary

 Report Date: 16 Feb-06 3:00 PM
 Test Link: 01-6976-7512/B154203cea

Nematode 24 hour Acute test		CH2M Hill						
Test No:	13-3323-9275	Test Type:	Nematode Survival					
Start Date:	13 Feb-06 08:30 AM	Protocol:	ASTM E2172-01 (2001)					
Ending Date:	14 Feb-06 08:30 AM	DII Water:						
Setup Date:	13 Feb-06 08:30 AM	Brine:						
Duration:	24h	Species:	Caenorhabditis elegans					
		Source:	In-House Culture					
Sample No:	15-5457-5144	Code:	B1542-03					
Sample Date:	14 Nov-05	Material:	Soil					
Receive Date:		Source:	Hanford					
Sample Age:	91d 8h	Station:						
Client:		Project:						
Comments: J10DT8, E283101								
Comparison Summary								
Analysis	Endpoint	NOEL	LOEL	ChV	PMSD	Method		
05-2471-0884	% Survival	< 100	100	N/A	6.07%	Equal Variance t Two-Sample		
% Survival Summary								
Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Control Sed	3	0.90000	0.90000	0.90000	0.00000	0.00000	0.00%
100		3	0.73333	0.70000	0.80000	0.03333	0.05774	7.87%
% Survival Detail								
Conc-%	Control Type	Rep 1	Rep 2	Rep 3				
0	Control Sed	0.90000	0.90000	0.90000				
100		0.70000	0.80000	0.70000				

CETIS Analysis Detail

Nematode 24 hour Acute test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
% Survival	Comparison	01-6976-7512	01-6976-7512	16 Feb-06 3:00 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Angular (Corrected)		<100	100		N/A	6.07%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Control Sed		100	5.67000	2.13185	0.0024	0.08243	Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.0720895	0.072089	1	32.15	0.00477	Significant Effect
Error	0.0089694	0.002242	4			
Total	0.08105894	0.0743319	5			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	1515175000	199.00000	0.00000	Unequal Variances
Distribution	Shapiro-Wilk W	0.81374		0.07784	Normal Distribution

Data Summary		Original Data					Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Control Sed	3	0.90000	0.90000	0.90000	0.00015	1.24905	1.24905	1.24905	0.00016
100		3	0.73333	0.70000	0.80000	0.05774	1.02982	0.99116	1.10715	0.06697



CETIS Test Summary

 Report Date: 16 Feb-06 3:02 PM
 Test Link: 10-6481-1341/B154204cea

 Nematode 24 hour Acute test CH2M HILL

Test No:	04-3389-1423	Test Type:	Nematode Survival	Duration:	24h
Start Date:	13 Feb-06 08:30 AM	Protocol:	ASTM E2172-01 (2001)	Species:	Caenorhabditis elegans
Ending Date:	14 Feb-06 08:30 AM	Dil Water:		Source:	In-House Culture
Setup Date:	13 Feb-06 08:30 AM	Brine:			

Sample No:	09-5315-2344	Code:	B1542-04	Client:	
Sample Date:	15 Nov-05	Material:	Soil	Project:	
Receive Date:		Source:	Hanford		
Sample Age:	90d 8h	Station:			

Comments: J10DV2, E284601

Comparison Summary

Analysis	Endpoint	NOEL	LOEL	ChV	PMSD	Method
09-5921-2719	% Survival	100	> 100	N/A	7.58%	Equal Variance t Two-Sample

% Survival Summary

Conc-%	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Control Sed	3	0.90000	0.90000	0.90000	0.00000	0.00000	0.00%
100		3	0.83333	0.80000	0.90000	0.03333	0.05774	6.93%

% Survival Detail

Conc-%	Control Type	Rep 1	Rep 2	Rep 3
0	Control Sed	0.90000	0.90000	0.90000
100		0.80000	0.80000	0.90000

CETIS Analysis Detail

Comparisons: Page 1 of 1
 Report Date: 16 Feb-06 3:02 PM
 Analysis: 09-5921-2719/B154204cea

Nematode 24 hour Acute test **CH2M Hill**

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
% Survival	Comparison	10-6481-1341	10-6481-1341	16 Feb-06 3:02 PM	CETISv1.1.2


Method	Alt H	Data Transform	Zeta	NOEL	LOEL	Toxic Units	ChV	PMSD
Equal Variance t Two-Sample	C > T	Angular (Corrected)		100	>100	1	N/A	7.58%

Group Comparisons							
Control	vs	Conc-%	Statistic	Critical	P-Value	MSD	Decision(0.05)
Control Sed		100	2	2.13185	0.0581	0.10083	Non-Significant Effect

ANOVA Table						
Source	Sum of Squares	Mean Square	DF	F Statistic	P-Value	Decision(0.05)
Between	0.0134232	0.013423	1	4.00	0.11612	Non-Significant Effect
Error	0.0134232	0.003356	4			
Total	0.02684637	0.016779	5			

ANOVA Assumptions					
Attribute	Test	Statistic	Critical	P-Value	Decision(0.01)
Variances	Variance Ratio F	2287528000	199.00000	0.00000	Unequal Variances
Distribution	Shapiro-Wilk W	0.81374		0.07784	Normal Distribution

Data Summary			Original Data				Transformed Data			
Conc-%	Control Type	Count	Mean	Minimum	Maximum	SD	Mean	Minimum	Maximum	SD
0	Control Sed	3	0.90000	0.90000	0.90000	0.00015	1.24905	1.24905	1.24905	0.00016
100		3	0.83333	0.80000	0.90000	0.05774	1.15445	1.10715	1.24905	0.08192



WASHINGTON HANFORD CLOSURE CROSS REFERENCE

DATE	SDG	CLIENT ID	SAMPLING LOCATION
10/31/2005	E2748	J10DW4	600-131
11/08/2005	E2801	J10DV4	PIT 23
11/14/2005	E2831	J10DT8	Upland Backfill Elevated-100-F-2
11/15/2005	E2846	J10DV2	Upland Native Reference-Central Plateau
11/15/2005	E2847	J10DV1	Upland Backfill Low-116-DR-1&2
11/16/2005	E2857	J10DV3	Upland Native Elevated-JA Jones
11/21/2005	E2877	J10DV0	Riparian Elevated-Site # 3 Upriver 100-D
11/28/2005	E2897	J10LJ5	Riparian Low-Site # 10 Downriver 100-D
12/06/2005	E2953	J10DT9	Riparian Reference-Site # 13 Vernita Bridge

APPENDIX B
REFERENCE TOXICANT DATA SHEETS

Client QA/QC
 Sample Description Cu as CuCl₂·xH₂O Lab ID#: B 033-08
 Species: Caenorhabditis elegans ID#: Nem 005

Beginning, Date 1-23-06 Time 1330
 Ending, Date 1-24-06 Time 11:30

Test Initiation: Tech: NJ Time: 1330 Test Termination: Tech: NJ Time: 1130

Chamber Number	Start Count	# alive found	# dead found
	0	24 hr	24 hr
1	10	10	0
2	10	6	4
3	10	6	4
4	10	10	0
5	10	10	0
6	10	7	3
7	10	0	10
8	10	2	8
9	10	6	4
10	10	9	1
11	10	6	4
12	10	5	5
13	10	4	6
14	10	10	0
15	10	10	0

Comments:

Endpoint

LC50

Cusum Chart Limits

Task Manager

Natisha Johnson

Survival

98.2

52.3 to 120.1

Project Manager

[Signature]

QA Officer

[Signature]

Report Date: 26 Jan-06 2:57 PM

Test Link: 18-9490-9699/rcea005

CETIS Test Summary

Nematode 24 hour Acute test						CH2M Hill		
Test No:	03-9544-7078	Test Type:	Nematode Survival	Duration:	22h			
Start Date:	23 Jan-06 01:30 PM	Protocol:	ASTM E2172-01 (2001)	Species:	Caenorhabditis elegans			
Ending Date:	24 Jan-06 11:30 AM	Dil Water:		Source:	In-House Culture			
Setup Date:	23 Jan-06 01:30 PM	Brine:						
Sample No:	13-1507-4495	Material:	Copper	Client:				
Sample Date:	23 Jan-06	Code:	1B033-08	Project:				
Receive Date:	28 Jan-06 02:55 PM	Source:	Reference Toxicant					
Sample Age:	14h	Station:						
Comments:	as CuSO4x5H2O							
Point Estimate Summary								
Analysis	Endpoint	% Effect	Conc-mg/L	95% LCL	95% UCL	Method		
07-3093-8444	% Survival	50	98.16186	67.39882	142.9662	Trimmed Spearman-Kärber		
% Survival Summary								
Conc-mg/L	Control Type	Reps	Mean	Minimum	Maximum	SE	SD	CV
0	Dilution Water	3	0.96667	0.90000	1.00000	0.03333	0.05774	5.97%
10		3	1.00000	1.00000	1.00000	0.00000	0.00000	0.00%
50		3	0.63333	0.60000	0.70000	0.03333	0.05774	9.12%
100		3	0.56667	0.50000	0.60000	0.03333	0.05774	10.19%
250		3	0.20000	0.00000	0.40000	0.11547	0.20000	100.00
% Survival Detail								
Conc-mg/L	Control Type	Rep 1	Rep 2	Rep 3				
0	Dilution Water	1.00000	0.90000	1.00000				
0		1.00000	1.00000	1.00000				
50		0.60000	0.60000	0.70000				
100		0.60000	0.60000	0.50000				
250		0.00000	0.40000	0.20000				


CETIS Analysis Detail

Nematode 24 hour Acute test CH2M Hill

Endpoint	Analysis Type	Sample Link	Control Link	Date Analyzed	Version
% Survival	Trimmed Spearman-Karber	18-9490-9699	18-9490-9699	26 Jan-06 2:57 PM	CETISv1.1.1

Spearman-Karber Options					Point Estimates		
Threshold Option	Lower Threshold	Trim	μ	σ	EC50/LC50	95% LCL	95% UCL
Control Threshold	0.03333334	20.34%	1.991943	0.08164523	98.16186	67.39882	142.96620

Data Summary		Calculated Variate(A/B)							
Conc-mg/	Control Type	Count	Mean	Minimum	Maximum	SE	SD	A	B
0	Dilution Water	3	0.96667	0.90000	1.00000	0.01179	0.05773	29	30
10		3	1.00000	1.00000	1.00000	0.00000	0.00000	30	30
50		3	0.63333	0.60000	0.70000	0.01179	0.05773	19	30
100		3	0.56667	0.50000	0.60000	0.01179	0.05773	17	30
250		3	0.20000	0.00000	0.40000	0.04082	0.20000	6	30



APPENDIX C
CHAIN OF CUSTODY

E 2778

Washington Closure Hanford		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST				RC-051-3		Page 1 of 1		
Collector L. COLLOM		Company Contact JOAN KESSNER		Telephone No. 375-4688		Project Coordinator KESSNER, JH		Price Code 8L Data Turnaround 45 Days		
Project Designation 100 & 300 Area Component of the RCBRA - Incremental So		Sampling Location 600-131		SAF No. RC-051		Air Quality <input type="checkbox"/>				
Ice Chest No.		Field Logbook No. EL-1596		COA BESRAS6520		Method of Shipment				
Shipped To CH2MHILL		Offsite Property No. A060151		Bill of Lading/Air Bill No.						
POSSIBLE SAMPLE HAZARDS/REMARKS NONE			Preservation	None	None					
Special Handling and/or Storage NONE			Type of Container	G/P	P/G					
			No. of Container(s)	1	1					
			Volume	1000g	2000g 4000g	ST 11/8/05				
SAMPLE ANALYSIS 11-1-05 LRC				See item (1) in Special Instructions.	Soil Plant Toxicity ASTM E1963; Soil Nematode Toxicity ASTM E2172					
Sample No.	Matrix *	Sample Date	Sample Time							
J10DW0 J10DW4	SOIL	10-31-05	1530	X	X					
J10DW0	SOIL									
J10DW1	SOIL									
J10DW2	SOIL									
J10DW3	SOIL									
CHAIN OF POSSESSION			Sign/Print Names			SPECIAL INSTRUCTIONS			Matrix *	
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time	(1) Particle Size (Dry Sieve) - D422; Moisture Content - D2216; TOC - 9060; pH (Soil) - 9045; Nitrogen by Kjeldahl - 351.2; Ammonia - 350.3; IC Anions - 300.0; Percent Solids						S=Soil SE=Settleable SD=Solid Sl=Sludge W=Water O=Oil A=Air DS=Dross Solids DL=Dross Liquids T=Trace Wl=Wipe L=Liquid V=Vegetation X=Other
<i>[Signature]</i>	11-1-05P/003	<i>[Signature]</i>	11-1-05 10:30	Bioassay ED = B1542-01						
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time							
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time							
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time							
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time							
LABORATORY SECTION	Received By	Title			Date/Time					
FINAL SAMPLE DISPOSITION	Disposal Method	Disposed By			Date/Time					

E 2801

Washington Closure Hanford		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST					RC-051-4		Page 1 of 1		
Collector L. COLLOM		Company Contact JOAN KESSNER		Telephone No. 375-4688		Project Coordinator KESSNER, JH		Price Code 8L		Data Turnaround	
Project Designation 100 & 300 Area Component of the RCBRA - Incremental So		Sampling Location PIT 23		SAF No. RC-051		Air Quality <input type="checkbox"/>		45 Days			
Ice Chest No.		Field Logbook No. EL-1596		COA BESRAS6520		Method of Shipment					
Shipped To CH2MHILL		Offsite Property No. A060151		Bill of Lading/Air Bill No.							
POSSIBLE SAMPLE HAZARDS/REMARKS NONE				Preservation	None	None					
Special Handling and/or Storage NONE				Type of Container	G/P	P/G					
				No. of Container(s)	1	1					
				Volume	1000g	3000g 4000g	ET 11-8-05				
SAMPLE ANALYSIS				See item (1) in Special Instructions.	Soil Pkz Toxicity ASTM E1963; Soil Nematode Toxicity ASTM E2172						
Sample No.	Matrix *	Sample Date	Sample Time								
J10DV4	SOIL	11-8-05	16:00	1	1					-1	
J10DV5	SOIL										
J10DV6	SOIL										
J10DV7	SOIL										
J10DV8	SOIL										
CHAIN OF POSSESSION			Sign/Print Names			SPECIAL INSTRUCTIONS				Matrix *	
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time	This chain of custody form documents the transfer of bulk field collected soils to the CH2M Hill Corvallis laboratory for incremental preparation and aliquoting.							S=Soil SS=Soil/rock SL=Sludge W=Water O=Oil A=Air DS=Dry Solids DL=Dry Lipids T=Time WT=Wipe L=Liquid V=Vegetation X=Other
<i>Joseph M. Topp</i>	11-9-05 12:00	<i>Melby Sexton</i>	11-9-05 12:30	(1) Particle Size (Dry Sieve) - D422; Moisture Content - D2216; TOC - 9060; pH (Soil) - 9045; Nitrogen by Kjeldahl - 351.2; Ammonia - 350.3; IC Anions - 300.0; Percent Solids							
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time	ET 11/10/05 AS per Rich Weisk Bioray ID = B1542-02							
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time								
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time								
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time								
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time								
LABORATORY SECTION	Received By	Title			Date/Time						
FINAL SAMPLE DISPOSITION	Disposal Method	Disposed By			Date/Time						

E 2131

Washington Closure Hanford		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST				RC-051-9		Page 1 of 1	
Collector L. COLLOM		Company Contact JOAN KESSNER		Telephone No. 375-4688		Project Coordinator KESSNER, JH		Price Code 8L Date Turnaround 45 Days	
Project Designation 100 & 300 Area Component of the RC/BRA - Incremental So		Sampling Location Upland Backfill Elevated-100-F-2				SAF No. RC-051		Air Quality	
Ice Chest No.		Field Logbook No. EL-1596		COA BESRAS6520		Method of Shipment			
Shipped To CH2MHILL		Offsite Property No. A060151				Bill of Lading/Air Bill No.			
POSSIBLE SAMPLE HAZARDS/REMARKS Potentially Radioactive.		Preservation		None		None			
Special Handling and/or Storage NONE		Type of Container		G/P		P/G			
		No. of Container(s)		1		1			
		Volume		1000g		400g			
SAMPLE ANALYSIS				See item (1) in Special Instructions.		Soil Plant Toxicity ASTM E1963 Soil Nematode Toxicity ASTM E2172			
Sample No.	Matrix *	Sample Date	Sample Time						
J10DT8	SOIL	11/14/05	17:21	1	1				
CHAIN OF POSSESSION				Sign/Print Names		SPECIAL INSTRUCTIONS			
Relinquished By/Removed From Elizabeth Tepper		Date/Time 11/15/05		Received By/Stored In Daina Kammann		Date/Time 11/15/05		Matrix *	
Relinquished By/Removed From Elizabeth Tepper		Date/Time		Received By/Stored In		Date/Time 11/01		S=Soil SE=Soil/Env SO=Solid SL=Sedg W=Water O=Oil A=Air OS=Dross Solids OL=Dross Liquids T=Tissue WI=Wipe L=Liquid V=Vegetation X=Other	
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time		Particle Size (Dry Sieve) - D422; Moisture Content - D2216; TOC - 9060; pH (Soil) - 9045; Nitrogen by Kjeldahl - 351.2; Ammonia - 350.3; IC Anions - 300.0; Percent Solids	
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time		Bioassay ID = B1542-03	
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
LABORATORY SECTION		Received By		Title		Date/Time			
FINAL SAMPLE DISPOSITION		Disposal Method		Disposed By		Date/Time			

E 2846

Washington Closure Hanford		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST				RC-051-15		Page 1 of 1	
Collector L. COLLOM		Company Contact JOAN KESSNER		Telephone No. 375-4688		Project Coordinator KESSNER, JH		Price Code 8L Data Turnaround 45 Days	
Project Designation 100 & 300 Area Component of the RCBRA - Incremental So		Sampling Location Upland Native Reference-Central Plateau		SAF No. RC-051		Air Quality			
Ice Chest No.		Field Logbook No. EL-1596		COA BESRAS6520		Method of Shipment			
Shipped To CH2MHILL		Offsite Property No. A060151		Bill of Lading/Air Bill No.					
POSSIBLE SAMPLE HAZARDS/REMARKS NONE				Preservation	None	None			
Special Handling and/or Storage NONE				Type of Container	G/P	P/G			
				No. of Container(s)	1	1			
				Volume	1000g	4000g			
SAMPLE ANALYSIS				See item (1) in Special Instructions.	Soil Plant Toxicity ASTM E1963; Soil Nematode Toxicity ASTM E2172				
Sample No.	Matrix *	Sample Date	Sample Time						
J10DV2	SOIL	11-15-05	20:00	1	1				1
CHAIN OF POSSESSION				Sign/Print Names		SPECIAL INSTRUCTIONS			
Relinquished By/Removed From Elizabeth Tepper		Date/Time 11-16-05 14:30		Received By/Stored In NA		Date/Time			
Relinquished By/Removed From Elizabeth Tepper		Date/Time 11-16-05		Received By/Stored In Elizabeth Tepper		Date/Time 11/16/05			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
LABORATORY SECTION		Received By		Title				Date/Time	
FINAL SAMPLE DISPOSITION		Disposal Method		Disposed By				Date/Time	

Matrix *

- S=Soil
- SE=Soil/Inert
- SO=Soil
- SI=Sludge
- W=Water
- O=Oil
- A=Air
- DS=Dross Solids
- DL=Dross Liquids
- T=Time
- Wl=Water
- L=Liquid
- V=Vegetation
- X=Other

(j) Particle Size (Dry Sieve) - D422; Moisture Content - D2216; TOC - 9060; pH (Soil) - 9045; Nitrogen by Kjeldahl - 351.2; Ammonia - 350.3; IC Anions - 300.0; Percent Solids

Bioassay IO = B1542-04

E 2847

Washington Closure Hanford		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST				RC-051-12		Page 1 of 1	
Collector L. COLLOM		Company Contact JOAN KESSNER		Telephone No. 375-4688		Project Coordinator KESSNER, JH		Price Code 8L Data Turnaround 45 Days	
Project Designation 100 & 300 Area Component of the RCRA - Incremental So		Sampling Location Upland Backfill Low-116-DR-1&2			SAF No. RC-051		Air Quality		
Ice Chest No.		Field Logbook No. EL-1596		COA BESRAS6520		Method of Shipment			
Shipped To CH2MHILL		Offsite Property No. A060151			Bill of Lading/Air Bill No.				
POSSIBLE SAMPLE HAZARDS/REMARKS NONE		Preservation	None	None					
Special Handling and/or Storage NONE		Type of Container	G/P	P/G					
		No. of Container(s)	1	1					
		Volume	1000g	4000g					
SAMPLE ANALYSIS				See item (1) in Special Instructions.	Soil Plant Toxicity ASTM E1963; Soil Nematode Toxicity ASTM E2172				
Sample No.	Matrix *	Sample Date	Sample Time						
J10DV1	SOIL	11-15-05	20:05	1	1				-1
CHAIN OF POSSESSION									
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time		Matrix *	
Elizabeth Tepper		11-14-05		NA				S=Soil SE=Soil/soil SO=Solid SI=Sludge W=Water O=Oil A=Air DS=Dry Solids DL=Dry Liquids T=Tissue W1=Wipe L=Liquid V=Vegetation X=Other	
Dorothy Tepper		11-14-05		Dorothy Tepper		11/16/05			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
LABORATORY SECTION		Received By		Title		Date/Time			
FINAL SAMPLE DISPOSITION		Disposal Method		Disposed By		Date/Time			

SPECIAL INSTRUCTIONS
This chain of custody form documents the transfer of bulk field collected soils to the CH2M Hill Corvallis laboratory for incremental preparation and aliquoting.

(1) Particle Size (Dry Sieve) - D422; Moisture Content - D2216; TOC - 9060; pH (Soil) - 9045; Nitrogen by Kjeldahl - 351.2; Ammonia - 350.3; IC Anions - 300.0; Percent Solids

Bioassay ID = B1542-05

E287

Washington Closure Hanford		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST			RC-051-11	Page 1 of 1
Collector L. COLLOM	Company Contact JOAN KESSNER	Telephone No. 375-4688	Project Coordinator KESSNER, JH		Price Code 8L	Data Turnaround
Project Designation 100 & 300 Area Component of the RCBRA - Incremental So		Sampling Location Riparian Elevated-Site #3 Upriver 100-D		SAF No. RC-051	Air Quality	45 Days
Ice Chest No.	Field Logbook No. EL-1596	COA BESRAS6520	Method of Shipment			
Shipped To CH2MHILL		Offsite Property No. A060151		Bill of Lading/Air Bill No.		

POSSIBLE SAMPLE HAZARDS/REMARKS				Preservation	None	None												
NONE				Type of Container	G/P	P/G												
Special Handling and/or Storage				No. of Container(s)	1	1												
NONE				Volume	1000g	-3000g 4000g	ET 11-21-05											
SAMPLE ANALYSIS					See item (1) in Special Instructions.	Soil Plant Toxicity ASTM E1963; Soil Nutrient Toxicity ASTM E7172												
Sample No.	Matrix *	Sample Date	Sample Time															
J10DV0	SOIL	11-21-05	16:00	1	1													

CHAIN OF POSSESSION				SPECIAL INSTRUCTIONS				Matrix * S=Soil SS=Soliment SO=Solid SL=Sludge W=Water O=Oil A=Air DS=Drum Solids DL=Drum Liquids T=Tissue WI=Wipe L=Liquid V=Vegetation X=Other
Relinquished By/Removed From Elizabeth Tepper	Date/Time 11/22/05	Received By/Stored In [Signature]	Date/Time 11/22/05	This chain of custody form documents the transfer of bulk field collected soils to the CH2M Hill Corvallis laboratory for incremental preparation and aliquoting.				
Relinquished By/Removed From [Signature]	Date/Time 11/22/05	Received By/Stored In [Signature]	Date/Time 11/22/05	(1) Particle Size (Dry Sieve) - D422; Moisture Content - D2216; TOC - 9060; pH (Soil) - 9045; Nitrogen by Kjeldahl - 351.2; Ammonia - 350.3; IC Anions - 300.0; Percent Solids				
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time	Bioassay ID = B1542-07				
Relinquished By/Removed From	Date/Time	Received By/Stored In	Date/Time					

LABORATORY SECTION	Received By	Title	Date/Time
FINAL SAMPLE DISPOSITION	Disposal Method	Disposed By	Date/Time

E 2897

E 397

Washington Closure Hanford		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST				RC-051-20		Page 1 of 1	
Collector L. COLLOM		Company Contact JOAN KESSNER		Telephone No. 375-4688		Project Coordinator KESSNER, JH		Price Code 8L Data Turnaround 45 Days	
Project Designation 100 & 300 Area Component of the RCBRA - Incremental So		Sampling Location Riparian Low-Site#10 Downriver 100-D		SAF No. RC-051		Air Quality			
Ice Chest No.		Field Logbook No. EL-1596		COA BESRAS6520		Method of Shipment			
Shipped To CH2MHILL		Offsite Property No. A060151		Bill of Lading/Air Bill No.					
POSSIBLE SAMPLE HAZARDS/REMARKS NONE				Preservation	None	None			
Special Handling and/or Storage NONE				Type of Container	G/P	P/G			
				No. of Container(s)	1	1			
				Volume	1000g	400g			
				SAMPLE ANALYSIS		See item (1) in Special Instructions.	Soil Plant Toxicity ASTM E1963; Soil Nematode Toxicity ASTM E2172		
Sample No.	Matrix *	Sample Date	Sample Time						
J10LJ5	SOIL	11-28-05	10:19 16:19	1	1			-1	
CHAIN OF POSSESSION				SPECIAL INSTRUCTIONS				Matrix *	
Relinquished By/Removed From <i>Elizabeth Feffer</i>		Date/Time 11-28-05 16:25		Received By/Stored In <i>Melinda Decker</i>		Date/Time 11-28-05 16:25		This chain of custody form documents the transfer of bulk field collected soils to the CH2M Hill Corvallis laboratory for incremental preparation and aliquoting. (1) Particle Size (Dry Sieve) - D422; Moisture Content - D2216; TOC - 9060; pH (Soil) - 9045; Nitrogen by Kjeldahl - 351.2; Ammonia - 350.3; IC Anions - 300.0; Percent Solids <i>Bidassany 20 = 81542-08</i>	
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time		S=Soil SB=Softened SO=Solid SL=Sludge W=Water O=Oil A=Air DS=Drum Solids DL=Drum Liquids T=Tissue Wt=Wipe L=Liquid V=Vegetation X=Other	
LABORATORY SECTION		Received By		Title				Date/Time	
FINAL SAMPLE DISPOSITION		Disposal Method		Disposed By				Date/Time	

E 2400

EZ 53

Washington Closure Hanford		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST				RC-051-6		Page 1 of 1	
Collector L. COLLOM		Company Contact JOAN KESSNER		Telephone No. 375-4688		Project Coordinator KESSNER, JH		Price Code 8L Data Turnaround 45 Days	
Project Designation 100 & 300 Area Component of the RCBRA - Incremental So		Sampling Location Riparian Reference-Site #13 Vernita Bridge			SAF No. RC-051		Air Quality <input type="checkbox"/>		
Ice Chest No.		Field Logbook No. EL-1596		COA BESRAS6520		Method of Shipment			
Shipped To CH2MHILL		Offsite Property No. A060151			Bill of Lading/Air Bill No.				
POSSIBLE SAMPLE HAZARDS/REMARKS NONE				Preservation	None	None			
Special Handling and/or Storage NONE				Type of Container	G/P	P/G			
				No. of Container(s)	1	1			
				Volume	1000g	3000g 4000g	ST 15 12-6-05		
SAMPLE ANALYSIS				See item (1) in Special Instructions.	Soil Plant Toxicity ASTM E1963; Soil Nematode Toxicity ASTM E2172				
Sample No.	Matrix *	Sample Date	Sample Time						
J10DT9	SOIL	12-6-05	16:00	X	X				-1
CHAIN OF POSSESSION				Sign/Print Names		SPECIAL INSTRUCTIONS			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
Elizabeth TRAPPER		12/6/05 16:00		CH2M Hill		→			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
Elizabeth TRAPPER		12/6/05 16:00		Elizabeth TRAPPER		12-6-05 16:15			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time			
LABORATORY SECTION		Received By		Title		Date/Time			
FINAL SAMPLE DISPOSITION		Disposal Method		Disposed By		Date/Time			

This chain of custody form documents the transfer of bulk field collected soils to the CH2M Hill Corvallis laboratory for incremental preparation and aliquoting.

(1) Particle Size (Dry Sieve) - D422; Moisture Content - D2216; TOC - 9060; pH (Soil) - 9045; Nitrogen by Kjeldahl - 351.2; Ammonia - 350.3; IC Anions - 300.0; Percent Solids

Bioassay ID = B1542-09

- Matrix *
- S=Soil
 - SE=Soil/Sludge
 - SO=Solid
 - SI=Sludge
 - W = Water
 - O=Oil
 - A=Air
 - DS=Drum Solids
 - DL=Drum Liquids
 - T=Tissue
 - WI=Wipe
 - L=Liquid
 - V=Vegetation
 - X=Other



CH2M HILL
Applied Sciences Laboratory
2300 NW Walnut Blvd
Corvallis, OR
97330-3538
P.O. Box 428
Corvallis, OR
97339-0428
Tel 541.752.4271
Fax 541.752.0276

January 31, 2006

Washington Closure Hanford

334247.AO.ZZ

RE: Laboratory Report for Washington Closure Hanford
Applied Sciences Laboratory Reference No. E2801

Joan Kessner/WCH:

On November 09, 2005, CH2M HILL Applied Sciences Laboratory received one sample with a request for analysis of selected parameters. All analyses were performed by CH2M HILL unless otherwise indicated below.

The analytical results and associated quality control data are enclosed. Any unusual difficulties encountered during the analysis of your samples are discussed in the case narrative. This data package meets standards requested by client and is not intended or implied to meet any other standard.

CH2M HILL Applied Sciences Laboratory appreciates your business and looks forward to serving your analytical needs again. If you should have any questions concerning the data, or if you need additional information, please call Elizabeth Tepper at (541) 758-0235, extension 3127.

Sincerely,

A handwritten signature in black ink that reads "Elizabeth M. Tepper".

Elizabeth Tepper
Analytical Manager

Enclosures



CLIENT SAMPLE CROSS-REFERENCE

CH2M HILL Applied Sciences Laboratory Reference No. E2801

Sample ID	Client Sample ID	Date Collected	Time Collected
E280101	J10DV4	11/08/2005	16:00

Table of Contents
CH2M HILL Laboratory Reference No. E2801

	Page
Ammonia Analysis by Method EPA350.3	5
Sample Data Summary	7
QC Summary	10
Anions Analysis by Method E300.0	19
Sample Data Summary	21
QC Summary	24
Moisture Analysis by Method ASTM D2216	35
Particle Size Analysis by Method D422	37
pH Analysis by Method SW9045C	39
Total Kjeldahl Nitrogen Analysis by Method EPA351.2	42
Sample Data Summary	44
QC Summary	47
Total Organic Carbon Analysis by Method SW9060	56
Sample Data Summary	59
QC Summary	62
Chain of Custody/Shipping Documents	72

Applied Sciences Laboratory

Organic CLP and CLP Like Data Qualifiers

- U The analyte was analyzed for, but not detected above the reported sample quantitation limit.
- J The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
- UJ The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
- N The analysis indicates the presence of an analyte for which there is presumptive evidence to make a "tentative identification".
- NJ The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.
- P The primary and confirmation analyte result recoveries do not match.
- E The analyte was positively identified; the associated numerical value exceeded the instrument calibration range.
- R The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.

Inorganic CLP and CLP Like Data Qualifiers

- U The analyte was analyzed for, but not detected above the reported sample quantitation limit.
- B The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
- UJ The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
- E The analyte was positively identified; the associated numerical value exceeded the instrument calibration range.
- N The matrix spike/matrix spike duplicate recovery for the analyte is outside of acceptance criteria—qualifier is applied to the native sample only.
- R The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.

**AMMONIA
METHOD EPA 350.3**

**CASE NARRATIVE
AMMONIA**

Analytical Method: EPA 350.3

Batch No.: E2801

Lab Name: CH2M HILL Applied Sciences Lab

Contract #: 334247.AO.Z Z

Project Name: Washington Closure Hanford

Prime Contractor: _____

I. Holding Times:

All acceptance criteria were met.

II. Analysis:

A. Calibration:

All acceptance criteria were met.

B. Blanks:

All acceptance criteria were met.

C. Matrix Spike/Matrix Spike Duplicate(MS/MSD)

All analyses were performed in accordance with standard operating procedures.

D. Laboratory Control Spike(LCS)

All acceptance criteria were met.

E. Duplicate Sample(s):

All analyses were performed in accordance with standard operating procedures.

F. Analytical Exceptions:

None.

III. Sampling Equipment:

None.

IV. Documentation Exceptions:

None

V. I certify that this data package is in compliance with the terms and conditions agreed to by the client and CH2M HILL, both technically and for completeness, except for the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or designee, as verified by the following signature.

Reported by: _____

Elizabeth M. Tupper

Date: _____

1/19/06

Reviewed by: _____

Amber Jayb

Date: _____

1/23/06

**SAMPLE DATA
SUMMARY**

**QC DATA
SUMMARY**

ANIONS BY METHOD EPA300.0

**CASE NARRATIVE
ANIONS**

Analytical Method: EPA300.0

Batch No.: E2801

Lab Name: CH2M HILL Applied Sciences Lab

Contract #: 334247.AO.ZZ

Base/Command: Washington Closure

Prime Contractor.: _____

I. Holding Times:

All acceptance criteria were met.

II. Analysis:

A. Calibration:

All acceptance criteria were met.

B. Blanks:

All acceptance criteria were met.

C. Matrix Spike/Matrix Spike Duplicate Sample(s):

Samples were analyzed in accordance with SOP.

D. Laboratory Control Spike(LCS)

All acceptance criteria were met.

E. Analytical Exception:

None.

F. Other:

None.


III. Sampling Equipment:

None.


IV. Documentation Exceptions:

None

V. I certify that this data package is in compliance with the terms and conditions agreed to by the client and CH2M HILL, both technically and for completeness, except for the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or designee, as verified by the following signature.

Reported by: 

Date: 1/25/06

Reviewed by: 

Date: 1/30/06

**SAMPLE DATA
SUMMARY**

QC DATA SUMMARY

**PERCENT MOISTURE
ASTM D2216**

**PARTICLE SIZE
METHOD 422**

Hanford

Particle Size

490.2 g sample used

Weight retained is the weight of material ON each sieve

ANALYST:

KH

11/17/2005

Lab	I.D.	Client I.D.	Sieve #	Sieve Size (um)	Sieve Size (mm)	Weight Retained (g)	Weight Retained (%)	Cumulative Coarser (%)	Cumulative Finer (%)
E280101		J10DV4	8	2362	2.362	0.00	0.00	0.00	100.00
			16	1180	1.180	0.00	0.00	0.00	100.00
			30	600	0.600	211.60	43.37	43.37	56.63
			50	500	0.500	119.80	24.55	67.92	32.08
			100	147	0.147	50.50	10.35	78.27	21.73
			200	75	0.075	97.80	20.05	98.32	1.68
			325	45	0.045	6.70	1.37	99.69	0.31
			pan			1.50	0.31	100.00	0.00
			total			487.9			

pH
METHOD SW9045C

**TKN
METHOD EPA 351.4**

CASE NARRATIVE
TKN

Analytical Method: EPA 351.4

Batch No.: E2801

Lab Name: CH2M HILL Applied Sciences Lab

Contract #: 334247.AO.Z Z

Project Name: Washington Closure Hanford

Prime Contractor.: _____

I. Holding Times:

All acceptance criteria were met.

II. Analysis:

A. Calibration:

All acceptance criteria were met.

B. Blanks:

All acceptance criteria were met.

C. Matrix Spike/Matrix Spike Duplicate(MS/MSD)

All analyses were performed in accordance with standard operating procedures.

D. Laboratory Control Spike(LCS)

All acceptance criteria were met.

E. Duplicate Sample(s):

All analyses were performed in accordance with standard operating procedures.

F. Analytical Exceptions:

None.

III. Sampling Equipment:

None.

IV. Documentation Exceptions:

None

V. I certify that this data package is in compliance with the terms and conditions agreed to by the client and CH2M HILL, both technically and for completeness, except for the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or designee, as verified by the following signature.

Reported by: Elizabeth M Tepper

Date: 1/19/06

Reviewed by: Amber Jaylor

Date: 1/24/06

**SAMPLE DATA
SUMMARY**

**QC DATA
SUMMARY**

**TOTAL ORGANIC CARBON
BY ASTM E777**

**CASE NARRATIVE
TOC SOIL**

CLIENT/PROJECT: Washington Closure Hanford

LABORATORY: CH2M HILL Applied Sciences Laboratory PROJECT NO.: 334247.AO.ZZ

LAB CODE: CVO

SDG NO: E2801
LAB BATCH NO: E2801

I. RECEIPT

A. Date Received:
November 09, 2005

B. Sample Information:

LAB SAMPLE ID	CLIENT SAMPLE ID	SAMPLE MATRIX	DATE SAMPLED	DATE ANALYZED
E280101	J10DV4	Soil	11/08/2005	11/16/2005

II. Holding Times:
All holding times were met.

III. Analysis:

A. Calibration:
All acceptance criteria were met.

B. Blanks:
All acceptance criteria were met.

C. Matrix Spike Sample(s):
Analysis performed in accordance with standard operating procedure.

D. Duplicate Sample(s):
Analysis performed in accordance with standard operating procedure.

E. Lab Control Sample(s):
All acceptance criteria were met.

F. Other:
None.

IV. Documentation Exceptions:
None

V. I certify that this data package is in compliance with the terms and conditions agreed to by the client and CH2M HILL, both technically and for completeness, except for the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or designee, as verified by the following signature.

Reported By :  DATE: 1-24-06

Reviewed By :  DATE: 1/24/06

SAMPLE DATA SUMMARY

QC SUMMARY

CHAIN OF CUSTODY/SHIPPING DOCUMENTS

E 2801

Washington Closure Hanford			CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST				RC-051-4		Page 1 of 1						
Collector L. COLLOM			Company Contact JOAN KESSNER		Telephone No. 375-4688		Project Coordinator KESSNER, JH		Price Code 8L		Data Turnaround 45 Days				
Project Designation 100 & 300 Area Component of the RCBRA - Incremental So			Sampling Location PIT 23		SAF No. RC-051		Air Quality <input type="checkbox"/>								
Ice Chest No.			Field Logbook No. EL-1596		COA BESRAS6520		Method of Shipment								
Shipped To CH2MHILL			Offsite Property No. A060151			Bill of Lading/Air Bill No.									
POSSIBLE SAMPLE HAZARDS/REMARKS NONE Special Handling and/or Storage NONE				Preservation		None	None								
				Type of Container		G/P	P/G								
				No. of Container(s)		1	1								
				Volume		1000g	3000g 4000g	ST 11-8-5							
SAMPLE ANALYSIS				See item (1) in Special Instructions.		Soil Plant Toxicity ASTM E1963; Soil Nematode Toxicity ASTM E2172									
				Sample No.	Matrix *	Sample Date	Sample Time								
J10DV4	SOIL	11-8-05	11:00	1	1							-1			
J10DV5	SOIL														
J10DV6	SOIL														
J10DV7	SOIL														
J10DV8	SOIL														
CHAIN OF POSSESSION				Sign/Print Names				SPECIAL INSTRUCTIONS This chain of custody form documents the transfer of bulk field collected soils to the CH2M Hill Corvallis laboratory for incremental preparation and aliquoting. (1) Particle Size (Dry Sieve) - D422; Moisture Content - D2216; TOC - 9060; pH (Soil) - 9045; Nitrogen by Kjeldahl - 351.2; Ammonia - 350.3; IC Anions - 300.0; Percent Solids ST 11/10/05 AS per Rich Weiskopf				Matrix * S=Soil SE=Sediment SO=Solid SL=Sludge W = Water O=Oil A=Air DS=Drum Solids DL=Drum Liquids T=Tissue WI=Wipe L=Liquid V=Vegetation X=Other			
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time									
Elizabeth M. Jeffers		11-9-05 12:00		Melody Jackson		11-9-05 12:30									
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time									
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time									
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time									
LABORATORY SECTION		Received By				Title				Date/Time					
FINAL SAMPLE DISPOSITION		Disposal Method				Disposed By				Date/Time					



Sample Receipt Record

Batch Number: E-2801 Date received: 11-9-05

Client/Project: Washington Closure Hartford

VERIFICATION OF SAMPLE CONDITIONS (verify all items) * HD = Client Hand delivered Samples

Observation	YES	NO
Radiological Screening for AFCEE		X
Were custody seals intact and on the outside of the cooler? <u>HO</u>		
If yes, Where? Front <u>HO</u> Rear <u>HO</u> Lt Side <u>HO</u> Rt Side <u>HO</u>		
Type of packing material: Ice Blue Ice Bubble wrap		X
Was the Chain of Custody inside the cooler? <u>HO</u>		
Was the Chain of Custody properly filled out?	X	
Were the sample containers in good condition?	X	
Containers supplied by ASL?	X	
Any sample with < 1/2 holding time remaining? If so contact LPM		X
Was there ice in the cooler? Enter temp. <u>22.1</u> C		X
All VOCs free of air bubbles? <u>N/A</u>		

If the answer to any of the questions above is NO, a Sample Receipt Exceptions Report Must be written.

VERIFICATION OF SAMPLE PRESERVATION (verify all preserved samples except HAAs, HANs and CH)

Sample No	Nutrients pH <2	Metals pH <2	Volatiles pH <2	Cyanides pH >12	TOC pH <2	TOX pH <2	Other (specify)	N/A (soils/soilpres)
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								

LOGIN AND pH VERIFICATIONS PERFORMED BY

Melby Becker

Date/Time

Date/Time