

# START

0022147


## ENGINEERING CHANGE NOTICE

Page 1 of 3

1. ECN	168779
Proj. ECN	

2. ECN Category (mark one)		Supplemental <input type="checkbox"/>	Change ECN <input type="checkbox"/>	Supersedure <input type="checkbox"/>
Cancel/Void <input type="checkbox"/>	Direct Revision <input checked="" type="checkbox"/>	Temporary <input type="checkbox"/>	Discovery <input type="checkbox"/>	
3. Originator's Name, Organization, MSIN, and Telephone No. James W. Roberts, 100 Area Remedial Investigations, H4-55, 376-5164 W81221			4. Date June 1, 1992	
5. Project Title/No./Work Order No. Description of Work for the 100-FR-3 Groundwater Operable Unit PH1AA		6. Bldg./Sys./Fac. No. 100 N Area		7. Impact Level 3 <u>9</u>
8. Document Number Affected (include rev. and sheet no.) WHC-SD-EN-AP-089, REV. 0		9. Related ECN No(s). NA		10. Related PO No. NA
11a. Modification Work <input type="checkbox"/> Yes (fill out Blk. 11b) <input checked="" type="checkbox"/> No (NA Blks. 11b, 11c, 11d)	11b. Work Package Doc. No. NA	11c. Complete Installation Work NA Cog. Engineer Signature & Date	11d. Complete Restoration (Temp. ECN only) NA Cog. Engineer Signature & Date	
12. Description of Change SECTION 3.2, THIRD PARAGRAPH: Replace paragraph with the following: "All waste generated during drilling activities will be handled according to EII 4.3, Control of CERCLA and Other Past-Practice Investigation Derived Waste (WHC 1988a). SECTION 3.3, FIRST PARAGRAPH: Remove the phrase "(anything > background)" from the second sentence. SECTION 3.3, SECOND PARAGRAPH: Remove the first sentence and replace with: "The goal for selecting physical property samples is to collect one sample from the top third, one from the middle third and one from the bottom third of the unsaturated zone, and one within the saturated zone. The sample collected from the bottom third of the unsaturated zone must be collected as close as possible to the water table. SECTION 3.3, THIRD PARAGRAPH: Change the listing of physical property tests to the following: 1. Bulk Density. - Samples in the unsaturated zone only. 2. Particle Size Distribution (ASTM D422-63). - All samples. 3. Moisture Content (ASTM D2216). - Samples in the unsaturated zone only. 4. Moisture Retention (ASTM D2325-68, D3152-72). - Samples in the unsaturated zone only. Performed only on samples in which 25% of the sample passes the #10 screen.				
13a. Justification (mark one)		Criteria Change <input type="checkbox"/>	Environmental <input checked="" type="checkbox"/>	Facilitate Const. <input type="checkbox"/>
Design Error/Omission <input type="checkbox"/>	Design Improvement <input type="checkbox"/>	As-Found <input type="checkbox"/>	Const. Error/Omission <input type="checkbox"/>	
13b. Justification Details Changes are a result of updates to the Description of Work, and to agreements reached at a Physical Properties Meeting on May 26, 1992.				
14. Distribution (include name, MSIN, and no. of copies) See attached.			RELEASE STAMP	

92126140589



**ENGINEERING CHANGE NOTICE**

**15. Design Verification Required**

Yes  
 No

**16. Cost Impact**

**ENGINEERING**

Additional  \$  
Savings  \$

**CONSTRUCTION**

Additional  \$  
Savings  \$

**17. Schedule Impact (days)**

Improvement   
Delay

**18. Change Impact Review:** Indicate the related documents (other than the engineering documents identified on Side 1) that will be affected by the change described in Block 12. Enter the affected document number in Block 19.

SDD/DD	<input type="checkbox"/>	Seismic/Stress Analysis	<input type="checkbox"/>	Tank Calibration Manual	<input type="checkbox"/>
Functional Design Criteria	<input type="checkbox"/>	Stress/Design Report	<input type="checkbox"/>	Health Physics Procedure	<input type="checkbox"/>
Operating Specification	<input type="checkbox"/>	Interface Control Drawing	<input type="checkbox"/>	Spares Multiple Unit Listing	<input type="checkbox"/>
Criticality Specification	<input type="checkbox"/>	Calibration Procedure	<input type="checkbox"/>	Test Procedures/Specification	<input type="checkbox"/>
Conceptual Design Report	<input type="checkbox"/>	Installation Procedure	<input type="checkbox"/>	Component Index	<input type="checkbox"/>
Equipment Spec.	<input type="checkbox"/>	Maintenance Procedure	<input type="checkbox"/>	ASME Coded Item	<input type="checkbox"/>
Const. Spec.	<input type="checkbox"/>	Engineering Procedure	<input type="checkbox"/>	Human Factor Consideration	<input type="checkbox"/>
Procurement Spec.	<input type="checkbox"/>	Operating Instruction	<input type="checkbox"/>	Computer Software	<input type="checkbox"/>
Vendor Information	<input type="checkbox"/>	Operating Procedure	<input type="checkbox"/>	Electric Circuit Schedule	<input type="checkbox"/>
OM Manual	<input type="checkbox"/>	Operational Safety Requirement	<input type="checkbox"/>	ICRS Procedure	<input type="checkbox"/>
FSAR/SAR	<input type="checkbox"/>	IEFD Drawing	<input type="checkbox"/>	Process Control Manual/Plan	<input type="checkbox"/>
Safety Equipment List	<input type="checkbox"/>	Cell Arrangement Drawing	<input type="checkbox"/>	Process Flow Chart	<input type="checkbox"/>
Radiation Work Permit	<input type="checkbox"/>	Essential Material Specification	<input type="checkbox"/>	Purchase Requisition	<input type="checkbox"/>
Environmental Impact Statement	<input type="checkbox"/>	Fac. Proc. Samp. Schedule	<input type="checkbox"/>		<input type="checkbox"/>
Environmental Report	<input type="checkbox"/>	Inspection Plan	<input type="checkbox"/>		<input type="checkbox"/>
Environmental Permit	<input type="checkbox"/>	Inventory Adjustment Request	<input type="checkbox"/>		<input type="checkbox"/>

**19. Other Affected Documents:** (NOTE: Documents listed below will not be revised by this ECN.) Signatures below indicate that the signing organization has been notified of other affected documents listed below.

Document Number/Revision                      Document Number/Revision                      Document Number Revision

**20. Approvals**

Signature	Date	Signature	Date
<b>OPERATIONS AND ENGINEERING</b>		<b>ARCHITECT-ENGINEER</b>	
Cog./Project Engineer J.W. Roberts <i>J.W. Roberts</i>	<u>6/1/92</u>	PE	_____
Cog./Project Engr. Mgr. R.P. Henckel <i>RPH</i>	<u>6-1-92</u>	QA	_____
QA G. Corrigan <i>Gary Corrigan</i>	<u>6-1-92</u>	Safety	_____
Safety	_____	Design	_____
Security	_____	Other	_____
Proj. Prog./Dept. Mgr.	_____		_____
Def. React. Div.	_____		_____
Chem. Proc. Div.	_____		_____
Def. Wst. Mgmt. Div.	_____		_____
Adv. React. Dev. Div.	_____		_____
Proj. Dept.	_____		_____
Environ. Div.	_____		_____
IRM Dept.	_____		_____
Facility Rep. (Ops.)	_____		_____
Other	_____		_____
		<b>DEPARTMENT OF ENERGY</b>	
		<i>Julie K. Ewick</i>	<u>7-13-92</u>
		<b>ADDITIONAL</b>	
		<i>Pamela L. Dennis</i>	<u>7-14-92</u>
		<b>U.S. ENVIRONMENTAL PROTECTION AGENCY</b>	

92125170

- 5. Saturated Hydraulic Conductivity ( $K_{sat}$ ) (ASTM D2434-68).
  - All samples.
- 6. Unsaturated Hydraulic Conductivity ( $K_{unsat}$ ) at 10% moisture content after full saturation.
  - Samples in the unsaturated zone only. Performed only on samples in which 25% of the sample passes the #10 screen.

SECTION 3.4.1, THIRD PARAGRAPH: Remove the phrase "Prior to drilling into the confined aquifer" from the first sentence.

9 2 1 2 5 1 4 0 5 9 1

SUPPORTING DOCUMENT

1. Total Pages 14

2. Title

DESCRIPTION OF WORK FOR THE 100-FR-3 GROUNDWATER OPERABLE UNIT

3. Number

WHC-SD-EN-AP-089

4. Rev No.

1

5. Key Words

100-FR-3 DESCRIPTION OF WORK GROUNDWATER OPERABLE UNIT

APPROVED FOR PUBLIC RELEASE

*N. Solis 7/13/92*

6. Author

Name: J. W. ROBERTS


*J. W. Roberts*  
Signature

Organization/Charge Code 81221/PH1AA

7. Abstract

This description of work details the field activities to be conducted for the 100-FR-3 Operable unit and will serve as a field guide for those performing the work.

8. PURPOSE AND USE OF DOCUMENT - This document was prepared for use within the U.S. Department of Energy and its contractors. It is to be used only to perform, direct, or integrate work under U.S. Department of Energy contracts. This document is not approved for public release until reviewed.



PATENT STATUS - This document copy, since it is transmitted in advance of patent clearance, is made available in confidence solely for use in performance of work under contracts with the U.S. Department of Energy. This document is not to be published nor its contents otherwise disseminated or used for purposes other than specified above before patent approval for such release or use has been secured, upon request, from the Patent Counsel, U.S. Department of Energy Field Office, Richland, WA.

DISCLAIMER - This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use of the results of such use of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

10. RELEASE STAMP

OFFICIAL RELEASE  
BY WHC  
DATE JUL 14 1992  
*Sta. 21* *jb*

20

9. Impact Level 3G

92125147392

RECORD OF REVISION

(1) Document Number

WHC-SD-EN-AP-089

Page 1

(2) Title

DESCRIPTION OF WORK FOR THE 100-FR-3 GROUNDWATER OPERABLE UNIT

CHANGE CONTROL RECORD

Authorized for Release

(3) Revision

(4) Description of Change - Replace, Add, and Delete Pages

(5) Cog. Engr.

(6) Cog. Mgr.

Date

0  
*jt* 1 RS

EDT-157786  
(7) Revise document based on meeting agreements. Inc, ECN 168779

*J.W. Roberts*

*RPWLL*

6-1-92

9 2 1 2 6 4 4 0 5 9 3

**CONTENTS**

1.0 SCOPE OF WORK . . . . . 1

2.0 GENERAL REQUIREMENTS . . . . . 1

    2.1 HEALTH AND SAFETY . . . . . 1

    2.2 PREREQUISITES . . . . . 3

3.0 SAMPLING AND FIELD ACTIVITIES . . . . . 3

    3.1 SOIL SCREENING . . . . . 3

    3.2 GEOLOGIC SAMPLING . . . . . 3

    3.3 SOIL SAMPLING (PHYSICAL PROPERTY) . . . . . 4

    3.4 ANALYTICAL SAMPLING . . . . . 5

    3.5 GEOPHYSICAL LOGGING . . . . . 7

    3.6 AQUIFER TESTING . . . . . 8

4.0 QUALITY ASSURANCE/QUALITY CONTROL REQUIREMENTS . . . . . 8

5.0 SCHEDULE . . . . . 8

6.0 CHANGES TO THE DESCRIPTION OF WORK . . . . . 9

7.0 REFERENCES . . . . . 9

**ATTACHMENT**

1 100-FR-3 DESCRIPTION OF WORK PROJECT CHANGE FORM . . . . . 11

**FIGURE**

1 Location of Wells in 100-FR Area . . . . . 2

**TABLES**

1 Well Depths and Sampling Information . . . . . 5

2 List of Analytes (Soil) . . . . . 6

3 List of Analytes (Groundwater) . . . . . 7

9 2 1 2 5 1 4 0 5 7 4

## 1.0 SCOPE OF WORK

This description of work details the field activities associated with cable tool drilling of groundwater wells in the 100-FR-3 Operable Unit (Task 6) and will serve as a field guide for those performing the work. It should be used in conjunction with the *Remedial Investigation/Feasibility Study Work Plan for the 100-FR-3 Operable Unit, Hanford Site, Richland, Washington* (DOE/RL 1991) for general investigation strategy and with *Environmental Investigations and Site Characterization Manual* (WHC 1988c) for specific procedures. Well locations are shown on Figure 1.

The coordinates used on Figure 1 are by USGS (1983). All wells on the map are prefixed with a 199, but the prefix has been dropped for clarity.

## 2.0 GENERAL REQUIREMENTS

### 2.1 HEALTH AND SAFETY

All personnel working to this description of work will have completed the 40-h Hazardous Waste Site Worker training program and will perform all work in accordance with the following:

- WHC-EP-0383, *Environmental Engineering, Technology, and Permitting Function Quality Assurance Program Plan* (WHC 1990)
- WHC-CM-4-10, *Radiation Protection* (WHC 1988d)
- WHC-IP-0692, *Health Physics Procedures Manual* (WHC 1991b)
- WHC-CM-4-11, *ALARA Program* (WHC 1988a)
- WHC-CM-4-3, *Industrial Safety Manual*, Vol. 1 through 3 (WHC 1987)
- WHC-CM-7-5, *Environmental Compliance Manual* (WHC 1988b)
- WHC-CM-7-7, *Environmental Investigations and Site Characterization Manual* (WHC 1988c)
- WHC-SD-EN-SAD-002, Rev 0, *100 Area Low Hazard Characterization Activities Safety Assessment* (Taylor 1991)
- Site-specific health and safety plan/job safety analysis.

92126-10095




Figure 1. Location of Wells in 100-FR Area.



## 2.2 PREREQUISITES

Each item on the Drilling Planning Form (EII 6.7, Resource Protection Well and Test Borehole Drilling) (WHC 1988c) will be signed and dated by the cognizant engineer or field team leader prior to the start of work. A readiness review, if required will be conducted according to EII 1.13, Readiness Review (WHC 1988c). In addition, all field work will be conducted in accordance with *Generic Well Specification* (WHC 1991a).

## 3.0 SAMPLING AND FIELD ACTIVITIES

### 3.1 SOIL SCREENING

All samples and cuttings will be field screened for evidence of volatile organics and radionuclides (Section 5.1.6.2.3 of the 100-FR-3 work plan) (DOE/RL 1991). Volatiles will be screened by the field geologist using an organic vapor monitor (OVM) that will be used, maintained, and calibrated consistent with EII 3.2, Health and Safety Monitoring Instruments (WHC 1988c) and EII 3.4, Field Screening (WHC 1988c). Radionuclide screening will be performed by the field geologist per EII 3.4, Field Screening (WHC 1988c). The field geologist will record screening results in the borehole log (EII 9.1, Geologic Logging) (WHC 1988c).

The action level for radionuclide screening is twice background. The action level for volatile organic screening is 5 ppm above background. Prior to initiating drilling, determine a one time instrument background reading using the above instruments at the background site located on Figure 1. Instrument background will be measured on freshly disturbed surface soil, holding the instruments less than 1 in. from the soil. The field geologist will record the background levels in the borehole log per EII 9.1, Geologic Logging (WHC 1988c) prior to the start of drilling.

### 3.2 GEOLOGIC SAMPLING

Geologic samples will be taken at 5-ft intervals for each hole and at major stratigraphic changes for the preparation of borehole logs, per Section 5.1.6.2.3 of the 100-FR-3 work plan (DOE/RL 1991) and EII 9.1, Geologic Logging (WHC 1988c). The field geologist shall archive the nonradioactive geologic samples per EII 5.7A, Hanford Geotechnical Sample Library Control (WHC 1988c).

At the completion of each groundwater well two composite samples will be collected (from unsaturated sediments): one from archive samples in the top half of the well and one from archive samples in the bottom half. An equal volume will be taken from each archive sample, composited in a stainless steel bowl, and placed in a 500-ml glass bottle. Each composite sample will be analyzed for Gamma Spec only, as a check on the radiation detection instrument. Results will be stored in the project files.

All waste generated during drilling activities will be handled according to EII 4.3, Control of CERCLA and Other Past-Practice Investigation Derived Waste (WHC 1988a).

### 3.3 SOIL SAMPLING (PHYSICAL PROPERTY)

Collect four samples for physical property analysis per Section 5.1.5.3 of DOE/RL (1991) and EII 5.2, Appendix B, Soil and Sediment Sampling (WHC 1988c) from each of the following wells: 199-F5-43A, 199-F5-48, and 199-F7-3. Collect one sample near the bottom of well 199-F5-43B, within the confining unit. Samples that do not meet the physical properties testing lab radiological acceptance criteria will not be collected for physical property testing. Alternate wells will be 199-F5-43B, 199-F5-47, and 199-F8-3.

The goal for selecting physical property samples is to collect one sample from the top third, one from the middle third, and one from the bottom third of the unsaturated zone, and one within the saturated zone. The sample collected from the bottom third of the unsaturated zone must be collected as close as possible to the water table. The field geologist must use professional judgement to select samples that are representative of the principle soil types that can be sampled with the split-spoon sampler. Two 6-in. sleeves and one moisture tin will be collected. The field geologist will record the selected samples in the borehole log per EII 9.1, Geologic Logging (WHC 1988c).

These samples will be analyzed for the following parameters using American Society for Testing and Materials (ASTM) methods. Bulk density will be calculated.  $K_{unsat}$  will be both measured and calculated, for comparative purposes.

- Bulk density
  - Samples in the unsaturated zone only
- Particle Size Distribution (ASTM D422-63)
  - All samples
- Moisture Content (ASTM D2216)
  - Samples in the unsaturated zone only
- Moisture Retention (ASTM D2325-68, D3152-72)
  - Samples in the unsaturated zone only. Performed only on samples in which 25% of the sample passes the #10 screen.
- Saturated Hydraulic Conductivity ( $K_{sat}$ ) (ASTM D2434-68)
  - All samples
- Unsaturated Hydraulic Conductivity ( $K_{unsat}$ ) at 10% moisture content after full saturation
  - Samples in the unsaturated zone only. Performed only on samples in which 25% of the sample passes the #10 screen.

Data collected from these analyses will be stored in the 100-FR-3 project files.

92123456789

3.4 ANALYTICAL SAMPLING

3.4.1 Soil

Collect analytical soil samples in all wells except those listed below per Section 5.1.6.2.3 of the 100-FR-3 work plan (DOE/RL 1991) and EII 5.2, Appendix B, Soil and Sediment Sampling (WHC 1988c). Collect these at 10 ft above the expected groundwater, one 5 ft above and one 5 ft below the groundwater. In addition, if screening values (including borehole cuttings and geologic samples) exceed screening action levels, collect analytical samples with a split-spoon sampler at 5-ft intervals until either: 1) two consecutive screening values fall below the screening action limits outlined above or 2) until 5 ft below groundwater.

Unless screening action levels are exceeded, only one analytical soil sample will be taken in well 199-F5-43B, at the bottom of the unconfined aquifer. If additional samples are required, they will be collected by the screening criteria described above and recorded in the borehole log (EII 9.1, Geologic Logging) (WHC 1988c).

The integrity of the well seal will be tested according to the test plan written for 300-FF-5 (EMO-1029, AD-940).

Estimated depths, screened intervals, and samples to be taken are shown on Table 1.

Table 1. Well Depths and Sampling Information.

Well number	Est. depth (ft)	Design type	Est. screened interval (ft)	Physical prop. samples
199-F6-1	60	shallow	40 - 60	no
199-F5-42	60	shallow	40 - 60	no
199-F5-43A	60	shallow	40 - 60	yes (4)
199-F5-43B	150	deep	140 - 150	yes (1)
199-F5-44	60	shallow	40 - 60	no
199-F5-45	60	shallow	40 - 60	no
199-F5-46	60	shallow	40 - 60	no
199-F5-47	60	shallow	40 - 60	no
199-F5-48	60	shallow	40 - 60	yes (4)
199-F8-3	60	shallow	40 - 60	no
199-F1-2	60	shallow	40 - 60	no
199-F7-3	60	shallow	40 - 60	yes (4)
199-F8-4	60	shallow	40 - 60	no

9 2 1 2 3 4 5 6 7 8 9

3.4.2 Groundwater

Groundwater samples will be collected from each well per EII 5.8 Groundwater Sampling (WHC 1988c) and analyzed for the full suite of parameters listed below for the first two rounds of sampling (Section 5.1.6.3 of the 100-FR-3 work plan) (DOE/RL 1991).

3.4.3 Analyses

Samples collected for chemical analysis will be analyzed for the full suite of CERCLA Contract Laboratory Program (CLP) Target Compound List (TCL) and Target Analyte List (TAL) constituents, specific anions that may be present, and for radionuclides. Estimated quantity of material needed for analyses are shown in Tables 1 and 2. The laboratory will use existing Level IV CLP methods for radiological constituents and methods approved under their contract for radiological analyses (Level V). Sample custody will follow procedures as outlined in EII 5.1, Chain of Custody (WHC 1988c).

Table 2. List of Analytes (Soil).

Analyte	Method	Holding Time	Container/Volume
ICP/AA metals	CLP	6 months	G 250 ml
Mercury		28 days	
Cyanide		14 days	
VOA	CLP	14 days	G 125 ml
Semi-VOA	CLP	7 days <sup>1</sup>	aG 1000 ml
PCB's/Pesticides	CLP	7 days <sup>1</sup>	
Anions			
Fluoride	EPA 300.0	28 days	
Nitrate	EPA 353.3	28 days	
Sulfate	EPA 300.0	28 days	
Gross alpha	Lab SOP	6 months	G 1000 ml
Gross beta			
Gamma spec.			
Sr-90			
C-14			
U-235, 238			
Pu-239, 240			
Am-241			
Total Activity (222-S Lab)	Lab SOP	6 months	G or P small vial (at least 1 gram)

<sup>1</sup> 7 days for extraction, 40 days after extraction for analysis.

AA = atomic absorber  
 CLP = Contract Laboratory Program  
 ICP = inductively coupled plasma  
 PCB = polychlorinated biphenyl  
 N/A = not applicable

SOP = standard operating procedures  
 VOA = volatile organic analyses  
 G = glass  
 aG = amber glass  
 P = plastic

92125147600

Table 3. List of Analytes (Groundwater).

Analyte	Method	Holding Time	Container/Volume
ICP/AA metals Mercury	CLP	6 months 28 days	P 3X1000 ml <sup>2</sup>
Cyanide	CLP	14 days	P 3X1000 ml <sup>2</sup>
VOA	CLP	14 days	Gs 3X40 ml
Semi-VOA PCB's/Pesticides	CLP	7 days <sup>1</sup>	aG 3X2000 ml <sup>2</sup>
Anions F, SO <sub>4</sub> <sup>2-</sup>	EPA 300.0	28 days	P 1000 ml
pH	9040		
Conductivity	9050	28 days	
NO <sub>3</sub>	353.2	28 days	G 500 ml
Gross alpha Gross beta Gamma spec. Sr-90 U-235, 238 Pu-239, 240 Am-241	lab SOP	6 months	P 6000 ml
C-14	lab SOP	6 months	P 500 ml
Tritium	lab SOP	6 months	Gs 250 ml
Tc-99	lab SOP	6 months	P 1000 ml
Total Activity	N/A	6 months	G or P small vial (at least 1 ml)

<sup>1</sup> 7 days for extraction, 40 days after extraction for analysis.

<sup>2</sup> 3X is required for QA/QC in the CLP protocol.

AA = atomic absorber  
 CLP = Contract Laboratory Program  
 ICP = inductively coupled plasma  
 PCB = polychlorinated biphenyl  
 N/A = not applicable

SOP = standard operating procedures  
 VOA = volatile organic analyses  
 G = glass  
 aG = amber glass  
 P = plastic

If full sample volume requirements cannot be met, the sampling scientist will record the volume obtained in the sampling scientists logbook per EII 1.5, Field Logbooks (WHC 1988c) and analyze in the following order:

1. Volatiles
2. Semivolatiles/PCBs/pesticides
3. Target Analyte List
4. Radioisotopes
5. Anions
6. Total Activity

### 3.5 GEOPHYSICAL LOGGING

Gross-gamma log all groundwater wells, performing the work in two stages: Stage 1 after completing the first 20 ft of drilling before reducing to a smaller casing. If the gross-gamma tool is not available within 4 h of when needed, skip logging the first 20 ft. Stage 2 after reaching total depth and before completing the well (EII 11.1, Geophysical Logging) (WHC 1988c). Spectral-gamma log groundwater wells only if contamination is indicated by the

92125117671

gross-gamma log (survey exceeds 100 cps for any depth interval) or by field screening.

### 3.6 AQUIFER TESTING

Perform a slug test on each well per Section 5.1.6.2.5 of the 100-FR-3 work plan (DOE/RL 1991) and EII 10.1, Aquifer Testing (WHC 1988c). If results of the slug tests prove to be of limited value, other tests may be performed.

### 4.0 QUALITY ASSURANCE/QUALITY CONTROL REQUIREMENTS

Internal quality control samples shall be collected by the sampling scientist as stated below, per Appendix A, Quality Assurance Project Plan (DOE/RL 1991) and documented in the sampling logbook per EII 1.5, Field Logbooks (WHC 1988c). The trip blank and field blank have been deleted for soil sampling per EPA/540/G-87/004 Appendix C, Section C.6.

#### Groundwater:

1. Collect one duplicate for every 10 groundwater samples or a minimum of 1 per reactor area.
2. Collect one split sample per reactor area.
3. Collect field blanks at the same frequency as duplicates.
4. Collect one (VOA) trip blank per cooler that contains samples that will be analyzed for volatiles. Only analyze for volatiles.
5. Collect equipment blanks at the same frequency as duplicates.

#### Soil:

1. Collect one duplicate for every 20 soil samples.
2. Collect one split sample per reactor area.
3. Field blanks are not required.
4. Collect one sample each month from any source of water introduced into the hole during drilling. Only one sample is required for both groundwater and vadose borings. Analyze for the full suite of water parameters.
5. Collect one (VOA) trip blank for each batch of containers shipped to the sampling (site) facility and analyze for volatiles only. The media shall be silica sand.
6. Collect equipment blanks at the same frequency as duplicates and analyze for the constituents listed in Table 2. The media shall be silica sand.

### 5.0 SCHEDULE

The following schedule is for drilling in the 100-FR-3 operable unit for 1992. This schedule is subject to change and the operable unit coordinator should be contacted for current status. An Agreement Activity Notification form will be issued at least 5 days prior to start of field work.

92125110602

Well number	Drilling dates
199-F6-1	late July - late September
199-F5-42	late July - late September
199-F5-43A	late July - late September
199-F5-43B	late July - late September
199-F5-44	late July - late September
199-F5-46	late July - late September
199-F5-45	late July - late September
199-F5-48	late July - late September
199-F5-47	late July - late September
199-F8-3	late July - late September
199-F1-2	late July - late September
199-F7-3	late July - late September
199-F8-4	late July - late September

## 6.0 CHANGES TO THE DESCRIPTION OF WORK

Major changes to this description of work, such as analyzing different parameters, using different analytical methods, or changing the sampling interval will be submitted on the attached form (Attachment 1) and kept on file with the operable unit coordinator. Copies will be submitted to the lead regulatory agency and appropriate field personnel.

## 7.0 REFERENCES

- DOE/RL 1991, *Remedial Investigation/Feasibility Study Work Plan for the 100-FR-3 Operable Unit, Hanford Site, Richland, Washington*, DOE/RL-90-08, U.S. Department of Energy, Richland Field Office, Richland, Washington.
- Taylor, 1991, *100 Area Low Hazard Characterization Activities Safety Assessment*, WHC-SD-EN-SAD-002, Rev. 0, Westinghouse Hanford Company, Richland, Washington.
- WHC, 1987, *Industrial Safety Manual*, Vol. 1 through 3, WHC-CM-4-3, Westinghouse Hanford Company, Richland, Washington.
- WHC, 1988a, *ALARA Program*, WHC-CM-4-11, Westinghouse Hanford Company, Richland, Washington.
- WHC, 1988b, *Environmental Compliance Manual*, WHC-CM-7-5, Westinghouse Hanford Company, Richland, Washington.

92125 10673

- WHC, 1988c, *Environmental Investigations and Site Characterization Manual*, WHC-CM-7-7, Westinghouse Hanford Company, Richland, Washington.
- WHC, 1988d, *Radiation Protection*, WHC-CM-4-10, Westinghouse Hanford Company, Richland, Washington.
- WHC, 1990, *Environmental Engineering, Technology, and Permitting Function Quality Assurance Program Plan*, WHC-EP-0383, Westinghouse Hanford Company, Richland, Washington.
- WHC, 1991a, *Generic Well Specification*, WHC-S-014, Westinghouse Hanford Company, Richland, Washington.
- WHC, 1991b, *Health Physics Procedures Manual*, WHC-IP-0692, Westinghouse Hanford Company, Richland, Washington.

9 2 1 2 5 0 4 0 6 0 4



ATTACHMENT 1

**100-FR-3 DESCRIPTION OF WORK  
PROJECT CHANGE FORM**

Date: \_\_\_\_\_

Person Initiating Change: \_\_\_\_\_

Change: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Reason for Change: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVAL:**

Field Team Leader: \_\_\_\_\_

Operable Unit Coordinator: \_\_\_\_\_

Quality Assurance: \_\_\_\_\_

9 2 1 2 5 . 4 7 6 0 5

# INFORMATION RELEASE REQUEST

References:  
WHC-CM-3-4

COMPLETE FOR ALL TYPES OF RELEASE

Purpose		New ID Number
<input type="checkbox"/> Speech or Presentation <input type="checkbox"/> Full Paper (Check only one suffix) <input type="checkbox"/> Summary <input type="checkbox"/> Abstract <input type="checkbox"/> Visual Aid <input type="checkbox"/> Speakers Bureau <input type="checkbox"/> Poster Session <input type="checkbox"/> Videotape	<input type="checkbox"/> Reference <input checked="" type="checkbox"/> Technical Report <input type="checkbox"/> Thesis or Dissertation <input type="checkbox"/> Manual <input type="checkbox"/> Brochure/Flier <input type="checkbox"/> Software/Database <input type="checkbox"/> Controlled Database <input type="checkbox"/> Other	Existing ID Number (Include revision, volume, etc.) <p style="text-align: center;">WHC-SD-EN-AP-089, REV 1</p> If previously cleared, list ID number <p style="text-align: center;">WHC-SD-EN-AP-089, REV 0</p> Date Release Required <p style="text-align: center;">JULY 17, 1992</p>

Title <b>DESCRIPTION OF WORK FOR THE 100-FR-3 GROUNDWATER OPERABLE UNIT</b>	Unclassified Category UC-	Impact Level <b>30</b>
--	------------------------------	------------------------

COMPLETE FOR SPEECH OR PRESENTATION

Title of Journal NA	Group or Society Sponsoring NA
------------------------	-----------------------------------


Date(s) of Conference or Meeting NA	City/State NA	Will proceedings be published? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Will material be handed out? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
--	------------------	--	--

Title of Conference or Meeting NA
--------------------------------------

CHECKLIST FOR SIGNATORIES

Review Required per WHC-CM-3-4	Yes	No	Reviewer Name (printed)	Signature	Date
Classification/Unclassified Controlled Nuclear Information	<input type="checkbox"/>	<input checked="" type="checkbox"/>			
Patent - General Counsel	<input checked="" type="checkbox"/>	<input type="checkbox"/>	BD Williamson	<i>BD Williamson</i>	7/13/92
Legal - General Counsel	<input checked="" type="checkbox"/>	<input type="checkbox"/>	G.D. Williamson	<i>G.D. Williamson</i>	7/13/92
Applied Technology/Export Controlled Information or International Program	<input type="checkbox"/>	<input checked="" type="checkbox"/>			
WHC Program	<input type="checkbox"/>	<input checked="" type="checkbox"/>			
Communications	<input type="checkbox"/>	<input checked="" type="checkbox"/>			
DOE-RL Program	<input checked="" type="checkbox"/>	<input type="checkbox"/>	JK ERICKSON	<i>Julie Erickson</i>	7/13/92
Publication Services	<input type="checkbox"/>	<input checked="" type="checkbox"/>	L. Hermann	<i>Linda Hermann</i>	7/13/92
Other Program	<input type="checkbox"/>	<input checked="" type="checkbox"/>			
References Available to Intended Audience	<input checked="" type="checkbox"/>	<input type="checkbox"/>	J. W. ROBERTS	<i>J.W. Roberts</i>	7/13/92
Transmit to DOE-HQ/Office of Scientific and Technical Information	<input type="checkbox"/>	<input checked="" type="checkbox"/>			

Information conforms to all applicable requirements. The above information is certified to be correct.

Author/Requestor (Printed/Signature) J. W. Roberts <i>J.W. Roberts</i>	Date 7/13/92	<b>INFORMATION RELEASE ADMINISTRATION APPROVAL STAMP</b> Stamp is required before release. Release is contingent upon resolution of mandatory comments.  
Responsible Manager (Printed/Signature) R. P. Henckel <i>R.P. Henckel</i>	Date 7/13/92	
Intended Audience  <input type="checkbox"/> Internal <input type="checkbox"/> Sponsor <input checked="" type="checkbox"/> External		
Date Received <b>7/13/92</b>		

92126440606

## DISTRIBUTION SHEET

To: R. P. Henckel From: J. W. Roberts Date: July 14, 1992

Project Title/Work Order:

DESCRIPTION OF WORK FOR THE 100-FR-3 GROUNDWATER OPERABLE UNIT

EDT No.:

ECN No.: 168779

Name	MSIN	With Attachment	EDT/ECN & Comment	EDT/ECN Only
C. Chance	N3-05	X		
J. C. Chatters	P7-54	X		
G. S. Corrigan	H4-16	X		
R. E. Day	H4-55	X		
B. H. Ford	H5-29	X		
K. A. Gano	X0-21	X		
B. A. Gilkeson	L4-78	X		
E. D. Goller	A5-19	X		
D. O. Hess	L6-57	X		
P. S. Innis	B5-01	X		
T. D. Karr	L4-88	X		
A. D. Krug	H4-55	X		
R. Mabry	X7-02	X		
D. J. Moak	N3-06	X		
J. K. Patterson	L4-92	X		
R. F. Raidl (5 copies)	H4-56	X		
J. W. Roberts	H4-55	X		
T. W. Spicer (5 copies)	N3-05	X		
S. Weiss	H4-55	X		
S. E. Vukelich	H4-55	X		
EDMC	H4-22	X		
Central Files	L4-08	X		
<i>Information Release</i>	<i>H4-17</i>	<i>X</i>		

92125110507