

**FINAL REPORT FOR THE SAMPLES RECEIVED IN
FEBRUARY, 2010 FROM PROJECT ID 100 BC DECISION
UNIT**


**Document No.: 20100109
SDG: 222S20100109**

Gerald P. Ritenour
Advanced Technologies and Laboratories International, Inc.

Date Published
February 12, 2010

Prepared for:

Prepared by:



Mike Neely
CH2M Hill Plateau Remediation Co.
P.O. Box 850
Richland, WA 99352
509-373-0654

ATL, Inc.
P.O. Box 250
Richland, WA 99352-0250
509-372-2742

Gerald P. Ritenour 2-12-2010
G. P. Ritenour, Project Manager

RECEIVED
AUG 18 2010
EDMC

222-S LABORATORY

FINAL REPORT FOR THE SAMPLES RECEIVED IN FEBRUARY, 2010 FROM PROJECT ID 100 BC DECISION UNIT

1.0 INTRODUCTION

This final report presents the results for the three ground water samples taken on February 1, 2010. The samples were analyzed in accordance with Sampling Authorization Form W10-001; *RCRA Ground Water Sampling* (SAF) and ATL-MP-1011; *ATL Quality Assurance Project Plan for 222-S Laboratory* (QAPP). The following attachments are included in this report.

Attachment 1	Data Summary Report
Attachment 2	Holding Time Report
Attachment 3	Receipt Paperwork

2.0 SAMPLE RECEIPT AND HANDLING

A total of three samples were received on February 2, 2010 with adequate paperwork. The samples were not in a cooler and did not show evidence of cooling and the client was informed.

3.0 ANALYTICAL RESULTS SUMMARY

The Data Summary Report (Attachment 1) presents the final analytical results for those analytes requested in the SAF. The "Det Limit" column in Attachment 1 contains the method detection limit (MDL).

In Attachment 1, the column labeled "A#" indicates the aliquot class or the method used for sample preparation before analysis. For analysis without a preparation step, this column is left blank.

The "Qual Flags" column in Attachment 1 contains data qualifier flags that are defined as follows:

- "U" indicates that the reported result is less than the calculated method detection limit.
- "E" indicates that the result was below the quantitation limit.

Manual calculations using rounded results from the Data Summary Report or result calculation forms may differ slightly from the actual results derived from the raw data.

3.1 ANALYSES

3.1.1 Anions by Ion Chromatography

The ion chromatography analysis for anions was performed on direct aliquots of all samples. All requirements in the SAF and QAPP were met. Nitrate was detected below the quantitation level in two of the continuing calibration blanks. Since the concentrations were less than 5% of the lowest sample result, the data quality was not affected and reanalysis not required. The sample

duplicate and matrix spike sample for the batch containing these samples was from a different sample delivery group (222S20100093). This sample has been included in Attachment 1 to demonstrate batch precision and accuracy. The nitrate, nitrite, and phosphate holding time of 48 hours was missed for all samples. This was due to the late receipt of the samples at the 222S Laboratory caused by an unscheduled ventilation outage at the primary laboratory. Since the holding times were only missed by 2 to 5 hours, it is the laboratory's opinion that the final results were not affected.

4.0 PROCEDURES

Table 1 lists the analytical procedures used for analysis of these samples.

Table 1. Analytical Procedures.

Analysis	Preparation Method	Analysis Procedure
Anions by Ion Chromatography	NA	SW846-9056

5.0 REFERENCES

ATL-MP-1011, 2009, *ATL Quality Assurance Project Plan for 222-S Laboratory*, Rev. 9, Applied Technologies and Laboratories International, Inc., Richland, Washington.

Sampling Authorization Form W10-001; *RCRA Ground Water Sampling*, 2009, CH2M Hill, Plateau Remediation Company, Richland, Washington

Attachment 1

DATA SUMMARY REPORT

Data Summary of All Results

Sample Group: 20100109

Customer Group or SDG Number: 222S20100109

Customer Sample ID: B22FL2

Sample Portion: Total

Sample#	R	A#	CAS #	Analyte	Unit	STD %	Blank	Result	Duplicate	Average	RPD %	Spk Rec %	Det Limit	Cnt Err %	Qual Flags
S10M000056			16984-48-8	Fluoride	ug/mL	95.6	<6.16E-03	0.177	n/a	n/a	n/a	n/a	6.16E-03	n/a	
S10M000056			16887-00-6	Chloride	ug/mL	102	<3.10E-03	11.1	n/a	n/a	n/a	n/a	0.0186	n/a	
S10M000056			14797-65-0	Nitrite	ug/mL	93.2	<0.0400	<0.0400	n/a	n/a	n/a	n/a	0.0400	n/a	U
S10M000056			24959-67-9	Bromide	ug/mL	102	<0.0237	0.0914	n/a	n/a	n/a	n/a	0.0237	n/a	E
S10M000056			14797-55-8	Nitrate	ug/mL	101	<0.0162	10.4	n/a	n/a	n/a	n/a	0.0972	n/a	
S10M000056			14265-44-2	Phosphate	ug/mL	99.4	<0.0381	<0.0381	n/a	n/a	n/a	n/a	0.0381	n/a	U
S10M000056			14808-79-8	Sulfate	ug/mL	101	<0.0219	44.7	n/a	n/a	n/a	n/a	0.131	n/a	

Customer Sample ID: B22FL3

Sample Portion: Total

Sample#	R	A#	CAS #	Analyte	Unit	STD %	Blank	Result	Duplicate	Average	RPD %	Spk Rec %	Det Limit	Cnt Err %	Qual Flags
S10M000058			16984-48-8	Fluoride	ug/mL	95.6	<6.16E-03	0.143	n/a	n/a	n/a	n/a	6.16E-03	n/a	
S10M000058			16887-00-6	Chloride	ug/mL	102	<3.10E-03	9.29	n/a	n/a	n/a	n/a	0.0186	n/a	
S10M000058			14797-65-0	Nitrite	ug/mL	93.2	<0.0400	<0.0400	n/a	n/a	n/a	n/a	0.0400	n/a	U
S10M000058			24959-67-9	Bromide	ug/mL	102	<0.0237	0.0834	n/a	n/a	n/a	n/a	0.0237	n/a	E
S10M000058			14797-55-8	Nitrate	ug/mL	101	<0.0162	9.88	n/a	n/a	n/a	n/a	0.0162	n/a	
S10M000058			14265-44-2	Phosphate	ug/mL	99.4	<0.0381	<0.0381	n/a	n/a	n/a	n/a	0.0381	n/a	U
S10M000058			14808-79-8	Sulfate	ug/mL	101	<0.0219	40.7	n/a	n/a	n/a	n/a	0.131	n/a	

Customer Sample ID: B22FL4

Sample Portion: Total

Sample#	R	A#	CAS #	Analyte	Unit	STD %	Blank	Result	Duplicate	Average	RPD %	Spk Rec %	Det Limit	Cnt Err %	Qual Flags
S10M000057			16984-48-8	Fluoride	ug/mL	95.6	<6.16E-03	0.133	n/a	n/a	n/a	n/a	6.16E-03	n/a	
S10M000057			16887-00-6	Chloride	ug/mL	102	<3.10E-03	9.32	n/a	n/a	n/a	n/a	0.0186	n/a	
S10M000057			14797-65-0	Nitrite	ug/mL	93.2	<0.0400	<0.0400	n/a	n/a	n/a	n/a	0.0400	n/a	U
S10M000057			24959-67-9	Bromide	ug/mL	102	<0.0237	0.0827	n/a	n/a	n/a	n/a	0.0237	n/a	E
S10M000057			14797-55-8	Nitrate	ug/mL	101	<0.0162	9.88	n/a	n/a	n/a	n/a	0.0162	n/a	
S10M000057			14265-44-2	Phosphate	ug/mL	99.4	<0.0381	<0.0381	n/a	n/a	n/a	n/a	0.0381	n/a	U
S10M000057			14808-79-8	Sulfate	ug/mL	101	<0.0219	40.9	n/a	n/a	n/a	n/a	0.131	n/a	

E - Estimated
 U - Less Than Detection Limit

Data Summary of All Results

Batch QC Sample

Sample Group: 20100093
 Customer Group or SDG Number: 222S20100093
 Customer Sample ID: B23D35
 Sample Portion: Total

Sample#	R	A#	CAS #	Analyte	Unit	STD %	Blank	Result	Duplicate	Average	RPD %	Spk Rec %	Det Limit	Cnt Err %	Qual Flags
S10M000061			16984-48-8	Fluoride	ug/mL	95.6	<6.16E-03	0.665	0.663	0.664	0.283	94.9	6.16E-03	n/a	
S10M000061			16887-00-6	Chloride	ug/mL	102	<3.10E-03	17.9	17.8	17.9	0.502	94.5	0.0341	n/a	
S10M000061			14797-65-0	Nitrite	ug/mL	93.2	<0.0400	<0.440	<0.440	n/a	n/a	95.8	0.440	n/a	U
S10M000061			24959-67-9	Bromide	ug/mL	102	<0.0237	0.299	0.283	0.291	5.61	100	0.0237	n/a	
S10M000061			14797-55-8	Nitrate	ug/mL	101	<0.0162	120	119	120	0.692	106	0.178	n/a	
S10M000061			14265-44-2	Phosphate	ug/mL	99.4	<0.0381	<0.419	<0.419	n/a	n/a	106	0.419	n/a	U
S10M000061			14808-79-8	Sulfate	ug/mL	101	<0.0219	35.5	35.0	35.3	1.45	104	0.241	n/a	

E - Estimated
 U - Less Than Detection Limit

Attachment 2

HOLDING TIME REPORT

Hold Time Report - Anions

Client Sample ID	Sample Group	Lab Sample ID	Matrix	Method	Sample Date	Received Date	Analysis Date	Lapse Time (hours)	Missed Holding Time
B22FL2	20100109	S10M000056	LIQUID	SW846-9056	02/01/10 09:05	02/02/10 15:40	2/3/2010 14:13	53	Y
B22FL4	20100109	S10M000057	LIQUID	SW846-9056	02/01/10 13:30	02/02/10 15:40	2/3/2010 15:53	50	Y
B22FL3	20100109	S10M000058	LIQUID	SW846-9056	02/01/10 13:30	02/02/10 15:40	2/3/2010 16:06	51	Y

Attachment 3

RECEIPT PAPERWORK

ATL	SAMPLE RECEIPT, AND CHAIN OF CUSTODY VERIFICATION CHECKLIST	LO-090-101 Rev <u>DD-1</u>
Date Samples Received: <u>2-2-10</u>		Group #: <u>22250000093 MR</u>
Number of Samples: <u>7</u>		<u>222520100109 2/2/10</u>
Sample Custodian: <u>TM = Colloc</u>		
Sample Custodian to Complete:		
Action	OK? (Y/N)	N/A
Comments		
RSA/COC provided?	Y	
RSR provided?		N
Verify GKI is complete		N
Check that outer custody seal is intact, if present	Y	
Record cooler temperature in centigrade, as appropriate	N	<input checked="" type="checkbox"/> Check if no cooler and/or no ice
Samples are intact and in good condition	Y	If No, provide comments on back
Verify that COC or RSA is accurate and complete, containing the following information:		
• Client name and client sample number	Y	
• Date and time of sampling	Y	
• Sampling location or origin	Y	
• Container type, size, and number	Y	
• Analysis request is clear	Y	
• Signature of persons relinquishing and receiving samples	Y	
• Date and/or time of sample custody exchange	Y	
Verify that sample numbers on containers match the COC and/or RSA	Y	
Samples stored properly (e.g., refrigeration)	Y	
Notify the PM immediately if any problems are noted. (A "No" answer requires Project Manager resolution.)		
PM to Complete:		
Samples acceptable for release?	<u>Yes</u>	PM Initials <u>DPR</u> Date <u>2/2/2010</u>
If No, comment on communication and resolution:		
Other Comments:		

CH2MHill Plateau Remediation Company		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST				F09-067-364	PAGE 1 OF 1									
COLLECTOR A Emerson		COMPANY CONTACT DYEKMAN, DL		TELEPHONE NO. 373-2530		PROJECT COORDINATOR DYEKMAN, DL		PRICE CODE 7N	DATA TURNAROUND 45 Days / 45 Days							
SAMPLING LOCATION C7665; 1-012		PROJECT DESIGNATION 100-BC Decision Unit-Groundwater				SAF NO. F09-067		AIR QUALITY <input type="checkbox"/>								
ICE CHEST NO. N/A		FIELD LOGBOOK NO. HNE-N-SBS-13		ACTUAL SAMPLE DEPTH 75		COA 300080E510		METHOD OF SHIPMENT GOVERNMENT VEHICLE								
SHIPPED TO 2225 442 2-12-10 Waste Sampling & Characterization 100230		OFFSITE PROPERTY NO. N/A				BILL OF LADING/AIR BILL NO. N/A										
MATRIX* A=Air DL=Drum Liquids DS=Drum Solids L=Liquid O=Oil S=Soil SE=Sediment T=Tissue V=Vegetation W=Water WI=Wipe X=Other	POSSIBLE SAMPLE HAZARDS/ REMARKS Contains Radioactive Material at concentrations that may or may not be regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 5400.5 (1990/1993) 2225201001039 222520100043 - 2/13/10		PRESERVATION		HCl or H2SO4 to pH <2/Cool-4C	HNO3 to pH <2	HNO3 to pH <2	HNO3 to pH <2	HNO3 to pH <2	None	Cool-4C					
			TYPE OF CONTAINER		aGs*	G/P	G/P	G/P	G/P	G	P					
			NO. OF CONTAINER(S)		3	1	1	1	1	1	1	1				
			VOLUME		40mL	500mL	500mL	500mL	500mL	500mL	250mL	500mL				
SPECIAL HANDLING AND/OR STORAGE		SAMPLE ANALYSIS		VOA - 8260 (TCL 100 Area RI/FS);	SEE ITEM (1) IN SPECIAL INSTRUCTIONS	200.8_HG - ICPMS (Mercury)	Gamma Spectroscopy (100 Area RI/FS);	Gross Alpha (Gross alpha) Gross Beta (Gross beta)	Tritium - Ion Ex (Tritium)	IC Anions - 300.0 (100 Area RI/FS);						
SAMPLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME													
B22FL2	WATER	2/1/10	0905	✓	✓	✓	✓	✓	✓	✓	✓					
5107000052																
CHAIN OF POSSESSION				SIGN/ PRINT NAMES				SPECIAL INSTRUCTIONS								
RELINQUISHED BY/REMOVED FROM		DATE/TIME		RECEIVED BY/STORED IN		DATE/TIME		** The CACN for all analytical work at WSCF laboratory is 401640ES20. ** The 100 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF. ** The laboratories must meet prior requested and confirmed turnaround times and RDLs. The laboratories must notify the SM Project Coordinator in writing within 24 hrs of sample receipt if/when this requirement can not be met. ** Sample Management will provide copies of data to both the Task Manager, the Requester, and Mary Hartman. In addition please send copies of data to Tessa Buswell, per Greg Kaszas request. (1)ICP Metals - 6010 (100 Area RI/FS); ICP/MS - 200.8 (100 Area RI/FS);								
Adam Emerson		2/1/10 1525		MDKessler		2/1/10 1525										
RELINQUISHED BY/REMOVED FROM		DATE/TIME		RECEIVED BY/STORED IN		DATE/TIME										
MDKessler		2/2/10 1530		RD Julian		FEB 02 2010 1530										
RELINQUISHED BY/REMOVED FROM		DATE/TIME		RECEIVED BY/STORED IN		DATE/TIME										
RD Julian		FEB 02 2010 1540		RD Julian		FEB 02 2010 1540										
RELINQUISHED BY/REMOVED FROM		DATE/TIME		RECEIVED BY/STORED IN		DATE/TIME										
RELINQUISHED BY/REMOVED FROM		DATE/TIME		RECEIVED BY/STORED IN		DATE/TIME										
RELINQUISHED BY/REMOVED FROM		DATE/TIME		RECEIVED BY/STORED IN		DATE/TIME										
RELINQUISHED BY/REMOVED FROM		DATE/TIME		RECEIVED BY/STORED IN		DATE/TIME										
LABORATORY SECTION		RECEIVED BY				TITLE		DATE/TIME								
FINAL SAMPLE DISPOSITION		DISPOSAL METHOD				DISPOSED BY		DATE/TIME								

ORIGINAL

CH2M Hill Plateau Remediation Company		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST						F09-067-366	PAGE 1 OF 1		
COLLECTOR <i>A Emerson</i>		COMPANY CONTACT DYEKMAN, DL		TELEPHONE NO. 373-2530		PROJECT COORDINATOR DYEKMAN, DL		PRICE CODE 7N	DATA TURNAROUND 45 Days / 45 Days		
SAMPLING LOCATION C7665; I-013D		PROJECT DESIGNATION 100-BC Decision Unit-Groundwater			SAF NO. F09-067		AIR QUALITY <input type="checkbox"/>				
ICE CHEST NO. <i>N/A</i>		FIELD LOGBOOK NO. <i>HNF-N-585-13</i>		ACTUAL SAMPLE DEPTH <i>80 ft.</i>		COA 300080ES10		METHOD OF SHIPMENT GOVERNMENT VEHICLE			
SHIPPED TO <i>Waste Sampling & Characterization</i>		OFFSITE PROPERTY NO. N/A			BILL OF LADING/AIR BILL NO. N/A						
MATRIX* A=Air DL=Drum L=Liquid DS=Drum Solids L=Liquid O=Oil S=Soil SE=Sediment T=Tissue V=Vegetation W=Water WI=Wipe X=Other	POSSIBLE SAMPLE HAZARDS/ REMARKS Contains Radioactive Material at concentrations that may or may not be regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 5400.5 (1990/1993)		PRESERVATION		HCl or H2SO4 to pH <2/Cool-4C	HNO3 to pH <2	HNO3 to pH <2	HNO3 to pH <2	HNO3 to pH <2	None	Cool-4C
			TYPE OF CONTAINER		aGs*	G/P	G/P	G/P	G/P	G	P
			NO. OF CONTAINER(S)		3	1	1	1	1	1	1
			VOLUME		40mL	500mL	500mL	500mL	500mL	250mL	500mL
			SPECIAL HANDLING AND/OR STORAGE		VQA - 8260 (TCL 100 Area RI/FS);		SEE ITEM (1) IN SPECIAL INSTRUCTIONS	200.8 MG - ICP/MS (Mercury)	Gamma Spectroscopy (100 Area RI/FS);	Gross Alpha (Gross alpha) Gross Beta (Gross beta)	Tritium - Ion Ex (Tritium)
SAMPLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME								
B22FL4	WATER	2/1/10	1530	✓	✓	✓	✓	✓	✓	✓	
<i>Slom000057</i>											
CHAIN OF POSSESSION				SIGN/ PRINT NAMES				SPECIAL INSTRUCTIONS			
RELINQUISHED BY/REMOVED FROM		DATE/TIME		RECEIVED BY/STORED IN		DATE/TIME		** The CACN for all analytical work at WSCF laboratory is 401640ES20. ** The 100 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF. ** The laboratories must meet prior requested and confirmed turnaround times and RDLs. The laboratories must notify the SM Project Coordinator in writing within 24 hrs of sample receipt if/when this requirement can not be met. ** Sample Management will provide copies of data to both the Task Manager, the Requester, and Mary Hartman. In addition please send copies of data to Tessa Buswell, per Greg Kaszas request. (1)ICP Metals - 6010 (100 Area RI/FS); ICP/MS - 200.8 (100 Area RI/FS);			
<i>Adam Emerson</i>		<i>2/1/10 1525</i>		<i>MD Kessler</i>		<i>2/1/10 1525</i>					
<i>MD Kessler</i>		<i>FEB 02 2010 1530</i>		<i>RD Julian</i>		<i>FEB 02 2010 1530</i>					
<i>RD Julian</i>		<i>FEB 02 2010 1540</i>		<i>RD Julian</i>		<i>FEB 02 2010 1540</i>					
RELINQUISHED BY/REMOVED FROM		DATE/TIME		RECEIVED BY/STORED IN		DATE/TIME					
RELINQUISHED BY/REMOVED FROM		DATE/TIME		RECEIVED BY/STORED IN		DATE/TIME					
RELINQUISHED BY/REMOVED FROM		DATE/TIME		RECEIVED BY/STORED IN		DATE/TIME					
RELINQUISHED BY/REMOVED FROM		DATE/TIME		RECEIVED BY/STORED IN		DATE/TIME					
LABORATORY SECTION		RECEIVED BY				TITLE				DATE/TIME	
FINAL SAMPLE DISPOSITION		DISPOSAL METHOD				DISPOSED BY				DATE/TIME	

ORIGINAL

CH2M Hill Plateau Remediation Company		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST					F09-067-365	PAGE 1 OF 1			
COLLECTOR <i>A Emerson</i>		COMPANY CONTACT DYEKMAN, DL		TELEPHONE NO. 373-2530		PROJECT COORDINATOR DYEKMAN, DL		PRICE CODE 7N	DATA TURNAROUND 45 Days / 45 Days		
SAMPLING LOCATION C7665; I-013		PROJECT DESIGNATION 100-BC Decision Unit-Groundwater				SAF NO. F09-067		AIR QUALITY <input type="checkbox"/>			
ICE CHEST NO. <i>N/A</i>		FIELD LOGBOOK NO. <i>HNF-N-585-13</i>		ACTUAL SAMPLE DEPTH <i>80ft</i>		COA 300080ES10		METHOD OF SHIPMENT GOVERNMENT VEHICLE			
SHIPPED TO <i>Waste Sampling & Characterization</i>		OFFSITE PROPERTY NO. <i>N/A</i>		BILL OF LADING/AIR BILL NO. <i>N/A</i>							
MATRIX* A=Air DL=Drum Liquids DS=Drum Solids L=Liquid O=Oil S=Soil SE=Sediment T=Tissue V=Vegetation W=Water W1=Wipe X=Other	POSSIBLE SAMPLE HAZARDS/ REMARKS Contains Radioactive Material at concentrations that may or may not be regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 5400.5 (1990/1993) <i>222520100109</i> <i>222520100093</i>		PRESERVATION	HCl or H2SO4 to pH <2/ Cool to 4C	HNO3 to pH <2	None	Cool to 4C				
			TYPE OF CONTAINER	aGs*	G/P	G/P	G/P	G/P	G	P	
			NO. OF CONTAINER(S)	3	1	1	1	1	1	1	
			VOLUME	40mL	500mL	500mL	500mL	500mL	250mL	500mL	
	SPECIAL HANDLING AND/OR STORAGE		SAMPLE ANALYSIS	VOC - 8260 (TCL 100 Area RI/FS);	SEE ITEM (1) IN SPECIAL INSTRUCTIONS	200.8 Hg - ICPMS (Mercury)	Gamma Spectroscopy (100 Area RI/FS);	Gross Alpha (Gross alpha) Gross Beta (Gross beta)	Tritium - Ion Ex (Tritium)	IC Anions - 300.0 (100 Area RI/FS);	
SAMPLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME								
B22FL3	WATER	2/1/10	1330	✓	✓	✓	✓	✓	✓	✓	
<i>S10 M00005B</i>											
CHAIN OF POSSESSION				SIGN/ PRINT NAMES				SPECIAL INSTRUCTIONS			
RELINQUISHED BY/REMOVED FROM <i>Adam Emerson</i>		DATE/TIME <i>2/1/10 1525</i>		RECEIVED BY/STORED IN <i>MD Kessler MD Kessler</i>		DATE/TIME <i>2/1/10 1525</i>		** The CACN for all analytical work at WSCF laboratory is 401640ES20. ** The 100 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF. ** The laboratories must meet prior requested and confirmed turnaround times and RDLs. The laboratories must notify the SM Project Coordinator in writing within 24 hrs of sample receipt if/when this requirement can not be met. ** Sample Management will provide copies of data to both the Task Manager, the Requester, and Mary Hartman. In addition please send copies of data to Tessa Buswell, per Greg Kaszas request. (1)ICP Metals - 6010 (100 Area RI/FS); ICP/MS - 200.8 (100 Area RI/FS);			
RELINQUISHED BY/REMOVED FROM <i>MD Kessler MD Kessler</i>		DATE/TIME <i>FEB 02 2010 1530</i>		RECEIVED BY/STORED IN <i>MD Julian</i>		DATE/TIME <i>FEB 02 2010 1530</i>					
RELINQUISHED BY/REMOVED FROM <i>MD Julian</i>		DATE/TIME <i>FEB 02 2010 1540</i>		RECEIVED BY/STORED IN <i>MD Kessler</i>		DATE/TIME <i>FEB 02 2010 1540</i>					
RELINQUISHED BY/REMOVED FROM		DATE/TIME		RECEIVED BY/STORED IN		DATE/TIME					
RELINQUISHED BY/REMOVED FROM		DATE/TIME		RECEIVED BY/STORED IN		DATE/TIME					
RELINQUISHED BY/REMOVED FROM		DATE/TIME		RECEIVED BY/STORED IN		DATE/TIME					
RELINQUISHED BY/REMOVED FROM		DATE/TIME		RECEIVED BY/STORED IN		DATE/TIME					
LABORATORY SECTION	RECEIVED BY			TITLE				DATE/TIME			
FINAL SAMPLE DISPOSITION	DISPOSAL METHOD			DISPOSED BY				DATE/TIME			

ORIGINAL